

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR188

5 Band edge for NR FR1..... 117

6 Out-of-band emissions for NR FR1125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	21.01	-3.56	17.45	30.00	Pass
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	20.09	-3.56	16.53	30.00	Pass
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	21.09	-3.56	17.53	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	20.99	-3.56	17.43	30.00	Pass
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	21.35	-3.56	17.79	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	20.09	-3.56	16.53	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	18.46	-3.56	14.90	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	16.81	-3.56	13.25	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	19.55	-3.56	15.99	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	21.74	-3.56	18.18	30.00	Pass
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	20.82	-3.56	17.26	30.00	Pass
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	21.88	-3.56	18.32	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	21.91	-3.56	18.35	30.00	Pass
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	22.08	-3.56	18.52	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	20.78	-3.56	17.22	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	19.50	-3.56	15.94	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	17.36	-3.56	13.80	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	20.26	-3.56	16.70	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	22.06	-3.56	18.50	30.00	Pass
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	21.15	-3.56	17.59	30.00	Pass
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	22.19	-3.56	18.63	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	22.00	-3.56	18.44	30.00	Pass
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	22.18	-3.56	18.62	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	20.54	-3.56	16.98	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	19.75	-3.56	16.19	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	17.87	-3.56	14.31	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	20.97	-3.56	17.41	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	20.92	-3.56	17.36	30.00	Pass
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	20.71	-3.56	17.15	30.00	Pass
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	22.06	-3.56	18.50	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	20.87	-3.56	17.31	30.00	Pass
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	21.77	-3.56	18.21	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	20.26	-3.56	16.70	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	18.75	-3.56	15.19	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	16.44	-3.56	12.88	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	19.47	-3.56	15.91	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	21.95	-3.56	18.39	30.00	Pass

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	20.97	-3.56	17.41	30.00	Pass
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	21.90	-3.56	18.34	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	22.02	-3.56	18.46	30.00	Pass
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	22.03	-3.56	18.47	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	21.17	-3.56	17.61	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	19.47	-3.56	15.91	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	17.53	-3.56	13.97	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	20.64	-3.56	17.08	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	21.78	-3.56	18.22	30.00	Pass
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	21.10	-3.56	17.54	30.00	Pass
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	22.14	-3.56	18.58	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	21.84	-3.56	18.28	30.00	Pass
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	22.18	-3.56	18.62	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	20.66	-3.56	17.10	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	19.16	-3.56	15.60	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	17.05	-3.56	13.49	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	20.29	-3.56	16.73	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	21.08	-3.56	17.52	30.00	Pass
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	20.94	-3.56	17.38	30.00	Pass
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	22.06	-3.56	18.50	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	21.10	-3.56	17.54	30.00	Pass
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	22.26	-3.56	18.70	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	20.60	-3.56	17.04	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	18.69	-3.56	15.13	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	16.77	-3.56	13.21	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	19.46	-3.56	15.90	30.00	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-5.09	-0.00137	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-6.15	-0.00166	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-4.24	-0.00114	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-6.10	-0.00165	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-4.98	-0.00134	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-6.66	-0.00180	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-7.57	-0.00202	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-6.44	-0.00172	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-4.10	-0.00109	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-6.29	-0.00168	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-6.60	-0.00176	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-7.34	-0.00196	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-5.14	-0.00135	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-4.09	-0.00108	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-5.22	-0.00138	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-3.27	-0.00086	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-6.47	-0.00170	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-5.39	-0.00142	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-5.41	-0.00145	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-4.06	-0.00109	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-5.71	-0.00153	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-9.80	-0.00263	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-7.72	-0.00207	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-4.66	-0.00125	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-6.81	-0.00182	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-6.51	-0.00174	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-5.89	-0.00157	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-7.44	-0.00198	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-7.91	-0.00211	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-5.92	-0.00158	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-4.83	-0.00128	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-5.47	-0.00145	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-5.16	-0.00137	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-5.32	-0.00141	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-4.51	-0.00119	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-6.42	-0.00170	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-8.83	-0.00235	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-5.41	-0.00144	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-4.36	-0.00116	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-6.16	-0.00164	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-8.83	-0.00235	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-5.05	-0.00135	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.14	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.23	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.43	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.77	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.33	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.55	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.14	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.52	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.12	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.54	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.68	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.15	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.52	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	6.12	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.19	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.39	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	5.87	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.40	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.59	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.36	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	5.99	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.19	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.62	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.37	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.06	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.29	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.78	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.10	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.43	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	5.83	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.45	13	PASS

n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.52	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.62	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.56	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	5.89	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.58	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.82	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.32	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.39	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.41	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.36	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.27	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.26	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.40	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.86	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.22	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.38	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	5.96	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.35	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.68	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.12	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.69	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.36	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.30	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.85	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.43	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.49	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.08	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.33	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.88	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	6.19	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.58	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.55	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.82	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.28	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.68	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	6.29	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.20	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.58	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.43	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.65	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.18	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.27	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	5.58	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.58	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.44	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.45	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.84	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	3.89	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	6.34	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.31	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.59	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.70	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.20	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.50	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.66	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	6.75	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.30	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.33	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	6.04	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.88	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.57	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	4.25	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	5.52	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.19	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.65	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.79	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.64	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.77	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	6.20	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	6.71	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.59	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	5.88	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.88	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.13	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.69	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.17	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.35	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.62	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	3.97	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.86	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.28	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	7.10	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.65	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	4.16	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.53	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	6.21	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.43	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.66	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	4.03	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.79	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	5.95	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.17	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.96	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	6.30	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.57	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.26	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	6.11	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.19	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.53	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	4.47	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.57	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.19	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.62	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.76	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=650000 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=647168 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=652832 RB=36@0