

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	88
5 Band edge for NR FR1	117
6 Out-of-band emissions for NR FR1	125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	21.95	0.42	22.37	30	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	20.87	0.42	21.29	30	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	21.86	0.42	22.28	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	21.84	0.42	22.26	30	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	21.76	0.42	22.18	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	21.04	0.42	21.46	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	19.37	0.42	19.79	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	17.36	0.42	17.78	30	PASS
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	20.50	0.42	20.92	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	21.51	0.42	21.93	30	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	20.57	0.42	20.99	30	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	21.57	0.42	21.99	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	21.47	0.42	21.89	30	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	21.53	0.42	21.95	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	20.46	0.42	20.88	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	19.33	0.42	19.75	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	17.24	0.42	17.66	30	PASS
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	20.86	0.42	21.28	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	21.25	0.42	21.67	30	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	20.36	0.42	20.78	30	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	21.38	0.42	21.8	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	21.28	0.42	21.7	30	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	21.31	0.42	21.73	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	20.37	0.42	20.79	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	18.81	0.42	19.23	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	16.78	0.42	17.2	30	PASS
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	19.98	0.42	20.4	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	21.66	0.42	22.08	30	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	20.70	0.42	21.12	30	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	21.68	0.42	22.1	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	21.68	0.42	22.1	30	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	21.44	0.42	21.86	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	20.79	0.42	21.21	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	19.15	0.42	19.57	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	17.28	0.42	17.7	30	PASS
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	20.12	0.42	20.54	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	21.50	0.42	21.92	30	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	20.56	0.42	20.98	30	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	21.63	0.42	22.05	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	21.55	0.42	21.97	30	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	21.37	0.42	21.79	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	20.16	0.42	20.58	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	18.90	0.42	19.32	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	16.93	0.42	17.35	30	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	19.92	0.42	20.34	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	21.57	0.42	21.99	30	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	20.47	0.42	20.89	30	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	21.46	0.42	21.88	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	21.47	0.42	21.89	30	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	21.31	0.42	21.73	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	20.44	0.42	20.86	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	19.00	0.42	19.42	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	17.23	0.42	17.65	30	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	19.86	0.42	20.28	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	21.61	0.42	22.03	30	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	20.56	0.42	20.98	30	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	21.61	0.42	22.03	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	21.72	0.42	22.14	30	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	21.27	0.42	21.69	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	20.68	0.42	21.1	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	19.37	0.42	19.79	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	17.37	0.42	17.79	30	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	20.20	0.42	20.62	30	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-11.83	-0.00319	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-11.98	-0.00323	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-7.29	-0.00197	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-5.93	-0.00160	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-6.91	-0.00187	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-5.39	-0.00145	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-9.00	-0.00240	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-8.01	-0.00214	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-11.28	-0.00301	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-2.39	-0.00064	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-5.16	-0.00138	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-4.64	-0.00124	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-7.74	-0.00204	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-7.45	-0.00196	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-4.27	-0.00113	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-5.35	-0.00141	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-0.10	-0.00003	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-2.15	-0.00057	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-9.18	-0.00246	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	0.49	0.00013	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-8.73	-0.00234	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-9.38	-0.00252	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-10.16	-0.00273	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-7.68	-0.00206	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-14.03	-0.00374	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-11.67	-0.00311	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-9.86	-0.00263	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-11.71	-0.00312	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-6.11	-0.00163	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-8.50	-0.00227	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-5.66	-0.00150	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-15.30	-0.00405	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-4.09	-0.00108	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-5.37	-0.00142	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-10.19	-0.00270	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-6.10	-0.00162	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-9.36	-0.00250	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-11.12	-0.00297	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-4.29	-0.00114	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-7.97	-0.00213	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-7.62	-0.00203	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-6.09	-0.00162	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	3.97	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.27	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.08	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.03	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.04	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	5.97	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.47	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.74	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.00	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	5.84	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.08	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.05	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.54	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	6.13	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.08	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.10	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	5.87	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.26	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.40	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	5.86	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	5.97	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.95	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.05	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.20	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.31	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.33	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.27	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	6.56	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.37	13	PASS

n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.74	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.27	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.33	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.09	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.16	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.56	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.30	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.52	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.70	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.56	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	5.85	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.50	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.10	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.20	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	5.80	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.22	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.59	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.51	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.09	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.59	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.50	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.40	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.33	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.82	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.03	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.18	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	5.99	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.03	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.52	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.11	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.44	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	6.19	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.56	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.44	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.10	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.47	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	5.99	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.36	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.65	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.13	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.36	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.00	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.47	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	4.39	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.33	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	5.89	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.75	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.12	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.13	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.05	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.29	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.38	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	5.75	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	5.97	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.35	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	4.41	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	5.26	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.14	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.20	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.14	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	5.87	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	7.19	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.43	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	4.76	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.15	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.40	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.77	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.62	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.21	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.18	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	5.90	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.14	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.50	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	4.08	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.39	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.00	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.69	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	4.17	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.32	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.23	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.24	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	5.96	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	6.53	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	4.15	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.62	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	6.16	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.06	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.43	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.12	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	5.95	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.65	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	5.63	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.76	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.00	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.22	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.58	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0