



Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: a High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5955.000	34.07	10.24	44.31	68.20	23.89	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: a High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	34.20	14.31	48.51	68.20	19.69	Peak
2	15720.000	38.69	16.31	55.00	74.00	19.00	Peak
3	15720.000	26.14	16.31	42.45	54.00	11.55	Average
4	17726.400	33.44	25.82	59.26	74.00	14.74	Peak
5	17726.400	21.05	25.82	46.87	54.00	7.13	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: a High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	34.17	14.31	48.48	68.20	19.72	Peak
2	15720.000	38.71	16.31	55.02	74.00	18.98	Peak
3	15720.000	26.33	16.31	42.64	54.00	11.36	Average
4	17724.000	33.67	25.81	59.48	74.00	14.52	Peak
5	17724.000	21.33	25.81	47.14	54.00	6.86	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5950.000	34.08	10.24	44.32	68.20	23.88	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5968.000	34.70	10.22	44.92	68.20	23.28	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	33.49	14.31	47.80	68.20	20.40	Peak
2	15720.000	37.05	16.31	53.36	74.00	20.64	Peak
3	15720.000	25.41	16.31	41.72	54.00	12.28	Average
4	17836.800	33.35	25.76	59.11	74.00	14.89	Peak
5	17836.800	21.57	25.76	47.33	54.00	6.67	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	33.36	14.31	47.67	68.20	20.53	Peak
2	15720.000	37.19	16.31	53.50	74.00	20.50	Peak
3	15720.000	24.33	16.31	40.64	54.00	13.36	Average
4	17707.200	33.19	25.83	59.02	74.00	14.98	Peak
5	17707.200	21.28	25.83	47.11	54.00	6.89	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5863.000	35.30	9.34	44.64	68.20	23.56	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5931.000	34.57	9.99	44.56	68.20	23.64	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10460.000	33.29	14.13	47.42	68.20	20.78	Peak
2	15690.000	38.25	16.21	54.46	74.00	19.54	Peak
3	15690.000	26.31	16.21	42.52	54.00	11.48	Average
4	17719.200	33.09	25.83	58.92	74.00	15.08	Peak
5	17719.200	21.06	25.83	46.89	54.00	7.11	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10460.000	33.65	14.13	47.78	68.20	20.42	Peak
2	15690.000	38.55	16.21	54.76	74.00	19.24	Peak
3	15690.000	26.43	16.21	42.64	54.00	11.36	Average
4	17728.800	33.48	25.82	59.30	74.00	14.70	Peak
5	17728.800	21.57	25.82	47.39	54.00	6.61	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5976.000	34.55	10.21	44.76	68.20	23.44	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5949.000	33.83	10.24	44.07	68.20	24.13	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10420.000	34.28	13.75	48.03	68.20	20.17	Peak
2	15630.000	36.07	16.42	52.49	74.00	21.51	Peak
3	15630.000	24.18	16.42	40.60	54.00	13.40	Average
4	17728.800	33.82	25.82	59.64	74.00	14.36	Peak
5	17728.800	21.63	25.82	47.45	54.00	6.55	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10420.000	34.18	13.75	47.93	68.20	20.27	Peak
2	15630.000	36.11	16.42	52.53	74.00	21.47	Peak
3	15630.000	24.36	16.42	40.78	54.00	13.22	Average
4	17716.800	32.71	25.83	58.54	74.00	15.46	Peak
5	17716.800	20.86	25.83	46.69	54.00	7.31	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_Full High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5819.000	34.40	9.41	43.81	68.20	24.39	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU_Full High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5957.000	33.64	10.23	43.87	68.20	24.33	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 RU_Full High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	33.95	14.31	48.26	68.20	19.94	Peak
2	15720.000	37.53	16.31	53.84	74.00	20.16	Peak
3	15720.000	25.17	16.31	41.48	54.00	12.52	Average
4	17728.800	32.87	25.82	58.69	74.00	15.31	Peak
5	17728.800	20.87	25.82	46.69	54.00	7.31	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax20 RU_Full High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	33.87	14.31	48.18	68.20	20.02	Peak
2	15720.000	37.46	16.31	53.77	74.00	20.23	Peak
3	15720.000	25.33	16.31	41.64	54.00	12.36	Average
4	17726.400	33.47	25.82	59.29	74.00	14.71	Peak
5	17726.400	21.56	25.82	47.38	54.00	6.62	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 RU_Full High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5924.000	34.14	9.92	44.06	68.20	24.14	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 RU_Full High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5958.000	34.10	10.24	44.34	68.20	23.86	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 RU_Full High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10460.000	33.56	14.13	47.69	68.20	20.51	Peak
2	15690.000	37.56	16.21	53.77	74.00	20.23	Peak
3	15690.000	25.43	16.21	41.64	54.00	12.36	Average
4	17659.200	33.88	25.25	59.13	68.20	9.07	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 RU_Full High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10460.000	33.78	14.13	47.91	68.20	20.29	Peak
2	15690.000	37.47	16.21	53.68	74.00	20.32	Peak
3	15690.000	25.35	16.21	41.56	54.00	12.44	Average
4	17721.600	32.88	25.81	58.69	74.00	15.31	Peak
5	17721.600	20.98	25.81	46.79	54.00	7.21	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_Full Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5942.000	33.97	10.14	44.11	68.20	24.09	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_Full Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5969.000	34.06	10.22	44.28	68.20	23.92	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 RU_Full Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10420.000	33.75	13.75	47.50	68.20	20.70	Peak
2	15630.000	36.12	16.42	52.54	74.00	21.46	Peak
3	15630.000	24.31	16.42	40.73	54.00	13.27	Average
4	17719.200	33.36	25.83	59.19	74.00	14.81	Peak
5	17719.200	21.45	25.83	47.28	54.00	6.72	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 RU_Full Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10420.000	33.69	13.75	47.44	68.20	20.76	Peak
2	15630.000	36.24	16.42	52.66	74.00	21.34	Peak
3	15630.000	24.23	16.42	40.65	54.00	13.35	Average
4	17728.800	34.57	25.82	60.39	74.00	13.61	Peak
5	17728.800	21.71	25.82	47.53	54.00	6.47	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_26-8 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5985.000	34.18	10.19	44.37	68.20	23.83	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU 26-8 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5953.000	34.02	10.24	44.26	68.20	23.94	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 RU_26-8 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	33.48	14.31	47.79	68.20	20.41	Peak
2	15720.000	36.83	16.31	53.14	74.00	20.86	Peak
3	15720.000	24.36	16.31	40.67	54.00	13.33	Average
4	17724.000	33.88	25.81	59.69	74.00	14.31	Peak
5	17724.000	21.40	25.81	47.21	54.00	6.79	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 RU_26-8 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10480.000	33.54	14.31	47.85	68.20	20.35	Peak
2	15720.000	36.65	16.31	52.96	74.00	21.04	Peak
3	15720.000	24.34	16.31	40.65	54.00	13.35	Average
4	17736.000	33.30	25.81	59.11	74.00	14.89	Peak
5	17736.000	21.30	25.81	47.11	54.00	6.89	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 RU_26-17 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5972.000	35.13	10.21	45.34	68.20	22.86	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 RU_26-17 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5967.000	34.51	10.22	44.73	68.20	23.47	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 RU_26-17 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10460.000	33.04	14.13	47.17	68.20	21.03	Peak
2	15690.000	38.52	16.21	54.73	74.00	19.27	Peak
3	15690.000	25.47	16.21	41.68	54.00	12.32	Average
4	17839.200	34.02	25.78	59.80	74.00	14.20	Peak
5	17839.200	20.91	25.78	46.69	54.00	7.31	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 RU_26-17 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10460.000	33.35	14.13	47.48	68.20	20.72	Peak
2	15690.000	38.60	16.21	54.81	74.00	19.19	Peak
3	15690.000	26.30	16.21	42.51	54.00	11.49	Average
4	17714.400	33.49	25.82	59.31	74.00	14.69	Peak
5	17714.400	21.32	25.82	47.14	54.00	6.86	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_26-0 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5981.000	34.32	10.20	44.52	68.20	23.68	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_26-0 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5974.000	34.76	10.21	44.97	68.20	23.23	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax80 RU_26-0 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10420.000	33.69	13.75	47.44	68.20	20.76	Peak
2	15630.000	36.90	16.42	53.32	74.00	20.68	Peak
3	15630.000	24.55	16.42	40.97	54.00	13.03	Average
4	17726.400	33.29	25.82	59.11	74.00	14.89	Peak
5	17726.400	21.43	25.82	47.25	54.00	6.75	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 RU_26-0 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10420.000	33.58	13.75	47.33	68.20	20.87	Peak
2	15630.000	36.69	16.42	53.11	74.00	20.89	Peak
3	15630.000	24.57	16.42	40.99	54.00	13.01	Average
4	17714.400	33.07	25.82	58.89	74.00	15.11	Peak
5	17714.400	21.05	25.82	46.87	54.00	7.13	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5954.000	34.80	10.23	45.03	68.20	23.17	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5950.000	33.76	10.24	44.00	68.20	24.20	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10640.000	34.03	13.87	47.90	74.00	26.10	Peak
2	10640.000	22.47	13.87	36.34	54.00	17.66	Average
3	15960.000	36.03	17.56	53.59	74.00	20.41	Peak
4	15960.000	24.36	17.56	41.92	54.00	12.08	Average
5	17728.800	33.45	25.82	59.27	74.00	14.73	Peak
6	17728.800	20.87	25.82	46.69	54.00	7.31	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10640.000	34.28	13.87	48.15	74.00	25.85	Peak
2	10640.000	22.47	13.87	36.34	54.00	17.66	Average
3	15960.000	36.54	17.56	54.10	74.00	19.90	Peak
4	15960.000	24.38	17.56	41.94	54.00	12.06	Average
5	17726.400	33.50	25.82	59.32	74.00	14.68	Peak
6	17726.400	20.92	25.82	46.74	54.00	7.26	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5952.000	33.71	10.23	43.94	68.20	24.26	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5946.000	33.99	10.18	44.17	68.20	24.03	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10640.000	34.11	13.87	47.98	74.00	26.02	Peak
2	10640.000	22.47	13.87	36.34	54.00	17.66	Average
3	15960.000	36.27	17.56	53.83	74.00	20.17	Peak
4	15960.000	24.28	17.56	41.84	54.00	12.16	Average
5	17700.000	33.14	25.84	58.98	68.20	9.22	Peak
6	17700.000	21.17	25.84	47.01	54.00	6.99	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10640.000	34.21	13.87	48.08	74.00	25.92	Peak
2	10640.000	22.49	13.87	36.36	54.00	17.64	Average
3	15960.000	36.64	17.56	54.20	74.00	19.80	Peak
4	15960.000	24.56	17.56	42.12	54.00	11.88	Average
5	17719.200	33.43	25.83	59.26	74.00	14.74	Peak
6	17719.200	21.41	25.83	47.24	54.00	6.76	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5950.000	33.89	10.24	44.13	68.20	24.07	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5851.000	34.98	9.25	44.23	68.20	23.97	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: n40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10540.000	33.72	14.54	48.26	68.20	19.94	Peak
2	15810.000	36.18	16.97	53.15	74.00	20.85	Peak
3	15810.000	24.56	16.97	41.53	54.00	12.47	Average
4	17563.200	35.70	23.78	59.48	68.20	8.72	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10540.000	33.67	14.54	48.21	68.20	19.99	Peak
2	15810.000	36.44	16.97	53.41	74.00	20.59	Peak
3	15810.000	24.26	16.97	41.23	54.00	12.77	Average
4	17685.600	33.14	25.62	58.76	68.20	9.44	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5938.000	34.48	10.08	44.56	68.20	23.64	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5949.000	33.96	10.24	44.20	68.20	24.00	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10580.000	33.74	14.58	48.32	68.20	19.88	Peak
2	15870.000	34.55	17.59	52.14	74.00	21.86	Peak
3	15870.000	22.18	17.59	39.77	54.00	14.23	Average
4	17560.800	36.04	23.72	59.76	68.20	8.44	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10580.000	33.79	14.58	48.37	68.20	19.83	Peak
2	15870.000	34.28	17.59	51.87	74.00	22.13	Peak
3	15870.000	22.30	17.59	39.89	54.00	14.11	Average
4	17728.800	34.42	25.82	60.24	74.00	13.76	Peak
5	17728.800	21.63	25.82	47.45	54.00	6.55	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_Full High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5947.000	34.25	10.21	44.46	68.20	23.74	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU_Full High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5978.000	35.08	10.21	45.29	68.20	22.91	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 RU_Full High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10640.000	34.65	13.87	48.52	74.00	25.48	Peak
2	10640.000	22.35	13.87	36.22	54.00	17.78	Average
3	15960.000	35.45	17.56	53.01	74.00	20.99	Peak
4	15960.000	23.30	17.56	40.86	54.00	13.14	Average
5	17740.800	32.92	25.80	58.72	74.00	15.28	Peak
6	17740.800	20.89	25.80	46.69	54.00	7.31	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 RU_Full High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10640.000	34.22	13.87	48.09	74.00	25.91	Peak
2	10640.000	22.36	13.87	36.23	54.00	17.77	Average
3	15960.000	35.39	17.56	52.95	74.00	21.05	Peak
4	15960.000	23.38	17.56	40.94	54.00	13.06	Average
5	17726.400	33.11	25.82	58.93	74.00	15.07	Peak
6	17726.400	20.97	25.82	46.79	54.00	7.21	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 RU_Full High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5964.000	34.65	10.22	44.87	68.20	23.33	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 RU_Full High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5867.000	35.04	9.36	44.40	68.20	23.80	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 RU_Full High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10620.000	36.03	14.24	50.27	74.00	23.73	Peak
2	10620.000	23.98	14.24	38.22	54.00	15.78	Average
3	15960.000	36.08	17.56	53.64	74.00	20.36	Peak
4	15960.000	23.57	17.56	41.13	54.00	12.87	Average
5	17913.600	32.87	25.77	58.64	74.00	15.36	Peak
6	17913.600	20.92	25.77	46.69	54.00	7.31	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 RU_Full High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10620.000	36.23	14.24	50.47	74.00	23.53	Peak
2	10620.000	24.14	14.24	38.38	54.00	15.62	Average
3	15930.000	35.38	17.74	53.12	74.00	20.88	Peak
4	15930.000	23.25	17.74	40.99	54.00	13.01	Average
5	17726.400	32.86	25.82	58.68	74.00	15.32	Peak
6	17726.400	21.20	25.82	47.02	54.00	6.98	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_Full Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5975.000	34.19	10.21	44.40	68.20	23.80	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_Full Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5972.000	33.87	10.21	44.08	68.20	24.12	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 RU_Full Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10580.000	34.57	14.58	49.15	68.20	19.05	Peak
2	15870.000	34.77	17.59	52.36	74.00	21.64	Peak
3	15870.000	22.54	17.59	40.13	54.00	13.87	Average
4	17726.400	32.89	25.82	58.71	74.00	15.29	Peak
5	17726.400	20.95	25.82	46.77	54.00	7.23	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax80 RU_Full Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10580.000	34.26	14.58	48.84	68.20	19.36	Peak
2	15870.000	34.36	17.59	51.95	74.00	22.05	Peak
3	15870.000	22.36	17.59	39.95	54.00	14.05	Average
4	17724.000	33.37	25.81	59.18	74.00	14.82	Peak
5	17724.000	20.90	25.81	46.71	54.00	7.29	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax160 RU_Full Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5959.000	34.18	10.23	44.41	68.20	23.79	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax160 RU_Full Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5953.000	33.83	10.24	44.07	68.20	24.13	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax160 RU_Full Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10500.000	33.36	14.51	47.87	68.20	20.33	Peak
2	15750.000	37.04	16.52	53.56	74.00	20.44	Peak
3	15750.000	25.22	16.52	41.74	54.00	12.26	Average
4	17726.400	33.38	25.82	59.20	74.00	14.80	Peak
5	17726.400	21.39	25.82	47.21	54.00	6.79	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax160 RU_Full Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10500.000	33.37	14.51	47.88	68.20	20.32	Peak
2	15750.000	37.46	16.52	53.98	74.00	20.02	Peak
3	15750.000	25.43	16.52	41.95	54.00	12.05	Average
4	17721.600	33.45	25.81	59.26	74.00	14.74	Peak
5	17721.600	21.65	25.81	47.46	54.00	6.54	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_26-0 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5594.000	33.51	9.98	43.49	68.20	24.71	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU_26-0 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5958.000	33.89	10.24	44.13	68.20	24.07	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 RU_26-0 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10520.000	33.08	14.53	47.61	68.20	20.59	Peak
2	15780.000	36.82	16.73	53.55	74.00	20.45	Peak
3	15780.000	24.29	16.73	41.02	54.00	12.98	Average
4	17728.800	33.11	25.82	58.93	74.00	15.07	Peak
5	17728.800	20.89	25.82	46.71	54.00	7.29	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 RU_26-0 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10520.000	34.02	14.53	48.55	68.20	19.65	Peak
2	15780.000	36.59	16.73	53.32	74.00	20.68	Peak
3	15780.000	24.56	16.73	41.29	54.00	12.71	Average
4	17719.200	33.25	25.83	59.08	74.00	14.92	Peak
5	17719.200	21.41	25.83	47.24	54.00	6.76	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 RU_26-0 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5576.000	34.34	10.02	44.36	68.20	23.84	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 RU_26-0 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	35.09	9.25	44.34	68.20	23.86	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax40 RU_26-0 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10540.000	33.03	14.54	47.57	68.20	20.63	Peak
2	15810.000	36.01	16.97	52.98	74.00	21.02	Peak
3	15810.000	24.36	16.97	41.33	54.00	12.67	Average
4	17728.800	32.56	25.82	58.38	74.00	15.62	Peak
5	17728.800	20.87	25.82	46.69	54.00	7.31	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax40 RU_26-0 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10540.000	33.37	14.54	47.91	68.20	20.29	Peak
2	15810.000	36.18	16.97	53.15	74.00	20.85	Peak
3	15810.000	24.58	16.97	41.55	54.00	12.45	Average
4	17714.400	32.80	25.82	58.62	74.00	15.38	Peak
5	17714.400	20.92	25.82	46.74	54.00	7.26	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_26-0 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5971.000	33.83	10.21	44.04	68.20	24.16	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_26-0 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5945.000	33.56	10.18	43.74	68.20	24.46	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 RU_26-0 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10580.000	33.09	14.58	47.67	68.20	20.53	Peak
2	15870.000	35.79	17.59	53.38	74.00	20.62	Peak
3	15870.000	23.14	17.59	40.73	54.00	13.27	Average
4	17724.000	32.79	25.81	58.60	74.00	15.40	Peak
5	17724.000	20.83	25.81	46.64	54.00	7.36	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 RU_26-0 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10580.000	33.36	14.58	47.94	68.20	20.26	Peak
2	15870.000	35.66	17.59	53.25	74.00	20.75	Peak
3	15870.000	23.34	17.59	40.93	54.00	13.07	Average
4	17733.600	33.01	25.81	58.82	74.00	15.18	Peak
5	17733.600	20.66	25.81	46.47	54.00	7.53	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax160 RU_26-0 Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5851.000	34.59	9.25	43.84	68.20	24.36	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax160 RU_26-0 Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5980.000	34.39	10.20	44.59	68.20	23.61	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax160 RU_26-0 Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10500.000	33.23	14.51	47.74	68.20	20.46	Peak
2	15750.000	36.56	16.52	53.08	74.00	20.92	Peak
3	15750.000	24.22	16.52	40.74	54.00	13.26	Average
4	17664.000	34.14	25.32	59.46	68.20	8.74	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax160 RU_26-0 Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	10500.000	33.68	14.51	48.19	68.20	20.01	Peak
2	15750.000	35.14	16.52	51.66	74.00	22.34	Peak
3	15750.000	23.34	16.52	39.86	54.00	14.14	Average
4	17728.800	33.00	25.82	58.82	74.00	15.18	Peak
5	17728.800	20.85	25.82	46.67	54.00	7.33	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: a High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5975.000	34.96	10.21	45.17	68.20	23.03	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: a High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5939.000	35.15	10.11	45.26	68.20	22.94	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: a High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	34.20	13.71	47.91	74.00	26.09	Peak
2	11400.000	22.08	13.71	35.79	54.00	18.21	Average
3	17100.000	33.36	21.61	54.97	68.20	13.23	Peak
4	17726.400	33.06	25.82	58.88	74.00	15.12	Peak
5	17726.400	21.05	25.82	46.87	54.00	7.13	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: a High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	33.98	13.71	47.69	74.00	26.31	Peak
2	11400.000	22.14	13.71	35.85	54.00	18.15	Average
3	17100.000	33.54	21.61	55.15	68.20	13.05	Peak
4	17668.800	33.66	25.39	59.05	68.20	9.15	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n20 High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5972.000	34.41	10.21	44.62	68.20	23.58	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n20 High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5948.000	34.29	10.21	44.50	68.20	23.70	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: n20 High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	33.58	13.71	47.29	74.00	26.71	Peak
2	11400.000	21.29	13.71	35.00	54.00	19.00	Average
3	17100.000	35.06	21.61	56.67	68.20	11.53	Peak
4	17721.600	34.10	25.81	59.91	74.00	14.09	Peak
5	17721.600	21.90	25.81	47.71	54.00	6.29	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: n20 High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	33.69	13.71	47.40	74.00	26.60	Peak
2	11400.000	21.47	13.71	35.18	54.00	18.82	Average
3	17100.000	35.11	21.61	56.72	68.20	11.48	Peak
4	17762.400	33.22	25.78	59.00	74.00	15.00	Peak
5	17762.400	21.62	25.78	47.40	54.00	6.60	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n40 High Channel 5670MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5954.000	34.41	10.23	44.64	68.20	23.56	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n40 High Channel 5670MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5950.000	34.01	10.24	44.25	68.20	23.95	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: n40 High Channel 5670MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11340.000	34.41	14.55	48.96	74.00	25.04	Peak
2	11340.000	25.41	14.55	39.96	54.00	14.04	Average
3	17010.000	34.24	19.96	54.20	68.20	14.00	Peak
4	17726.400	33.01	25.82	58.83	74.00	15.17	Peak
5	17726.400	20.85	25.82	46.67	54.00	7.33	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: n40 High Channel 5670MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11340.000	34.28	14.55	48.83	74.00	25.17	Peak
2	11340.000	22.30	14.55	36.85	54.00	17.15	Average
3	17010.000	34.26	19.96	54.22	68.20	13.98	Peak
4	17719.200	33.06	25.83	58.89	74.00	15.11	Peak
5	17719.200	21.73	25.83	47.56	54.00	6.44	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ac80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5952.000	34.19	10.23	44.42	68.20	23.78	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ac80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5951.000	33.66	10.24	43.90	68.20	24.30	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ac80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11220.000	33.96	15.09	49.05	74.00	24.95	Peak
2	11220.000	21.56	15.09	36.65	54.00	17.35	Average
3	16830.000	35.09	18.93	54.02	68.20	14.18	Peak
4	17728.800	33.81	25.82	59.63	74.00	14.37	Peak
5	17728.800	21.64	25.82	47.46	54.00	6.54	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ac80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11220.000	33.69	15.09	48.78	74.00	25.22	Peak
2	11220.000	21.47	15.09	36.56	54.00	17.44	Average
3	16830.000	35.47	18.93	54.40	68.20	13.80	Peak
4	17716.800	34.08	25.83	59.91	74.00	14.09	Peak
5	17716.800	21.61	25.83	47.44	54.00	6.56	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_Full High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5975.000	33.83	10.21	44.04	68.20	24.16	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU_Full High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5954.000	34.39	10.23	44.62	68.20	23.58	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 RU_Full High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	33.51	13.71	47.22	74.00	26.78	Peak
2	11400.000	21.56	13.71	35.27	54.00	18.73	Average
3	17100.000	33.61	21.61	55.22	68.20	12.98	Peak
4	17714.400	33.30	25.82	59.12	74.00	14.88	Peak
5	17714.400	21.76	25.82	47.58	54.00	6.42	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax20 RU_Full High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	33.54	13.71	47.25	74.00	26.75	Peak
2	11400.000	21.39	13.71	35.10	54.00	18.90	Average
3	17100.000	33.48	21.61	55.09	68.20	13.11	Peak
4	17724.000	32.87	25.81	58.68	74.00	15.32	Peak
5	17724.000	21.40	25.81	47.21	54.00	6.79	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 RU_Full High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5857.000	34.76	9.29	44.05	68.20	24.15	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 RU_Full High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5967.000	33.88	10.22	44.10	68.20	24.10	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
 Polarization: horizontal
 Note: ax40 RU_Full High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11340.000	34.35	14.55	48.90	74.00	25.10	Peak
2	11340.000	22.28	14.55	36.83	54.00	17.17	Average
3	17010.000	34.52	19.96	54.48	68.20	13.72	Peak
4	17728.800	33.50	25.82	59.32	74.00	14.68	Peak
5	17728.800	21.28	25.82	47.10	54.00	6.90	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 RU_Full High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11340.000	34.28	14.55	48.83	74.00	25.17	Peak
2	11340.000	22.24	14.55	36.79	54.00	17.21	Average
3	17010.000	34.35	19.96	54.31	68.20	13.89	Peak
4	17728.800	33.13	25.82	58.95	74.00	15.05	Peak
5	17728.800	21.16	25.82	46.98	54.00	7.02	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_Full High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5839.000	34.75	9.31	44.06	68.20	24.14	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_Full High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5973.000	35.32	10.21	45.53	68.20	22.67	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax80 RU_Full High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11220.000	33.61	15.09	48.70	74.00	25.30	Peak
2	11220.000	21.36	15.09	36.45	54.00	17.55	Average
3	16830.000	34.84	18.93	53.77	68.20	14.43	Peak
4	17728.800	32.94	25.82	58.76	74.00	15.24	Peak
5	17728.800	20.81	25.82	46.63	54.00	7.37	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax80 RU_Full High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11220.000	33.64	15.09	48.73	74.00	25.27	Peak
2	11220.000	21.40	15.09	36.49	54.00	17.51	Average
3	16830.000	34.36	18.93	53.29	68.20	14.91	Peak
4	17726.400	33.64	25.82	59.46	74.00	14.54	Peak
5	17726.400	21.05	25.82	46.87	54.00	7.13	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax160 RU_Full Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5865.000	34.75	9.36	44.11	68.20	24.09	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax160 RU_Full Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5851.000	34.42	9.25	43.67	68.20	24.53	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax160 RU_Full Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11140.000	33.34	14.55	47.89	74.00	26.11	Peak
2	11140.000	21.56	14.55	36.11	54.00	17.89	Average
3	16710.000	34.99	18.16	53.15	68.20	15.05	Peak
4	17728.800	33.94	25.82	59.76	74.00	14.24	Peak
5	17728.800	21.59	25.82	47.41	54.00	6.59	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax160 RU_Full Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11140.000	34.05	14.55	48.60	74.00	25.40	Peak
2	11140.000	21.82	14.55	36.37	54.00	17.63	Average
3	16710.000	34.57	18.16	52.73	68.20	15.47	Peak
4	17560.800	35.13	23.72	58.85	68.20	9.35	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_26-8 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5955.000	33.66	10.24	43.90	68.20	24.30	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU_26-8 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5968.000	33.70	10.22	43.92	68.20	24.28	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 RU_26-8 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	33.21	13.71	46.92	74.00	27.08	Peak
2	11400.000	21.10	13.71	34.81	54.00	19.19	Average
3	17100.000	34.21	21.61	55.82	68.20	12.38	Peak
4	17560.800	35.65	23.72	59.37	68.20	8.83	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax20 RU_26-8 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11400.000	33.53	13.71	47.24	74.00	26.76	Peak
2	11400.000	21.23	13.71	34.94	54.00	19.06	Average
3	17100.000	34.36	21.61	55.97	68.20	12.23	Peak
4	17560.800	35.81	23.72	59.53	68.20	8.67	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 RU_26-17 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5978.000	34.05	10.21	44.26	68.20	23.94	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 RU_26-17 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5972.000	34.27	10.21	44.48	68.20	23.72	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 RU_26-17 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11340.000	32.98	14.55	47.53	74.00	26.47	Peak
2	11340.000	21.02	14.55	35.57	54.00	18.43	Average
3	17010.000	35.94	19.96	55.90	68.20	12.30	Peak
4	17906.400	33.00	25.80	58.80	74.00	15.20	Peak
5	17906.400	21.07	25.80	46.87	54.00	7.13	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax40 RU 26-17 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11340.000	32.87	14.55	47.42	74.00	26.58	Peak
2	11340.000	21.41	14.55	35.96	54.00	18.04	Average
3	17010.000	35.66	19.96	55.62	68.20	12.58	Peak
4	17846.400	33.42	25.77	59.19	74.00	14.81	Peak
5	17846.400	21.64	25.77	47.41	54.00	6.59	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_26-0 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5972.000	34.21	10.21	44.42	68.20	23.78	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_26-0 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5955.000	34.55	10.24	44.79	68.20	23.41	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 RU_26-0 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11220.000	34.35	15.09	49.44	74.00	24.56	Peak
2	11220.000	22.24	15.09	37.33	54.00	16.67	Average
3	16830.000	34.30	18.93	53.23	68.20	14.97	Peak
4	17726.400	32.99	25.82	58.81	74.00	15.19	Peak
5	17726.400	20.82	25.82	46.64	54.00	7.36	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 RU_26-0 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11220.000	34.29	15.09	49.38	74.00	24.62	Peak
2	11220.000	22.26	15.09	37.35	54.00	16.65	Average
3	16830.000	34.38	18.93	53.31	68.20	14.89	Peak
4	17712.000	32.84	25.83	58.67	74.00	15.33	Peak
5	17712.000	20.69	25.83	46.52	54.00	7.48	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax160 RU_26-0 Middle Channel 5570MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5967.000	33.74	10.22	43.96	68.20	24.24	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax160 RU_26-0 Middle Channel 5570MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5974.000	33.71	10.21	43.92	68.20	24.28	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax160 RU_26-0 Middle Channel 5570MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11140.000	33.10	14.55	47.65	74.00	26.35	Peak
2	11140.000	21.61	14.55	36.16	54.00	17.84	Average
3	16710.000	36.57	18.16	54.73	68.20	13.47	Peak
4	17724.000	33.34	25.81	59.15	74.00	14.85	Peak
5	17724.000	21.31	25.81	47.12	54.00	6.88	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax160 RU_26-0 Middle Channel 5570MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11140.000	33.69	14.55	48.24	74.00	25.76	Peak
2	11140.000	21.47	14.55	36.02	54.00	17.98	Average
3	16710.000	36.52	18.16	54.68	68.20	13.52	Peak
4	17774.400	34.43	25.77	60.20	74.00	13.80	Peak
5	17774.400	21.89	25.77	47.66	54.00	6.34	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5982.000	34.60	10.20	44.80	68.20	23.40	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5966.000	34.67	10.22	44.89	68.20	23.31	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	35.57	15.66	51.23	74.00	22.77	Peak
2	11650.000	22.97	15.66	38.63	54.00	15.37	Average
3	17475.000	33.64	22.47	56.11	68.20	12.09	Peak
4	17726.400	33.97	25.82	59.79	74.00	14.21	Peak
5	17726.400	21.60	25.82	47.42	54.00	6.58	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	35.69	15.66	51.35	74.00	22.65	Peak
2	11650.000	23.20	15.66	38.86	54.00	15.14	Average
3	17475.000	34.02	22.47	56.49	68.20	11.71	Peak
4	17791.200	33.32	25.75	59.07	74.00	14.93	Peak
5	17791.200	21.50	25.75	47.25	54.00	6.75	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5958.000	33.86	10.24	44.10	68.20	24.10	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5945.000	34.03	10.18	44.21	68.20	23.99	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	34.50	15.66	50.16	74.00	23.84	Peak
2	11650.000	22.69	15.66	38.35	54.00	15.65	Average
3	17475.000	34.85	22.47	57.32	68.20	10.88	Peak
4	17724.000	34.04	25.81	59.85	74.00	14.15	Peak
5	17724.000	21.63	25.81	47.44	54.00	6.56	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	34.58	15.66	50.24	74.00	23.76	Peak
2	11650.000	22.56	15.66	38.22	54.00	15.78	Average
3	17475.000	34.58	22.47	57.05	68.20	11.15	Peak
4	17721.600	33.54	25.81	59.35	74.00	14.65	Peak
5	17721.600	21.67	25.81	47.48	54.00	6.52	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5979.000	33.96	10.21	44.17	68.20	24.03	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5949.000	34.32	10.24	44.56	68.20	23.64	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11590.000	33.98	15.99	49.97	74.00	24.03	Peak
2	11590.000	21.58	15.99	37.57	54.00	16.43	Average
3	17385.000	33.80	21.70	55.50	68.20	12.70	Peak
4	17716.800	32.89	25.83	58.72	74.00	15.28	Peak
5	17716.800	21.08	25.83	46.91	54.00	7.09	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11590.000	33.58	15.99	49.57	74.00	24.43	Peak
2	11590.000	21.36	15.99	37.35	54.00	16.65	Average
3	17385.000	33.36	21.70	55.06	68.20	13.14	Peak
4	17728.800	33.81	25.82	59.63	74.00	14.37	Peak
5	17728.800	21.29	25.82	47.11	54.00	6.89	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5952.000	34.41	10.23	44.64	68.20	23.56	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5958.000	33.86	10.24	44.10	68.20	24.10	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11550.000	33.03	15.22	48.25	74.00	25.75	Peak
2	11550.000	21.24	15.22	36.46	54.00	17.54	Average
3	17325.000	34.04	21.46	55.50	68.20	12.70	Peak
4	17546.400	36.02	23.49	59.51	68.20	8.69	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11550.000	33.39	15.22	48.61	74.00	25.39	Peak
2	11550.000	21.47	15.22	36.69	54.00	17.31	Average
3	17325.000	34.25	21.46	55.71	68.20	12.49	Peak
4	17884.800	33.63	25.80	59.43	74.00	14.57	Peak
5	17884.800	21.21	25.80	47.01	54.00	6.99	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_Full High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5969.000	33.69	10.22	43.91	68.20	24.29	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU_Full High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5953.000	34.51	10.24	44.75	68.20	23.45	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 RU_Full High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	33.97	15.66	49.63	74.00	24.37	Peak
2	11650.000	21.86	15.66	37.52	54.00	16.48	Average
3	17475.000	33.55	22.47	56.02	68.20	12.18	Peak
4	17707.200	33.63	25.83	59.46	74.00	14.54	Peak
5	17707.200	21.65	25.83	47.48	54.00	6.52	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 RU_Full High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	34.25	15.66	49.91	74.00	24.09	Peak
2	11650.000	22.41	15.66	38.07	54.00	15.93	Average
3	17475.000	33.38	22.47	55.85	68.20	12.35	Peak
4	17719.200	33.15	25.83	58.98	74.00	15.02	Peak
5	17719.200	21.01	25.83	46.84	54.00	7.16	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 RU_Full High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5971.000	33.99	10.21	44.20	68.20	24.00	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 RU_Full High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5973.000	34.47	10.21	44.68	68.20	23.52	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 RU_Full High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11590.000	33.36	15.99	49.35	74.00	24.65	Peak
2	11590.000	21.52	15.99	37.51	54.00	16.49	Average
3	17385.000	33.16	21.70	54.86	68.20	13.34	Peak
4	17707.200	33.14	25.83	58.97	74.00	15.03	Peak
5	17707.200	21.05	25.83	46.88	54.00	7.12	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax40 RU_Full High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11590.000	33.34	15.99	49.33	74.00	24.67	Peak
2	11590.000	21.64	15.99	37.63	54.00	16.37	Average
3	17385.000	34.05	21.70	55.75	68.20	12.45	Peak
4	17719.200	33.10	25.83	58.93	74.00	15.07	Peak
5	17719.200	20.96	25.83	46.79	54.00	7.21	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_Full Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5961.000	33.75	10.22	43.97	68.20	24.23	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_Full Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5953.000	34.04	10.24	44.28	68.20	23.92	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax80 RU_Full Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11550.000	33.18	15.22	48.40	74.00	25.60	Peak
2	11550.000	21.57	15.22	36.79	54.00	17.21	Average
3	17325.000	33.76	21.46	55.22	68.20	12.98	Peak
4	17745.600	33.52	25.81	59.33	74.00	14.67	Peak
5	17745.600	21.65	25.81	47.46	54.00	6.54	Average

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax80 RU_Full Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11550.000	33.63	15.22	48.85	74.00	25.15	Peak
2	11550.000	21.47	15.22	36.69	54.00	17.31	Average
3	17325.000	33.37	21.46	54.83	68.20	13.37	Peak
4	17716.800	33.67	25.83	59.50	74.00	14.50	Peak
5	17716.800	21.98	25.83	47.81	54.00	6.19	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 RU_26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5953.000	33.98	10.24	44.22	68.20	23.98	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 RU_26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5952.000	34.04	10.23	44.27	68.20	23.93	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 RU_26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	33.95	15.66	49.61	74.00	24.39	Peak
2	11650.000	22.30	15.66	37.96	54.00	16.04	Average
3	17475.000	34.05	22.47	56.52	68.20	11.68	Peak
4	17721.600	34.12	25.81	59.93	74.00	14.07	Peak
5	17721.600	21.74	25.81	47.55	54.00	6.45	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 RU 26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11650.000	34.11	15.66	49.77	74.00	24.23	Peak
2	11650.000	22.17	15.66	37.83	54.00	16.17	Average
3	17475.000	34.66	22.47	57.13	68.20	11.07	Peak
4	17767.200	33.92	25.78	59.70	74.00	14.30	Peak
5	17767.200	21.69	25.78	47.47	54.00	6.53	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: ax20 RU_26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	19781.600	50.31	7.77	58.08	74.00	15.92	Peak
2	19781.600	37.59	7.77	45.36	54.00	8.64	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: ax20 RU_26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	19791.800	49.93	7.87	57.80	74.00	16.20	Peak
2	19791.800	37.49	7.87	45.36	54.00	8.64	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: ax20 RU_26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	39748.900	52.56	7.45	60.01	74.00	13.99	Peak
2	39748.900	40.10	7.45	47.55	54.00	6.45	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 RU_26-8 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	39840.700	53.31	7.29	60.60	74.00	13.40	Peak
2	39840.700	40.42	7.29	47.71	54.00	6.29	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 RU_26-17 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5944.000	33.39	10.17	43.56	68.20	24.64	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 RU_26-17 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5959.000	33.60	10.23	43.83	68.20	24.37	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 RU_26-17 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11590.000	33.36	15.99	49.35	74.00	24.65	Peak
2	11590.000	21.40	15.99	37.39	54.00	16.61	Average
3	17385.000	34.20	21.70	55.90	68.20	12.30	Peak
4	17565.600	34.77	23.81	58.58	68.20	9.62	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 RU_26-17 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11590.000	33.59	15.99	49.58	74.00	24.42	Peak
2	11590.000	21.22	15.99	37.21	54.00	16.79	Average
3	17385.000	34.36	21.70	56.06	68.20	12.14	Peak
4	17702.400	32.93	25.84	58.77	74.00	15.23	Peak
5	17702.400	20.54	25.84	46.38	54.00	7.62	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 RU_26-0 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5956.000	33.86	10.23	44.09	68.20	24.11	Peak

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 RU_26-0 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5930.000	34.20	9.98	44.18	68.20	24.02	Peak

Project No.: 2503P28739E-RF
 Tester: Tao Zhu
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax80 RU_26-0 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11550.000	33.87	15.22	49.09	74.00	24.91	Peak
2	11550.000	21.88	15.22	37.10	54.00	16.90	Average
3	17325.000	33.93	21.46	55.39	68.20	12.81	Peak
4	17726.400	33.40	25.82	59.22	74.00	14.78	Peak
5	17726.400	21.65	25.82	47.47	54.00	6.53	Average

Project No.: 2503P28739E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 RU_26-0 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11550.000	34.14	15.22	49.36	74.00	24.64	Peak
2	11550.000	21.45	15.22	36.67	54.00	17.33	Average
3	17325.000	33.36	21.46	54.82	68.20	13.38	Peak
4	17760.000	33.76	25.79	59.55	74.00	14.45	Peak
5	17760.000	20.88	25.79	46.67	54.00	7.33	Average

4.3 Maximum Conducted Output Power

Sample Number:	2X9R-2	Test Date:	2025/2/5-2025/2/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Chin Qin	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.5-24.7	Relative Humidity: (%)	41-48	ATM Pressure: (kPa)	101.4-101.5
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
Agilent	USB Wideband Power Sensor	U2021XA	MY54080015	2024/4/1	2025/3/31

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250 MHz:**

Test Modes	Test Frequency (MHz)	RU Config.	Max. Conducted Average Output Power (dBm)			
			Chain 0	Chain 1	Total	Limit
802.11a	5180	/	10.43	11.33	13.91	24.00
	5200	/	10.65	11.16	13.92	24.00
	5240	/	11.39	11.35	14.38	24.00
802.11n ht20	5180	/	10.55	10.81	13.69	24.00
	5200	/	10.37	10.44	13.42	24.00
	5240	/	11.06	10.93	14.01	24.00
802.11n ht40	5190	/	10.74	10.66	13.71	24.00
	5230	/	11.22	11.25	14.25	24.00
802.11ac vht80	5210	/	10.69	10.59	13.65	24.00
802.11ax hew20	5180	26/0	9.25	9.28	12.28	24.00
		52/37	9.21	9.19	12.21	24.00
		106/53	11.15	11.22	14.20	24.00
		Full	11.24	11.29	14.28	24.00
	5200	26/0	9.11	9.21	12.17	24.00
		52/37	11.05	11.16	14.12	24.00
		106/53	11.13	11.19	14.17	24.00
		Full	11.18	11.29	14.25	24.00
	5240	26/8	9.16	9.27	12.23	24.00
		52/40	11.12	11.18	14.16	24.00
		106/54	11.14	11.25	14.21	24.00
		Full	11.21	11.32	14.28	24.00
802.11ax hew40	5190	26/0	9.01	9.14	12.09	24.00
		52/37	11.06	11.07	14.08	24.00
		106/53	10.95	11.11	14.04	24.00
		242/61	10.98	11.03	14.02	24.00
		Full	11.04	11.18	14.12	24.00
	5230	26/17	9.28	9.35	12.33	24.00
		52/44	11.19	11.31	14.26	24.00
		106/56	11.17	11.28	14.24	24.00
		242/62	11.24	11.26	14.26	24.00
		Full	11.25	11.36	14.32	24.00
802.11ax hew80	5210	26/0	9.15	9.27	12.22	24.00
		52/37	9.17	9.22	12.21	24.00
		106/53	11.24	11.34	14.30	24.00
		242/61	11.13	11.25	14.20	24.00
		484/65	11.22	11.29	14.27	24.00
		Full	11.21	11.32	14.28	24.00

5250-5350 MHz:

Test Modes	Test Frequency (MHz)	RU Config.	Max. Conducted Average Output Power (dBm)			
			Chain 0	Chain 1	Total	FCC Limit
802.11a	5260	/	10.02	9.54	12.80	24.00
	5280	/	10.17	9.55	12.88	24.00
	5320	/	9.66	9.21	12.45	24.00
802.11n ht20	5260	/	9.82	9.23	12.55	24.00
	5280	/	10.13	9.55	12.86	24.00
	5320	/	9.36	8.95	12.17	24.00
802.11n ht40	5270	/	9.85	9.19	12.54	24.00
	5310	/	9.46	8.88	12.19	24.00
802.11ac vht80	5290	/	9.54	9.01	12.29	24.00
802.11ax hew20	5260	26/0	7.77	7.31	10.56	24.00
		52/37	9.86	9.25	12.58	24.00
		106/53	9.83	9.22	12.55	24.00
		Full	9.85	9.29	12.59	24.00
	5280	26/0	8.05	7.38	10.74	24.00
		52/37	10.09	9.35	12.75	24.00
		106/53	10.02	9.43	12.75	24.00
		Full	10.08	9.42	12.77	24.00
	5320	26/8	7.61	7.03	10.34	24.00
		52/40	9.65	9.11	12.40	24.00
		106/54	9.72	9.06	12.41	24.00
		Full	9.69	9.08	12.41	24.00
802.11ax hew40	5270	26/0	9.75	9.14	12.47	24.00
		52/37	9.65	9.15	12.42	24.00
		106/53	9.77	9.22	12.51	24.00
		242/61	9.85	9.17	12.53	24.00
		Full	9.72	9.19	12.47	24.00
	5310	26/17	7.81	7.34	10.59	24.00
		52/44	9.84	9.25	12.57	24.00
		106/56	9.88	9.22	12.57	24.00
		242/62	9.79	9.27	12.55	24.00
		Full	9.85	9.31	12.60	24.00
802.11ax hew80	5290	26/0	9.66	9.04	12.37	24.00
		52/37	9.61	9.08	12.36	24.00
		106/53	9.59	9.02	12.32	24.00
		242/61	9.64	8.99	12.34	24.00
		484/65	9.62	8.97	12.32	24.00
		Full	9.67	9.02	12.37	24.00
802.11ax hew160	5250	26/0	7.82	8.39	11.12	24.00
		52/37	7.73	8.35	11.06	24.00
		106/53	7.76	8.44	11.12	24.00
		242/61	7.72	8.38	11.07	24.00
		484/65	7.81	8.36	11.10	24.00
		996/67	7.79	8.42	11.13	24.00
		Full	7.73	8.41	11.09	24.00

5470-5725 MHz:

Test Modes	Test Frequency (MHz)	RU Config.	Max. Conducted Average Output Power (dBm)			
			Chain 0	Chain 1	Total	FCC Limit
802.11a	5500	/	8.94	7.72	11.38	24.00
	5580	/	9.18	7.77	11.54	24.00
	5700	/	9.27	7.24	11.38	24.00
	5720	/	9.39	7.84	11.69	24.00
802.11n ht20	5500	/	8.08	7.59	10.85	24.00
	5580	/	8.21	7.82	11.03	24.00
	5700	/	8.41	8.13	11.28	24.00
	5720	/	8.78	8.38	11.59	24.00
802.11n ht40	5510	/	8.11	7.93	11.03	24.00
	5550	/	8.59	8.76	11.69	24.00
	5670	/	8.29	8.58	11.45	24.00
	5710	/	8.76	8.84	11.81	24.00
802.11ac vht80	5530	/	8.36	6.98	10.73	24.00
	5610	/	7.49	7.08	10.30	24.00
	5690	/	8.49	7.09	10.86	24.00
802.11ax hew20	5500	26/0	7.64	6.25	10.01	24.00
		52/37	8.62	7.22	10.99	24.00
		106/53	8.61	7.26	11.00	24.00
		Full	8.68	7.23	11.03	24.00
	5580	26/0	7.44	6.11	9.84	24.00
		52/37	8.49	7.02	10.83	24.00
		106/53	8.51	7.08	10.86	24.00
		Full	8.49	7.06	10.84	24.00
	5700	26/8	8.15	7.74	10.96	24.00
		52/40	9.09	8.71	11.91	24.00
		106/54	9.13	8.69	11.93	24.00
		Full	9.16	8.73	11.96	24.00
	5720	26/8	8.14	7.55	10.87	24.00
		52/40	9.08	8.59	11.85	24.00
		106/54	9.11	8.64	11.89	24.00
		Full	9.09	8.62	11.87	24.00
802.11ax hew40	5510	26/0	8.62	7.25	11.00	24.00
		52/37	8.69	7.29	11.06	24.00
		106/53	8.61	7.18	10.96	24.00
		242/61	8.73	7.21	11.05	24.00
		Full	8.66	7.22	11.01	24.00
	5550	26/17	8.61	7.22	10.98	24.00
		52/44	8.59	7.15	10.94	24.00
		106/56	8.55	7.13	10.91	24.00
		242/62	8.64	7.16	10.97	24.00
		Full	8.63	7.18	10.98	24.00
	5670	26/17	8.44	7.24	10.89	24.00
		52/44	8.49	7.22	10.91	24.00
		106/56	8.52	7.19	10.92	24.00
		242/62	8.54	7.18	10.92	24.00
		Full	8.51	7.15	10.89	24.00
	5710	26/17	8.91	7.59	11.31	24.00
		52/44	8.99	7.56	11.34	24.00
		106/56	8.96	7.55	11.32	24.00
		242/62	9.01	7.48	11.32	24.00
		Full	8.94	7.55	11.31	24.00
802.11ax hew80	5530	26/0	8.59	7.09	10.91	24.00
		52/37	8.58	7.18	10.95	24.00

		106/53	8.61	7.13	10.94	24.00
		242/61	8.67	7.21	11.01	24.00
		484/65	8.62	7.16	10.96	24.00
		Full	8.63	7.17	10.97	24.00
	5610	26/0	8.18	6.88	10.59	24.00
		52/37	8.15	6.84	10.55	24.00
		106/53	8.19	6.82	10.57	24.00
		242/61	8.25	6.81	10.60	24.00
		484/65	8.23	6.78	10.58	24.00
		Full	8.21	6.83	10.58	24.00
	5690	26/0	8.77	7.34	11.12	24.00
		52/37	8.76	7.29	11.10	24.00
		106/53	8.83	7.20	11.10	24.00
		242/61	8.81	7.25	11.11	24.00
		484/65	8.72	7.28	11.07	24.00
		Full	8.79	7.32	11.13	24.00
	802.11ax hew160	26/0	7.99	6.49	10.31	24.00
		52/37	8.05	6.51	10.36	24.00
		106/53	7.97	6.53	10.32	24.00
		242/61	7.95	6.44	10.27	24.00
		484/65	8.01	6.48	10.32	24.00
		996/67	7.96	6.49	10.30	24.00
		Full	8.03	6.45	10.32	24.00

5725-5850 MHz:

Test Modes	Test Frequency (MHz)	RU Config.	Max. Conducted Average Output Power (dBm)			
			Chain 0	Chain 1	Total	Limit
802.11a	5745	/	10.02	7.91	12.10	30.00
	5785	/	10.35	7.99	12.34	30.00
	5825	/	10.15	8.09	12.25	30.00
802.11n ht20	5745	/	9.33	7.38	11.47	30.00
	5785	/	9.81	7.63	11.87	30.00
	5825	/	9.66	7.42	11.69	30.00
802.11n ht40	5755	/	9.38	7.26	11.46	30.00
	5795	/	9.75	7.51	11.78	30.00
802.11ac vht80	5775	/	9.61	7.44	11.67	30.00
802.11ax hew20	5745	26/0	9.85	7.74	11.93	30.00
		52/37	9.82	7.76	11.92	30.00
		106/53	9.78	7.72	11.88	30.00
		Full	9.81	7.73	11.90	30.00
	5785	26/0	9.81	7.71	11.90	30.00
		52/37	9.86	7.74	11.94	30.00
		106/53	9.89	7.69	11.94	30.00
		Full	9.85	7.76	11.94	30.00
	5825	26/8	8.81	7.68	11.29	30.00
		52/40	8.83	7.65	11.29	30.00
		106/54	9.85	7.74	11.93	30.00
		Full	9.87	7.73	11.94	30.00
802.11ax hew40	5755	26/0	9.64	7.41	11.68	30.00
		52/37	9.66	7.44	11.70	30.00
		106/53	9.58	7.48	11.67	30.00
		242/61	9.67	7.46	11.71	30.00
		Full	9.62	7.42	11.67	30.00
	5795	26/17	10.15	7.94	12.19	30.00
		52/44	10.22	7.98	12.25	30.00
		106/56	10.20	7.96	12.23	30.00
		242/62	10.16	7.86	12.17	30.00
		Full	10.14	7.93	12.18	30.00
802.11ax hew80	5775	26/0	9.91	7.74	11.97	30.00
		52/37	9.84	7.75	11.93	30.00
		106/53	9.81	7.69	11.89	30.00
		242/61	9.83	7.64	11.88	30.00
		484/65	9.79	7.73	11.89	30.00
		Full	9.85	7.68	11.91	30.00

4.4 Other RF Conducted Data

Please refer to Annex "2503P28739E-RF-00D_Appendix A" for detail test data.

5. EUT PHOTOGRAPHS

Please refer to the attachment 2503P28739E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2503P28739E-RF-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2503P28739E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====