










Mode	35									
	Band Edge									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU52/40_5700MHz									
ANT	9									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2025-07-01									



Mode	35																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU52/40_5700MHz																																																																																			
ANT	9																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-07-01  103.57 70.0 5759.15 5700 5713 5726 5739 5752 5765 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.15</td><td>53.27</td><td>68.30</td><td>-15.03</td><td>38.54</td><td>36.68</td><td>10.85</td><td>32.80</td><td>195</td><td>306 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5759.15	53.27	68.30	-15.03	38.54	36.68	10.85	32.80	195	306 PEAK	Level (dBuV/m) Date: 2025-07-01  103.57 70.0 5700.00 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.57</td><td>-----</td><td>-----</td><td>88.84</td><td>36.62</td><td>10.89</td><td>32.78</td><td>195</td><td>306 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.57	-----	-----	88.84	36.62	10.89	32.78	195	306 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5759.15	53.27	68.30	-15.03	38.54	36.68	10.85	32.80	195	306 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	103.57	-----	-----	88.84	36.62	10.89	32.78	195	306 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-07-01  94.45 52.5 5700.00 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>94.45</td><td>-----</td><td>-----</td><td>79.73</td><td>36.61</td><td>10.89</td><td>32.78</td><td>195</td><td>306 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.45	-----	-----	79.73	36.61	10.89	32.78	195	306 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	94.45	-----	-----	79.73	36.61	10.89	32.78	195	306 AVERAGE																																																																										



Mode	36																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU106/53_5180MHz																																																																																									
ANT	9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue trace with a sharp peak at 5180 MHz reaching approximately 105 dBuV/m. A red limit line is at 70.0 dBuV/m. The date is 2025-07-01. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.00</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>38.76</td><td>35.75</td><td>10.56</td><td>32.63</td><td>389 34 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5126.00	52.44	74.00	-21.56	38.76	35.75	10.56	32.63	389 34 PEAK	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue trace with a sharp peak at 5180 MHz reaching approximately 105 dBuV/m. A red limit line is at 70.0 dBuV/m. The date is 2025-07-01. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.40</td><td>-----</td><td>-----</td><td>88.82</td><td>35.74</td><td>10.47</td><td>32.63</td><td>389 34 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.40	-----	-----	88.82	35.74	10.47	32.63	389 34 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5126.00	52.44	74.00	-21.56	38.76	35.75	10.56	32.63	389 34 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	102.40	-----	-----	88.82	35.74	10.47	32.63	389 34 PEAK																																																																																	
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue trace with a sharp peak at 5180 MHz reaching approximately 105 dBuV/m. A red limit line is at 52.5 dBuV/m. The date is 2025-07-01. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5116.28</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>28.46</td><td>35.77</td><td>10.58</td><td>32.62</td><td>389 34 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5116.28	42.19	54.00	-11.81	28.46	35.77	10.58	32.62	389 34 AVERAGE	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue trace with a sharp peak at 5180 MHz reaching approximately 105 dBuV/m. A red limit line is at 52.5 dBuV/m. The date is 2025-07-01. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.33</td><td>-----</td><td>-----</td><td>79.76</td><td>35.75</td><td>10.46</td><td>32.64</td><td>389 34 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.33	-----	-----	79.76	35.75	10.46	32.64	389 34 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5116.28	42.19	54.00	-11.81	28.46	35.77	10.58	32.62	389 34 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	93.33	-----	-----	79.76	35.75	10.46	32.64	389 34 AVERAGE																																																																																	



Mode	36																																																																		
	Band Edge																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU106/53_5180MHz																																																																		
ANT	9																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	Level (dBuV/m) Date: 2025-07-01 1 5145.08 52.70 74.00 -21.30 39.10 35.71 10.52 32.63 292 300 PEAK	Level (dBuV/m) Date: 2025-07-01 1 5180.00 102.44 ----- 88.87 35.75 10.46 32.64 292 300 PEAK																																																																	
	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5145.08</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>39.10</td><td>35.71</td><td>10.52</td><td>32.63</td><td>292</td><td>300 PEAK</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5145.08	52.70	74.00	-21.30	39.10	35.71	10.52	32.63	292	300 PEAK	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>102.44</td><td>-----</td><td>88.87</td><td>35.75</td><td>10.46</td><td>32.64</td><td>292</td><td>300</td><td>PEAK</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	102.44	-----	88.87	35.75	10.46	32.64	292	300
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																										
1	5145.08	52.70	74.00	-21.30	39.10	35.71	10.52	32.63	292	300 PEAK																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																										
1	5180.00	102.44	-----	88.87	35.75	10.46	32.64	292	300	PEAK																																																									
Avg	Level (dBuV/m) Date: 2025-07-01 1 5122.76 42.55 54.00 -11.45 28.85 35.75 10.57 32.62 292 300 AVERAGE	Level (dBuV/m) Date: 2025-07-01 1 5180.00 95.29 ----- 81.71 35.74 10.47 32.63 292 300 AVERAGE																																																																	
	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5122.76</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>28.85</td><td>35.75</td><td>10.57</td><td>32.62</td><td>292</td><td>300 AVERAGE</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5122.76	42.55	54.00	-11.45	28.85	35.75	10.57	32.62	292	300 AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>95.29</td><td>-----</td><td>81.71</td><td>35.74</td><td>10.47</td><td>32.63</td><td>292</td><td>300</td><td>AVERAGE</td></tr></table>	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	95.29	-----	81.71	35.74	10.47	32.63	292	300
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																										
1	5122.76	42.55	54.00	-11.45	28.85	35.75	10.57	32.62	292	300 AVERAGE																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																										
1	5180.00	95.29	-----	81.71	35.74	10.47	32.63	292	300	AVERAGE																																																									



Mode	37																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU106/54_5320MHz																																																																																									
ANT	9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-07-01 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue trace with a peak at 5320.00 MHz. A red limit line is at 74.00 dB. The peak is labeled 'PART 15.407'. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.06</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>38.93</td><td>35.93</td><td>10.53</td><td>32.69</td><td>289 60 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5436.06	52.70	74.00	-21.30	38.93	35.93	10.53	32.69	289 60 PEAK	Level (dBuV/m) Date: 2025-07-01 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue trace with a peak at 5320.00 MHz. A red limit line is at 74.00 dB. The peak is labeled 'PART 15.407'. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.81</td><td>-----</td><td>-----</td><td>87.94</td><td>35.96</td><td>10.58</td><td>32.67</td><td>289 60 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.81	-----	-----	87.94	35.96	10.58	32.67	289 60 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5436.06	52.70	74.00	-21.30	38.93	35.93	10.53	32.69	289 60 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	101.81	-----	-----	87.94	35.96	10.58	32.67	289 60 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-07-01 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue trace with a peak at 5320.00 MHz. A red limit line is at 54.00 dB. The peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.32</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>28.05</td><td>36.09</td><td>10.55</td><td>32.67</td><td>289 60 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.32	42.02	54.00	-11.98	28.05	36.09	10.55	32.67	289 60 AVERAGE	Level (dBuV/m) Date: 2025-07-01 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue trace with a peak at 5320.00 MHz. A red limit line is at 54.00 dB. The peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>92.57</td><td>-----</td><td>-----</td><td>78.70</td><td>35.96</td><td>10.58</td><td>32.67</td><td>289 60 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	92.57	-----	-----	78.70	35.96	10.58	32.67	289 60 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5353.32	42.02	54.00	-11.98	28.05	36.09	10.55	32.67	289 60 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	92.57	-----	-----	78.70	35.96	10.58	32.67	289 60 AVERAGE																																																																																	



Mode	37																																																												
	Band Edge																																																												
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU106/54_5320MHz																																																												
ANT	9																																																												
Pol.	Vertical	Fundamental																																																											
Peak	Level (dBuV/m) Date: 2025-07-01 1 5408.06 52.74 74.00 -21.26 38.94 35.98 10.50 32.68 249 309 PEAK	Level (dBuV/m) Date: 2025-07-01 1 5320.00 104.37 ----- 90.50 35.96 10.58 32.67 249 309 PEAK																																																											
	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5408.06</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>38.94</td><td>35.98</td><td>10.50</td><td>32.68</td><td>249 309 PEAK</td></tr></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5408.06	52.74	74.00	-21.26	38.94	35.98	10.50	32.68	249 309 PEAK	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.37</td><td>-----</td><td>90.50</td><td>35.96</td><td>10.58</td><td>32.67</td><td>249</td><td>309 PEAK</td></tr></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.37	-----	90.50	35.96	10.58	32.67	249
Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																				
1	5408.06	52.74	74.00	-21.26	38.94	35.98	10.50	32.68	249 309 PEAK																																																				
Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																				
1	5320.00	104.37	-----	90.50	35.96	10.58	32.67	249	309 PEAK																																																				
Avg	Level (dBuV/m) Date: 2025-07-01 1 5359.48 42.29 54.00 -11.71 28.34 36.08 10.54 32.67 249 309 AVERAGE	Level (dBuV/m) Date: 2025-07-01 1 5320.00 95.44 ----- 81.57 35.96 10.58 32.67 249 309 AVERAGE																																																											
	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.48</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>28.34</td><td>36.08</td><td>10.54</td><td>32.67</td><td>249 309 AVERAGE</td></tr></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5359.48	42.29	54.00	-11.71	28.34	36.08	10.54	32.67	249 309 AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>95.44</td><td>-----</td><td>81.57</td><td>35.96</td><td>10.58</td><td>32.67</td><td>249</td><td>309 AVERAGE</td></tr></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	95.44	-----	81.57	35.96	10.58	32.67	249
Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																				
1	5359.48	42.29	54.00	-11.71	28.34	36.08	10.54	32.67	249 309 AVERAGE																																																				
Freq	Level	Line	(dB)	Level Factor	Loss Factor				Remark																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																				
1	5320.00	95.44	-----	81.57	35.96	10.58	32.67	249	309 AVERAGE																																																				






Mode	38																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																																																																													
ANT	9																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5412.55</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>39.28</td><td>35.97</td><td>10.51</td><td>32.68</td><td>140</td><td>218 PEAK</td></tr><tr><td>2</td><td>5462.05</td><td>51.92</td><td>68.30</td><td>-16.38</td><td>38.11</td><td>35.95</td><td>10.55</td><td>32.69</td><td>140</td><td>218 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5412.55	53.08	74.00	-20.92	39.28	35.97	10.51	32.68	140	218 PEAK	2	5462.05	51.92	68.30	-16.38	38.11	35.95	10.55	32.69	140	218 PEAK	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.96</td><td>-----</td><td>-----</td><td>89.01</td><td>36.08</td><td>10.57</td><td>32.70</td><td>140</td><td>218 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	102.96	-----	-----	89.01	36.08	10.57	32.70	140	218 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5412.55	53.08	74.00	-20.92	39.28	35.97	10.51	32.68	140	218 PEAK																																																																																																				
2	5462.05	51.92	68.30	-16.38	38.11	35.95	10.55	32.69	140	218 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	102.96	-----	-----	89.01	36.08	10.57	32.70	140	218 PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5439.55</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>28.47</td><td>35.92</td><td>10.53</td><td>32.69</td><td>140</td><td>218 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5439.55	42.23	54.00	-11.77	28.47	35.92	10.53	32.69	140	218 AVERAGE	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.29</td><td>-----</td><td>-----</td><td>80.34</td><td>36.08</td><td>10.57</td><td>32.70</td><td>140</td><td>218 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	94.29	-----	-----	80.34	36.08	10.57	32.70	140	218 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5439.55	42.23	54.00	-11.77	28.47	35.92	10.53	32.69	140	218 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	94.29	-----	-----	80.34	36.08	10.57	32.70	140	218 AVERAGE																																																																																																				






Mode	38																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																																																														
ANT	9																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.05</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>39.48</td><td>35.93</td><td>10.53</td><td>32.69</td><td>188</td><td>292 PEAK</td></tr><tr><td>2</td><td>5467.15</td><td>52.86</td><td>68.30</td><td>-15.44</td><td>39.03</td><td>35.97</td><td>10.55</td><td>32.69</td><td>188</td><td>292 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5435.05	53.25	74.00	-20.75	39.48	35.93	10.53	32.69	188	292 PEAK	2	5467.15	52.86	68.30	-15.44	39.03	35.97	10.55	32.69	188	292 PEAK	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.99</td><td>-----</td><td>-----</td><td>90.04</td><td>36.08</td><td>10.57</td><td>32.70</td><td>188</td><td>292 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.99	-----	-----	90.04	36.08	10.57	32.70	188	292 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5435.05	53.25	74.00	-20.75	39.48	35.93	10.53	32.69	188	292 PEAK																																																																																					
2	5467.15	52.86	68.30	-15.44	39.03	35.97	10.55	32.69	188	292 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	103.99	-----	-----	90.04	36.08	10.57	32.70	188	292 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>28.83</td><td>35.94</td><td>10.54</td><td>32.69</td><td>188</td><td>292 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.05	42.62	54.00	-11.38	28.83	35.94	10.54	32.69	188	292 AVERAGE	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.28</td><td>-----</td><td>-----</td><td>81.33</td><td>36.08</td><td>10.57</td><td>32.70</td><td>188</td><td>292 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.28	-----	-----	81.33	36.08	10.57	32.70	188	292 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5459.05	42.62	54.00	-11.38	28.83	35.94	10.54	32.69	188	292 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	95.28	-----	-----	81.33	36.08	10.57	32.70	188	292 AVERAGE																																																																																					



Mode	39																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																											
ANT	9																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	 Date: 2025-07-01 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.03</td><td>53.19</td><td>68.30</td><td>-15.11</td><td>38.45</td><td>36.68</td><td>10.86</td><td>32.80</td><td>112</td><td>211 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5738.03	53.19	68.30	-15.11	38.45	36.68	10.86	32.80	112	211 PEAK	 Date: 2025-07-01 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.56</td><td>-----</td><td>-----</td><td>87.84</td><td>36.61</td><td>10.89</td><td>32.78</td><td>112</td><td>211 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.56	-----	-----	87.84	36.61	10.89	32.78	112	211 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5738.03	53.19	68.30	-15.11	38.45	36.68	10.86	32.80	112	211 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	102.56	-----	-----	87.84	36.61	10.89	32.78	112	211 PEAK																																																																																		
Avg	Blank					 Date: 2025-07-01 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>93.45</td><td>-----</td><td>-----</td><td>78.73</td><td>36.61</td><td>10.89</td><td>32.78</td><td>112</td><td>211 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.45	-----	-----	78.73	36.61	10.89	32.78	112	211 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	93.45	-----	-----	78.73	36.61	10.89	32.78	112	211 AVERAGE																																																																																		







Mode	39																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																	
ANT	9																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-01  140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 570057135726573957525765 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.20</td><td>53.46</td><td>68.30</td><td>-14.84</td><td>38.71</td><td>36.69</td><td>10.86</td><td>32.80</td><td>263 298 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5744.20	53.46	68.30	-14.84	38.71	36.69	10.86	32.80	263 298 PEAK	Level (dBuV/m) Date: 2025-07-01  140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100022003400460058007000 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.01</td><td>-----</td><td>-----</td><td>87.29</td><td>36.61</td><td>10.89</td><td>32.78</td><td>263 298 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.01	-----	-----	87.29	36.61	10.89	32.78	263 298 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5744.20	53.46	68.30	-14.84	38.71	36.69	10.86	32.80	263 298 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	102.01	-----	-----	87.29	36.61	10.89	32.78	263 298 PEAK																																																																									
Avg	Blank	Level (dBuV/m) Date: 2025-07-01  140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100022003400460058007000 Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>93.80</td><td>-----</td><td>-----</td><td>79.08</td><td>36.61</td><td>10.89</td><td>32.78</td><td>263 298 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.80	-----	-----	79.08	36.61	10.89	32.78	263 298 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	93.80	-----	-----	79.08	36.61	10.89	32.78	263 298 AVERAGE																																																																									





Mode	40	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz	
ANT	9	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2025-07-03 1 5148.77 56.93 74.00 -17.07 43.35 35.70 10.51 32.63 389 21 PEAK	Level (dBuV/m) Date: 2025-07-03 1 5190.00 96.54 ----- 82.97 35.79 10.42 32.64 389 21 PEAK
	Level (dBuV/m) Date: 2025-07-03 1 5149.15 46.81 54.00 -7.19 33.23 35.70 10.51 32.63 389 21 AVERAGE	Level (dBuV/m) Date: 2025-07-03 1 5190.00 89.82 ----- 76.25 35.79 10.42 32.64 389 21 AVERAGE





Mode	40																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																										
ANT	9																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.91</td><td>61.62</td><td>74.00</td><td>-12.38</td><td>48.04</td><td>35.70</td><td>10.51</td><td>32.63</td><td>296</td><td>299 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.91	61.62	74.00	-12.38	48.04	35.70	10.51	32.63	296	299 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>98.95</td><td>-----</td><td>-----</td><td>85.38</td><td>35.79</td><td>10.42</td><td>32.64</td><td>296</td><td>299 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.95	-----	-----	85.38	35.79	10.42	32.64	296
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.91	61.62	74.00	-12.38	48.04	35.70	10.51	32.63	296	299 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5190.00	98.95	-----	-----	85.38	35.79	10.42	32.64	296	299 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.91</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>37.07</td><td>35.70</td><td>10.51</td><td>32.63</td><td>296</td><td>299 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.91	50.65	54.00	-3.35	37.07	35.70	10.51	32.63	296	299 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>92.75</td><td>-----</td><td>-----</td><td>79.18</td><td>35.79</td><td>10.42</td><td>32.64</td><td>296</td><td>299 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.75	-----	-----	79.18	35.79	10.42	32.64	296
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.91	50.65	54.00	-3.35	37.07	35.70	10.51	32.63	296	299 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5190.00	92.75	-----	-----	79.18	35.79	10.42	32.64	296	299 AVERAGE																																																																																	



Mode	40																																																	
	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																	
ANT	9																																																	
Pol.	Vertical					Fundamental																																												
Peak	Date: 2025-07-03  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5357.67</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>38.66</td><td>36.08</td><td>10.54</td><td>32.67</td><td>296 299 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5357.67	52.61	74.00	-21.39	38.66	36.08	10.54	32.67	296 299 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5357.67	52.61	74.00	-21.39	38.66	36.08	10.54	32.67	296 299 PEAK																																									
Avg	Date: 2025-07-03  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5373.87</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>29.06</td><td>36.05</td><td>10.53</td><td>32.67</td><td>296 299 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5373.87	42.97	54.00	-11.03	29.06	36.05	10.53	32.67	296 299 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5373.87	42.97	54.00	-11.03	29.06	36.05	10.53	32.67	296 299 AVERAGE																																									



Mode	40																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																																																					
ANT	9																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) PART 15.407 PART 15.407 AVG						 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) PART 15.407 PART 15.407 AVG																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10380.00</td><td>47.40</td><td>68.30</td><td>-20.90</td><td>46.13</td><td>38.10</td><td>14.59</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15570.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>42.04</td><td>40.60</td><td>17.17</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	47.40	68.30	-20.90	46.13	38.10	14.59	51.42	---	---	Peak	2	15570.00	47.56	74.00	-26.44	42.04	40.60	17.17	52.25	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10380.00</td><td>47.51</td><td>68.30</td><td>-20.79</td><td>46.24</td><td>38.10</td><td>14.59</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15570.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>42.40</td><td>40.60</td><td>17.17</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	47.51	68.30	-20.79	46.24	38.10	14.59	51.42	---	---	Peak	2	15570.00	47.92	74.00	-26.08	42.40	40.60	17.17	52.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10380.00	47.40	68.30	-20.90	46.13	38.10	14.59	51.42	---	---	Peak																																																																																																											
2	15570.00	47.56	74.00	-26.44	42.04	40.60	17.17	52.25	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10380.00	47.51	68.30	-20.79	46.24	38.10	14.59	51.42	---	---	Peak																																																																																																											
2	15570.00	47.92	74.00	-26.08	42.40	40.60	17.17	52.25	---	---	Peak																																																																																																											







Mode	41																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-06-30 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>48.04</td><td>68.30</td><td>-20.26</td><td>46.70</td><td>38.16</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>41.79</td><td>40.60</td><td>17.19</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10460.00	48.04	68.30	-20.26	46.70	38.16	14.59	51.41	---	---	Peak	2	15690.00	47.06	74.00	-26.94	41.79	40.60	17.19	52.52	---	---	Peak	Level (dBuV/m) Date: 2025-06-30 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>47.85</td><td>68.30</td><td>-20.45</td><td>46.51</td><td>38.16</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>41.69</td><td>40.60</td><td>17.19</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10460.00	47.85	68.30	-20.45	46.51	38.16	14.59	51.41	---	---	Peak	2	15690.00	46.96	74.00	-27.04	41.69	40.60	17.19	52.52	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10460.00	48.04	68.30	-20.26	46.70	38.16	14.59	51.41	---	---	Peak																																																																																																													
2	15690.00	47.06	74.00	-26.94	41.79	40.60	17.19	52.52	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10460.00	47.85	68.30	-20.45	46.51	38.16	14.59	51.41	---	---	Peak																																																																																																													
2	15690.00	46.96	74.00	-27.04	41.69	40.60	17.19	52.52	---	---	Peak																																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>48.04</td><td>68.30</td><td>-20.26</td><td>46.70</td><td>38.16</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>41.79</td><td>40.60</td><td>17.19</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10460.00	48.04	68.30	-20.26	46.70	38.16	14.59	51.41	---	---	Peak	2	15690.00	47.06	74.00	-26.94	41.79	40.60	17.19	52.52	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>47.85</td><td>68.30</td><td>-20.45</td><td>46.51</td><td>38.16</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>41.69</td><td>40.60</td><td>17.19</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10460.00	47.85	68.30	-20.45	46.51	38.16	14.59	51.41	---	---	Peak	2	15690.00	46.96	74.00	-27.04	41.69	40.60	17.19	52.52	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10460.00	48.04	68.30	-20.26	46.70	38.16	14.59	51.41	---	---	Peak																																																																																																													
2	15690.00	47.06	74.00	-26.94	41.79	40.60	17.19	52.52	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10460.00	47.85	68.30	-20.45	46.51	38.16	14.59	51.41	---	---	Peak																																																																																																													
2	15690.00	46.96	74.00	-27.04	41.69	40.60	17.19	52.52	---	---	Peak																																																																																																													



Mode	42																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-06-30 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>47.67</td><td>68.30</td><td>-20.63</td><td>46.23</td><td>38.20</td><td>14.60</td><td>51.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15810.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>42.92</td><td>40.72</td><td>17.21</td><td>52.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10540.00	47.67	68.30	-20.63	46.23	38.20	14.60	51.36	---	---	Peak	2	15810.00	48.07	74.00	-25.93	42.92	40.72	17.21	52.78	---	---	Peak	Level (dBuV/m) Date: 2025-06-30 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>47.59</td><td>68.30</td><td>-20.71</td><td>46.15</td><td>38.20</td><td>14.60</td><td>51.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15810.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>42.15</td><td>40.72</td><td>17.21</td><td>52.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10540.00	47.59	68.30	-20.71	46.15	38.20	14.60	51.36	---	---	Peak	2	15810.00	47.30	74.00	-26.70	42.15	40.72	17.21	52.78	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10540.00	47.67	68.30	-20.63	46.23	38.20	14.60	51.36	---	---	Peak																																																																																																													
2	15810.00	48.07	74.00	-25.93	42.92	40.72	17.21	52.78	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10540.00	47.59	68.30	-20.71	46.15	38.20	14.60	51.36	---	---	Peak																																																																																																													
2	15810.00	47.30	74.00	-26.70	42.15	40.72	17.21	52.78	---	---	Peak																																																																																																													







Mode	43																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																									
ANT	9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-06-30 5000 5062. 5124. 5186. 5248. 5310 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5023.87</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>38.28</td><td>35.80</td><td>10.43</td><td>32.60</td><td>269 175 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5023.87	51.91	74.00	-22.09	38.28	35.80	10.43	32.60	269 175 PEAK	 Level (dBuV/m) Date: 2025-06-30 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>97.42</td><td>-----</td><td>-----</td><td>83.61</td><td>35.88</td><td>10.59</td><td>32.66</td><td>269 175 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.42	-----	-----	83.61	35.88	10.59	32.66	269 175 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5023.87	51.91	74.00	-22.09	38.28	35.80	10.43	32.60	269 175 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5310.00	97.42	-----	-----	83.61	35.88	10.59	32.66	269 175 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2025-06-30 5000 5062. 5124. 5186. 5248. 5310 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.22</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>29.43</td><td>35.78</td><td>10.59</td><td>32.62</td><td>269 175 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5112.22	43.18	54.00	-10.82	29.43	35.78	10.59	32.62	269 175 AVERAGE	 Level (dBuV/m) Date: 2025-06-30 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>90.91</td><td>-----</td><td>-----</td><td>77.10</td><td>35.88</td><td>10.59</td><td>32.66</td><td>269 175 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.91	-----	-----	77.10	35.88	10.59	32.66	269 175 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5112.22	43.18	54.00	-10.82	29.43	35.78	10.59	32.62	269 175 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5310.00	90.91	-----	-----	77.10	35.88	10.59	32.66	269 175 AVERAGE																																																																																	



Mode	43																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																		
ANT	9																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.15</td><td>58.84</td><td>74.00</td><td>-15.16</td><td>44.86</td><td>36.10</td><td>10.55</td><td>32.67</td><td>269</td><td>175 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.15	58.84	74.00	-15.16	44.86	36.10	10.55	32.67	269	175 PEAK	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5352.15	58.84	74.00	-15.16	44.86	36.10	10.55	32.67	269	175 PEAK																																									
Avg	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>47.74</td><td>54.00</td><td>-6.26</td><td>33.76</td><td>36.10</td><td>10.55</td><td>32.67</td><td>269</td><td>175 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	47.74	54.00	-6.26	33.76	36.10	10.55	32.67	269	175 AVERAGE	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5350.20	47.74	54.00	-6.26	33.76	36.10	10.55	32.67	269	175 AVERAGE																																									





Mode	43																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																			
ANT	9																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.15</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>38.25</td><td>35.77</td><td>10.59</td><td>32.62</td><td>256</td><td>277 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.99</td><td>-----</td><td>-----</td><td>86.21</td><td>35.85</td><td>10.59</td><td>32.66</td><td>256</td><td>277 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5113.15	51.99	74.00	-22.01	38.25	35.77	10.59	32.62	256	277 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.99	-----	-----	86.21	35.85	10.59	32.66	256	277 PEAK	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5113.15	51.99	74.00	-22.01	38.25	35.77	10.59	32.62	256	277 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	99.99	-----	-----	86.21	35.85	10.59	32.66	256	277 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5065.72</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>29.23</td><td>35.80</td><td>10.54</td><td>32.61</td><td>256</td><td>277 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>93.46</td><td>-----</td><td>-----</td><td>79.68</td><td>35.85</td><td>10.59</td><td>32.66</td><td>256</td><td>277 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5065.72	42.96	54.00	-11.04	29.23	35.80	10.54	32.61	256	277 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	93.46	-----	-----	79.68	35.85	10.59	32.66	256	277 AVERAGE	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5065.72	42.96	54.00	-11.04	29.23	35.80	10.54	32.61	256	277 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	93.46	-----	-----	79.68	35.85	10.59	32.66	256	277 AVERAGE																																																																										



Mode	43									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz									
ANT	9									
Pol.	Vertical					Fundamental				
Peak										



Mode	43																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																																																
ANT	9																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10620.00</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>47.03</td><td>38.18</td><td>14.60</td><td>51.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>43.43</td><td>40.96</td><td>17.22</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10620.00	48.53	74.00	-25.47	47.03	38.18	14.60	51.28	---	---	Peak	2	15930.00	48.56	74.00	-25.44	43.43	40.96	17.22	53.05	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10620.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>47.04</td><td>38.18</td><td>14.60</td><td>51.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>42.46</td><td>40.96</td><td>17.22</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10620.00	48.54	74.00	-25.46	47.04	38.18	14.60	51.28	---	---	Peak	2	15930.00	47.59	74.00	-26.41	42.46	40.96	17.22	53.05	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10620.00	48.53	74.00	-25.47	47.03	38.18	14.60	51.28	---	---	Peak																																																																																																																						
2	15930.00	48.56	74.00	-25.44	43.43	40.96	17.22	53.05	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10620.00	48.54	74.00	-25.46	47.04	38.18	14.60	51.28	---	---	Peak																																																																																																																						
2	15930.00	47.59	74.00	-26.41	42.46	40.96	17.22	53.05	---	---	Peak																																																																																																																						



Mode	44																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																											
ANT	9																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5457.04</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>39.30</td><td>35.93</td><td>10.54</td><td>32.69</td><td>243</td><td>134 PEAK</td></tr><tr><td>2 5469.68</td><td>58.18</td><td>68.30</td><td>-10.12</td><td>44.34</td><td>35.98</td><td>10.55</td><td>32.69</td><td>243</td><td>134 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5457.04	53.08	74.00	-20.92	39.30	35.93	10.54	32.69	243	134 PEAK	2 5469.68	58.18	68.30	-10.12	44.34	35.98	10.55	32.69	243	134 PEAK	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5510.00</td><td>99.77</td><td>-----</td><td>-----</td><td>85.78</td><td>36.11</td><td>10.58</td><td>32.70</td><td>243</td><td>134 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5510.00	99.77	-----	-----	85.78	36.11	10.58	32.70	243	134 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5457.04	53.08	74.00	-20.92	39.30	35.93	10.54	32.69	243	134 PEAK																																																																																			
2 5469.68	58.18	68.30	-10.12	44.34	35.98	10.55	32.69	243	134 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5510.00	99.77	-----	-----	85.78	36.11	10.58	32.70	243	134 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.76</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>30.74</td><td>35.94</td><td>10.54</td><td>32.69</td><td>243</td><td>134 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5459.76	44.53	54.00	-9.47	30.74	35.94	10.54	32.69	243	134 AVERAGE	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5510.00</td><td>93.11</td><td>-----</td><td>-----</td><td>79.10</td><td>36.12</td><td>10.59</td><td>32.70</td><td>243</td><td>134 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5510.00	93.11	-----	-----	79.10	36.12	10.59	32.70	243	134 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5459.76	44.53	54.00	-9.47	30.74	35.94	10.54	32.69	243	134 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5510.00	93.11	-----	-----	79.10	36.12	10.59	32.70	243	134 AVERAGE																																																																																			



Mode	44																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																		
ANT	9																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2025-06-30 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5729.56</td><td>53.02</td><td>68.30</td><td>-15.28</td><td>38.28</td><td>36.66</td><td>10.87</td><td>32.79</td><td>243</td><td>134 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5729.56	53.02	68.30	-15.28	38.28	36.66	10.87	32.79	243	134 PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																										
1	5729.56	53.02	68.30	-15.28	38.28	36.66	10.87	32.79	243	134 PEAK																									



Mode	44																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																											
ANT	9																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>40.94</td><td>35.93</td><td>10.54</td><td>32.69</td><td>257 309 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>59.16</td><td>68.30</td><td>-9.14</td><td>45.32</td><td>35.98</td><td>10.55</td><td>32.69</td><td>257 309 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5457.04	54.72	74.00	-19.28	40.94	35.93	10.54	32.69	257 309 PEAK	2	5470.00	59.16	68.30	-9.14	45.32	35.98	10.55	32.69	257 309 PEAK	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.28</td><td>-----</td><td>-----</td><td>86.29</td><td>36.11</td><td>10.58</td><td>32.70</td><td>257 309 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.28	-----	-----	86.29	36.11	10.58	32.70	257 309 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5457.04	54.72	74.00	-19.28	40.94	35.93	10.54	32.69	257 309 PEAK																																																																																			
2	5470.00	59.16	68.30	-9.14	45.32	35.98	10.55	32.69	257 309 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5510.00	100.28	-----	-----	86.29	36.11	10.58	32.70	257 309 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>31.87</td><td>35.94</td><td>10.54</td><td>32.69</td><td>257 309 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.66	54.00	-8.34	31.87	35.94	10.54	32.69	257 309 AVERAGE	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>93.57</td><td>-----</td><td>-----</td><td>79.58</td><td>36.11</td><td>10.58</td><td>32.70</td><td>257 309 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.57	-----	-----	79.58	36.11	10.58	32.70	257 309 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.92	45.66	54.00	-8.34	31.87	35.94	10.54	32.69	257 309 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5510.00	93.57	-----	-----	79.58	36.11	10.58	32.70	257 309 AVERAGE																																																																																			





Mode	44	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz	
ANT	9	
Pol.	Vertical	Fundamental
Peak	Date: 2025-06-30 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5732.87 53.05 68.30 -15.25 38.30 36.67 10.87 32.79 257 309 PEAK	Blank







Mode	44																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>46.67</td><td>38.00</td><td>14.63</td><td>50.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>46.58</td><td>68.30</td><td>-21.72</td><td>40.72</td><td>41.23</td><td>17.69</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11020.00	48.42	74.00	-25.58	46.67	38.00	14.63	50.88	---	---	Peak	2	16530.00	46.58	68.30	-21.72	40.72	41.23	17.69	53.06	---	---	Peak	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>48.01</td><td>74.00</td><td>-25.99</td><td>46.26</td><td>38.00</td><td>14.63</td><td>50.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16530.00</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>42.35</td><td>41.23</td><td>17.69</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11020.00	48.01	74.00	-25.99	46.26	38.00	14.63	50.88	---	---	Peak	2	16530.00	48.21	68.30	-20.09	42.35	41.23	17.69	53.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11020.00	48.42	74.00	-25.58	46.67	38.00	14.63	50.88	---	---	Peak																																																																																																													
2	16530.00	46.58	68.30	-21.72	40.72	41.23	17.69	53.06	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11020.00	48.01	74.00	-25.99	46.26	38.00	14.63	50.88	---	---	Peak																																																																																																													
2	16530.00	48.21	68.30	-20.09	42.35	41.23	17.69	53.06	---	---	Peak																																																																																																													







Mode	45																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>45.90</td><td>38.00</td><td>14.68</td><td>50.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16650.00</td><td>47.54</td><td>68.30</td><td>-20.76</td><td>41.32</td><td>41.35</td><td>17.79</td><td>52.92</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	47.80	74.00	-26.20	45.90	38.00	14.68	50.78	---	---	Peak	2	16650.00	47.54	68.30	-20.76	41.32	41.35	17.79	52.92	---	---	Peak	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>46.14</td><td>38.00</td><td>14.68</td><td>50.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16650.00</td><td>48.41</td><td>68.30</td><td>-19.89</td><td>42.19</td><td>41.35</td><td>17.79</td><td>52.92</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	48.04	74.00	-25.96	46.14	38.00	14.68	50.78	---	---	Peak	2	16650.00	48.41	68.30	-19.89	42.19	41.35	17.79	52.92	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11100.00	47.80	74.00	-26.20	45.90	38.00	14.68	50.78	---	---	Peak																																																																																																													
2	16650.00	47.54	68.30	-20.76	41.32	41.35	17.79	52.92	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11100.00	48.04	74.00	-25.96	46.14	38.00	14.68	50.78	---	---	Peak																																																																																																													
2	16650.00	48.41	68.30	-19.89	42.19	41.35	17.79	52.92	---	---	Peak																																																																																																													




Mode	46																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																														
ANT	9																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.72</td><td>52.00</td><td>74.00</td><td>-22.00</td><td>38.25</td><td>35.91</td><td>10.53</td><td>32.69</td><td>247</td><td>129 PEAK</td></tr><tr><td>2</td><td>5461.04</td><td>51.39</td><td>68.30</td><td>-16.91</td><td>37.59</td><td>35.94</td><td>10.55</td><td>32.69</td><td>247</td><td>129 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5444.72	52.00	74.00	-22.00	38.25	35.91	10.53	32.69	247	129 PEAK	2	5461.04	51.39	68.30	-16.91	37.59	35.94	10.55	32.69	247	129 PEAK	 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.41</td><td>-----</td><td>-----</td><td>84.79</td><td>36.54</td><td>10.85</td><td>32.77</td><td>247</td><td>129 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.41	-----	-----	84.79	36.54	10.85	32.77	247	129 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5444.72	52.00	74.00	-22.00	38.25	35.91	10.53	32.69	247	129 PEAK																																																																																					
2	5461.04	51.39	68.30	-16.91	37.59	35.94	10.55	32.69	247	129 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	99.41	-----	-----	84.79	36.54	10.85	32.77	247	129 PEAK																																																																																					
Avg	 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.16</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>28.85</td><td>35.98</td><td>10.51</td><td>32.68</td><td>247</td><td>129 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5410.16	42.66	54.00	-11.34	28.85	35.98	10.51	32.68	247	129 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>93.36</td><td>-----</td><td>-----</td><td>78.74</td><td>36.54</td><td>10.85</td><td>32.77</td><td>247</td><td>129 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.36	-----	-----	78.74	36.54	10.85	32.77	247	129 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5410.16	42.66	54.00	-11.34	28.85	35.98	10.51	32.68	247	129 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	93.36	-----	-----	78.74	36.54	10.85	32.77	247	129 AVERAGE																																																																																					





Mode	46																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																	
ANT	9																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.40</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>38.22</td><td>35.98</td><td>10.51</td><td>32.68</td><td>250</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>52.47</td><td>68.30</td><td>-15.83</td><td>38.64</td><td>35.97</td><td>10.55</td><td>32.69</td><td>250</td><td>299</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5412.40	52.03	74.00	-21.97	38.22	35.98	10.51	32.68	250	299	PEAK	2	5467.76	52.47	68.30	-15.83	38.64	35.97	10.55	32.69	250	299	PEAK	Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.74</td><td>-----</td><td>-----</td><td>85.12</td><td>36.54</td><td>10.85</td><td>32.77</td><td>250</td><td>299</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.74	-----	-----	85.12	36.54	10.85	32.77	250	299	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5412.40	52.03	74.00	-21.97	38.22	35.98	10.51	32.68	250	299	PEAK																																																																																							
2	5467.76	52.47	68.30	-15.83	38.64	35.97	10.55	32.69	250	299	PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5670.00	99.74	-----	-----	85.12	36.54	10.85	32.77	250	299	PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.40</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>29.12</td><td>35.91</td><td>10.54</td><td>32.69</td><td>250</td><td>299</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5452.40	42.88	54.00	-11.12	29.12	35.91	10.54	32.69	250	299	AVERAGE	Level (dBuV/m) Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>92.99</td><td>-----</td><td>-----</td><td>78.37</td><td>36.54</td><td>10.85</td><td>32.77</td><td>250</td><td>299</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	92.99	-----	-----	78.37	36.54	10.85	32.77	250	299	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5452.40	42.88	54.00	-11.12	29.12	35.91	10.54	32.69	250	299	AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5670.00	92.99	-----	-----	78.37	36.54	10.85	32.77	250	299	AVERAGE																																																																																							



Mode	46																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																									
ANT	9																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.43</td><td>54.98</td><td>68.30</td><td>-13.32</td><td>40.25</td><td>36.65</td><td>10.87</td><td>32.79</td><td>250 299 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5726.43	54.98	68.30	-13.32	40.25	36.65	10.87	32.79	250 299 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5726.43	54.98	68.30	-13.32	40.25	36.65	10.87	32.79	250 299 PEAK																																	







Mode	46																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11340.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>44.75</td><td>38.14</td><td>14.83</td><td>50.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17010.00</td><td>47.82</td><td>68.30</td><td>-20.48</td><td>39.43</td><td>42.82</td><td>18.09</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	47.23	74.00	-26.77	44.75	38.14	14.83	50.49	---	---	Peak	2	17010.00	47.82	68.30	-20.48	39.43	42.82	18.09	52.52	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11340.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>44.94</td><td>38.14</td><td>14.83</td><td>50.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17010.00</td><td>47.12</td><td>68.30</td><td>-21.18</td><td>38.73</td><td>42.82</td><td>18.09</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	47.42	74.00	-26.58	44.94	38.14	14.83	50.49	---	---	Peak	2	17010.00	47.12	68.30	-21.18	38.73	42.82	18.09	52.52	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11340.00	47.23	74.00	-26.77	44.75	38.14	14.83	50.49	---	---	Peak																																																																																																													
2	17010.00	47.82	68.30	-20.48	39.43	42.82	18.09	52.52	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11340.00	47.42	74.00	-26.58	44.94	38.14	14.83	50.49	---	---	Peak																																																																																																													
2	17010.00	47.12	68.30	-21.18	38.73	42.82	18.09	52.52	---	---	Peak																																																																																																													



Mode	47																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																			
ANT	9																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.58</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>41.20</td><td>35.71</td><td>10.52</td><td>32.63</td><td>265</td><td>181 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5146.58	54.80	74.00	-19.20	41.20	35.71	10.52	32.63	265	181 PEAK	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>93.22</td><td>-----</td><td>-----</td><td>79.61</td><td>35.80</td><td>10.45</td><td>32.64</td><td>265</td><td>181 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.22	-----	-----	79.61	35.80	10.45	32.64	265	181 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.58	54.80	74.00	-19.20	41.20	35.71	10.52	32.63	265	181 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	93.22	-----	-----	79.61	35.80	10.45	32.64	265	181 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.31</td><td>46.83</td><td>54.00</td><td>-7.17</td><td>33.25</td><td>35.70</td><td>10.51</td><td>32.63</td><td>265</td><td>181 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.31	46.83	54.00	-7.17	33.25	35.70	10.51	32.63	265	181 AVERAGE	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>87.32</td><td>-----</td><td>-----</td><td>73.74</td><td>35.80</td><td>10.42</td><td>32.64</td><td>265</td><td>181 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.32	-----	-----	73.74	35.80	10.42	32.64	265	181 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.31	46.83	54.00	-7.17	33.25	35.70	10.51	32.63	265	181 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	87.32	-----	-----	73.74	35.80	10.42	32.64	265	181 AVERAGE																																																																										





Mode	47																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																	
ANT	9																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.42</td><td>57.29</td><td>74.00</td><td>-16.71</td><td>43.69</td><td>35.71</td><td>10.52</td><td>32.63</td><td>346 308 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.42	57.29	74.00	-16.71	43.69	35.71	10.52	32.63	346 308 PEAK	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>94.72</td><td>-----</td><td>-----</td><td>81.15</td><td>35.79</td><td>10.42</td><td>32.64</td><td>346 308 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.72	-----	-----	81.15	35.79	10.42	32.64	346 308 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5147.42	57.29	74.00	-16.71	43.69	35.71	10.52	32.63	346 308 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	94.72	-----	-----	81.15	35.79	10.42	32.64	346 308 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.73</td><td>49.48</td><td>54.00</td><td>-4.52</td><td>35.90</td><td>35.70</td><td>10.51</td><td>32.63</td><td>346 308 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.73	49.48	54.00	-4.52	35.90	35.70	10.51	32.63	346 308 AVERAGE	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>89.04</td><td>-----</td><td>-----</td><td>75.47</td><td>35.80</td><td>10.41</td><td>32.64</td><td>346 308 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	89.04	-----	-----	75.47	35.80	10.41	32.64	346 308 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.73	49.48	54.00	-4.52	35.90	35.70	10.51	32.63	346 308 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	89.04	-----	-----	75.47	35.80	10.41	32.64	346 308 AVERAGE																																																																									







Mode	47																																	
	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																	
ANT	9																																	
Pol.	Vertical	Fundamental																																
Peak	Date: 2025-06-30 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5446.75</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>38.31</td><td>35.91</td><td>10.53</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5446.75	52.06	74.00	-21.94	38.31	35.91	10.53	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																											
1	5446.75	52.06	74.00	-21.94	38.31	35.91	10.53																											
Avg	Date: 2025-06-30 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5354.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>30.47</td><td>36.09</td><td>10.55</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5354.00	44.44	54.00	-9.56	30.47	36.09	10.55	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																											
1	5354.00	44.44	54.00	-9.56	30.47	36.09	10.55																											



Mode	47																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																																			
ANT	9																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>47.85</td><td>68.30</td><td>-20.45</td><td>46.56</td><td>38.12</td><td>14.59</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>42.60</td><td>40.60</td><td>17.18</td><td>52.39</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10420.00	47.85	68.30	-20.45	46.56	38.12	14.59	51.42	---	---	Peak	2	15630.00	47.99	74.00	-26.01	42.60	40.60	17.18	52.39	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>47.90</td><td>68.30</td><td>-20.40</td><td>46.61</td><td>38.12</td><td>14.59</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>42.95</td><td>40.60</td><td>17.18</td><td>52.39</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10420.00	47.90	68.30	-20.40	46.61	38.12	14.59	51.42	---	---	Peak	2	15630.00	48.34	74.00	-25.66	42.95	40.60	17.18	52.39	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10420.00	47.85	68.30	-20.45	46.56	38.12	14.59	51.42	---	---	Peak																																																																																																									
2	15630.00	47.99	74.00	-26.01	42.60	40.60	17.18	52.39	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10420.00	47.90	68.30	-20.40	46.61	38.12	14.59	51.42	---	---	Peak																																																																																																									
2	15630.00	48.34	74.00	-25.66	42.95	40.60	17.18	52.39	---	---	Peak																																																																																																									



		48																																																																									
Mode		Band Edge - L																																																																									
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																									
ANT		9																																																																									
Pol.		Horizontal					Fundamental																																																																				
Peak	 Level (dBuV/m) Date: 2025-06-30 15108.17 52.65 74.00 -21.35 38.89 35.78 10.60 32.62 262 130 PEAK					 Level (dBuV/m) Date: 2025-06-30 15290.00 92.69 ----- 78.97 35.80 10.58 32.66 262 130 PEAK																																																																					
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5108.17</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>38.89</td><td>35.78</td><td>10.60</td><td>32.62</td><td>262</td><td>130</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5108.17	52.65	74.00	-21.35	38.89	35.78	10.60	32.62	262	130	PEAK	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5290.00</td><td>92.69</td><td>-----</td><td>-----</td><td>78.97</td><td>35.80</td><td>10.58</td><td>32.66</td><td>262</td><td>130</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5290.00	92.69	-----	-----	78.97	35.80	10.58	32.66	262	130
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5108.17	52.65	74.00	-21.35	38.89	35.78	10.60	32.62	262	130	PEAK																																																																	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5290.00	92.69	-----	-----	78.97	35.80	10.58	32.66	262	130	PEAK																																																																	
Avg	 Level (dBuV/m) Date: 2025-06-30 15133.98 44.74 54.00 -9.26 31.10 35.73 10.54 32.63 262 130 AVERAGE					 Level (dBuV/m) Date: 2025-06-30 15290.00 87.03 ----- 73.31 35.80 10.58 32.66 262 130 AVERAGE																																																																					
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5133.98</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>31.10</td><td>35.73</td><td>10.54</td><td>32.63</td><td>262</td><td>130</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5133.98	44.74	54.00	-9.26	31.10	35.73	10.54	32.63	262	130	AVERAGE	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5290.00</td><td>87.03</td><td>-----</td><td>-----</td><td>73.31</td><td>35.80</td><td>10.58</td><td>32.66</td><td>262</td><td>130</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5290.00	87.03	-----	-----	73.31	35.80	10.58	32.66	262	130
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5133.98	44.74	54.00	-9.26	31.10	35.73	10.54	32.63	262	130	AVERAGE																																																																	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5290.00	87.03	-----	-----	73.31	35.80	10.58	32.66	262	130	AVERAGE																																																																	





Mode	48																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																										
ANT	9																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.49</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>40.43</td><td>36.09</td><td>10.54</td><td>32.67</td><td>262</td><td>130 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5357.49	54.39	74.00	-19.61	40.43	36.09	10.54	32.67	262	130 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5357.49	54.39	74.00	-19.61	40.43	36.09	10.54	32.67	262	130 PEAK																																	
Avg	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>32.87</td><td>36.10</td><td>10.55</td><td>32.67</td><td>262</td><td>130 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	46.85	54.00	-7.15	32.87	36.10	10.55	32.67	262	130 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5350.35	46.85	54.00	-7.15	32.87	36.10	10.55	32.67	262	130 AVERAGE																																	







Mode	48																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																									
ANT	9																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.21</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>39.15</td><td>35.74</td><td>10.55</td><td>32.63</td><td>186 295 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5130.21	52.81	74.00	-21.19	39.15	35.74	10.55	32.63	186 295 PEAK	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.20</td><td>-----</td><td>-----</td><td>82.49</td><td>35.80</td><td>10.57</td><td>32.66</td><td>186 295 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.20	-----	-----	82.49	35.80	10.57	32.66	186 295 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5130.21	52.81	74.00	-21.19	39.15	35.74	10.55	32.63	186 295 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5290.00	96.20	-----	-----	82.49	35.80	10.57	32.66	186 295 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.51</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>31.18</td><td>35.76</td><td>10.57</td><td>32.62</td><td>186 295 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5121.51	44.89	54.00	-9.11	31.18	35.76	10.57	32.62	186 295 AVERAGE	Level (dBuV/m) Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>89.72</td><td>-----</td><td>-----</td><td>75.99</td><td>35.80</td><td>10.59</td><td>32.66</td><td>186 295 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.72	-----	-----	75.99	35.80	10.59	32.66	186 295 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5121.51	44.89	54.00	-9.11	31.18	35.76	10.57	32.62	186 295 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5290.00	89.72	-----	-----	75.99	35.80	10.59	32.66	186 295 AVERAGE																																																																																	



Mode	48																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10580.00</td><td>47.50</td><td>68.30</td><td>-20.80</td><td>46.02</td><td>38.20</td><td>14.60</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>43.43</td><td>40.84</td><td>17.21</td><td>52.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10580.00	47.50	68.30	-20.80	46.02	38.20	14.60	51.32	---	---	Peak	2	15870.00	48.57	74.00	-25.43	43.43	40.84	17.21	52.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10580.00</td><td>47.82</td><td>68.30</td><td>-20.48</td><td>46.34</td><td>38.20</td><td>14.60</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>42.96</td><td>40.84</td><td>17.21</td><td>52.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10580.00	47.82	68.30	-20.48	46.34	38.20	14.60	51.32	---	---	Peak	2	15870.00	48.10	74.00	-25.90	42.96	40.84	17.21	52.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10580.00	47.50	68.30	-20.80	46.02	38.20	14.60	51.32	---	---	Peak																																																																																																													
2	15870.00	48.57	74.00	-25.43	43.43	40.84	17.21	52.91	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10580.00	47.82	68.30	-20.48	46.34	38.20	14.60	51.32	---	---	Peak																																																																																																													
2	15870.00	48.10	74.00	-25.90	42.96	40.84	17.21	52.91	---	---	Peak																																																																																																													







Mode	49																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																			
ANT	9																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5454.40</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>42.50</td><td>35.92</td><td>10.54</td><td>32.69</td><td>127</td><td>216 PEAK</td></tr><tr><td>2 5469.52</td><td>56.99</td><td>68.30</td><td>-11.31</td><td>43.15</td><td>35.98</td><td>10.55</td><td>32.69</td><td>127</td><td>216 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5454.40	56.27	74.00	-17.73	42.50	35.92	10.54	32.69	127	216 PEAK	2 5469.52	56.99	68.30	-11.31	43.15	35.98	10.55	32.69	127	216 PEAK	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>96.92</td><td>-----</td><td>-----</td><td>82.88</td><td>36.15</td><td>10.60</td><td>32.71</td><td>127</td><td>216 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	96.92	-----	-----	82.88	36.15	10.60	32.71	127	216 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5454.40	56.27	74.00	-17.73	42.50	35.92	10.54	32.69	127	216 PEAK																																																																																											
2 5469.52	56.99	68.30	-11.31	43.15	35.98	10.55	32.69	127	216 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5530.00	96.92	-----	-----	82.88	36.15	10.60	32.71	127	216 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5458.00</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>34.40</td><td>35.93</td><td>10.54</td><td>32.69</td><td>127</td><td>216 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.00	48.18	54.00	-5.82	34.40	35.93	10.54	32.69	127	216 AVERAGE	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>91.12</td><td>-----</td><td>-----</td><td>77.08</td><td>36.15</td><td>10.60</td><td>32.71</td><td>127</td><td>216 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	91.12	-----	-----	77.08	36.15	10.60	32.71	127	216 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5458.00	48.18	54.00	-5.82	34.40	35.93	10.54	32.69	127	216 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5530.00	91.12	-----	-----	77.08	36.15	10.60	32.71	127	216 AVERAGE																																																																																											



Mode	49																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																									
ANT	9																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-06-30 Level (dBuV/m) Frequency (MHz) PART 15.407 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5761.71</td><td>53.27</td><td>68.30</td><td>-15.03</td><td>38.54</td><td>36.68</td><td>10.85</td><td>32.80</td><td>127 216 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5761.71	53.27	68.30	-15.03	38.54	36.68	10.85	32.80	127 216 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5761.71	53.27	68.30	-15.03	38.54	36.68	10.85	32.80	127 216 PEAK																																	





Mode	49																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																											
ANT	9																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.66</td><td>57.24</td><td>74.00</td><td>-16.76</td><td>43.47</td><td>35.92</td><td>10.54</td><td>32.69</td><td>194 304 PEAK</td></tr><tr><td>2</td><td>5460.34</td><td>58.45</td><td>68.30</td><td>-9.85</td><td>44.66</td><td>35.94</td><td>10.54</td><td>32.69</td><td>194 304 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.66	57.24	74.00	-16.76	43.47	35.92	10.54	32.69	194 304 PEAK	2	5460.34	58.45	68.30	-9.85	44.66	35.94	10.54	32.69	194 304 PEAK	Level (dBuV/m) Date: 2025-06-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>98.69</td><td>-----</td><td>-----</td><td>84.66</td><td>36.14</td><td>10.60</td><td>32.71</td><td>194 304 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.69	-----	-----	84.66	36.14	10.60	32.71	194 304 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5455.66	57.24	74.00	-16.76	43.47	35.92	10.54	32.69	194 304 PEAK																																																																																			
2	5460.34	58.45	68.30	-9.85	44.66	35.94	10.54	32.69	194 304 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	98.69	-----	-----	84.66	36.14	10.60	32.71	194 304 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.26</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>35.85</td><td>35.94</td><td>10.54</td><td>32.69</td><td>194 304 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.26	49.64	54.00	-4.36	35.85	35.94	10.54	32.69	194 304 AVERAGE	Level (dBuV/m) Date: 2025-06-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.62</td><td>-----</td><td>-----</td><td>77.58</td><td>36.15</td><td>10.60</td><td>32.71</td><td>194 304 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.62	-----	-----	77.58	36.15	10.60	32.71	194 304 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.26	49.64	54.00	-4.36	35.85	35.94	10.54	32.69	194 304 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	91.62	-----	-----	77.58	36.15	10.60	32.71	194 304 AVERAGE																																																																																			







Mode	49																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																										
ANT	9																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.22</td><td>53.06</td><td>68.30</td><td>-15.24</td><td>38.32</td><td>36.66</td><td>10.87</td><td>32.79</td><td>194</td><td>304 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5730.22	53.06	68.30	-15.24	38.32	36.66	10.87	32.79	194	304 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1	5730.22	53.06	68.30	-15.24	38.32	36.66	10.87	32.79	194	304 PEAK																																	



Mode	49																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																																			
ANT	9																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>45.86</td><td>38.00</td><td>14.66</td><td>50.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.27</td><td>68.30</td><td>-20.03</td><td>42.23</td><td>41.29</td><td>17.74</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	47.69	74.00	-26.31	45.86	38.00	14.66	50.83	---	---	Peak	2	16590.00	48.27	68.30	-20.03	42.23	41.29	17.74	52.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>46.80</td><td>38.00</td><td>14.66</td><td>50.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>47.36</td><td>68.30</td><td>-20.94</td><td>41.32</td><td>41.29</td><td>17.74</td><td>52.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	48.63	74.00	-25.37	46.80	38.00	14.66	50.83	---	---	Peak	2	16590.00	47.36	68.30	-20.94	41.32	41.29	17.74	52.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11060.00	47.69	74.00	-26.31	45.86	38.00	14.66	50.83	---	---	Peak																																																																																																									
2	16590.00	48.27	68.30	-20.03	42.23	41.29	17.74	52.99	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11060.00	48.63	74.00	-25.37	46.80	38.00	14.66	50.83	---	---	Peak																																																																																																									
2	16590.00	47.36	68.30	-20.94	41.32	41.29	17.74	52.99	---	---	Peak																																																																																																									







Mode	50																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																			
ANT	9																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5355.20</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>38.48</td><td>36.09</td><td>10.55</td><td>32.67</td><td>120</td><td>212 PEAK</td></tr><tr><td>2 5469.34</td><td>52.13</td><td>68.30</td><td>-16.17</td><td>38.29</td><td>35.98</td><td>10.55</td><td>32.69</td><td>120</td><td>212 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5355.20	52.45	74.00	-21.55	38.48	36.09	10.55	32.67	120	212 PEAK	2 5469.34	52.13	68.30	-16.17	38.29	35.98	10.55	32.69	120	212 PEAK	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>96.22</td><td>-----</td><td>-----</td><td>81.92</td><td>36.33</td><td>10.71</td><td>32.74</td><td>120</td><td>212 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	96.22	-----	-----	81.92	36.33	10.71	32.74	120	212 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5355.20	52.45	74.00	-21.55	38.48	36.09	10.55	32.67	120	212 PEAK																																																																																											
2 5469.34	52.13	68.30	-16.17	38.29	35.98	10.55	32.69	120	212 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5610.00	96.22	-----	-----	81.92	36.33	10.71	32.74	120	212 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5452.44</td><td>44.99</td><td>54.00</td><td>-9.01</td><td>31.23</td><td>35.91</td><td>10.54</td><td>32.69</td><td>120</td><td>212 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5452.44	44.99	54.00	-9.01	31.23	35.91	10.54	32.69	120	212 AVERAGE	 Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>90.75</td><td>-----</td><td>-----</td><td>76.41</td><td>36.36</td><td>10.73</td><td>32.75</td><td>120</td><td>212 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	90.75	-----	-----	76.41	36.36	10.73	32.75	120	212 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5452.44	44.99	54.00	-9.01	31.23	35.91	10.54	32.69	120	212 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5610.00	90.75	-----	-----	76.41	36.36	10.73	32.75	120	212 AVERAGE																																																																																											



Mode	50																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																		
ANT	9																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.80</td><td>53.30</td><td>68.30</td><td>-15.00</td><td>38.56</td><td>36.66</td><td>10.87</td><td>32.79</td><td>120</td><td>212 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5727.80	53.30	68.30	-15.00	38.56	36.66	10.87	32.79	120	212 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5727.80	53.30	68.30	-15.00	38.56	36.66	10.87	32.79	120	212 PEAK																																									



		50																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																												
ANT		9																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with two peaks labeled 1 and 2. A red limit line is at 70.0 dBuV/m. The date is 2025-06-30.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a single peak labeled 1. A red limit line is at 70.0 dBuV/m. The date is 2025-06-30.																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5362.48	53.07	74.00	-20.93	39.12	36.08	10.54	32.67	189 304 PEAK	2	5461.54	52.19	68.30	-16.11	38.38	35.95	10.55	32.69	189 304 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.55	-----	-----	83.21	36.36	10.73	32.75	189 304 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5362.48	53.07	74.00	-20.93	39.12	36.08	10.54	32.67	189 304 PEAK																																																																																					
2	5461.54	52.19	68.30	-16.11	38.38	35.95	10.55	32.69	189 304 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5610.00	97.55	-----	-----	83.21	36.36	10.73	32.75	189 304 PEAK																																																																																					
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with a peak labeled 1. A red limit line is at 52.5 dBuV/m. The date is 2025-06-30.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a peak labeled 1. A red limit line is at 52.5 dBuV/m. The date is 2025-06-30.																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5448.28	45.16	54.00	-8.84	31.41	35.90	10.54	32.69	189 304 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.39	-----	-----	77.09	36.33	10.71	32.74	189 304 AVERAGE														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5448.28	45.16	54.00	-8.84	31.41	35.90	10.54	32.69	189 304 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5610.00	91.39	-----	-----	77.09	36.33	10.71	32.74	189 304 AVERAGE																																																																																					



Mode	50																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>46.24</td><td>38.10</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>46.83</td><td>68.30</td><td>-21.47</td><td>39.72</td><td>41.86</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	48.46	74.00	-25.54	46.24	38.10	14.76	50.64	---	---	Peak	2	16830.00	46.83	68.30	-21.47	39.72	41.86	17.95	52.70	---	---	Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>45.82</td><td>38.10</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>48.17</td><td>68.30</td><td>-20.13</td><td>41.06</td><td>41.86</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	48.04	74.00	-25.96	45.82	38.10	14.76	50.64	---	---	Peak	2	16830.00	48.17	68.30	-20.13	41.06	41.86	17.95	52.70	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11220.00	48.46	74.00	-25.54	46.24	38.10	14.76	50.64	---	---	Peak																																																																																																													
2	16830.00	46.83	68.30	-21.47	39.72	41.86	17.95	52.70	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11220.00	48.04	74.00	-25.96	45.82	38.10	14.76	50.64	---	---	Peak																																																																																																													
2	16830.00	48.17	68.30	-20.13	41.06	41.86	17.95	52.70	---	---	Peak																																																																																																													





Mode	51																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																	
ANT	9																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.39</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>45.46</td><td>35.70</td><td>10.51</td><td>32.63</td><td>259</td><td>141 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5148.39	59.04	74.00	-14.96	45.46	35.70	10.51	32.63	259	141 PEAK	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>98.27</td><td>-----</td><td>-----</td><td>84.70</td><td>35.78</td><td>10.43</td><td>32.64</td><td>259</td><td>141 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5190.00	98.27	-----	-----	84.70	35.78	10.43	32.64	259	141 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5148.39	59.04	74.00	-14.96	45.46	35.70	10.51	32.63	259	141 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5190.00	98.27	-----	-----	84.70	35.78	10.43	32.64	259	141 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.91</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>34.21</td><td>35.70</td><td>10.51</td><td>32.63</td><td>259</td><td>141 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.91	47.79	54.00	-6.21	34.21	35.70	10.51	32.63	259	141 AVERAGE	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>88.27</td><td>-----</td><td>-----</td><td>74.70</td><td>35.78</td><td>10.43</td><td>32.64</td><td>259</td><td>141 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5190.00	88.27	-----	-----	74.70	35.78	10.43	32.64	259	141 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5149.91	47.79	54.00	-6.21	34.21	35.70	10.51	32.63	259	141 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5190.00	88.27	-----	-----	74.70	35.78	10.43	32.64	259	141 AVERAGE																																																																									





Mode	51	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	9	
Pol.	Vertical	Fundamental
Peak	</	





Mode	51																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																																			
ANT	9																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10380.00</td><td>48.66</td><td>68.30</td><td>-19.64</td><td>47.39</td><td>38.10</td><td>14.59</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15570.00</td><td>48.78</td><td>74.00</td><td>-25.22</td><td>43.26</td><td>40.60</td><td>17.17</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	48.66	68.30	-19.64	47.39	38.10	14.59	51.42	---	---	Peak	2	15570.00	48.78	74.00	-25.22	43.26	40.60	17.17	52.25	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10380.00</td><td>49.03</td><td>68.30</td><td>-19.27</td><td>47.76</td><td>38.10</td><td>14.59</td><td>51.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15570.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>42.05</td><td>40.60</td><td>17.17</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	49.03	68.30	-19.27	47.76	38.10	14.59	51.42	---	---	Peak	2	15570.00	47.57	74.00	-26.43	42.05	40.60	17.17	52.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10380.00	48.66	68.30	-19.64	47.39	38.10	14.59	51.42	---	---	Peak																																																																																																									
2	15570.00	48.78	74.00	-25.22	43.26	40.60	17.17	52.25	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10380.00	49.03	68.30	-19.27	47.76	38.10	14.59	51.42	---	---	Peak																																																																																																									
2	15570.00	47.57	74.00	-26.43	42.05	40.60	17.17	52.25	---	---	Peak																																																																																																									



Mode	52																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																																																																			
ANT	9																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>48.29</td><td>68.30</td><td>-20.01</td><td>46.95</td><td>38.16</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>43.35</td><td>40.60</td><td>17.19</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10460.00	48.29	68.30	-20.01	46.95	38.16	14.59	51.41	---	---	Peak	2	15690.00	48.62	74.00	-25.38	43.35	40.60	17.19	52.52	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>48.37</td><td>68.30</td><td>-19.93</td><td>47.03</td><td>38.16</td><td>14.59</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15690.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>42.70</td><td>40.60</td><td>17.19</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10460.00	48.37	68.30	-19.93	47.03	38.16	14.59	51.41	---	---	Peak	2	15690.00	47.97	74.00	-26.03	42.70	40.60	17.19	52.52	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10460.00	48.29	68.30	-20.01	46.95	38.16	14.59	51.41	---	---	Peak																																																																																																									
2	15690.00	48.62	74.00	-25.38	43.35	40.60	17.19	52.52	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10460.00	48.37	68.30	-19.93	47.03	38.16	14.59	51.41	---	---	Peak																																																																																																									
2	15690.00	47.97	74.00	-26.03	42.70	40.60	17.19	52.52	---	---	Peak																																																																																																									



Mode	53																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																							
ANT	9																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10540.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>47.32</td><td>38.20</td><td>14.60</td><td>51.36</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15810.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>43.00</td><td>40.72</td><td>17.21</td><td>52.78</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10540.00	48.76	68.30	-19.54	47.32	38.20	14.60	51.36	--- --- Peak	2	15810.00	48.15	74.00	-25.85	43.00	40.72	17.21	52.78	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10540.00</td><td>48.46</td><td>68.30</td><td>-19.84</td><td>47.02</td><td>38.20</td><td>14.60</td><td>51.36</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15810.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>42.66</td><td>40.72</td><td>17.21</td><td>52.78</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10540.00	48.46	68.30	-19.84	47.02	38.20	14.60	51.36	--- --- Peak	2	15810.00	47.81	74.00	-26.19	42.66	40.72	17.21	52.78	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	10540.00	48.76	68.30	-19.54	47.32	38.20	14.60	51.36	--- --- Peak																																																																															
2	15810.00	48.15	74.00	-25.85	43.00	40.72	17.21	52.78	--- --- Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	10540.00	48.46	68.30	-19.84	47.02	38.20	14.60	51.36	--- --- Peak																																																																															
2	15810.00	47.81	74.00	-26.19	42.66	40.72	17.21	52.78	--- --- Peak																																																																															



Mode	54																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																			
ANT	9																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.21</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>38.14</td><td>35.76</td><td>10.57</td><td>32.62</td><td>258</td><td>132 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5121.21	51.85	74.00	-22.15	38.14	35.76	10.57	32.62	258	132 PEAK	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.18</td><td>-----</td><td>-----</td><td>85.37</td><td>35.88</td><td>10.59</td><td>32.66</td><td>258</td><td>132 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.18	-----	-----	85.37	35.88	10.59	32.66	258	132 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5121.21	51.85	74.00	-22.15	38.14	35.76	10.57	32.62	258	132 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	99.18	-----	-----	85.37	35.88	10.59	32.66	258	132 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.61</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>29.38</td><td>35.79</td><td>10.61</td><td>32.62</td><td>258</td><td>132 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5102.61	43.16	54.00	-10.84	29.38	35.79	10.61	32.62	258	132 AVERAGE	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>90.77</td><td>-----</td><td>-----</td><td>76.96</td><td>35.88</td><td>10.59</td><td>32.66</td><td>258</td><td>132 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.77	-----	-----	76.96	35.88	10.59	32.66	258	132 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5102.61	43.16	54.00	-10.84	29.38	35.79	10.61	32.62	258	132 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	90.77	-----	-----	76.96	35.88	10.59	32.66	258	132 AVERAGE																																																																										



Mode	54																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																										
ANT	9																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5350.65</td><td>58.50</td><td>74.00</td><td>-15.50</td><td>44.52</td><td>36.10</td><td>10.55</td><td>32.67</td><td>258</td><td>132</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.65	58.50	74.00	-15.50	44.52	36.10	10.55	32.67	258	132	PEAK	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5350.65	58.50	74.00	-15.50	44.52	36.10	10.55	32.67	258	132	PEAK																																	
Avg	Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5350.95</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>33.26</td><td>36.10</td><td>10.55</td><td>32.67</td><td>258</td><td>132</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.95	47.24	54.00	-6.76	33.26	36.10	10.55	32.67	258	132	AVERAGE	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5350.95	47.24	54.00	-6.76	33.26	36.10	10.55	32.67	258	132	AVERAGE																																	



Mode	54	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	9	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-06-29 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5069.75 52.31 74.00 -21.69 38.57 35.80 10.55 32.61 241 306 PEAK	Level (dBuV/m) Date: 2025-06-29 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5310.00 102.96 ----- 89.12 35.92 10.58 32.66 241 306 PEAK
	Level (dBuV/m) Date: 2025-06-29 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5130.82 42.95 54.00 -11.05 29.29 35.74 10.55 32.63 241 306 AVERAGE	Level (dBuV/m) Date: 2025-06-29 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5310.00 93.66 ----- 79.85 35.88 10.59 32.66 241 306 AVERAGE







Mode	54																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																																			
ANT	9																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Date: 2025-06-29						Date: 2025-06-29																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>47.57</td><td>38.18</td><td>14.60</td><td>51.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>43.33</td><td>40.96</td><td>17.22</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	49.07	74.00	-24.93	47.57	38.18	14.60	51.28	---	---	Peak	2	15930.00	48.46	74.00	-25.54	43.33	40.96	17.22	53.05	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>46.92</td><td>38.18</td><td>14.60</td><td>51.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15930.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>42.53</td><td>40.96</td><td>17.22</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	48.42	74.00	-25.58	46.92	38.18	14.60	51.28	---	---	Peak	2	15930.00	47.66	74.00	-26.34	42.53	40.96	17.22	53.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10620.00	49.07	74.00	-24.93	47.57	38.18	14.60	51.28	---	---	Peak																																																																																																									
2	15930.00	48.46	74.00	-25.54	43.33	40.96	17.22	53.05	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10620.00	48.42	74.00	-25.58	46.92	38.18	14.60	51.28	---	---	Peak																																																																																																									
2	15930.00	47.66	74.00	-26.34	42.53	40.96	17.22	53.05	---	---	Peak																																																																																																									



Mode	55																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																			
ANT	9																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>40.53</td><td>35.93</td><td>10.54</td><td>32.69</td><td>256 130 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>59.20</td><td>68.30</td><td>-9.10</td><td>45.36</td><td>35.98</td><td>10.55</td><td>32.69</td><td>256 130 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	54.31	74.00	-19.69	40.53	35.93	10.54	32.69	256 130 PEAK	2	5470.00	59.20	68.30	-9.10	45.36	35.98	10.55	32.69	256 130 PEAK	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>99.69</td><td>-----</td><td>-----</td><td>85.70</td><td>36.11</td><td>10.58</td><td>32.70</td><td>256 130 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.69	-----	-----	85.70	36.11	10.58	32.70	256 130 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5457.68	54.31	74.00	-19.69	40.53	35.93	10.54	32.69	256 130 PEAK																																																																																											
2	5470.00	59.20	68.30	-9.10	45.36	35.98	10.55	32.69	256 130 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	99.69	-----	-----	85.70	36.11	10.58	32.70	256 130 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>30.48</td><td>35.94</td><td>10.54</td><td>32.69</td><td>256 130 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	44.27	54.00	-9.73	30.48	35.94	10.54	32.69	256 130 AVERAGE	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>91.24</td><td>-----</td><td>-----</td><td>77.23</td><td>36.12</td><td>10.59</td><td>32.70</td><td>256 130 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.24	-----	-----	77.23	36.12	10.59	32.70	256 130 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.76	44.27	54.00	-9.73	30.48	35.94	10.54	32.69	256 130 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	91.24	-----	-----	77.23	36.12	10.59	32.70	256 130 AVERAGE																																																																																											





		55																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																		
ANT		9																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak																																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.16</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>40.80</td><td>35.93</td><td>10.54</td><td>32.69</td><td>256 308 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>58.13</td><td>68.30</td><td>-10.17</td><td>44.30</td><td>35.97</td><td>10.55</td><td>32.69</td><td>256 308 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	54.58	74.00	-19.42	40.80	35.93	10.54	32.69	256 308 PEAK	2	5467.92	58.13	68.30	-10.17	44.30	35.97	10.55	32.69	256 308 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>101.91</td><td>-----</td><td>-----</td><td>87.90</td><td>36.12</td><td>10.59</td><td>32.70</td><td>256 308 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.91	-----	-----	87.90	36.12	10.59	32.70
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.16	54.58	74.00	-19.42	40.80	35.93	10.54	32.69	256 308 PEAK																																																																																											
2	5467.92	58.13	68.30	-10.17	44.30	35.97	10.55	32.69	256 308 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	101.91	-----	-----	87.90	36.12	10.59	32.70	256 308 PEAK																																																																																											
Avg																																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>32.21</td><td>35.94</td><td>10.54</td><td>32.69</td><td>256 308 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	46.00	54.00	-8.00	32.21	35.94	10.54	32.69	256 308 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>93.07</td><td>-----</td><td>-----</td><td>79.08</td><td>36.11</td><td>10.58</td><td>32.70</td><td>256 308 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.07	-----	-----	79.08	36.11	10.58	32.70	256 308 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.12	46.00	54.00	-8.00	32.21	35.94	10.54	32.69	256 308 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	93.07	-----	-----	79.08	36.11	10.58	32.70	256 308 AVERAGE																																																																																											



Mode	55																						
	Band Edge - R																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																						
ANT	9																						
Pol.	Vertical	Fundamental																					
Peak	Date: 2025-06-29 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5727.52</td><td>52.88</td><td>68.30</td><td>-15.42</td><td>38.14</td><td>36.66</td><td>10.87</td><td>32.79</td><td>256</td><td>308 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1	5727.52	52.88	68.30	-15.42	38.14	36.66	10.87	32.79	256	308 PEAK	Blank
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark														
1	5727.52	52.88	68.30	-15.42	38.14	36.66	10.87	32.79	256	308 PEAK													







Mode	55																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																					
ANT	9																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>48.98</td><td>74.00</td><td>-25.02</td><td>47.23</td><td>38.00</td><td>14.63</td><td>50.88 --- --- Peak</td></tr><tr><td>2</td><td>16530.00</td><td>48.38</td><td>68.30</td><td>-19.92</td><td>42.52</td><td>41.23</td><td>17.69</td><td>53.06 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11020.00	48.98	74.00	-25.02	47.23	38.00	14.63	50.88 --- --- Peak	2	16530.00	48.38	68.30	-19.92	42.52	41.23	17.69	53.06 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>46.45</td><td>38.00</td><td>14.63</td><td>50.88 --- --- Peak</td></tr><tr><td>2</td><td>16530.00</td><td>48.89</td><td>68.30</td><td>-19.41</td><td>43.03</td><td>41.23</td><td>17.69</td><td>53.06 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11020.00	48.20	74.00	-25.80	46.45	38.00	14.63	50.88 --- --- Peak	2	16530.00	48.89	68.30	-19.41	43.03	41.23	17.69	53.06 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11020.00	48.98	74.00	-25.02	47.23	38.00	14.63	50.88 --- --- Peak																																																																																														
2	16530.00	48.38	68.30	-19.92	42.52	41.23	17.69	53.06 --- --- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11020.00	48.20	74.00	-25.80	46.45	38.00	14.63	50.88 --- --- Peak																																																																																														
2	16530.00	48.89	68.30	-19.41	43.03	41.23	17.69	53.06 --- --- Peak																																																																																														



Mode	56																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																						
ANT	9																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-06-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>46.31</td><td>38.00</td><td>14.68</td><td>50.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16650.00</td><td>49.08</td><td>68.30</td><td>-19.22</td><td>42.86</td><td>41.35</td><td>17.79</td><td>52.92</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	48.21	74.00	-25.79	46.31	38.00	14.68	50.78	---	---	Peak	2	16650.00	49.08	68.30	-19.22	42.86	41.35	17.79	52.92	---	---	Peak	Level (dBuV/m) Date: 2025-06-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>46.29</td><td>38.00</td><td>14.68</td><td>50.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16650.00</td><td>47.78</td><td>68.30</td><td>-20.52</td><td>41.56</td><td>41.35</td><td>17.79</td><td>52.92</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	48.19	74.00	-25.81	46.29	38.00	14.68	50.78	---	---	Peak	2	16650.00	47.78	68.30	-20.52	41.56	41.35	17.79	52.92	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11100.00	48.21	74.00	-25.79	46.31	38.00	14.68	50.78	---	---	Peak																																																																																																												
2	16650.00	49.08	68.30	-19.22	42.86	41.35	17.79	52.92	---	---	Peak																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11100.00	48.19	74.00	-25.81	46.29	38.00	14.68	50.78	---	---	Peak																																																																																																												
2	16650.00	47.78	68.30	-20.52	41.56	41.35	17.79	52.92	---	---	Peak																																																																																																												



		57																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																					
ANT		9																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.60</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>38.41</td><td>35.95</td><td>10.52</td><td>32.68</td><td>246</td><td>130 PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>50.98</td><td>68.30</td><td>-17.32</td><td>37.18</td><td>35.94</td><td>10.55</td><td>32.69</td><td>246</td><td>130 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5423.60	52.20	74.00	-21.80	38.41	35.95	10.52	32.68	246	130 PEAK	2	5460.40	50.98	68.30	-17.32	37.18	35.94	10.55	32.69	246	130 PEAK	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.55</td><td>-----</td><td>-----</td><td>85.93</td><td>36.54</td><td>10.85</td><td>32.77</td><td>246</td><td>130 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.55	-----	-----	85.93	36.54	10.85	32.77	246	130 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5423.60	52.20	74.00	-21.80	38.41	35.95	10.52	32.68	246	130 PEAK																																																																																													
2	5460.40	50.98	68.30	-17.32	37.18	35.94	10.55	32.69	246	130 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5670.00	100.55	-----	-----	85.93	36.54	10.85	32.77	246	130 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5378.16</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>29.03</td><td>36.04</td><td>10.52</td><td>32.68</td><td>246</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5378.16	42.91	54.00	-11.09	29.03	36.04	10.52	32.68	246	130 AVERAGE	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>92.01</td><td>-----</td><td>-----</td><td>77.39</td><td>36.54</td><td>10.85</td><td>32.77</td><td>246</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	92.01	-----	-----	77.39	36.54	10.85	32.77	246	130 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5378.16	42.91	54.00	-11.09	29.03	36.04	10.52	32.68	246	130 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5670.00	92.01	-----	-----	77.39	36.54	10.85	32.77	246	130 AVERAGE																																																																																													




Mode	57																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																									
ANT	9																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-06-29 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.38</td><td>54.23</td><td>68.30</td><td>-14.07</td><td>39.50</td><td>36.65</td><td>10.87</td><td>32.79</td><td>246 130 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5727.38	54.23	68.30	-14.07	39.50	36.65	10.87	32.79	246 130 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5727.38	54.23	68.30	-14.07	39.50	36.65	10.87	32.79	246 130 PEAK																																	



Mode	57																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																														
ANT	9																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5371.76</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>37.95</td><td>36.06</td><td>10.53</td><td>32.67</td><td>241</td><td>297 PEAK</td></tr><tr><td>2</td><td>5464.24</td><td>52.65</td><td>68.30</td><td>-15.65</td><td>38.83</td><td>35.96</td><td>10.55</td><td>32.69</td><td>241</td><td>297 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5371.76	51.87	74.00	-22.13	37.95	36.06	10.53	32.67	241	297 PEAK	2	5464.24	52.65	68.30	-15.65	38.83	35.96	10.55	32.69	241	297 PEAK	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>101.98</td><td>-----</td><td>-----</td><td>87.36</td><td>36.54</td><td>10.85</td><td>32.77</td><td>241</td><td>297 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.98	-----	-----	87.36	36.54	10.85	32.77	241	297 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5371.76	51.87	74.00	-22.13	37.95	36.06	10.53	32.67	241	297 PEAK																																																																																					
2	5464.24	52.65	68.30	-15.65	38.83	35.96	10.55	32.69	241	297 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	101.98	-----	-----	87.36	36.54	10.85	32.77	241	297 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5396.40</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>29.25</td><td>36.01</td><td>10.51</td><td>32.68</td><td>241</td><td>297 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5396.40	43.09	54.00	-10.91	29.25	36.01	10.51	32.68	241	297 AVERAGE	Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>91.94</td><td>-----</td><td>-----</td><td>77.32</td><td>36.54</td><td>10.85</td><td>32.77</td><td>241</td><td>297 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.94	-----	-----	77.32	36.54	10.85	32.77	241	297 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5396.40	43.09	54.00	-10.91	29.25	36.01	10.51	32.68	241	297 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	91.94	-----	-----	77.32	36.54	10.85	32.77	241	297 AVERAGE																																																																																					







Mode	57																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																									
ANT	9																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-06-29 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.81</td><td>53.49</td><td>68.30</td><td>-14.81</td><td>38.73</td><td>36.70</td><td>10.86</td><td>32.80</td><td>241 297 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5747.81	53.49	68.30	-14.81	38.73	36.70	10.86	32.80	241 297 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5747.81	53.49	68.30	-14.81	38.73	36.70	10.86	32.80	241 297 PEAK																																	



Mode	57																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Date: 2025-06-29						Date: 2025-06-29																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11340.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>46.11</td><td>38.14</td><td>14.83</td><td>50.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17010.00</td><td>48.55</td><td>68.30</td><td>-19.75</td><td>40.16</td><td>42.82</td><td>18.09</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	48.59	74.00	-25.41	46.11	38.14	14.83	50.49	---	---	Peak	2	17010.00	48.55	68.30	-19.75	40.16	42.82	18.09	52.52	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11340.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>45.90</td><td>38.14</td><td>14.83</td><td>50.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17010.00</td><td>47.85</td><td>68.30</td><td>-20.45</td><td>39.46</td><td>42.82</td><td>18.09</td><td>52.52</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	48.38	74.00	-25.62	45.90	38.14	14.83	50.49	---	---	Peak	2	17010.00	47.85	68.30	-20.45	39.46	42.82	18.09	52.52	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11340.00	48.59	74.00	-25.41	46.11	38.14	14.83	50.49	---	---	Peak																																																																																																													
2	17010.00	48.55	68.30	-19.75	40.16	42.82	18.09	52.52	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11340.00	48.38	74.00	-25.62	45.90	38.14	14.83	50.49	---	---	Peak																																																																																																													
2	17010.00	47.85	68.30	-20.45	39.46	42.82	18.09	52.52	---	---	Peak																																																																																																													







Mode	58																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																											
ANT	9																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	 Level (dBuV/m) Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5137.97</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>40.43</td><td>35.72</td><td>10.54</td><td>32.63</td><td>314</td><td>187</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5137.97	54.06	74.00	-19.94	40.43	35.72	10.54	32.63	314	187	PEAK	 Level (dBuV/m) Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5210.00</td><td>91.64</td><td>-----</td><td>-----</td><td>78.06</td><td>35.80</td><td>10.42</td><td>32.64</td><td>314</td><td>187</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5210.00	91.64	-----	-----	78.06	35.80	10.42	32.64	314	187	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5137.97	54.06	74.00	-19.94	40.43	35.72	10.54	32.63	314	187	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5210.00	91.64	-----	-----	78.06	35.80	10.42	32.64	314	187	PEAK																																																																		
Avg	 Level (dBuV/m) Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5149.94</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>33.90</td><td>35.70</td><td>10.51</td><td>32.63</td><td>314</td><td>187</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5149.94	47.48	54.00	-6.52	33.90	35.70	10.51	32.63	314	187	AVERAGE	 Level (dBuV/m) Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5210.00</td><td>84.87</td><td>-----</td><td>-----</td><td>71.28</td><td>35.80</td><td>10.43</td><td>32.64</td><td>314</td><td>187</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5210.00	84.87	-----	-----	71.28	35.80	10.43	32.64	314	187	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5149.94	47.48	54.00	-6.52	33.90	35.70	10.51	32.63	314	187	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5210.00	84.87	-----	-----	71.28	35.80	10.43	32.64	314	187	AVERAGE																																																																		



Mode	58									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz									
ANT	9									
Pol.	Horizontal					Fundamental				
Peak	</									



Mode	58																																																																																								
	Band Edge - L																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																								
ANT	9																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.73</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>44.07</td><td>35.70</td><td>10.51</td><td>32.63</td><td>329 301 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.73	57.65	74.00	-16.35	44.07	35.70	10.51	32.63	329 301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>97.15</td><td>-----</td><td>-----</td><td>83.53</td><td>35.80</td><td>10.46</td><td>32.64</td><td>329 301 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.15	-----	-----	83.53	35.80	10.46	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.73	57.65	74.00	-16.35	44.07	35.70	10.51	32.63	329 301 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	97.15	-----	-----	83.53	35.80	10.46	32.64	329 301 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.73</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>36.05</td><td>35.70</td><td>10.51</td><td>32.63</td><td>329 301 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.73	49.63	54.00	-4.37	36.05	35.70	10.51	32.63	329 301 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>88.15</td><td>-----</td><td>-----</td><td>74.59</td><td>35.76</td><td>10.44</td><td>32.64</td><td>329 301 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.15	-----	-----	74.59	35.76	10.44	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.73	49.63	54.00	-4.37	36.05	35.70	10.51	32.63	329 301 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	88.15	-----	-----	74.59	35.76	10.44	32.64	329 301 AVERAGE																																																																																







Mode	58																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																									
ANT	9																																																									
Pol.	Vertical	Fundamental																																																								
Peak	Date: 2025-06-29 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5402.50</td><td>51.86</td><td>74.00</td><td>-22.14</td><td>38.05</td><td>35.99</td><td>10.50</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.68</td><td>329</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>301</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5402.50	51.86	74.00	-22.14	38.05	35.99	10.50							32.68	329								301								PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																			
1	5402.50	51.86	74.00	-22.14	38.05	35.99	10.50																																																			
						32.68	329																																																			
							301																																																			
							PEAK																																																			
Avg	Date: 2025-06-29 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5379.25</td><td>44.34</td><td>54.00</td><td>-9.66</td><td>30.46</td><td>36.04</td><td>10.52</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.68</td><td>329</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>301</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5379.25	44.34	54.00	-9.66	30.46	36.04	10.52							32.68	329								301								AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																			
1	5379.25	44.34	54.00	-9.66	30.46	36.04	10.52																																																			
						32.68	329																																																			
							301																																																			
							AVERAGE																																																			



Mode	58																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																					
ANT	9																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>46.57</td><td>38.12</td><td>14.59</td><td>51.42</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>43.41</td><td>40.60</td><td>17.18</td><td>52.39</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10420.00	47.86	68.30	-20.44	46.57	38.12	14.59	51.42	---	Peak	2	15630.00	48.80	74.00	-25.20	43.41	40.60	17.18	52.39	---	Peak	Level (dBuV/m) Date: 2025-06-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>48.22</td><td>68.30</td><td>-20.08</td><td>46.93</td><td>38.12</td><td>14.59</td><td>51.42</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>41.49</td><td>40.60</td><td>17.18</td><td>52.39</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10420.00	48.22	68.30	-20.08	46.93	38.12	14.59	51.42	---	Peak	2	15630.00	46.88	74.00	-27.12	41.49	40.60	17.18	52.39	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	10420.00	47.86	68.30	-20.44	46.57	38.12	14.59	51.42	---	Peak																																																																																												
2	15630.00	48.80	74.00	-25.20	43.41	40.60	17.18	52.39	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	10420.00	48.22	68.30	-20.08	46.93	38.12	14.59	51.42	---	Peak																																																																																												
2	15630.00	46.88	74.00	-27.12	41.49	40.60	17.18	52.39	---	Peak																																																																																												







Mode	59																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																									
ANT	9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5115.71</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>38.74</td><td>35.77</td><td>10.58</td><td>32.62</td><td>113</td><td>227 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5115.71	52.47	74.00	-21.53	38.74	35.77	10.58	32.62	113	227 PEAK	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>96.21</td><td>-----</td><td>-----</td><td>82.48</td><td>35.80</td><td>10.59</td><td>32.66</td><td>113</td><td>227 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	96.21	-----	-----	82.48	35.80	10.59	32.66	113	227 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5115.71	52.47	74.00	-21.53	38.74	35.77	10.58	32.62	113	227 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5290.00	96.21	-----	-----	82.48	35.80	10.59	32.66	113	227 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5051.62</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>30.86</td><td>35.80</td><td>10.50</td><td>32.61</td><td>113</td><td>227 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5051.62	44.55	54.00	-9.45	30.86	35.80	10.50	32.61	113	227 AVERAGE	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>87.15</td><td>-----</td><td>-----</td><td>73.42</td><td>35.80</td><td>10.59</td><td>32.66</td><td>113</td><td>227 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	87.15	-----	-----	73.42	35.80	10.59	32.66	113	227 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5051.62	44.55	54.00	-9.45	30.86	35.80	10.50	32.61	113	227 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5290.00	87.15	-----	-----	73.42	35.80	10.59	32.66	113	227 AVERAGE																																																																																	



Mode	59																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																										
ANT	9																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5358.68</td><td>55.48</td><td>74.00</td><td>-18.52</td><td>41.53</td><td>36.08</td><td>10.54</td><td>32.67</td><td>113</td><td>227 PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5358.68	55.48	74.00	-18.52	41.53	36.08	10.54	32.67	113	227 PEAK	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5358.68	55.48	74.00	-18.52	41.53	36.08	10.54	32.67	113	227 PEAK																																	
Avg	Date: 2025-06-29 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.69</td><td>50.24</td><td>54.00</td><td>-3.76</td><td>36.26</td><td>36.10</td><td>10.55</td><td>32.67</td><td>113</td><td>227 AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5350.69	50.24	54.00	-3.76	36.26	36.10	10.55	32.67	113	227 AVERAGE	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5350.69	50.24	54.00	-3.76	36.26	36.10	10.55	32.67	113	227 AVERAGE																																	







Mode	59																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																								
ANT	9																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2025-06-29 1508.77 52.63 74.00 -21.37 38.91 35.80 10.53 32.61 196 285 PEAK					 Level (dBuV/m) Date: 2025-06-29 15290.00 98.22 ----- 84.47 35.81 10.60 32.66 196 285 PEAK																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1508.77</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>38.91</td><td>35.80</td><td>10.53</td><td>32.61</td><td>196 285 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	1508.77	52.63	74.00	-21.37	38.91	35.80	10.53	32.61	196 285 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>15290.00</td><td>98.22</td><td>-----</td><td>-----</td><td>84.47</td><td>35.81</td><td>10.60</td><td>32.66</td><td>196 285 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	15290.00	98.22	-----	-----	84.47	35.81	10.60	32.66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	1508.77	52.63	74.00	-21.37	38.91	35.80	10.53	32.61	196 285 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	15290.00	98.22	-----	-----	84.47	35.81	10.60	32.66	196 285 PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2025-06-29 15108.46 44.24 54.00 -9.76 30.48 35.78 10.60 32.62 196 285 AVERAGE					 Level (dBuV/m) Date: 2025-06-29 15290.00 91.03 ----- 77.31 35.80 10.58 32.66 196 285 AVERAGE																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>15108.46</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>30.48</td><td>35.78</td><td>10.60</td><td>32.62</td><td>196 285 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	15108.46	44.24	54.00	-9.76	30.48	35.78	10.60	32.62	196 285 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>15290.00</td><td>91.03</td><td>-----</td><td>-----</td><td>77.31</td><td>35.80</td><td>10.58</td><td>32.66</td><td>196 285 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	15290.00	91.03	-----	-----	77.31	35.80	10.58	32.66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	15108.46	44.24	54.00	-9.76	30.48	35.78	10.60	32.62	196 285 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	15290.00	91.03	-----	-----	77.31	35.80	10.58	32.66	196 285 AVERAGE																																																																																



Mode	59																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Date: 2025-06-29						Date: 2025-06-29																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>48.73</td><td>68.30</td><td>-19.57</td><td>47.25</td><td>38.20</td><td>14.60</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>42.92</td><td>40.84</td><td>17.21</td><td>52.91</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10580.00	48.73	68.30	-19.57	47.25	38.20	14.60	51.32	---	---	Peak	2	15870.00	48.06	74.00	-25.94	42.92	40.84	17.21	52.91	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>46.95</td><td>38.20</td><td>14.60</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15870.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>42.28</td><td>40.84</td><td>17.21</td><td>52.91</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10580.00	48.43	68.30	-19.87	46.95	38.20	14.60	51.32	---	---	Peak	2	15870.00	47.42	74.00	-26.58	42.28	40.84	17.21	52.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10580.00	48.73	68.30	-19.57	47.25	38.20	14.60	51.32	---	---	Peak																																																																																																													
2	15870.00	48.06	74.00	-25.94	42.92	40.84	17.21	52.91	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10580.00	48.43	68.30	-19.87	46.95	38.20	14.60	51.32	---	---	Peak																																																																																																													
2	15870.00	47.42	74.00	-26.58	42.28	40.84	17.21	52.91	---	---	Peak																																																																																																													







		60																																																										
Mode	Band Edge - L																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																											
ANT	9																																																											
Pol.	Horizontal																																																											
Peak	Level (dBuV/m) Date: 2025-06-29  Frequency (MHz)																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5458.00</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>41.72</td><td>35.93</td><td>10.54</td><td>32.69</td><td>118</td><td>224 PEAK</td></tr><tr><td>2 5463.76</td><td>57.68</td><td>68.30</td><td>-10.62</td><td>43.86</td><td>35.96</td><td>10.55</td><td>32.69</td><td>118</td><td>224 PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.00	55.50	74.00	-18.50	41.72	35.93	10.54	32.69	118	224 PEAK	2 5463.76	57.68	68.30	-10.62	43.86	35.96	10.55	32.69	118
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																			
1 5458.00	55.50	74.00	-18.50	41.72	35.93	10.54	32.69	118	224 PEAK																																																			
2 5463.76	57.68	68.30	-10.62	43.86	35.96	10.55	32.69	118	224 PEAK																																																			
Fundamental	Level (dBuV/m) Date: 2025-06-29  Frequency (MHz)																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>95.97</td><td>-----</td><td>-----</td><td>81.89</td><td>36.17</td><td>10.62</td><td>32.71</td><td>118</td><td>224 PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	95.97	-----	-----	81.89	36.17	10.62	32.71	118	224 PEAK									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																			
1 5530.00	95.97	-----	-----	81.89	36.17	10.62	32.71	118	224 PEAK																																																			
Avg	Level (dBuV/m) Date: 2025-06-29  Frequency (MHz)																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5457.64</td><td>47.32</td><td>54.00</td><td>-6.68</td><td>33.54</td><td>35.93</td><td>10.54</td><td>32.69</td><td>118</td><td>224 AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5457.64	47.32	54.00	-6.68	33.54	35.93	10.54	32.69	118	224 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																			
1 5457.64	47.32	54.00	-6.68	33.54	35.93	10.54	32.69	118	224 AVERAGE																																																			
AVERAGE	Level (dBuV/m) Date: 2025-06-29  Frequency (MHz)																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>89.17</td><td>-----</td><td>-----</td><td>75.11</td><td>36.16</td><td>10.61</td><td>32.71</td><td>118</td><td>224 AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	89.17	-----	-----	75.11	36.16	10.61	32.71	118	224 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																			
1 5530.00	89.17	-----	-----	75.11	36.16	10.61	32.71	118	224 AVERAGE																																																			



Mode	60																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																								
ANT	9																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2025-06-29 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5732.57</td><td>52.36</td><td>68.30</td><td>-15.94</td><td>37.61</td><td>36.67</td><td>10.87</td><td>32.79</td><td>118 224 PEAK</td></tr></tbody></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5732.57	52.36	68.30	-15.94	37.61	36.67	10.87	32.79	118 224 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5732.57	52.36	68.30	-15.94	37.61	36.67	10.87	32.79	118 224 PEAK																																



		60																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																												
ANT		9																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5457.28	56.66	74.00	-17.34	42.88	35.93	10.54	32.69	192 314 PEAK	2	5469.88	58.67	68.30	-9.63	44.83	35.98	10.55	32.69	192 314 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.45	-----	-----	86.37	36.17	10.62	32.71	192 314 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5457.28	56.66	74.00	-17.34	42.88	35.93	10.54	32.69	192 314 PEAK																																																																																					
2	5469.88	58.67	68.30	-9.63	44.83	35.98	10.55	32.69	192 314 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5530.00	100.45	-----	-----	86.37	36.17	10.62	32.71	192 314 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5454.04	49.64	54.00	-4.36	35.87	35.92	10.54	32.69	192 314 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.40	-----	-----	78.32	36.17	10.62	32.71	192 314 AVERAGE														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5454.04	49.64	54.00	-4.36	35.87	35.92	10.54	32.69	192 314 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5530.00	92.40	-----	-----	78.32	36.17	10.62	32.71	192 314 AVERAGE																																																																																					







Mode	60																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																		
ANT	9																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2025-06-29 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5753.72</td><td>52.79</td><td>68.30</td><td>-15.51</td><td>38.05</td><td>36.69</td><td>10.85</td><td>32.80</td><td>192</td><td>314 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5753.72	52.79	68.30	-15.51	38.05	36.69	10.85	32.80	192	314 PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																										
1	5753.72	52.79	68.30	-15.51	38.05	36.69	10.85	32.80	192	314 PEAK																									



Mode	60																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																					
ANT	9																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Date: 2025-06-29						Date: 2025-06-29																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>46.02</td><td>38.00</td><td>14.66</td><td>50.83 --- --- Peak</td></tr><tr><td>2</td><td>16590.00</td><td>47.69</td><td>68.30</td><td>-20.61</td><td>41.65</td><td>41.29</td><td>17.74</td><td>52.99 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11060.00	47.85	74.00	-26.15	46.02	38.00	14.66	50.83 --- --- Peak	2	16590.00	47.69	68.30	-20.61	41.65	41.29	17.74	52.99 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>45.96</td><td>38.00</td><td>14.66</td><td>50.83 --- --- Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.63</td><td>68.30</td><td>-19.67</td><td>42.59</td><td>41.29</td><td>17.74</td><td>52.99 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11060.00	47.79	74.00	-26.21	45.96	38.00	14.66	50.83 --- --- Peak	2	16590.00	48.63	68.30	-19.67	42.59	41.29	17.74	52.99 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11060.00	47.85	74.00	-26.15	46.02	38.00	14.66	50.83 --- --- Peak																																																																																														
2	16590.00	47.69	68.30	-20.61	41.65	41.29	17.74	52.99 --- --- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11060.00	47.79	74.00	-26.21	45.96	38.00	14.66	50.83 --- --- Peak																																																																																														
2	16590.00	48.63	68.30	-19.67	42.59	41.29	17.74	52.99 --- --- Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>46.02</td><td>38.00</td><td>14.66</td><td>50.83 --- --- Peak</td></tr><tr><td>2</td><td>16590.00</td><td>47.69</td><td>68.30</td><td>-20.61</td><td>41.65</td><td>41.29</td><td>17.74</td><td>52.99 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11060.00	47.85	74.00	-26.15	46.02	38.00	14.66	50.83 --- --- Peak	2	16590.00	47.69	68.30	-20.61	41.65	41.29	17.74	52.99 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>45.96</td><td>38.00</td><td>14.66</td><td>50.83 --- --- Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.63</td><td>68.30</td><td>-19.67</td><td>42.59</td><td>41.29</td><td>17.74</td><td>52.99 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11060.00	47.79	74.00	-26.21	45.96	38.00	14.66	50.83 --- --- Peak	2	16590.00	48.63	68.30	-19.67	42.59	41.29	17.74	52.99 --- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11060.00	47.85	74.00	-26.15	46.02	38.00	14.66	50.83 --- --- Peak																																																																																														
2	16590.00	47.69	68.30	-20.61	41.65	41.29	17.74	52.99 --- --- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11060.00	47.79	74.00	-26.21	45.96	38.00	14.66	50.83 --- --- Peak																																																																																														
2	16590.00	48.63	68.30	-19.67	42.59	41.29	17.74	52.99 --- --- Peak																																																																																														



Mode	61																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																						
ANT	9																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.40</td><td>51.90</td><td>74.00</td><td>-22.10</td><td>38.14</td><td>35.92</td><td>10.53</td><td>32.69</td><td>118</td><td>214 PEAK</td></tr><tr><td>2</td><td>5462.84</td><td>51.91</td><td>68.30</td><td>-16.39</td><td>38.10</td><td>35.95</td><td>10.55</td><td>32.69</td><td>118</td><td>214 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5438.40	51.90	74.00	-22.10	38.14	35.92	10.53	32.69	118	214 PEAK	2	5462.84	51.91	68.30	-16.39	38.10	35.95	10.55	32.69	118	214 PEAK	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.76</td><td>-----</td><td>-----</td><td>83.42</td><td>36.36</td><td>10.73</td><td>32.75</td><td>118</td><td>214 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.76	-----	-----	83.42	36.36	10.73	32.75	118	214 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5438.40	51.90	74.00	-22.10	38.14	35.92	10.53	32.69	118	214 PEAK																																																																																													
2	5462.84	51.91	68.30	-16.39	38.10	35.95	10.55	32.69	118	214 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	97.76	-----	-----	83.42	36.36	10.73	32.75	118	214 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5400.70</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>30.80</td><td>36.00</td><td>10.50</td><td>32.68</td><td>118</td><td>214 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5400.70	44.62	54.00	-9.38	30.80	36.00	10.50	32.68	118	214 AVERAGE	 Level (dBuV/m) Date: 2025-06-29 Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.51</td><td>-----</td><td>-----</td><td>75.21</td><td>36.33</td><td>10.71</td><td>32.74</td><td>118</td><td>214 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.51	-----	-----	75.21	36.33	10.71	32.74	118	214 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5400.70	44.62	54.00	-9.38	30.80	36.00	10.50	32.68	118	214 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	89.51	-----	-----	75.21	36.33	10.71	32.74	118	214 AVERAGE																																																																																													





Mode	61																						
	Band Edge - R																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																						
ANT	9																						
Pol.	Horizontal	Fundamental																					
Peak	Date: 2025-06-29 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5739.58</td><td>53.49</td><td>68.30</td><td>-14.81</td><td>38.75</td><td>36.68</td><td>10.86</td><td>32.80</td><td>118</td><td>214 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5739.58	53.49	68.30	-14.81	38.75	36.68	10.86	32.80	118	214 PEAK	Blank
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark														
1	5739.58	53.49	68.30	-14.81	38.75	36.68	10.86	32.80	118	214 PEAK													



Mode	61																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																					
ANT	9																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5393.68</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>38.32</td><td>36.01</td><td>10.51</td><td>32.68</td><td>198</td><td>306 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>51.65</td><td>68.30</td><td>-16.65</td><td>37.82</td><td>35.97</td><td>10.55</td><td>32.69</td><td>198</td><td>306 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5393.68	52.16	74.00	-21.84	38.32	36.01	10.51	32.68	198	306 PEAK	2	5466.48	51.65	68.30	-16.65	37.82	35.97	10.55	32.69	198	306 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>99.23</td><td>-----</td><td>-----</td><td>84.89</td><td>36.36</td><td>10.73</td><td>32.75</td><td>198</td><td>306 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	99.23	-----	-----	84.89	36.36	10.73	32.75	198
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5393.68	52.16	74.00	-21.84	38.32	36.01	10.51	32.68	198	306 PEAK																																																																																												
2	5466.48	51.65	68.30	-16.65	37.82	35.97	10.55	32.69	198	306 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	99.23	-----	-----	84.89	36.36	10.73	32.75	198	306 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5385.10</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>30.69</td><td>36.03</td><td>10.52</td><td>32.68</td><td>198</td><td>306 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5385.10	44.56	54.00	-9.44	30.69	36.03	10.52	32.68	198	306 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>91.35</td><td>-----</td><td>-----</td><td>77.01</td><td>36.36</td><td>10.73</td><td>32.75</td><td>198</td><td>306 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.35	-----	-----	77.01	36.36	10.73	32.75	198	306 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5385.10	44.56	54.00	-9.44	30.69	36.03	10.52	32.68	198	306 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	91.35	-----	-----	77.01	36.36	10.73	32.75	198	306 AVERAGE																																																																																												





Mode	61																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																	
ANT	9																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>46.21</td><td>38.10</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>48.93</td><td>68.30</td><td>-19.37</td><td>41.82</td><td>41.86</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11220.00	48.43	74.00	-25.57	46.21	38.10	14.76	50.64	---	---	Peak	2	16830.00	48.93	68.30	-19.37	41.82	41.86	17.95	52.70	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>45.69</td><td>38.10</td><td>14.76</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>47.24</td><td>68.30</td><td>-21.06</td><td>40.13</td><td>41.86</td><td>17.95</td><td>52.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11220.00	47.91	74.00	-26.09	45.69	38.10	14.76	50.64	---	---	Peak	2	16830.00	47.24	68.30	-21.06	40.13	41.86	17.95	52.70	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	11220.00	48.43	74.00	-25.57	46.21	38.10	14.76	50.64	---	---	Peak																																																																																																							
2	16830.00	48.93	68.30	-19.37	41.82	41.86	17.95	52.70	---	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	11220.00	47.91	74.00	-26.09	45.69	38.10	14.76	50.64	---	---	Peak																																																																																																							
2	16830.00	47.24	68.30	-21.06	40.13	41.86	17.95	52.70	---	---	Peak																																																																																																							





Mode	62									
	Band Edge									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz									
ANT	9									
Pol.	Horizontal					Fundamental				
Peak	</									



Mode	62																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																					
ANT	9																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>45.61</td><td>38.20</td><td>14.92</td><td>50.31 --- --- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.58</td><td>68.30</td><td>-19.72</td><td>40.89</td><td>42.69</td><td>18.02</td><td>53.02 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11490.00	48.42	74.00	-25.58	45.61	38.20	14.92	50.31 --- --- Peak	2	17235.00	48.58	68.30	-19.72	40.89	42.69	18.02	53.02 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>45.56</td><td>38.20</td><td>14.92</td><td>50.31 --- --- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>49.48</td><td>68.30</td><td>-18.82</td><td>41.79</td><td>42.69</td><td>18.02</td><td>53.02 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11490.00	48.37	74.00	-25.63	45.56	38.20	14.92	50.31 --- --- Peak	2	17235.00	49.48	68.30	-18.82	41.79	42.69	18.02	53.02 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11490.00	48.42	74.00	-25.58	45.61	38.20	14.92	50.31 --- --- Peak																																																																																														
2	17235.00	48.58	68.30	-19.72	40.89	42.69	18.02	53.02 --- --- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	11490.00	48.37	74.00	-25.63	45.56	38.20	14.92	50.31 --- --- Peak																																																																																														
2	17235.00	49.48	68.30	-18.82	41.79	42.69	18.02	53.02 --- --- Peak																																																																																														



Mode	63																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																															
ANT	9																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>45.24</td><td>38.20</td><td>14.97</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17355.00</td><td>48.73</td><td>68.30</td><td>-19.57</td><td>41.78</td><td>42.24</td><td>17.99</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	48.17	74.00	-25.83	45.24	38.20	14.97	50.24	---	---	Peak	2 17355.00	48.73	68.30	-19.57	41.78	42.24	17.99	53.28	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>48.90</td><td>74.00</td><td>-25.10</td><td>45.97</td><td>38.20</td><td>14.97</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17355.00</td><td>47.78</td><td>68.30</td><td>-20.52</td><td>40.83</td><td>42.24</td><td>17.99</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	48.90	74.00	-25.10	45.97	38.20	14.97	50.24	---	---	Peak	2 17355.00	47.78	68.30	-20.52	40.83	42.24	17.99	53.28	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11570.00	48.17	74.00	-25.83	45.24	38.20	14.97	50.24	---	---	Peak																																																																																																						
2 17355.00	48.73	68.30	-19.57	41.78	42.24	17.99	53.28	---	---	Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11570.00	48.90	74.00	-25.10	45.97	38.20	14.97	50.24	---	---	Peak																																																																																																						
2 17355.00	47.78	68.30	-20.52	40.83	42.24	17.99	53.28	---	---	Peak																																																																																																						





Mode	64																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2025-06-30 PEAK_BE(B4)_16-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>56.96</td><td>111.65</td><td>-54.69</td><td>42.46</td><td>36.51</td><td>10.83</td><td>32.84</td><td>106</td><td>295 PEAK</td></tr><tr><td>2 5874.25</td><td>52.48</td><td>105.41</td><td>-52.93</td><td>37.94</td><td>36.55</td><td>10.84</td><td>32.85</td><td>106</td><td>295 PEAK</td></tr><tr><td>3 5924.75</td><td>51.66</td><td>68.38</td><td>-16.72</td><td>36.99</td><td>36.65</td><td>10.89</td><td>32.87</td><td>106</td><td>295 PEAK</td></tr><tr><td>4 5949.75</td><td>53.10</td><td>68.30</td><td>-15.20</td><td>38.36</td><td>36.70</td><td>10.92</td><td>32.88</td><td>106</td><td>295 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.63	56.96	111.65	-54.69	42.46	36.51	10.83	32.84	106	295 PEAK	2 5874.25	52.48	105.41	-52.93	37.94	36.55	10.84	32.85	106	295 PEAK	3 5924.75	51.66	68.38	-16.72	36.99	36.65	10.89	32.87	106	295 PEAK	4 5949.75	53.10	68.30	-15.20	38.36	36.70	10.92	32.88	106	295 PEAK	Level (dBuV/m) Date: 2025-06-30 PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.23</td><td>-----</td><td>-----</td><td>89.68</td><td>36.55</td><td>10.83</td><td>32.83</td><td>106</td><td>295 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	104.23	-----	-----	89.68	36.55	10.83	32.83	106	295 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.63	56.96	111.65	-54.69	42.46	36.51	10.83	32.84	106	295 PEAK																																																																																																															
2 5874.25	52.48	105.41	-52.93	37.94	36.55	10.84	32.85	106	295 PEAK																																																																																																															
3 5924.75	51.66	68.38	-16.72	36.99	36.65	10.89	32.87	106	295 PEAK																																																																																																															
4 5949.75	53.10	68.30	-15.20	38.36	36.70	10.92	32.88	106	295 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	104.23	-----	-----	89.68	36.55	10.83	32.83	106	295 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2025-06-30 PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.08</td><td>-----</td><td>-----</td><td>83.53</td><td>36.55</td><td>10.83</td><td>32.83</td><td>106</td><td>295 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	98.08	-----	-----	83.53	36.55	10.83	32.83	106	295 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	98.08	-----	-----	83.53	36.55	10.83	32.83	106	295 AVERAGE																																																																																																															



Mode	64																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																												
ANT	9																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.25</td><td>56.73</td><td>112.51</td><td>-55.78</td><td>42.23</td><td>36.51</td><td>10.83</td><td>32.84</td><td>309</td><td>251 PEAK</td></tr><tr><td>2</td><td>5871.13</td><td>52.40</td><td>106.28</td><td>-53.88</td><td>37.87</td><td>36.54</td><td>10.84</td><td>32.85</td><td>309</td><td>251 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>37.06</td><td>36.65</td><td>10.89</td><td>32.87</td><td>309</td><td>251 PEAK</td></tr><tr><td>4</td><td>5926.63</td><td>53.09</td><td>68.30</td><td>-15.21</td><td>38.42</td><td>36.65</td><td>10.89</td><td>32.87</td><td>309</td><td>251 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.25	56.73	112.51	-55.78	42.23	36.51	10.83	32.84	309	251 PEAK	2	5871.13	52.40	106.28	-53.88	37.87	36.54	10.84	32.85	309	251 PEAK	3	5925.00	51.73	68.20	-16.47	37.06	36.65	10.89	32.87	309	251 PEAK	4	5926.63	53.09	68.30	-15.21	38.42	36.65	10.89	32.87	309	251 PEAK	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.64</td><td>-----</td><td>-----</td><td>89.09</td><td>36.55</td><td>10.83</td><td>32.83</td><td>309</td><td>251 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.64	-----	-----	89.09	36.55	10.83	32.83	309	251 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.25	56.73	112.51	-55.78	42.23	36.51	10.83	32.84	309	251 PEAK																																																																																																																			
2	5871.13	52.40	106.28	-53.88	37.87	36.54	10.84	32.85	309	251 PEAK																																																																																																																			
3	5925.00	51.73	68.20	-16.47	37.06	36.65	10.89	32.87	309	251 PEAK																																																																																																																			
4	5926.63	53.09	68.30	-15.21	38.42	36.65	10.89	32.87	309	251 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	103.64	-----	-----	89.09	36.55	10.83	32.83	309	251 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.04</td><td>-----</td><td>-----</td><td>82.49</td><td>36.55</td><td>10.83</td><td>32.83</td><td>309</td><td>251 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.04	-----	-----	82.49	36.55	10.83	32.83	309	251 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	97.04	-----	-----	82.49	36.55	10.83	32.83	309	251 AVERAGE																																																																																																																			



Mode	64																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																					
ANT	9																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11650.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>44.73</td><td>38.20</td><td>15.02</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.98</td><td>68.30</td><td>-20.32</td><td>41.21</td><td>42.35</td><td>17.96</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	47.77	74.00	-26.23	44.73	38.20	15.02	50.18	---	---	Peak	2	17475.00	47.98	68.30	-20.32	41.21	42.35	17.96	53.54	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11650.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>45.08</td><td>38.20</td><td>15.02</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.29</td><td>68.30</td><td>-20.01</td><td>41.52</td><td>42.35</td><td>17.96</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	48.12	74.00	-25.88	45.08	38.20	15.02	50.18	---	---	Peak	2	17475.00	48.29	68.30	-20.01	41.52	42.35	17.96	53.54	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11650.00	47.77	74.00	-26.23	44.73	38.20	15.02	50.18	---	---	Peak																																																																																																											
2	17475.00	47.98	68.30	-20.32	41.21	42.35	17.96	53.54	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11650.00	48.12	74.00	-25.88	45.08	38.20	15.02	50.18	---	---	Peak																																																																																																											
2	17475.00	48.29	68.30	-20.01	41.52	42.35	17.96	53.54	---	---	Peak																																																																																																											





Mode	65																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																		
ANT	9																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Date: 2025-06-30 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.62</td><td>53.75</td><td>68.30</td><td>-14.55</td><td>39.25</td><td>36.47</td><td>10.79</td><td>32.76</td><td>106</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>53.89</td><td>68.86</td><td>-14.97</td><td>39.34</td><td>36.50</td><td>10.81</td><td>32.76</td><td>106</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5719.19</td><td>62.16</td><td>110.57</td><td>-48.41</td><td>47.43</td><td>36.64</td><td>10.88</td><td>32.79</td><td>106</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>66.44</td><td>112.92</td><td>-46.48</td><td>51.71</td><td>36.64</td><td>10.88</td><td>32.79</td><td>106</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5641.62	53.75	68.30	-14.55	39.25	36.47	10.79	32.76	106	296	PEAK	2	5650.75	53.89	68.86	-14.97	39.34	36.50	10.81	32.76	106	296	PEAK	3	5719.19	62.16	110.57	-48.41	47.43	36.64	10.88	32.79	106	296	PEAK	4	5720.93	66.44	112.92	-46.48	51.71	36.64	10.88	32.79	106	296	PEAK	Date: 2025-06-30 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.27</td><td>-----</td><td>-----</td><td>91.52</td><td>36.69</td><td>10.86</td><td>32.80</td><td>106</td><td>296</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.27	-----	-----	91.52	36.69	10.86	32.80	106	296	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5641.62	53.75	68.30	-14.55	39.25	36.47	10.79	32.76	106	296	PEAK																																																																																																																								
2	5650.75	53.89	68.86	-14.97	39.34	36.50	10.81	32.76	106	296	PEAK																																																																																																																								
3	5719.19	62.16	110.57	-48.41	47.43	36.64	10.88	32.79	106	296	PEAK																																																																																																																								
4	5720.93	66.44	112.92	-46.48	51.71	36.64	10.88	32.79	106	296	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	106.27	-----	-----	91.52	36.69	10.86	32.80	106	296	PEAK																																																																																																																								
Avg	Blank						Date: 2025-06-30 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.87</td><td>-----</td><td>-----</td><td>84.12</td><td>36.69</td><td>10.86</td><td>32.80</td><td>106</td><td>296</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.87	-----	-----	84.12	36.69	10.86	32.80	106	296	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	98.87	-----	-----	84.12	36.69	10.86	32.80	106	296	AVERAGE																																																																																																																								



Mode	65									
	Band Edge									
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz									
ANT	9									
Pol.	Vertical					Fundamental				
Peak										



Mode	65																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>45.75</td><td>38.20</td><td>14.92</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>40.52</td><td>42.69</td><td>18.02</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	48.56	74.00	-25.44	45.75	38.20	14.92	50.31	---	---	Peak	2	17235.00	48.21	68.30	-20.09	40.52	42.69	18.02	53.02	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>48.25</td><td>74.00</td><td>-25.75</td><td>45.44</td><td>38.20</td><td>14.92</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.73</td><td>68.30</td><td>-19.57</td><td>41.04</td><td>42.69</td><td>18.02</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	48.25	74.00	-25.75	45.44	38.20	14.92	50.31	---	---	Peak	2	17235.00	48.73	68.30	-19.57	41.04	42.69	18.02	53.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11490.00	48.56	74.00	-25.44	45.75	38.20	14.92	50.31	---	---	Peak																																																																																																													
2	17235.00	48.21	68.30	-20.09	40.52	42.69	18.02	53.02	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11490.00	48.25	74.00	-25.75	45.44	38.20	14.92	50.31	---	---	Peak																																																																																																													
2	17235.00	48.73	68.30	-19.57	41.04	42.69	18.02	53.02	---	---	Peak																																																																																																													



Mode	66																																																												
	Harmonic																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																												
ANT	9																																																												
Pol.	Horizontal																																																												
Peak Avg	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz)																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>44.74</td><td>38.20</td><td>14.97</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17355.00</td><td>49.17</td><td>68.30</td><td>-19.13</td><td>42.22</td><td>42.24</td><td>17.99</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	47.67	74.00	-26.33	44.74	38.20	14.97	50.24	---	---	Peak	2 17355.00	49.17	68.30	-19.13	42.22	42.24	17.99	53.28	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1 11570.00	47.67	74.00	-26.33	44.74	38.20	14.97	50.24	---	---	Peak																																																			
2 17355.00	49.17	68.30	-19.13	42.22	42.24	17.99	53.28	---	---	Peak																																																			
Vertical	Level (dBuV/m) Date: 2025-07-01 Frequency (MHz)																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>45.38</td><td>38.20</td><td>14.97</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17355.00</td><td>48.70</td><td>68.30</td><td>-19.60</td><td>41.75</td><td>42.24</td><td>17.99</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	48.31	74.00	-25.69	45.38	38.20	14.97	50.24	---	---	Peak	2 17355.00	48.70	68.30	-19.60	41.75	42.24	17.99	53.28	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1 11570.00	48.31	74.00	-25.69	45.38	38.20	14.97	50.24	---	---	Peak																																																			
2 17355.00	48.70	68.30	-19.60	41.75	42.24	17.99	53.28	---	---	Peak																																																			





Mode	67																																																																																																												
	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																												
ANT	9																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5855.00</td><td>52.47</td><td>110.80</td><td>-58.33</td><td>37.97</td><td>36.51</td><td>10.83</td><td>32.84</td><td>107 296 PEAK</td></tr><tr><td>2 5874.88</td><td>53.33</td><td>105.23</td><td>-51.90</td><td>38.79</td><td>36.55</td><td>10.84</td><td>32.85</td><td>107 296 PEAK</td></tr><tr><td>3 5925.00</td><td>52.67</td><td>68.20</td><td>-15.53</td><td>38.00</td><td>36.65</td><td>10.89</td><td>32.87</td><td>107 296 PEAK</td></tr><tr><td>4 5945.13</td><td>53.51</td><td>68.30</td><td>-14.79</td><td>38.78</td><td>36.69</td><td>10.92</td><td>32.88</td><td>107 296 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5855.00	52.47	110.80	-58.33	37.97	36.51	10.83	32.84	107 296 PEAK	2 5874.88	53.33	105.23	-51.90	38.79	36.55	10.84	32.85	107 296 PEAK	3 5925.00	52.67	68.20	-15.53	38.00	36.65	10.89	32.87	107 296 PEAK	4 5945.13	53.51	68.30	-14.79	38.78	36.69	10.92	32.88	107 296 PEAK	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5825.00</td><td>103.07</td><td>-----</td><td>-----</td><td>88.52</td><td>36.55</td><td>10.83</td><td>32.83</td><td>107 296 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5825.00	103.07	-----	-----	88.52	36.55	10.83	32.83	107 296 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																																																					
1 5855.00	52.47	110.80	-58.33	37.97	36.51	10.83	32.84	107 296 PEAK																																																																																																					
2 5874.88	53.33	105.23	-51.90	38.79	36.55	10.84	32.85	107 296 PEAK																																																																																																					
3 5925.00	52.67	68.20	-15.53	38.00	36.65	10.89	32.87	107 296 PEAK																																																																																																					
4 5945.13	53.51	68.30	-14.79	38.78	36.69	10.92	32.88	107 296 PEAK																																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																																																					
1 5825.00	103.07	-----	-----	88.52	36.55	10.83	32.83	107 296 PEAK																																																																																																					
Avg	Blank					Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5825.00</td><td>97.02</td><td>-----</td><td>-----</td><td>82.47</td><td>36.55</td><td>10.83</td><td>32.83</td><td>107 296 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5825.00	97.02	-----	-----	82.47	36.55	10.83	32.83	107 296 AVERAGE																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																																																					
1 5825.00	97.02	-----	-----	82.47	36.55	10.83	32.83	107 296 AVERAGE																																																																																																					



Mode	67																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																														
ANT	9																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>54.37</td><td>110.80</td><td>-56.43</td><td>39.87</td><td>36.51</td><td>10.83</td><td>32.84</td><td>324</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5873.63</td><td>52.17</td><td>105.58</td><td>-53.41</td><td>37.63</td><td>36.55</td><td>10.84</td><td>32.85</td><td>324</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>52.84</td><td>68.66</td><td>-15.82</td><td>38.18</td><td>36.65</td><td>10.88</td><td>32.87</td><td>324</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5949.63</td><td>52.93</td><td>68.30</td><td>-15.37</td><td>38.19</td><td>36.70</td><td>10.92</td><td>32.88</td><td>324</td><td>243</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	54.37	110.80	-56.43	39.87	36.51	10.83	32.84	324	243	PEAK	2	5873.63	52.17	105.58	-53.41	37.63	36.55	10.84	32.85	324	243	PEAK	3	5924.38	52.84	68.66	-15.82	38.18	36.65	10.88	32.87	324	243	PEAK	4	5949.63	52.93	68.30	-15.37	38.19	36.70	10.92	32.88	324	243	PEAK	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.41</td><td>-----</td><td>-----</td><td>87.86</td><td>36.55</td><td>10.83</td><td>32.83</td><td>324</td><td>243</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.41	-----	-----	87.86	36.55	10.83	32.83	324	243	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5855.00	54.37	110.80	-56.43	39.87	36.51	10.83	32.84	324	243	PEAK																																																																																																																				
2	5873.63	52.17	105.58	-53.41	37.63	36.55	10.84	32.85	324	243	PEAK																																																																																																																				
3	5924.38	52.84	68.66	-15.82	38.18	36.65	10.88	32.87	324	243	PEAK																																																																																																																				
4	5949.63	52.93	68.30	-15.37	38.19	36.70	10.92	32.88	324	243	PEAK																																																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	102.41	-----	-----	87.86	36.55	10.83	32.83	324	243	PEAK																																																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.38</td><td>-----</td><td>-----</td><td>81.83</td><td>36.55</td><td>10.83</td><td>32.83</td><td>324</td><td>243</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.38	-----	-----	81.83	36.55	10.83	32.83	324	243	AVERAGE																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	96.38	-----	-----	81.83	36.55	10.83	32.83	324	243	AVERAGE																																																																																																																				



Mode	67																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																							
ANT	9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11650.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>44.79</td><td>38.20</td><td>15.02</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.25</td><td>68.30</td><td>-21.05</td><td>40.48</td><td>42.35</td><td>17.96</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	47.83	74.00	-26.17	44.79	38.20	15.02	50.18	---	---	Peak	2	17475.00	47.25	68.30	-21.05	40.48	42.35	17.96	53.54	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11650.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>44.85</td><td>38.20</td><td>15.02</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.12</td><td>68.30</td><td>-20.18</td><td>41.35</td><td>42.35</td><td>17.96</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	47.89	74.00	-26.11	44.85	38.20	15.02	50.18	---	---	Peak	2	17475.00	48.12	68.30	-20.18	41.35	42.35	17.96	53.54	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11650.00	47.83	74.00	-26.17	44.79	38.20	15.02	50.18	---	---	Peak																																																																																																													
2	17475.00	47.25	68.30	-21.05	40.48	42.35	17.96	53.54	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11650.00	47.89	74.00	-26.11	44.85	38.20	15.02	50.18	---	---	Peak																																																																																																													
2	17475.00	48.12	68.30	-20.18	41.35	42.35	17.96	53.54	---	---	Peak																																																																																																													






Mode	68																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																												
ANT	9																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5602.33</td><td>53.66</td><td>68.30</td><td>-14.64</td><td>39.39</td><td>36.31</td><td>10.70</td><td>32.74</td><td>106</td><td>296 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>52.72</td><td>68.35</td><td>-15.63</td><td>38.17</td><td>36.50</td><td>10.81</td><td>32.76</td><td>106</td><td>296 PEAK</td></tr><tr><td>3</td><td>5717.96</td><td>67.91</td><td>110.23</td><td>-42.32</td><td>53.18</td><td>36.64</td><td>10.88</td><td>32.79</td><td>106</td><td>296 PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>67.90</td><td>111.79</td><td>-43.89</td><td>53.17</td><td>36.64</td><td>10.88</td><td>32.79</td><td>106</td><td>296 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5602.33	53.66	68.30	-14.64	39.39	36.31	10.70	32.74	106	296 PEAK	2	5650.07	52.72	68.35	-15.63	38.17	36.50	10.81	32.76	106	296 PEAK	3	5717.96	67.91	110.23	-42.32	53.18	36.64	10.88	32.79	106	296 PEAK	4	5720.44	67.90	111.79	-43.89	53.17	36.64	10.88	32.79	106	296 PEAK	Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>101.47</td><td>-----</td><td>-----</td><td>86.74</td><td>36.68</td><td>10.85</td><td>32.80</td><td>106</td><td>296 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.47	-----	-----	86.74	36.68	10.85	32.80	106	296 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5602.33	53.66	68.30	-14.64	39.39	36.31	10.70	32.74	106	296 PEAK																																																																																																																			
2	5650.07	52.72	68.35	-15.63	38.17	36.50	10.81	32.76	106	296 PEAK																																																																																																																			
3	5717.96	67.91	110.23	-42.32	53.18	36.64	10.88	32.79	106	296 PEAK																																																																																																																			
4	5720.44	67.90	111.79	-43.89	53.17	36.64	10.88	32.79	106	296 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	101.47	-----	-----	86.74	36.68	10.85	32.80	106	296 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-06-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>94.81</td><td>-----</td><td>-----</td><td>80.06</td><td>36.70</td><td>10.85</td><td>32.80</td><td>106</td><td>296 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.81	-----	-----	80.06	36.70	10.85	32.80	106	296 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	94.81	-----	-----	80.06	36.70	10.85	32.80	106	296 AVERAGE																																																																																																																			



Mode	68																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																											
ANT	9																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Date: 2025-06-30 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.35</td><td>111.17</td><td>-59.82</td><td>36.85</td><td>36.51</td><td>10.83</td><td>32.84</td><td>106</td><td>296 PEAK</td></tr><tr><td>2</td><td>5873.76</td><td>52.21</td><td>105.55</td><td>-53.34</td><td>37.67</td><td>36.55</td><td>10.84</td><td>32.85</td><td>106</td><td>296 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>51.88</td><td>68.31</td><td>-16.43</td><td>37.21</td><td>36.65</td><td>10.89</td><td>32.87</td><td>106</td><td>296 PEAK</td></tr><tr><td>4</td><td>5932.45</td><td>52.95</td><td>68.30</td><td>-15.35</td><td>38.26</td><td>36.66</td><td>10.90</td><td>32.87</td><td>106</td><td>296 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.35	111.17	-59.82	36.85	36.51	10.83	32.84	106	296 PEAK	2	5873.76	52.21	105.55	-53.34	37.67	36.55	10.84	32.85	106	296 PEAK	3	5924.85	51.88	68.31	-16.43	37.21	36.65	10.89	32.87	106	296 PEAK	4	5932.45	52.95	68.30	-15.35	38.26	36.66	10.90	32.87	106	296 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.84	51.35	111.17	-59.82	36.85	36.51	10.83	32.84	106	296 PEAK																																																																		
2	5873.76	52.21	105.55	-53.34	37.67	36.55	10.84	32.85	106	296 PEAK																																																																		
3	5924.85	51.88	68.31	-16.43	37.21	36.65	10.89	32.87	106	296 PEAK																																																																		
4	5932.45	52.95	68.30	-15.35	38.26	36.66	10.90	32.87	106	296 PEAK																																																																		



Mode	68																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																												
ANT	9																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5630.54</td><td>52.95</td><td>68.30</td><td>-15.35</td><td>38.52</td><td>36.42</td><td>10.76</td><td>32.75</td><td>300</td><td>247 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>52.43</td><td>68.46</td><td>-16.03</td><td>37.88</td><td>36.50</td><td>10.81</td><td>32.76</td><td>300</td><td>247 PEAK</td></tr><tr><td>3</td><td>5718.58</td><td>67.02</td><td>110.40</td><td>-43.38</td><td>52.29</td><td>36.64</td><td>10.88</td><td>32.79</td><td>300</td><td>247 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>65.42</td><td>111.09</td><td>-45.67</td><td>50.69</td><td>36.64</td><td>10.88</td><td>32.79</td><td>300</td><td>247 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5630.54	52.95	68.30	-15.35	38.52	36.42	10.76	32.75	300	247 PEAK	2	5650.22	52.43	68.46	-16.03	37.88	36.50	10.81	32.76	300	247 PEAK	3	5718.58	67.02	110.40	-43.38	52.29	36.64	10.88	32.79	300	247 PEAK	4	5720.13	65.42	111.09	-45.67	50.69	36.64	10.88	32.79	300	247 PEAK	Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>99.79</td><td>-----</td><td>-----</td><td>85.06</td><td>36.68</td><td>10.85</td><td>32.80</td><td>300</td><td>247 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.79	-----	-----	85.06	36.68	10.85	32.80	300	247 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5630.54	52.95	68.30	-15.35	38.52	36.42	10.76	32.75	300	247 PEAK																																																																																																																			
2	5650.22	52.43	68.46	-16.03	37.88	36.50	10.81	32.76	300	247 PEAK																																																																																																																			
3	5718.58	67.02	110.40	-43.38	52.29	36.64	10.88	32.79	300	247 PEAK																																																																																																																			
4	5720.13	65.42	111.09	-45.67	50.69	36.64	10.88	32.79	300	247 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	99.79	-----	-----	85.06	36.68	10.85	32.80	300	247 PEAK																																																																																																																			
Avg	Blank					Date: 2025-06-30  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>93.15</td><td>-----</td><td>-----</td><td>78.42</td><td>36.68</td><td>10.85</td><td>32.80</td><td>300</td><td>247 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.15	-----	-----	78.42	36.68	10.85	32.80	300	247 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	93.15	-----	-----	78.42	36.68	10.85	32.80	300	247 AVERAGE																																																																																																																			



Mode	68																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																
ANT	9																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-07-01 11510.00 48.07 74.00 -25.93 45.23 38.20 14.93 50.29 --- --- Peak 17265.00 48.99 68.30 -19.31 41.54 42.51 18.02 53.08 --- --- Peak						Level (dBuV/m) Date: 2025-07-01 11510.00 47.49 74.00 -26.51 44.65 38.20 14.93 50.29 --- --- Peak 17265.00 48.79 68.30 -19.51 41.34 42.51 18.02 53.08 --- --- Peak																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>45.23</td><td>38.20</td><td>14.93</td><td>50.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>48.99</td><td>68.30</td><td>-19.31</td><td>41.54</td><td>42.51</td><td>18.02</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	48.07	74.00	-25.93	45.23	38.20	14.93	50.29	---	---	Peak	2	17265.00	48.99	68.30	-19.31	41.54	42.51	18.02	53.08	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>44.65</td><td>38.20</td><td>14.93</td><td>50.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>48.79</td><td>68.30</td><td>-19.51</td><td>41.34</td><td>42.51</td><td>18.02</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11510.00	47.49	74.00	-26.51	44.65	38.20	14.93	50.29	---	---	Peak	2	17265.00	48.79	68.30	-19.51	41.34	42.51	18.02	53.08	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11510.00	48.07	74.00	-25.93	45.23	38.20	14.93	50.29	---	---	Peak																																																																																																																						
2	17265.00	48.99	68.30	-19.31	41.54	42.51	18.02	53.08	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11510.00	47.49	74.00	-26.51	44.65	38.20	14.93	50.29	---	---	Peak																																																																																																																						
2	17265.00	48.79	68.30	-19.51	41.34	42.51	18.02	53.08	---	---	Peak																																																																																																																						



Mode	69									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz									
ANT	9									
Pol.	Horizontal					Fundamental				
Peak										