





2DH5-Ant1-2441-30~1000-PASS




2DH5-Ant1-2441-1000~25000-PASS







3DH5-Ant1-2402-30~1000-PASS




3DH5-Ant1-2402-1000~25000-PASS




3DH5-Ant1-2441-30~1000-PASS



3DH5-Ant1-2441-1000~25000-PASS




3DH5-Ant1-2480-30~1000-PASS



3DH5-Ant1-2480-1000~25000-PASS


## Appendix H: Test data of Band Edge

Transmit at 2402MHz by DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2373.87	39.62	44.74	5.12	74.00	29.26	PK	Horizo	PASS
	2373.87	-	19.95	-	54.00	34.05	AV	Horizo	PASS
2	2390.00	36.52	41.75	5.23	74.00	32.25	PK	Horizo	PASS
	2390.00	-	16.96	-	54.00	37.04	AV	Horizo	PASS

Transmit at 2402MHz by DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2371.75	38.57	43.69	5.12	74.00	30.31	PK	Vertic	PASS
	2371.75	-	18.90	-	54.00	35.10	AV	Vertic	PASS
2	2390.00	37.10	42.33	5.23	74.00	31.67	PK	Vertic	PASS
	2390.00	-	17.54	-	54.00	36.46	AV	Vertic	PASS

Transmit at 2480MHz by DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.40	41.99	5.59	74.00	32.01	PK	Horizo	PASS
	2483.50	-	17.20	-	54.00	36.80	AV	Horizo	PASS
2	2485.70	38.70	44.31	5.61	74.00	29.69	PK	Horizo	PASS
	2485.70	-	19.52	-	54.00	34.48	AV	Horizo	PASS

Transmit at 2480MHz by DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.97	42.56	5.59	74.00	31.44	PK	Vertic	PASS
	2483.50	-	17.77	-	54.00	36.23	AV	Vertic	PASS
2	2489.42	38.89	44.51	5.62	74.00	29.49	PK	Vertic	PASS
	2489.42	-	19.72	-	54.00	34.28	AV	Vertic	PASS

Transmit at 2402MHz by 2DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2368.30	39.25	44.35	5.10	74.00	29.65	PK	Horizo	PASS
	2368.30	-	19.56	-	54.00	34.44	AV	Horizo	PASS
2	2390.00	37.35	42.58	5.23	74.00	31.42	PK	Horizo	PASS
	2390.00	-	17.79	-	54.00	36.21	AV	Horizo	PASS

Transmit at 2402MHz by 2DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2350.44	39.81	44.79	4.98	74.00	29.21	PK	Vertic	PASS
	2350.44	-	20.00	-	54.00	34.00	AV	Vertic	PASS
2	2390.00	37.50	42.73	5.23	74.00	31.27	PK	Vertic	PASS
	2390.00	-	17.94	-	54.00	36.06	AV	Vertic	PASS

Transmit at 2480MHz by 2DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	35.85	41.44	5.59	74.00	32.56	PK	Horizo	PASS
	2483.50	-	16.65	-	54.00	37.35	AV	Horizo	PASS
2	2488.23	39.12	44.73	5.61	74.00	29.27	PK	Horizo	PASS
	2488.23	-	19.94	-	54.00	34.06	AV	Horizo	PASS

Transmit at 2480MHz by 2DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.37	41.96	5.59	74.00	32.04	PK	Vertic	PASS
	2483.50	-	17.17	-	54.00	36.83	AV	Vertic	PASS
2	2490.12	39.00	44.62	5.62	74.00	29.38	PK	Vertic	PASS
	2490.12	-	19.83	-	54.00	34.17	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2374.41	39.14	44.27	5.13	74.00	29.73	PK	Horizo	PASS
	2374.41	-	19.48	-	54.00	34.52	AV	Horizo	PASS
2	2390.00	37.00	42.23	5.23	74.00	31.77	PK	Horizo	PASS
	2390.00	-	17.44	-	54.00	36.56	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2376.75	38.93	44.07	5.14	74.00	29.93	PK	Vertic	PASS
	2376.75	-	19.28	-	54.00	34.72	AV	Vertic	PASS
2	2390.00	37.98	43.21	5.23	74.00	30.79	PK	Vertic	PASS
	2390.00	-	18.42	-	54.00	35.58	AV	Vertic	PASS

Transmit at 2480MHz by 3DH5



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.02	42.61	5.59	74.00	31.39	PK	Horizo	PASS
	2483.50	-	17.82	-	54.00	36.18	AV	Horizo	PASS
2	2485.60	39.05	44.66	5.61	74.00	29.34	PK	Horizo	PASS
	2485.60	-	19.87	-	54.00	34.13	AV	Horizo	PASS

Transmit at 2480MHz by 3DH5




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.65	42.24	5.59	74.00	31.76	PK	Vertic	PASS
	2483.50	-	17.45	-	54.00	36.55	AV	Vertic	PASS
2	2490.53	39.72	45.34	5.62	74.00	28.66	PK	Vertic	PASS
	2490.53	-	20.55	-	54.00	33.45	AV	Vertic	PASS

Note:

1. Level = Reading + Factor.
2. Margin = Limit – Level
3. Only choose worst mode data shown in this report.


### Appendix I: Test data of Conducted Emission

Profile: 2560639R	Page No.: 1
Engineer: Yu Liu	
Site: TR1	Time: 2025/07/28 - 15:26
Limit: FCC_Part 15.207_CE_AC Power	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Tablet computer	Power: AC 120V/60Hz
Note: Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.198	43.206	33.549	-20.488	63.694	9.657	QP
2		0.198	35.369	25.712	-18.325	53.694	9.657	AV
3	*	0.462	42.017	32.319	-14.640	56.657	9.697	QP
4		0.462	30.881	21.183	-15.776	46.657	9.697	AV
5		1.194	39.645	29.933	-16.355	56.000	9.712	QP
6		1.194	28.103	18.391	-17.897	46.000	9.712	AV
7		3.738	38.321	28.519	-17.679	56.000	9.801	QP
8		3.738	29.276	19.475	-16.724	46.000	9.801	AV
9		5.582	36.521	26.695	-23.479	60.000	9.827	QP
10		5.582	28.869	19.042	-21.131	50.000	9.827	AV
11		13.311	38.476	28.477	-21.524	60.000	9.999	QP
12		13.311	32.123	22.124	-17.877	50.000	9.999	AV

Profile: 2560639R	Page No.: 6
Engineer: Yu Liu	
Site: TR1	Time: 2025/07/28 - 15:38
Limit: FCC_Part 15.207_CE_AC Power	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: Tablet computer	Power: AC 120V/60Hz
Note: Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.326	37.845	28.223	-21.707	59.552	9.623	QP
2		0.326	29.687	20.065	-19.866	49.552	9.623	AV
3		0.646	37.145	27.510	-18.855	56.000	9.635	QP
4		0.646	27.816	18.181	-18.184	46.000	9.635	AV
5		1.166	36.251	26.569	-19.749	56.000	9.682	QP
6		1.166	29.418	19.736	-16.582	46.000	9.682	AV
7		4.770	39.030	29.236	-16.970	56.000	9.794	QP
8	*	4.770	30.524	20.730	-15.476	46.000	9.794	AV
9		16.402	25.714	15.464	-34.286	60.000	10.251	QP
10		16.402	17.761	7.510	-32.239	50.000	10.251	AV
11		26.934	24.661	13.829	-35.339	60.000	10.832	QP
12		26.934	17.667	6.835	-32.333	50.000	10.832	AV

Note:

1. " \* ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End