

# LT-46 Luminous Turntable

## 01 Specification

Size :  $\Phi 466\text{mm} \times H78\text{mm}$   
 Weight : 6.5KG  
 Max. Load : 100KG  
 Input Voltage : 24V DC

Input Current : max.2.5A  
 color rendering index : Ra80  
 color temperature : 5400K  
 luminous flux:2200lm(Top)/2000lm(Side)

LT-46 Luminous Turntable




power supply



## 02 Product characteristic


- 1.Turn mode:** smart controller control luminous turntable to turn, you can setup it in automatic or manual mode.
- 2.Turn direction:** you can setup the turn direction to right or left by smart controller.
- 3.The angle of rotation :** 360 - degree rotation, through a combination of Intelligent Controller for the camera to take pictures , for your product rendering 3d animation show, show perfect product quality, the best color and soft light, highlighting products.
- 4.Installation:** easily install, you only need to connect the power cable so that it can work
- 5.Product application:** The product is widely used for all kinds of products exhibition, such as jewelry, instrument, model,

## 03 Introduction of Product



## 04 User manual

1. Plug the round power cable into luminous turntable plug, and insert another Triangle plug in to socket.
2. Power on after Connect the power cable
3. When power on, the brightness of surface and side light is Max, and you can adjust the brightness by your hands.
4. Luminous turntable connected with smart controller through Bluetooth, and smart controller control luminous turntable to turn, then camera can take pictures for the products.



## 05 Cautions:

### **Do not disassembling or modifications done by yourself**

If break the rule, may cause electric shock or malfunction. If any damage caused by dropping or any other accident, please take out the battery, and send out to maintenance point for repair.

### **Keep dry**

Please do not operate with your wet hands, do not put the product in water or rain when working. Or may cause fire or electric shock.

### **Please do not expose it in high temperatures**

Please do not leave the product in direct sunlight or expose it in high temperatures, or may cause the product malfunction.

## ! FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
  - Increase the separation between the equipment and receiver.
  - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
  - Consult the dealer or an experienced radio/TV technician for help
- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device complies with RF specifications when the device used at more than 20cm from your body.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation



The free services hotline  
**400-086-9000**  
www.aipp3d.com