


802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 45
45
5.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9404G	61.96	74.00	-12.04	45.83	3	Vertical	227	1.75	-	38.40	10.48	32.75
AV	15.94632G	48.94	54.00	-5.06	32.81	3	Vertical	227	1.75	-	38.40	10.48	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 45
45
12.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5712G	55.23	68.20	-12.97	40.99	3	Horizontal	246	1.58	-	38.57	8.64	32.97

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 45
45
4.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90328G	61.35	74.00	-12.65	45.24	3	Horizontal	29	1.75	-	38.40	10.47	32.76
AV	15.92968G	49.44	54.00	-4.56	33.31	3	Horizontal	29	1.75	-	38.40	10.48	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
 SET 53
 80/60/50/55/53
 -35.00/-5.75/1.32/-1.01/0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	65.14	74.00	-8.86	57.88	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.45896G	53.65	54.00	-0.35	46.39	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.46984G	66.98	68.20	-1.22	59.71	3	Vertical	360	1.80	-	33.70	6.47	32.90
PK	5.51496G	116.40	Inf	-Inf	109.03	3	Vertical	360	1.80	-	33.76	6.51	32.90
AV	5.5348G	104.09	Inf	-Inf	96.62	3	Vertical	360	1.80	-	33.84	6.53	32.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
 SET 50
 53/33/43/48/50
 -1.59/3.01/2.15/0.96/0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	66.05	74.00	-7.95	58.79	3	Horizontal	354	1.80	-	33.70	6.46	32.90
AV	5.45832G	53.99	54.00	-0.01	46.74	3	Horizontal	354	1.80	-	33.70	6.46	32.91
PK	5.4692G	66.25	68.20	-1.95	58.98	3	Horizontal	354	1.80	-	33.70	6.47	32.90
PK	5.52904G	115.12	Inf	-Inf	107.67	3	Horizontal	354	1.80	-	33.82	6.53	32.90
AV	5.53352G	103.54	Inf	-Inf	96.08	3	Horizontal	354	1.80	-	33.83	6.53	32.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 50
50
10.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09232G	55.56	74.00	-18.44	41.14	3	Vertical	6	1.80	-	38.41	8.77	32.76
AV	10.99696G	43.19	54.00	-10.81	28.69	3	Vertical	6	1.80	-	38.50	8.75	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 50
50
3.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.55928G	65.17	68.20	-3.03	46.59	3	Vertical	153	1.80	-	40.30	10.67	32.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
 SET 50
 50
 11.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08912G	55.37	74.00	-18.63	40.95	3	Horizontal	250	1.80	-	38.41	8.77	32.76
AV	11.02512G	42.97	54.00	-11.03	28.49	3	Horizontal	250	1.80	-	38.47	8.76	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 50
50
4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51064G	63.98	68.20	-4.22	45.45	3	Horizontal	106	1.80	-	40.30	10.65	32.42

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
 SET 47
 80/60/50/45/47
 -22.67/-6.42/-0.17/1.26/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45512G	63.19	74.00	-10.81	55.94	3	Vertical	360	1.80	-	33.70	6.46	32.91
PK	5.46088G	63.50	68.20	-4.70	56.24	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.4596G	51.57	54.00	-2.43	44.31	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.6196G	114.69	Inf	-Inf	107.08	3	Vertical	360	1.80	-	33.92	6.60	32.91
AV	5.62024G	103.18	Inf	-Inf	95.57	3	Vertical	360	1.80	-	33.92	6.60	32.91
PK	5.73416G	67.76	68.20	-0.44	59.81	3	Vertical	360	1.80	-	34.27	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
SET 47
47
0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	63.81	74.00	-10.19	56.57	3	Horizontal	358	1.80	-	33.70	6.45	32.91
AV	5.45192G	52.03	54.00	-1.97	44.79	3	Horizontal	358	1.80	-	33.70	6.45	32.91
PK	5.46216G	63.16	68.20	-5.04	55.90	3	Horizontal	358	1.80	-	33.70	6.46	32.90
PK	5.6228G	116.61	Inf	-Inf	108.98	3	Horizontal	358	1.80	-	33.94	6.60	32.91
AV	5.61832G	103.37	Inf	-Inf	95.77	3	Horizontal	358	1.80	-	33.91	6.60	32.91
PK	5.73288G	67.58	68.20	-0.62	59.64	3	Horizontal	358	1.80	-	34.26	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
 SET 47
 47
 10.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21824G	55.72	74.00	-18.28	41.38	3	Vertical	10	1.55	-	38.32	8.80	32.78
AV	11.21232G	43.19	54.00	-10.81	28.86	3	Vertical	10	1.55	-	38.31	8.80	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 47
47
4.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.83784G	63.79	68.20	-4.41	44.58	3	Vertical	224	1.84	-	40.69	10.75	32.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
 SET 47
 47
 10.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26192G	55.71	74.00	-18.29	41.31	3	Horizontal	360	1.03	-	38.36	8.82	32.78
AV	11.25904G	43.33	54.00	-10.67	28.94	3	Horizontal	360	1.03	-	38.36	8.81	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



EUT Y_4TX
SET 47
47
4.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.86232G	63.67	68.20	-4.53	44.31	3	Horizontal	360	2.85	-	40.81	10.76	32.21

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 SET 63
 80/60/70/65/63/64/63
 -9.66/1.59/-3.39/-1.35/1.27/-0.31/1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	64.58	74.00	-9.42	57.34	3	Vertical	360	1.80	-	33.70	6.45	32.91
AV	5.4548G	53.00	54.00	-1.00	45.76	3	Vertical	360	1.80	-	33.70	6.45	32.91
PK	5.4644G	64.15	68.20	-4.05	56.89	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.66984G	117.79	Inf	-Inf	110.05	3	Vertical	360	1.80	-	34.06	6.60	32.92
AV	5.65928G	106.18	Inf	-Inf	98.42	3	Vertical	360	1.80	-	34.08	6.60	32.92
PK	5.85G	67.03	68.20	-1.17	58.57	3	Vertical	360	1.80	-	34.80	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 SET 59
 63/43/53/58/60/59
 -0.77/2.92/1.77/0.59/-0.03/0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45288G	64.76	74.00	-9.24	57.52	3	Horizontal	357	1.80	-	33.70	6.45	32.91
AV	5.45192G	53.73	54.00	-0.27	46.49	3	Horizontal	357	1.80	-	33.70	6.45	32.91
PK	5.46152G	64.23	68.20	-3.97	56.97	3	Horizontal	357	1.80	-	33.70	6.46	32.90
PK	5.65256G	117.39	Inf	-Inf	109.62	3	Horizontal	357	1.80	-	34.09	6.60	32.92
AV	5.65832G	106.02	Inf	-Inf	98.26	3	Horizontal	357	1.80	-	34.08	6.60	32.92
PK	5.85896G	65.78	68.20	-2.42	57.30	3	Horizontal	357	1.80	-	34.82	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 59
 59
 10.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36832G	56.23	74.00	-17.77	41.78	3	Vertical	57	1.80	-	38.40	8.84	32.79
AV	11.45504G	43.91	54.00	-10.09	29.45	3	Vertical	57	1.80	-	38.40	8.86	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 59
 59
 1.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.02712G	66.30	68.20	-1.90	46.43	3	Vertical	299	2.99	-	41.18	10.81	32.12

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
SET 59
59
10.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41472G	56.29	74.00	-17.71	41.84	3	Horizontal	327	2.72	-	38.40	8.85	32.80
AV	11.45824G	43.93	54.00	-10.07	29.47	3	Horizontal	327	2.72	-	38.40	8.86	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
SET 59
59
2.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.01464G	65.35	68.20	-2.85	45.53	3	Horizontal	326	1.89	-	41.14	10.80	32.12




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.97	54.00	-0.03	3	Vertical	212	2.00	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.64	74.00	-5.36	62.04	3	Vertical	212	2.00	-	33.50	5.25	32.15
AV	5.15G	53.97	54.00	-0.03	47.37	3	Vertical	212	2.00	-	33.50	5.25	32.15
PK	5.182G	111.85	Inf	-Inf	105.22	3	Vertical	212	2.00	-	33.50	5.28	32.15
AV	5.1816G	101.42	Inf	-Inf	94.79	3	Vertical	212	2.00	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.93	74.00	-16.07	51.33	3	Horizontal	225	1.92	-	33.50	5.25	32.15
AV	5.15G	45.33	54.00	-8.67	38.73	3	Horizontal	225	1.92	-	33.50	5.25	32.15
PK	5.1768G	100.14	Inf	-Inf	93.51	3	Horizontal	225	1.92	-	33.50	5.28	32.15
AV	5.178G	89.92	Inf	-Inf	83.29	3	Horizontal	225	1.92	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54174G	56.01	74.00	-17.99	41.65	3	Vertical	15	1.79	-	37.77	9.79	33.20
AV	15.53964G	42.69	54.00	-11.31	28.32	3	Vertical	15	1.79	-	37.78	9.79	33.20

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54168G	56.99	74.00	-17.01	42.63	3	Horizontal	32	2.28	-	37.77	9.79	33.20
AV	15.53718G	43.15	54.00	-10.85	28.76	3	Horizontal	32	2.28	-	37.79	9.79	33.19

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.62	74.00	-6.38	61.02	3	Vertical	204	1.80	-	33.50	5.25	32.15
AV	5.15G	53.86	54.00	-0.14	47.26	3	Vertical	204	1.80	-	33.50	5.25	32.15
PK	5.1984G	114.67	Inf	-Inf	108.02	3	Vertical	204	1.80	-	33.50	5.30	32.15
AV	5.1932G	104.17	Inf	-Inf	97.53	3	Vertical	204	1.80	-	33.50	5.29	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 85
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	57.35	74.00	-16.65	50.75	3	Horizontal	230	2.03	-	33.50	5.25	32.15
AV	5.15G	45.60	54.00	-8.40	39.00	3	Horizontal	230	2.03	-	33.50	5.25	32.15
PK	5.2024G	103.26	Inf	-Inf	96.61	3	Horizontal	230	2.03	-	33.50	5.30	32.15
AV	5.2044G	92.63	Inf	-Inf	85.97	3	Horizontal	230	2.03	-	33.51	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60414G	60.54	74.00	-13.46	46.40	3	Vertical	14	1.80	-	37.59	9.82	33.27
AV	15.60018G	46.61	54.00	-7.39	32.46	3	Vertical	14	1.80	-	37.60	9.82	33.27

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59664G	58.66	74.00	-15.34	44.49	3	Horizontal	30	1.80	-	37.61	9.82	33.26
AV	15.59628G	45.41	54.00	-8.59	31.24	3	Horizontal	30	1.80	-	37.61	9.82	33.26

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.45	74.00	-7.55	59.85	3	Vertical	164	2.00	-	33.50	5.25	32.15
AV	5.15G	49.18	54.00	-4.82	42.58	3	Vertical	164	2.00	-	33.50	5.25	32.15
PK	5.2412G	115.78	Inf	-Inf	109.03	3	Vertical	164	2.00	-	33.58	5.32	32.15
AV	5.2424G	104.87	Inf	-Inf	98.12	3	Vertical	164	2.00	-	33.58	5.32	32.15
PK	5.3516G	61.80	74.00	-12.20	54.86	3	Vertical	164	2.00	-	33.70	5.38	32.14
AV	5.35G	47.72	54.00	-6.28	40.78	3	Vertical	164	2.00	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	56.48	74.00	-17.52	49.91	3	Horizontal	234	2.64	-	33.50	5.22	32.15
AV	5.147G	44.43	54.00	-9.57	37.83	3	Horizontal	234	2.64	-	33.50	5.25	32.15
PK	5.2346G	103.39	Inf	-Inf	96.65	3	Horizontal	234	2.64	-	33.57	5.32	32.15
AV	5.2382G	92.47	Inf	-Inf	85.72	3	Horizontal	234	2.64	-	33.58	5.32	32.15
PK	5.3828G	57.00	74.00	-17.00	49.98	3	Horizontal	234	2.64	-	33.77	5.39	32.14
AV	5.3534G	44.43	54.00	-9.57	37.48	3	Horizontal	234	2.64	-	33.71	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72114G	61.71	74.00	-12.29	47.85	3	Vertical	10	1.80	-	37.40	9.87	33.41
AV	15.71952G	48.60	54.00	-5.40	34.74	3	Vertical	10	1.80	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72786G	61.14	74.00	-12.86	47.28	3	Horizontal	44	1.80	-	37.40	9.88	33.42
AV	15.72258G	48.40	54.00	-5.60	34.53	3	Horizontal	44	1.80	-	37.40	9.88	33.41

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.34	74.00	-13.66	53.74	3	Vertical	217	1.86	-	33.50	5.25	32.15
AV	5.146G	46.65	54.00	-7.35	40.05	3	Vertical	217	1.86	-	33.50	5.25	32.15
PK	5.2654G	115.40	Inf	-Inf	108.58	3	Vertical	217	1.86	-	33.63	5.33	32.14
AV	5.2558G	104.75	Inf	-Inf	97.95	3	Vertical	217	1.86	-	33.61	5.33	32.14
PK	5.35G	63.69	74.00	-10.31	56.75	3	Vertical	217	1.86	-	33.70	5.38	32.14
AV	5.35G	48.88	54.00	-5.12	41.94	3	Vertical	217	1.86	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	55.96	74.00	-18.04	49.38	3	Horizontal	233	2.63	-	33.50	5.23	32.15
AV	5.1106G	44.18	54.00	-9.82	37.62	3	Horizontal	233	2.63	-	33.50	5.21	32.15
PK	5.266G	102.49	Inf	-Inf	95.67	3	Horizontal	233	2.63	-	33.63	5.33	32.14
AV	5.2672G	91.72	Inf	-Inf	84.90	3	Horizontal	233	2.63	-	33.63	5.33	32.14
PK	5.3524G	56.38	74.00	-17.62	49.44	3	Horizontal	233	2.63	-	33.70	5.38	32.14
AV	5.3512G	44.66	54.00	-9.34	37.72	3	Horizontal	233	2.63	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77526G	63.15	74.00	-10.85	49.32	3	Vertical	10	2.84	-	37.40	9.90	33.47
AV	15.78264G	50.08	54.00	-3.92	36.26	3	Vertical	10	2.84	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77334G	63.74	74.00	-10.26	49.91	3	Horizontal	41	1.77	-	37.40	9.90	33.47
AV	15.78462G	50.41	54.00	-3.59	36.60	3	Horizontal	41	1.77	-	37.40	9.90	33.49

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	115.57	Inf	-Inf	108.66	3	Vertical	165	1.96	-	33.70	5.35	32.14
AV	5.3028G	105.16	Inf	-Inf	98.25	3	Vertical	165	1.96	-	33.70	5.35	32.14
PK	5.3512G	69.17	74.00	-4.83	62.23	3	Vertical	165	1.96	-	33.70	5.38	32.14
AV	5.3508G	53.92	54.00	-0.08	46.98	3	Vertical	165	1.96	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	103.05	Inf	-Inf	96.14	3	Horizontal	36	2.16	-	33.70	5.35	32.14
AV	5.3024G	92.25	Inf	-Inf	85.34	3	Horizontal	36	2.16	-	33.70	5.35	32.14
PK	5.366G	56.51	74.00	-17.49	49.54	3	Horizontal	36	2.16	-	33.73	5.38	32.14
AV	5.3504G	44.97	54.00	-9.03	38.03	3	Horizontal	36	2.16	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61335G	52.20	74.00	-21.80	39.26	3	Vertical	104	1.00	-	38.49	7.55	33.10
AV	10.60303G	38.89	54.00	-15.11	25.95	3	Vertical	104	1.00	-	38.50	7.54	33.10
PK	15.89922G	61.16	74.00	-12.84	47.33	3	Vertical	8	1.80	-	37.50	9.95	33.62
AV	15.89874G	48.26	54.00	-5.74	34.43	3	Vertical	8	1.80	-	37.50	9.95	33.62

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61233G	52.21	74.00	-21.79	39.28	3	Horizontal	310	1.80	-	38.49	7.54	33.10
AV	10.60315G	39.09	54.00	-14.91	26.15	3	Horizontal	310	1.80	-	38.50	7.54	33.10
PK	15.90366G	59.81	74.00	-14.19	45.98	3	Horizontal	8	1.78	-	37.50	9.96	33.63
AV	15.89958G	46.11	54.00	-7.89	32.28	3	Horizontal	8	1.78	-	37.50	9.95	33.62

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	113.23	Inf	-Inf	106.31	3	Vertical	162	1.85	-	33.70	5.36	32.14
AV	5.3212G	102.52	Inf	-Inf	95.60	3	Vertical	162	1.85	-	33.70	5.36	32.14
PK	5.3512G	67.29	74.00	-6.71	60.35	3	Vertical	162	1.85	-	33.70	5.38	32.14
AV	5.35G	53.88	54.00	-0.12	46.94	3	Vertical	162	1.85	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	99.49	Inf	-Inf	92.57	3	Horizontal	35	2.03	-	33.70	5.36	32.14
AV	5.3212G	89.54	Inf	-Inf	82.62	3	Horizontal	35	2.03	-	33.70	5.36	32.14
PK	5.3612G	56.81	74.00	-17.19	49.85	3	Horizontal	35	2.03	-	33.72	5.38	32.14
AV	5.3516G	45.02	54.00	-8.98	38.08	3	Horizontal	35	2.03	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62932G	52.13	74.00	-21.87	39.22	3	Vertical	53	1.38	-	38.47	7.55	33.11
AV	10.62686G	38.66	54.00	-15.34	25.75	3	Vertical	53	1.38	-	38.47	7.55	33.11
PK	15.94656G	53.18	74.00	-20.82	39.43	3	Vertical	51	1.52	-	37.45	9.98	33.68
AV	15.94764G	39.92	54.00	-14.08	26.17	3	Vertical	51	1.52	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64522G	51.96	74.00	-22.04	39.06	3	Horizontal	246	2.95	-	38.45	7.56	33.11
AV	10.63382G	38.68	54.00	-15.32	25.77	3	Horizontal	246	2.95	-	38.47	7.55	33.11
PK	15.9621G	53.13	74.00	-20.87	39.41	3	Horizontal	14	2.01	-	37.44	9.98	33.70
AV	15.94644G	40.05	54.00	-13.95	26.30	3	Horizontal	14	2.01	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 79
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.66	74.00	-11.34	55.43	3	Vertical	213	1.94	-	33.90	5.46	32.13
AV	5.4588G	48.01	54.00	-5.99	40.78	3	Vertical	213	1.94	-	33.90	5.46	32.13
PK	5.4696G	68.03	68.20	-0.17	60.79	3	Vertical	213	1.94	-	33.90	5.47	32.13
PK	5.5072G	113.44	Inf	-Inf	106.16	3	Vertical	213	1.94	-	33.90	5.51	32.13
AV	5.5068G	103.23	Inf	-Inf	95.95	3	Vertical	213	1.94	-	33.90	5.51	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 79
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4204G	56.69	74.00	-17.31	49.56	3	Horizontal	37	2.03	-	33.84	5.42	32.13
PK	5.466G	58.06	68.20	-10.14	50.82	3	Horizontal	37	2.03	-	33.90	5.47	32.13
AV	5.4588G	44.67	54.00	-9.33	37.44	3	Horizontal	37	2.03	-	33.90	5.46	32.13
PK	5.5016G	100.66	Inf	-Inf	93.39	3	Horizontal	37	2.03	-	33.90	5.50	32.13
AV	5.5024G	90.37	Inf	-Inf	83.10	3	Horizontal	37	2.03	-	33.90	5.50	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 79
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98956G	52.10	74.00	-21.90	39.18	3	Vertical	127	2.58	-	38.49	7.70	33.27
AV	11.00858G	38.69	54.00	-15.31	25.75	3	Vertical	127	2.58	-	38.51	7.70	33.27

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 79
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99832G	51.04	74.00	-22.96	38.11	3	Horizontal	351	2.98	-	38.50	7.70	33.27
AV	11.0129G	38.67	54.00	-15.33	25.72	3	Horizontal	351	2.98	-	38.51	7.71	33.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	56.71	68.20	-11.49	49.78	3	Vertical	156	1.80	-	33.70	5.37	32.14
PK	5.381G	59.13	74.00	-14.87	52.12	3	Vertical	156	1.80	-	33.76	5.39	32.14
AV	5.386G	46.60	54.00	-7.40	39.58	3	Vertical	156	1.80	-	33.77	5.39	32.14
PK	5.469G	58.57	68.20	-9.63	51.33	3	Vertical	156	1.80	-	33.90	5.47	32.13
PK	5.585G	116.02	Inf	-Inf	108.68	3	Vertical	156	1.80	-	33.90	5.58	32.14
AV	5.578G	105.79	Inf	-Inf	98.44	3	Vertical	156	1.80	-	33.90	5.58	32.13
PK	5.787G	59.53	68.20	-8.67	52.35	3	Vertical	156	1.80	-	33.73	5.60	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	57.21	68.20	-10.99	50.28	3	Horizontal	36	2.06	-	33.70	5.37	32.14
AV	5.374G	44.42	54.00	-9.58	37.42	3	Horizontal	36	2.06	-	33.75	5.39	32.14
PK	5.447G	56.50	74.00	-17.50	49.29	3	Horizontal	36	2.06	-	33.89	5.45	32.13
PK	5.466G	56.18	68.20	-12.02	48.94	3	Horizontal	36	2.06	-	33.90	5.47	32.13
PK	5.586G	104.72	Inf	-Inf	97.37	3	Horizontal	36	2.06	-	33.90	5.59	32.14
AV	5.583G	93.94	Inf	-Inf	86.59	3	Horizontal	36	2.06	-	33.90	5.58	32.13
PK	5.755G	57.47	68.20	-10.73	50.23	3	Horizontal	36	2.06	-	33.79	5.60	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1747G	51.79	74.00	-22.21	38.60	3	Vertical	249	1.80	-	38.67	7.77	33.25
AV	11.16312G	38.80	54.00	-15.20	25.62	3	Vertical	249	1.80	-	38.66	7.77	33.25
PK	16.74648G	60.52	68.20	-7.68	43.47	3	Vertical	22	2.60	-	39.98	10.37	33.30

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15868G	51.99	74.00	-22.01	38.82	3	Horizontal	84	1.69	-	38.66	7.76	33.25
AV	11.15988G	38.95	54.00	-15.05	25.78	3	Horizontal	84	1.69	-	38.66	7.76	33.25
PK	16.73298G	59.63	68.20	-8.57	42.65	3	Horizontal	329	1.84	-	39.90	10.37	33.29

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 65
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	109.80	Inf	-Inf	102.63	3	Vertical	192	1.74	-	33.71	5.60	32.14
AV	5.702G	99.89	Inf	-Inf	92.73	3	Vertical	192	1.74	-	33.70	5.60	32.14
PK	5.7268G	68.01	68.20	-0.19	60.80	3	Vertical	192	1.74	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 65
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	98.34	Inf	-Inf	91.18	3	Horizontal	34	1.90	-	33.70	5.60	32.14
AV	5.7036G	87.96	Inf	-Inf	80.79	3	Horizontal	34	1.90	-	33.71	5.60	32.14
PK	5.7272G	57.73	68.20	-10.47	50.52	3	Horizontal	34	1.90	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 65
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38914G	51.19	74.00	-22.81	37.77	3	Vertical	44	2.43	-	38.79	7.86	33.23
AV	11.41212G	38.69	54.00	-15.31	25.24	3	Vertical	44	2.43	-	38.82	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 65
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39646G	51.31	74.00	-22.69	37.88	3	Horizontal	181	1.03	-	38.80	7.86	33.23
AV	11.40198G	38.47	54.00	-15.53	25.04	3	Horizontal	181	1.03	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4236G	56.41	74.00	-17.59	49.27	3	Vertical	194	1.80	-	33.85	5.42	32.13
PK	5.4632G	56.33	68.20	-11.87	49.10	3	Vertical	194	1.80	-	33.90	5.46	32.13
AV	5.4524G	44.58	54.00	-9.42	37.36	3	Vertical	194	1.80	-	33.90	5.45	32.13
PK	5.7164G	116.26	Inf	-Inf	109.07	3	Vertical	194	1.80	-	33.73	5.60	32.14
AV	5.7176G	105.83	Inf	-Inf	98.63	3	Vertical	194	1.80	-	33.74	5.60	32.14
PK	5.8652G	59.28	68.20	-8.92	51.90	3	Vertical	194	1.80	-	33.86	5.67	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	56.33	74.00	-17.67	49.14	3	Horizontal	33	1.96	-	33.88	5.44	32.13
AV	5.4404G	44.28	54.00	-9.72	37.09	3	Horizontal	33	1.96	-	33.88	5.44	32.13
PK	5.468G	56.41	68.20	-11.79	49.17	3	Horizontal	33	1.96	-	33.90	5.47	32.13
PK	5.7188G	104.05	Inf	-Inf	96.85	3	Horizontal	33	1.96	-	33.74	5.60	32.14
AV	5.7164G	94.07	Inf	-Inf	86.88	3	Horizontal	33	1.96	-	33.73	5.60	32.14
PK	5.9012G	57.23	68.20	-10.97	49.68	3	Horizontal	33	1.96	-	34.00	5.70	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44216G	52.05	74.00	-21.95	38.52	3	Vertical	272	1.84	-	38.88	7.88	33.23
AV	11.4466G	39.04	54.00	-14.96	25.50	3	Vertical	272	1.84	-	38.89	7.88	33.23
PK	17.16528G	59.91	68.20	-8.29	40.92	3	Vertical	20	1.78	-	41.76	10.58	33.35

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43976G	52.39	74.00	-21.61	38.86	3	Horizontal	300	1.80	-	38.88	7.88	33.23
AV	11.44558G	39.19	54.00	-14.81	25.65	3	Horizontal	300	1.80	-	38.89	7.88	33.23
PK	17.15568G	60.33	68.20	-7.87	41.42	3	Horizontal	348	1.84	-	41.69	10.58	33.36

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	59.22	68.20	-8.98	51.96	3	Vertical	161	1.82	-	33.80	5.60	32.14
PK	5.743G	114.80	Inf	-Inf	107.55	3	Vertical	161	1.82	-	33.79	5.60	32.14
AV	5.741G	104.91	Inf	-Inf	97.67	3	Vertical	161	1.82	-	33.78	5.60	32.14
PK	5.94G	57.87	68.20	-10.33	50.21	3	Vertical	161	1.82	-	34.08	5.74	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	57.25	68.20	-10.95	49.94	3	Horizontal	40	2.06	-	33.90	5.54	32.13
PK	5.743G	101.63	Inf	-Inf	94.38	3	Horizontal	40	2.06	-	33.79	5.60	32.14
AV	5.743G	91.58	Inf	-Inf	84.33	3	Horizontal	40	2.06	-	33.79	5.60	32.14
PK	5.955G	56.77	68.20	-11.43	49.08	3	Horizontal	40	2.06	-	34.10	5.75	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50062G	52.17	74.00	-21.83	38.49	3	Vertical	233	1.43	-	39.00	7.90	33.22
AV	11.47812G	39.02	54.00	-14.98	25.39	3	Vertical	233	1.43	-	38.96	7.89	33.22
PK	17.23674G	59.84	68.20	-8.36	40.38	3	Vertical	13	1.92	-	42.11	10.62	33.27

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50146G	51.73	74.00	-22.27	38.05	3	Horizontal	261	2.86	-	39.00	7.90	33.22
AV	11.47944G	38.89	54.00	-15.11	25.26	3	Horizontal	261	2.86	-	38.96	7.89	33.22
PK	17.2302G	60.63	68.20	-7.57	41.20	3	Horizontal	9	1.84	-	42.09	10.62	33.28

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	58.02	68.20	-10.18	50.67	3	Vertical	196	2.00	-	33.90	5.59	32.14
PK	5.785G	114.60	Inf	-Inf	107.42	3	Vertical	196	2.00	-	33.73	5.60	32.15
AV	5.783G	104.14	Inf	-Inf	96.96	3	Vertical	196	2.00	-	33.73	5.60	32.15
PK	6.002G	57.78	68.20	-10.42	50.03	3	Vertical	196	2.00	-	34.11	5.80	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	57.20	68.20	-11.00	49.86	3	Horizontal	40	2.02	-	33.88	5.60	32.14
PK	5.787G	103.09	Inf	-Inf	95.91	3	Horizontal	40	2.02	-	33.73	5.60	32.15
AV	5.787G	92.93	Inf	-Inf	85.75	3	Horizontal	40	2.02	-	33.73	5.60	32.15
PK	5.986G	57.72	68.20	-10.48	49.99	3	Horizontal	40	2.02	-	34.10	5.79	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57834G	52.31	74.00	-21.69	38.38	3	Vertical	192	1.73	-	39.24	7.93	33.24
AV	11.56916G	39.53	54.00	-14.47	25.63	3	Vertical	192	1.73	-	39.21	7.93	33.24
PK	17.36256G	61.38	68.20	-6.82	41.03	3	Vertical	32	2.64	-	42.80	10.68	33.13

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56982G	52.34	74.00	-21.66	38.44	3	Horizontal	43	1.84	-	39.21	7.93	33.24
AV	11.58332G	39.01	54.00	-14.99	25.07	3	Horizontal	43	1.84	-	39.25	7.93	33.24
PK	17.35368G	61.32	68.20	-6.88	41.05	3	Horizontal	-0	1.80	-	42.73	10.68	33.14

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	58.70	68.20	-9.50	51.40	3	Vertical	189	1.75	-	33.84	5.60	32.14
PK	5.826G	116.00	Inf	-Inf	108.77	3	Vertical	189	1.75	-	33.75	5.63	32.15
AV	5.827G	105.39	Inf	-Inf	98.16	3	Vertical	189	1.75	-	33.75	5.63	32.15
PK	5.927G	65.48	68.20	-2.72	57.86	3	Vertical	189	1.75	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	56.54	68.20	-11.66	49.28	3	Horizontal	32	1.84	-	33.80	5.60	32.14
PK	5.823G	104.21	Inf	-Inf	96.99	3	Horizontal	32	1.84	-	33.75	5.62	32.15
AV	5.829G	93.40	Inf	-Inf	86.16	3	Horizontal	32	1.84	-	33.76	5.63	32.15
PK	5.932G	58.45	68.20	-9.75	50.82	3	Horizontal	32	1.84	-	34.06	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65588G	52.26	74.00	-21.74	38.20	3	Vertical	28	2.01	-	39.36	7.96	33.26
AV	11.65936G	39.32	54.00	-14.68	25.26	3	Vertical	28	2.01	-	39.36	7.96	33.26
PK	17.47932G	63.49	68.20	-4.71	42.08	3	Vertical	23	2.30	-	43.66	10.74	32.99

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6611G	52.21	74.00	-21.79	38.15	3	Horizontal	164	1.48	-	39.36	7.96	33.26
AV	11.65552G	39.09	54.00	-14.91	25.03	3	Horizontal	164	1.48	-	39.36	7.96	33.26
PK	17.47926G	61.95	68.20	-6.25	40.55	3	Horizontal	10	1.80	-	43.65	10.74	32.99

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.79	74.00	-5.21	62.19	3	Vertical	214	1.80	-	33.50	5.25	32.15
AV	5.15G	53.75	54.00	-0.25	47.15	3	Vertical	214	1.80	-	33.50	5.25	32.15
PK	5.1774G	113.77	Inf	-Inf	107.14	3	Vertical	214	1.80	-	33.50	5.28	32.15
AV	5.1784G	99.95	Inf	-Inf	93.32	3	Vertical	214	1.80	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	57.62	74.00	-16.38	51.02	3	Horizontal	225	1.92	-	33.50	5.25	32.15
AV	5.1498G	45.09	54.00	-8.91	38.49	3	Horizontal	225	1.92	-	33.50	5.25	32.15
PK	5.1786G	101.69	Inf	-Inf	95.06	3	Horizontal	225	1.92	-	33.50	5.28	32.15
AV	5.1766G	88.29	Inf	-Inf	81.66	3	Horizontal	225	1.92	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55182G	53.04	74.00	-20.96	38.71	3	Vertical	206	1.25	-	37.74	9.80	33.21
AV	15.55404G	39.58	54.00	-14.42	25.25	3	Vertical	206	1.25	-	37.74	9.80	33.21

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55416G	54.00	74.00	-20.00	39.67	3	Horizontal	74	2.99	-	37.74	9.80	33.21
AV	15.5532G	39.60	54.00	-14.40	25.27	3	Horizontal	74	2.99	-	37.74	9.80	33.21

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.74	74.00	-1.26	66.14	3	Vertical	204	1.80	-	33.50	5.25	32.15
AV	5.15G	53.49	54.00	-0.51	46.89	3	Vertical	204	1.80	-	33.50	5.25	32.15
PK	5.2024G	115.59	Inf	-Inf	108.94	3	Vertical	204	1.80	-	33.50	5.30	32.15
AV	5.1964G	101.92	Inf	-Inf	95.27	3	Vertical	204	1.80	-	33.50	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.07	74.00	-16.93	50.47	3	Horizontal	231	2.02	-	33.50	5.25	32.15
AV	5.1496G	44.89	54.00	-9.11	38.29	3	Horizontal	231	2.02	-	33.50	5.25	32.15
PK	5.1972G	104.54	Inf	-Inf	97.89	3	Horizontal	231	2.02	-	33.50	5.30	32.15
AV	5.204G	90.42	Inf	-Inf	83.76	3	Horizontal	231	2.02	-	33.51	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59376G	60.58	74.00	-13.42	46.40	3	Vertical	14	1.76	-	37.62	9.82	33.26
AV	15.59652G	47.03	54.00	-6.97	32.86	3	Vertical	14	1.76	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59472G	59.41	74.00	-14.59	45.23	3	Horizontal	29	1.76	-	37.62	9.82	33.26
AV	15.59682G	45.72	54.00	-8.28	31.55	3	Horizontal	29	1.76	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	68.02	74.00	-5.98	61.42	3	Vertical	166	1.90	-	33.50	5.25	32.15
AV	5.15G	50.97	54.00	-3.03	44.37	3	Vertical	166	1.90	-	33.50	5.25	32.15
PK	5.237G	115.24	Inf	-Inf	108.50	3	Vertical	166	1.90	-	33.57	5.32	32.15
AV	5.2376G	103.00	Inf	-Inf	96.25	3	Vertical	166	1.90	-	33.58	5.32	32.15
PK	5.35G	66.22	74.00	-7.78	59.28	3	Vertical	166	1.90	-	33.70	5.38	32.14
AV	5.35G	48.22	54.00	-5.78	41.28	3	Vertical	166	1.90	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	56.63	74.00	-17.37	50.03	3	Horizontal	233	2.64	-	33.50	5.25	32.15
AV	5.15G	44.29	54.00	-9.71	37.69	3	Horizontal	233	2.64	-	33.50	5.25	32.15
PK	5.237G	103.59	Inf	-Inf	96.85	3	Horizontal	233	2.64	-	33.57	5.32	32.15
AV	5.2388G	90.39	Inf	-Inf	83.64	3	Horizontal	233	2.64	-	33.58	5.32	32.15
PK	5.3786G	57.22	74.00	-16.78	50.21	3	Horizontal	233	2.64	-	33.76	5.39	32.14
AV	5.3504G	43.93	54.00	-10.07	36.99	3	Horizontal	233	2.64	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71982G	61.30	74.00	-12.70	47.44	3	Vertical	9	2.90	-	37.40	9.87	33.41
AV	15.71958G	47.37	54.00	-6.63	33.51	3	Vertical	9	2.90	-	37.40	9.87	33.41

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71994G	60.13	74.00	-13.87	46.27	3	Horizontal	9	2.94	-	37.40	9.87	33.41
AV	15.72036G	46.20	54.00	-7.80	32.34	3	Horizontal	9	2.94	-	37.40	9.87	33.41

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	63.92	74.00	-10.08	57.33	3	Vertical	216	1.87	-	33.50	5.24	32.15
AV	5.15G	47.88	54.00	-6.12	41.28	3	Vertical	216	1.87	-	33.50	5.25	32.15
PK	5.2522G	115.96	Inf	-Inf	109.17	3	Vertical	216	1.87	-	33.60	5.33	32.14
AV	5.2564G	102.73	Inf	-Inf	95.93	3	Vertical	216	1.87	-	33.61	5.33	32.14
PK	5.3578G	68.65	74.00	-5.35	61.69	3	Vertical	216	1.87	-	33.72	5.38	32.14
AV	5.35G	50.26	54.00	-3.74	43.32	3	Vertical	216	1.87	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1178G	56.62	74.00	-17.38	50.05	3	Horizontal	232	1.90	-	33.50	5.22	32.15
AV	5.1442G	43.70	54.00	-10.30	37.11	3	Horizontal	232	1.90	-	33.50	5.24	32.15
PK	5.2564G	103.26	Inf	-Inf	96.46	3	Horizontal	232	1.90	-	33.61	5.33	32.14
AV	5.2528G	89.52	Inf	-Inf	82.72	3	Horizontal	232	1.90	-	33.61	5.33	32.14
PK	5.383G	56.68	74.00	-17.32	49.66	3	Horizontal	232	1.90	-	33.77	5.39	32.14
AV	5.3524G	44.04	54.00	-9.96	37.10	3	Horizontal	232	1.90	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77988G	62.24	74.00	-11.76	48.42	3	Vertical	8	1.83	-	37.40	9.90	33.48
AV	15.78258G	48.12	54.00	-5.88	34.30	3	Vertical	8	1.83	-	37.40	9.90	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7701G	62.78	74.00	-11.22	48.95	3	Horizontal	41	1.77	-	37.40	9.90	33.47
AV	15.78318G	48.72	54.00	-5.28	34.90	3	Horizontal	41	1.77	-	37.40	9.90	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 85
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	115.76	Inf	-Inf	108.85	3	Vertical	208	1.77	-	33.70	5.35	32.14
AV	5.3032G	102.50	Inf	-Inf	95.59	3	Vertical	208	1.77	-	33.70	5.35	32.14
PK	5.35G	69.43	74.00	-4.57	62.49	3	Vertical	208	1.77	-	33.70	5.38	32.14
AV	5.35G	53.64	54.00	-0.36	46.70	3	Vertical	208	1.77	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	103.62	Inf	-Inf	96.71	3	Horizontal	33	2.26	-	33.70	5.35	32.14
AV	5.3048G	89.93	Inf	-Inf	83.02	3	Horizontal	33	2.26	-	33.70	5.35	32.14
PK	5.35G	57.39	74.00	-16.61	50.45	3	Horizontal	33	2.26	-	33.70	5.38	32.14
AV	5.35G	45.02	54.00	-8.98	38.08	3	Horizontal	33	2.26	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60039G	51.83	74.00	-22.17	38.88	3	Vertical	355	2.98	-	38.50	7.54	33.09
AV	10.60891G	37.86	54.00	-16.14	24.93	3	Vertical	355	2.98	-	38.49	7.54	33.10
PK	15.9126G	53.43	74.00	-20.57	39.62	3	Vertical	156	2.00	-	37.49	9.96	33.64
AV	15.8892G	39.02	54.00	-14.98	25.19	3	Vertical	156	2.00	-	37.49	9.95	33.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60111G	51.42	74.00	-22.58	38.47	3	Horizontal	56	2.72	-	38.50	7.54	33.09
AV	10.60048G	37.84	54.00	-16.16	24.89	3	Horizontal	56	2.72	-	38.50	7.54	33.09
PK	15.90546G	53.33	74.00	-20.67	39.51	3	Horizontal	330	2.37	-	37.49	9.96	33.63
AV	15.88536G	39.14	54.00	-14.86	25.30	3	Horizontal	330	2.37	-	37.49	9.95	33.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 77
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3182G	114.31	Inf	-Inf	107.39	3	Vertical	162	1.85	-	33.70	5.36	32.14
AV	5.3182G	100.67	Inf	-Inf	93.75	3	Vertical	162	1.85	-	33.70	5.36	32.14
PK	5.3518G	68.94	74.00	-5.06	62.00	3	Vertical	162	1.85	-	33.70	5.38	32.14
AV	5.35G	53.96	54.00	-0.04	47.02	3	Vertical	162	1.85	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 77
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3222G	102.06	Inf	-Inf	95.14	3	Horizontal	35	2.13	-	33.70	5.36	32.14
AV	5.3162G	87.98	Inf	-Inf	81.06	3	Horizontal	35	2.13	-	33.70	5.36	32.14
PK	5.3512G	57.92	74.00	-16.08	50.98	3	Horizontal	35	2.13	-	33.70	5.38	32.14
AV	5.3502G	44.69	54.00	-9.31	37.75	3	Horizontal	35	2.13	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62878G	51.58	74.00	-22.42	38.67	3	Vertical	295	1.05	-	38.47	7.55	33.11
AV	10.63286G	37.57	54.00	-16.43	24.66	3	Vertical	295	1.05	-	38.47	7.55	33.11
PK	15.95352G	53.02	74.00	-20.98	39.28	3	Vertical	203	1.95	-	37.45	9.98	33.69
AV	15.94506G	38.90	54.00	-15.10	25.15	3	Vertical	203	1.95	-	37.45	9.98	33.68

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63004G	51.16	74.00	-22.84	38.25	3	Horizontal	132	2.98	-	38.47	7.55	33.11
AV	10.63604G	37.62	54.00	-16.38	24.72	3	Horizontal	132	2.98	-	38.46	7.55	33.11
PK	15.94782G	52.65	74.00	-21.35	38.90	3	Horizontal	175	2.78	-	37.45	9.98	33.68
AV	15.94512G	38.97	54.00	-15.03	25.22	3	Horizontal	175	2.78	-	37.45	9.98	33.68

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.32	74.00	-8.68	58.09	3	Vertical	158	1.78	-	33.90	5.46	32.13
AV	5.46G	48.86	54.00	-5.14	41.63	3	Vertical	158	1.78	-	33.90	5.46	32.13
PK	5.468G	67.49	68.20	-0.71	60.25	3	Vertical	158	1.78	-	33.90	5.47	32.13
PK	5.4984G	114.25	Inf	-Inf	106.98	3	Vertical	158	1.78	-	33.90	5.50	32.13
AV	5.508G	100.86	Inf	-Inf	93.58	3	Vertical	158	1.78	-	33.90	5.51	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	57.15	74.00	-16.85	49.93	3	Horizontal	34	2.13	-	33.90	5.45	32.13
PK	5.4684G	57.94	68.20	-10.26	50.70	3	Horizontal	34	2.13	-	33.90	5.47	32.13
AV	5.46G	44.33	54.00	-9.67	37.10	3	Horizontal	34	2.13	-	33.90	5.46	32.13
PK	5.5028G	101.70	Inf	-Inf	94.43	3	Horizontal	34	2.13	-	33.90	5.50	32.13
AV	5.5016G	88.09	Inf	-Inf	80.82	3	Horizontal	34	2.13	-	33.90	5.50	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99634G	51.57	74.00	-22.43	38.64	3	Vertical	360	2.30	-	38.50	7.70	33.27
AV	11.01494G	37.83	54.00	-16.17	24.88	3	Vertical	360	2.30	-	38.51	7.71	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00966G	51.20	74.00	-22.80	38.26	3	Horizontal	34	1.82	-	38.51	7.70	33.27
AV	11.01134G	37.88	54.00	-16.12	24.94	3	Horizontal	34	1.82	-	38.51	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3848G	58.72	74.00	-15.28	51.70	3	Vertical	189	1.80	-	33.77	5.39	32.14
AV	5.3832G	45.52	54.00	-8.48	38.50	3	Vertical	189	1.80	-	33.77	5.39	32.14
PK	5.4688G	58.09	68.20	-10.11	50.85	3	Vertical	189	1.80	-	33.90	5.47	32.13
PK	5.5864G	117.25	Inf	-Inf	109.90	3	Vertical	189	1.80	-	33.90	5.59	32.14
AV	5.5848G	104.24	Inf	-Inf	96.90	3	Vertical	189	1.80	-	33.90	5.58	32.14
PK	5.728G	59.53	68.20	-8.67	52.31	3	Vertical	189	1.80	-	33.76	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3824G	56.66	74.00	-17.34	49.65	3	Horizontal	34	1.95	-	33.76	5.39	32.14
PK	5.468G	55.76	68.20	-12.44	48.52	3	Horizontal	34	1.95	-	33.90	5.47	32.13
AV	5.4392G	43.89	54.00	-10.11	36.70	3	Horizontal	34	1.95	-	33.88	5.44	32.13
PK	5.5832G	103.93	Inf	-Inf	96.58	3	Horizontal	34	1.95	-	33.90	5.58	32.13
AV	5.5848G	90.75	Inf	-Inf	83.41	3	Horizontal	34	1.95	-	33.90	5.58	32.14
PK	5.7496G	56.67	68.20	-11.53	49.41	3	Horizontal	34	1.95	-	33.80	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16774G	51.88	74.00	-22.12	38.69	3	Vertical	356	1.31	-	38.67	7.77	33.25
AV	11.14518G	37.81	54.00	-16.19	24.66	3	Vertical	356	1.31	-	38.65	7.76	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16078G	51.53	74.00	-22.47	38.36	3	Horizontal	107	2.98	-	38.66	7.76	33.25
AV	11.14824G	37.80	54.00	-16.20	24.65	3	Horizontal	107	2.98	-	38.65	7.76	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 57
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	110.45	Inf	-Inf	103.29	3	Vertical	192	1.89	-	33.70	5.60	32.14
AV	5.7042G	96.40	Inf	-Inf	89.23	3	Vertical	192	1.89	-	33.71	5.60	32.14
PK	5.7256G	67.17	68.20	-1.03	59.96	3	Vertical	192	1.89	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 57
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	98.06	Inf	-Inf	90.90	3	Horizontal	33	1.99	-	33.70	5.60	32.14
AV	5.7016G	84.59	Inf	-Inf	77.43	3	Horizontal	33	1.99	-	33.70	5.60	32.14
PK	5.7348G	56.98	68.20	-11.22	49.75	3	Horizontal	33	1.99	-	33.77	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 57
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38908G	51.59	74.00	-22.41	38.17	3	Vertical	278	1.36	-	38.79	7.86	33.23
AV	11.41134G	37.84	54.00	-16.16	24.39	3	Vertical	278	1.36	-	38.82	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TnomVnom



EUT X_1TX
Setting 57
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.415G	51.11	74.00	-22.89	37.64	3	Horizontal	212	2.32	-	38.83	7.87	33.23
AV	11.40708G	37.78	54.00	-16.22	24.34	3	Horizontal	212	2.32	-	38.81	7.86	33.23


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 95
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4218G	57.18	74.00	-16.82	50.05	3	Vertical	192	1.87	-	33.84	5.42	32.13
AV	5.4176G	44.19	54.00	-9.81	37.06	3	Vertical	192	1.87	-	33.84	5.42	32.13
PK	5.4638G	55.55	68.20	-12.65	48.32	3	Vertical	192	1.87	-	33.90	5.46	32.13
PK	5.7144G	117.16	Inf	-Inf	109.97	3	Vertical	192	1.87	-	33.73	5.60	32.14
AV	5.7186G	104.17	Inf	-Inf	96.97	3	Vertical	192	1.87	-	33.74	5.60	32.14
PK	5.8642G	59.73	68.20	-8.47	52.36	3	Vertical	192	1.87	-	33.86	5.66	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 95
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.384G	56.23	74.00	-17.77	49.21	3	Horizontal	35	2.05	-	33.77	5.39	32.14
PK	5.468G	55.65	68.20	-12.55	48.41	3	Horizontal	35	2.05	-	33.90	5.47	32.13
AV	5.44G	43.89	54.00	-10.11	36.70	3	Horizontal	35	2.05	-	33.88	5.44	32.13
PK	5.7158G	105.99	Inf	-Inf	98.80	3	Horizontal	35	2.05	-	33.73	5.60	32.14
AV	5.7172G	92.71	Inf	-Inf	85.52	3	Horizontal	35	2.05	-	33.73	5.60	32.14
PK	5.8754G	57.09	68.20	-11.11	49.66	3	Horizontal	35	2.05	-	33.90	5.68	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 95
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44726G	51.28	74.00	-22.72	37.74	3	Vertical	272	2.78	-	38.89	7.88	33.23
AV	11.45032G	38.11	54.00	-15.89	24.55	3	Vertical	272	2.78	-	38.90	7.88	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 95
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4313G	51.62	74.00	-22.38	38.12	3	Horizontal	156	1.38	-	38.86	7.87	33.23
AV	11.45302G	38.08	54.00	-15.92	24.51	3	Horizontal	156	1.38	-	38.91	7.88	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	63.77	70.42	-6.65	56.52	3	Vertical	194	1.81	-	33.79	5.60	32.14
PK	5.744G	117.63	Inf	-Inf	110.38	3	Vertical	194	1.81	-	33.79	5.60	32.14
AV	5.743G	103.33	Inf	-Inf	96.08	3	Vertical	194	1.81	-	33.79	5.60	32.14
PK	5.951G	58.99	68.20	-9.21	51.30	3	Vertical	194	1.81	-	34.10	5.75	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.508G	56.91	68.20	-11.29	49.63	3	Horizontal	228	1.69	-	33.90	5.51	32.13
PK	5.746G	103.56	Inf	-Inf	96.31	3	Horizontal	228	1.69	-	33.79	5.60	32.14
AV	5.743G	89.41	Inf	-Inf	82.16	3	Horizontal	228	1.69	-	33.79	5.60	32.14
PK	5.975G	57.26	68.20	-10.94	49.55	3	Horizontal	228	1.69	-	34.10	5.77	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49186G	51.76	74.00	-22.24	38.10	3	Vertical	22	1.46	-	38.98	7.90	33.22
AV	11.48244G	38.14	54.00	-15.86	24.51	3	Vertical	22	1.46	-	38.96	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50038G	51.60	74.00	-22.40	37.92	3	Horizontal	353	1.83	-	39.00	7.90	33.22
AV	11.47602G	38.11	54.00	-15.89	24.49	3	Horizontal	353	1.83	-	38.95	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	58.96	68.20	-9.24	51.62	3	Vertical	186	1.80	-	33.90	5.58	32.14
PK	5.79G	115.78	Inf	-Inf	108.61	3	Vertical	186	1.80	-	33.72	5.60	32.15
AV	5.79G	102.64	Inf	-Inf	95.47	3	Vertical	186	1.80	-	33.72	5.60	32.15
PK	5.927G	58.66	68.20	-9.54	51.04	3	Vertical	186	1.80	-	34.05	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	57.19	68.20	-11.01	49.84	3	Horizontal	39	2.11	-	33.90	5.59	32.14
PK	5.792G	106.01	Inf	-Inf	98.84	3	Horizontal	39	2.11	-	33.72	5.60	32.15
AV	5.786G	91.58	Inf	-Inf	84.40	3	Horizontal	39	2.11	-	33.73	5.60	32.15
PK	5.987G	57.14	68.20	-11.06	49.41	3	Horizontal	39	2.11	-	34.10	5.79	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57774G	53.02	74.00	-20.98	39.10	3	Vertical	112	1.80	-	39.23	7.93	33.24
AV	11.58494G	38.20	54.00	-15.80	24.26	3	Vertical	112	1.80	-	39.25	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57066G	52.57	74.00	-21.43	38.67	3	Horizontal	1	1.87	-	39.21	7.93	33.24
AV	11.57204G	38.23	54.00	-15.77	24.32	3	Horizontal	1	1.87	-	39.22	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	60.04	68.20	-8.16	52.74	3	Vertical	187	1.94	-	33.84	5.60	32.14
PK	5.83G	117.25	Inf	-Inf	110.01	3	Vertical	187	1.94	-	33.76	5.63	32.15
AV	5.826G	103.65	Inf	-Inf	96.42	3	Vertical	187	1.94	-	33.75	5.63	32.15
PK	5.924G	66.15	68.94	-2.79	58.54	3	Vertical	187	1.94	-	34.05	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	56.95	68.20	-11.25	49.60	3	Horizontal	32	1.87	-	33.90	5.58	32.13
PK	5.817G	104.80	Inf	-Inf	97.60	3	Horizontal	32	1.87	-	33.73	5.62	32.15
AV	5.822G	91.81	Inf	-Inf	84.60	3	Horizontal	32	1.87	-	33.74	5.62	32.15
PK	5.928G	57.40	68.20	-10.80	49.77	3	Horizontal	32	1.87	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6536G	52.51	74.00	-21.49	38.46	3	Vertical	309	2.38	-	39.35	7.96	33.26
AV	11.65738G	38.45	54.00	-15.55	24.39	3	Vertical	309	2.38	-	39.36	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65564G	51.69	74.00	-22.31	37.63	3	Horizontal	133	1.54	-	39.36	7.96	33.26
AV	11.65606G	38.44	54.00	-15.56	24.38	3	Horizontal	133	1.54	-	39.36	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.79	74.00	-7.21	60.19	3	Vertical	205	1.80	-	33.50	5.25	32.15
AV	5.15G	52.06	54.00	-1.94	45.46	3	Vertical	205	1.80	-	33.50	5.25	32.15
PK	5.1964G	109.20	Inf	-Inf	102.55	3	Vertical	205	1.80	-	33.50	5.30	32.15
AV	5.1956G	97.26	Inf	-Inf	90.61	3	Vertical	205	1.80	-	33.50	5.30	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1068G	57.40	74.00	-16.60	50.84	3	Horizontal	224	2.02	-	33.50	5.21	32.15
AV	5.15G	45.25	54.00	-8.75	38.65	3	Horizontal	224	2.02	-	33.50	5.25	32.15
PK	5.2016G	97.59	Inf	-Inf	90.94	3	Horizontal	224	2.02	-	33.50	5.30	32.15
AV	5.1988G	85.28	Inf	-Inf	78.63	3	Horizontal	224	2.02	-	33.50	5.30	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57336G	53.32	74.00	-20.68	39.07	3	Vertical	103	1.36	-	37.68	9.81	33.24
AV	15.56688G	40.73	54.00	-13.27	26.45	3	Vertical	103	1.36	-	37.70	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56274G	53.67	74.00	-20.33	39.38	3	Horizontal	183	2.98	-	37.71	9.80	33.22
AV	15.58038G	40.76	54.00	-13.24	26.53	3	Horizontal	183	2.98	-	37.66	9.81	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.83	74.00	-7.17	60.23	3	Vertical	170	1.99	-	33.50	5.25	32.15
AV	5.1496G	53.36	54.00	-0.64	46.76	3	Vertical	170	1.99	-	33.50	5.25	32.15
PK	5.2354G	112.02	Inf	-Inf	105.28	3	Vertical	170	1.99	-	33.57	5.32	32.15
AV	5.2228G	99.93	Inf	-Inf	93.22	3	Vertical	170	1.99	-	33.55	5.31	32.15
PK	5.35G	60.10	74.00	-13.90	53.16	3	Vertical	170	1.99	-	33.70	5.38	32.14
AV	5.3506G	47.32	54.00	-6.68	40.38	3	Vertical	170	1.99	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	56.79	74.00	-17.21	50.20	3	Horizontal	183	1.80	-	33.50	5.24	32.15
AV	5.149G	45.71	54.00	-8.29	39.11	3	Horizontal	183	1.80	-	33.50	5.25	32.15
PK	5.2156G	99.39	Inf	-Inf	92.70	3	Horizontal	183	1.80	-	33.53	5.31	32.15
AV	5.2168G	86.96	Inf	-Inf	80.27	3	Horizontal	183	1.80	-	33.53	5.31	32.15
PK	5.371G	56.30	74.00	-17.70	49.31	3	Horizontal	183	1.80	-	33.74	5.39	32.14
AV	5.3626G	45.13	54.00	-8.87	38.16	3	Horizontal	183	1.80	-	33.73	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69936G	52.83	74.00	-21.17	38.96	3	Vertical	343	2.23	-	37.40	9.86	33.39
AV	15.6804G	40.17	54.00	-13.83	26.23	3	Vertical	343	2.23	-	37.44	9.86	33.36

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68064G	52.65	74.00	-21.35	38.71	3	Horizontal	152	1.45	-	37.44	9.86	33.36
AV	15.69234G	40.43	54.00	-13.57	26.53	3	Horizontal	152	1.45	-	37.42	9.86	33.38

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	61.30	74.00	-12.70	54.70	3	Vertical	216	1.97	-	33.50	5.25	32.15
AV	5.147G	47.85	54.00	-6.15	41.25	3	Vertical	216	1.97	-	33.50	5.25	32.15
PK	5.2736G	111.08	Inf	-Inf	104.23	3	Vertical	216	1.97	-	33.65	5.34	32.14
AV	5.2724G	99.51	Inf	-Inf	92.67	3	Vertical	216	1.97	-	33.64	5.34	32.14
PK	5.35G	67.14	74.00	-6.86	60.20	3	Vertical	216	1.97	-	33.70	5.38	32.14
AV	5.351G	53.52	54.00	-0.48	46.58	3	Vertical	216	1.97	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	57.03	74.00	-16.97	50.46	3	Horizontal	35	1.92	-	33.50	5.22	32.15
AV	5.1488G	45.01	54.00	-8.99	38.41	3	Horizontal	35	1.92	-	33.50	5.25	32.15
PK	5.2814G	99.22	Inf	-Inf	92.36	3	Horizontal	35	1.92	-	33.66	5.34	32.14
AV	5.2754G	86.70	Inf	-Inf	79.85	3	Horizontal	35	1.92	-	33.65	5.34	32.14
PK	5.4044G	56.92	74.00	-17.08	49.85	3	Horizontal	35	1.92	-	33.81	5.40	32.14
AV	5.3504G	45.90	54.00	-8.10	38.96	3	Horizontal	35	1.92	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80004G	52.48	74.00	-21.52	38.67	3	Vertical	236	1.68	-	37.40	9.91	33.50
AV	15.7986G	40.76	54.00	-13.24	26.95	3	Vertical	236	1.68	-	37.40	9.91	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8031G	53.51	74.00	-20.49	39.71	3	Horizontal	208	2.55	-	37.40	9.91	33.51
AV	15.80574G	40.65	54.00	-13.35	26.84	3	Horizontal	208	2.55	-	37.41	9.91	33.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	109.60	Inf	-Inf	102.69	3	Vertical	208	1.78	-	33.70	5.35	32.14
AV	5.3056G	97.35	Inf	-Inf	90.44	3	Vertical	208	1.78	-	33.70	5.35	32.14
PK	5.3508G	65.50	74.00	-8.50	58.56	3	Vertical	208	1.78	-	33.70	5.38	32.14
AV	5.3508G	52.14	54.00	-1.86	45.20	3	Vertical	208	1.78	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	96.62	Inf	-Inf	89.71	3	Horizontal	33	2.26	-	33.70	5.35	32.14
AV	5.3052G	84.46	Inf	-Inf	77.55	3	Horizontal	33	2.26	-	33.70	5.35	32.14
PK	5.3812G	57.09	74.00	-16.91	50.08	3	Horizontal	33	2.26	-	33.76	5.39	32.14
AV	5.3508G	45.23	54.00	-8.77	38.29	3	Horizontal	33	2.26	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6245G	51.39	74.00	-22.61	38.46	3	Vertical	234	1.32	-	38.48	7.55	33.10
AV	10.6128G	39.33	54.00	-14.67	26.39	3	Vertical	234	1.32	-	38.49	7.55	33.10
PK	15.92394G	52.67	74.00	-21.33	38.87	3	Vertical	58	1.08	-	37.48	9.97	33.65
AV	15.93726G	40.43	54.00	-13.57	26.67	3	Vertical	58	1.08	-	37.46	9.97	33.67

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61334G	51.78	74.00	-22.22	38.84	3	Horizontal	291	2.81	-	38.49	7.55	33.10
AV	10.60686G	39.23	54.00	-14.77	26.30	3	Horizontal	291	2.81	-	38.49	7.54	33.10
PK	15.94398G	52.32	74.00	-21.68	38.56	3	Horizontal	164	1.98	-	37.46	9.97	33.67
AV	15.91566G	40.54	54.00	-13.46	26.74	3	Horizontal	164	1.98	-	37.48	9.96	33.64

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.00	74.00	-11.00	55.77	3	Vertical	157	1.78	-	33.90	5.46	32.13
AV	5.46G	49.79	54.00	-4.21	42.56	3	Vertical	157	1.78	-	33.90	5.46	32.13
PK	5.4652G	67.43	68.20	-0.77	60.19	3	Vertical	157	1.78	-	33.90	5.47	32.13
PK	5.5164G	111.58	Inf	-Inf	104.29	3	Vertical	157	1.78	-	33.90	5.52	32.13
AV	5.5128G	98.52	Inf	-Inf	91.24	3	Vertical	157	1.78	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	57.60	74.00	-16.40	50.40	3	Horizontal	38	2.34	-	33.89	5.44	32.13
PK	5.4644G	57.79	68.20	-10.41	50.56	3	Horizontal	38	2.34	-	33.90	5.46	32.13
AV	5.4596G	45.29	54.00	-8.71	38.06	3	Horizontal	38	2.34	-	33.90	5.46	32.13
PK	5.5124G	98.05	Inf	-Inf	90.77	3	Horizontal	38	2.34	-	33.90	5.51	32.13
AV	5.5092G	86.18	Inf	-Inf	78.90	3	Horizontal	38	2.34	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01532G	51.40	74.00	-22.60	38.44	3	Vertical	316	1.28	-	38.52	7.71	33.27
AV	11.02708G	39.28	54.00	-14.72	26.31	3	Vertical	316	1.28	-	38.53	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01454G	52.47	74.00	-21.53	39.52	3	Horizontal	237	1.86	-	38.51	7.71	33.27
AV	11.01298G	39.21	54.00	-14.79	26.26	3	Horizontal	237	1.86	-	38.51	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_X_1TX
Setting 82
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.15	74.00	-7.85	58.92	3	Vertical	155	1.76	-	33.90	5.46	32.13
AV	5.4596G	53.13	54.00	-0.87	45.90	3	Vertical	155	1.76	-	33.90	5.46	32.13
PK	5.4692G	68.15	68.20	-0.05	60.91	3	Vertical	155	1.76	-	33.90	5.47	32.13
PK	5.5348G	112.89	Inf	-Inf	105.59	3	Vertical	155	1.76	-	33.90	5.53	32.13
AV	5.5452G	101.29	Inf	-Inf	93.97	3	Vertical	155	1.76	-	33.90	5.55	32.13
PK	5.734G	59.34	68.20	-8.86	52.11	3	Vertical	155	1.76	-	33.77	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_X_1TX
Setting 82
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	57.57	74.00	-16.43	50.34	3	Horizontal	35	2.08	-	33.90	5.46	32.13
AV	5.4564G	45.85	54.00	-8.15	38.62	3	Horizontal	35	2.08	-	33.90	5.46	32.13
PK	5.4644G	58.50	68.20	-9.70	51.27	3	Horizontal	35	2.08	-	33.90	5.46	32.13
PK	5.5436G	100.44	Inf	-Inf	93.13	3	Horizontal	35	2.08	-	33.90	5.54	32.13
AV	5.5428G	88.70	Inf	-Inf	81.39	3	Horizontal	35	2.08	-	33.90	5.54	32.13
PK	5.7324G	57.03	68.20	-11.17	49.81	3	Horizontal	35	2.08	-	33.76	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 82
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10444G	51.24	74.00	-22.76	38.16	3	Vertical	42	1.24	-	38.60	7.74	33.26
AV	11.10288G	39.18	54.00	-14.82	26.10	3	Vertical	42	1.24	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 82
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10624G	51.63	74.00	-22.37	38.54	3	Horizontal	24	2.16	-	38.61	7.74	33.26
AV	11.09058G	39.09	54.00	-14.91	26.02	3	Horizontal	24	2.16	-	38.59	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 63
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6876G	110.55	Inf	-Inf	103.37	3	Vertical	193	1.82	-	33.72	5.60	32.14
AV	5.6852G	97.58	Inf	-Inf	90.39	3	Vertical	193	1.82	-	33.73	5.60	32.14
PK	5.7276G	67.41	68.20	-0.79	60.19	3	Vertical	193	1.82	-	33.76	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 63
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.68G	98.05	Inf	-Inf	90.85	3	Horizontal	34	2.16	-	33.74	5.60	32.14
AV	5.6788G	86.04	Inf	-Inf	78.84	3	Horizontal	34	2.16	-	33.74	5.60	32.14
PK	5.728G	57.50	68.20	-10.70	50.28	3	Horizontal	34	2.16	-	33.76	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 63
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35176G	52.00	74.00	-22.00	38.64	3	Vertical	293	1.17	-	38.75	7.84	33.23
AV	11.35044G	38.68	54.00	-15.32	25.32	3	Vertical	293	1.17	-	38.75	7.84	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TnomVnom



EUT X_1TX
Setting 63
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33634G	50.87	74.00	-23.13	37.54	3	Horizontal	55	1.54	-	38.74	7.83	33.24
AV	11.35176G	38.79	54.00	-15.21	25.43	3	Horizontal	55	1.54	-	38.75	7.84	33.23


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 85
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4342G	56.77	74.00	-17.23	49.60	3	Vertical	195	1.74	-	33.87	5.43	32.13
PK	5.4608G	57.29	68.20	-10.91	50.06	3	Vertical	195	1.74	-	33.90	5.46	32.13
AV	5.4552G	45.40	54.00	-8.60	38.17	3	Vertical	195	1.74	-	33.90	5.46	32.13
PK	5.6946G	114.76	Inf	-Inf	107.59	3	Vertical	195	1.74	-	33.71	5.60	32.14
AV	5.7058G	102.75	Inf	-Inf	95.58	3	Vertical	195	1.74	-	33.71	5.60	32.14
PK	5.8514G	66.44	68.20	-1.76	59.13	3	Vertical	195	1.74	-	33.81	5.65	32.15


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 85
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	56.73	74.00	-17.27	49.60	3	Horizontal	34	2.07	-	33.84	5.42	32.13
AV	5.444G	44.98	54.00	-9.02	37.78	3	Horizontal	34	2.07	-	33.89	5.44	32.13
PK	5.4678G	56.32	68.20	-11.88	49.08	3	Horizontal	34	2.07	-	33.90	5.47	32.13
PK	5.7086G	103.56	Inf	-Inf	96.38	3	Horizontal	34	2.07	-	33.72	5.60	32.14
AV	5.7086G	91.86	Inf	-Inf	84.68	3	Horizontal	34	2.07	-	33.72	5.60	32.14
PK	5.9536G	57.88	68.20	-10.32	50.19	3	Horizontal	34	2.07	-	34.10	5.75	32.16


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 85
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4185G	51.40	74.00	-22.60	37.92	3	Vertical	13	2.76	-	38.84	7.87	33.23
AV	11.4068G	39.39	54.00	-14.61	25.95	3	Vertical	13	2.76	-	38.81	7.86	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 85
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42114G	52.20	74.00	-21.80	38.72	3	Horizontal	329	1.20	-	38.84	7.87	33.23
AV	11.4134G	39.59	54.00	-14.41	26.12	3	Horizontal	329	1.20	-	38.83	7.87	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.656G	71.82	72.64	-0.82	64.57	3	Vertical	186	1.81	-	33.79	5.60	32.14
PK	5.759G	113.87	Inf	-Inf	106.64	3	Vertical	186	1.81	-	33.78	5.60	32.15
AV	5.748G	101.64	Inf	-Inf	94.38	3	Vertical	186	1.81	-	33.80	5.60	32.14
PK	5.927G	65.24	68.20	-2.96	57.62	3	Vertical	186	1.81	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.15	68.20	-11.05	49.87	3	Horizontal	229	2.03	-	33.82	5.60	32.14
PK	5.752G	100.40	Inf	-Inf	93.15	3	Horizontal	229	2.03	-	33.80	5.60	32.15
AV	5.759G	88.61	Inf	-Inf	81.38	3	Horizontal	229	2.03	-	33.78	5.60	32.15
PK	5.95G	57.41	68.20	-10.79	49.72	3	Horizontal	229	2.03	-	34.10	5.75	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52434G	51.80	74.00	-22.20	38.05	3	Vertical	187	1.77	-	39.07	7.91	33.23
AV	11.51612G	39.60	54.00	-14.40	25.86	3	Vertical	187	1.77	-	39.05	7.91	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5052G	52.11	74.00	-21.89	38.41	3	Horizontal	66	1.76	-	39.02	7.90	33.22
AV	11.498G	39.40	54.00	-14.60	25.72	3	Horizontal	66	1.76	-	39.00	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 92
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	62.05	68.20	-6.15	54.76	3	Vertical	185	1.76	-	33.83	5.60	32.14
PK	5.805G	113.81	Inf	-Inf	106.65	3	Vertical	185	1.76	-	33.71	5.60	32.15
AV	5.798G	101.36	Inf	-Inf	94.21	3	Vertical	185	1.76	-	33.70	5.60	32.15
PK	5.927G	67.39	68.20	-0.81	59.77	3	Vertical	185	1.76	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 92
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	57.42	68.20	-10.78	50.13	3	Horizontal	40	2.07	-	33.83	5.60	32.14
PK	5.783G	101.29	Inf	-Inf	94.11	3	Horizontal	40	2.07	-	33.73	5.60	32.15
AV	5.798G	89.25	Inf	-Inf	82.10	3	Horizontal	40	2.07	-	33.70	5.60	32.15
PK	5.931G	58.85	68.20	-9.35	51.22	3	Horizontal	40	2.07	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 92
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57878G	52.46	74.00	-21.54	38.53	3	Vertical	95	2.84	-	39.24	7.93	33.24
AV	11.60128G	39.86	54.00	-14.14	25.87	3	Vertical	95	2.84	-	39.30	7.94	33.25

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 92
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5885G	51.93	74.00	-22.07	37.96	3	Horizontal	281	2.99	-	39.27	7.94	33.24
AV	11.58472G	40.08	54.00	-13.92	26.14	3	Horizontal	281	2.99	-	39.25	7.93	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	65.01	74.00	-8.99	58.42	3	Vertical	170	1.91	-	33.50	5.24	32.15
AV	5.142G	52.61	54.00	-1.39	46.02	3	Vertical	170	1.91	-	33.50	5.24	32.15
PK	5.204G	105.84	Inf	-Inf	99.18	3	Vertical	170	1.91	-	33.51	5.30	32.15
AV	5.22G	93.96	Inf	-Inf	87.26	3	Vertical	170	1.91	-	33.54	5.31	32.15
PK	5.432G	57.17	74.00	-16.83	50.01	3	Vertical	170	1.91	-	33.86	5.43	32.13
AV	5.356G	46.09	54.00	-7.91	39.14	3	Vertical	170	1.91	-	33.71	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.054G	56.56	74.00	-17.44	50.25	3	Horizontal	228	2.03	-	33.32	5.15	32.16
AV	5.069G	45.03	54.00	-8.97	38.64	3	Horizontal	228	2.03	-	33.38	5.17	32.16
PK	5.204G	94.98	Inf	-Inf	88.32	3	Horizontal	228	2.03	-	33.51	5.30	32.15
AV	5.197G	81.70	Inf	-Inf	75.05	3	Horizontal	228	2.03	-	33.50	5.30	32.15
PK	5.372G	56.78	74.00	-17.22	49.79	3	Horizontal	228	2.03	-	33.74	5.39	32.14
AV	5.434G	44.87	54.00	-9.13	37.70	3	Horizontal	228	2.03	-	33.87	5.43	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62304G	52.94	74.00	-21.06	38.86	3	Vertical	48	2.55	-	37.55	9.83	33.30
AV	15.61668G	40.53	54.00	-13.47	26.42	3	Vertical	48	2.55	-	37.57	9.83	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.64098G	53.24	74.00	-20.76	39.20	3	Horizontal	116	1.81	-	37.52	9.84	33.32
AV	15.63612G	40.53	54.00	-13.47	26.47	3	Horizontal	116	1.81	-	37.53	9.84	33.31

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	57.54	74.00	-16.46	50.97	3	Vertical	165	1.95	-	33.50	5.22	32.15
AV	5.116G	46.15	54.00	-7.85	39.58	3	Vertical	165	1.95	-	33.50	5.22	32.15
PK	5.303G	105.67	Inf	-Inf	98.76	3	Vertical	165	1.95	-	33.70	5.35	32.14
AV	5.301G	93.95	Inf	-Inf	87.04	3	Vertical	165	1.95	-	33.70	5.35	32.14
PK	5.35G	64.25	74.00	-9.75	57.31	3	Vertical	165	1.95	-	33.70	5.38	32.14
AV	5.35G	53.08	54.00	-0.92	46.14	3	Vertical	165	1.95	-	33.70	5.38	32.14
PK	5.517G	57.78	68.20	-10.42	50.49	3	Vertical	165	1.95	-	33.90	5.52	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.096G	56.90	74.00	-17.10	50.37	3	Horizontal	35	2.16	-	33.48	5.20	32.15
AV	5.107G	44.86	54.00	-9.14	38.30	3	Horizontal	35	2.16	-	33.50	5.21	32.15
PK	5.287G	92.75	Inf	-Inf	85.88	3	Horizontal	35	2.16	-	33.67	5.34	32.14
AV	5.302G	80.93	Inf	-Inf	74.02	3	Horizontal	35	2.16	-	33.70	5.35	32.14
PK	5.407G	57.21	74.00	-16.79	50.13	3	Horizontal	35	2.16	-	33.81	5.41	32.14
AV	5.361G	45.08	54.00	-8.92	38.12	3	Horizontal	35	2.16	-	33.72	5.38	32.14
PK	5.507G	57.19	68.20	-11.01	49.91	3	Horizontal	35	2.16	-	33.90	5.51	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86442G	53.02	74.00	-20.98	39.20	3	Vertical	305	2.81	-	37.46	9.94	33.58
AV	15.87414G	40.65	54.00	-13.35	26.83	3	Vertical	305	2.81	-	37.47	9.94	33.59

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88242G	52.74	74.00	-21.26	38.91	3	Horizontal	105	2.80	-	37.48	9.95	33.60
AV	15.85752G	40.68	54.00	-13.32	26.85	3	Horizontal	105	2.80	-	37.46	9.94	33.57

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	57.96	68.20	-10.24	51.04	3	Vertical	156	1.78	-	33.70	5.36	32.14
PK	5.459G	64.28	74.00	-9.72	57.05	3	Vertical	156	1.78	-	33.90	5.46	32.13
AV	5.46G	53.34	54.00	-0.66	46.11	3	Vertical	156	1.78	-	33.90	5.46	32.13
PK	5.47G	66.47	68.20	-1.73	59.23	3	Vertical	156	1.78	-	33.90	5.47	32.13
PK	5.522G	107.08	Inf	-Inf	99.79	3	Vertical	156	1.78	-	33.90	5.52	32.13
AV	5.52G	95.22	Inf	-Inf	87.93	3	Vertical	156	1.78	-	33.90	5.52	32.13
PK	5.755G	58.26	68.20	-9.94	51.02	3	Vertical	156	1.78	-	33.79	5.60	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	56.02	68.20	-12.18	49.11	3	Horizontal	239	2.56	-	33.70	5.35	32.14
PK	5.449G	56.82	74.00	-17.18	49.60	3	Horizontal	239	2.56	-	33.90	5.45	32.13
AV	5.459G	45.75	54.00	-8.25	38.52	3	Horizontal	239	2.56	-	33.90	5.46	32.13
PK	5.47G	56.94	68.20	-11.26	49.70	3	Horizontal	239	2.56	-	33.90	5.47	32.13
PK	5.518G	93.35	Inf	-Inf	86.06	3	Horizontal	239	2.56	-	33.90	5.52	32.13
AV	5.523G	81.37	Inf	-Inf	74.08	3	Horizontal	239	2.56	-	33.90	5.52	32.13
PK	5.737G	56.79	68.20	-11.41	49.56	3	Horizontal	239	2.56	-	33.77	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07374G	51.64	74.00	-22.36	38.60	3	Vertical	140	1.57	-	38.57	7.73	33.26
AV	11.05028G	39.22	54.00	-14.78	26.21	3	Vertical	140	1.57	-	38.55	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04758G	51.26	74.00	-22.74	38.26	3	Horizontal	348	1.34	-	38.55	7.72	33.27
AV	11.0501G	39.47	54.00	-14.53	26.46	3	Horizontal	348	1.34	-	38.55	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	61.77	74.00	-12.23	54.54	3	Vertical	164	1.80	-	33.90	5.46	32.13
AV	5.458G	48.60	54.00	-5.40	41.37	3	Vertical	164	1.80	-	33.90	5.46	32.13
PK	5.463G	62.13	68.20	-6.07	54.90	3	Vertical	164	1.80	-	33.90	5.46	32.13
PK	5.606G	108.69	Inf	-Inf	101.34	3	Vertical	164	1.80	-	33.89	5.60	32.14
AV	5.618G	97.06	Inf	-Inf	89.74	3	Vertical	164	1.80	-	33.86	5.60	32.14
PK	5.725G	67.61	68.20	-0.59	60.40	3	Vertical	164	1.80	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.433G	56.45	74.00	-17.55	49.28	3	Horizontal	234	1.50	-	33.87	5.43	32.13
PK	5.468G	56.17	68.20	-12.03	48.93	3	Horizontal	234	1.50	-	33.90	5.47	32.13
AV	5.452G	44.88	54.00	-9.12	37.66	3	Horizontal	234	1.50	-	33.90	5.45	32.13
PK	5.613G	95.10	Inf	-Inf	87.77	3	Horizontal	234	1.50	-	33.87	5.60	32.14
AV	5.615G	82.18	Inf	-Inf	74.85	3	Horizontal	234	1.50	-	33.87	5.60	32.14
PK	5.785G	57.33	68.20	-10.87	50.15	3	Horizontal	234	1.50	-	33.73	5.60	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21196G	51.35	74.00	-22.65	38.12	3	Vertical	101	1.96	-	38.70	7.78	33.25
AV	11.22318G	39.75	54.00	-14.25	26.51	3	Vertical	101	1.96	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23074G	51.29	74.00	-22.71	38.05	3	Horizontal	303	1.28	-	38.70	7.79	33.25
AV	11.22666G	39.26	54.00	-14.74	26.02	3	Horizontal	303	1.28	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 75
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4356G	57.88	74.00	-16.12	50.70	3	Vertical	192	1.72	-	33.87	5.44	32.13
PK	5.4608G	57.33	68.20	-10.87	50.10	3	Vertical	192	1.72	-	33.90	5.46	32.13
AV	5.4596G	45.84	54.00	-8.16	38.61	3	Vertical	192	1.72	-	33.90	5.46	32.13
PK	5.6996G	109.65	Inf	-Inf	102.49	3	Vertical	192	1.72	-	33.70	5.60	32.14
AV	5.702G	97.66	Inf	-Inf	90.50	3	Vertical	192	1.72	-	33.70	5.60	32.14
PK	5.85G	68.17	68.20	-0.03	60.87	3	Vertical	192	1.72	-	33.80	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 75
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4224G	56.47	74.00	-17.53	49.34	3	Horizontal	34	1.98	-	33.84	5.42	32.13
PK	5.468G	55.41	68.20	-12.79	48.17	3	Horizontal	34	1.98	-	33.90	5.47	32.13
AV	5.4536G	45.13	54.00	-8.87	37.91	3	Horizontal	34	1.98	-	33.90	5.45	32.13
PK	5.6984G	97.86	Inf	-Inf	90.70	3	Horizontal	34	1.98	-	33.70	5.60	32.14
AV	5.7008G	86.24	Inf	-Inf	79.08	3	Horizontal	34	1.98	-	33.70	5.60	32.14
PK	5.852G	59.36	68.20	-8.84	52.05	3	Horizontal	34	1.98	-	33.81	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 75
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38258G	51.33	74.00	-22.67	37.93	3	Vertical	330	1.62	-	38.78	7.85	33.23
AV	11.3905G	39.65	54.00	-14.35	26.23	3	Vertical	330	1.62	-	38.79	7.86	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 75
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3881G	51.66	74.00	-22.34	38.24	3	Horizontal	242	2.86	-	38.79	7.86	33.23
AV	11.3908G	39.50	54.00	-14.50	26.08	3	Horizontal	242	2.86	-	38.79	7.86	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 81
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	64.69	68.20	-3.51	57.39	3	Vertical	188	1.91	-	33.84	5.60	32.14
PK	5.802G	108.68	Inf	-Inf	101.53	3	Vertical	188	1.91	-	33.70	5.60	32.15
AV	5.805G	96.78	Inf	-Inf	89.62	3	Vertical	188	1.91	-	33.71	5.60	32.15
PK	5.925G	68.05	68.20	-0.15	60.43	3	Vertical	188	1.91	-	34.05	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 81
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	57.67	68.20	-10.53	50.40	3	Horizontal	38	2.07	-	33.81	5.60	32.14
PK	5.784G	97.81	Inf	-Inf	90.63	3	Horizontal	38	2.07	-	33.73	5.60	32.15
AV	5.787G	85.30	Inf	-Inf	78.12	3	Horizontal	38	2.07	-	33.73	5.60	32.15
PK	5.943G	58.58	68.20	-9.62	50.91	3	Horizontal	38	2.07	-	34.09	5.74	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 81
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55426G	51.47	74.00	-22.53	37.62	3	Vertical	26	1.35	-	39.16	7.92	33.23
AV	11.56104G	39.72	54.00	-14.28	25.86	3	Vertical	26	1.35	-	39.18	7.92	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT X_1TX
Setting 81
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5494G	52.10	74.00	-21.90	38.26	3	Horizontal	335	1.18	-	39.15	7.92	33.23
AV	11.56074G	39.56	54.00	-14.44	25.70	3	Horizontal	335	1.18	-	39.18	7.92	33.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.97	54.00	-0.03	3	Horizontal	180	2.11	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	56.58	74.00	-17.42	49.99	3	Vertical	194	1.93	-	33.50	5.24	32.15
AV	5.1462G	44.59	54.00	-9.41	37.99	3	Vertical	194	1.93	-	33.50	5.25	32.15
PK	5.1756G	95.81	Inf	-Inf	89.18	3	Vertical	194	1.93	-	33.50	5.28	32.15
AV	5.1782G	85.47	Inf	-Inf	78.84	3	Vertical	194	1.93	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.75	74.00	-4.25	63.15	3	Horizontal	179	1.80	-	33.50	5.25	32.15
AV	5.15G	53.80	54.00	-0.20	47.20	3	Horizontal	179	1.80	-	33.50	5.25	32.15
PK	5.177G	114.04	Inf	-Inf	107.41	3	Horizontal	179	1.80	-	33.50	5.28	32.15
AV	5.176G	104.18	Inf	-Inf	97.55	3	Horizontal	179	1.80	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53976G	53.90	74.00	-20.10	39.53	3	Vertical	360	1.80	-	37.78	9.79	33.20
AV	15.54066G	40.75	54.00	-13.25	26.38	3	Vertical	360	1.80	-	37.78	9.79	33.20

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52848G	53.82	74.00	-20.18	39.40	3	Horizontal	80	1.02	-	37.81	9.79	33.18
AV	15.53262G	40.72	54.00	-13.28	26.32	3	Horizontal	80	1.02	-	37.80	9.79	33.19

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	58.27	74.00	-15.73	51.67	3	Vertical	184	1.02	-	33.50	5.25	32.15
AV	5.15G	44.97	54.00	-9.03	38.37	3	Vertical	184	1.02	-	33.50	5.25	32.15
PK	5.1988G	99.70	Inf	-Inf	93.05	3	Vertical	184	1.02	-	33.50	5.30	32.15
AV	5.2012G	89.43	Inf	-Inf	82.78	3	Vertical	184	1.02	-	33.50	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	71.11	74.00	-2.89	64.51	3	Horizontal	185	1.97	-	33.50	5.25	32.15
AV	5.1496G	53.91	54.00	-0.09	47.31	3	Horizontal	185	1.97	-	33.50	5.25	32.15
PK	5.1968G	115.19	Inf	-Inf	108.54	3	Horizontal	185	1.97	-	33.50	5.30	32.15
AV	5.1972G	104.90	Inf	-Inf	98.25	3	Horizontal	185	1.97	-	33.50	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60714G	56.87	74.00	-17.13	42.74	3	Vertical	10	2.68	-	37.59	9.82	33.28
AV	15.59994G	42.74	54.00	-11.26	28.59	3	Vertical	10	2.68	-	37.60	9.82	33.27

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60108G	54.61	74.00	-19.39	40.46	3	Horizontal	26	1.90	-	37.60	9.82	33.27
AV	15.60474G	41.15	54.00	-12.85	27.01	3	Horizontal	26	1.90	-	37.59	9.82	33.27

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1182G	56.53	74.00	-17.47	49.96	3	Vertical	171	2.88	-	33.50	5.22	32.15
AV	5.1488G	44.31	54.00	-9.69	37.71	3	Vertical	171	2.88	-	33.50	5.25	32.15
PK	5.2418G	102.60	Inf	-Inf	95.85	3	Vertical	171	2.88	-	33.58	5.32	32.15
AV	5.2382G	91.46	Inf	-Inf	84.71	3	Vertical	171	2.88	-	33.58	5.32	32.15
PK	5.3894G	56.35	74.00	-17.65	49.32	3	Vertical	171	2.88	-	33.78	5.39	32.14
AV	5.35G	44.41	54.00	-9.59	37.47	3	Vertical	171	2.88	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	70.98	74.00	-3.02	64.39	3	Horizontal	183	2.08	-	33.50	5.24	32.15
AV	5.1494G	53.28	54.00	-0.72	46.68	3	Horizontal	183	2.08	-	33.50	5.25	32.15
PK	5.2418G	121.00	Inf	-Inf	114.25	3	Horizontal	183	2.08	-	33.58	5.32	32.15
AV	5.2442G	109.82	Inf	-Inf	103.06	3	Horizontal	183	2.08	-	33.59	5.32	32.15
PK	5.3528G	66.22	74.00	-7.78	59.27	3	Horizontal	183	2.08	-	33.71	5.38	32.14
AV	5.3504G	51.26	54.00	-2.74	44.32	3	Horizontal	183	2.08	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71766G	62.08	74.00	-11.92	48.22	3	Vertical	8	2.63	-	37.40	9.87	33.41
AV	15.71904G	48.79	54.00	-5.21	34.93	3	Vertical	8	2.63	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71394G	56.36	74.00	-17.64	42.49	3	Horizontal	26.6	1.92	-	37.40	9.87	33.40
AV	15.71454G	43.19	54.00	-10.81	29.32	3	Horizontal	26.6	1.92	-	37.40	9.87	33.40

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1166G	57.06	74.00	-16.94	50.49	3	Vertical	169	2.95	-	33.50	5.22	32.15
AV	5.1316G	44.20	54.00	-9.80	37.62	3	Vertical	169	2.95	-	33.50	5.23	32.15
PK	5.2588G	102.93	Inf	-Inf	96.12	3	Vertical	169	2.95	-	33.62	5.33	32.14
AV	5.2618G	92.18	Inf	-Inf	85.37	3	Vertical	169	2.95	-	33.62	5.33	32.14
PK	5.3818G	56.28	74.00	-17.72	49.27	3	Vertical	169	2.95	-	33.76	5.39	32.14
AV	5.35G	44.46	54.00	-9.54	37.52	3	Vertical	169	2.95	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.00	74.00	-8.00	59.40	3	Horizontal	178	1.92	-	33.50	5.25	32.15
AV	5.15G	49.27	54.00	-4.73	42.67	3	Horizontal	178	1.92	-	33.50	5.25	32.15
PK	5.2546G	121.28	Inf	-Inf	114.48	3	Horizontal	178	1.92	-	33.61	5.33	32.14
AV	5.2534G	110.07	Inf	-Inf	103.27	3	Horizontal	178	1.92	-	33.61	5.33	32.14
PK	5.3596G	67.36	74.00	-6.64	60.40	3	Horizontal	178	1.92	-	33.72	5.38	32.14
AV	5.35G	52.89	54.00	-1.11	45.95	3	Horizontal	178	1.92	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77424G	58.45	74.00	-15.55	44.62	3	Vertical	8	2.66	-	37.40	9.90	33.47
AV	15.77658G	45.63	54.00	-8.37	31.81	3	Vertical	8	2.66	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7917G	55.95	74.00	-18.05	42.13	3	Horizontal	48	2.31	-	37.40	9.91	33.49
AV	15.78162G	42.08	54.00	-11.92	28.26	3	Horizontal	48	2.31	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 84
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	100.50	Inf	-Inf	93.59	3	Vertical	188	1.04	-	33.70	5.35	32.14
AV	5.294G	89.99	Inf	-Inf	83.09	3	Vertical	188	1.04	-	33.69	5.35	32.14
PK	5.35G	58.45	74.00	-15.55	51.51	3	Vertical	188	1.04	-	33.70	5.38	32.14
AV	5.35G	45.07	54.00	-8.93	38.13	3	Vertical	188	1.04	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 84
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	115.02	Inf	-Inf	108.12	3	Horizontal	178	1.80	-	33.69	5.35	32.14
AV	5.3024G	105.26	Inf	-Inf	98.35	3	Horizontal	178	1.80	-	33.70	5.35	32.14
PK	5.3508G	71.19	74.00	-2.81	64.25	3	Horizontal	178	1.80	-	33.70	5.38	32.14
AV	5.35G	53.84	54.00	-0.16	46.90	3	Horizontal	178	1.80	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 84
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60234G	55.46	74.00	-18.54	42.52	3	Vertical	229	2.95	-	38.50	7.54	33.10
AV	10.60198G	42.03	54.00	-11.97	29.08	3	Vertical	229	2.95	-	38.50	7.54	33.09
PK	15.8224G	53.78	74.00	-20.22	39.97	3	Vertical	68	2.58	-	37.42	9.92	33.53
AV	15.8128G	40.09	54.00	-13.91	26.28	3	Vertical	68	2.58	-	37.41	9.92	33.52

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 84
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60033G	60.87	74.00	-13.13	47.92	3	Horizontal	229	1.83	-	38.50	7.54	33.09
AV	10.60009G	46.71	54.00	-7.29	33.76	3	Horizontal	229	1.83	-	38.50	7.54	33.09
PK	15.918G	53.33	74.00	-20.67	39.53	3	Horizontal	134	2.26	-	37.48	9.96	33.64
AV	15.8116G	40.25	54.00	-13.75	26.44	3	Horizontal	134	2.26	-	37.41	9.92	33.52

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3246G	96.89	Inf	-Inf	89.97	3	Vertical	177	1.32	-	33.70	5.36	32.14
AV	5.321G	85.62	Inf	-Inf	78.70	3	Vertical	177	1.32	-	33.70	5.36	32.14
PK	5.3566G	57.81	74.00	-16.19	50.86	3	Vertical	177	1.32	-	33.71	5.38	32.14
AV	5.3508G	44.74	54.00	-9.26	37.80	3	Vertical	177	1.32	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	114.25	Inf	-Inf	107.33	3	Horizontal	177	1.80	-	33.70	5.36	32.14
AV	5.3218G	103.95	Inf	-Inf	97.03	3	Horizontal	177	1.80	-	33.70	5.36	32.14
PK	5.3526G	70.26	74.00	-3.74	63.31	3	Horizontal	177	1.80	-	33.71	5.38	32.14
AV	5.3504G	53.86	54.00	-0.14	46.92	3	Horizontal	177	1.80	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63436G	55.99	74.00	-18.01	43.08	3	Vertical	305	2.15	-	38.47	7.55	33.11
AV	10.62734G	42.22	54.00	-11.78	29.31	3	Vertical	305	2.15	-	38.47	7.55	33.11
PK	15.95514G	53.06	74.00	-20.94	39.33	3	Vertical	343	1.53	-	37.44	9.98	33.69
AV	15.9507G	40.85	54.00	-13.15	27.10	3	Vertical	343	1.53	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6271G	60.87	74.00	-13.13	47.96	3	Horizontal	344	2.12	-	38.47	7.55	33.11
AV	10.62866G	46.19	54.00	-7.81	33.28	3	Horizontal	344	2.12	-	38.47	7.55	33.11
PK	15.94614G	53.96	74.00	-20.04	40.21	3	Horizontal	3	1.01	-	37.45	9.98	33.68
AV	15.9525G	40.80	54.00	-13.20	27.05	3	Horizontal	3	1.01	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	56.80	74.00	-17.20	49.57	3	Vertical	169	1.80	-	33.90	5.46	32.13
AV	5.4112G	44.54	54.00	-9.46	37.45	3	Vertical	169	1.80	-	33.82	5.41	32.14
PK	5.468G	56.37	68.20	-11.83	49.13	3	Vertical	169	1.80	-	33.90	5.47	32.13
PK	5.5064G	94.15	Inf	-Inf	86.87	3	Vertical	169	1.80	-	33.90	5.51	32.13
AV	5.5036G	83.89	Inf	-Inf	76.62	3	Vertical	169	1.80	-	33.90	5.50	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.55	74.00	-10.45	56.32	3	Horizontal	174	2.01	-	33.90	5.46	32.13
AV	5.4596G	50.09	54.00	-3.91	42.86	3	Horizontal	174	2.01	-	33.90	5.46	32.13
PK	5.466G	67.99	68.20	-0.21	60.75	3	Horizontal	174	2.01	-	33.90	5.47	32.13
PK	5.498G	113.55	Inf	-Inf	106.28	3	Horizontal	174	2.01	-	33.90	5.50	32.13
AV	5.5068G	103.24	Inf	-Inf	95.96	3	Horizontal	174	2.01	-	33.90	5.51	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01464G	51.66	74.00	-22.34	38.71	3	Vertical	144	1.80	-	38.51	7.71	33.27
AV	11.01434G	38.79	54.00	-15.21	25.84	3	Vertical	144	1.80	-	38.51	7.71	33.27

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00042G	52.17	74.00	-21.83	39.24	3	Horizontal	231	1.79	-	38.50	7.70	33.27
AV	11.00528G	39.10	54.00	-14.90	26.16	3	Horizontal	231	1.79	-	38.51	7.70	33.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	56.83	74.00	-17.17	49.63	3	Vertical	178	1.37	-	33.89	5.44	32.13
PK	5.464G	55.52	68.20	-12.68	48.29	3	Vertical	178	1.37	-	33.90	5.46	32.13
AV	5.457G	44.24	54.00	-9.76	37.01	3	Vertical	178	1.37	-	33.90	5.46	32.13
PK	5.578G	99.33	Inf	-Inf	91.98	3	Vertical	178	1.37	-	33.90	5.58	32.13
AV	5.576G	88.60	Inf	-Inf	81.25	3	Vertical	178	1.37	-	33.90	5.58	32.13
PK	5.761G	58.03	68.20	-10.17	50.80	3	Vertical	178	1.37	-	33.78	5.60	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.377G	48.21	54.00	-5.79	41.21	3	Horizontal	179	1.80	-	33.75	5.39	32.14
PK	5.459G	62.04	74.00	-11.96	54.81	3	Horizontal	179	1.80	-	33.90	5.46	32.13
PK	5.463G	62.05	68.20	-6.15	54.82	3	Horizontal	179	1.80	-	33.90	5.46	32.13
PK	5.574G	117.15	Inf	-Inf	109.81	3	Horizontal	179	1.80	-	33.90	5.57	32.13
AV	5.574G	106.49	Inf	-Inf	99.15	3	Horizontal	179	1.80	-	33.90	5.57	32.13
PK	5.735G	61.79	68.20	-6.41	54.56	3	Horizontal	179	1.80	-	33.77	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16972G	51.43	74.00	-22.57	38.24	3	Vertical	175	2.53	-	38.67	7.77	33.25
AV	11.15454G	38.28	54.00	-15.72	25.12	3	Vertical	175	2.53	-	38.65	7.76	33.25

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1633G	54.20	74.00	-19.80	41.02	3	Horizontal	223	1.77	-	38.66	7.77	33.25
AV	11.1603G	41.12	54.00	-12.88	27.95	3	Horizontal	223	1.77	-	38.66	7.76	33.25

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6998G	91.69	Inf	-Inf	84.53	3	Vertical	167	1.95	-	33.70	5.60	32.14
AV	5.7018G	80.73	Inf	-Inf	73.57	3	Vertical	167	1.95	-	33.70	5.60	32.14
PK	5.7444G	57.03	68.20	-11.17	49.78	3	Vertical	167	1.95	-	33.79	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	110.53	Inf	-Inf	103.36	3	Horizontal	172	1.79	-	33.71	5.60	32.14
AV	5.6954G	99.23	Inf	-Inf	92.06	3	Horizontal	172	1.79	-	33.71	5.60	32.14
PK	5.728G	67.97	68.20	-0.23	60.75	3	Horizontal	172	1.79	-	33.76	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3658G	51.90	74.00	-22.10	38.51	3	Vertical	203	1.36	-	38.77	7.85	33.23
AV	11.4194G	38.17	54.00	-15.83	24.69	3	Vertical	203	1.36	-	38.84	7.87	33.23

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3859G	52.15	74.00	-21.85	38.74	3	Horizontal	316	2.32	-	38.79	7.85	33.23
AV	11.39982G	38.95	54.00	-15.05	25.52	3	Horizontal	316	2.32	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	56.56	74.00	-17.44	49.40	3	Vertical	168	1.86	-	33.86	5.43	32.13
AV	5.4272G	44.27	54.00	-9.73	37.12	3	Vertical	168	1.86	-	33.85	5.43	32.13
PK	5.4632G	55.56	68.20	-12.64	48.33	3	Vertical	168	1.86	-	33.90	5.46	32.13
PK	5.7224G	100.52	Inf	-Inf	93.32	3	Vertical	168	1.86	-	33.74	5.60	32.14
AV	5.7248G	89.34	Inf	-Inf	82.13	3	Vertical	168	1.86	-	33.75	5.60	32.14
PK	5.9168G	57.17	68.20	-11.03	49.58	3	Vertical	168	1.86	-	34.03	5.72	32.16

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	57.35	74.00	-16.65	50.19	3	Horizontal	176	1.78	-	33.86	5.43	32.13
PK	5.4668G	57.31	68.20	-10.89	50.07	3	Horizontal	176	1.78	-	33.90	5.47	32.13
AV	5.4548G	45.56	54.00	-8.44	38.34	3	Horizontal	176	1.78	-	33.90	5.45	32.13
PK	5.7272G	120.23	Inf	-Inf	113.02	3	Horizontal	176	1.78	-	33.75	5.60	32.14
AV	5.7248G	109.02	Inf	-Inf	101.81	3	Horizontal	176	1.78	-	33.75	5.60	32.14
PK	5.852G	67.59	68.20	-0.61	60.28	3	Horizontal	176	1.78	-	33.81	5.65	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4469G	51.34	74.00	-22.66	37.80	3	Vertical	5	1.36	-	38.89	7.88	33.23
AV	11.4535G	38.38	54.00	-15.62	24.81	3	Vertical	5	1.36	-	38.91	7.88	33.22

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4319G	51.12	74.00	-22.88	37.62	3	Horizontal	298	2.39	-	38.86	7.87	33.23
AV	11.44972G	38.39	54.00	-15.61	24.84	3	Horizontal	298	2.39	-	38.90	7.88	33.23

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	56.94	68.20	-11.26	49.64	3	Vertical	173	1.64	-	33.84	5.60	32.14
PK	5.744G	100.95	Inf	-Inf	93.70	3	Vertical	173	1.64	-	33.79	5.60	32.14
AV	5.74G	90.18	Inf	-Inf	82.94	3	Vertical	173	1.64	-	33.78	5.60	32.14
PK	5.974G	57.27	68.20	-10.93	49.56	3	Vertical	173	1.64	-	34.10	5.77	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.98	68.20	-0.22	60.72	3	Horizontal	171	1.80	-	33.80	5.60	32.14
PK	5.742G	120.65	Inf	-Inf	113.41	3	Horizontal	171	1.80	-	33.78	5.60	32.14
AV	5.743G	109.61	Inf	-Inf	102.36	3	Horizontal	171	1.80	-	33.79	5.60	32.14
PK	5.941G	62.39	68.20	-5.81	54.73	3	Horizontal	171	1.80	-	34.08	5.74	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48118G	52.03	74.00	-21.97	38.40	3	Vertical	109	2.47	-	38.96	7.89	33.22
AV	11.4894G	38.66	54.00	-15.34	25.00	3	Vertical	109	2.47	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48712G	53.73	74.00	-20.27	40.09	3	Horizontal	220	1.80	-	38.97	7.89	33.22
AV	11.4906G	40.10	54.00	-13.90	26.44	3	Horizontal	220	1.80	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	57.66	68.20	-10.54	50.32	3	Vertical	171	1.68	-	33.88	5.60	32.14
PK	5.791G	101.86	Inf	-Inf	94.69	3	Vertical	171	1.68	-	33.72	5.60	32.15
AV	5.779G	90.97	Inf	-Inf	83.78	3	Vertical	171	1.68	-	33.74	5.60	32.15
PK	5.967G	57.32	68.20	-10.88	49.61	3	Vertical	171	1.68	-	34.10	5.77	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.18	68.20	-3.02	57.92	3	Horizontal	173	1.83	-	33.80	5.60	32.14
PK	5.789G	120.21	Inf	-Inf	113.04	3	Horizontal	173	1.83	-	33.72	5.60	32.15
AV	5.778G	109.52	Inf	-Inf	102.33	3	Horizontal	173	1.83	-	33.74	5.60	32.15
PK	5.925G	66.10	68.20	-2.10	58.48	3	Horizontal	173	1.83	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56904G	52.87	74.00	-21.13	38.97	3	Vertical	209	1.80	-	39.21	7.93	33.24
AV	11.56976G	39.44	54.00	-14.56	25.54	3	Vertical	209	1.80	-	39.21	7.93	33.24
PK	17.36664G	61.45	68.20	-6.75	41.06	3	Vertical	22	2.25	-	42.83	10.68	33.12

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56484G	53.97	74.00	-20.03	40.09	3	Horizontal	220	1.97	-	39.19	7.93	33.24
AV	11.57102G	41.08	54.00	-12.92	27.18	3	Horizontal	220	1.97	-	39.21	7.93	33.24
PK	17.36016G	62.07	68.20	-6.13	41.74	3	Horizontal	12	1.82	-	42.78	10.68	33.13

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	56.58	68.20	-11.62	49.26	3	Vertical	171	1.66	-	33.86	5.60	32.14
PK	5.825G	101.46	Inf	-Inf	94.24	3	Vertical	171	1.66	-	33.75	5.62	32.15
AV	5.827G	90.33	Inf	-Inf	83.10	3	Vertical	171	1.66	-	33.75	5.63	32.15
PK	6.002G	57.04	68.20	-11.16	49.29	3	Vertical	171	1.66	-	34.11	5.80	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	60.86	68.20	-7.34	53.55	3	Horizontal	175	1.35	-	33.85	5.60	32.14
PK	5.827G	120.29	Inf	-Inf	113.06	3	Horizontal	175	1.35	-	33.75	5.63	32.15
AV	5.828G	109.35	Inf	-Inf	102.11	3	Horizontal	175	1.35	-	33.76	5.63	32.15
PK	5.924G	68.30	68.94	-0.64	60.69	3	Horizontal	175	1.35	-	34.05	5.72	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65G	53.12	74.00	-20.88	39.07	3	Vertical	101	1.80	-	39.35	7.96	33.26
AV	11.65576G	39.43	54.00	-14.57	25.37	3	Vertical	101	1.80	-	39.36	7.96	33.26

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64904G	54.07	74.00	-19.93	40.02	3	Horizontal	219	1.84	-	39.35	7.96	33.26
AV	11.64616G	40.60	54.00	-13.40	26.55	3	Horizontal	219	1.84	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	56.77	74.00	-17.23	50.17	3	Vertical	201	1.82	-	33.50	5.25	32.15
AV	5.149G	43.87	54.00	-10.13	37.27	3	Vertical	201	1.82	-	33.50	5.25	32.15
PK	5.177G	97.29	Inf	-Inf	90.66	3	Vertical	201	1.82	-	33.50	5.28	32.15
AV	5.1778G	83.08	Inf	-Inf	76.45	3	Vertical	201	1.82	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.89	74.00	-5.11	62.29	3	Horizontal	185	2.22	-	33.50	5.25	32.15
AV	5.15G	53.83	54.00	-0.17	47.23	3	Horizontal	185	2.22	-	33.50	5.25	32.15
PK	5.176G	115.36	Inf	-Inf	108.73	3	Horizontal	185	2.22	-	33.50	5.28	32.15
AV	5.1766G	101.94	Inf	-Inf	95.31	3	Horizontal	185	2.22	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54504G	53.95	74.00	-20.05	39.59	3	Vertical	340	2.95	-	37.76	9.80	33.20
AV	15.53166G	39.48	54.00	-14.52	25.07	3	Vertical	340	2.95	-	37.81	9.79	33.19

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54882G	53.25	74.00	-20.75	38.91	3	Horizontal	360	2.66	-	37.75	9.80	33.21
AV	15.52542G	39.36	54.00	-14.64	24.93	3	Horizontal	360	2.66	-	37.82	9.79	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Z_1TX
Setting 80
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	57.87	74.00	-16.13	51.28	3	Vertical	185	1.02	-	33.50	5.24	32.15
AV	5.15G	44.84	54.00	-9.16	38.24	3	Vertical	185	1.02	-	33.50	5.25	32.15
PK	5.2072G	100.36	Inf	-Inf	93.70	3	Vertical	185	1.02	-	33.51	5.30	32.15
AV	5.2008G	86.96	Inf	-Inf	80.31	3	Vertical	185	1.02	-	33.50	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	71.13	74.00	-2.87	64.53	3	Horizontal	179	2.00	-	33.50	5.25	32.15
AV	5.15G	53.79	54.00	-0.21	47.19	3	Horizontal	179	2.00	-	33.50	5.25	32.15
PK	5.1976G	116.59	Inf	-Inf	109.94	3	Horizontal	179	2.00	-	33.50	5.30	32.15
AV	5.1944G	102.22	Inf	-Inf	95.58	3	Horizontal	179	2.00	-	33.50	5.29	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60354G	54.94	74.00	-19.06	40.80	3	Vertical	11	2.68	-	37.59	9.82	33.27
AV	15.60114G	41.13	54.00	-12.87	26.98	3	Vertical	11	2.68	-	37.60	9.82	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59118G	53.44	74.00	-20.56	39.25	3	Horizontal	26	2.16	-	37.63	9.82	33.26
AV	15.59532G	39.30	54.00	-14.70	25.13	3	Horizontal	26	2.16	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.105G	57.94	74.00	-16.06	51.39	3	Vertical	169	2.87	-	33.50	5.20	32.15
AV	5.1476G	43.89	54.00	-10.11	37.29	3	Vertical	169	2.87	-	33.50	5.25	32.15
PK	5.2478G	102.27	Inf	-Inf	95.50	3	Vertical	169	2.87	-	33.60	5.32	32.15
AV	5.2388G	89.17	Inf	-Inf	82.42	3	Vertical	169	2.87	-	33.58	5.32	32.15
PK	5.354G	56.48	74.00	-17.52	49.53	3	Vertical	169	2.87	-	33.71	5.38	32.14
AV	5.354G	43.89	54.00	-10.11	36.94	3	Vertical	169	2.87	-	33.71	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	70.11	74.00	-3.89	63.52	3	Horizontal	182	1.99	-	33.50	5.24	32.15
AV	5.15G	52.72	54.00	-1.28	46.12	3	Horizontal	182	1.99	-	33.50	5.25	32.15
PK	5.246G	121.14	Inf	-Inf	114.38	3	Horizontal	182	1.99	-	33.59	5.32	32.15
AV	5.2418G	107.62	Inf	-Inf	100.87	3	Horizontal	182	1.99	-	33.58	5.32	32.15
PK	5.35G	67.29	74.00	-6.71	60.35	3	Horizontal	182	1.99	-	33.70	5.38	32.14
AV	5.35G	49.87	54.00	-4.13	42.93	3	Horizontal	182	1.99	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT Z_1TX
Setting 91
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6624G	54.99	74.00	-19.01	41.00	3	Vertical	173	2.06	-	37.48	9.85	33.34
AV	15.5736G	41.42	54.00	-12.58	27.17	3	Vertical	173	2.06	-	37.68	9.81	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT Z_1TX
Setting 91
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6276G	53.68	74.00	-20.32	39.61	3	Horizontal	56	2.42	-	37.54	9.83	33.30
AV	15.5742G	39.35	54.00	-14.65	25.10	3	Horizontal	56	2.42	-	37.68	9.81	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	56.23	74.00	-17.77	49.64	3	Vertical	177	1.42	-	33.50	5.24	32.15
AV	5.1136G	43.63	54.00	-10.37	37.07	3	Vertical	177	1.42	-	33.50	5.21	32.15
PK	5.2678G	102.25	Inf	-Inf	95.42	3	Vertical	177	1.42	-	33.64	5.33	32.14
AV	5.2534G	89.63	Inf	-Inf	82.83	3	Vertical	177	1.42	-	33.61	5.33	32.14
PK	5.3566G	57.35	74.00	-16.65	50.40	3	Vertical	177	1.42	-	33.71	5.38	32.14
AV	5.3506G	44.15	54.00	-9.85	37.21	3	Vertical	177	1.42	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.87	74.00	-8.13	59.27	3	Horizontal	180	1.94	-	33.50	5.25	32.15
AV	5.15G	49.40	54.00	-4.60	42.80	3	Horizontal	180	1.94	-	33.50	5.25	32.15
PK	5.263G	121.28	Inf	-Inf	114.46	3	Horizontal	180	1.94	-	33.63	5.33	32.14
AV	5.2552G	108.33	Inf	-Inf	101.53	3	Horizontal	180	1.94	-	33.61	5.33	32.14
PK	5.3512G	71.01	74.00	-2.99	64.07	3	Horizontal	180	1.94	-	33.70	5.38	32.14
AV	5.35G	53.21	54.00	-0.79	46.28	3	Horizontal	180	1.94	-	33.70	5.37	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7764G	53.72	74.00	-20.28	39.90	3	Vertical	3	1.59	-	37.40	9.90	33.48
AV	15.77628G	40.19	54.00	-13.81	26.37	3	Vertical	3	1.59	-	37.40	9.90	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79458G	53.95	74.00	-20.05	40.14	3	Horizontal	107	2.26	-	37.40	9.91	33.50
AV	15.79314G	40.12	54.00	-13.88	26.31	3	Horizontal	107	2.26	-	37.40	9.91	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 81
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	101.30	Inf	-Inf	94.39	3	Vertical	187	1.03	-	33.70	5.35	32.14
AV	5.292G	87.88	Inf	-Inf	80.99	3	Vertical	187	1.03	-	33.68	5.35	32.14
PK	5.3536G	57.92	74.00	-16.08	50.97	3	Vertical	187	1.03	-	33.71	5.38	32.14
AV	5.35G	44.69	54.00	-9.31	37.75	3	Vertical	187	1.03	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 81
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	117.77	Inf	-Inf	110.86	3	Horizontal	180	2.11	-	33.70	5.35	32.14
AV	5.304G	103.45	Inf	-Inf	96.54	3	Horizontal	180	2.11	-	33.70	5.35	32.14
PK	5.35G	71.79	74.00	-2.21	64.86	3	Horizontal	180	2.11	-	33.70	5.37	32.14
AV	5.35G	53.97	54.00	-0.03	47.04	3	Horizontal	180	2.11	-	33.70	5.37	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 81
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6012G	54.66	74.00	-19.34	41.71	3	Vertical	229	2.95	-	38.50	7.54	33.09
AV	10.6G	40.73	54.00	-13.27	27.78	3	Vertical	229	2.95	-	38.50	7.54	33.09
PK	15.89118G	56.10	74.00	-17.90	42.27	3	Vertical	360	2.05	-	37.49	9.95	33.61
AV	15.89754G	41.63	54.00	-12.37	27.80	3	Vertical	360	2.05	-	37.50	9.95	33.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 81
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60213G	59.14	74.00	-14.86	46.19	3	Horizontal	229	1.75	-	38.50	7.54	33.09
AV	10.60099G	44.60	54.00	-9.40	31.65	3	Horizontal	229	1.75	-	38.50	7.54	33.09
PK	15.89844G	55.08	74.00	-18.92	41.25	3	Horizontal	39	2.17	-	37.50	9.95	33.62
AV	15.89754G	40.81	54.00	-13.19	26.98	3	Horizontal	39	2.17	-	37.50	9.95	33.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	100.04	Inf	-Inf	93.12	3	Vertical	188	1.02	-	33.70	5.36	32.14
AV	5.3216G	86.41	Inf	-Inf	79.49	3	Vertical	188	1.02	-	33.70	5.36	32.14
PK	5.352G	56.79	74.00	-17.21	49.85	3	Vertical	188	1.02	-	33.70	5.38	32.14
AV	5.3502G	44.40	54.00	-9.60	37.46	3	Vertical	188	1.02	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	116.68	Inf	-Inf	109.76	3	Horizontal	186	1.80	-	33.70	5.36	32.14
AV	5.3214G	101.80	Inf	-Inf	94.88	3	Horizontal	186	1.80	-	33.70	5.36	32.14
PK	5.3538G	68.40	74.00	-5.60	61.45	3	Horizontal	186	1.80	-	33.71	5.38	32.14
AV	5.35G	53.83	54.00	-0.17	46.90	3	Horizontal	186	1.80	-	33.70	5.37	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.67704G	55.01	74.00	-18.99	42.15	3	Vertical	122	1.15	-	38.42	7.57	33.13
AV	10.60072G	42.96	54.00	-11.04	30.01	3	Vertical	122	1.15	-	38.50	7.54	33.09
PK	15.9352G	52.44	74.00	-21.56	38.67	3	Vertical	216	1.37	-	37.46	9.97	33.66
AV	15.9184G	39.98	54.00	-14.02	26.18	3	Vertical	216	1.37	-	37.48	9.96	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.66228G	50.97	74.00	-23.03	38.09	3	Horizontal	91	1.30	-	38.44	7.56	33.12
AV	10.60072G	37.96	54.00	-16.04	25.01	3	Horizontal	91	1.30	-	38.50	7.54	33.09
PK	15.9314G	52.97	74.00	-21.03	39.19	3	Horizontal	207	1.36	-	37.47	9.97	33.66
AV	15.9314G	38.82	54.00	-15.18	25.04	3	Horizontal	207	1.36	-	37.47	9.97	33.66

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	56.67	74.00	-17.33	49.49	3	Vertical	169	1.80	-	33.87	5.44	32.13
PK	5.4688G	55.88	68.20	-12.32	48.64	3	Vertical	169	1.80	-	33.90	5.47	32.13
AV	5.4584G	43.81	54.00	-10.19	36.58	3	Vertical	169	1.80	-	33.90	5.46	32.13
PK	5.5008G	95.24	Inf	-Inf	87.97	3	Vertical	169	1.80	-	33.90	5.50	32.13
AV	5.5032G	81.58	Inf	-Inf	74.31	3	Vertical	169	1.80	-	33.90	5.50	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.15	74.00	-8.85	57.92	3	Horizontal	175	2.12	-	33.90	5.46	32.13
AV	5.46G	49.53	54.00	-4.47	42.30	3	Horizontal	175	2.12	-	33.90	5.46	32.13
PK	5.468G	68.09	68.20	-0.11	60.85	3	Horizontal	175	2.12	-	33.90	5.47	32.13
PK	5.5064G	113.99	Inf	-Inf	106.71	3	Horizontal	175	2.12	-	33.90	5.51	32.13
AV	5.508G	100.51	Inf	-Inf	93.23	3	Horizontal	175	2.12	-	33.90	5.51	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0688G	51.12	74.00	-22.88	38.08	3	Vertical	223	2.70	-	38.57	7.73	33.26
AV	11.0244G	37.81	54.00	-16.19	24.85	3	Vertical	223	2.70	-	38.52	7.71	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0312G	52.74	74.00	-21.26	39.77	3	Horizontal	51	2.28	-	38.53	7.71	33.27
AV	11.0228G	39.78	54.00	-14.22	26.82	3	Horizontal	51	2.28	-	38.52	7.71	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.365G	56.39	74.00	-17.61	49.42	3	Vertical	180	1.37	-	33.73	5.38	32.14
PK	5.461G	55.66	68.20	-12.54	48.43	3	Vertical	180	1.37	-	33.90	5.46	32.13
AV	5.46G	44.00	54.00	-10.00	36.77	3	Vertical	180	1.37	-	33.90	5.46	32.13
PK	5.573G	101.33	Inf	-Inf	93.99	3	Vertical	180	1.37	-	33.90	5.57	32.13
AV	5.576G	87.49	Inf	-Inf	80.14	3	Vertical	180	1.37	-	33.90	5.58	32.13
PK	5.741G	57.06	68.20	-11.14	49.82	3	Vertical	180	1.37	-	33.78	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	62.95	74.00	-11.05	55.72	3	Horizontal	175	1.82	-	33.90	5.46	32.13
PK	5.461G	63.00	68.20	-5.20	55.77	3	Horizontal	175	1.82	-	33.90	5.46	32.13
AV	5.459G	48.47	54.00	-5.53	41.24	3	Horizontal	175	1.82	-	33.90	5.46	32.13
PK	5.585G	118.75	Inf	-Inf	111.41	3	Horizontal	175	1.82	-	33.90	5.58	32.14
AV	5.576G	105.07	Inf	-Inf	97.72	3	Horizontal	175	1.82	-	33.90	5.58	32.13
PK	5.735G	65.38	68.20	-2.82	58.15	3	Horizontal	175	1.82	-	33.77	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16372G	51.67	74.00	-22.33	38.49	3	Vertical	352	1.80	-	38.66	7.77	33.25
AV	11.16018G	37.87	54.00	-16.13	24.70	3	Vertical	352	1.80	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15466G	54.58	74.00	-19.42	41.42	3	Horizontal	221	1.80	-	38.65	7.76	33.25
AV	11.1591G	40.83	54.00	-13.17	27.66	3	Horizontal	221	1.80	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 45
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	92.11	Inf	-Inf	84.95	3	Vertical	166	1.95	-	33.70	5.60	32.14
AV	5.7028G	77.95	Inf	-Inf	70.78	3	Vertical	166	1.95	-	33.71	5.60	32.14
PK	5.7438G	57.72	68.20	-10.48	50.47	3	Vertical	166	1.95	-	33.79	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 45
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	110.36	Inf	-Inf	103.19	3	Horizontal	170	1.79	-	33.71	5.60	32.14
AV	5.6974G	95.99	Inf	-Inf	88.82	3	Horizontal	170	1.79	-	33.71	5.60	32.14
PK	5.7252G	68.05	68.20	-0.15	60.84	3	Horizontal	170	1.79	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom



EUT_Z_1TX
Setting 45
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4448G	51.46	74.00	-22.54	37.92	3	Vertical	256	2.36	-	38.89	7.88	33.23
AV	11.434G	38.16	54.00	-15.84	24.65	3	Vertical	256	2.36	-	38.87	7.87	33.23