



EPT038882 QMM – Host Label

Label Requirements

Revision: 1.0

Document Number: Doc-0015830

<p>Document Type: Electronics Requirement Specification Based on Template: Doc-0002432 Rev 3 DO NOT EDIT THIS BOX</p>
--

The Work In Progress watermark must be switched on while this document is being edited.

This document contains 4 pages.

The master of this document is held in the Document Management System. Paper or electronic copies of this document are uncontrolled. Always refer to the Document Management System for the correct Revision. If document is watermarked with Work In Progress, then its contents shall not be trusted.

Contents

1. Introduction..... 3

2. Host Label..... 4

I. Introduction

This document is for the labeling of a host device which contains the below Quality Management Module (QMM) which is a dual radio frequency identification (RF ID) tag reader. This system can be used in any new design of Domino printer. The system has been implemented to ensure the correct consumables are used within the Domino printer.




Figure 1 – EPT038882 QMM Sub System Module




Figure 2 – EPT038882 QMM Sub System Module with ID Label

2. Host Label

In accordance with FCC CFR47 §15.212, the printer (host product) label shall contain the following statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Contains FCC ID: 2AHFK-EPT038882

Contains IC: 21200-EPT038882

Below is an example of the printer (host product) label containing the statement above.



Figure 3 – Example Host Label for a Domino Printers