

DIHORSE

Professional Amplified Speaker System

Instruction Manual

Thank you very much for buying this speaker box, please kindly read instruction manual before operating the product

Product: Professional Amplified Speaker System

Model: UT-B15

Mark: DIHORSE

Technical Specification:

- 1.2-way amplified plastic loudspeaker.
2. Woofer : 15", 50Oz, 60mm VC.
3. Tweeter: 34mm VC, 13Oz
4. Frequency response: 50Hz-20KHz
5. Sensitivity: 96+-2dB
6. With USB,SD,FM and BT
7. Power: 3000W
8. Voltage: 120V/240V 50Hz/60Hz

Notes:


1. Please read the entire attached document carefully before using the device for your reference.
2. The power supply must match the demand of the device with reliable ground wire.
3. All covering signal should be complied with the demand of device
4. The device should be equipped far away high temperature, moisture and powerful electro and magnetic field.

5. Please don't use the organic cleaner but dry soft cloth to clear the device.
6. When not in use, unplug the unit from the mains.
7. Set the unit to the lowest volume prior to switching it on.
8. Only use suitable means of transportation if you want to move the speaker box - BE WARE OF YOUR BACK!



1. USB port
2. SD port
3. USB,SD,FM and BT button
 - stop
 - ▶ play and pause
 - ◀ last song
 - ▶ next song

5. MODE:exchange between USB , SD, FM and BT function
4. MP3 level through this knob to adjust the volume of USB,SD,FM and BT
5. MIC input to connect XLR and 6.35mm connector to put in signal
6. MIC level to adjust the level of MIC input
7. Line input One XLR connector and one group stereo RCA input
8. Line level to adjust the level of line input
9. Line output to connect XLR and 6.35mm connector to put out signal
10. Master volume to adjust the volume of speaker box
11. Bass
12. Treble
13. Power and clip indicator
14. Speakon out to connect another passive speaker box



15. Exchange of power from 120V to 240V

16. Power switch

17. Power connector

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.