

Followings shall be filled into by the user with the assistance of sales.

_____ Tel: _____
_____ Fax: _____
_____ P.c: _____

Followings shall be filled into by the sales.

(valid after stamping)

Date of sale: _____ Year _____ Month _____ Date

_____ Invoice number: _____

_____ Tel: _____ Installation and test date: _____ month _____ Date

Technical specification:

1. Output impedance: 4 ohm
2. Input impedance: 22 k ohm
3. Frequency response: 100HZ-16KHZ
4. FM Frequency response: 88.1MHZ-107.9MHZ
5. Sensitivity: 500mv
6. SNR: ≥ 85 dB

Note:

As the product is constantly update, the company reserves the right without prior notice to the product changes modify.


Jazz4181



PROFESSIONAL SPEAKER

PLEASE READ THIS USER MANUAL CAREFULLY BEFORE SYSTEM CONNECT

MEMORE CARD PANEL



- 01.LED DISPLAY
 02.MEMORY CARD:PUT MEMORY CARD INTO THE SLOT.
 03.MMC CARD:PUT MEMORY CARD INTO THE SLOT.
 04.MODE/DEL:PRESS THIS BUTTON TO SELECT MEMORY CARD/FM/LINE/BT
 LONG PRESS THIS KEY TO DELETE THE CURRENT RECORDING
 FILE WHILE PLAYING THE RECORDING FILE
 05.REPEAT: REPEAT
 06.REC: RECORD
 07.EQ: EQUALIZER
 08.PREV/CH- FOR MP3 MODE, PREVIOUS SONG WITH SHORT PRESS.
 FOR FM MODE,ON A SHORT PRESS FOR FINE-TUNING,A DIRECTOR
 AS A SEARCH
 09.PLAY/PAUSE
 10.NEXT/CH+: FOR MP3 MODE, NEXT SONG WITH SHORT PRESS.
 FOR FM MODE,THE NEXT SHORT TO FINE THE PLUS,THE NEXT STATION
 IS IN SEARCH OF A

BT USE INSTRUCTION:

STEP1:

Please press "MODE" to let the audio signal transfer to BT condition, now the panel is showing "BT" and the BT icon is flashing.

STEP2:

Open your others devices with BT function:Like cellphone,computer or others.Then it automatically begins scanning for nearby BT devices. Our speaker BT is "Jazz4181" .


STEP3:

When you find the BT settings, Simply select the BT device to complete the connection.

STEP4:


If the mobile phone can't find the BT settings, please turn off the audio systems and then repeat the above operation.

BACK PANEL CONNECTION DIAGRAM



- 1.AUDIO INPUT:AUDIO INPUT JACK
 2.LIGHT POWER:LIGHT ON/OFF
 3.BALL LIGHT POWER:LIGHT ON/OFF
 4.FM ANTENNA:FM ANTENNA
 5.120V/240V: ADJUST THE VOLTAGE 120V OR 240V
 6.AC ~ 120/240/50~60HZ:CONNECT TO AC POWER,PLEASE BE SURE CONNECT TO 120V/240V 50-60HZ. OUTER RANGE POWER MAY CAUSE ACCIDENT.

FRONT PANEL FUNCTION INSTRUCTION



- | | |
|-----------------|------------------------|
| 1. POWER SWITCH | 7. MICROPHONE PRIORITY |
| 2. AUX IN | 8. GUITAR VOL |
| 3. GUITAR INPUT | 9. BASS |
| 4. MIC INPUT | 10. TREBLE |
| 5. MIC VOL | 11. VOLUME |
| 6. M. ECHO | 12. EQUALIZER |
13. USB: the USB port is used for playing music from USB sticks.

REMOTE CONTROL



01. STANDBY STATE
02. MODE CONVERSION(MEMORY CARD/AUX/FM/BT)
03. (FAST REWIND) FOR MP3 MODE, PREVIOUS SONG WITH SHORT PRESS.FOR FM MODE, ON A SHORT PRESS FOR FINE-TUNING, A DIRECTOR AS A SEARCH
04. PLAY/PAUSE
05. (FAST FORWARD) FOR MP3 MODE, NEXT SONG WITH SHORT PRESS.FOR FM MODE, THE NEXT SHORT TO FINE THE PLUS, THE NEXT STATION IS IN SEARCH OF A
06. REPEATED A SONG IN MP3 MODE, CANCEL RECORDING FILE WITH LONG PRESS
07. VOL+ VOLUME INCREASE
08. VOL- VOLUME REDUCE
09. MUTE
10. FOR MP3 MODE THE SONG READ-AHEAD 10 SECONDS GO TO NEXT SONG WITH LONG PRESS
11. FOR MP3 MODE, CHANGE EQ ADJUSTMENT WITH SHORT PRESS
12. 0-9 DIRECTLY SELECT THE CHANNEL WHICH HAS SAVED IN THE SYSTEM ALREADY
13. (RECORD)RECORDING
14. (REC PALY)RECORD PALY

FCC STATEMENT :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body