


16. LTE_Band17


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	694	0.1	RMS	693.6	-65.37	-13	52.37	Pass	6641
694	726	0.1	RMS	704.32	19.8	60	40.2	Pass	401
726	1000	0.1	RMS	858.2	-65.28	-13	52.28	Pass	2741
1000	3000	1	RMS	1408	-49.39	-13	36.39	Pass	2001
3000	10000	1	RMS	6802	-45.72	-13	32.72	Pass	7001




16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.19	-72.06	-13	59.06	Pass	2986
30	694	0.1	RMS	694	-60.87	-13	47.87	Pass	6641
694	726	0.1	RMS	704.32	18.96	60	41.04	Pass	401
726	1000	0.1	RMS	874.9	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1408	-50.13	-13	37.13	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001




16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.21	-72.73	-13	59.73	Pass	2986
30	694	0.1	RMS	621.2	-66.18	-13	53.18	Pass	6641
694	726	0.1	RMS	707.84	20.08	60	39.92	Pass	401
726	1000	0.1	RMS	999.7	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1415	-48	-13	35	Pass	2001
3000	10000	1	RMS	6801	-45.7	-13	32.7	Pass	7001




16.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	59.33	Pass	2986
30	694	0.1	RMS	497.4	-66.22	-13	53.22	Pass	6641
694	726	0.1	RMS	707.84	19.31	60	40.69	Pass	401
726	1000	0.1	RMS	963.1	-65.32	-13	52.32	Pass	2741
1000	3000	1	RMS	1415	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




16.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-13	59.5	Pass	2986
30	694	0.1	RMS	692.2	-66.04	-13	53.04	Pass	6641
694	726	0.1	RMS	711.36	19.76	60	40.24	Pass	401
726	1000	0.1	RMS	866.2	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1422	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6800	-45.71	-13	32.71	Pass	7001




16.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.18	-72.96	-13	59.96	Pass	2986
30	694	0.1	RMS	494.4	-66.17	-13	53.17	Pass	6641
694	726	0.1	RMS	711.36	19.26	60	40.74	Pass	401
726	1000	0.1	RMS	983.8	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	1422	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




16.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	694	0.1	RMS	693.9	-64.11	-13	51.11	Pass	6641
694	726	0.1	RMS	704.56	19.89	60	40.11	Pass	401
726	1000	0.1	RMS	863.6	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1409	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	6800	-45.8	-13	32.8	Pass	7001




16.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	694	0.1	RMS	693.9	-64.08	-13	51.08	Pass	6641
694	726	0.1	RMS	704.56	19.02	60	40.98	Pass	401
726	1000	0.1	RMS	837.1	-65.3	-13	52.3	Pass	2741
1000	3000	1	RMS	1409	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6800	-45.75	-13	32.75	Pass	7001



16.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	59.57	Pass	2986
30	694	0.1	RMS	688	-60.8	-13	47.8	Pass	6641
694	726	0.1	RMS	705.6	20.14	60	39.86	Pass	401
726	1000	0.1	RMS	963.9	-65.28	-13	52.28	Pass	2741
1000	3000	1	RMS	1411	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	6800	-45.74	-13	32.74	Pass	7001



16.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	694	0.1	RMS	688	-62.37	-13	49.37	Pass	6641
694	726	0.1	RMS	705.6	19.14	60	40.86	Pass	401
726	1000	0.1	RMS	900.9	-65.28	-13	52.28	Pass	2741
1000	3000	1	RMS	1411	-49.72	-13	36.72	Pass	2001
3000	10000	1	RMS	6801	-45.8	-13	32.8	Pass	7001



16.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	694	0.1	RMS	689	-61.06	-13	48.06	Pass	6641
694	726	0.1	RMS	706.56	19.9	60	40.1	Pass	401
726	1000	0.1	RMS	839.3	-65.29	-13	52.29	Pass	2741
1000	3000	1	RMS	1413	-49.39	-13	36.39	Pass	2001
3000	10000	1	RMS	6800	-45.73	-13	32.73	Pass	7001



16.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	694	0.1	RMS	688.9	-60.92	-13	47.92	Pass	6641
694	726	0.1	RMS	706.56	19.03	60	40.97	Pass	401
726	1000	0.1	RMS	922	-65.31	-13	52.31	Pass	2741
1000	3000	1	RMS	1413	-50.2	-13	37.2	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001



17. LTE_Band25


17.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	849	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.5	-13	40.5	Pass	841
1840	1925	1	RMS	1850.2	22.46	60	37.54	Pass	401
1925	3000	1	RMS	2999	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11992	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




17.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	974.183	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1840	-53.56	-13	40.56	Pass	841
1840	1925	1	RMS	1850.2	21.6	60	38.4	Pass	401
1925	3000	1	RMS	2975	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13605	-39.85	-13	26.85	Pass	8001




17.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	903.136	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1839	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1881.863	22.43	60	37.57	Pass	401
1925	3000	1	RMS	2988	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11996	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13602	-39.88	-13	26.88	Pass	8001




17.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	989.493	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1840	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1881.863	21.46	60	38.54	Pass	401
1925	3000	1	RMS	2982	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11984	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13602	-39.87	-13	26.87	Pass	8001




17.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.2	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	834.9	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1828	-54	-13	41	Pass	841
1840	1925	1	RMS	1913.738	22.24	60	37.76	Pass	401
1925	3000	1	RMS	2996	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	12000	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13604	-39.88	-13	26.88	Pass	8001




17.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	840.3	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1839	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1913.738	21.24	60	38.76	Pass	401
1925	3000	1	RMS	2984	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11987	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001




17.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	840.8	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1840	-53.15	-13	40.15	Pass	841
1840	1925	1	RMS	1850.2	22.48	60	37.52	Pass	401
1925	3000	1	RMS	2993	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11994	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13602	-39.87	-13	26.87	Pass	8001




17.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	843.5	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.24	-13	40.24	Pass	841
1840	1925	1	RMS	1850.2	21.7	60	38.3	Pass	401
1925	3000	1	RMS	2987	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13603	-39.87	-13	26.87	Pass	8001



17.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	851.602	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1837	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1881.225	22.52	60	37.48	Pass	401
1925	3000	1	RMS	2981	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001



17.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	949.867	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1839	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1881.225	21.5	60	38.5	Pass	401
1925	3000	1	RMS	2994	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11859	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13598	-39.82	-13	26.82	Pass	8001



17.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	935.958	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-53.49	-13	40.49	Pass	841
1840	1925	1	RMS	1912.038	22.21	60	37.79	Pass	401
1925	3000	1	RMS	2994	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11996	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13604	-39.86	-13	26.86	Pass	8001



17.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	832.2	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1912.038	21.56	60	38.44	Pass	401
1925	3000	1	RMS	2991	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	12000	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001



17.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	843.3	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.06	-13	40.06	Pass	841
1840	1925	1	RMS	1850.2	22.38	60	37.62	Pass	401
1925	3000	1	RMS	2994	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.88	-13	26.88	Pass	8001



17.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	833.4	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1840	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1850.2	21.43	60	38.57	Pass	401
1925	3000	1	RMS	2989	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001



17.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	838.2	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1836	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1880.163	22.39	60	37.61	Pass	401
1925	3000	1	RMS	2989	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11994	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.96	-13	26.96	Pass	8001



17.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.42	-73.07	-13	60.07	Pass	2986
30	1000	0.1	RMS	852.502	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1839	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1880.163	21.52	60	38.48	Pass	401
1925	3000	1	RMS	2980	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11992	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.9	-13	26.9	Pass	8001



17.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	983.689	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1837	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1910.338	22.37	60	37.63	Pass	401
1925	3000	1	RMS	2987	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11993	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13599	-39.87	-13	26.87	Pass	8001



17.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	867.812	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1835	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1910.338	21.62	60	38.38	Pass	401
1925	3000	1	RMS	2990	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11997	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001



17.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	983.289	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1833	-43.47	-13	30.47	Pass	841
1840	1925	1	RMS	1850.413	22.44	60	37.56	Pass	401
1925	3000	1	RMS	2989	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	12000	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13603	-39.85	-13	26.85	Pass	8001



17.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	841.7	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1833	-44.62	-13	31.62	Pass	841
1840	1925	1	RMS	1850.413	21.6	60	38.4	Pass	401
1925	3000	1	RMS	2995	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	12000	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001



17.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	995.397	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1833	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1878.038	22.47	60	37.53	Pass	401
1925	3000	1	RMS	2990	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11999	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.87	-13	26.87	Pass	8001



17.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	842.6	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1878.038	21.46	60	38.54	Pass	401
1925	3000	1	RMS	2987	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.82	-13	26.82	Pass	8001



17.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	843.1	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-53.36	-13	40.36	Pass	841
1840	1925	1	RMS	1905.45	22.54	60	37.46	Pass	401
1925	3000	1	RMS	2991	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13604	-39.8	-13	26.8	Pass	8001



17.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	869.313	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1838	-53.49	-13	40.49	Pass	841
1840	1925	1	RMS	1905.45	21.6	60	38.4	Pass	401
1925	3000	1	RMS	2980	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001



17.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	975.584	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-47.79	-13	34.79	Pass	841
1840	1925	1	RMS	1850.838	22.3	60	37.7	Pass	401
1925	3000	1	RMS	2995	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11989	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001



17.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	821.4	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1840	-47.91	-13	34.91	Pass	841
1840	1925	1	RMS	1850.838	21.47	60	38.53	Pass	401
1925	3000	1	RMS	2997	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11995	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001



17.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	907.639	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1840	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1875.7	22.41	60	37.59	Pass	401
1925	3000	1	RMS	2991	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11989	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13605	-39.9	-13	26.9	Pass	8001



17.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	961.274	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1838	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1875.7	21.43	60	38.57	Pass	401
1925	3000	1	RMS	2991	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11999	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13604	-39.84	-13	26.84	Pass	8001



17.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	844.7	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1900.775	22.48	60	37.52	Pass	401
1925	3000	1	RMS	2992	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.85	-13	26.85	Pass	8001



17.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	877.419	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1900.775	17.7	60	42.3	Pass	401
1925	3000	1	RMS	2989	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11997	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13603	-39.87	-13	26.87	Pass	8001



17.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-13	60.64	Pass	401
0.15	30	0.01	RMS	0.18	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	994.897	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1839	-51.46	-13	38.46	Pass	841
1840	1925	1	RMS	1851.05	17.21	60	42.79	Pass	401
1925	3000	1	RMS	2981	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	12000	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13598	-39.92	-13	26.92	Pass	8001



17.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	847.6	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-51.07	-13	38.07	Pass	841
1840	1925	1	RMS	1851.05	17.39	60	42.61	Pass	401
1925	3000	1	RMS	2993	-51.51	-13	38.51	Pass	1076
3000	12000	1	RMS	11993	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13605	-39.84	-13	26.84	Pass	8001



17.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	897.332	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1838	-52.76	-13	39.76	Pass	841
1840	1925	1	RMS	1873.575	17.16	60	42.84	Pass	401
1925	3000	1	RMS	2990	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001



17.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.19	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	889.127	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1838	-52.93	-13	39.93	Pass	841
1840	1925	1	RMS	1873.575	17.2	60	42.8	Pass	401
1925	3000	1	RMS	2986	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001



17.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	832.9	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1840	-54	-13	41	Pass	841
1840	1925	1	RMS	1895.888	17.25	60	42.75	Pass	401
1925	3000	1	RMS	2994	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001



17.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	860.307	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1840	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1895.888	17.32	60	42.68	Pass	401
1925	3000	1	RMS	2991	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



18. LTE_Band26(part22)


18.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	813.6	-65.15	-13	52.15	Pass	7841
814	860	0.1	RMS	824.3	19.55	60	40.45	Pass	461
860	1000	0.1	RMS	969.3	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1648	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




18.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	813.5	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	824.3	18.52	60	41.48	Pass	461
860	1000	0.1	RMS	869.5	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




18.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	808	-65.68	-13	52.68	Pass	7841
814	860	0.1	RMS	836.1	19.55	60	40.45	Pass	461
860	1000	0.1	RMS	952.3	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1672	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6800	-45.7	-13	32.7	Pass	7001




18.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	808.4	-65.81	-13	52.81	Pass	7841
814	860	0.1	RMS	836.1	18.61	60	41.39	Pass	461
860	1000	0.1	RMS	976.3	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1672	-49.42	-13	36.42	Pass	2001
3000	10000	1	RMS	6802	-45.62	-13	32.62	Pass	7001




18.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-13	59.81	Pass	2986
30	814	0.1	RMS	811.5	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	847.8	19.44	60	40.56	Pass	461
860	1000	0.1	RMS	979	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1695	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	6802	-45.69	-13	32.69	Pass	7001




18.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	730	-65.7	-13	52.7	Pass	7841
814	860	0.1	RMS	847.9	18.56	60	41.44	Pass	461
860	1000	0.1	RMS	999.5	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1695	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	6804	-45.66	-13	32.66	Pass	7001




18.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	813.5	-64.51	-13	51.51	Pass	7841
814	860	0.1	RMS	824.2	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	871.5	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




18.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	813.6	-64.67	-13	51.67	Pass	7841
814	860	0.1	RMS	824.2	18.89	60	41.11	Pass	461
860	1000	0.1	RMS	871	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1648	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001



18.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.2	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	813.3	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	835.2	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	875	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1670	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



18.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.19	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	810.4	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	835.2	18.9	60	41.1	Pass	461
860	1000	0.1	RMS	868.8	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1670	-48.37	-13	35.37	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



18.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.17	-72.99	-13	59.99	Pass	2986
30	814	0.1	RMS	812.1	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	846.2	19.72	60	40.28	Pass	461
860	1000	0.1	RMS	964	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1692	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001



18.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	814	0.1	RMS	770.2	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	846.2	18.81	60	41.19	Pass	461
860	1000	0.1	RMS	892	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1692	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001

