


Infinix X663D
User Manual (J)

Explosion diagram specification



1	LCD&CTP_MODULE	2	CAMERA_FRONT
3	CAMERA_FRONT_RUBBER	4	FRONT_COVER_ASM
5	REAR_CAMERA_BTBTB_WATER PROOF_RUBBER_50M	6	FRONT_CAMERA_SILICA_RUB BER
7	MB	8	MAIN_FPC_CONNECTOR_SILIC A_GEL_SHEET
9	REAR_CAMERA_BTBTB_WATERP ROOF_RUBBER_2M	10	BATTERY_FPC_CONNECTOR_SI LICA_GEL_SHEET
11	MB_WATERPROOF_FRAME_AS M	12	REAR_CAMERA_PERMANNEN T_FRAME_ASM
13	TELEPHONE_CONDUCTIVE_CL OTH	14	FRONT_CAMERA_CONDUCTIV E_COPPER_FOIL
15	CAMERA_GASKET_8W	16	FRONT_CAMERA_BTBTB_FOAM
17	REAR_CAMERA_CONDUCTIVE FOAM_50M	18	REAR_CAMERA_CONDUCTIVE FOAM_2M
19	REAR_CAMERA_SILICA GEL_SHEET	20	REAR_CAMERA_SILICA GEL_SHEET
21	MB_HEAT DISSIPATION FILM	22	CAMERA_MODULE_2M

23	CAMERA_MODULE_50M	24	RECEIVER_MODULE
25	CAMERA_MODULE_8W	26	MIDDLE_COVER_ASM
27	CAMERA_DECO_2_CONDUCTIVE_FOAM	28	CARD_HOLDER
29	CAMERA_DECO_2_AL	30	CAMERA_DECO_L_PLA
31	CAMERA_LENS	32	CAMERA_LENS_50M
33	SCREW	34	BATTERY_COVER_ASM
35	MOTOR	36	MOTOR_CONDUCTIVE_CLOTH
37	AUDIO_JACK_RUBBER	38	USB_MB
39	USB_SILICA_GEL_RUBBER	40	COAXIAL_CABLE
41	SPEAKER_MODULE	42	FINGER_PRINT_MODULE
43	MB_FPC	44	MIDDLE_COVER_HEAT_DISSIPATION_FILM
45	BATTERY	46	NFC


Know your phone



- 1. Front camera
- 2. Volume + key
- 3. Volume - key
- 4. Power key & side fingerprint sensor
- 5. NFC

SIM/SD card installation


1. Power off mobile.
2. Refer to the following picture for SIM / SD card installation.



Charging the phone

You can charge your device using a charger or by connecting it to the computer using a USB cable (comes with the phone).

Use only INFINIX charger and cables. Other chargers or cables may damage the device. This will invalidate your phone warranty.



FCC Statement

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

SAR Information Statement

Your wireless phone is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. * Tests for SAR are conducted with the phone transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a phone model is available for sale to the public, it must be

tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this model phone when tested for use at the ear is 1.178 W/Kg and when worn on the body, as described in this user guide, is 1.084 W/kg (Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements). The maximum scaled SAR in hotspot mode is 1.084 W/kg. While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RFexposure guidelines. SAR information on this model phone is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on

FCC ID: 2AIZN-X663D Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <http://www.wow-com.com>. * In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 10mm must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks or trademarks of DTS, Inc. in the United States and/or other countries. © DTS, Inc. All Rights Reserved.



Operating System: Android™
Android is a trademark of Google LLC.