

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.73	-25	Pass	2985
30	1000	0.1	RMS	998.6	-55.06	-25	Pass	9700
1000	2490	1	RMS	2430.96	-40.78	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.24	60	Pass	601
2580	3000	1	RMS	2659.1	-39.53	-25	Pass	601
3000	12000	1	RMS	11915.991	-47.87	-25	Pass	9000
12000	26000	1	RMS	25922.995	-29.74	-25	Pass	14000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.8	-25	Pass	2985
30	1000	0.1	RMS	901.49	-55.07	-25	Pass	9700
1000	2490	1	RMS	2474.99	-40.6	-25	Pass	1490
2490	2580	1	RMS	2504.7	23.13	60	Pass	601
2580	3000	1	RMS	2658.4	-39.54	-25	Pass	601
3000	12000	1	RMS	11920.991	-47.85	-25	Pass	9000
12000	26000	1	RMS	25942.996	-29.69	-25	Pass	14000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.84	-25	Pass	2985
30	1000	0.1	RMS	963.496	-54.87	-25	Pass	9700
1000	2490	1	RMS	2473.989	-40.63	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.41	60	Pass	601
2580	3000	1	RMS	2660.5	-39.46	-25	Pass	601
3000	12000	1	RMS	11911.99	-47.75	-25	Pass	9000
12000	26000	1	RMS	25974.998	-29.65	-25	Pass	14000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.08	-25	Pass	2985
30	1000	0.1	RMS	969.197	-54.87	-25	Pass	9700
1000	2490	1	RMS	2473.989	-40.34	-25	Pass	1490
2490	2580	1	RMS	2504.7	22.59	60	Pass	601
2580	3000	1	RMS	2659.8	-39.45	-25	Pass	601
3000	12000	1	RMS	11900.989	-47.84	-25	Pass	9000
12000	26000	1	RMS	25985.999	-29.52	-25	Pass	14000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.82	-25	Pass	2985
30	1000	0.1	RMS	896.289	-54.86	-25	Pass	9700
1000	2490	1	RMS	2419.953	-40.77	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.35	60	Pass	601
2580	3000	1	RMS	2660.5	-39.47	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.85	-25	Pass	9000
12000	26000	1	RMS	25912.994	-33.04	-25	Pass	14000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.71	-25	Pass	2985
30	1000	0.1	RMS	913.391	-54.86	-25	Pass	9700
1000	2490	1	RMS	2461.981	-40.78	-25	Pass	1490
2490	2580	1	RMS	2537.1	23.32	60	Pass	601
2580	3000	1	RMS	2659.8	-39.45	-25	Pass	601
3000	12000	1	RMS	11921.991	-47.8	-25	Pass	9000
12000	26000	1	RMS	25977.998	-29.66	-25	Pass	14000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.5	-25	Pass	2985
30	1000	0.1	RMS	879.888	-54.69	-25	Pass	9700
1000	2490	1	RMS	2431.961	-40.76	-25	Pass	1490
2490	2580	1	RMS	2532.9	22.67	60	Pass	601
2580	3000	1	RMS	2659.8	-39.43	-25	Pass	601
3000	12000	1	RMS	11919.991	-47.75	-25	Pass	9000
12000	26000	1	RMS	25947.996	-29.74	-25	Pass	14000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.36	-25	Pass	2985
30	1000	0.1	RMS	922.192	-54.89	-25	Pass	9700
1000	2490	1	RMS	2419.953	-40.77	-25	Pass	1490
2490	2580	1	RMS	2537.25	22.75	60	Pass	601
2580	3000	1	RMS	2660.5	-39.47	-25	Pass	601
3000	12000	1	RMS	11933.993	-47.72	-25	Pass	9000
12000	26000	1	RMS	25957.997	-29.67	-25	Pass	14000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.52	-25	Pass	2985
30	1000	0.1	RMS	999.3	-54.94	-25	Pass	9700
1000	2490	1	RMS	2449.973	-40.79	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.51	60	Pass	601
2580	3000	1	RMS	2659.1	-39.48	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.78	-25	Pass	9000
12000	26000	1	RMS	25928.995	-29.63	-25	Pass	14000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.63	-25	Pass	2985
30	1000	0.1	RMS	991.799	-55.09	-25	Pass	9700
1000	2490	1	RMS	2418.952	-40.8	-25	Pass	1490
2490	2580	1	RMS	2569.65	23.53	60	Pass	601
2580	3000	1	RMS	2660.5	-39.46	-25	Pass	601
3000	12000	1	RMS	11905.99	-47.77	-25	Pass	9000
12000	26000	1	RMS	25953.997	-29.71	-25	Pass	14000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.21	-25	Pass	2985
30	1000	0.1	RMS	981.698	-54.94	-25	Pass	9700
1000	2490	1	RMS	2466.985	-40.79	-25	Pass	1490
2490	2580	1	RMS	2565.3	22.71	60	Pass	601
2580	3000	1	RMS	2659.8	-39.5	-25	Pass	601
3000	12000	1	RMS	11903.989	-47.74	-25	Pass	9000
12000	26000	1	RMS	25964.998	-29.71	-25	Pass	14000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.46	-25	Pass	2985
30	1000	0.1	RMS	959.296	-54.91	-25	Pass	9700
1000	2490	1	RMS	2421.954	-40.77	-25	Pass	1490
2490	2580	1	RMS	2569.65	22.77	60	Pass	601
2580	3000	1	RMS	2659.8	-39.49	-25	Pass	601
3000	12000	1	RMS	11905.99	-47.77	-25	Pass	9000
12000	26000	1	RMS	25937.996	-29.63	-25	Pass	14000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-25	Pass	601
0.15	30	0.01	RMS	0.16	-49.57	-25	Pass	2985
30	1000	0.1	RMS	899.59	-54.82	-25	Pass	9700
1000	2490	1	RMS	2482.995	-38.97	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.41	60	Pass	601
2580	3000	1	RMS	2659.8	-39.44	-25	Pass	601
3000	12000	1	RMS	11907.99	-47.85	-25	Pass	9000
12000	26000	1	RMS	25977.998	-29.63	-25	Pass	14000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.97	-25	Pass	2985
30	1000	0.1	RMS	881.588	-54.9	-25	Pass	9700
1000	2490	1	RMS	2490	-40.52	-25	Pass	1490
2490	2580	1	RMS	2509.35	23.28	60	Pass	601
2580	3000	1	RMS	2659.8	-39.47	-25	Pass	601
3000	12000	1	RMS	11906.99	-47.77	-25	Pass	9000
12000	26000	1	RMS	25941.996	-29.68	-25	Pass	14000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.6	-25	Pass	2985
30	1000	0.1	RMS	998.4	-55.03	-25	Pass	9700
1000	2490	1	RMS	2482.995	-39.63	-25	Pass	1490
2490	2580	1	RMS	2500.65	22.57	60	Pass	601
2580	3000	1	RMS	2660.5	-39.43	-25	Pass	601
3000	12000	1	RMS	11907.99	-47.82	-25	Pass	9000
12000	26000	1	RMS	25941.996	-29.66	-25	Pass	14000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.75	-25	Pass	2985
30	1000	0.1	RMS	990.399	-54.87	-25	Pass	9700
1000	2490	1	RMS	2490	-40.67	-25	Pass	1490
2490	2580	1	RMS	2509.5	22.64	60	Pass	601
2580	3000	1	RMS	2660.5	-39.46	-25	Pass	601
3000	12000	1	RMS	11917.991	-47.78	-25	Pass	9000
12000	26000	1	RMS	25942.996	-29.79	-25	Pass	14000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.87	-25	Pass	2985
30	1000	0.1	RMS	894.189	-54.86	-25	Pass	9700
1000	2490	1	RMS	2421.954	-40.76	-25	Pass	1490
2490	2580	1	RMS	2530.65	23.49	60	Pass	601
2580	3000	1	RMS	2660.5	-39.46	-25	Pass	601
3000	12000	1	RMS	11909.99	-47.79	-25	Pass	9000
12000	26000	1	RMS	25933.995	-29.64	-25	Pass	14000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.8	-25	Pass	2985
30	1000	0.1	RMS	976.098	-54.79	-25	Pass	9700
1000	2490	1	RMS	2419.953	-40.77	-25	Pass	1490
2490	2580	1	RMS	2539.35	23.41	60	Pass	601
2580	3000	1	RMS	2659.1	-39.48	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.81	-25	Pass	9000
12000	26000	1	RMS	25951.997	-29.61	-25	Pass	14000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.85	-25	Pass	2985
30	1000	0.1	RMS	900.99	-54.86	-25	Pass	9700
1000	2490	1	RMS	2418.952	-40.75	-25	Pass	1490
2490	2580	1	RMS	2530.65	22.89	60	Pass	601
2580	3000	1	RMS	2659.8	-39.46	-25	Pass	601
3000	12000	1	RMS	11903.989	-47.81	-25	Pass	9000
12000	26000	1	RMS	25952.997	-29.65	-25	Pass	14000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.53	-25	Pass	2985
30	1000	0.1	RMS	986.099	-54.8	-25	Pass	9700
1000	2490	1	RMS	2449.973	-40.8	-25	Pass	1490
2490	2580	1	RMS	2539.5	22.86	60	Pass	601
2580	3000	1	RMS	2659.1	-39.47	-25	Pass	601
3000	12000	1	RMS	11911.99	-47.74	-25	Pass	9000
12000	26000	1	RMS	25952.997	-29.58	-25	Pass	14000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.01	-25	Pass	2985
30	1000	0.1	RMS	921.192	-54.76	-25	Pass	9700
1000	2490	1	RMS	2454.976	-40.78	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.87	60	Pass	601
2580	3000	1	RMS	2660.5	-39.46	-25	Pass	601
3000	12000	1	RMS	11937.993	-47.85	-25	Pass	9000
12000	26000	1	RMS	25931.995	-29.61	-25	Pass	14000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.89	-25	Pass	2985
30	1000	0.1	RMS	898.29	-54.93	-25	Pass	9700
1000	2490	1	RMS	2423.956	-40.79	-25	Pass	1490
2490	2580	1	RMS	2569.35	23.58	60	Pass	601
2580	3000	1	RMS	2587	-38.62	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.78	-25	Pass	9000
12000	26000	1	RMS	25959.997	-29.63	-25	Pass	14000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.46	-25	Pass	2985
30	1000	0.1	RMS	926.692	-54.89	-25	Pass	9700
1000	2490	1	RMS	2472.989	-40.72	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.74	60	Pass	601
2580	3000	1	RMS	2659.1	-39.55	-25	Pass	601
3000	12000	1	RMS	11920.991	-47.97	-25	Pass	9000
12000	26000	1	RMS	25941.996	-29.74	-25	Pass	14000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.72	-25	Pass	2985
30	1000	0.1	RMS	905.49	-54.9	-25	Pass	9700
1000	2490	1	RMS	2429.96	-40.82	-25	Pass	1490
2490	2580	1	RMS	2569.35	22.63	60	Pass	601
2580	3000	1	RMS	2587	-39.47	-25	Pass	601
3000	12000	1	RMS	11908.99	-47.89	-25	Pass	9000
12000	26000	1	RMS	25965.998	-29.75	-25	Pass	14000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.05	-25	Pass	2985
30	1000	0.1	RMS	963.196	-54.82	-25	Pass	9700
1000	2490	1	RMS	2490	-40.25	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.21	60	Pass	601
2580	3000	1	RMS	2661.2	-39.55	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.84	-25	Pass	9000
12000	26000	1	RMS	25931.995	-29.73	-25	Pass	14000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.17	-25	Pass	2985
30	1000	0.1	RMS	897.389	-54.99	-25	Pass	9700
1000	2490	1	RMS	2487.999	-29.58	-25	Pass	1490
2490	2580	1	RMS	2514.15	23.3	60	Pass	601
2580	3000	1	RMS	2659.1	-39.51	-25	Pass	601
3000	12000	1	RMS	11923.992	-47.93	-25	Pass	9000
12000	26000	1	RMS	25884.992	-29.68	-25	Pass	14000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-25	Pass	601
0.15	30	0.01	RMS	0.16	-51.43	-25	Pass	2985
30	1000	0.1	RMS	891.389	-54.94	-25	Pass	9700
1000	2490	1	RMS	2490	-40.31	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.5	60	Pass	601
2580	3000	1	RMS	2656.3	-39.5	-25	Pass	601
3000	12000	1	RMS	11909.99	-47.73	-25	Pass	9000
12000	26000	1	RMS	25949.996	-29.72	-25	Pass	14000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.48	-25	Pass	2985
30	1000	0.1	RMS	985.799	-54.92	-25	Pass	9700
1000	2490	1	RMS	2487.999	-29.96	-25	Pass	1490
2490	2580	1	RMS	2514.15	22.85	60	Pass	601
2580	3000	1	RMS	2657.7	-39.53	-25	Pass	601
3000	12000	1	RMS	11908.99	-47.85	-25	Pass	9000
12000	26000	1	RMS	25918.994	-29.78	-25	Pass	14000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.78	-25	Pass	2985
30	1000	0.1	RMS	978.098	-54.83	-25	Pass	9700
1000	2490	1	RMS	2418.952	-40.83	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.76	60	Pass	601
2580	3000	1	RMS	2659.8	-39.52	-25	Pass	601
3000	12000	1	RMS	11905.99	-47.91	-25	Pass	9000
12000	26000	1	RMS	25974.998	-29.77	-25	Pass	14000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.13	-25	Pass	2985
30	1000	0.1	RMS	980.098	-55.05	-25	Pass	9700
1000	2490	1	RMS	2448.972	-40.83	-25	Pass	1490
2490	2580	1	RMS	2541.6	23.46	60	Pass	601
2580	3000	1	RMS	2659.8	-39.54	-25	Pass	601
3000	12000	1	RMS	11906.99	-47.86	-25	Pass	9000
12000	26000	1	RMS	25971.998	-33.14	-25	Pass	14000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.87	-25	Pass	2985
30	1000	0.1	RMS	947.495	-54.77	-25	Pass	9700
1000	2490	1	RMS	2429.96	-40.85	-25	Pass	1490
2490	2580	1	RMS	2528.4	22.74	60	Pass	601
2580	3000	1	RMS	2659.1	-39.51	-25	Pass	601
3000	12000	1	RMS	11914.991	-47.89	-25	Pass	9000
12000	26000	1	RMS	25963.997	-29.72	-25	Pass	14000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.93	-25	Pass	2985
30	1000	0.1	RMS	996.5	-55.04	-25	Pass	9700
1000	2490	1	RMS	2449.973	-40.81	-25	Pass	1490
2490	2580	1	RMS	2541.6	22.73	60	Pass	601
2580	3000	1	RMS	2659.8	-39.54	-25	Pass	601
3000	12000	1	RMS	11911.99	-47.87	-25	Pass	9000
12000	26000	1	RMS	25948.996	-29.71	-25	Pass	14000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.81	-25	Pass	2985
30	1000	0.1	RMS	893.289	-54.72	-25	Pass	9700
1000	2490	1	RMS	2421.954	-40.83	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.79	60	Pass	601
2580	3000	1	RMS	2582.8	-26.55	-25	Pass	601
3000	12000	1	RMS	11920.991	-47.92	-25	Pass	9000
12000	26000	1	RMS	25930.995	-29.71	-25	Pass	14000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.89	-25	Pass	2985
30	1000	0.1	RMS	906.29	-55.09	-25	Pass	9700
1000	2490	1	RMS	2431.961	-40.85	-25	Pass	1490
2490	2580	1	RMS	2569.2	23.46	60	Pass	601
2580	3000	1	RMS	2659.8	-39.55	-25	Pass	601
3000	12000	1	RMS	11910.99	-47.92	-25	Pass	9000
12000	26000	1	RMS	25934.995	-29.7	-25	Pass	14000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.57	-25	Pass	2985
30	1000	0.1	RMS	898.59	-54.78	-25	Pass	9700
1000	2490	1	RMS	2454.976	-40.84	-25	Pass	1490
2490	2580	1	RMS	2555.85	22.88	60	Pass	601
2580	3000	1	RMS	2582.8	-27.89	-25	Pass	601
3000	12000	1	RMS	11920.991	-47.86	-25	Pass	9000
12000	26000	1	RMS	25962.997	-29.68	-25	Pass	14000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.76	-25	Pass	2985
30	1000	0.1	RMS	932.493	-54.98	-25	Pass	9700
1000	2490	1	RMS	2421.954	-40.83	-25	Pass	1490
2490	2580	1	RMS	2569.2	22.65	60	Pass	601
2580	3000	1	RMS	2659.8	-39.5	-25	Pass	601
3000	12000	1	RMS	11917.991	-47.84	-25	Pass	9000
12000	26000	1	RMS	25966.998	-29.68	-25	Pass	14000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.89	-25	Pass	2985
30	1000	0.1	RMS	912.191	-55.01	-25	Pass	9700
1000	2490	1	RMS	2490	-40.41	-25	Pass	1490
2490	2580	1	RMS	2501.1	23.12	60	Pass	601
2580	3000	1	RMS	2659.8	-39.51	-25	Pass	601
3000	12000	1	RMS	11902.989	-47.76	-25	Pass	9000
12000	26000	1	RMS	25948.996	-29.8	-25	Pass	14000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.78	-25	Pass	2985
30	1000	0.1	RMS	897.389	-55.07	-25	Pass	9700
1000	2490	1	RMS	2482.995	-32.64	-25	Pass	1490
2490	2580	1	RMS	2518.95	23.39	60	Pass	601
2580	3000	1	RMS	2660.5	-39.52	-25	Pass	601
3000	12000	1	RMS	11917.991	-47.88	-25	Pass	9000
12000	26000	1	RMS	25932.995	-29.69	-25	Pass	14000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.14	-25	Pass	2985
30	1000	0.1	RMS	967.797	-55	-25	Pass	9700
1000	2490	1	RMS	2490	-40.44	-25	Pass	1490
2490	2580	1	RMS	2501.1	22.35	60	Pass	601
2580	3000	1	RMS	2657.7	-39.49	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.93	-25	Pass	9000
12000	26000	1	RMS	25966.998	-29.67	-25	Pass	14000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.18	-25	Pass	2985
30	1000	0.1	RMS	959.496	-54.83	-25	Pass	9700
1000	2490	1	RMS	2482.995	-33.92	-25	Pass	1490
2490	2580	1	RMS	2518.95	22.61	60	Pass	601
2580	3000	1	RMS	2659.1	-39.53	-25	Pass	601
3000	12000	1	RMS	11930.992	-47.84	-25	Pass	9000
12000	26000	1	RMS	25935.995	-29.78	-25	Pass	14000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.12	-25	Pass	2985
30	1000	0.1	RMS	986.399	-54.92	-25	Pass	9700
1000	2490	1	RMS	2490	-38.48	-25	Pass	1490
2490	2580	1	RMS	2526	23.23	60	Pass	601
2580	3000	1	RMS	2659.8	-39.52	-25	Pass	601
3000	12000	1	RMS	11920.991	-47.91	-25	Pass	9000
12000	26000	1	RMS	25945.996	-29.8	-25	Pass	14000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.26	-25	Pass	2985
30	1000	0.1	RMS	940.394	-54.99	-25	Pass	9700
1000	2490	1	RMS	2451.974	-40.8	-25	Pass	1490
2490	2580	1	RMS	2543.85	23.12	60	Pass	601
2580	3000	1	RMS	2580	-39.12	-25	Pass	601
3000	12000	1	RMS	11902.989	-47.9	-25	Pass	9000
12000	26000	1	RMS	25909.994	-29.75	-25	Pass	14000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.16	-25	Pass	2985
30	1000	0.1	RMS	896.289	-54.64	-25	Pass	9700
1000	2490	1	RMS	2490	-40.04	-25	Pass	1490
2490	2580	1	RMS	2526.15	22.03	60	Pass	601
2580	3000	1	RMS	2659.1	-39.5	-25	Pass	601
3000	12000	1	RMS	11923.992	-47.77	-25	Pass	9000
12000	26000	1	RMS	25930.995	-29.77	-25	Pass	14000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.58	-25	Pass	2985
30	1000	0.1	RMS	873.887	-54.97	-25	Pass	9700
1000	2490	1	RMS	2450.974	-40.82	-25	Pass	1490
2490	2580	1	RMS	2543.85	22.44	60	Pass	601
2580	3000	1	RMS	2659.1	-39.5	-25	Pass	601
3000	12000	1	RMS	11937.993	-47.8	-25	Pass	9000
12000	26000	1	RMS	25903.993	-29.7	-25	Pass	14000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.94	-25	Pass	2985
30	1000	0.1	RMS	950.195	-54.97	-25	Pass	9700
1000	2490	1	RMS	2459.98	-40.84	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.31	60	Pass	601
2580	3000	1	RMS	2587	-30	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.88	-25	Pass	9000
12000	26000	1	RMS	25956.997	-29.64	-25	Pass	14000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.2	-25	Pass	2985
30	1000	0.1	RMS	924.592	-54.91	-25	Pass	9700
1000	2490	1	RMS	2428.959	-40.89	-25	Pass	1490
2490	2580	1	RMS	2568.9	23.3	60	Pass	601
2580	3000	1	RMS	2657.7	-39.54	-25	Pass	601
3000	12000	1	RMS	11911.99	-47.93	-25	Pass	9000
12000	26000	1	RMS	25969.998	-29.71	-25	Pass	14000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.9	-25	Pass	2985
30	1000	0.1	RMS	897.589	-54.67	-25	Pass	9700
1000	2490	1	RMS	2420.954	-40.85	-25	Pass	1490
2490	2580	1	RMS	2551.05	22.54	60	Pass	601
2580	3000	1	RMS	2587	-30.96	-25	Pass	601
3000	12000	1	RMS	11904.989	-47.81	-25	Pass	9000
12000	26000	1	RMS	25321.952	-29.79	-25	Pass	14000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.87	-25	Pass	2985
30	1000	0.1	RMS	999.2	-54.87	-25	Pass	9700
1000	2490	1	RMS	2458.979	-40.82	-25	Pass	1490
2490	2580	1	RMS	2568.9	22.32	60	Pass	601
2580	3000	1	RMS	2659.8	-39.56	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.87	-25	Pass	9000
12000	26000	1	RMS	25964.998	-29.81	-25	Pass	14000



END