




20M

RBW 100.000 kHz

VBW 300.000 kHz

40M

RBW 100.000 kHz

VBW 300.000 kHz

80M

RBW 100.000 kHz

VBW 300.000 kHz

DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	dutycycle factor
11A	Ant8	5180	1.505	2.023	89.03%	0.5
	Ant8	5745	1.502	2.018	87.74%	0.57
11N20-MIMO	Ant8	5180	1.825	2.455	89.38%	0.49
	Ant8	5745	1.830	2.442	89.64%	0.47
11N20-MIMO	Ant8	5180	1.825	2.455	89.12%	0.5
	Ant8	5745	1.835	2.455	89.72%	0.47
11N40-MIMO	Ant8	5190	0.899	1.211	86.21%	0.64
	Ant8	5755	0.901	1.207	88.60%	0.53
11N40-MIMO	Ant8	5190	0.899	1.211	89.02%	0.51
	Ant8	5755	0.901	1.212	88.97%	0.51
11AC80-MIMO	Ant8	5210	0.529	0.723	88.50%	0.53
	Ant8	5775	0.533	0.721	88.34%	0.54
11AX20-MIMO	Ant8	5180	1.409	1.895	88.17%	0.55
	Ant8	5745	1.411	1.887	89.33%	0.49
11AX40-MIMO	Ant8	5190	0.727	0.987	88.15%	0.55
	Ant8	5755	0.731	0.982	88.66%	0.52
11AX80-MIMO	Ant8	5210	0.547	0.747	88.51%	0.53
	Ant8	5775	0.551	0.748	88.31%	0.54

TEST GRAPHS







BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03

11N20-MIMO_Ant8_5180




Band4-11N20-MIMO_Ant8_5745




11N20-MIMO_Ant8_5180



Reference No.: PSU-NQN2403180115RF03



Band4-11N20-MIMO_Ant8_5745




11N40-MIMO_Ant8_5190




BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03




Band4-11N40-MIMO_Ant8_5755




11N40-MIMO_Ant8_5190



Reference No.: PSU-NQN2403180115RF03



Band4-11N40-MIMO_Ant8_5755




11AC80-MIMO_Ant8_5210




BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03



Band4-11AC80-MIMO_Ant8_5775




11Ax20-MIMO_Ant8_5180




BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF03




Band4-11Ax20-MIMO_Ant8_5745



11Ax40-MIMO_Ant8_5190



Band4-11Ax40-MIMO_Ant8_5755




11Ax80-MIMO_Ant8_5210



BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03



Band4-11Ax80-MIMO_Ant8_5775



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

BV Power Table For U-NII-1							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5180	ANT8	11.54	≤24.00	Pass	13
			ANT11	11.40	≤24.00	Pass	13
			Total	14.48	≤24.00	Pass	13
		5200	ANT8	11.67	≤24.00	Pass	13
			ANT11	10.52	≤24.00	Pass	13
			Total	14.14	≤24.00	Pass	13
		5240	ANT8	12.47	≤24.00	Pass	13
			ANT11	11.67	≤24.00	Pass	13
			Total	15.10	≤24.00	Pass	13
11N20	MIMO	5180	ANT8	11.00	≤24.00	Pass	13
			ANT11	11.31	≤24.00	Pass	13
			Total	14.17	≤24.00	Pass	13
		5200	ANT8	11.17	≤24.00	Pass	13
			ANT11	10.28	≤24.00	Pass	13
			Total	13.76	≤24.00	Pass	13
		5240	ANT8	12.08	≤24.00	Pass	13
			ANT11	11.34	≤24.00	Pass	13
			Total	14.73	≤24.00	Pass	13
11N40	MIMO	5190	ANT8	11.28	≤24.00	Pass	12.5
			ANT11	10.73	≤24.00	Pass	12.5
			Total	14.02	≤24.00	Pass	12.5
		5230	ANT8	12.20	≤24.00	Pass	12.5
			ANT11	11.20	≤24.00	Pass	12.5
			Total	14.74	≤24.00	Pass	12.5
11AC20	MIMO	5180	ANT8	9.74	≤24.00	Pass	12
			ANT11	9.84	≤24.00	Pass	12
			Total	12.80	≤24.00	Pass	12
		5200	ANT8	9.88	≤24.00	Pass	12
			ANT11	8.81	≤24.00	Pass	12
			Total	12.39	≤24.00	Pass	12
		5240	ANT8	11.08	≤24.00	Pass	12
			ANT11	10.12	≤24.00	Pass	12
			Total	13.63	≤24.00	Pass	12
11AC40	MIMO	5190	ANT8	10.20	≤24.00	Pass	11.5



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

			ANT11	9.62	≤ 24.00	Pass	11.5
			Total	12.93	≤ 24.00	Pass	11.5
			ANT8	10.90	≤ 24.00	Pass	11.5
		5230	ANT11	10.08	≤ 24.00	Pass	11.5
			Total	13.52	≤ 24.00	Pass	11.5
			ANT8	10.69	≤ 24.00	Pass	11
11AC80	MIMO	5210	ANT11	9.60	≤ 24.00	Pass	11
			Total	13.19	≤ 24.00	Pass	11
			ANT8	10.28	≤ 24.00	Pass	12
11AX20	MIMO	5180	ANT11	9.96	≤ 24.00	Pass	12
			Total	13.13	≤ 24.00	Pass	12
			ANT8	10.23	≤ 24.00	Pass	12
		5200	ANT11	9.01	≤ 24.00	Pass	12
			Total	12.67	≤ 24.00	Pass	12
			ANT8	11.58	≤ 24.00	Pass	12
		5240	ANT11	10.18	≤ 24.00	Pass	12
			Total	13.94	≤ 24.00	Pass	12
			ANT8	10.20	≤ 24.00	Pass	11.5
11AX40	MIMO	5190	ANT11	9.16	≤ 24.00	Pass	11.5
			Total	12.72	≤ 24.00	Pass	11.5
			ANT8	10.69	≤ 24.00	Pass	11.5
		5230	ANT11	9.68	≤ 24.00	Pass	11.5
			Total	13.22	≤ 24.00	Pass	11.5
			ANT8	10.46	≤ 24.00	Pass	11
11AX80	MIMO	5210	ANT11	9.26	≤ 24.00	Pass	11
			Total	12.91	≤ 24.00	Pass	11
			ANT8	10.46	≤ 24.00	Pass	11

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-2A							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5260	ANT8	11.53	≤24.00	Pass	13
			ANT11	9.67	≤24.00	Pass	13
			Total	13.71	≤24.00	Pass	13
		5300	ANT8	11.17	≤24.00	Pass	13
			ANT11	11.48	≤24.00	Pass	13
			Total	14.34	≤24.00	Pass	13
		5320	ANT8	11.24	≤24.00	Pass	13
			ANT11	12.27	≤24.00	Pass	13
			Total	14.80	≤24.00	Pass	13
11N20	MIMO	5260	ANT8	10.94	≤24.00	Pass	13
			ANT11	10.70	≤24.00	Pass	13
			Total	13.83	≤24.00	Pass	13
		5300	ANT8	10.79	≤24.00	Pass	13
			ANT11	11.17	≤24.00	Pass	13
			Total	13.99	≤24.00	Pass	13
		5320	ANT8	10.84	≤24.00	Pass	13
			ANT11	10.77	≤24.00	Pass	13
			Total	13.82	≤24.00	Pass	13
11N40	MIMO	5270	ANT8	11.18	≤24.00	Pass	12.5
			ANT11	10.05	≤24.00	Pass	12.5
			Total	13.66	≤24.00	Pass	12.5
		5310	ANT8	10.87	≤24.00	Pass	12.5
			ANT11	11.10	≤24.00	Pass	12.5
			Total	13.99	≤24.00	Pass	12.5
11AC20	MIMO	5260	ANT8	9.83	≤24.00	Pass	12
			ANT11	8.23	≤24.00	Pass	12
			Total	12.12	≤24.00	Pass	12
		5300	ANT8	9.55	≤24.00	Pass	12
			ANT11	9.90	≤24.00	Pass	12
			Total	12.74	≤24.00	Pass	12
		5320	ANT8	9.63	≤24.00	Pass	12
			ANT11	9.34	≤24.00	Pass	12
			Total	12.49	≤24.00	Pass	12
11AC40	MIMO	5270	ANT8	9.74	≤24.00	Pass	11.5
			ANT11	9.22	≤24.00	Pass	11.5
			Total	12.50	≤24.00	Pass	11.5
		5310	ANT8	9.78	≤24.00	Pass	11.5
			ANT11	10.07	≤24.00	Pass	11.5



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

			Total	12.94	≤24.00	Pass	11.5
11AC80	MIMO	5210	ANT8	10.25	≤24.00	Pass	11
			ANT11	9.76	≤24.00	Pass	11
			Total	13.02	≤24.00	Pass	11
11AX20	MIMO	5260	ANT8	10.10	≤24.00	Pass	12
			ANT11	8.52	≤24.00	Pass	12
			Total	12.39	≤24.00	Pass	12
		5300	ANT8	9.93	≤24.00	Pass	12
			ANT11	10.17	≤24.00	Pass	12
			Total	13.06	≤24.00	Pass	12
		5320	ANT8	10.10	≤24.00	Pass	12
			ANT11	9.40	≤24.00	Pass	12
			Total	12.77	≤24.00	Pass	12
		11AX40	MIMO	5270	ANT8	9.80	≤24.00
ANT11	8.49				≤24.00	Pass	11.5
Total	12.20				≤24.00	Pass	11.5
5310	ANT8			9.80	≤24.00	Pass	11.5
	ANT11			8.49	≤24.00	Pass	11.5
	Total			12.66	≤24.00	Pass	11.5
11AX80	MIMO	5290	ANT8	10.14	≤24.00	Pass	11
			ANT11	9.34	≤24.00	Pass	11
			Total	12.77	≤24.00	Pass	11
Note:The Maximum Conducted Power with duty cycle factor.							

BV Power Table For U-NII-2C							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5500	ANT8	10.85	≤24.00	Pass	13
			ANT11	13.09	≤24.00	Pass	13
			Total	15.12	≤24.00	Pass	13
		5580	ANT8	10.70	≤24.00	Pass	13
			ANT11	11.57	≤24.00	Pass	13
			Total	14.17	≤24.00	Pass	13
		5700	ANT8	11.69	≤24.00	Pass	13
			ANT11	11.17	≤24.00	Pass	13
			Total	14.45	≤24.00	Pass	13
		5720	ANT8	11.21	≤24.00	Pass	13
			ANT11	11.05	≤24.00	Pass	13
			Total	14.14	≤24.00	Pass	13
11N20	MIMO	5500	ANT8	10.34	≤24.00	Pass	13
			ANT11	12.79	≤24.00	Pass	13
			Total	14.74	≤24.00	Pass	13
		5580	ANT8	10.40	≤24.00	Pass	13
			ANT11	12.42	≤24.00	Pass	13
			Total	14.53	≤24.00	Pass	13
		5700	ANT8	11.37	≤24.00	Pass	13
			ANT11	10.70	≤24.00	Pass	13
			Total	14.05	≤24.00	Pass	13
		5720	ANT8	10.97	≤24.00	Pass	13
			ANT11	10.62	≤24.00	Pass	13
			Total	13.81	≤24.00	Pass	13
11N40	MIMO	5510	ANT8	10.65	≤24.00	Pass	12.5
			ANT11	12.85	≤24.00	Pass	12.5
			Total	14.90	≤24.00	Pass	12.5
		5550	ANT8	11.61	≤24.00	Pass	12.5
			ANT11	12.16	≤24.00	Pass	12.5
			Total	14.90	≤24.00	Pass	12.5
		5670	ANT8	10.44	≤24.00	Pass	12.5
			ANT11	11.86	≤24.00	Pass	12.5
			Total	14.22	≤24.00	Pass	12.5
		5710	ANT8	11.49	≤24.00	Pass	12.5
			ANT11	10.81	≤24.00	Pass	12.5
			Total	14.17	≤24.00	Pass	12.5
11AC20	MIMO	5500	ANT8	9.23	≤24.00	Pass	12
			ANT11	11.59	≤24.00	Pass	12
			Total	13.58	≤24.00	Pass	12



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

		5580	ANT8	9.16	≤ 24.00	Pass	12
			ANT11	10.20	≤ 24.00	Pass	12
			Total	12.72	≤ 24.00	Pass	12
		5700	ANT8	10.30	≤ 24.00	Pass	12
			ANT11	9.67	≤ 24.00	Pass	12
			Total	13.00	≤ 24.00	Pass	12
		5720	ANT8	9.87	≤ 24.00	Pass	12
			ANT11	9.58	≤ 24.00	Pass	12
			Total	12.74	≤ 24.00	Pass	12
11AC40	MIMO	5510	ANT8	9.48	≤ 24.00	Pass	11.5
			ANT11	11.69	≤ 24.00	Pass	11.5
			Total	13.74	≤ 24.00	Pass	11.5
		5550	ANT8	10.41	≤ 24.00	Pass	11.5
			ANT11	11.01	≤ 24.00	Pass	11.5
			Total	13.73	≤ 24.00	Pass	11.5
		5670	ANT8	9.37	≤ 24.00	Pass	11.5
			ANT11	10.69	≤ 24.00	Pass	11.5
			Total	13.09	≤ 24.00	Pass	11.5
		5710	ANT8	10.25	≤ 24.00	Pass	11.5
			ANT11	9.68	≤ 24.00	Pass	11.5
			Total	12.98	≤ 24.00	Pass	11.5
11AC80	MIMO	5530	ANT8	10.35	≤ 24.00	Pass	11
			ANT11	11.39	≤ 24.00	Pass	11
			Total	13.91	≤ 24.00	Pass	11
		5610	ANT8	10.40	≤ 24.00	Pass	11
			ANT11	10.60	≤ 24.00	Pass	11
			Total	13.51	≤ 24.00	Pass	11
		5690	ANT8	10.26	≤ 24.00	Pass	11
			ANT11	10.26	≤ 24.00	Pass	11
			Total	13.27	≤ 24.00	Pass	11
11AX20	MIMO	5500	ANT8	9.70	≤ 24.00	Pass	12
			ANT11	11.66	≤ 24.00	Pass	12
			Total	13.80	≤ 24.00	Pass	12
		5580	ANT8	9.48	≤ 24.00	Pass	12
			ANT11	10.37	≤ 24.00	Pass	12
			Total	12.96	≤ 24.00	Pass	12
		5700	ANT8	10.63	≤ 24.00	Pass	12
			ANT11	9.84	≤ 24.00	Pass	12
			Total	13.26	≤ 24.00	Pass	12
		5720	ANT8	10.16	≤ 24.00	Pass	12
			ANT11	9.73	≤ 24.00	Pass	12
			Total	12.96	≤ 24.00	Pass	12
11AX40	MIMO	5510	ANT8	9.22	≤ 24.00	Pass	11.5
			ANT11	11.33	≤ 24.00	Pass	11.5
			Total	13.41	≤ 24.00	Pass	11.5
		5550	ANT8	10.35	≤ 24.00	Pass	11.5



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

			ANT11	10.60	≤ 24.00	Pass	11.5
			Total	13.48	≤ 24.00	Pass	11.5
		5670	ANT8	9.26	≤ 24.00	Pass	11.5
			ANT11	10.25	≤ 24.00	Pass	11.5
			Total	12.74	≤ 24.00	Pass	11.5
		5710	ANT8	10.05	≤ 24.00	Pass	11.5
			ANT11	9.39	≤ 24.00	Pass	11.5
			Total	12.74	≤ 24.00	Pass	11.5
	11AX80	5530	ANT8	9.91	≤ 24.00	Pass	11
			ANT11	11.18	≤ 24.00	Pass	11
			Total	13.60	≤ 24.00	Pass	11
		5690	ANT8	10.20	≤ 24.00	Pass	11
			ANT11	10.26	≤ 24.00	Pass	11
			Total	13.24	≤ 24.00	Pass	11
		5690	ANT8	10.03	≤ 24.00	Pass	11
			ANT11	9.82	≤ 24.00	Pass	11
			Total	12.94	≤ 24.00	Pass	11

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-3							
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	Verdict	Power Setting
11A	CDD	5745	ANT8	7.01	≤30.00	Pass	9
			ANT11	7.72	≤30.00	Pass	9
			Total	10.39	≤30.00	Pass	9
		5785	ANT8	6.40	≤30.00	Pass	9
			ANT11	6.75	≤30.00	Pass	9
			Total	9.59	≤30.00	Pass	9
		5825	ANT8	7.32	≤30.00	Pass	9
			ANT11	6.09	≤30.00	Pass	9
			Total	9.76	≤30.00	Pass	9
11N20	MIMO	5745	ANT8	6.56	≤30.00	Pass	9
			ANT11	7.13	≤30.00	Pass	9
			Total	9.86	≤30.00	Pass	9
		5785	ANT8	6.05	≤30.00	Pass	9
			ANT11	6.09	≤30.00	Pass	9
			Total	9.08	≤30.00	Pass	9
		5825	ANT8	6.86	≤30.00	Pass	9
			ANT11	5.61	≤30.00	Pass	9
			Total	9.29	≤30.00	Pass	9
11N40	MIMO	5755	ANT8	7.60	≤30.00	Pass	9
			ANT11	7.43	≤30.00	Pass	9
			Total	10.52	≤30.00	Pass	9
		5795	ANT8	6.67	≤30.00	Pass	9
			ANT11	7.09	≤30.00	Pass	9
			Total	9.90	≤30.00	Pass	9
11AC20	MIMO	5745	ANT8	6.50	≤30.00	Pass	9
			ANT11	7.10	≤30.00	Pass	9
			Total	9.82	≤30.00	Pass	9
		5785	ANT8	6.01	≤30.00	Pass	9
			ANT11	6.08	≤30.00	Pass	9
			Total	9.06	≤30.00	Pass	9
		5825	ANT8	6.84	≤30.00	Pass	9
			ANT11	5.26	≤30.00	Pass	9
			Total	9.13	≤30.00	Pass	9
11AC40	MIMO	5755	ANT8	7.30	≤30.00	Pass	9
			ANT11	7.56	≤30.00	Pass	9
			Total	10.45	≤30.00	Pass	9
		5795	ANT8	6.58	≤30.00	Pass	9
			ANT11	7.05	≤30.00	Pass	9
			Total	9.83	≤30.00	Pass	9



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

11AC80	MIMO	5775	ANT8	8.35	≤30.00	Pass	9
			ANT11	7.70	≤30.00	Pass	9
			Total	11.05	≤30.00	Pass	9
11AX20	MIMO	5745	ANT8	6.76	≤30.00	Pass	9
			ANT11	7.47	≤30.00	Pass	9
			Total	7.68	≤30.00	Pass	9
		5785	ANT8	6.43	≤30.00	Pass	9
			ANT11	6.29	≤30.00	Pass	9
			Total	9.37	≤30.00	Pass	9
		5825	ANT8	7.02	≤30.00	Pass	9
			ANT11	5.97	≤30.00	Pass	9
			Total	9.54	≤30.00	Pass	9
11AX40	MIMO	5755	ANT8	7.33	≤30.00	Pass	9
			ANT11	6.81	≤30.00	Pass	9
			Total	10.09	≤30.00	Pass	9
		5795	ANT8	6.52	≤30.00	Pass	9
			ANT11	6.65	≤30.00	Pass	9
			Total	9.60	≤30.00	Pass	9
11AX80	MIMO	5775	ANT8	8.11	≤30.00	Pass	9
			ANT11	7.71	≤30.00	Pass	9
			Total	10.92	≤30.00	Pass	9
Note:The Maximum Conducted Power with duty cycle factor.							

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Frequency [MHZ]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11N20MIMO	ANT8	5180	0.784	≤11.00	PASS
	ANT11	5180	0.623	≤11.00	PASS
	total	5180	3.715	≤11.00	PASS
	ANT8	5200	1.046	≤11.00	PASS
	ANT11	5200	-0.33	≤11.00	PASS
	total	5200	3.423	≤11.00	PASS
	ANT8	5240	2.056	≤11.00	PASS
	ANT11	5240	1.027	≤11.00	PASS
	total	5240	4.582	≤11.00	PASS
	ANT8	5260	1.116	≤11.00	PASS
	ANT11	5260	-0.166	≤11.00	PASS
	total	5260	3.532	≤11.00	PASS
	ANT8	5300	1.056	≤11.00	PASS
	ANT11	5300	0.129	≤11.00	PASS
	total	5300	3.627	≤11.00	PASS
	ANT8	5320	0.918	≤11.00	PASS
	ANT11	5320	1.151	≤11.00	PASS
	total	5320	4.046	≤11.00	PASS
	ANT8	5500	0.262	≤11.00	PASS
	ANT11	5500	2.778	≤11.00	PASS
	total	5500	4.71	≤11.00	PASS
	ANT8	5580	0.527	≤11.00	PASS
	ANT11	5580	1.738	≤11.00	PASS
	total	5580	4.185	≤11.00	PASS
	ANT8	5700	-0.079	≤11.00	PASS
	ANT11	5700	2.336	≤11.00	PASS
	total	5700	4.305	≤11.00	PASS
	ANT8	5720	-0.728	≤11.00	PASS
	ANT11	5720	1.09	≤11.00	PASS
	total	5720	3.286	≤11.00	PASS
11N40MIMO	ANT8	5190	-1.697	≤11.00	PASS
	ANT11	5190	-2.632	≤11.00	PASS
	total	5190	0.871	≤11.00	PASS

	ANT8	5230	-1.212	≤11.00	PASS
	ANT11	5230	-1.889	≤11.00	PASS
	total	5230	1.473	≤11.00	PASS
	ANT8	5270	-1.814	≤11.00	PASS
	ANT11	5270	-3.061	≤11.00	PASS
	total	5270	0.617	≤11.00	PASS
	ANT8	5310	-1.499	≤11.00	PASS
	ANT11	5310	-1.822	≤11.00	PASS
	total	5310	1.353	≤11.00	PASS
	Ant8	5510	-2.248	≤11.00	PASS
	Ant11	5510	0.296	≤11.00	PASS
	total	5510	2.218	≤11.00	PASS
	Ant8	5550	-1.162	≤11.00	PASS
	Ant11	5550	0.043	≤11.00	PASS
	total	5550	2.492	≤11.00	PASS
	Ant8	5670	-3.498	≤11.00	PASS
	Ant11	5670	-0.584	≤11.00	PASS
	total	5670	1.209	≤11.00	PASS
	Ant8	5710	-2.801	≤11.00	PASS
	Ant11	5710	-0.955	≤11.00	PASS
	total	5710	1.23	≤11.00	PASS
11AC80MIMO	Ant8	5210	-5.389	≤11.00	PASS
	Ant11	5210	-6.93	≤11.00	PASS
	total	5210	-3.081	≤11.00	PASS
	Ant8	5290	-5.515	≤11.00	PASS
	Ant11	5290	-6.403	≤11.00	PASS
	total	5290	-2.926	≤11.00	PASS
	Ant8	5530	-5.386	≤11.00	PASS
	Ant11	5530	-3.881	≤11.00	PASS
	total	5530	-1.558	≤11.00	PASS
	Ant8	5610	-4.987	≤11.00	PASS
	Ant11	5610	-4.351	≤11.00	PASS
	total	5610	-1.647	≤11.00	PASS
	Ant8	5690	-5.356	≤11.00	PASS
	Ant11	5690	-4.457	≤11.00	PASS
	total	5690	-1.873	≤11.00	PASS
11AX20MIMO	Ant8	5180	-0.198	≤11.00	PASS
	Ant11	5180	-0.657	≤11.00	PASS
	total	5180	2.589	≤11.00	PASS
	Ant8	5200	0.035	≤11.00	PASS
	Ant11	5200	-1.341	≤11.00	PASS
	total	5200	2.412	≤11.00	PASS
	Ant8	5240	1.004	≤11.00	PASS

	Ant11	5240	-0.004	≤11.00	PASS
	total	5240	3.539	≤11.00	PASS
	Ant8	5260	0.082	≤11.00	PASS
	Ant11	5260	-1.071	≤11.00	PASS
	total	5260	2.554	≤11.00	PASS
	Ant8	5300	-0.017	≤11.00	PASS
	Ant11	5300	-0.953	≤11.00	PASS
	total	5300	2.55	≤11.00	PASS
	Ant8	5320	0.104	≤11.00	PASS
	Ant11	5320	-0.043	≤11.00	PASS
	total	5320	3.041	≤11.00	PASS
	Ant8	5500	-0.258	≤11.00	PASS
	Ant11	5500	2.027	≤11.00	PASS
	total	5500	4.043	≤11.00	PASS
	Ant8	5580	-1.88	≤11.00	PASS
	Ant11	5580	0.98	≤11.00	PASS
	total	5580	2.792	≤11.00	PASS
	Ant8	5700	-1.183	≤11.00	PASS
	Ant11	5700	1.497	≤11.00	PASS
	total	5700	3.371	≤11.00	PASS
	Ant8	5720	-1.785	≤11.00	PASS
	Ant11	5720	0.511	≤11.00	PASS
	total	5720	2.523	≤11.00	PASS
11AX40MIMO	Ant8	5190	-4.311	≤11.00	PASS
	Ant11	5190	-4.028	≤11.00	PASS
	total	5190	-1.157	≤11.00	PASS
	Ant8	5230	-3.558	≤11.00	PASS
	Ant11	5230	-3.759	≤11.00	PASS
	total	5230	-0.647	≤11.00	PASS
	Ant8	5270	-4.316	≤11.00	PASS
	Ant11	5270	-4.496	≤11.00	PASS
	total	5270	-1.395	≤11.00	PASS
	Ant8	5310	-4.282	≤11.00	PASS
	Ant11	5310	-3.363	≤11.00	PASS
	total	5310	-0.788	≤11.00	PASS
	Ant8	5510	-4.66	≤11.00	PASS
	Ant11	5510	-1.253	≤11.00	PASS
	total	5510	0.38	≤11.00	PASS
	Ant8	5550	-3.897	≤11.00	PASS
	Ant11	5550	-1.379	≤11.00	PASS
	total	5550	0.552	≤11.00	PASS
	Ant8	5670	-5.253	≤11.00	PASS
	Ant11	5670	-2.216	≤11.00	PASS

	total	5670	-0.464	≤11.00	PASS
	Ant8	5710	-4.519	≤11.00	PASS
	Ant11	5710	-2.426	≤11.00	PASS
	total	5710	-0.337	≤11.00	PASS
11AX80MIMO	Ant8	5210	-6.813	≤11.00	PASS
	Ant11	5210	-6.946	≤11.00	PASS
	total	5210	-3.869	≤11.00	PASS
	Ant8	5290	-6.873	≤11.00	PASS
	Ant11	5290	-6.961	≤11.00	PASS
	total	5290	-3.906	≤11.00	PASS
	Ant8	5530	-6.805	≤11.00	PASS
	Ant11	5530	-3.967	≤11.00	PASS
	total	5530	-2.148	≤11.00	PASS
	Ant8	5610	-6.612	≤11.00	PASS
	Ant11	5610	-4.489	≤11.00	PASS
	total	5610	-2.412	≤11.00	PASS
	Ant8	5690	-7.15	≤11.00	PASS
	Ant11	5690	-4.687	≤11.00	PASS
	total	5690	-2.736	≤11.00	PASS

TestMode	Antenna	Frequency [MHZ]	Result [dBm/MHz]	Limit [dBm/500K Hz]	Verdict
11N20MIMO	Ant8	5745	-7.393	≤30.00	PASS
	Ant11	5745	-1.758	≤30.00	PASS
	total	5745	-0.709	≤30.00	PASS
	Ant8	5785	-7.546	≤30.00	PASS
	Ant11	5785	-1.400	≤30.00	PASS
	total	5785	-0.456	≤30.00	PASS
	Ant8	5825	-6.941	≤30.00	PASS
	Ant11	5825	-2.357	≤30.00	PASS
	total	5825	-1.060	≤30.00	PASS
11N40MIMO	Ant8	5755	-9.028	≤30.00	PASS
	Ant11	5755	-7.233	≤30.00	PASS
	total	5755	-5.028	≤30.00	PASS
	Ant8	5795	-9.516	≤30.00	PASS
	Ant11	5795	-8.438	≤30.00	PASS
	total	5795	-5.933	≤30.00	PASS
11AC80MIMO	Ant8	5775	-10.323	≤30.00	PASS


	Ant11	5775	-9.495	≤30.00	PASS
	total	5775	-6.879	≤30.00	PASS
11AX20MIMO	Ant8	5745	-7.791	≤30.00	PASS
	Ant11	5745	-5.693	≤30.00	PASS
	total	5745	-3.606	≤30.00	PASS
	Ant8	5785	-8.242	≤30.00	PASS
	Ant11	5785	-5.576	≤30.00	PASS
	total	5785	-3.697	≤30.00	PASS
	Ant8	5825	-7.438	≤30.00	PASS
	Ant11	5825	-6.477	≤30.00	PASS
	total	5825	-3.921	≤30.00	PASS
11AX40MIMO	Ant8	5755	-10.338	≤30.00	PASS
	Ant11	5755	-7.798	≤30.00	PASS
	total	5755	-5.875	≤30.00	PASS
	Ant8	5795	-10.776	≤30.00	PASS
	Ant11	5795	-8.718	≤30.00	PASS
	total	5795	-6.616	≤30.00	PASS
11AX80MIMO	Ant8	5775	-11.777	≤30.00	PASS
	Ant11	5775	-10.007	≤30.00	PASS
	total	5775	-7.792	≤30.00	PASS

Note : 1.PPSD is EIRP PSD

TEST GRAPHS


11N20_Ant8_5180

Power Spectral Density (SA-1)




11N20_Ant11_5180

Power Spectral Density (SA-1)




11N20_Ant8_5200

Power Spectral Density (SA-1)




11N20_Ant11_5200

Power Spectral Density (SA-1)




11N20_Ant8_5240


Power Spectral Density (SA-1)



11N20_Ant11_5240




Power Spectral Density (SA-1)




11N20_Ant11_5300

Power Spectral Density (SA-1)




11N20_Ant8_5320

Power Spectral Density (SA-1)




11N20_Ant11_5320

Power Spectral Density (SA-1)




11N20 Ant8 5500

Power Spectral Density (SA-1)




11N20 Ant11 5500

Power Spectral Density (SA-1)




11N20 Ant8 5580

Power Spectral Density (SA-1)




11N20_Ant11_5580

Power Spectral Density (SA-1)




11N20_Ant8_5700


Power Spectral Density (SA-1)



11N20_Ant11_5700




Power Spectral Density (SA-1)




11N20_Ant11_5745

Power Spectral Density (SA-1)




11N20_Ant8_5785

Power Spectral Density (SA-1)




11N20_Ant11_5785

Power Spectral Density (SA-1)




11N20 Ant8 5825

Power Spectral Density (SA-1)




11N20 Ant11 5825

Power Spectral Density (SA-1)




11N40 Ant8 5190

Power Spectral Density (SA-1)




11N40_Ant11_5190

Power Spectral Density (SA-1)




11N40_Ant8_5230

Power Spectral Density (SA-1)




11N40_Ant11_5230

Power Spectral Density (SA-1)




11N40_Ant8_5270

Power Spectral Density (SA-1)




11N40_Ant11_5270

Power Spectral Density (SA-1)




11N40_Ant8_5310

Power Spectral Density (SA-1)




11N40_Ant11_5310

Power Spectral Density (SA-1)




11N40_Ant8_5510

Power Spectral Density (SA-1)




11N40_Ant11_5510

Power Spectral Density (SA-1)




11N40_Ant8_5550

Power Spectral Density (SA-1)




11N40_Ant11_5550

Power Spectral Density (SA-1)




11N40_Ant8_5670

Power Spectral Density (SA-1)




11N40_Ant11_5670

Power Spectral Density (SA-1)




11N40_Ant8_5710

Power Spectral Density (SA-1)




11N40 Ant11 5710

Power Spectral Density (SA-1)




11N40 Ant8 5755

Power Spectral Density (SA-1)




11N40_Ant11_5755

Power Spectral Density (SA-1)




11N40_Ant8_5795

Power Spectral Density (SA-1)




11N40_Ant11_5795

Power Spectral Density (SA-1)




11AC80_Ant8_5210

Power Spectral Density (SA-1)




11AC80_Ant11_5210

Power Spectral Density (SA-1)




11AC80_Ant8_5290

Power Spectral Density (SA-1)




11AC80_Ant11_5290

Power Spectral Density (SA-1)




11AC80_Ant8_5530

Power Spectral Density (SA-1)




11AC80_Ant11_5530

Power Spectral Density (SA-1)




11AC80_Ant8_5610

Power Spectral Density (SA-1)




11AC80_Ant11_5610

Power Spectral Density (SA-1)




11AC80_Ant8_5690

Power Spectral Density (SA-1)




11AC80_Ant11_5690

Power Spectral Density (SA-1)




11AC80_Ant8_5775

Power Spectral Density (SA-1)




11AC80_Ant11_5775

Power Spectral Density (SA-1)




11AX20_Ant8_5180

Power Spectral Density (SA-1)




11AX20_Ant11_5180

Power Spectral Density (SA-1)




11AX20_Ant8_5200

Power Spectral Density (SA-1)




11AX20_Ant11_5200

Power Spectral Density (SA-1)




11AX20_Ant8_5240

Power Spectral Density (SA-1)




11AX20_Ant11_5240

Power Spectral Density (SA-1)




11AX20 Ant8 5260

Power Spectral Density (SA-1)




11AX20 Ant11 5260

Power Spectral Density (SA-1)




11AX20 Ant8 5300

Power Spectral Density (SA-1)




11AX20_Ant11_5300

Power Spectral Density (SA-1)




11AX20_Ant8_5320

Power Spectral Density (SA-1)




11AX20_Ant11_5320

Power Spectral Density (SA-1)




11AX20_Ant8_5500

Power Spectral Density (SA-1)




11AX20_Ant11_5500

Power Spectral Density (SA-1)




11AX20_Ant8_5580

Power Spectral Density (SA-1)




11AX20_Ant11_5580

Power Spectral Density (SA-1)




11AX20_Ant8_5700


Power Spectral Density (SA-1)



11AX20_Ant11_5700




Power Spectral Density (SA-1)




11AX20_Ant11_5745

Power Spectral Density (SA-1)




11AX20_Ant8_5785

Power Spectral Density (SA-1)




11AX20_Ant11_5785

Power Spectral Density (SA-1)




11AX20_Ant8_5825

Power Spectral Density (SA-1)




11AX20_Ant11_5825


Power Spectral Density (SA-1)




11AX40_Ant8_5190



11AX40_Ant11_5190




11AX40_Ant8_5230




11AX40_Ant11_5230

Power Spectral Density (SA-1)




11AX40_Ant8_5270

Power Spectral Density (SA-1)




11AX40_Ant11_5270

Power Spectral Density (SA-1)




11AX40_Ant8_5310

Power Spectral Density (SA-1)




11AX40_Ant11_5310

Power Spectral Density (SA-1)




11AX40_Ant8_5510

Power Spectral Density (SA-1)



11AX40_Ant11_5510

Power Spectral Density (SA-1)



Connector 1


Sum Level

Limit

PSD

11AX40_Ant8_5550

Power Spectral Density (SA-1)



Connector 1


Sum Level

Limit

PSD

11AX40_Ant11_5550

Power Spectral Density (SA-1)



Connector 1

Sum Level

Limit

PSD

11AX40_Ant8_5670