



99 % Bandwidth




11AX20MIMO Ant8_5180_242Tone_RU61

99 % Bandwidth




11AX20MIMO Ant11_5180_26Tone_RU0

99 % Bandwidth




11AX20MIMO Ant11_5180_52Tone_RU37

99 % Bandwidth




11AX20MIMO_Ant11_5180_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant11_5180_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant8_5200_26Tone_RU0

99 % Bandwidth




11AX20MIMO Ant8 5200 52Tone RU37

99 % Bandwidth




11AX20MIMO Ant8 5200 106Tone RU53

99 % Bandwidth




11AX20MIMO Ant8 5200 242Tone RU61

99 % Bandwidth




11AX20MIMO Ant11 5200 26Tone RU0

99 % Bandwidth




11AX20MIMO Ant11 5200 52Tone RU37

99 % Bandwidth




11AX20MIMO Ant11 5200 106Tone RU53

99 % Bandwidth




11AX20MIMO Ant11_5200_242Tone_RU61

99 % Bandwidth




11AX20MIMO Ant8_5240_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant8_5240_52Tone_RU37

99 % Bandwidth




11AX20MIMO_Ant8_5240_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant8_5240_242Tone_RU61

99 % Bandwidth




11AX20MIMO Ant11 5240 26Tone RU0

99 % Bandwidth




11AX20MIMO Ant11 5240 52Tone RU37

99 % Bandwidth




11AX20MIMO_Ant11_5240_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant11_5240_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant8_5260_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant8_5260_52Tone_RU37

99 % Bandwidth




11AX20MIMO_Ant8_5260_106Tone_RU53


99 % Bandwidth




11AX20MIMO_Ant8_5260_242Tone_RU61



11AX20MIMO Ant11_5260_26Tone_RU0




11AX20MIMO Ant11_5260_52Tone_RU37




11AX20MIMO_Ant11_5260_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant11_5260_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant8_5300_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant8_5300_52Tone_RU37

99 % Bandwidth




11AX20MIMO_Ant8_5300_106Tone_RU53


99 % Bandwidth




11AX20MIMO_Ant8_5300_242Tone_RU61



11AX20MIMO Ant11 5300 26Tone RU0



11AX20MIMO Ant11 5300 52Tone RU37






BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03


11AX20MIMO_Ant11_5300_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant11_5300_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant8_5320_26Tone_RU8

99 % Bandwidth




11AX20MIMO_Ant8_5320_52Tone_RU40

99 % Bandwidth




11AX20MIMO_Ant8_5320_106Tone_RU54

99 % Bandwidth




11AX20MIMO_Ant8_5320_242Tone_RU61

99 % Bandwidth



11AX20MIMO_Ant11_5320_26Tone_RU8

99 % Bandwidth




11AX20MIMO_Ant11_5320_52Tone_RU40



BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF03

99 % Bandwidth




11AX20MIMO Ant11 5320 106Tone RU54

99 % Bandwidth




11AX20MIMO Ant11 5320 242Tone RU61

99 % Bandwidth




11AX20MIMO_Ant8_5500_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant8_5500_52Tone_RU37


99 % Bandwidth




11AX20MIMO_Ant8_5500_106Tone_RU53




11AX20MIMO Ant8 5500 242Tone RU61




11AX20MIMO Ant11 5500 26Tone RU0




11AX20MIMO Ant11 5500 52Tone RU37



11AX20MIMO_Ant11_5500_106Tone_RU53



11AX20MIMO_Ant11_5500_242Tone_RU61






BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03


11AX20MIMO_Ant8_5580_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant8_5580_52Tone_RU37

99 % Bandwidth




11AX20MIMO_Ant8_5580_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant8_5580_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant11_5580_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant11_5580_52Tone_RU37

99 % Bandwidth




11AX20MIMO_Ant11_5580_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant11_5580_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant8_5700_26Tone_RU0

99 % Bandwidth




11AX20MIMO Ant8 5700 52Tone RU37


99 % Bandwidth




11AX20MIMO Ant8 5700 106Tone RU53




11AX20MIMO_Ant8_5700_242Tone_RU61




11AX20MIMO_Ant11_5700_26Tone_RU0



11AX20MIMO Ant11 5700 52Tone RU37




11AX20MIMO Ant11 5700 106Tone RU53




11AX20MIMO_Ant11_5700_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant8_5720_26Tone_RU0


99 % Bandwidth




11AX20MIMO_Ant8_5720_52Tone_RU37



11AX20MIMO_Ant8_5720_106Tone_RU53




11AX20MIMO_Ant8_5720_242Tone_RU61




11AX20MIMO_Ant11_5720_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant11_5720_52Tone_RU37


99 % Bandwidth




11AX20MIMO_Ant11_5720_106Tone_RU53



11AX20MIMO_Ant11_5720_242Tone_RU61




11AX20MIMO_Ant8_5745_26Tone_RU0




11AX20MIMO Ant8 5745_52Tone_RU37

99 % Bandwidth




11AX20MIMO Ant8 5745_106Tone_RU53

99 % Bandwidth




11AX20MIMO Ant8 5745_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant11_5745_26Tone_RU0

99 % Bandwidth




11AX20MIMO_Ant11_5745_52Tone_RU37


99 % Bandwidth




11AX20MIMO_Ant11_5745_106Tone_RU53




11AX20MIMO_Ant11_5745_242Tone_RU61




11AX20MIMO_Ant8_5785_26Tone_RU0




11AX20MIMO_Ant8_5785_52Tone_RU37




11AX20MIMO_Ant8_5785_106Tone_RU53




11AX20MIMO_Ant8_5785_242Tone_RU61




11AX20MIMO_Ant11_5785_26Tone_RU0




11AX20MIMO_Ant11_5785_52Tone_RU37




11AX20MIMO_Ant11_5785_106Tone_RU53



11AX20MIMO_Ant11_5785_242Tone_RU61




11AX20MIMO_Ant8_5825_26Tone_RU0




11AX20MIMO_Ant8_5825_52Tone_RU37

99 % Bandwidth




11AX20MIMO_Ant8_5825_106Tone_RU53

99 % Bandwidth




11AX20MIMO_Ant8_5825_242Tone_RU61

99 % Bandwidth




11AX20MIMO_Ant11_5825_26Tone_RU0


99 % Bandwidth




11AX20MIMO_Ant11_5825_52Tone_RU37




11AX20MIMO Ant11 5825 106Tone RU53




11AX20MIMO Ant11 5825 242Tone RU61




11AX40MIMO_Ant8_5190_484Tone_RU65
99 % Bandwidth




11AX40MIMO_Ant11_5190_484Tone_RU65
99 % Bandwidth




11AX40MIMO_Ant8_5230_484Tone_RU65



11AX40MIMO_Ant11_5230_484Tone_RU65




11AX40MIMO_Ant8_5270_484Tone_RU65




11AX40MIMO_Ant11_5270_484Tone_RU65

99 % Bandwidth



11AX40MIMO_Ant8_5310_484Tone_RU65

99 % Bandwidth




11AX40MIMO_Ant11_5310_484Tone_RU65



BUREAU
VERITAS


Reference No.: PSU-NQN2403180115RF03

99 % Bandwidth




11AX40MIMO_Ant8_5510_484Tone_RU65

99 % Bandwidth




11AX40MIMO_Ant11_5510_484Tone_RU65


99 % Bandwidth




11AX40MIMO_Ant8_5550_484Tone_RU65




11AX40MIMO Ant11 5550 484Tone RU65




11AX40MIMO Ant8 5670 484Tone RU65




11AX40MIMO Ant11 5670 484Tone RU65



11AX40MIMO Ant8 5710 484Tone RU65




11AX40MIMO_Ant11_5710_484Tone_RU65
99 % Bandwidth




11AX40MIMO_Ant8_5755_484Tone_RU65

99 % Bandwidth




11AX40MIMO_Ant11_5755_484Tone_RU65

99 % Bandwidth




11AX40MIMO_Ant8_5795_484Tone_RU65

99 % Bandwidth




11AX40MIMO_Ant11_5795_484Tone_RU65

99 % Bandwidth




11AX80MIMO_Ant8_5210_996Tone_RU67


99 % Bandwidth




11AX80MIMO_Ant11_5210_996Tone_RU67



11AX80MIMO_Ant8_5290_996Tone_RU67




11AX80MIMO_Ant11_5290_996Tone_RU67




11AX80MIMO_Ant8_5530_996Tone_RU67

99 % Bandwidth




11AX80MIMO_Ant11_5530_996Tone_RU67

99 % Bandwidth




11AX80MIMO_Ant8_5610_996Tone_RU67

99 % Bandwidth




11AX80MIMO_Ant11_5610_996Tone_RU67

99 % Bandwidth




11AX80MIMO Ant8 5690 996Tone RU67

99 % Bandwidth




11AX80MIMO Ant11 5690 996Tone RU67


99 % Bandwidth



11AX80MIMO Ant8 5775 996Tone RU67



11AX80MIMO_Ant11_5775_996Tone_RU67



20M

RBW 200.000 kHz

VBW 1.000 MHz

40M

RBW 500.000 kHz

VBW 2.000 MHz

80M

RBW 1.000 MHz

VBW 3.000 MHz

160M

RBW 2.000 MHz

VBW 10.000 MHz

MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

BV Power Table For U-NII-1								
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11AX20	MIMO	26/0	5180	Ant8	8.01	≤24.00	Pass	9
				Ant11	7.39	≤24.00	Pass	9
				Total	10.49	≤24.00	Pass	9
		26/4	5200	Ant8	8.07	≤24.00	Pass	9
				Ant11	6.38	≤24.00	Pass	9
				Total	10.10	≤24.00	Pass	9
		26/8	5240	Ant8	8.74	≤24.00	Pass	9
				Ant11	8.66	≤24.00	Pass	9
				Total	11.45	≤24.00	Pass	9
	MIMO	52/37	5180	Ant8	10.70	≤24.00	Pass	12
				Ant11	10.17	≤24.00	Pass	12
				Total	13.07	≤24.00	Pass	12
		52/38	5200	Ant8	10.54	≤24.00	Pass	12
				Ant11	9.48	≤24.00	Pass	12
				Total	12.68	≤24.00	Pass	12
		52/40	5240	Ant8	11.73	≤24.00	Pass	12
				Ant11	11.43	≤24.00	Pass	12
				Total	14.19	≤24.00	Pass	12
	MIMO	106/53	5180	Ant8	10.71	≤24.00	Pass	12
				Ant11	10.49	≤24.00	Pass	12
				Total	13.34	≤24.00	Pass	12
		106/53	5200	Ant8	11.21	≤24.00	Pass	12
				Ant11	9.76	≤24.00	Pass	12
				Total	13.28	≤24.00	Pass	12
		106/54	5240	Ant8	12.10	≤24.00	Pass	12
				Ant11	11.29	≤24.00	Pass	12
				Total	14.44	≤24.00	Pass	12
	MIMO	FULL	5180	Ant8	10.69	≤24.00	Pass	12
				Ant11	10.42	≤24.00	Pass	12
				Total	13.14	≤24.00	Pass	12
		FULL	5200	Ant8	11.17	≤24.00	Pass	12
				Ant11	9.62	≤24.00	Pass	12
				Total	13.05	≤24.00	Pass	12
		FULL	5240	Ant8	12.27	≤24.00	Pass	12



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

				Ant11	11.34	≤24.00	Pass	12
				Total	14.38	≤24.00	Pass	12
11AX40	MIMO	FULL	5190	Ant8	10.70	≤24.00	Pass	11.5
				Ant11	9.57	≤24.00	Pass	11.5
				Total	12.79	≤24.00	Pass	11.5
				Ant8	11.72	≤24.00	Pass	11.5
		FULL	5230	Ant11	10.09	≤24.00	Pass	11.5
				Total	13.58	≤24.00	Pass	11.5
11AX80	MIMO			FULL	5210	Ant8	9.49	≤24.00
		Ant11	7.52			≤24.00	Pass	11
		Total	11.29			≤24.00	Pass	11
Note:The Maximum Conducted Power with duty cycle factor.								

BV Power Table For U-NII-2A								
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11AX20	MIMO	26/0	5260	Ant8	8.02	≤24.00	Pass	9
				Ant11	6.95	≤24.00	Pass	9
				Total	10.30	≤24.00	Pass	9
		26/4	5300	Ant8	8.02	≤24.00	Pass	9
				Ant11	6.95	≤24.00	Pass	9
				Total	10.30	≤24.00	Pass	9
		26/8	5320	Ant8	7.68	≤24.00	Pass	9
				Ant11	8.38	≤24.00	Pass	9
				Total	10.81	≤24.00	Pass	9
	MIMO	52/37	5260	Ant8	11.19	≤24.00	Pass	12
				Ant11	9.44	≤24.00	Pass	12
				Total	13.03	≤24.00	Pass	12
		52/38	5300	Ant8	10.45	≤24.00	Pass	12
				Ant11	10.28	≤24.00	Pass	12
				Total	12.99	≤24.00	Pass	12
		52/40	5320	Ant8	10.53	≤24.00	Pass	12
				Ant11	11.58	≤24.00	Pass	12
				Total	13.69	≤24.00	Pass	12
	MIMO	106/53	5260	Ant8	11.18	≤24.00	Pass	12
				Ant11	9.90	≤24.00	Pass	12
				Total	13.33	≤24.00	Pass	12
		106/53	5300	Ant8	11.29	≤24.00	Pass	12
				Ant11	10.33	≤24.00	Pass	12
				Total	13.57	≤24.00	Pass	12
		106/54	5320	Ant8	11.00	≤24.00	Pass	12
				Ant11	11.44	≤24.00	Pass	12
				Total	13.95	≤24.00	Pass	12
	MIMO	FULL	5260	Ant8	11.28	≤24.00	Pass	12
				Ant11	9.78	≤24.00	Pass	12
				Total	13.17	≤24.00	Pass	12
		FULL	5300	Ant8	11.18	≤24.00	Pass	12
				Ant11	10.59	≤24.00	Pass	12
				Total	13.46	≤24.00	Pass	12
		FULL	5320	Ant8	11.20	≤24.00	Pass	12
				Ant11	11.38	≤24.00	Pass	12
				Total	13.85	≤24.00	Pass	12
11AX40	MIMO	FULL	5270	Ant8	10.77	≤24.00	Pass	11.5
				Ant11	9.26	≤24.00	Pass	11.5



BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03

				Total	12.70	≤24.00	Pass	11.5
		FULL	5310	Ant8	10.87	≤24.00	Pass	11.5
				Ant11	10.43	≤24.00	Pass	11.5
				Total	13.26	≤24.00	Pass	11.5
11AX80	MIMO	FULL	5290	Ant8	9.43	≤24.00	Pass	11
				Ant11	7.97	≤24.00	Pass	11
				Total	11.43	≤24.00	Pass	11
Note:The Maximum Conducted Power with duty cycle factor.								

BV Power Table For U-NII-2C								
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	Verdict	Power Setting
11AX20	MIMO	26/0	5500	Ant8	6.82	≤24.00	Pass	8
				Ant11	8.71	≤24.00	Pass	8
				Total	10.64	≤24.00	Pass	8
		26/4	5580	Ant8	5.63	≤24.00	Pass	8
				Ant11	7.48	≤24.00	Pass	8
				Total	9.47	≤24.00	Pass	8
		26/8	5700	Ant8	6.96	≤24.00	Pass	8
				Ant11	8.29	≤24.00	Pass	8
				Total	10.46	≤24.00	Pass	8
		26/8	5720	Ant8	6.10	≤24.00	Pass	8
				Ant11	7.53	≤24.00	Pass	8
				Total	9.69	≤24.00	Pass	8
	MIMO	52/37	5500	Ant8	9.65	≤24.00	Pass	12
				Ant11	11.42	≤24.00	Pass	12
				Total	13.25	≤24.00	Pass	12
		52/38	5580	Ant8	8.65	≤24.00	Pass	12
				Ant11	10.20	≤24.00	Pass	12
				Total	12.15	≤24.00	Pass	12
		52/40	5700	Ant8	9.61	≤24.00	Pass	12
				Ant11	11.19	≤24.00	Pass	12
				Total	13.10	≤24.00	Pass	12
		52/40	5720	Ant8	9.18	≤24.00	Pass	12
				Ant11	10.60	≤24.00	Pass	12
				Total	12.59	≤24.00	Pass	12
	MIMO	106/53	5500	Ant8	11.29	≤24.00	Pass	12
				Ant11	10.33	≤24.00	Pass	12
				Total	13.57	≤24.00	Pass	12
		106/53	5580	Ant8	10.64	≤24.00	Pass	12
				Ant11	11.94	≤24.00	Pass	12
				Total	14.07	≤24.00	Pass	12
		106/54	5700	Ant8	11.24	≤24.00	Pass	12
				Ant11	11.94	≤24.00	Pass	12
				Total	14.33	≤24.00	Pass	12
		106/54	5720	Ant8	10.55	≤24.00	Pass	12
				Ant11	11.25	≤24.00	Pass	12
				Total	13.65	≤24.00	Pass	12
	MIMO	FULL	5500	Ant8	10.50	≤24.00	Pass	12
				Ant11	13.07	≤24.00	Pass	12
				Total	14.52	≤24.00	Pass	12



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

		FULL	5580	Ant8	10.27	≤ 24.00	Pass	12
				Ant11	11.77	≤ 24.00	Pass	12
				Total	13.65	≤ 24.00	Pass	12
		FULL	5700	Ant8	11.30	≤ 24.00	Pass	12
				Ant11	12.21	≤ 24.00	Pass	12
				Total	14.33	≤ 24.00	Pass	12
		FULL	5720	Ant8	10.77	≤ 24.00	Pass	12
				Ant11	11.27	≤ 24.00	Pass	12
				Total	13.59	≤ 24.00	Pass	12
11AX40	MIMO	FULL	5510	Ant8	10.17	≤ 24.00	Pass	11.5
				Ant11	12.63	≤ 24.00	Pass	11.5
				Total	14.16	≤ 24.00	Pass	11.5
		FULL	5550	Ant8	10.95	≤ 24.00	Pass	11.5
				Ant11	12.07	≤ 24.00	Pass	11.5
				Total	14.13	≤ 24.00	Pass	11.5
		FULL	5670	Ant8	9.90	≤ 24.00	Pass	11.5
				Ant11	11.65	≤ 24.00	Pass	11.5
				Total	13.46	≤ 24.00	Pass	11.5
		FULL	5710	Ant8	10.68	≤ 24.00	Pass	11.5
				Ant11	11.01	≤ 24.00	Pass	11.5
				Total	13.45	≤ 24.00	Pass	11.5
11AX80	MIMO	FULL	5530	Ant8	8.95	≤ 24.00	Pass	11
				Ant11	10.83	≤ 24.00	Pass	11
				Total	12.62	≤ 24.00	Pass	11
		FULL	5610	Ant8	9.20	≤ 24.00	Pass	11
				Ant11	10.41	≤ 24.00	Pass	11
				Total	12.48	≤ 24.00	Pass	11
		FULL	5690	Ant8	8.95	≤ 24.00	Pass	11
				Ant11	10.12	≤ 24.00	Pass	11
				Total	12.22	≤ 24.00	Pass	11

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-3								
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	Verdict	Power Setting
11AX20	MIMO	26/0	5745	Ant8	10.21	≤30.00	Pass	9
				Ant11	8.40	≤30.00	Pass	9
				Total	12.41	≤30.00	Pass	9
		26/4	5785	Ant8	8.75	≤30.00	Pass	9
				Ant11	7.69	≤30.00	Pass	9
				Total	11.26	≤30.00	Pass	9
		26/8	5825	Ant8	9.36	≤30.00	Pass	9
				Ant11	7.37	≤30.00	Pass	9
				Total	11.49	≤30.00	Pass	9
	MIMO	52/37	5745	Ant8	10.12	≤30.00	Pass	9
				Ant11	8.28	≤30.00	Pass	9
				Total	12.30	≤30.00	Pass	9
		52/38	5785	Ant8	8.79	≤30.00	Pass	9
				Ant11	7.96	≤30.00	Pass	9
				Total	11.40	≤30.00	Pass	9
		52/40	5825	Ant8	9.92	≤30.00	Pass	9
				Ant11	6.85	≤30.00	Pass	9
				Total	11.66	≤30.00	Pass	9
	MIMO	106/53	5745	Ant8	10.09	≤30.00	Pass	9
				Ant11	8.59	≤30.00	Pass	9
				Total	12.41	≤30.00	Pass	9
		106/53	5785	Ant8	9.40	≤30.00	Pass	9
				Ant11	8.22	≤30.00	Pass	9
				Total	11.86	≤30.00	Pass	9
		106/54	5825	Ant8	10.14	≤30.00	Pass	9
				Ant11	7.41	≤30.00	Pass	9
				Total	12.00	≤30.00	Pass	9
	MIMO	FULL	5745	Ant8	9.90	≤30.00	Pass	9
				Ant11	8.62	≤30.00	Pass	9
				Total	12.32	≤30.00	Pass	9
		FULL	5785	Ant8	9.40	≤30.00	Pass	9
				Ant11	8.10	≤30.00	Pass	9
				Total	11.81	≤30.00	Pass	9
		FULL	5825	Ant8	10.14	≤30.00	Pass	9
				Ant11	7.48	≤30.00	Pass	9
				Total	12.02	≤30.00	Pass	9
11AX40	MIMO	FULL	5755	Ant8	10.19	≤30.00	Pass	9
				Ant11	8.79	≤30.00	Pass	9
				Total	12.55	≤30.00	Pass	9



BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03

		FULL	5795	Ant8	9.38	≤30.00	Pass	9
				Ant11	7.65	≤30.00	Pass	9
				Total	11.61	≤30.00	Pass	9
11AX80	MIMO	FULL	5775	Ant8	9.00	≤30.00	Pass	9
				Ant11	7.25	≤30.00	Pass	9
				Total	11.22	≤30.00	Pass	9
Note:The Maximum Conducted Power with duty cycle factor.								

MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	EIRP PSD [dBm/ MHz]	Limit [MHz]	Verdict
11AX20MIMO	Ant8	5180	26Tone	RU0	4.193	11	PASS
			52Tone	RU37	6.178	11	PASS
			106Tone	RU53	2.918	11	PASS
			242Tone	RU61	-0.779	11	PASS
	Ant11	5180	26Tone	RU0	5.893	11	PASS
			52Tone	RU37	5.489	11	PASS
			106Tone	RU53	2.836	11	PASS
			242Tone	RU61	-0.998	11	PASS
	Total	5180	26Tone	RU0	8.136	11	PASS
			52Tone	RU37	8.857	11	PASS
			106Tone	RU53	5.887	11	PASS
			242Tone	RU61	2.123	11	PASS
	Ant8	5200	26Tone	RU0	3.159	11	PASS
			52Tone	RU37	5.333	11	PASS
			106Tone	RU53	3.589	11	PASS
			242Tone	RU61	-0.434	11	PASS
	Ant11	5200	26Tone	RU0	3.737	11	PASS
			52Tone	RU37	4.880	11	PASS
			106Tone	RU53	2.249	11	PASS
			242Tone	RU61	-1.802	11	PASS
	Total	5200	26Tone	RU0	6.468	11	PASS
			52Tone	RU37	8.123	11	PASS
			106Tone	RU53	5.981	11	PASS
			242Tone	RU61	1.946	11	PASS
	Ant8	5240	26Tone	RU0	5.481	11	PASS
			52Tone	RU37	6.552	11	PASS
			106Tone	RU53	4.106	11	PASS
			242Tone	RU61	0.700	11	PASS



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

	Ant11	5240	26Tone	RU0	6.803	11	PASS
			52Tone	RU37	6.605	11	PASS
			106Tone	RU53	3.752	11	PASS
			242Tone	RU61	0.213	11	PASS
	Total	5240	26Tone	RU0	9.202	11	PASS
			52Tone	RU37	9.589	11	PASS
			106Tone	RU53	6.943	11	PASS
			242Tone	RU61	3.474	11	PASS
	Ant8	5260	26Tone	RU0	7.071	11	PASS
			52Tone	RU37	6.228	11	PASS
			106Tone	RU53	3.384	11	PASS
			242Tone	RU61	-0.353	11	PASS
	Ant11	5260	26Tone	RU0	4.562	11	PASS
			52Tone	RU37	4.766	11	PASS
			106Tone	RU53	2.260	11	PASS
			242Tone	RU61	-1.644	11	PASS
	Total	5260	26Tone	RU0	9.006	11	PASS
			52Tone	RU37	8.569	11	PASS
			106Tone	RU53	5.869	11	PASS
			242Tone	RU61	2.060	11	PASS
	Ant8	5300	26Tone	RU0	5.575	11	PASS
			52Tone	RU37	5.278	11	PASS
			106Tone	RU53	3.622	11	PASS
			242Tone	RU61	-0.123	11	PASS
	Ant11	5300	26Tone	RU0	3.878	11	PASS
			52Tone	RU37	5.342	11	PASS
			106Tone	RU53	2.816	11	PASS
			242Tone	RU61	-0.688	11	PASS
	Total	5300	26Tone	RU0	7.819	11	PASS
			52Tone	RU37	8.320	11	PASS
			106Tone	RU53	6.248	11	PASS
			242Tone	RU61	2.614	11	PASS
	Ant8	5320	26Tone	RU0	6.274	11	PASS
			52Tone	RU37	5.454	11	PASS
			106Tone	RU53	3.095	11	PASS



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

			242Tone	RU61	-0.381	11	PASS
	Ant11	5320	26Tone	RU0	6.806	11	PASS
			52Tone	RU37	6.749	11	PASS
			106Tone	RU53	3.881	11	PASS
			242Tone	RU61	0.130	11	PASS
	Total	5320	26Tone	RU0	9.558	11	PASS
			52Tone	RU37	9.160	11	PASS
			106Tone	RU53	6.516	11	PASS
			242Tone	RU61	2.892	11	PASS
	Ant8	5500	26Tone	RU8	5.492	11	PASS
			52Tone	RU40	5.083	11	PASS
			106Tone	RU54	3.328	11	PASS
			242Tone	RU61	-0.532	11	PASS
	Ant11	5500	26Tone	RU8	7.279	11	PASS
			52Tone	RU40	6.963	11	PASS
			106Tone	RU54	5.256	11	PASS
			242Tone	RU61	1.796	11	PASS
	Total	5500	26Tone	RU0	9.487	11	PASS
			52Tone	RU37	9.134	11	PASS
			106Tone	RU53	7.408	11	PASS
			242Tone	RU61	3.796	11	PASS
	Ant8	5580	26Tone	RU8	3.069	11	PASS
			52Tone	RU40	4.369	11	PASS
			106Tone	RU54	3.042	11	PASS
			242Tone	RU61	-0.751	11	PASS
	Ant11	5580	26Tone	RU8	5.099	11	PASS
			52Tone	RU40	5.892	11	PASS
			106Tone	RU54	4.222	11	PASS
			242Tone	RU61	0.819	11	PASS
	Total	5580	26Tone	RU0	7.212	11	PASS
			52Tone	RU37	8.207	11	PASS
			106Tone	RU53	6.682	11	PASS
			242Tone	RU61	3.115	11	PASS
	Ant8	5700	26Tone	RU8	5.148	11	PASS
			52Tone	RU40	4.775	11	PASS



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

			106Tone	RU54	3.353	11	PASS
			242Tone	RU61	-0.067	11	PASS
	Ant11	5700	26Tone	RU8	6.351	11	PASS
			52Tone	RU40	6.569	11	PASS
			106Tone	RU54	4.525	11	PASS
			242Tone	RU61	0.797	11	PASS
	Total	5700	26Tone	RU0	8.801	11	PASS
			52Tone	RU37	8.774	11	PASS
			106Tone	RU53	6.989	11	PASS
			242Tone	RU61	3.397	11	PASS
	Ant8	5720	26Tone	RU8	4.579	11	PASS
			52Tone	RU40	4.156	11	PASS
			106Tone	RU54	2.576	11	PASS
			242Tone	RU61	-0.605	11	PASS
	Ant11	5720	26Tone	RU8	5.486	11	PASS
			52Tone	RU40	5.369	11	PASS
			106Tone	RU54	3.716	11	PASS
			242Tone	RU61	-0.004	11	PASS
	Total	5720	26Tone	RU8	8.066	11	PASS
			52Tone	RU40	7.815	11	PASS
			106Tone	RU54	6.194	11	PASS
			242Tone	RU61	2.716	11	PASS
	Ant8	5745	26Tone	RU8	3.790	30	PASS
			52Tone	RU40	0.020	30	PASS
			106Tone	RU54	-2.785	30	PASS
			242Tone	RU61	-6.746	30	PASS
	Ant11	5745	26Tone	RU8	2.817	30	PASS
			52Tone	RU40	0.294	30	PASS
			106Tone	RU54	-2.184	30	PASS
			242Tone	RU61	-5.718	30	PASS
	Total	5745	26Tone	RU8	6.341	30	PASS
			52Tone	RU40	3.169	30	PASS
			106Tone	RU54	0.536	30	PASS
			242Tone	RU61	-3.191	30	PASS
	Ant8	5785	26Tone	RU8	2.007	30	PASS



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

			52Tone	RU40	-1.272	30	PASS
			106Tone	RU54	-3.410	30	PASS
			242Tone	RU61	-7.264	30	PASS
	Ant11	5785	26Tone	RU8	2.995	30	PASS
			52Tone	RU40	0.248	30	PASS
			106Tone	RU54	-2.627	30	PASS
			242Tone	RU61	-6.199	30	PASS
	Total	5785	26Tone	RU8	5.539	30	PASS
			52Tone	RU40	2.564	30	PASS
			106Tone	RU54	0.009	30	PASS
			242Tone	RU61	-3.689	30	PASS
	Ant8	5825	26Tone	RU8	3.003	30	PASS
			52Tone	RU40	-0.581	30	PASS
			106Tone	RU54	-2.961	30	PASS
			242Tone	RU61	-6.266	30	PASS
	Ant11	5825	26Tone	RU8	2.901	30	PASS
			52Tone	RU40	-0.360	30	PASS
			106Tone	RU54	-3.256	30	PASS
			242Tone	RU61	-6.729	30	PASS
	Total	5825	26Tone	RU8	5.963	30	PASS
			52Tone	RU40	2.541	30	PASS
			106Tone	RU54	-0.096	30	PASS
			242Tone	RU61	-3.481	30	PASS
11AX40MIMO	Ant8	5190	484Tone	RU65	-3.830	11	PASS
	Ant11	5190	484Tone	RU65	-4.279	11	PASS
	Total	5190	484Tone	RU65	-1.038	11	PASS
	Ant8	5230	484Tone	RU65	-2.675	11	PASS
	Ant11	5230	484Tone	RU65	-3.998	11	PASS
	Total	5230	484Tone	RU65	-0.276	11	PASS
	Ant8	5270	484Tone	RU65	-3.765	11	PASS
	Ant11	5270	484Tone	RU65	-4.715	11	PASS
	Total	5270	484Tone	RU65	-1.204	11	PASS



**BUREAU
VERITAS**

Reference No.: PSU-NQN2403180115RF03

	Ant8	5310	484Tone	RU65	-3.361	11	PASS
	Ant11	5310	484Tone	RU65	-3.267	11	PASS
	Total	5310	484Tone	RU65	-0.303	11	PASS
	Ant8	5510	484Tone	RU65	-3.860	11	PASS
	Ant11	5510	484Tone	RU65	-1.264	11	PASS
	Total	5510	484Tone	RU65	0.639	11	PASS
	Ant8	5550	484Tone	RU65	-3.358	11	PASS
	Ant11	5550	484Tone	RU65	-1.574	11	PASS
	Total	5550	484Tone	RU65	0.635	11	PASS
	Ant8	5670	484Tone	RU65	-4.217	11	PASS
	Ant11	5670	484Tone	RU65	-2.701	11	PASS
	Total	5670	484Tone	RU65	-0.383	11	PASS
	Ant8	5710	484Tone	RU65	-3.805	11	
	Ant11	5710	484Tone	RU65	-3.176	11	
	Total	5710	484Tone	RU65	-0.469	11	
	Ant8	5755	484Tone	RU65	-9.432	30	PASS
	Ant11	5755	484Tone	RU65	-8.424	30	PASS
	Total	5755	484Tone	RU65	-5.889	30	PASS
	Ant8	5795	484Tone	RU65	-9.723	30	PASS
	Ant11	5795	484Tone	RU65	-9.308	30	PASS
	Total	5795	484Tone	RU65	-6.500	30	PASS
11AX80MIMO	Ant8	5210	996Tone	RU67	-7.080	11	PASS
	Ant11	5210	996Tone	RU67	-7.464	11	PASS
	Total	5210	996Tone	RU67	-4.257	11	PASS
	Ant8	5290	996Tone	RU67	-7.050	11	PASS
	Ant11	5290	996Tone	RU67	-7.131	11	PASS
	Total	5290	996Tone	RU67	-4.080	11	PASS




BUREAU
VERITAS

Reference No.: PSU-NQN2403180115RF03


	Ant8	5530	996Tone	RU67	-7.029	11	PASS
	Ant11	5530	996Tone	RU67	-5.393	11	PASS
	Total	5530	996Tone	RU67	-3.124	11	PASS
	Ant8	5610	996Tone	RU67	-6.874	11	PASS
	Ant11	5610	996Tone	RU67	-5.913	11	PASS
	Total	5610	996Tone	RU67	-3.357	11	PASS
	Ant8	5690	996Tone	RU67	-7.432	11	PASS
	Ant11	5690	996Tone	RU67	-6.121	11	PASS
	Total	5690	996Tone	RU67	-3.717	11	PASS
	Ant8	5775	996Tone	RU67	-12.458	30	PASS
	Ant11	5775	996Tone	RU67	-11.592	30	PASS
	Total	5775	996Tone	RU67	-8.993	30	PASS

TEST GRAPHS


11AX20MIMO Ant8 5180 26Tone RU0




11AX20MIMO Ant8 5180 52Tone RU37




11AX20MIMO Ant8 5180 106Tone RU53



11AX20MIMO_Ant8_5180_242Tone_RU61




11AX20MIMO_Ant11_5180_26Tone_RU0




11AX20MIMO_Ant11_5180_52Tone_RU37

Power Spectral Density (SA-1)




11AX20MIMO Ant11 5180 106Tone RU53

Power Spectral Density (SA-1)




11AX20MIMO Ant11 5180 242Tone RU61

Power Spectral Density (SA-1)




11AX20MIMO_Ant8_5200_26Tone_RU0

Power Spectral Density (SA-1)




11AX20MIMO_Ant8_5200_52Tone_RU37

Power Spectral Density (SA-1)




11AX20MIMO_Ant8_5200_106Tone_RU53

Power Spectral Density (SA-1)




11AX20MIMO_Ant8_5200_242Tone_RU61

Power Spectral Density (SA-1)




11AX20MIMO_Ant11_5200_26Tone_RU0

Power Spectral Density (SA-1)




11AX20MIMO_Ant11_5200_52Tone_RU37




11AX20MIMO_Ant8_5240_26Tone_RU0

Power Spectral Density (SA-1)




11AX20MIMO_Ant8_5240_52Tone_RU37

Power Spectral Density (SA-1)



11AX20MIMO_Ant8_5240_106Tone_RU53


Power Spectral Density (SA-1)



Connector 1 Sum Level Limit PSD

11AX20MIMO_Ant8_5240_242Tone_RU61


Power Spectral Density (SA-1)



Connector 1 Sum Level Limit PSD

11AX20MIMO_Ant11_5240_26Tone_RU0

Power Spectral Density (SA-1)



Connector 1 Sum Level Limit PSD