
























Band Edge Band 4

Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	-32.62	15.6	Pass
NVNT	a	5825	-31.6	15.6	Pass
NVNT	n20	5745	-31.95	15.6	Pass
NVNT	n20	5825	-32.02	15.6	Pass
NVNT	n40	5755	-31.57	15.6	Pass
NVNT	n40	5795	-31.5	15.6	Pass
NVNT	ac20	5745	-32.05	15.6	Pass
NVNT	ac20	5825	-32.52	15.6	Pass
NVNT	ac40	5755	-31.65	15.6	Pass
NVNT	ac40	5795	-32.54	15.6	Pass
NVNT	ac80	5775	-31.72	15.6	Pass













**Restrict Band**




Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	4500	-37.95	2.41	59.69	Peak	68.2	Pass
NVNT	a	5180	4500	-47.12	2.41	50.52	Average	54	Pass
NVNT	a	5180	5141.2	-33.16	2.41	64.48	Peak	68.2	Pass
NVNT	a	5180	5149.6	-44.99	2.41	52.65	Average	54	Pass
NVNT	a	5180	5150	-34.17	2.41	63.47	Peak	68.2	Pass
NVNT	a	5180	5150	-44.93	2.41	52.71	Average	54	Pass
NVNT	a	5240	5350	-34.35	2.41	63.29	Peak	68.2	Pass
NVNT	a	5240	5350	-44.9	2.41	52.74	Average	54	Pass
NVNT	a	5240	5379.84	-32.87	2.41	64.77	Peak	68.2	Pass
NVNT	a	5240	5358.24	-44.83	2.41	52.81	Average	54	Pass
NVNT	a	5240	5460	-35.5	2.41	62.14	Peak	68.2	Pass
NVNT	a	5240	5460	-45.4	2.41	52.24	Average	54	Pass
NVNT	a	5745	5650	-36.38	2.41	-33.97	Peak	-27	Pass
NVNT	a	5745	5650	-45.61	2.41	-43.2	Average	-27	Pass
NVNT	a	5745	5700	-34.52	2.41	-32.11	Peak	10	Pass
NVNT	a	5745	5700	-45.18	2.41	-42.77	Average	10	Pass
NVNT	a	5745	5720	-34.91	2.41	-32.5	Peak	15.6	Pass
NVNT	a	5745	5720	-44.75	2.41	-42.34	Average	15.6	Pass
NVNT	a	5745	5725	-34.74	2.41	-32.33	Peak	27	Pass
NVNT	a	5745	5725	-44.27	2.41	-41.86	Average	27	Pass
NVNT	a	5825	5850	-33.1	2.41	-30.69	Peak	27	Pass
NVNT	a	5825	5850	-44.3	2.41	-41.89	Average	27	Pass
NVNT	a	5825	5855	-33.3	2.41	-30.89	Peak	15.6	Pass
NVNT	a	5825	5855	-44.58	2.41	-42.17	Average	15.6	Pass
NVNT	a	5825	5875	-33.78	2.41	-31.37	Peak	10	Pass
NVNT	a	5825	5875	-45.13	2.41	-42.72	Average	10	Pass
NVNT	a	5825	5925	-36.46	2.41	-34.05	Peak	-27	Pass
NVNT	a	5825	5925	-45.51	2.41	-43.1	Average	-27	Pass
NVNT	n20	5180	4500	-35.54	2.41	62.1	Peak	68.2	Pass
NVNT	n20	5180	4500	-47.13	2.41	50.51	Average	54	Pass
NVNT	n20	5180	4553.2	-32.94	2.41	64.7	Peak	68.2	Pass
NVNT	n20	5180	5149.6	-44.85	2.41	52.79	Average	54	Pass
NVNT	n20	5180	5150	-35.81	2.41	61.83	Peak	68.2	Pass
NVNT	n20	5180	5150	-44.77	2.41	52.87	Average	54	Pass
NVNT	n20	5240	5350	-34.94	2.41	62.7	Peak	68.2	Pass
NVNT	n20	5240	5350	-44.87	2.41	52.77	Average	54	Pass
NVNT	n20	5240	5356.56	-31.76	2.41	65.88	Peak	68.2	Pass
NVNT	n20	5240	5366.4	-44.8	2.41	52.84	Average	54	Pass
NVNT	n20	5240	5460	-36.03	2.41	61.61	Peak	68.2	Pass
NVNT	n20	5240	5460	-45.36	2.41	52.28	Average	54	Pass
NVNT	n20	5745	5650	-35.41	2.41	-33	Peak	-27	Pass
NVNT	n20	5745	5650	-45.68	2.41	-43.27	Average	-27	Pass
NVNT	n20	5745	5700	-36.71	2.41	-34.3	Peak	10	Pass
NVNT	n20	5745	5700	-45.23	2.41	-42.82	Average	10	Pass
NVNT	n20	5745	5720	-34.6	2.41	-32.19	Peak	15.6	Pass
NVNT	n20	5745	5720	-44.86	2.41	-42.45	Average	15.6	Pass
NVNT	n20	5745	5725	-34.41	2.41	-32	Peak	27	Pass
NVNT	n20	5745	5725	-44.41	2.41	-42	Average	27	Pass
NVNT	n20	5825	5850	-34.6	2.41	-32.19	Peak	27	Pass
NVNT	n20	5825	5850	-44.79	2.41	-42.38	Average	27	Pass
NVNT	n20	5825	5855	-34.13	2.41	-31.72	Peak	15.6	Pass
NVNT	n20	5825	5855	-44.97	2.41	-42.56	Average	15.6	Pass
NVNT	n20	5825	5875	-35.56	2.41	-33.15	Peak	10	Pass
NVNT	n20	5825	5875	-45.31	2.41	-42.9	Average	10	Pass
NVNT	n20	5825	5925	-36.76	2.41	-34.35	Peak	-27	Pass
NVNT	n20	5825	5925	-45.6	2.41	-43.19	Average	-27	Pass
NVNT	n40	5190	4500	-38.22	2.41	59.42	Peak	68.2	Pass
NVNT	n40	5190	4500	-47.19	2.41	50.45	Average	54	Pass
NVNT	n40	5190	5138.75	-33.15	2.41	64.49	Peak	68.2	Pass
NVNT	n40	5190	5149.7	-45.12	2.41	52.52	Average	54	Pass
NVNT	n40	5190	5150	-35.19	2.41	62.45	Peak	68.2	Pass
NVNT	n40	5190	5150	-45.06	2.41	52.58	Average	54	Pass
NVNT	n40	5230	5350	-33.58	2.41	64.06	Peak	68.2	Pass
NVNT	n40	5230	5350	-44.87	2.41	52.77	Average	54	Pass
NVNT	n40	5230	5351.73	-32.22	2.41	65.42	Peak	68.2	Pass
NVNT	n40	5230	5360.37	-44.8	2.41	52.84	Average	54	Pass
NVNT	n40	5230	5460	-34.76	2.41	62.88	Peak	68.2	Pass
NVNT	n40	5230	5460	-45.39	2.41	52.25	Average	54	Pass
NVNT	n40	5755	5650	-36.42	2.41	-34.01	Peak	-27	Pass
NVNT	n40	5755	5650	-45.59	2.41	-43.18	Average	-27	Pass
NVNT	n40	5755	5700	-33.75	2.41	-31.34	Peak	10	Pass
NVNT	n40	5755	5700	-45.13	2.41	-42.72	Average	10	Pass
NVNT	n40	5755	5720	-35.36	2.41	-32.95	Peak	15.6	Pass
NVNT	n40	5755	5720	-44.41	2.41	-42	Average	15.6	Pass
NVNT	n40	5755	5725	-33.83	2.41	-31.42	Peak	27	Pass
NVNT	n40	5755	5725	-43.25	2.41	-40.84	Average	27	Pass
NVNT	n40	5795	5850	-35.39	2.41	-32.98	Peak	27	Pass
NVNT	n40	5795	5850	-44.95	2.41	-42.54	Average	27	Pass
NVNT	n40	5795	5855	-35.57	2.41	-33.16	Peak	15.6	Pass
NVNT	n40	5795	5855	-45.12	2.41	-42.71	Average	15.6	Pass
NVNT	n40	5795	5875	-35.63	2.41	-33.22	Peak	10	Pass
NVNT	n40	5795	5875	-45.42	2.41	-43.01	Average	10	Pass
NVNT	n40	5795	5925	-34.99	2.41	-32.58	Peak	-27	Pass
NVNT	n40	5795	5925	-45.65	2.41	-43.24	Average	-27	Pass
NVNT	ac20	5180	4500	-36.68	2.41	60.96	Peak	68.2	Pass
NVNT	ac20	5180	4500	-47.14	2.41	50.5	Average	54	Pass
NVNT	ac20	5180	5148.9	-33.86	2.41	63.78	Peak	68.2	Pass
NVNT	ac20	5180	5149.6	-45.35	2.41	52.29	Average	54	Pass
NVNT	ac20	5180	5150	-36.31	2.41	61.33	Peak	68.2	Pass
NVNT	ac20	5180	5150	-45.32	2.41	52.32	Average	54	Pass
NVNT	ac20	5240	5350	-35.2	2.41	62.44	Peak	68.2	Pass
NVNT	ac20	5240	5350	-44.83	2.41	52.81	Average	54	Pass









NVNT	ac20	5240	5441.04	-32.36	2.41	65.28	Peak	68.2	Pass
NVNT	ac20	5240	5358.96	-44.78	2.41	52.86	Average	54	Pass
NVNT	ac20	5240	5460	-35.19	2.41	62.45	Peak	68.2	Pass
NVNT	ac20	5240	5460	-45.36	2.41	52.28	Average	54	Pass
NVNT	ac20	5745	5650	-36.48	2.41	-34.07	Peak	-27	Pass
NVNT	ac20	5745	5650	-45.62	2.41	-43.21	Average	-27	Pass
NVNT	ac20	5745	5700	-35.72	2.41	-33.31	Peak	10	Pass
NVNT	ac20	5745	5700	-45.17	2.41	-42.76	Average	10	Pass
NVNT	ac20	5745	5720	-34.98	2.41	-32.57	Peak	15.6	Pass
NVNT	ac20	5745	5720	-44.67	2.41	-42.26	Average	15.6	Pass
NVNT	ac20	5745	5725	-34.69	2.41	-32.28	Peak	27	Pass
NVNT	ac20	5745	5725	-44.26	2.41	-41.85	Average	27	Pass
NVNT	ac20	5825	5850	-32.99	2.41	-30.58	Peak	27	Pass
NVNT	ac20	5825	5850	-44.56	2.41	-42.15	Average	27	Pass
NVNT	ac20	5825	5855	-35.05	2.41	-32.64	Peak	15.6	Pass
NVNT	ac20	5825	5855	-44.83	2.41	-42.42	Average	15.6	Pass
NVNT	ac20	5825	5875	-35.26	2.41	-32.85	Peak	10	Pass
NVNT	ac20	5825	5875	-45.26	2.41	-42.85	Average	10	Pass
NVNT	ac20	5825	5925	-35.66	2.41	-33.25	Peak	-27	Pass
NVNT	ac20	5825	5925	-45.52	2.41	-43.11	Average	-27	Pass
NVNT	ac40	5190	4500	-37.31	2.41	60.33	Peak	68.2	Pass
NVNT	ac40	5190	4500	-47.14	2.41	50.5	Average	54	Pass
NVNT	ac40	5190	4618.99	-33.37	2.41	64.27	Peak	68.2	Pass
NVNT	ac40	5190	5149.7	-44.92	2.41	52.72	Average	54	Pass
NVNT	ac40	5190	5150	-34.89	2.41	62.75	Peak	68.2	Pass
NVNT	ac40	5190	5150	-44.86	2.41	52.78	Average	54	Pass
NVNT	ac40	5230	5350	-35.46	2.41	62.18	Peak	68.2	Pass
NVNT	ac40	5230	5350	-44.86	2.41	52.78	Average	54	Pass
NVNT	ac40	5230	5393.04	-32.31	2.41	65.33	Peak	68.2	Pass
NVNT	ac40	5230	5360.64	-44.79	2.41	52.85	Average	54	Pass
NVNT	ac40	5230	5460	-33.31	2.41	64.33	Peak	68.2	Pass
NVNT	ac40	5230	5460	-45.38	2.41	52.26	Average	54	Pass
NVNT	ac40	5755	5650	-34.85	2.41	-32.44	Peak	-27	Pass
NVNT	ac40	5755	5650	-45.69	2.41	-43.28	Average	-27	Pass
NVNT	ac40	5755	5700	-35.21	2.41	-32.8	Peak	10	Pass
NVNT	ac40	5755	5700	-45.27	2.41	-42.86	Average	10	Pass
NVNT	ac40	5755	5720	-34.45	2.41	-32.04	Peak	15.6	Pass
NVNT	ac40	5755	5720	-44.52	2.41	-42.11	Average	15.6	Pass
NVNT	ac40	5755	5725	-34.31	2.41	-31.9	Peak	27	Pass
NVNT	ac40	5755	5725	-43.28	2.41	-40.87	Average	27	Pass
NVNT	ac40	5795	5850	-33.99	2.41	-31.58	Peak	27	Pass
NVNT	ac40	5795	5850	-44.86	2.41	-42.45	Average	27	Pass
NVNT	ac40	5795	5855	-34.51	2.41	-32.1	Peak	15.6	Pass
NVNT	ac40	5795	5855	-45.04	2.41	-42.63	Average	15.6	Pass
NVNT	ac40	5795	5875	-35.91	2.41	-33.5	Peak	10	Pass
NVNT	ac40	5795	5875	-45.38	2.41	-42.97	Average	10	Pass
NVNT	ac40	5795	5925	-35.08	2.41	-32.67	Peak	-27	Pass
NVNT	ac40	5795	5925	-45.65	2.41	-43.24	Average	-27	Pass
NVNT	ac80	5210	4500	-37.32	2.41	60.32	Peak	68.2	Pass
NVNT	ac80	5210	4500	-47.06	2.41	50.58	Average	54	Pass
NVNT	ac80	5210	5018.24	-33.78	2.41	63.86	Peak	68.2	Pass
NVNT	ac80	5210	5149.38	-46	2.41	51.64	Average	54	Pass
NVNT	ac80	5210	5150	-35.48	2.41	62.16	Peak	68.2	Pass
NVNT	ac80	5210	5150	-45.98	2.41	51.66	Average	54	Pass
NVNT	ac80	5775	5650	-35.33	2.41	-32.92	Peak	-27	Pass
NVNT	ac80	5775	5650	-45.27	2.41	-42.86	Average	-27	Pass
NVNT	ac80	5775	5700	-31.94	2.41	-29.53	Peak	10	Pass
NVNT	ac80	5775	5700	-42.84	2.41	-40.43	Average	10	Pass
NVNT	ac80	5775	5720	-33.11	2.41	-30.7	Peak	15.6	Pass
NVNT	ac80	5775	5720	-42.68	2.41	-40.27	Average	15.6	Pass
NVNT	ac80	5775	5725	-32.39	2.41	-29.98	Peak	27	Pass
NVNT	ac80	5775	5725	-41.7	2.41	-39.29	Average	27	Pass






































































**-6dB Bandwidth**


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.536	0.5	Pass
NVNT	a	5785	16.512	0.5	Pass
NVNT	a	5825	16.395	0.5	Pass
NVNT	n20	5745	17.748	0.5	Pass
NVNT	n20	5785	17.751	0.5	Pass
NVNT	n20	5825	17.664	0.5	Pass
NVNT	n40	5755	36.33	0.5	Pass
NVNT	n40	5795	36.306	0.5	Pass
NVNT	ac20	5745	17.781	0.5	Pass
NVNT	ac20	5785	17.79	0.5	Pass
NVNT	ac20	5825	17.688	0.5	Pass
NVNT	ac40	5755	36.318	0.5	Pass
NVNT	ac40	5795	36.33	0.5	Pass
NVNT	ac80	5775	76.512	0.5	Pass













APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC ID & IC.

※※※※※END OF THE REPORT※※※※※