




Band5-4183-1-3000~10000MHz



Band5-4183-1-1000~3000MHz



Band5-4183-1-30~1000MHz




Band5-4183-1-0.009~0.15MHz



Band5-4183-1-0.15~30MHz



Band5-4183-2-0.15~30MHz



Band5-4183-2-30~100MHz



Band5-4183-2-1000~3000MHz



Band5-4183-2-3000~10000MHz



Band5-4183-2-0.009~0.15MHz




Band5-4183-2-1000~18000MHz



Band5-4183-3-1000~3000MHz



Band5-4183-3-30~1000MHz



Band5-4183-3-0.15~30MHz



Band5-4183-3-3000~10000MHz



Band5-4183-3-0.009~0.15MHz




Band5-4183-3-1000~18000MHz



Band5-4183-4-0.009~0.15MHz



Band5-4183-4-0.15~30MHz



Band5-4183-4-30~1000MHz



Band5-4183-4-1000~3000MHz



Band5-4183-4-3000~10000MHz



Band5-4183-4-10000~18000MHz



Band5-4233-1-10000~18000MHz




Band5-4233-1-0.009~0.15MHz



Band5-4233-1-3000~10000MHz




Band5-4233-1-0.15~30MHz




Band5-4233-1-1000~3000MHz




Band5-4233-1-30~1000MHz



Band5-4233-2-0.15~30MHz



Band5-4233-2-30~100MHz



Band5-4233-2-1000~3000MHz



Band5-4233-2-10000~18000MHz




Band5-4233-2-3000~10000MHz



Band5-4233-2-0.009~0.15MHz



Band5-4233-3-30~1000MHz




Band5-4233-3-10000~18000MHz



Band5-4233-3-1000~3000MHz



Band5-4233-3-0.15~30MHz



Band5-4233-3-0.009~0.15MHz



Band5-4233-3-3000~10000MHz



Band5-4233-4-10000~18000MHz




Band5-4233-4-0.009~0.15MHz



Band5-4233-4-0.15~30MHz



Band5-4233-4-30~1000MHz




Band5-4233-4-1000~3000MHz



Band5-4233-4-3000~10000MHz



Band5-4132-1-0.15~30MHz



Band5-4132-1-30~1000MHz



Band5-4132-1-1000~3000MHz



Band5-4132-1-3000~10000MHz



Band5-4132-1-10000~18000MHz



Band5-4132-1-0.009~0.15MHz




Band5-4132-2-1000~3000MHz



Band5-4132-2-3000~10000MHz



Band5-4132-2-30~10000MHz



Band5-4132-2-0.15~30MHz



Band5-4132-2-0.009~0.15MHz



Band5-4132-2-10000~18000MHz



Band5-4132-3-10000~18000MHz



Band5-4132-3-0.15~30MHz



Band5-4132-3-30~1000MHz



Band5-4132-3-0.009~0.15MHz



Band5-4132-3-3000~10000MHz




Band5-4132-3-1000~3000MHz




Band5-4132-4-0.009~0.15MHz



Band5-4132-4-0.15~30MHz



Band5-4132-4-30~1000MHz



Band5-4132-4-1000~3000MHz



Band5-4132-4-3000~10000MHz



Band5-4132-4-10000~18000MHz



Band5-4132-5-1000~3000MHz



Band5-4132-5-10000~18000MHz



Band5-4132-5-3000~10000MHz




Band5-4132-5-0.009~0.15MHz




Band5-4132-5-30~1000MHz



Band5-4132-5-0.15~30MHz



Band5-4183-1-0.15~30MHz



Band5-4183-1-0.009~0.15MHz



Band5-4183-1-30~1000MHz



Band5-4183-1-1000~3000MHz



Band5-4183-1-3000~10000MHz



Band5-4183-1-10000~18000MHz



Band5-4183-2-1000~3000MHz




Band5-4183-2-3000~10000MHz



Band5-4183-2-30~10000MHz



Band5-4183-2-0.15~30MHz




Band5-4183-2-0.009~0.15MHz



Band5-4183-2-1000~18000MHz



Band5-4183-3-30~1000MHz



Band5-4183-3-0.009~0.15MHz



Band5-4183-3-1000~3000MHz



Band5-4183-3-3000~10000MHz



Band5-4183-3-10000~18000MHz



Band5-4183-3-0.15~30MHz



Band5-4183-4-0.15~30MHz




Band5-4183-4-10000~18000MHz



Band5-4183-4-3000~10000MHz



Band5-4183-4-30~1000MHz



Band5-4183-4-0.009~0.15MHz




Band5-4183-4-1000~3000MHz




Band5-4183-5-10000~18000MHz



Band5-4183-5-0.15~30MHz



Band5-4183-5-30~1000MHz



Band5-4183-5-1000~3000MHz



Band5-4183-5-3000~10000MHz




Band5-4183-5-0.009~0.15MHz




Band5-4233-1-0.009~0.15MHz



Band5-4233-1-0.15~30MHz



Band5-4233-1-30~1000MHz



Band5-4233-1-1000~3000MHz



Band5-4233-1-3000~10000MHz



Band5-4233-1-10000~18000MHz



Band5-4233-2-1000~3000MHz




Band5-4233-2-10000~18000MHz



Band5-4233-2-3000~10000MHz



Band5-4233-2-30~1000MHz



Band5-4233-2-0.15~30MHz




Band5-4233-2-0.009~0.15MHz



Band5-4233-3-3000~10000MHz




Band5-4233-3-0.15~30MHz



Band5-4233-3-1000~18000MHz



Band5-4233-3-30~1000MHz



Band5-4233-3-1000~3000MHz



Band5-4233-3-0.009~0.15MHz



Band5-4233-4-0.009~0.15MHz



Band5-4233-4-10000~18000MHz




Band5-4233-4-3000~10000MHz



Band5-4233-4-1000~3000MHz



Band5-4233-4-0.15~30MHz



Band5-4233-4-30~1000MHz



Band5-4233-5-1000~18000MHz




Band5-4233-5-0.009~0.15MHz



Band5-4233-5-0.15~30MHz



Band5-4233-5-30~1000MHz



Band5-4233-5-1000~3000MHz



Band5-4233-5-3000~10000MHz



Appendix F: Frequency Stability

Test Result

RMC

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VL	NT	-0.62	-0.000750	±2.5	PASS
Band5	4132	VN	NT	-0.86	-0.001041	±2.5	PASS
Band5	4132	VH	NT	-0.62	-0.000750	±2.5	PASS
Band5	4183	VL	NT	-0.94	-0.001124	±2.5	PASS
Band5	4183	VN	NT	-0.98	-0.001171	±2.5	PASS
Band5	4183	VH	NT	-1.14	-0.001363	±2.5	PASS
Band5	4233	VL	NT	0.21	0.000248	±2.5	PASS
Band5	4233	VN	NT	0.22	0.000260	±2.5	PASS
Band5	4233	VH	NT	0.24	0.000283	±2.5	PASS

RMC

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-0.69	-0.000835	±2.5	PASS
Band5	4132	NV	-20	-0.75	-0.000908	±2.5	PASS
Band5	4132	NV	-10	-0.73	-0.000883	±2.5	PASS
Band5	4132	NV	0	-0.71	-0.000859	±2.5	PASS
Band5	4132	NV	10	-0.72	-0.000871	±2.5	PASS
Band5	4132	NV	20	-0.65	-0.000787	±2.5	PASS
Band5	4132	NV	30	-0.78	-0.000944	±2.5	PASS
Band5	4132	NV	40	-0.77	-0.000932	±2.5	PASS
Band5	4132	NV	50	-0.92	-0.001113	±2.5	PASS
Band5	4183	NV	-30	-1.04	-0.001243	±2.5	PASS
Band5	4183	NV	-20	-1.09	-0.001303	±2.5	PASS
Band5	4183	NV	-10	-1.03	-0.001231	±2.5	PASS
Band5	4183	NV	0	-1.04	-0.001243	±2.5	PASS
Band5	4183	NV	10	-1.02	-0.001219	±2.5	PASS
Band5	4183	NV	20	-1.08	-0.001291	±2.5	PASS
Band5	4183	NV	30	-1.14	-0.001363	±2.5	PASS
Band5	4183	NV	40	-1.10	-0.001315	±2.5	PASS
Band5	4183	NV	50	-1.02	-0.001219	±2.5	PASS
Band5	4233	NV	-30	0.26	0.000307	±2.5	PASS
Band5	4233	NV	-20	0.28	0.000331	±2.5	PASS
Band5	4233	NV	-10	0.37	0.000437	±2.5	PASS

Band5	4233	NV	0	0.28	0.000331	±2.5	PASS
Band5	4233	NV	10	0.29	0.000343	±2.5	PASS
Band5	4233	NV	20	0.32	0.000378	±2.5	PASS
Band5	4233	NV	30	0.26	0.000307	±2.5	PASS
Band5	4233	NV	40	0.39	0.000461	±2.5	PASS
Band5	4233	NV	50	0.36	0.000425	±2.5	PASS

HSDPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VL	NT	-0.64	-0.000774	±2.5	PASS
Band5	4132	1	VN	NT	-0.45	-0.000545	±2.5	PASS
Band5	4132	1	VH	NT	-0.77	-0.000932	±2.5	PASS
Band5	4132	2	VL	NT	-0.31	-0.000375	±2.5	PASS
Band5	4132	2	VN	NT	-0.15	-0.000182	±2.5	PASS
Band5	4132	2	VH	NT	-0.46	-0.000557	±2.5	PASS
Band5	4132	3	VL	NT	-0.12	-0.000145	±2.5	PASS
Band5	4132	3	VN	NT	-0.30	-0.000363	±2.5	PASS
Band5	4132	3	VH	NT	-0.14	-0.000169	±2.5	PASS
Band5	4132	4	VL	NT	-0.39	-0.000472	±2.5	PASS
Band5	4132	4	VN	NT	-0.26	-0.000315	±2.5	PASS
Band5	4132	4	VH	NT	-0.41	-0.000496	±2.5	PASS
Band5	4183	1	VL	NT	-0.65	-0.000777	±2.5	PASS
Band5	4183	1	VN	NT	-0.28	-0.000335	±2.5	PASS
Band5	4183	1	VH	NT	-0.07	-0.000084	±2.5	PASS
Band5	4183	2	VL	NT	-0.30	-0.000359	±2.5	PASS
Band5	4183	2	VN	NT	-0.19	-0.000227	±2.5	PASS
Band5	4183	2	VH	NT	-0.85	-0.001016	±2.5	PASS
Band5	4183	3	VL	NT	-0.08	-0.000096	±2.5	PASS
Band5	4183	3	VN	NT	-0.41	-0.000490	±2.5	PASS
Band5	4183	3	VH	NT	-0.82	-0.000980	±2.5	PASS
Band5	4183	4	VL	NT	-0.88	-0.001052	±2.5	PASS
Band5	4183	4	VN	NT	-0.44	-0.000526	±2.5	PASS
Band5	4183	4	VH	NT	-0.82	-0.000980	±2.5	PASS
Band5	4233	1	VL	NT	-0.46	-0.000543	±2.5	PASS
Band5	4233	1	VN	NT	-0.16	-0.000189	±2.5	PASS
Band5	4233	1	VH	NT	0.01	0.000012	±2.5	PASS
Band5	4233	2	VL	NT	-0.54	-0.000638	±2.5	PASS
Band5	4233	2	VN	NT	-0.18	-0.000213	±2.5	PASS
Band5	4233	2	VH	NT	0.10	0.000118	±2.5	PASS
Band5	4233	3	VL	NT	-0.44	-0.000520	±2.5	PASS

Band5	4233	3	VN	NT	-1.07	-0.001264	±2.5	PASS
Band5	4233	3	VH	NT	-0.34	-0.000402	±2.5	PASS
Band5	4233	4	VL	NT	-0.49	-0.000579	±2.5	PASS
Band5	4233	4	VN	NT	-0.77	-0.000910	±2.5	PASS
Band5	4233	4	VH	NT	-0.03	-0.000035	±2.5	PASS

HSDPA

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-0.65	-0.000787	±2.5	PASS
Band5	4132	1	NV	-20	-0.80	-0.000968	±2.5	PASS
Band5	4132	1	NV	-10	-0.39	-0.000472	±2.5	PASS
Band5	4132	1	NV	0	-0.10	-0.000121	±2.5	PASS
Band5	4132	1	NV	10	-0.71	-0.000859	±2.5	PASS
Band5	4132	1	NV	20	0.02	0.000024	±2.5	PASS
Band5	4132	1	NV	30	-0.22	-0.000266	±2.5	PASS
Band5	4132	1	NV	40	-0.22	-0.000266	±2.5	PASS
Band5	4132	1	NV	50	-0.42	-0.000508	±2.5	PASS
Band5	4132	2	NV	-30	-0.16	-0.000194	±2.5	PASS
Band5	4132	2	NV	-20	-0.21	-0.000254	±2.5	PASS
Band5	4132	2	NV	-10	-0.04	-0.000048	±2.5	PASS
Band5	4132	2	NV	0	-0.42	-0.000508	±2.5	PASS
Band5	4132	2	NV	10	-0.39	-0.000472	±2.5	PASS
Band5	4132	2	NV	20	-0.78	-0.000944	±2.5	PASS
Band5	4132	2	NV	30	-0.98	-0.001186	±2.5	PASS
Band5	4132	2	NV	40	-0.85	-0.001029	±2.5	PASS
Band5	4132	2	NV	50	-0.08	-0.000097	±2.5	PASS
Band5	4132	3	NV	-30	-0.21	-0.000254	±2.5	PASS
Band5	4132	3	NV	-20	-0.39	-0.000472	±2.5	PASS
Band5	4132	3	NV	-10	-0.46	-0.000557	±2.5	PASS
Band5	4132	3	NV	0	-0.37	-0.000448	±2.5	PASS
Band5	4132	3	NV	10	0.06	0.000073	±2.5	PASS
Band5	4132	3	NV	20	-0.37	-0.000448	±2.5	PASS
Band5	4132	3	NV	30	-0.16	-0.000194	±2.5	PASS
Band5	4132	3	NV	40	-0.30	-0.000363	±2.5	PASS
Band5	4132	3	NV	50	-0.36	-0.000436	±2.5	PASS
Band5	4132	4	NV	-30	-0.41	-0.000496	±2.5	PASS
Band5	4132	4	NV	-20	-0.33	-0.000399	±2.5	PASS
Band5	4132	4	NV	-10	-0.24	-0.000290	±2.5	PASS
Band5	4132	4	NV	0	-0.04	-0.000048	±2.5	PASS
Band5	4132	4	NV	10	-0.19	-0.000230	±2.5	PASS

Band5	4132	4	NV	20	-0.07	-0.000085	±2.5	PASS
Band5	4132	4	NV	30	-0.72	-0.000871	±2.5	PASS
Band5	4132	4	NV	40	-0.26	-0.000315	±2.5	PASS
Band5	4132	4	NV	50	-0.27	-0.000327	±2.5	PASS
Band5	4183	1	NV	-30	-0.21	-0.000251	±2.5	PASS
Band5	4183	1	NV	-20	-0.25	-0.000299	±2.5	PASS
Band5	4183	1	NV	-10	-0.29	-0.000347	±2.5	PASS
Band5	4183	1	NV	0	-0.51	-0.000610	±2.5	PASS
Band5	4183	1	NV	10	-0.68	-0.000813	±2.5	PASS
Band5	4183	1	NV	20	-0.08	-0.000096	±2.5	PASS
Band5	4183	1	NV	30	-0.36	-0.000430	±2.5	PASS
Band5	4183	1	NV	40	-0.69	-0.000825	±2.5	PASS
Band5	4183	1	NV	50	-0.46	-0.000550	±2.5	PASS
Band5	4183	2	NV	-30	-0.35	-0.000418	±2.5	PASS
Band5	4183	2	NV	-20	-0.14	-0.000167	±2.5	PASS
Band5	4183	2	NV	-10	-0.19	-0.000227	±2.5	PASS
Band5	4183	2	NV	0	-0.50	-0.000598	±2.5	PASS
Band5	4183	2	NV	10	-0.05	-0.000060	±2.5	PASS
Band5	4183	2	NV	20	-0.34	-0.000406	±2.5	PASS
Band5	4183	2	NV	30	-0.09	-0.000108	±2.5	PASS
Band5	4183	2	NV	40	0.29	0.000347	±2.5	PASS
Band5	4183	2	NV	50	-0.19	-0.000227	±2.5	PASS
Band5	4183	3	NV	-30	-0.03	-0.000036	±2.5	PASS
Band5	4183	3	NV	-20	-0.41	-0.000490	±2.5	PASS
Band5	4183	3	NV	-10	-0.66	-0.000789	±2.5	PASS
Band5	4183	3	NV	0	-0.19	-0.000227	±2.5	PASS
Band5	4183	3	NV	10	-0.01	-0.000012	±2.5	PASS
Band5	4183	3	NV	20	-0.79	-0.000944	±2.5	PASS
Band5	4183	3	NV	30	-0.17	-0.000203	±2.5	PASS
Band5	4183	3	NV	40	-0.70	-0.000837	±2.5	PASS
Band5	4183	3	NV	50	-0.51	-0.000610	±2.5	PASS
Band5	4183	4	NV	-30	-0.34	-0.000406	±2.5	PASS
Band5	4183	4	NV	-20	-0.51	-0.000610	±2.5	PASS
Band5	4183	4	NV	-10	-0.44	-0.000526	±2.5	PASS
Band5	4183	4	NV	0	-0.43	-0.000514	±2.5	PASS
Band5	4183	4	NV	10	-0.29	-0.000347	±2.5	PASS
Band5	4183	4	NV	20	-0.03	-0.000036	±2.5	PASS
Band5	4183	4	NV	30	0.71	0.000849	±2.5	PASS
Band5	4183	4	NV	40	-0.43	-0.000514	±2.5	PASS
Band5	4183	4	NV	50	-0.57	-0.000681	±2.5	PASS
Band5	4233	1	NV	-30	-0.09	-0.000106	±2.5	PASS

Band5	4233	1	NV	-20	-0.25	-0.000295	±2.5	PASS
Band5	4233	1	NV	-10	-0.34	-0.000402	±2.5	PASS
Band5	4233	1	NV	0	1.31	0.001547	±2.5	PASS
Band5	4233	1	NV	10	-0.42	-0.000496	±2.5	PASS
Band5	4233	1	NV	20	-0.16	-0.000189	±2.5	PASS
Band5	4233	1	NV	30	-0.48	-0.000567	±2.5	PASS
Band5	4233	1	NV	40	-0.38	-0.000449	±2.5	PASS
Band5	4233	1	NV	50	-0.47	-0.000555	±2.5	PASS
Band5	4233	2	NV	-30	-0.54	-0.000638	±2.5	PASS
Band5	4233	2	NV	-20	-0.38	-0.000449	±2.5	PASS
Band5	4233	2	NV	-10	-0.55	-0.000650	±2.5	PASS
Band5	4233	2	NV	0	-0.82	-0.000969	±2.5	PASS
Band5	4233	2	NV	10	-0.05	-0.000059	±2.5	PASS
Band5	4233	2	NV	20	-0.49	-0.000579	±2.5	PASS
Band5	4233	2	NV	30	-0.52	-0.000614	±2.5	PASS
Band5	4233	2	NV	40	-0.26	-0.000307	±2.5	PASS
Band5	4233	2	NV	50	-0.88	-0.001039	±2.5	PASS
Band5	4233	3	NV	-30	-0.19	-0.000224	±2.5	PASS
Band5	4233	3	NV	-20	-0.54	-0.000638	±2.5	PASS
Band5	4233	3	NV	-10	-0.51	-0.000602	±2.5	PASS
Band5	4233	3	NV	0	0.18	0.000213	±2.5	PASS
Band5	4233	3	NV	10	-0.60	-0.000709	±2.5	PASS
Band5	4233	3	NV	20	-0.95	-0.001122	±2.5	PASS
Band5	4233	3	NV	30	-0.26	-0.000307	±2.5	PASS
Band5	4233	3	NV	40	-0.38	-0.000449	±2.5	PASS
Band5	4233	3	NV	50	-0.19	-0.000224	±2.5	PASS
Band5	4233	4	NV	-30	-0.35	-0.000413	±2.5	PASS
Band5	4233	4	NV	-20	-0.79	-0.000933	±2.5	PASS
Band5	4233	4	NV	-10	-0.91	-0.001075	±2.5	PASS
Band5	4233	4	NV	0	-0.30	-0.000354	±2.5	PASS
Band5	4233	4	NV	10	-0.22	-0.000260	±2.5	PASS
Band5	4233	4	NV	20	-0.14	-0.000165	±2.5	PASS
Band5	4233	4	NV	30	-1.00	-0.001181	±2.5	PASS
Band5	4233	4	NV	40	-0.23	-0.000272	±2.5	PASS
Band5	4233	4	NV	50	-0.87	-0.001028	±2.5	PASS

HSUPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VL	NT	-0.07	-0.000085	±2.5	PASS
Band5	4132	1	VN	NT	-0.29	-0.000351	±2.5	PASS
Band5	4132	1	VH	NT	-0.29	-0.000351	±2.5	PASS
Band5	4132	2	VL	NT	-0.14	-0.000169	±2.5	PASS
Band5	4132	2	VN	NT	-0.21	-0.000254	±2.5	PASS
Band5	4132	2	VH	NT	-0.19	-0.000230	±2.5	PASS
Band5	4132	3	VL	NT	-0.21	-0.000254	±2.5	PASS
Band5	4132	3	VN	NT	-0.30	-0.000363	±2.5	PASS
Band5	4132	3	VH	NT	-0.28	-0.000339	±2.5	PASS
Band5	4132	4	VL	NT	-0.06	-0.000073	±2.5	PASS
Band5	4132	4	VN	NT	-0.06	-0.000073	±2.5	PASS
Band5	4132	4	VH	NT	-0.11	-0.000133	±2.5	PASS
Band5	4132	5	VL	NT	-0.54	-0.000653	±2.5	PASS
Band5	4132	5	VN	NT	-0.39	-0.000472	±2.5	PASS
Band5	4132	5	VH	NT	0.04	0.000048	±2.5	PASS
Band5	4183	1	VL	NT	-0.31	-0.000371	±2.5	PASS
Band5	4183	1	VN	NT	-0.31	-0.000371	±2.5	PASS
Band5	4183	1	VH	NT	-0.14	-0.000167	±2.5	PASS
Band5	4183	2	VL	NT	0.07	0.000084	±2.5	PASS
Band5	4183	2	VN	NT	-0.14	-0.000167	±2.5	PASS
Band5	4183	2	VH	NT	-0.05	-0.000060	±2.5	PASS
Band5	4183	3	VL	NT	-0.20	-0.000239	±2.5	PASS
Band5	4183	3	VN	NT	-0.26	-0.000311	±2.5	PASS
Band5	4183	3	VH	NT	-0.39	-0.000466	±2.5	PASS
Band5	4183	4	VL	NT	0.21	0.000251	±2.5	PASS
Band5	4183	4	VN	NT	-0.03	-0.000036	±2.5	PASS
Band5	4183	4	VH	NT	-0.10	-0.000120	±2.5	PASS
Band5	4183	5	VL	NT	-0.09	-0.000108	±2.5	PASS
Band5	4183	5	VN	NT	0.09	0.000108	±2.5	PASS
Band5	4183	5	VH	NT	-0.29	-0.000347	±2.5	PASS
Band5	4233	1	VL	NT	-0.06	-0.000071	±2.5	PASS
Band5	4233	1	VN	NT	-0.55	-0.000650	±2.5	PASS
Band5	4233	1	VH	NT	-0.17	-0.000201	±2.5	PASS
Band5	4233	2	VL	NT	-0.11	-0.000130	±2.5	PASS
Band5	4233	2	VN	NT	-0.15	-0.000177	±2.5	PASS
Band5	4233	2	VH	NT	-0.19	-0.000224	±2.5	PASS
Band5	4233	3	VL	NT	-0.50	-0.000591	±2.5	PASS
Band5	4233	3	VN	NT	-0.14	-0.000165	±2.5	PASS

Band5	4233	3	VH	NT	0.05	0.000059	±2.5	PASS
Band5	4233	4	VL	NT	-0.13	-0.000154	±2.5	PASS
Band5	4233	4	VN	NT	0.11	0.000130	±2.5	PASS
Band5	4233	4	VH	NT	-0.17	-0.000201	±2.5	PASS
Band5	4233	5	VL	NT	-0.13	-0.000154	±2.5	PASS
Band5	4233	5	VN	NT	0.03	0.000035	±2.5	PASS
Band5	4233	5	VH	NT	-0.18	-0.000213	±2.5	PASS

HSUPA

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-0.17	-0.000206	±2.5	PASS
Band5	4132	1	NV	-20	-0.34	-0.000411	±2.5	PASS
Band5	4132	1	NV	-10	-0.29	-0.000351	±2.5	PASS
Band5	4132	1	NV	0	-0.27	-0.000327	±2.5	PASS
Band5	4132	1	NV	10	-0.15	-0.000182	±2.5	PASS
Band5	4132	1	NV	20	-0.06	-0.000073	±2.5	PASS
Band5	4132	1	NV	30	-0.44	-0.000532	±2.5	PASS
Band5	4132	1	NV	40	-0.34	-0.000411	±2.5	PASS
Band5	4132	1	NV	50	-0.47	-0.000569	±2.5	PASS
Band5	4132	2	NV	-30	-0.18	-0.000218	±2.5	PASS
Band5	4132	2	NV	-20	-0.08	-0.000097	±2.5	PASS
Band5	4132	2	NV	-10	-0.65	-0.000787	±2.5	PASS
Band5	4132	2	NV	0	-0.31	-0.000375	±2.5	PASS
Band5	4132	2	NV	10	-0.24	-0.000290	±2.5	PASS
Band5	4132	2	NV	20	-0.27	-0.000327	±2.5	PASS
Band5	4132	2	NV	30	-0.15	-0.000182	±2.5	PASS
Band5	4132	2	NV	40	-0.37	-0.000448	±2.5	PASS
Band5	4132	2	NV	50	-0.19	-0.000230	±2.5	PASS
Band5	4132	3	NV	-30	0.16	0.000194	±2.5	PASS
Band5	4132	3	NV	-20	-0.26	-0.000315	±2.5	PASS
Band5	4132	3	NV	-10	-0.34	-0.000411	±2.5	PASS
Band5	4132	3	NV	0	-0.54	-0.000653	±2.5	PASS
Band5	4132	3	NV	10	0.35	0.000424	±2.5	PASS
Band5	4132	3	NV	20	-0.05	-0.000061	±2.5	PASS
Band5	4132	3	NV	30	-0.02	-0.000024	±2.5	PASS
Band5	4132	3	NV	40	0.02	0.000024	±2.5	PASS
Band5	4132	3	NV	50	-0.06	-0.000073	±2.5	PASS
Band5	4132	4	NV	-30	0.00	0.000000	±2.5	PASS
Band5	4132	4	NV	-20	-0.24	-0.000290	±2.5	PASS
Band5	4132	4	NV	-10	-0.34	-0.000411	±2.5	PASS

Band5	4132	4	NV	0	-0.15	-0.000182	±2.5	PASS
Band5	4132	4	NV	10	-0.17	-0.000206	±2.5	PASS
Band5	4132	4	NV	20	0.21	0.000254	±2.5	PASS
Band5	4132	4	NV	30	0.04	0.000048	±2.5	PASS
Band5	4132	4	NV	40	-0.12	-0.000145	±2.5	PASS
Band5	4132	4	NV	50	-0.19	-0.000230	±2.5	PASS
Band5	4132	5	NV	-30	-0.34	-0.000411	±2.5	PASS
Band5	4132	5	NV	-20	-0.49	-0.000593	±2.5	PASS
Band5	4132	5	NV	-10	-0.26	-0.000315	±2.5	PASS
Band5	4132	5	NV	0	-0.24	-0.000290	±2.5	PASS
Band5	4132	5	NV	10	-0.24	-0.000290	±2.5	PASS
Band5	4132	5	NV	20	-0.13	-0.000157	±2.5	PASS
Band5	4132	5	NV	30	-0.21	-0.000254	±2.5	PASS
Band5	4132	5	NV	40	-0.05	-0.000061	±2.5	PASS
Band5	4132	5	NV	50	-0.55	-0.000666	±2.5	PASS
Band5	4183	1	NV	-30	-0.14	-0.000167	±2.5	PASS
Band5	4183	1	NV	-20	0.03	0.000036	±2.5	PASS
Band5	4183	1	NV	-10	-0.72	-0.000861	±2.5	PASS
Band5	4183	1	NV	0	-0.24	-0.000287	±2.5	PASS
Band5	4183	1	NV	10	-0.37	-0.000442	±2.5	PASS
Band5	4183	1	NV	20	-0.03	-0.000036	±2.5	PASS
Band5	4183	1	NV	30	-0.24	-0.000287	±2.5	PASS
Band5	4183	1	NV	40	-0.01	-0.000012	±2.5	PASS
Band5	4183	1	NV	50	-0.04	-0.000048	±2.5	PASS
Band5	4183	2	NV	-30	-0.46	-0.000550	±2.5	PASS
Band5	4183	2	NV	-20	-0.14	-0.000167	±2.5	PASS
Band5	4183	2	NV	-10	0.04	0.000048	±2.5	PASS
Band5	4183	2	NV	0	0.18	0.000215	±2.5	PASS
Band5	4183	2	NV	10	-0.02	-0.000024	±2.5	PASS
Band5	4183	2	NV	20	-0.19	-0.000227	±2.5	PASS
Band5	4183	2	NV	30	-0.42	-0.000502	±2.5	PASS
Band5	4183	2	NV	40	0.06	0.000072	±2.5	PASS
Band5	4183	2	NV	50	-0.41	-0.000490	±2.5	PASS
Band5	4183	3	NV	-30	-0.04	-0.000048	±2.5	PASS
Band5	4183	3	NV	-20	-0.26	-0.000311	±2.5	PASS
Band5	4183	3	NV	-10	-0.51	-0.000610	±2.5	PASS
Band5	4183	3	NV	0	0.04	0.000048	±2.5	PASS
Band5	4183	3	NV	10	0.09	0.000108	±2.5	PASS
Band5	4183	3	NV	20	-0.09	-0.000108	±2.5	PASS
Band5	4183	3	NV	30	-0.17	-0.000203	±2.5	PASS
Band5	4183	3	NV	40	-0.44	-0.000526	±2.5	PASS

Band5	4183	3	NV	50	0.06	0.000072	±2.5	PASS
Band5	4183	4	NV	-30	-0.51	-0.000610	±2.5	PASS
Band5	4183	4	NV	-20	-0.20	-0.000239	±2.5	PASS
Band5	4183	4	NV	-10	0.06	0.000072	±2.5	PASS
Band5	4183	4	NV	0	-0.34	-0.000406	±2.5	PASS
Band5	4183	4	NV	10	-0.43	-0.000514	±2.5	PASS
Band5	4183	4	NV	20	-0.14	-0.000167	±2.5	PASS
Band5	4183	4	NV	30	0.19	0.000227	±2.5	PASS
Band5	4183	4	NV	40	-0.07	-0.000084	±2.5	PASS
Band5	4183	4	NV	50	-0.04	-0.000048	±2.5	PASS
Band5	4183	5	NV	-30	0.08	0.000096	±2.5	PASS
Band5	4183	5	NV	-20	-0.35	-0.000418	±2.5	PASS
Band5	4183	5	NV	-10	0.01	0.000012	±2.5	PASS
Band5	4183	5	NV	0	0.14	0.000167	±2.5	PASS
Band5	4183	5	NV	10	-0.06	-0.000072	±2.5	PASS
Band5	4183	5	NV	20	0.13	0.000155	±2.5	PASS
Band5	4183	5	NV	30	-0.19	-0.000227	±2.5	PASS
Band5	4183	5	NV	40	-0.13	-0.000155	±2.5	PASS
Band5	4183	5	NV	50	-0.05	-0.000060	±2.5	PASS
Band5	4233	1	NV	-30	-0.26	-0.000307	±2.5	PASS
Band5	4233	1	NV	-20	-0.16	-0.000189	±2.5	PASS
Band5	4233	1	NV	-10	-0.21	-0.000248	±2.5	PASS
Band5	4233	1	NV	0	-0.13	-0.000154	±2.5	PASS
Band5	4233	1	NV	10	-0.05	-0.000059	±2.5	PASS
Band5	4233	1	NV	20	-0.04	-0.000047	±2.5	PASS
Band5	4233	1	NV	30	-0.48	-0.000567	±2.5	PASS
Band5	4233	1	NV	40	0.00	0.000000	±2.5	PASS
Band5	4233	1	NV	50	-0.10	-0.000118	±2.5	PASS
Band5	4233	2	NV	-30	-0.30	-0.000354	±2.5	PASS
Band5	4233	2	NV	-20	-0.05	-0.000059	±2.5	PASS
Band5	4233	2	NV	-10	-0.09	-0.000106	±2.5	PASS
Band5	4233	2	NV	0	0.11	0.000130	±2.5	PASS
Band5	4233	2	NV	10	0.03	0.000035	±2.5	PASS
Band5	4233	2	NV	20	0.42	0.000496	±2.5	PASS
Band5	4233	2	NV	30	-0.09	-0.000106	±2.5	PASS
Band5	4233	2	NV	40	-0.16	-0.000189	±2.5	PASS
Band5	4233	2	NV	50	-0.19	-0.000224	±2.5	PASS
Band5	4233	3	NV	-30	-0.07	-0.000083	±2.5	PASS
Band5	4233	3	NV	-20	-0.12	-0.000142	±2.5	PASS
Band5	4233	3	NV	-10	-0.26	-0.000307	±2.5	PASS
Band5	4233	3	NV	0	-0.26	-0.000307	±2.5	PASS

Band5	4233	3	NV	10	-0.19	-0.000224	±2.5	PASS
Band5	4233	3	NV	20	-0.06	-0.000071	±2.5	PASS
Band5	4233	3	NV	30	0.03	0.000035	±2.5	PASS
Band5	4233	3	NV	40	0.01	0.000012	±2.5	PASS
Band5	4233	3	NV	50	-0.20	-0.000236	±2.5	PASS
Band5	4233	4	NV	-30	-0.25	-0.000295	±2.5	PASS
Band5	4233	4	NV	-20	0.18	0.000213	±2.5	PASS
Band5	4233	4	NV	-10	-0.18	-0.000213	±2.5	PASS
Band5	4233	4	NV	0	-0.19	-0.000224	±2.5	PASS
Band5	4233	4	NV	10	0.32	0.000378	±2.5	PASS
Band5	4233	4	NV	20	0.08	0.000094	±2.5	PASS
Band5	4233	4	NV	30	-0.29	-0.000343	±2.5	PASS
Band5	4233	4	NV	40	-0.21	-0.000248	±2.5	PASS
Band5	4233	4	NV	50	-0.11	-0.000130	±2.5	PASS
Band5	4233	5	NV	-30	-0.25	-0.000295	±2.5	PASS
Band5	4233	5	NV	-20	-0.22	-0.000260	±2.5	PASS
Band5	4233	5	NV	-10	-0.33	-0.000390	±2.5	PASS
Band5	4233	5	NV	0	-0.19	-0.000224	±2.5	PASS
Band5	4233	5	NV	10	-0.19	-0.000224	±2.5	PASS
Band5	4233	5	NV	20	0.13	0.000154	±2.5	PASS
Band5	4233	5	NV	30	-0.18	-0.000213	±2.5	PASS
Band5	4233	5	NV	40	-0.12	-0.000142	±2.5	PASS
Band5	4233	5	NV	50	-0.01	-0.000012	±2.5	PASS

***** End *****