

4G LTE body worn camera F2S-A

Quick User guide

Reminder : Please read this manual carefully before using the product and keep it safe.

Notifications before use:

. Maintenance can only be carried out by professional and technical personnel.

.Please do not disassemble. No modification or adjustment of the equipment is allowed for any reason.

Package contents:

F2S-A Body worn camera * 1 , AC charger * 1, Type C USB charging cable * 1 , Built in Battery* 1

Back clip * 1, Packing box * 1



Buttons introduction



Buttons introduction:

Key description	
Button	Function description
① Video Record	Press to start video record and press again to end video record
② PTT button	Hold the PTT button to start the voice talk, release to end voice talk
③ Photo Capture Button/flashlight	Short press to take photo/Long press to turn on/off flash light
④ Volume+/-&Audio record	Short press to Volume Up/Down Long press to start audio record and long press again to end audio record
⑤ Main camera	Main camera,default camera. Adjust selfie camera in photo capturing and video recording page
⑥ Power on/off button	1. Press and hold the power button for 3 seconds to power on. 2. Long press the power button for 3 seconds to shut down. 3. Short press the power button off the screen and wake up the screen
⑦ Back clip slot	Install back clip for mounting to uniform
⑧ Back camera	Selfie camera and adjust in photo capturing and video recording app menu page
⑨ Type C input	Recharging the device and data transfer
⑩ Sim card slot	To insert the sim card
⑪ SOS button/police light	Short press to activate SOS Long press 3-5 seconds, turn on/off the red and blue police light

Note:

The following recommendations will help your device stay under warranty and stay in use for many years:

- 1) keep the equipment dry. Avoid substances that may corrode electronic circuits, such as rain, moisture, and liquids.
- 2) do not use or store equipment in a dusty place, so as not to damage its moving parts
- 3) Do not store the device in high temperatures. High temperatures can shorten the life of electronic circuits and damage batteries and some plastic parts

Terminal battery usage:

The performance of the terminal battery is affected by a number of factors, including your wireless carrier network configuration, signal strength, temperature when using the device, frequency of Use, and the ability to choose which features to use.

For best battery performance, observe the following rules:

- 1) only the original battery is allowed to charge in the device, so as to avoid damage caused by wrong charging.
- 2) if the battery is found to have any strange smell or overheating, cracks, deformation or other types of damage, or found that the electrolyte leakage, should immediately disable the battery.
- 3) After long-term use, the battery will be due to the gradual loss and take a long time to charge, which is a normal phenomenon

FCC Caution:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information

SAR tests are conducted using standard operating positions accepted by the FCC with the device transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the device while operating can be well below the maximum value. Before a new model device is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the exposure limit established by the FCC, tests for each device are performed in positions and locations as required by the FCC.

For body worn operation, this model device has been tested and meets the FCC RF exposure guidelines when used with an accessory designated for this product or when used with an accessory that contains no metal and that positions the handset a minimum of 5mm from the body. Non-compliance with the above restrictions may result in violation of RF exposure guidelines.

CE specifications



BE	BG	CZ	DK	DE	EE	IE	EL
ES	FR	HR	IT	CY	LV	LT	LU
HU	MT	NL	AT	PL	PT	RO	SI
SK	FI	SE	NO	IS	LI	CH	TR

In all EU member states, operation of
5150-5350 MHz is restricted to indoor use only.

Manufacturer: Shenzhen Grand Time Technology Co.,Ltd

Address: 24B, Microsoft Comtech Tower, No.55 Gaoxin South 9th Road, Nanshan District,
Shenzhen 518057, P.R. China