

HERWZ-01/US

 wiz.world	TSH Made in China
	HERWZ-01/US 12.5W 120V~ 50/60Hz 0.18A FCC ID: 2AMETWFESP01

MKT Ref:	RP-WiZ-HERWZ-01/US		
TAO Ref:	ZPP06195	Date:	
Spec:	45x25mm 字体Zurich BT Bold		
Position:	Front of driver		
Previous TAO Ref:			

XXXXX

ZPP05759

批号根据 TAO BATCH CODE SOP

MKT Ref:	RP-WiZ-US-LOGO-ETL		
TAO Ref:	ZPP0	Date:	
Spec:	15x20mm 字体Zurich BT Bold 8pt		
Position:	front of driver		
Previous TAO Ref:			



 Model: TLD-U01140900CVI PRI: 100-130V~ 50/60Hz SEC: 11.4VDC, 0.9A

MKT Ref:	PP- WiZ-LED Driver -TLD-E120087CVI -US		
TAO Ref:	ZPP06050	Date:	
Size:	60*35mm Zurich BT Bold 10pt		
Position:	驱动器印字	60*35mm Laser printing Position: Back of driver	
Previous TAO Ref:			

SUITABLE FOR DAMP LOCATIONS
DO NOT SUBMERSE
CONFORMS TO UL STD 153
CERTIFIED TO CSA STD C22.2#250.4

MKT Ref:	RP-WiZ-US-Portable Warning		
TAO Ref:	ZPP06193	Date:	
Spec:	40x15mm 字体Zurich BT Bold 8pt		
Position:	Side of driver		
Previous TAO Ref:		Date:	

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT SAFETY INSTRUCTIONS

This portable luminaire has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not alter the plug.

MKT Ref:	RP-Warning-US luminaries with plug-FCC		
TAO Ref:	ZRP-	Date:	2017-07-25
Spec:	230*30mm, 银色标贴UL认证供应商印刷		
Position:	on the cable near plug, 靠近插头		
Previous TAO Ref:			

QUEWZ-01/US

 wiz.world QUEWZ-01/US 120V~ 50/60Hz FCC ID: 2AMETWFESP01	TSH Made in China
	12.5W 0.18A

MKT Ref:	PP-WiZ-QUEWZ-01/US		
TAO Ref:	ZPP0-	Date:	
Spec:	45x25mm 字体Zurich BT Bold		
Position:	Front of driver		
Previous TAO Ref:			

XXXXXX

ZPP05759
批号根据 TAO BATCH CODE SOP

MKT Ref:	RP-WiZ-US-LOGO-ETL		
TAO Ref:	ZPP0	Date:	
Spec:	15x20mm 字体Zurich BT Bold 8pt		
Position:	front of driver		
Previous TAO Ref:			



 Model: TLD-U01140900CVI PRI: 100-130V~ 50/60Hz SEC: 11.4VDC, 0.9A

MKT Ref:	PP- WiZ-LED Driver -TLD-E120087CVI -US		
TAO Ref:	ZPP06050	Date:	
Size:	60*35mm Zurich BT Bold 10pt		
Position:	驱动器印字	60*35mm Laser printing Position: Back of driver	
Previous TAO Ref:			


SUITABLE FOR DAMP LOCATIONS
DO NOT SUBMERSE
CONFORMS TO UL STD 153
CERTIFIED TO CSA STD C22.2#250.4

MKT Ref:	RP-WiZ-US-Portable Warning		
TAO Ref:	ZPP06193	Date:	
Spec:	40x15mm 字体Zurich BT Bold 8pt		
Position:	Side of driver		
Previous TAO Ref:		Date:	

This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT SAFETY INSTRUCTIONS

This portable luminaire has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not alter the plug.

MKT Ref:	RP-Warning-US luminaries with plug-FCC		
TAO Ref:	ZRP-	Date:	2017-07-25
Spec:	230*30mm,银色标贴UL认证供应商印刷		
Position:	on the cable near plug, 靠近插头		
Previous TAO Ref:			

SPIWZ-01/US

Wiz wiz.world	TSH Made in China
SPIWZ-01/US	12W
120V~ 50/60Hz	0.18A
FCC ID: 2AMETWFESP01	

MKT Ref:	RP-WIZ-SPIWZ-01/US		
TAO Ref:	ZPP06194	Date:	
Spec:	45x25mm 字体Zurich BT Bold		
Position:	Front of driver		
Previous TAO Ref:			

XXXXX

ZPP05759
批号根据 TAO BATCH CODE SOP

MKT Ref:	RP-WIZ-US-LOGO-ETL		
TAO Ref:	ZPP0	Date:	
Spec:	15x20mm 字体Zurich BT Bold 8pt		
Position:	front of driver		
Previous TAO Ref:			



Wiz
Model: TLD-U01140900CVI
PRI: 100-130V~ 50/60Hz
SEC: 11.4VDC, 0.9A

MKT Ref:	PP- WIZ-LED Driver -TLD-E120087CVI -US		
TAO Ref:	ZPP06050	Date:	
Size:	60*35mm Zurich BT Bold 10pt		
Position:	驱动器印字	60*35mm Laser printing Position: Back of driver	
Previous TAO Ref:			

SUITABLE FOR DAMP LOCATIONS
DO NOT SUBMERSE
CONFORMS TO UL STD 153
CERTIFIED TO CSA STD C22.2#250.4

MKT Ref:	RP-WIZ-US-Portable Warning		
TAO Ref:	ZPP06193	Date:	
Spec:	40x15mm 字体Zurich BT Bold 8pt		
Position:	Side of driver		
Previous TAO Ref:		Date:	
		Date:	
		Date:	

This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT SAFETY INSTRUCTIONS

This portable luminaire has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not alter the plug.

MKT Ref:	RP-Warning-US luminaries with plug-FCC		
TAO Ref:	ZRP-	Date:	2017-07-25
Spec:	230*30mm,银色标贴UL认证供应商印刷		
Position:	on the cable near plug, 靠近插头		
Previous TAO Ref:			