




802.11b / 2412 MHz (Band Edge)




802.11b / 2417 MHz (Band Edge)




802.11b / 2437 MHz (Band Edge)




802.11b / 2452 MHz (Band Edge)















802.11b / 2457 MHz (Band Edge)




802.11b / 2462 MHz (Band Edge)



802.11g / 2412 MHz (Band Edge)**802.11g / 2417 MHz (Band Edge)****802.11g / 2422 MHz (Band Edge)****802.11g / 2437 MHz (Band Edge)****802.11g / 2452 MHz (Band Edge)****802.11g / 2457 MHz (Band Edge)**


802.11g / 2462 MHz (Band Edge)**802.11n (20 MHz) / 2412 MHz (Band Edge)****802.11n (20 MHz) / 2417 MHz (Band Edge)****802.11n (20 MHz) / 2422 MHz (Band Edge)****802.11n (20 MHz) / 2437 MHz (Band Edge)****802.11n (20 MHz) / 2452 MHz (Band Edge)**



Appendix F. Test Result of Transmitter Radiated Spurious Emission

30 MHz ~ 1 GHz

Site : HC-CB04
 Condition : 3m Horizontal
 Mode : LF_n20_TX_2437MHz
 Test By : Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	79.955	25.78	40.00	-14.22	33.37	-7.59	QP
2	132.432	21.52	43.50	-21.98	25.99	-4.47	QP
3	335.938	26.94	46.00	-19.06	28.59	-1.65	QP
4	542.063	25.21	46.00	-20.79	22.27	2.94	QP
5	809.298	29.90	46.00	-16.10	22.01	7.89	QP
6	921.527	36.37	46.00	-9.63	27.16	9.21	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site : HC-CB04
 Condition : 3m Vertical
 Mode : LF_n20_TX_2437MHz
 Test By : Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	79.955	35.50	40.00	-4.50	43.09	-7.59	QP
2	240.005	19.70	46.00	-26.30	24.43	-4.73	QP
3	335.938	24.36	46.00	-21.64	26.01	-1.65	QP
4	383.856	25.06	46.00	-20.94	25.51	-0.45	QP
5	613.358	27.81	46.00	-18.19	23.01	4.80	QP
6	921.818	33.51	46.00	-12.49	24.29	9.22	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Ling Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	54.35	74.00	-19.65	43.94	10.41	Peak
2	2412.900	104.68	74.00	30.68	94.21	10.47	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Ling Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	58.65	74.00	-15.35	48.24	10.41	Peak
2	2413.000	109.90	74.00	35.90	99.43	10.47	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Ling Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	48.88	74.00	-25.12	38.47	10.41	Average
2	2412.800	102.06	74.00	28.06	91.59	10.47	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Ling Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.56	74.00	-20.44	43.15	10.41	Average
2	2412.700	107.22	74.00	33.22	96.75	10.47	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	40.52	74.00	-33.48	58.28	-17.76	Peak
2	7236.000	44.56	74.00	-29.44	57.34	-12.78	Peak
3	9648.000	46.94	74.00	-27.06	56.03	-9.09	Peak
4	12060.000	47.67	74.00	-26.33	53.45	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	42.78	74.00	-31.22	60.54	-17.76	Peak
2	7236.000	45.23	74.00	-28.77	58.01	-12.78	Peak
3	9648.000	47.37	74.00	-26.63	56.46	-9.09	Peak
4	12060.000	48.72	74.00	-25.28	54.50	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	51.72	74.00	-22.28	41.31	10.41	Peak
2	2416.100	105.67	74.00	31.67	95.20	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	56.66	74.00	-17.34	46.25	10.41	Peak
2	2416.200	111.47	74.00	37.47	101.00	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	48.21	54.00	-5.79	37.80	10.41	Average
2	2415.800	103.06	54.00	49.06	92.59	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.28	54.00	-0.72	42.87	10.41	Average
2	2417.700	108.63	54.00	54.63	98.16	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4834.000	40.60	74.00	-33.40	58.34	-17.74	Peak
2	7251.000	44.81	74.00	-29.19	57.57	-12.76	Peak
3	9668.000	47.11	74.00	-26.89	56.18	-9.07	Peak
4	12085.000	48.99	74.00	-25.01	54.75	-5.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4834.000	42.66	74.00	-31.34	60.40	-17.74	Peak
2	7251.000	44.88	74.00	-29.12	57.64	-12.76	Peak
3	9668.000	46.89	74.00	-27.11	55.96	-9.07	Peak
4	12085.000	48.44	74.00	-25.56	54.20	-5.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	50.05	74.00	-23.95	39.64	10.41	Peak
2	2435.600	107.32	74.00	33.32	96.80	10.52	Peak
3	2484.100	47.11	74.00	-26.89	36.46	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.800	52.29	74.00	-21.71	41.88	10.41	Peak
2	2435.600	112.23	74.00	38.23	101.71	10.52	Peak
3	2484.100	52.20	74.00	-21.80	41.55	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	42.94	54.00	-11.06	32.53	10.41	Average
2	2435.300	105.07	54.00	51.07	94.55	10.52	Average
3	2483.700	39.70	54.00	-14.30	29.05	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	47.35	54.00	-6.65	36.94	10.41	Average
2	2435.300	109.60	54.00	55.60	99.08	10.52	Average
3	2483.800	46.05	54.00	-7.95	35.40	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	40.89	74.00	-33.11	58.51	-17.62	Peak
2	7311.000	44.57	74.00	-29.43	57.23	-12.66	Peak
3	9748.000	46.91	74.00	-27.09	55.89	-8.98	Peak
4	12185.000	49.44	74.00	-24.56	55.09	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	44.02	74.00	-29.98	61.64	-17.62	Peak
2	7311.000	45.85	74.00	-28.15	58.51	-12.66	Peak
3	9748.000	46.06	74.00	-27.94	55.04	-8.98	Peak
4	12185.000	48.78	74.00	-25.22	54.43	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2450.600	107.49	-----	-----	96.94	10.55	Peak
2	2484.100	53.03	74.00	-20.97	42.38	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2449.900	111.90	-----	-----	101.35	10.55	Peak
2	2484.100	56.67	74.00	-17.33	46.02	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2450.300	104.87	-----	-----	94.32	10.55	Average
2	2484.300	48.30	54.00	-5.70	37.65	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2449.800	109.36	-----	-----	98.81	10.55	Average
2	2484.300	53.24	54.00	-0.76	42.59	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	40.84	74.00	-33.16	58.38	-17.54	Peak
2	7356.000	45.31	74.00	-28.69	57.88	-12.57	Peak
3	9808.000	45.51	74.00	-28.49	54.41	-8.90	Peak
4	12260.000	49.60	74.00	-24.40	55.18	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	42.12	74.00	-31.88	59.66	-17.54	Peak
2	7356.000	45.65	74.00	-28.35	58.22	-12.57	Peak
3	9808.000	46.11	74.00	-27.89	55.01	-8.90	Peak
4	12260.000	48.59	74.00	-25.41	54.17	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2456.200	104.04	-----	-----	93.47	10.57	Peak
2	2483.700	49.23	74.00	-24.77	38.58	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2455.600	108.60	-----	-----	98.03	10.57	Peak
2	2483.600	58.06	74.00	-15.94	47.42	10.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2455.300	102.71	-----	-----	92.14	10.57	Average
2	2483.600	43.95	54.00	-10.05	33.31	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2455.300	106.01	-----	-----	95.44	10.57	Average
2	2483.600	53.29	54.00	-0.71	42.65	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2457MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4914.000	40.38	74.00	-33.62	57.91	-17.53	Peak
2	7371.000	46.58	74.00	-27.42	59.14	-12.56	Peak
3	9828.000	47.34	74.00	-26.66	56.22	-8.88	Peak
4	12285.000	48.62	74.00	-25.38	54.17	-5.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2457MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4914.000	40.91	74.00	-33.09	58.44	-17.53	Peak
2	7371.000	46.05	74.00	-27.95	58.61	-12.56	Peak
3	9828.000	46.55	74.00	-27.45	55.43	-8.88	Peak
4	12285.000	48.58	74.00	-25.42	54.13	-5.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.200	103.63	74.00	29.63	93.05	10.58	Peak
2	2483.700	52.67	74.00	-21.33	42.02	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.200	107.01	74.00	33.01	96.43	10.58	Peak
2	2483.800	57.49	74.00	-16.51	46.84	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2460.400	101.09	-----	-----	90.52	10.57	Average
2	2483.600	47.53	54.00	-6.47	36.89	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2460.300	104.19	-----	-----	93.62	10.57	Average
2	2483.600	53.18	54.00	-0.82	42.54	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	40.00	74.00	-34.00	57.49	-17.49	Peak
2	7386.000	44.72	74.00	-29.28	57.25	-12.53	Peak
3	9848.000	46.29	74.00	-27.71	55.14	-8.85	Peak
4	12310.000	48.36	74.00	-25.64	53.89	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	41.12	74.00	-32.88	58.61	-17.49	Peak
2	7386.000	44.46	74.00	-29.54	56.99	-12.53	Peak
3	9848.000	46.34	74.00	-27.66	55.19	-8.85	Peak
4	12310.000	47.54	74.00	-26.46	53.07	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.400	62.20	74.00	-11.80	51.79	10.41	Peak
2	2411.400	106.35	74.00	32.35	95.88	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.600	70.46	74.00	-3.54	60.05	10.41	Peak
2	2412.600	110.57	74.00	36.57	100.10	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.900	46.34	54.00	-7.66	35.93	10.41	Average
2	2411.300	97.18	54.00	43.18	86.71	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.33	54.00	-0.67	42.92	10.41	Average
2	2411.300	101.15	54.00	47.15	90.68	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	40.19	74.00	-33.81	57.95	-17.76	Peak
2	7236.000	45.64	74.00	-28.36	58.42	-12.78	Peak
3	9648.000	46.81	74.00	-27.19	55.90	-9.09	Peak
4	12060.000	48.65	74.00	-25.35	54.43	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	39.96	74.00	-34.04	57.72	-17.76	Peak
2	7236.000	44.70	74.00	-29.30	57.48	-12.78	Peak
3	9648.000	46.16	74.00	-27.84	55.25	-9.09	Peak
4	12060.000	48.80	74.00	-25.20	54.58	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	62.83	74.00	-11.17	52.42	10.41	Peak
2	2417.600	106.70	74.00	32.70	96.23	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	68.04	74.00	-5.96	57.63	10.41	Peak
2	2417.600	111.88	74.00	37.88	101.41	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	48.71	54.00	-5.29	38.30	10.41	Average
2	2416.300	97.36	-----	-----	86.89	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.74	54.00	-0.26	43.33	10.41	Average
2	2416.300	102.92	-----	-----	92.45	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2417MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4834.000	39.49	74.00	-34.51	57.23	-17.74	Peak
2	7251.000	47.61	74.00	-26.39	60.37	-12.76	Peak
3	9668.000	47.99	74.00	-26.01	57.06	-9.07	Peak
4	12085.000	49.21	74.00	-24.79	54.97	-5.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2417MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4834.000	40.29	74.00	-33.71	58.03	-17.74	Peak
2	7251.000	46.59	74.00	-27.41	59.35	-12.76	Peak
3	9668.000	47.24	74.00	-26.76	56.31	-9.07	Peak
4	12085.000	49.17	74.00	-24.83	54.93	-5.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	61.36	74.00	-12.64	50.95	10.41	Peak
2	2422.700	109.42	74.00	35.42	98.93	10.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	64.64	74.00	-9.36	54.23	10.41	Peak
2	2421.000	113.86	74.00	39.86	103.37	10.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	49.32	54.00	-4.68	38.91	10.41	Average
2	2421.300	100.05	54.00	46.05	89.56	10.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.900	53.07	54.00	-0.93	42.66	10.41	Average
2	2421.300	104.49	54.00	50.49	94.00	10.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2422MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	40.03	74.00	-33.97	57.73	-17.70	Peak
2	7266.000	44.60	74.00	-29.40	57.33	-12.73	Peak
3	9688.000	46.26	74.00	-27.74	55.31	-9.05	Peak
4	12110.000	48.19	74.00	-25.81	53.92	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2422MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	40.63	74.00	-33.37	58.33	-17.70	Peak
2	7266.000	45.44	74.00	-28.56	58.17	-12.73	Peak
3	9688.000	46.15	74.00	-27.85	55.20	-9.05	Peak
4	12110.000	48.68	74.00	-25.32	54.41	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	61.15	74.00	-12.85	50.74	10.41	Peak
2	2420.400	109.08	-----	-----	98.59	10.49	Peak
3	2483.800	48.80	74.00	-25.20	38.15	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	63.93	74.00	-10.07	53.52	10.41	Peak
2	2435.200	116.58	-----	-----	106.06	10.52	Peak
3	2483.600	70.77	74.00	-3.23	60.13	10.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	49.11	54.00	-4.89	38.70	10.41	Average
2	2421.200	102.15	-----	-----	91.66	10.49	Average
3	2483.600	36.11	54.00	-17.89	25.47	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	50.29	54.00	-3.71	39.88	10.41	Average
2	2436.300	107.69	-----	-----	97.17	10.52	Average
3	2483.700	52.02	54.00	-1.98	41.37	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	39.78	74.00	-34.22	57.40	-17.62	Peak
2	7311.000	44.78	74.00	-29.22	57.44	-12.66	Peak
3	9748.000	45.99	74.00	-28.01	54.97	-8.98	Peak
4	12185.000	49.03	74.00	-24.97	54.68	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	42.75	74.00	-31.25	60.37	-17.62	Peak
2	7311.000	45.43	74.00	-28.57	58.09	-12.66	Peak
3	9748.000	46.03	74.00	-27.97	55.01	-8.98	Peak
4	12185.000	49.47	74.00	-24.53	55.12	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2450.500	109.39	-----	-----	98.84	10.55	Peak
2	2483.700	64.20	74.00	-9.80	53.55	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2450.600	113.93	-----	-----	103.38	10.55	Peak
2	2483.700	68.81	74.00	-5.19	58.16	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2451.200	100.17	-----	-----	89.61	10.56	Average
2	2483.600	50.10	54.00	-3.90	39.46	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2451.300	104.46	-----	-----	93.90	10.56	Average
2	2483.600	53.88	54.00	-0.12	43.24	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2452MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	40.97	74.00	-33.03	58.51	-17.54	Peak
2	7356.000	45.40	74.00	-28.60	57.97	-12.57	Peak
3	9808.000	46.05	74.00	-27.95	54.95	-8.90	Peak
4	12260.000	48.97	74.00	-25.03	54.55	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2452MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	40.06	74.00	-33.94	57.60	-17.54	Peak
2	7356.000	45.51	74.00	-28.49	58.08	-12.57	Peak
3	9808.000	46.58	74.00	-27.42	55.48	-8.90	Peak
4	12260.000	49.06	74.00	-24.94	54.64	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2457MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2455.300	106.39	74.00	32.39	95.82	10.57	Peak
2	2483.800	58.98	74.00	-15.02	48.33	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2457MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2455.400	110.90	74.00	36.90	100.33	10.57	Peak
2	2483.700	67.02	74.00	-6.98	56.37	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2456.300	96.73	-----	-----	86.16	10.57	Average
2	2483.600	46.09	54.00	-7.91	35.45	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2456.300	101.43	-----	-----	90.86	10.57	Average
2	2483.600	53.76	54.00	-0.24	43.12	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2457MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4914.000	40.73	74.00	-33.27	58.26	-17.53	Peak
2	7371.000	46.03	74.00	-27.97	58.59	-12.56	Peak
3	9828.000	46.77	74.00	-27.23	55.65	-8.88	Peak
4	12285.000	48.96	74.00	-25.04	54.51	-5.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2457MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4914.000	40.45	74.00	-33.55	57.98	-17.53	Peak
2	7371.000	45.91	74.00	-28.09	58.47	-12.56	Peak
3	9828.000	47.01	74.00	-26.99	55.89	-8.88	Peak
4	12285.000	49.14	74.00	-24.86	54.69	-5.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.400	105.27	-----	-----	94.69	10.58	Peak
2	2483.800	64.45	74.00	-9.55	53.80	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2460.200	109.75	-----	-----	99.18	10.57	Peak
2	2483.800	70.41	74.00	-3.59	59.76	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.300	95.67	-----	-----	85.09	10.58	Average
2	2483.600	48.37	54.00	-5.63	37.73	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.300	100.81	-----	-----	90.23	10.58	Average
2	2483.800	53.78	54.00	-0.22	43.13	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	40.62	74.00	-33.38	58.11	-17.49	Peak
2	7386.000	44.97	74.00	-29.03	57.50	-12.53	Peak
3	9848.000	46.30	74.00	-27.70	55.15	-8.85	Peak
4	12310.000	48.00	74.00	-26.00	53.53	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	39.78	74.00	-34.22	57.27	-17.49	Peak
2	7386.000	44.71	74.00	-29.29	57.24	-12.53	Peak
3	9848.000	46.38	74.00	-27.62	55.23	-8.85	Peak
4	12310.000	48.31	74.00	-25.69	53.84	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	62.73	74.00	-11.27	52.32	10.41	Peak
2	2414.200	107.45	-----	-----	96.98	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	71.35	74.00	-2.65	60.94	10.41	Peak
2	2412.900	111.31	-----	-----	100.84	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	48.37	54.00	-5.63	37.96	10.41	Average
2	2411.300	97.91	-----	-----	87.44	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2412MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.80	54.00	-0.20	43.39	10.41	Average
2	2412.600	101.89	-----	-----	91.42	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	39.87	74.00	-34.13	57.63	-17.76	Peak
2	7236.000	44.77	74.00	-29.23	57.55	-12.78	Peak
3	9648.000	46.47	74.00	-27.53	55.56	-9.09	Peak
4	12060.000	48.24	74.00	-25.76	54.02	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	40.47	74.00	-33.53	58.23	-17.76	Peak
2	7236.000	45.20	74.00	-28.80	57.98	-12.78	Peak
3	9648.000	46.21	74.00	-27.79	55.30	-9.09	Peak
4	12060.000	48.25	74.00	-25.75	54.03	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	59.20	74.00	-14.80	48.79	10.41	Peak
2	2416.400	107.45	-----	-----	96.98	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	59.20	74.00	-14.80	48.79	10.41	Peak
2	2416.400	107.45	-----	-----	96.98	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.900	45.14	54.00	-8.86	34.73	10.41	Average
2	2417.800	98.24	-----	-----	87.77	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2417MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.70	54.00	-0.30	43.29	10.41	Average
2	2417.600	103.00	-----	-----	92.53	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2417MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4834.000	40.07	74.00	-33.93	57.81	-17.74	Peak
2	7251.000	46.08	74.00	-27.92	58.84	-12.76	Peak
3	9668.000	46.89	74.00	-27.11	55.96	-9.07	Peak
4	12085.000	49.34	74.00	-24.66	55.10	-5.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2417MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4834.000	40.27	74.00	-33.73	58.01	-17.74	Peak
2	7251.000	46.37	74.00	-27.63	59.13	-12.76	Peak
3	9668.000	47.25	74.00	-26.75	56.32	-9.07	Peak
4	12085.000	49.58	74.00	-24.42	55.34	-5.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	62.09	74.00	-11.91	51.68	10.41	Peak
2	2422.100	109.08	-----	-----	98.59	10.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	67.85	74.00	-6.15	57.44	10.41	Peak
2	2420.500	114.33	-----	-----	103.84	10.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	48.88	54.00	-5.12	38.47	10.41	Average
2	2422.500	100.07	54.00	46.07	89.58	10.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.18	54.00	-0.82	42.77	10.41	Average
2	2422.600	104.60	54.00	50.60	94.11	10.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	40.44	74.00	-33.56	58.14	-17.70	Peak
2	7266.000	45.07	74.00	-28.93	57.80	-12.73	Peak
3	9688.000	46.40	74.00	-27.60	55.45	-9.05	Peak
4	12110.000	48.32	74.00	-25.68	54.05	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2422MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	40.40	74.00	-33.60	58.10	-17.70	Peak
2	7266.000	44.99	74.00	-29.01	57.72	-12.73	Peak
3	9688.000	46.86	74.00	-27.14	55.91	-9.05	Peak
4	12110.000	48.94	74.00	-25.06	54.67	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.900	68.12	74.00	-5.88	57.71	10.41	Peak
2	2435.100	110.60	-----	-----	100.08	10.52	Peak
3	2484.400	66.31	74.00	-7.69	55.66	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.900	65.17	74.00	-8.83	54.77	10.40	Peak
2	2435.300	116.50	-----	-----	105.98	10.52	Peak
3	2484.000	70.72	74.00	-3.28	60.07	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	48.40	54.00	-5.60	37.99	10.41	Average
2	2436.500	101.35	-----	-----	90.83	10.52	Average
3	2483.700	47.93	54.00	-6.07	37.28	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2437MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	49.02	54.00	-4.98	38.61	10.41	Average
2	2436.300	106.53	-----	-----	96.01	10.52	Average
3	2483.600	51.80	54.00	-2.20	41.16	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	40.15	74.00	-33.85	57.77	-17.62	Peak
2	7311.000	44.78	74.00	-29.22	57.44	-12.66	Peak
3	9748.000	46.61	74.00	-27.39	55.59	-8.98	Peak
4	12185.000	48.32	74.00	-25.68	53.97	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2437MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	41.33	74.00	-32.67	58.95	-17.62	Peak
2	7311.000	44.92	74.00	-29.08	57.58	-12.66	Peak
3	9748.000	45.77	74.00	-28.23	54.75	-8.98	Peak
4	12185.000	48.61	74.00	-25.39	54.26	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2452.100	108.81	74.00	34.81	98.25	10.56	Peak
2	2483.600	63.98	74.00	-10.02	53.34	10.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2449.700	113.12	74.00	39.12	102.57	10.55	Peak
2	2484.500	71.28	74.00	-2.72	60.63	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2451.300	99.34	-----	-----	88.78	10.56	Average
2	2483.700	46.53	54.00	-7.47	35.88	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2451.200	104.07	-----	-----	93.51	10.56	Average
2	2483.600	53.35	54.00	-0.65	42.71	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	40.43	74.00	-33.57	57.97	-17.54	Peak
2	7356.000	44.40	74.00	-29.60	56.97	-12.57	Peak
3	9808.000	47.24	74.00	-26.76	56.14	-8.90	Peak
4	12260.000	49.16	74.00	-24.84	54.74	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2452MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	40.33	74.00	-33.67	57.87	-17.54	Peak
2	7356.000	44.92	74.00	-29.08	57.49	-12.57	Peak
3	9808.000	46.24	74.00	-27.76	55.14	-8.90	Peak
4	12260.000	49.40	74.00	-24.60	54.98	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2455.700	106.84	-----	-----	96.27	10.57	Peak
2	2483.900	67.00	74.00	-7.00	56.35	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2457.100	112.28	-----	-----	101.71	10.57	Peak
2	2484.900	71.93	74.00	-2.07	61.28	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2456.500	97.54	-----	-----	86.97	10.57	Average
2	2483.600	47.93	54.00	-6.07	37.29	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2457MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	2456.400	102.62	-----	-----	92.05	10.57	Average
2	2483.600	53.58	54.00	-0.42	42.94	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2457MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4914.000	40.59	74.00	-33.41	58.12	-17.53	Peak
2	7371.000	45.82	74.00	-28.18	58.38	-12.56	Peak
3	9828.000	47.03	74.00	-26.97	55.91	-8.88	Peak
4	12285.000	48.40	74.00	-25.60	53.95	-5.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2457MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4914.000	39.96	74.00	-34.04	57.49	-17.53	Peak
2	7371.000	45.85	74.00	-28.15	58.41	-12.56	Peak
3	9828.000	46.68	74.00	-27.32	55.56	-8.88	Peak
4	12285.000	48.94	74.00	-25.06	54.49	-5.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.300	106.40	74.00	32.40	95.82	10.58	Peak
2	2483.700	64.24	74.00	-9.76	53.59	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2462MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2463.000	111.41	74.00	37.41	100.82	10.59	Peak
2	2483.900	73.03	74.00	-0.97	62.38	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2460.500	97.00	48.80	-7.60	86.43	10.57	Average
2	2483.600	46.40	54.00	-7.60	35.76	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2462MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.200	101.82	48.80	-0.71	91.24	10.58	Average
2	2483.700	53.29	54.00	-0.71	42.64	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :n20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	41.24	74.00	-32.76	58.73	-17.49	Peak
2	7386.000	44.83	74.00	-29.17	57.36	-12.53	Peak
3	9848.000	46.47	74.00	-27.53	55.32	-8.85	Peak
4	12310.000	48.04	74.00	-25.96	53.57	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :n20_TX_2462MHz
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	40.62	74.00	-33.38	58.11	-17.49	Peak
2	7386.000	44.80	74.00	-29.20	57.33	-12.53	Peak
3	9848.000	46.41	74.00	-27.59	55.26	-8.85	Peak
4	12310.000	47.70	74.00	-26.30	53.23	-5.53	Peak

Note:


1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Appendix G. Test Result of Radiated Emissions Co-location

Test Mode: Mode 1

30 MHz ~ 1 GHz:


Site :HC-CB04
Condition :3m Horizontal
Mode :Co-location_LTE-WIFI 2.4G
Test By :Ling Chen



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	77.336	27.71	40.00	-12.29	34.62	-6.91	QP
2	162.405	20.12	43.50	-23.38	23.29	-3.17	QP
3	290.154	24.59	46.00	-21.41	27.48	-2.89	QP
4	437.109	22.83	46.00	-23.17	21.82	1.01	QP
5	595.808	26.64	46.00	-19.36	22.22	4.42	QP
6	738.003	28.72	46.00	-17.28	21.72	7.00	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :Co-location_LTE-WIFI 2.4G
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	78.209	35.18	40.00	-4.82	42.39	-7.21	QP
2	159.689	20.15	43.50	-23.35	23.20	-3.05	QP
3	308.002	26.17	46.00	-19.83	28.65	-2.48	QP
4	459.516	25.55	46.00	-20.45	24.02	1.53	QP
5	562.827	25.96	46.00	-20.04	22.61	3.35	QP
6	966.535	31.66	54.00	-22.34	21.85	9.81	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz:


Site :HC-CB04
Condition :3m Horizontal
Mode :Co-location_LTE-WIFI 2.4G
Test By :Cyril Chen



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	3900.000	46.10	74.00	-27.90	66.18	-20.08	Peak
2	4874.000	41.16	74.00	-32.84	58.78	-17.62	Peak
3	5850.000	45.53	74.00	-28.47	61.97	-16.44	Peak
4	7311.000	43.98	74.00	-30.02	56.64	-12.66	Peak
5	7800.000	47.61	74.00	-26.39	59.80	-12.19	Peak
6	9748.000	45.67	74.00	-28.33	54.65	-8.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :Co-location_LTE-WIFI 2.4G
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	3900.000	44.82	74.00	-29.18	64.90	-20.08	Peak
2	4874.000	44.88	74.00	-29.12	62.50	-17.62	Peak
3	5850.000	41.64	74.00	-32.36	58.08	-16.44	Peak
4	7311.000	43.14	74.00	-30.86	55.80	-12.66	Peak
5	7800.000	44.28	74.00	-29.72	56.47	-12.19	Peak
6	9748.000	44.91	74.00	-29.09	53.89	-8.98	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Test Mode: Mode 2**30 MHz ~ 1 GHz:**


Site :HC-CB04
Condition :3m Horizontal
Mode :Co-location_LTE+BLE
Test By :Ling Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	79.955	38.80	40.00	-9.20	38.39	-7.59	QP
2	132.529	28.71	43.50	-22.79	25.18	-4.47	QP
3	212.069	19.25	43.50	-24.25	25.98	-6.73	QP
4	366.396	26.09	46.00	-19.91	27.28	-1.19	QP
5	582.318	25.72	46.00	-20.28	21.78	3.94	QP
6	655.650	27.44	46.00	-18.56	21.98	5.46	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :Co-location_LTE+BLE
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	79.955	35.52	40.00	-4.48	43.11	-7.59	QP
2	271.530	22.46	46.00	-23.54	26.04	-3.58	QP
3	335.938	26.35	46.00	-19.65	28.00	-1.65	QP
4	550.599	25.40	46.00	-20.60	22.41	2.99	QP
5	775.348	30.66	46.00	-15.34	23.13	7.53	QP
6	983.316	31.74	54.00	-22.26	21.89	9.85	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz:


Site :HC-CB04
Condition :3m Horizontal
Mode :Co-location_LTE+BLE
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	3900.000	46.38	74.00	-27.62	66.46	-20.08	Peak
2	4880.000	40.64	74.00	-33.36	58.25	-17.61	Peak
3	5850.000	44.94	74.00	-29.06	61.38	-16.44	Peak
4	7320.000	44.44	74.00	-29.56	57.08	-12.64	Peak
5	7800.000	46.83	74.00	-27.17	59.02	-12.19	Peak
6	9760.000	45.05	74.00	-28.95	54.00	-8.95	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m Vertical
Mode :Co-location_LTE+BLE
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	3900.000	44.76	74.00	-29.24	64.84	-20.08	Peak
2	4880.000	40.87	74.00	-33.13	58.48	-17.61	Peak
3	5850.000	41.05	74.00	-32.95	57.49	-16.44	Peak
4	7320.000	43.82	74.00	-30.18	56.46	-12.64	Peak
5	7800.000	44.89	74.00	-29.11	57.08	-12.19	Peak
6	9760.000	45.39	74.00	-28.61	54.34	-8.95	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.