

User Manual

Brand: **BINTHEN**TM

Model: BE201, BE202, BE206, BE204L, BE208L,
BE204LT, BE401, BE402, BE403



Single Channel

Power Supply: 2*1.5V (AAA)
Output frequency : 433.92MHz
Working Temperature: -10℃~40℃
Distance: >50 m
Wall bracket for option

Manufacture: HANGZHOU BINTHEN INTELLIGENT TECHNOLOGY CO., LTD



CLOSE
STOP
OPEN

PROGRAM



Hand-hold



The reverse side



Bracket for wall fixation

Code Matching

Motor is powered on, the light glitters twice and then extinguishes. Within 10s, the motor is in being matched state. After 10s, the being matched state will be closed automatically. The light will extinguish after 3s.

Motor have 3 methods for matching. Powered on, Short press PROGRAM and Copy.

When the motor is in being matched state, users press the PROGRAM of a totally new emitter, the motor will vibrate once in every direction. Then the code matching of the new emitter is successful.



BE201

Method I : Powered On



Motor is powered on, the light glitters twice and then extinguishes. Within 10s, the motor is in being matched state. After 10s, the being matched state will be closed automatically. The light will extinguish after 3s.



Press the PROGRAM
(new emitter)



The motor will vibrate once in every
direction. Code matching is successful.

Method II : Short press PROGRAM



Motor was powered on, press
the MATCH button once.



Press the PROGRAM
(new emitter)



The motor will vibrate once in every
direction. Code matching is successful.

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.