


## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2412MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.06	47.15	50.78	3.63	74.00	23.22	PK	Horizo	PASS
2	2390.00	46.72	50.37	3.65	74.00	23.63	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2412MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.95	37.62	41.25	3.63	54.00	12.75	AV	Horizo	PASS
2	2390.00	37.71	41.36	3.65	54.00	12.64	AV	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2412MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2378.88	45.63	49.23	3.60	74.00	24.77	PK	Vertic	PASS
2	2390.00	44.13	47.78	3.65	74.00	26.22	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2412MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2388.85	36.23	39.87	3.64	54.00	14.13	AV	Vertic	PASS
2	2390.00	35.59	39.24	3.65	54.00	14.76	AV	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2462MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	46.86	50.95	4.09	74.00	23.05	PK	Horizo	PASS
2	2488.43	47.36	51.48	4.12	74.00	22.52	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2462MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	39.00	43.09	4.09	54.00	10.91	AV	Horizo	PASS
2	2484.93	39.95	44.06	4.11	54.00	9.94	AV	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2462MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	44.02	48.11	4.09	74.00	25.89	PK	Vertic	PASS
2	2492.75	46.03	50.17	4.14	74.00	23.83	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode5:Transmit at 2462MHz by 802.11ax(20MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.29	41.38	4.09	54.00	12.62	AV	Vertic	PASS
2	2487.38	38.21	42.32	4.11	54.00	11.68	AV	Vertic	PASS

# Test Report

## Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2422MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

## Test Graph



## Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2384.59	48.20	51.82	3.62	74.00	22.18	PK	Horizo	PASS
2	2390.00	46.74	50.39	3.65	74.00	23.61	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2422MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2387.84	39.94	43.57	3.63	54.00	10.43	AV	Horizo	PASS
2	2390.00	39.46	43.11	3.65	54.00	10.89	AV	Horizo	PASS

# Test Report

## Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2422MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2373.73	45.62	49.19	3.57	74.00	24.81	PK	Vertic	PASS
2	2390.00	43.85	47.50	3.65	74.00	26.50	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2422MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2372.05	37.00	40.57	3.57	54.00	13.43	AV	Vertic	PASS
2	2390.00	36.35	40.00	3.65	54.00	14.00	AV	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2452MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	47.26	51.35	4.09	74.00	22.65	PK	Horizo	PASS
2	2485.45	49.16	53.27	4.11	74.00	20.73	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2452MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	41.70	45.79	4.09	54.00	8.21	AV	Horizo	PASS
2	2484.09	40.87	44.98	4.11	54.00	9.02	AV	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2452MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	44.06	48.15	4.09	74.00	25.85	PK	Vertic	PASS
2	2492.79	45.86	50.00	4.14	74.00	24.00	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode6:Transmit at 2452MHz by 802.11ax(40MHz)	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	37.05	41.14	4.09	54.00	12.86	AV	Vertic	PASS
2	2485.24	38.23	42.34	4.11	54.00	11.66	AV	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2412MHz by 802.11ax(20MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2380.67	39.76	43.36	3.60	74.00	30.64	PK	Horizo	PASS
2	2390.00	37.89	41.54	3.65	74.00	32.46	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2412MHz by 802.11ax(20MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2386.05	28.46	32.09	3.63	54.00	21.91	AV	Horizo	PASS
2	2390.00	27.97	31.62	3.65	54.00	22.38	AV	Horizo	PASS

# Test Report

## Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2412MHz by 802.11ax(20MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

## Test Graph



## Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2374.96	38.07	41.65	3.58	74.00	32.35	PK	Vertic	PASS
2	2390.00	36.87	40.52	3.65	74.00	33.48	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2412MHz by 802.11ax(20MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2373.84	26.53	30.10	3.57	54.00	23.90	AV	Vertic	PASS
2	2390.00	25.79	29.44	3.65	54.00	24.56	AV	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2462MHz by 802.11ax(20MHz)WithRU26-8	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	39.90	43.99	4.09	74.00	30.01	PK	Horizo	PASS
2	2484.78	40.48	44.59	4.11	74.00	29.41	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2462MHz by 802.11ax(20MHz)WithRU26-8	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	29.50	33.59	4.09	54.00	20.41	AV	Horizo	PASS
2	2485.07	29.67	33.78	4.11	54.00	20.22	AV	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2462MHz by 802.11ax(20MHz)WithRU26-8	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.87	40.96	4.09	74.00	33.04	PK	Vertic	PASS
2	2488.29	38.20	42.32	4.12	74.00	31.68	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode1:Transmit at 2462MHz by 802.11ax(20MHz)WithRU26-8	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	26.80	30.89	4.09	54.00	23.11	AV	Vertic	PASS
2	2485.50	27.23	31.34	4.11	54.00	22.66	AV	Vertic	PASS

# Test Report

## Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2422MHz by 802.11ax(40MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

## Test Graph



## Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.63	43.45	47.10	3.65	74.00	26.90	PK	Horizo	PASS
2	2390.00	40.54	44.19	3.65	74.00	29.81	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2422MHz by 802.11ax(40MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2384.82	28.67	32.29	3.62	54.00	21.71	AV	Horizo	PASS
2	2390.00	27.93	31.58	3.65	54.00	22.42	AV	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2422MHz by 802.11ax(40MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2384.03	38.41	42.03	3.62	74.00	31.97	PK	Vertic	PASS
2	2390.00	36.58	40.23	3.65	74.00	33.77	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2422MHz by 802.11ax(40MHz)WithRU26-0	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2385.71	26.52	30.15	3.63	54.00	23.85	AV	Vertic	PASS
2	2390.00	25.65	29.30	3.65	54.00	24.70	AV	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2452MHz by 802.11ax(40MHz)WithRU26-17	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	40.77	44.86	4.09	74.00	29.14	PK	Horizo	PASS
2	2484.97	40.11	44.22	4.11	74.00	29.78	PK	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2452MHz by 802.11ax(40MHz)WithRU26-17	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	29.02	33.11	4.09	54.00	20.89	AV	Horizo	PASS
2	2485.79	29.71	33.82	4.11	54.00	20.18	AV	Horizo	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2452MHz by 802.11ax(40MHz)WithRU26-17	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	36.83	40.92	4.09	74.00	33.08	PK	Vertic	PASS
2	2497.89	37.66	41.82	4.16	74.00	32.18	PK	Vertic	PASS

## Test Report

### Project Information

Profile:	2521079R	EUT:	AI Dev Kit
Mode:	Mode2:Transmit at 2452MHz by 802.11ax(40MHz)WithRU26-17	Voltage:	DC: 5Vdc
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15C		

### Test Graph



### Suspected Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	26.32	30.41	4.09	54.00	23.59	AV	Vertic	PASS
2	2484.56	27.06	31.17	4.11	54.00	22.83	AV	Vertic	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

The End