









Mode	26																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>66.84</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>56.38</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>61.54</td><td>68.20</td><td>-6.66</td><td>64.89</td><td>41.15</td><td>20.16</td><td>64.66</td><td>0.00</td><td>100</td><td>319</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.86	74.00	-19.14	66.84	38.24	16.36	66.58	0.00	100	240	PEAK	2	11490.00	44.40	54.00	-9.60	56.38	38.24	16.36	66.58	0.00	100	240	AVERAGE	3	17235.00	61.54	68.20	-6.66	64.89	41.15	20.16	64.66	0.00	100	319	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11483.60</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>59.64</td><td>38.24</td><td>16.35</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>59.48</td><td>68.20</td><td>-8.72</td><td>62.83</td><td>41.15</td><td>20.16</td><td>64.66</td><td>0.00</td><td>310</td><td>266</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11483.60	47.65	74.00	-26.35	59.64	38.24	16.35	66.58	0.00	---	---	Peak	2	17235.00	59.48	68.20	-8.72	62.83	41.15	20.16	64.66	0.00	310	266	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11490.00	54.86	74.00	-19.14	66.84	38.24	16.36	66.58	0.00	100	240	PEAK																																																																																																																																			
2	11490.00	44.40	54.00	-9.60	56.38	38.24	16.36	66.58	0.00	100	240	AVERAGE																																																																																																																																			
3	17235.00	61.54	68.20	-6.66	64.89	41.15	20.16	64.66	0.00	100	319	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11483.60	47.65	74.00	-26.35	59.64	38.24	16.35	66.58	0.00	---	---	Peak																																																																																																																																			
2	17235.00	59.48	68.20	-8.72	62.83	41.15	20.16	64.66	0.00	310	266	PEAK																																																																																																																																			






Mode	27																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																					
ANT	1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>65.71</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>55.54</td><td>38.31</td><td>16.40</td><td>66.53</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>48.83</td><td>68.20</td><td>-19.37</td><td>52.05</td><td>41.17</td><td>20.24</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	53.90	74.00	-20.10	65.71	38.31	16.41	66.53	0.00	100	239 PEAK	2	11570.00	43.72	54.00	-10.28	55.54	38.31	16.40	66.53	0.00	100	239 AVERAGE	3	17355.00	48.83	68.20	-19.37	52.05	41.17	20.24	64.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>62.83</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>102</td><td>123 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>40.54</td><td>54.00</td><td>-13.46</td><td>52.36</td><td>38.31</td><td>16.40</td><td>66.53</td><td>0.00</td><td>102</td><td>123 AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>55.68</td><td>68.20</td><td>-12.52</td><td>58.91</td><td>41.17</td><td>20.23</td><td>64.63</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	51.02	74.00	-22.98	62.83	38.31	16.41	66.53	0.00	102	123 PEAK	2	11570.00	40.54	54.00	-13.46	52.36	38.31	16.40	66.53	0.00	102	123 AVERAGE	3	17355.00	55.68	68.20	-12.52	58.91	41.17	20.23	64.63	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	11570.00	53.90	74.00	-20.10	65.71	38.31	16.41	66.53	0.00	100	239 PEAK																																																																																																																																											
2	11570.00	43.72	54.00	-10.28	55.54	38.31	16.40	66.53	0.00	100	239 AVERAGE																																																																																																																																											
3	17355.00	48.83	68.20	-19.37	52.05	41.17	20.24	64.63	0.00	---	---	PEAK																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	11570.00	51.02	74.00	-22.98	62.83	38.31	16.41	66.53	0.00	102	123 PEAK																																																																																																																																											
2	11570.00	40.54	54.00	-13.46	52.36	38.31	16.40	66.53	0.00	102	123 AVERAGE																																																																																																																																											
3	17355.00	55.68	68.20	-12.52	58.91	41.17	20.23	64.63	0.00	100	35 PEAK																																																																																																																																											





Mode	28																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>61.20</td><td>114.09</td><td>-52.89</td><td>52.57</td><td>34.90</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>59.50</td><td>110.73</td><td>-51.23</td><td>50.87</td><td>34.90</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.21</td><td>68.35</td><td>-22.14</td><td>37.27</td><td>35.05</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>4</td><td>5980.00</td><td>49.42</td><td>68.20</td><td>-18.78</td><td>40.03</td><td>35.38</td><td>11.59</td><td>37.58</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	61.20	114.09	-52.89	52.57	34.90	11.49	37.76	0.00	100	239 PEAK	2	5855.60	59.50	110.73	-51.23	50.87	34.90	11.49	37.76	0.00	100	239 PEAK	3	5924.80	46.21	68.35	-22.14	37.27	35.05	11.55	37.66	0.00	100	239 PEAK	4	5980.00	49.42	68.20	-18.78	40.03	35.38	11.59	37.58	0.00	100	239 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5853.60	61.20	114.09	-52.89	52.57	34.90	11.49	37.76	0.00	100	239 PEAK																																																																																	
2	5855.60	59.50	110.73	-51.23	50.87	34.90	11.49	37.76	0.00	100	239 PEAK																																																																																	
3	5924.80	46.21	68.35	-22.14	37.27	35.05	11.55	37.66	0.00	100	239 PEAK																																																																																	
4	5980.00	49.42	68.20	-18.78	40.03	35.38	11.59	37.58	0.00	100	239 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>92.71</td><td>-----</td><td>-----</td><td>84.15</td><td>34.90</td><td>11.47</td><td>37.81</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	92.71	-----	-----	84.15	34.90	11.47	37.81	0.00	100	239 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	92.71	-----	-----	84.15	34.90	11.47	37.81	0.00	100	239 AVERAGE																																																																																	






Mode	28																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5852.80</td><td>58.51</td><td>115.92</td><td>-57.41</td><td>49.88</td><td>34.90</td><td>11.49</td><td>37.76</td><td>0.00</td><td>348</td><td>266 PEAK</td></tr><tr><td>2 5855.20</td><td>53.43</td><td>110.84</td><td>-57.41</td><td>44.80</td><td>34.90</td><td>11.49</td><td>37.76</td><td>0.00</td><td>348</td><td>266 PEAK</td></tr><tr><td>3 5922.40</td><td>47.61</td><td>70.12</td><td>-22.51</td><td>38.69</td><td>35.03</td><td>11.55</td><td>37.66</td><td>0.00</td><td>348</td><td>266 PEAK</td></tr><tr><td>4 5938.80</td><td>48.91</td><td>68.20</td><td>-19.29</td><td>39.86</td><td>35.13</td><td>11.56</td><td>37.64</td><td>0.00</td><td>348</td><td>266 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5852.80	58.51	115.92	-57.41	49.88	34.90	11.49	37.76	0.00	348	266 PEAK	2 5855.20	53.43	110.84	-57.41	44.80	34.90	11.49	37.76	0.00	348	266 PEAK	3 5922.40	47.61	70.12	-22.51	38.69	35.03	11.55	37.66	0.00	348	266 PEAK	4 5938.80	48.91	68.20	-19.29	39.86	35.13	11.56	37.64	0.00	348	266 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.96</td><td>-----</td><td>-----</td><td>90.40</td><td>34.90</td><td>11.47</td><td>37.81</td><td>0.00</td><td>348</td><td>266 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.96	-----	-----	90.40	34.90	11.47	37.81	0.00	348
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5852.80	58.51	115.92	-57.41	49.88	34.90	11.49	37.76	0.00	348	266 PEAK																																																																																																																								
2 5855.20	53.43	110.84	-57.41	44.80	34.90	11.49	37.76	0.00	348	266 PEAK																																																																																																																								
3 5922.40	47.61	70.12	-22.51	38.69	35.03	11.55	37.66	0.00	348	266 PEAK																																																																																																																								
4 5938.80	48.91	68.20	-19.29	39.86	35.13	11.56	37.64	0.00	348	266 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	98.96	-----	-----	90.40	34.90	11.47	37.81	0.00	348	266 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>89.66</td><td>-----</td><td>-----</td><td>81.10</td><td>34.90</td><td>11.47</td><td>37.81</td><td>0.00</td><td>348</td><td>266 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	89.66	-----	-----	81.10	34.90	11.47	37.81	0.00	348	266 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	89.66	-----	-----	81.10	34.90	11.47	37.81	0.00	348	266 AVERAGE																																																																																																																								






Mode	28																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>66.42</td><td>38.39</td><td>16.46</td><td>66.47</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>56.12</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>60.12</td><td>41.20</td><td>20.32</td><td>64.60</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	54.80	74.00	-19.20	66.42	38.39	16.46	66.47	0.00	100	239 PEAK	2	11650.00	44.49	54.00	-9.51	56.12	38.38	16.46	66.47	0.00	100	239 AVERAGE	3	17475.00	57.04	68.20	-11.16	60.12	41.20	20.32	64.60	0.00	100	314 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>57.15</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17475.00</td><td>56.93</td><td>68.20</td><td>-11.27</td><td>60.03</td><td>41.19</td><td>20.31</td><td>64.60</td><td>0.00</td><td>102</td><td>22</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.52	74.00	-28.48	57.15	38.38	16.46	66.47	0.00	---	---	PEAK	2	17475.00	56.93	68.20	-11.27	60.03	41.19	20.31	64.60	0.00	102	22
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	11650.00	54.80	74.00	-19.20	66.42	38.39	16.46	66.47	0.00	100	239 PEAK																																																																																																																															
2	11650.00	44.49	54.00	-9.51	56.12	38.38	16.46	66.47	0.00	100	239 AVERAGE																																																																																																																															
3	17475.00	57.04	68.20	-11.16	60.12	41.20	20.32	64.60	0.00	100	314 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	11650.00	45.52	74.00	-28.48	57.15	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																																																														
2	17475.00	56.93	68.20	-11.27	60.03	41.19	20.31	64.60	0.00	102	22	PEAK																																																																																																																														





Mode	29																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.40</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>40.74</td><td>34.80</td><td>11.22</td><td>37.25</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>46.31</td><td>69.09</td><td>-22.78</td><td>37.55</td><td>34.80</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>3</td><td>5728.00</td><td>59.03</td><td>110.90</td><td>-51.87</td><td>50.46</td><td>34.78</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>4</td><td>5728.10</td><td>59.03</td><td>110.90</td><td>-51.87</td><td>50.46</td><td>34.78</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.40	49.51	68.20	-18.69	40.74	34.80	11.22	37.25	0.00	100	241 PEAK	2	5651.20	46.31	69.09	-22.78	37.55	34.80	11.22	37.26	0.00	100	241 PEAK	3	5728.00	59.03	110.90	-51.87	50.46	34.78	11.32	37.53	0.00	100	241 PEAK	4	5728.10	59.03	110.90	-51.87	50.46	34.78	11.32	37.53	0.00	100	241 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.10</td><td>-----</td><td>90.49</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.10	-----	90.49	34.88	11.36	37.63	0.00	100	241 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5648.40	49.51	68.20	-18.69	40.74	34.80	11.22	37.25	0.00	100	241 PEAK																																																																																																																													
2	5651.20	46.31	69.09	-22.78	37.55	34.80	11.22	37.26	0.00	100	241 PEAK																																																																																																																													
3	5728.00	59.03	110.90	-51.87	50.46	34.78	11.32	37.53	0.00	100	241 PEAK																																																																																																																													
4	5728.10	59.03	110.90	-51.87	50.46	34.78	11.32	37.53	0.00	100	241 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	99.10	-----	90.49	34.88	11.36	37.63	0.00	100	241 PEAK																																																																																																																														
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>90.32</td><td>-----</td><td>81.71</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	90.32	-----	81.71	34.88	11.36	37.63	0.00	100	241 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	90.32	-----	81.71	34.88	11.36	37.63	0.00	100	241 AVERAGE																																																																																																																														





Mode	29																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5642.40</td><td>48.01</td><td>68.20</td><td>-20.19</td><td>39.23</td><td>34.80</td><td>11.21</td><td>37.23</td><td>0.00</td><td>354</td><td>268 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.72</td><td>68.20</td><td>-20.48</td><td>38.96</td><td>34.80</td><td>11.22</td><td>37.26</td><td>0.00</td><td>354</td><td>268 PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>55.26</td><td>110.23</td><td>-54.97</td><td>46.69</td><td>34.77</td><td>11.32</td><td>37.52</td><td>0.00</td><td>354</td><td>268 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>59.98</td><td>114.55</td><td>-54.57</td><td>51.41</td><td>34.79</td><td>11.32</td><td>37.54</td><td>0.00</td><td>354</td><td>268 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5642.40	48.01	68.20	-20.19	39.23	34.80	11.21	37.23	0.00	354	268 PEAK	2	5650.00	47.72	68.20	-20.48	38.96	34.80	11.22	37.26	0.00	354	268 PEAK	3	5717.60	55.26	110.23	-54.97	46.69	34.77	11.32	37.52	0.00	354	268 PEAK	4	5721.60	59.98	114.55	-54.57	51.41	34.79	11.32	37.54	0.00	354	268 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.72</td><td>-----</td><td>89.11</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>354</td><td>268 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	97.72	-----	89.11	34.88	11.36	37.63	0.00	354	268 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5642.40	48.01	68.20	-20.19	39.23	34.80	11.21	37.23	0.00	354	268 PEAK																																																																																																							
2	5650.00	47.72	68.20	-20.48	38.96	34.80	11.22	37.26	0.00	354	268 PEAK																																																																																																							
3	5717.60	55.26	110.23	-54.97	46.69	34.77	11.32	37.52	0.00	354	268 PEAK																																																																																																							
4	5721.60	59.98	114.55	-54.57	51.41	34.79	11.32	37.54	0.00	354	268 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	97.72	-----	89.11	34.88	11.36	37.63	0.00	354	268 PEAK																																																																																																								
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>89.24</td><td>-----</td><td>80.63</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>354</td><td>268 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	89.24	-----	80.63	34.88	11.36	37.63	0.00	354	268 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	89.24	-----	80.63	34.88	11.36	37.63	0.00	354	268 AVERAGE																																																																																																								





Mode	29																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																																				
ANT	1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>67.64</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.94</td><td>54.00</td><td>-10.06</td><td>55.93</td><td>38.24</td><td>16.35</td><td>66.58</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>63.30</td><td>68.20</td><td>-4.90</td><td>66.65</td><td>41.15</td><td>20.16</td><td>64.66</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	55.66	74.00	-18.34	67.64	38.24	16.36	66.58	0.00	100	239 PEAK	2	11490.00	43.94	54.00	-10.06	55.93	38.24	16.35	66.58	0.00	100	239 AVERAGE	3	17235.00	63.30	68.20	-4.90	66.65	41.15	20.16	64.66	0.00	100	317 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11497.53</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>60.28</td><td>38.25</td><td>16.36</td><td>66.58</td><td>0.00</td><td>100</td><td>152 Peak</td></tr><tr><td>2</td><td>11497.53</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>53.66</td><td>38.25</td><td>16.36</td><td>66.58</td><td>0.00</td><td>100</td><td>152 Average</td></tr><tr><td>3</td><td>17235.00</td><td>60.37</td><td>68.20</td><td>-7.83</td><td>63.72</td><td>41.15</td><td>20.16</td><td>64.66</td><td>0.00</td><td>102</td><td>19 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11497.53	48.31	74.00	-25.69	60.28	38.25	16.36	66.58	0.00	100	152 Peak	2	11497.53	41.69	54.00	-12.31	53.66	38.25	16.36	66.58	0.00	100	152 Average	3	17235.00	60.37	68.20	-7.83	63.72	41.15	20.16	64.66	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11490.00	55.66	74.00	-18.34	67.64	38.24	16.36	66.58	0.00	100	239 PEAK																																																																																																																																										
2	11490.00	43.94	54.00	-10.06	55.93	38.24	16.35	66.58	0.00	100	239 AVERAGE																																																																																																																																										
3	17235.00	63.30	68.20	-4.90	66.65	41.15	20.16	64.66	0.00	100	317 PEAK																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11497.53	48.31	74.00	-25.69	60.28	38.25	16.36	66.58	0.00	100	152 Peak																																																																																																																																										
2	11497.53	41.69	54.00	-12.31	53.66	38.25	16.36	66.58	0.00	100	152 Average																																																																																																																																										
3	17235.00	60.37	68.20	-7.83	63.72	41.15	20.16	64.66	0.00	102	19 PEAK																																																																																																																																										






Mode	30																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>67.71</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>56.82</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>60.57</td><td>68.20</td><td>-7.63</td><td>63.79</td><td>41.17</td><td>20.24</td><td>64.63</td><td>0.00</td><td>100</td><td>316 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	55.90	74.00	-18.10	67.71	38.31	16.41	66.53	0.00	100	241 PEAK	2	11570.00	45.01	54.00	-8.99	56.82	38.31	16.41	66.53	0.00	100	241 AVERAGE	3	17355.00	60.57	68.20	-7.63	63.79	41.17	20.24	64.63	0.00	100	316 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	11570.00	55.90	74.00	-18.10	67.71	38.31	16.41	66.53	0.00	100	241 PEAK																																																																					
2	11570.00	45.01	54.00	-8.99	56.82	38.31	16.41	66.53	0.00	100	241 AVERAGE																																																																					
3	17355.00	60.57	68.20	-7.63	63.79	41.17	20.24	64.63	0.00	100	316 PEAK																																																																					
Vertical																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>52.12</td><td>74.00</td><td>-21.88</td><td>63.93</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>100</td><td>126 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>53.02</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>100</td><td>126 AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>58.60</td><td>68.20</td><td>-9.60</td><td>61.82</td><td>41.17</td><td>20.24</td><td>64.63</td><td>0.00</td><td>300</td><td>269 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	52.12	74.00	-21.88	63.93	38.31	16.41	66.53	0.00	100	126 PEAK	2	11570.00	41.21	54.00	-12.79	53.02	38.31	16.41	66.53	0.00	100	126 AVERAGE	3	17355.00	58.60	68.20	-9.60	61.82	41.17	20.24	64.63	0.00	300	269 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	11570.00	52.12	74.00	-21.88	63.93	38.31	16.41	66.53	0.00	100	126 PEAK																																																																					
2	11570.00	41.21	54.00	-12.79	53.02	38.31	16.41	66.53	0.00	100	126 AVERAGE																																																																					
3	17355.00	58.60	68.20	-9.60	61.82	41.17	20.24	64.63	0.00	300	269 PEAK																																																																					





Mode	31																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>52.60</td><td>111.36</td><td>-58.76</td><td>43.04</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>306 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>57.08</td><td>110.06</td><td>-52.98</td><td>47.51</td><td>34.06</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>306 PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>51.88</td><td>70.71</td><td>-18.83</td><td>42.33</td><td>34.96</td><td>11.40</td><td>36.81</td><td>0.00</td><td>100</td><td>306 PEAK</td></tr><tr><td>4</td><td>5988.00</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>41.82</td><td>35.16</td><td>11.46</td><td>37.11</td><td>0.00</td><td>100</td><td>306 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	52.60	111.36	-58.76	43.04	34.85	11.34	36.63	0.00	100	306 PEAK	2	5858.00	57.08	110.06	-52.98	47.51	34.06	11.34	36.63	0.00	100	306 PEAK	3	5921.60	51.88	70.71	-18.83	42.33	34.96	11.40	36.81	0.00	100	306 PEAK	4	5988.00	51.33	68.20	-16.87	41.82	35.16	11.46	37.11	0.00	100	306 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.80	52.60	111.36	-58.76	43.04	34.85	11.34	36.63	0.00	100	306 PEAK																																																																																	
2	5858.00	57.08	110.06	-52.98	47.51	34.06	11.34	36.63	0.00	100	306 PEAK																																																																																	
3	5921.60	51.88	70.71	-18.83	42.33	34.96	11.40	36.81	0.00	100	306 PEAK																																																																																	
4	5988.00	51.33	68.20	-16.87	41.82	35.16	11.46	37.11	0.00	100	306 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.45</td><td>-----</td><td>90.89</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>100</td><td>306 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.45	-----	90.89	34.82	11.31	36.57	0.00	100	306 PEAK																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	100.45	-----	90.89	34.82	11.31	36.57	0.00	100	306 PEAK																																																																																		






Mode	31																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.60</td><td>60.48</td><td>118.65</td><td>-58.17</td><td>50.92</td><td>34.85</td><td>11.33</td><td>36.62</td><td>0.00</td><td>357 267 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>50.44</td><td>105.92</td><td>-55.48</td><td>40.00</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>357 267 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>49.55</td><td>68.35</td><td>-18.80</td><td>40.00</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>357 267 PEAK</td></tr><tr><td>4</td><td>5934.40</td><td>51.48</td><td>68.20</td><td>-16.72</td><td>41.93</td><td>35.00</td><td>11.41</td><td>36.86</td><td>0.00</td><td>357 267 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5851.60	60.48	118.65	-58.17	50.92	34.85	11.33	36.62	0.00	357 267 PEAK	2	5872.00	50.44	105.92	-55.48	40.00	34.87	11.35	36.66	0.00	357 267 PEAK	3	5924.00	49.55	68.35	-18.80	40.00	34.97	11.40	36.82	0.00	357 267 PEAK	4	5934.40	51.48	68.20	-16.72	41.93	35.00	11.41	36.86	0.00	357 267 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5851.60	60.48	118.65	-58.17	50.92	34.85	11.33	36.62	0.00	357 267 PEAK																																																																														
2	5872.00	50.44	105.92	-55.48	40.00	34.87	11.35	36.66	0.00	357 267 PEAK																																																																														
3	5924.00	49.55	68.35	-18.80	40.00	34.97	11.40	36.82	0.00	357 267 PEAK																																																																														
4	5934.40	51.48	68.20	-16.72	41.93	35.00	11.41	36.86	0.00	357 267 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.11</td><td>-----</td><td>-----</td><td>88.55</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>357 267 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.11	-----	-----	88.55	34.83	11.31	36.58	0.00	357 267 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	98.11	-----	-----	88.55	34.83	11.31	36.58	0.00	357 267 PEAK																																																																														
Blank																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>89.11</td><td>-----</td><td>-----</td><td>79.55</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>357 267 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	89.11	-----	-----	79.55	34.82	11.31	36.57	0.00	357 267 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	89.11	-----	-----	79.55	34.82	11.31	36.57	0.00	357 267 AVERAGE																																																																														




Mode	31																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>55.06</td><td>74.00</td><td>-18.94</td><td>66.68</td><td>38.39</td><td>16.46</td><td>66.47</td><td>0.00</td><td>101</td><td>239 PEAK</td></tr><tr><td>2 11650.00</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>55.65</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>101</td><td>239 AVERAGE</td></tr><tr><td>3 17475.00</td><td>58.34</td><td>68.20</td><td>-9.86</td><td>61.43</td><td>41.19</td><td>20.32</td><td>64.60</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	55.06	74.00	-18.94	66.68	38.39	16.46	66.47	0.00	101	239 PEAK	2 11650.00	44.02	54.00	-9.98	55.65	38.38	16.46	66.47	0.00	101	239 AVERAGE	3 17475.00	58.34	68.20	-9.86	61.43	41.19	20.32	64.60	0.00	100	303 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11651.53</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>60.55</td><td>38.39</td><td>16.46</td><td>66.47</td><td>0.00</td><td>100</td><td>165 Peak</td></tr><tr><td>2 11651.53</td><td>39.59</td><td>54.00</td><td>-14.41</td><td>51.21</td><td>38.39</td><td>16.46</td><td>66.47</td><td>0.00</td><td>100</td><td>165 Average</td></tr><tr><td>3 17475.00</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>62.69</td><td>41.19</td><td>20.32</td><td>64.60</td><td>0.00</td><td>300</td><td>259 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11651.53	48.93	74.00	-25.07	60.55	38.39	16.46	66.47	0.00	100	165 Peak	2 11651.53	39.59	54.00	-14.41	51.21	38.39	16.46	66.47	0.00	100	165 Average	3 17475.00	59.60	68.20	-8.60	62.69	41.19	20.32	64.60	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11650.00	55.06	74.00	-18.94	66.68	38.39	16.46	66.47	0.00	101	239 PEAK																																																																																																																																					
2 11650.00	44.02	54.00	-9.98	55.65	38.38	16.46	66.47	0.00	101	239 AVERAGE																																																																																																																																					
3 17475.00	58.34	68.20	-9.86	61.43	41.19	20.32	64.60	0.00	100	303 PEAK																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11651.53	48.93	74.00	-25.07	60.55	38.39	16.46	66.47	0.00	100	165 Peak																																																																																																																																					
2 11651.53	39.59	54.00	-14.41	51.21	38.39	16.46	66.47	0.00	100	165 Average																																																																																																																																					
3 17475.00	59.60	68.20	-8.60	62.69	41.19	20.32	64.60	0.00	300	259 PEAK																																																																																																																																					






Mode	32																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.21</td><td>52.06</td><td>68.20</td><td>-16.14</td><td>42.89</td><td>34.40</td><td>11.07</td><td>36.30</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5652.39</td><td>51.08</td><td>69.98</td><td>-18.90</td><td>41.91</td><td>34.40</td><td>11.08</td><td>36.31</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5711.14</td><td>59.88</td><td>108.42</td><td>-48.54</td><td>50.73</td><td>34.36</td><td>11.16</td><td>36.37</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>57.55</td><td>111.19</td><td>-53.64</td><td>48.37</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.21	52.06	68.20	-16.14	42.89	34.40	11.07	36.30	0.00	100	305 PEAK	2	5652.39	51.08	69.98	-18.90	41.91	34.40	11.08	36.31	0.00	100	305 PEAK	3	5711.14	59.88	108.42	-48.54	50.73	34.36	11.16	36.37	0.00	100	305 PEAK	4	5720.13	57.55	111.19	-53.64	48.37	34.40	11.17	36.39	0.00	100	305 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>95.88</td><td>-----</td><td>-----</td><td>86.52</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.88	-----	-----	86.52	34.59	11.22	36.45	0.00	100	305 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5648.21	52.06	68.20	-16.14	42.89	34.40	11.07	36.30	0.00	100	305 PEAK																																																																																																																														
2	5652.39	51.08	69.98	-18.90	41.91	34.40	11.08	36.31	0.00	100	305 PEAK																																																																																																																														
3	5711.14	59.88	108.42	-48.54	50.73	34.36	11.16	36.37	0.00	100	305 PEAK																																																																																																																														
4	5720.13	57.55	111.19	-53.64	48.37	34.40	11.17	36.39	0.00	100	305 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	95.88	-----	-----	86.52	34.59	11.22	36.45	0.00	100	305 PEAK																																																																																																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>87.01</td><td>-----</td><td>-----</td><td>77.68</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>100</td><td>305 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	87.01	-----	-----	77.68	34.56	11.21	36.44	0.00	100	305 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	87.01	-----	-----	77.68	34.56	11.21	36.44	0.00	100	305 AVERAGE																																																																																																																														




Mode	32																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>50.34</td><td>112.15</td><td>-61.81</td><td>40.79</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>50.58</td><td>105.70</td><td>-55.12</td><td>41.02</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>50.49</td><td>68.31</td><td>-17.82</td><td>40.94</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5925.63</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>42.73</td><td>34.98</td><td>11.40</td><td>36.83</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	50.34	112.15	-61.81	40.79	34.85	11.33	36.63	0.00	100	305 PEAK	2	5873.56	50.58	105.70	-55.12	41.02	34.87	11.35	36.66	0.00	100	305 PEAK	3	5924.85	50.49	68.31	-17.82	40.94	34.97	11.40	36.82	0.00	100	305 PEAK	4	5925.63	52.28	68.20	-15.92	42.73	34.98	11.40	36.83	0.00	100	305 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.45	50.34	112.15	-61.81	40.79	34.85	11.33	36.63	0.00	100	305 PEAK																																																																								
2	5873.56	50.58	105.70	-55.12	41.02	34.87	11.35	36.66	0.00	100	305 PEAK																																																																								
3	5924.85	50.49	68.31	-17.82	40.94	34.97	11.40	36.82	0.00	100	305 PEAK																																																																								
4	5925.63	52.28	68.20	-15.92	42.73	34.98	11.40	36.83	0.00	100	305 PEAK																																																																								





Mode	32																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.83</td><td>51.15</td><td>68.20</td><td>-17.05</td><td>41.94</td><td>34.46</td><td>11.03</td><td>36.28</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>49.31</td><td>69.29</td><td>-19.98</td><td>40.15</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr><tr><td>3</td><td>5710.52</td><td>55.89</td><td>108.25</td><td>-52.36</td><td>46.75</td><td>34.35</td><td>11.16</td><td>36.37</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr><tr><td>4</td><td>5721.99</td><td>58.89</td><td>115.43</td><td>-56.54</td><td>49.70</td><td>34.41</td><td>11.17</td><td>36.39</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.83	51.15	68.20	-17.05	41.94	34.46	11.03	36.28	0.00	314	278 PEAK	2	5651.46	49.31	69.29	-19.98	40.15	34.40	11.07	36.31	0.00	314	278 PEAK	3	5710.52	55.89	108.25	-52.36	46.75	34.35	11.16	36.37	0.00	314	278 PEAK	4	5721.99	58.89	115.43	-56.54	49.70	34.41	11.17	36.39	0.00	314	278 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.34</td><td>-----</td><td>-----</td><td>84.03</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.34	-----	-----	84.03	34.53	11.21	36.43	0.00	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5617.83	51.15	68.20	-17.05	41.94	34.46	11.03	36.28	0.00	314	278 PEAK																																																																																																																													
2	5651.46	49.31	69.29	-19.98	40.15	34.40	11.07	36.31	0.00	314	278 PEAK																																																																																																																													
3	5710.52	55.89	108.25	-52.36	46.75	34.35	11.16	36.37	0.00	314	278 PEAK																																																																																																																													
4	5721.99	58.89	115.43	-56.54	49.70	34.41	11.17	36.39	0.00	314	278 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	93.34	-----	-----	84.03	34.53	11.21	36.43	0.00	314	278 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>84.91</td><td>-----</td><td>-----</td><td>75.58</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>314</td><td>278 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	84.91	-----	-----	75.58	34.56	11.21	36.44	0.00	314	278 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	84.91	-----	-----	75.58	34.56	11.21	36.44	0.00	314	278 AVERAGE																																																																																																																													






Mode	32																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>50.35</td><td>111.71</td><td>-61.36</td><td>40.79</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr><tr><td>2</td><td>5869.66</td><td>51.24</td><td>106.79</td><td>-55.55</td><td>41.68</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>51.30</td><td>68.31</td><td>-17.01</td><td>41.75</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr><tr><td>4</td><td>5934.99</td><td>52.36</td><td>68.20</td><td>-15.84</td><td>42.82</td><td>35.00</td><td>11.41</td><td>36.87</td><td>0.00</td><td>314</td><td>278 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	50.35	111.71	-61.36	40.79	34.85	11.34	36.63	0.00	314	278 PEAK	2	5869.66	51.24	106.79	-55.55	41.68	34.87	11.35	36.66	0.00	314	278 PEAK	3	5924.85	51.30	68.31	-17.01	41.75	34.97	11.40	36.82	0.00	314	278 PEAK	4	5934.99	52.36	68.20	-15.84	42.82	35.00	11.41	36.87	0.00	314	278 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.65	50.35	111.71	-61.36	40.79	34.85	11.34	36.63	0.00	314	278 PEAK																																																																								
2	5869.66	51.24	106.79	-55.55	41.68	34.87	11.35	36.66	0.00	314	278 PEAK																																																																								
3	5924.85	51.30	68.31	-17.01	41.75	34.97	11.40	36.82	0.00	314	278 PEAK																																																																								
4	5934.99	52.36	68.20	-15.84	42.82	35.00	11.41	36.87	0.00	314	278 PEAK																																																																								




Mode	32																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>61.44</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>38.96</td><td>54.00</td><td>-15.04</td><td>50.90</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>17265.00</td><td>58.41</td><td>68.20</td><td>-9.79</td><td>61.73</td><td>41.15</td><td>20.18</td><td>64.65</td><td>0.00</td><td>101</td><td>316</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	49.50	74.00	-24.50	61.44	38.26	16.37	66.57	0.00	100	360	PEAK	2	11510.00	38.96	54.00	-15.04	50.90	38.26	16.37	66.57	0.00	100	360	AVERAGE	3	17265.00	58.41	68.20	-9.79	61.73	41.15	20.18	64.65	0.00	101	316	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>57.07</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17265.00</td><td>48.76</td><td>68.20</td><td>-19.44</td><td>52.10</td><td>41.15</td><td>20.17</td><td>64.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.13	74.00	-28.87	57.07	38.26	16.37	66.57	0.00	---	---	PEAK	2	17265.00	48.76	68.20	-19.44	52.10	41.15	20.17	64.66	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11510.00	49.50	74.00	-24.50	61.44	38.26	16.37	66.57	0.00	100	360	PEAK																																																																																																																																			
2	11510.00	38.96	54.00	-15.04	50.90	38.26	16.37	66.57	0.00	100	360	AVERAGE																																																																																																																																			
3	17265.00	58.41	68.20	-9.79	61.73	41.15	20.18	64.65	0.00	101	316	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11510.00	45.13	74.00	-28.87	57.07	38.26	16.37	66.57	0.00	---	---	PEAK																																																																																																																																			
2	17265.00	48.76	68.20	-19.44	52.10	41.15	20.17	64.66	0.00	---	---	PEAK																																																																																																																																			






Mode	33																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5621.60</td><td>50.51</td><td>68.20</td><td>-17.69</td><td>41.30</td><td>34.46</td><td>11.03</td><td>36.28</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.18</td><td>68.20</td><td>-18.02</td><td>41.02</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>50.49</td><td>106.09</td><td>-55.60</td><td>41.39</td><td>34.31</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.53</td><td>110.90</td><td>-62.37</td><td>39.35</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.60	50.51	68.20	-17.69	41.30	34.46	11.03	36.28	0.00	100	305 PEAK	2	5650.00	50.18	68.20	-18.02	41.02	34.40	11.07	36.31	0.00	100	305 PEAK	3	5702.00	50.49	106.09	-55.60	41.39	34.31	11.15	36.36	0.00	100	305 PEAK	4	5720.00	48.53	110.90	-62.37	39.35	34.40	11.17	36.39	0.00	100	305 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.32</td><td>-----</td><td>-----</td><td>86.80</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.32	-----	-----	86.80	34.77	11.27	36.52	0.00	100	305 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5621.60	50.51	68.20	-17.69	41.30	34.46	11.03	36.28	0.00	100	305 PEAK																																																																																																																															
2	5650.00	50.18	68.20	-18.02	41.02	34.40	11.07	36.31	0.00	100	305 PEAK																																																																																																																															
3	5702.00	50.49	106.09	-55.60	41.39	34.31	11.15	36.36	0.00	100	305 PEAK																																																																																																																															
4	5720.00	48.53	110.90	-62.37	39.35	34.40	11.17	36.39	0.00	100	305 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	96.32	-----	-----	86.80	34.77	11.27	36.52	0.00	100	305 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>87.62</td><td>-----</td><td>-----</td><td>78.10</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>100</td><td>305 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	87.62	-----	-----	78.10	34.77	11.27	36.52	0.00	100	305 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	87.62	-----	-----	78.10	34.77	11.27	36.52	0.00	100	305 AVERAGE																																																																																																																															




Mode	33																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.84</td><td>111.36</td><td>-57.52</td><td>44.28</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>50.27</td><td>105.36</td><td>-55.09</td><td>40.71</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>51.77</td><td>70.42</td><td>-18.65</td><td>42.21</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5930.80</td><td>52.14</td><td>68.20</td><td>-16.06</td><td>42.59</td><td>34.99</td><td>11.41</td><td>36.85</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	53.84	111.36	-57.52	44.28	34.85	11.34	36.63	0.00	100	305 PEAK	2	5874.00	50.27	105.36	-55.09	40.71	34.87	11.35	36.66	0.00	100	305 PEAK	3	5922.00	51.77	70.42	-18.65	42.21	34.97	11.40	36.81	0.00	100	305 PEAK	4	5930.80	52.14	68.20	-16.06	42.59	34.99	11.41	36.85	0.00	100	305 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	53.84	111.36	-57.52	44.28	34.85	11.34	36.63	0.00	100	305 PEAK																																																																								
2	5874.00	50.27	105.36	-55.09	40.71	34.87	11.35	36.66	0.00	100	305 PEAK																																																																								
3	5922.00	51.77	70.42	-18.65	42.21	34.97	11.40	36.81	0.00	100	305 PEAK																																																																								
4	5930.80	52.14	68.20	-16.06	42.59	34.99	11.41	36.85	0.00	100	305 PEAK																																																																								



Mode	33																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5687.60</td><td>51.40</td><td>68.20</td><td>-16.80</td><td>42.18</td><td>34.48</td><td>11.01</td><td>36.27</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>50.18</td><td>69.99</td><td>-19.81</td><td>41.01</td><td>34.40</td><td>11.00</td><td>36.31</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>48.98</td><td>106.09</td><td>-57.11</td><td>39.88</td><td>34.31</td><td>11.15</td><td>36.36</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.16</td><td>110.90</td><td>-62.74</td><td>38.98</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5687.60	51.40	68.20	-16.80	42.18	34.48	11.01	36.27	0.00	359	276 PEAK	2	5652.40	50.18	69.99	-19.81	41.01	34.40	11.00	36.31	0.00	359	276 PEAK	3	5702.80	48.98	106.09	-57.11	39.88	34.31	11.15	36.36	0.00	359	276 PEAK	4	5720.00	48.16	110.90	-62.74	38.98	34.40	11.17	36.39	0.00	359	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.47</td><td>-----</td><td>-----</td><td>84.92</td><td>34.80</td><td>11.28</td><td>36.53</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	94.47	-----	-----	84.92	34.80	11.28	36.53	0.00	359
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5687.60	51.40	68.20	-16.80	42.18	34.48	11.01	36.27	0.00	359	276 PEAK																																																																																																																													
2	5652.40	50.18	69.99	-19.81	41.01	34.40	11.00	36.31	0.00	359	276 PEAK																																																																																																																													
3	5702.80	48.98	106.09	-57.11	39.88	34.31	11.15	36.36	0.00	359	276 PEAK																																																																																																																													
4	5720.00	48.16	110.90	-62.74	38.98	34.40	11.17	36.39	0.00	359	276 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	94.47	-----	-----	84.92	34.80	11.28	36.53	0.00	359	276 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>85.43</td><td>-----</td><td>-----</td><td>75.91</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>359</td><td>276 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	85.43	-----	-----	75.91	34.77	11.27	36.52	0.00	359	276 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	85.43	-----	-----	75.91	34.77	11.27	36.52	0.00	359	276 AVERAGE																																																																																																																													



Mode	33																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>50.24</td><td>111.36</td><td>-61.12</td><td>40.68</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>51.35</td><td>106.14</td><td>-54.79</td><td>41.79</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>50.56</td><td>70.12</td><td>-19.56</td><td>41.00</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr><tr><td>4</td><td>5962.80</td><td>52.04</td><td>68.20</td><td>-16.16</td><td>42.50</td><td>35.09</td><td>11.44</td><td>36.99</td><td>0.00</td><td>359</td><td>276 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	50.24	111.36	-61.12	40.68	34.85	11.34	36.63	0.00	359	276 PEAK	2	5872.00	51.35	106.14	-54.79	41.79	34.87	11.35	36.66	0.00	359	276 PEAK	3	5922.40	50.56	70.12	-19.56	41.00	34.97	11.40	36.81	0.00	359	276 PEAK	4	5962.80	52.04	68.20	-16.16	42.50	35.09	11.44	36.99	0.00	359	276 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	50.24	111.36	-61.12	40.68	34.85	11.34	36.63	0.00	359	276 PEAK																																																																								
2	5872.00	51.35	106.14	-54.79	41.79	34.87	11.35	36.66	0.00	359	276 PEAK																																																																								
3	5922.40	50.56	70.12	-19.56	41.00	34.97	11.40	36.81	0.00	359	276 PEAK																																																																								
4	5962.80	52.04	68.20	-16.16	42.50	35.09	11.44	36.99	0.00	359	276 PEAK																																																																								





Mode	33																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>58.34</td><td>38.33</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17385.00</td><td>50.25</td><td>68.20</td><td>-17.95</td><td>53.43</td><td>41.18</td><td>20.26</td><td>64.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11590.00	46.57	74.00	-27.43	58.34	38.33	16.42	66.52	0.00	---	PEAK	2	17385.00	50.25	68.20	-17.95	53.43	41.18	20.26	64.62	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>57.31</td><td>38.33</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17385.00</td><td>53.01</td><td>68.20</td><td>-15.19</td><td>56.19</td><td>41.18</td><td>20.26</td><td>64.62</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11590.00	45.54	74.00	-28.46	57.31	38.33	16.42	66.52	0.00	---	PEAK	2	17385.00	53.01	68.20	-15.19	56.19	41.18	20.26	64.62	0.00	100	38 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
1	11590.00	46.57	74.00	-27.43	58.34	38.33	16.42	66.52	0.00	---	PEAK																																																																																												
2	17385.00	50.25	68.20	-17.95	53.43	41.18	20.26	64.62	0.00	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
1	11590.00	45.54	74.00	-28.46	57.31	38.33	16.42	66.52	0.00	---	PEAK																																																																																												
2	17385.00	53.01	68.20	-15.19	56.19	41.18	20.26	64.62	0.00	100	38 PEAK																																																																																												






Mode	34																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal																																																																											
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>56.71</td><td>74.00</td><td>-17.29</td><td>68.78</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>100</td><td>294 PEAK</td></tr><tr><td>2 11440.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>57.35</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>100</td><td>294 AVERAGE</td></tr><tr><td>3 17160.00</td><td>61.71</td><td>68.20</td><td>-6.49</td><td>65.15</td><td>41.13</td><td>20.11</td><td>64.68</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	56.71	74.00	-17.29	68.78	38.20	16.32	66.59	0.00	100	294 PEAK	2 11440.00	45.28	54.00	-8.72	57.35	38.20	16.32	66.59	0.00	100	294 AVERAGE	3 17160.00	61.71	68.20	-6.49	65.15	41.13	20.11	64.68	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 11440.00	56.71	74.00	-17.29	68.78	38.20	16.32	66.59	0.00	100	294 PEAK																																																																		
2 11440.00	45.28	54.00	-8.72	57.35	38.20	16.32	66.59	0.00	100	294 AVERAGE																																																																		
3 17160.00	61.71	68.20	-6.49	65.15	41.13	20.11	64.68	0.00	100	314 PEAK																																																																		
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>52.72</td><td>74.00</td><td>-21.28</td><td>64.79</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>300</td><td>276 PEAK</td></tr><tr><td>2 11440.00</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>54.27</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>300</td><td>276 AVERAGE</td></tr><tr><td>3 17160.00</td><td>58.38</td><td>68.20</td><td>-9.82</td><td>61.83</td><td>41.13</td><td>20.10</td><td>64.68</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	52.72	74.00	-21.28	64.79	38.20	16.32	66.59	0.00	300	276 PEAK	2 11440.00	42.20	54.00	-11.80	54.27	38.20	16.32	66.59	0.00	300	276 AVERAGE	3 17160.00	58.38	68.20	-9.82	61.83	41.13	20.10	64.68	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 11440.00	52.72	74.00	-21.28	64.79	38.20	16.32	66.59	0.00	300	276 PEAK																																																																		
2 11440.00	42.20	54.00	-11.80	54.27	38.20	16.32	66.59	0.00	300	276 AVERAGE																																																																		
3 17160.00	58.38	68.20	-9.82	61.83	41.13	20.10	64.68	0.00	100	23 PEAK																																																																		





Mode	35																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>66.27</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>100</td><td>296 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>55.19</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>100</td><td>296 AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>56.21</td><td>68.20</td><td>-11.99</td><td>59.65</td><td>41.13</td><td>20.11</td><td>64.68</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	54.20	74.00	-19.80	66.27	38.20	16.32	66.59	0.00	100	296 PEAK	2	11440.00	43.12	54.00	-10.88	55.19	38.20	16.32	66.59	0.00	100	296 AVERAGE	3	17160.00	56.21	68.20	-11.99	59.65	41.13	20.11	64.68	0.00	100	317 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>58.26</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17160.00</td><td>55.02</td><td>68.20</td><td>-13.18</td><td>58.46</td><td>41.13</td><td>20.11</td><td>64.68</td><td>0.00</td><td>300</td><td>256 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.19	74.00	-27.81	58.26	38.20	16.32	66.59	0.00	---	---	PEAK	2	17160.00	55.02	68.20	-13.18	58.46	41.13	20.11	64.68	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11440.00	54.20	74.00	-19.80	66.27	38.20	16.32	66.59	0.00	100	296 PEAK																																																																																																																														
2	11440.00	43.12	54.00	-10.88	55.19	38.20	16.32	66.59	0.00	100	296 AVERAGE																																																																																																																														
3	17160.00	56.21	68.20	-11.99	59.65	41.13	20.11	64.68	0.00	100	317 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11440.00	46.19	74.00	-27.81	58.26	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																																																													
2	17160.00	55.02	68.20	-13.18	58.46	41.13	20.11	64.68	0.00	300	256 PEAK																																																																																																																														



Mode	36																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11424.93</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>62.75</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>100</td><td>297 Peak</td></tr><tr><td>2</td><td>11424.93</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>55.23</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>100</td><td>297 Average</td></tr><tr><td>3</td><td>17139.00</td><td>53.00</td><td>68.20</td><td>-15.20</td><td>56.46</td><td>41.13</td><td>20.09</td><td>64.68</td><td>0.00</td><td>100</td><td>339 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11424.93	50.65	74.00	-23.35	62.75	38.18	16.31	66.59	0.00	100	297 Peak	2	11424.93	43.13	54.00	-10.87	55.23	38.18	16.31	66.59	0.00	100	297 Average	3	17139.00	53.00	68.20	-15.20	56.46	41.13	20.09	64.68	0.00	100	339 Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11424.20</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>59.04</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>100</td><td>125 Peak</td></tr><tr><td>2</td><td>17120.00</td><td>51.78</td><td>68.20</td><td>-16.42</td><td>55.27</td><td>41.12</td><td>20.08</td><td>64.69</td><td>0.00</td><td>300</td><td>270 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11424.20	46.94	74.00	-27.06	59.04	38.18	16.31	66.59	0.00	100	125 Peak	2	17120.00	51.78	68.20	-16.42	55.27	41.12	20.08	64.69	0.00	300	270 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11424.93	50.65	74.00	-23.35	62.75	38.18	16.31	66.59	0.00	100	297 Peak																																																																																																																														
2	11424.93	43.13	54.00	-10.87	55.23	38.18	16.31	66.59	0.00	100	297 Average																																																																																																																														
3	17139.00	53.00	68.20	-15.20	56.46	41.13	20.09	64.68	0.00	100	339 Peak																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11424.20	46.94	74.00	-27.06	59.04	38.18	16.31	66.59	0.00	100	125 Peak																																																																																																																														
2	17120.00	51.78	68.20	-16.42	55.27	41.12	20.08	64.69	0.00	300	270 Peak																																																																																																																														







Mode	10																																																																																																																				
	30M-1G																																																																																																																				
	U-NII-1~2C_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal																																																																																																																				
Peak																																																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>116.33</td><td>16.64</td><td>43.50</td><td>-26.86</td><td>30.93</td><td>17.33</td><td>1.05</td><td>32.67</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>253.83</td><td>21.19</td><td>46.00</td><td>-24.81</td><td>33.36</td><td>19.05</td><td>1.67</td><td>32.89</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>380.90</td><td>24.89</td><td>46.00</td><td>-21.11</td><td>34.70</td><td>21.09</td><td>2.06</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>465.29</td><td>29.05</td><td>46.00</td><td>-16.95</td><td>36.53</td><td>23.34</td><td>2.27</td><td>33.09</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>687.66</td><td>27.52</td><td>46.00</td><td>-18.48</td><td>31.34</td><td>26.71</td><td>2.71</td><td>33.24</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>826.13</td><td>32.06</td><td>46.00</td><td>-13.94</td><td>33.28</td><td>28.56</td><td>3.00</td><td>32.78</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	116.33	16.64	43.50	-26.86	30.93	17.33	1.05	32.67	0.00	---	Peak	2	253.83	21.19	46.00	-24.81	33.36	19.05	1.67	32.89	0.00	---	Peak	3	380.90	24.89	46.00	-21.11	34.70	21.09	2.06	32.96	0.00	---	Peak	4	465.29	29.05	46.00	-16.95	36.53	23.34	2.27	33.09	0.00	---	Peak	5	687.66	27.52	46.00	-18.48	31.34	26.71	2.71	33.24	0.00	---	Peak	6	826.13	32.06	46.00	-13.94	33.28	28.56	3.00	32.78	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	116.33	16.64	43.50	-26.86	30.93	17.33	1.05	32.67	0.00	---	Peak																																																																																																										
2	253.83	21.19	46.00	-24.81	33.36	19.05	1.67	32.89	0.00	---	Peak																																																																																																										
3	380.90	24.89	46.00	-21.11	34.70	21.09	2.06	32.96	0.00	---	Peak																																																																																																										
4	465.29	29.05	46.00	-16.95	36.53	23.34	2.27	33.09	0.00	---	Peak																																																																																																										
5	687.66	27.52	46.00	-18.48	31.34	26.71	2.71	33.24	0.00	---	Peak																																																																																																										
6	826.13	32.06	46.00	-13.94	33.28	28.56	3.00	32.78	0.00	---	Peak																																																																																																										
Peak																																																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>25.38</td><td>40.00</td><td>-14.62</td><td>33.21</td><td>24.61</td><td>0.36</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>104.21</td><td>18.48</td><td>43.50</td><td>-25.02</td><td>33.66</td><td>16.42</td><td>1.05</td><td>32.65</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>180.84</td><td>21.12</td><td>43.50</td><td>-22.38</td><td>37.56</td><td>14.91</td><td>1.39</td><td>32.74</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>264.50</td><td>20.73</td><td>46.00</td><td>-25.27</td><td>32.02</td><td>19.88</td><td>1.71</td><td>32.88</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>436.19</td><td>26.09</td><td>46.00</td><td>-19.91</td><td>34.22</td><td>22.69</td><td>2.23</td><td>33.05</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>613.94</td><td>28.43</td><td>46.00</td><td>-17.57</td><td>33.23</td><td>25.91</td><td>2.59</td><td>33.30</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.97	25.38	40.00	-14.62	33.21	24.61	0.36	32.80	0.00	---	Peak	2	104.21	18.48	43.50	-25.02	33.66	16.42	1.05	32.65	0.00	---	Peak	3	180.84	21.12	43.50	-22.38	37.56	14.91	1.39	32.74	0.00	---	Peak	4	264.50	20.73	46.00	-25.27	32.02	19.88	1.71	32.88	0.00	---	Peak	5	436.19	26.09	46.00	-19.91	34.22	22.69	2.23	33.05	0.00	---	Peak	6	613.94	28.43	46.00	-17.57	33.23	25.91	2.59	33.30	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	30.97	25.38	40.00	-14.62	33.21	24.61	0.36	32.80	0.00	---	Peak																																																																																																										
2	104.21	18.48	43.50	-25.02	33.66	16.42	1.05	32.65	0.00	---	Peak																																																																																																										
3	180.84	21.12	43.50	-22.38	37.56	14.91	1.39	32.74	0.00	---	Peak																																																																																																										
4	264.50	20.73	46.00	-25.27	32.02	19.88	1.71	32.88	0.00	---	Peak																																																																																																										
5	436.19	26.09	46.00	-19.91	34.22	22.69	2.23	33.05	0.00	---	Peak																																																																																																										
6	613.94	28.43	46.00	-17.57	33.23	25.91	2.59	33.30	0.00	---	Peak																																																																																																										



Mode	29	
	18G-40G	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	29																																																																																																																																																																																																										
	30M-1G																																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal											Vertical																																																																																																																																																																																															
Peak																																																																																																																																																																																																											
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>22.88</td><td>40.00</td><td>-17.12</td><td>30.22</td><td>25.11</td><td>0.36</td><td>32.81</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>253.83</td><td>20.19</td><td>46.00</td><td>-25.81</td><td>32.36</td><td>19.05</td><td>1.67</td><td>32.89</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>465.29</td><td>30.05</td><td>46.00</td><td>-15.95</td><td>37.53</td><td>23.34</td><td>2.27</td><td>33.09</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>676.51</td><td>25.82</td><td>46.00</td><td>-20.18</td><td>29.73</td><td>26.65</td><td>2.69</td><td>33.25</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>793.88</td><td>31.26</td><td>46.00</td><td>-14.74</td><td>32.88</td><td>28.46</td><td>2.95</td><td>33.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>923.61</td><td>30.68</td><td>46.00</td><td>-15.32</td><td>29.69</td><td>29.83</td><td>3.17</td><td>32.01</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.00	22.88	40.00	-17.12	30.22	25.11	0.36	32.81	0.00	---	Peak	2	253.83	20.19	46.00	-25.81	32.36	19.05	1.67	32.89	0.00	---	Peak	3	465.29	30.05	46.00	-15.95	37.53	23.34	2.27	33.09	0.00	---	Peak	4	676.51	25.82	46.00	-20.18	29.73	26.65	2.69	33.25	0.00	---	Peak	5	793.88	31.26	46.00	-14.74	32.88	28.46	2.95	33.03	0.00	---	Peak	6	923.61	30.68	46.00	-15.32	29.69	29.83	3.17	32.01	0.00	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.15</td><td>20.09</td><td>40.00</td><td>-19.91</td><td>29.10</td><td>23.38</td><td>0.40</td><td>32.79</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>180.84</td><td>20.12</td><td>43.50</td><td>-23.38</td><td>36.56</td><td>14.91</td><td>1.39</td><td>32.74</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>390.60</td><td>26.00</td><td>46.00</td><td>-20.00</td><td>35.39</td><td>21.47</td><td>2.13</td><td>32.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>613.94</td><td>28.43</td><td>46.00</td><td>-17.57</td><td>33.23</td><td>25.91</td><td>2.59</td><td>33.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>725.01</td><td>29.00</td><td>46.00</td><td>-17.00</td><td>31.88</td><td>27.53</td><td>2.81</td><td>33.22</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>762.84</td><td>29.54</td><td>46.00</td><td>-16.46</td><td>31.72</td><td>28.08</td><td>2.91</td><td>33.17</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	33.15	20.09	40.00	-19.91	29.10	23.38	0.40	32.79	0.00	---	Peak	2	180.84	20.12	43.50	-23.38	36.56	14.91	1.39	32.74	0.00	---	Peak	3	390.60	26.00	46.00	-20.00	35.39	21.47	2.13	32.99	0.00	---	Peak	4	613.94	28.43	46.00	-17.57	33.23	25.91	2.59	33.30	0.00	---	Peak	5	725.01	29.00	46.00	-17.00	31.88	27.53	2.81	33.22	0.00	---	Peak	6	762.84	29.54	46.00	-16.46	31.72	28.08	2.91	33.17	0.00	---
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	30.00	22.88	40.00	-17.12	30.22	25.11	0.36	32.81	0.00	---	Peak																																																																																																																																																																																																
2	253.83	20.19	46.00	-25.81	32.36	19.05	1.67	32.89	0.00	---	Peak																																																																																																																																																																																																
3	465.29	30.05	46.00	-15.95	37.53	23.34	2.27	33.09	0.00	---	Peak																																																																																																																																																																																																
4	676.51	25.82	46.00	-20.18	29.73	26.65	2.69	33.25	0.00	---	Peak																																																																																																																																																																																																
5	793.88	31.26	46.00	-14.74	32.88	28.46	2.95	33.03	0.00	---	Peak																																																																																																																																																																																																
6	923.61	30.68	46.00	-15.32	29.69	29.83	3.17	32.01	0.00	---	Peak																																																																																																																																																																																																
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	33.15	20.09	40.00	-19.91	29.10	23.38	0.40	32.79	0.00	---	Peak																																																																																																																																																																																																
2	180.84	20.12	43.50	-23.38	36.56	14.91	1.39	32.74	0.00	---	Peak																																																																																																																																																																																																
3	390.60	26.00	46.00	-20.00	35.39	21.47	2.13	32.99	0.00	---	Peak																																																																																																																																																																																																
4	613.94	28.43	46.00	-17.57	33.23	25.91	2.59	33.30	0.00	---	Peak																																																																																																																																																																																																
5	725.01	29.00	46.00	-17.00	31.88	27.53	2.81	33.22	0.00	---	Peak																																																																																																																																																																																																
6	762.84	29.54	46.00	-16.46	31.72	28.08	2.91	33.17	0.00	---	Peak																																																																																																																																																																																																

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	100	-	-	10Hz

802.11a





802.11n HT20



802.11n HT40

