

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.7	-13	Pass	2985
30	1000	0.1	RMS	922.792	-55.48	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.9	-13	Pass	830
1830	1920	1	RMS	1850.25	23.24	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	3700.078	-36.7	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.24	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.27	-13	Pass	2985
30	1000	0.1	RMS	935.393	-55.54	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.89	-13	Pass	830
1830	1920	1	RMS	1851.15	23.25	60	Pass	601
1920	3000	1	RMS	2657.683	-40.05	-13	Pass	1080
3000	12000	1	RMS	3702.078	-35.52	-13	Pass	9000
12000	20000	1	RMS	16605.576	-36.22	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.94	-13	Pass	2985
30	1000	0.1	RMS	940.494	-55.68	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.89	-13	Pass	830
1830	1920	1	RMS	1850.25	22.25	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	3700.078	-37.37	-13	Pass	9000
12000	20000	1	RMS	16584.573	-36.09	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.96	-13	Pass	2985
30	1000	0.1	RMS	911.791	-55.35	-13	Pass	9700
1000	1830	1	RMS	1830	-44.88	-13	Pass	830
1830	1920	1	RMS	1851.15	22.27	60	Pass	601
1920	3000	1	RMS	2660.686	-40.05	-13	Pass	1080
3000	12000	1	RMS	3702.078	-36.44	-13	Pass	9000
12000	20000	1	RMS	16604.576	-36.28	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.89	-13	Pass	2985
30	1000	0.1	RMS	996	-55.75	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.88	-13	Pass	830
1830	1920	1	RMS	1879.5	23.14	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	3759.084	-37.4	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.32	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.03	-13	Pass	2985
30	1000	0.1	RMS	881.788	-55.28	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.88	-13	Pass	830
1830	1920	1	RMS	1880.4	23.15	60	Pass	601
1920	3000	1	RMS	2658.684	-40.07	-13	Pass	1080
3000	12000	1	RMS	3761.085	-37.41	-13	Pass	9000
12000	20000	1	RMS	16605.576	-36.26	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.51	-13	Pass	2985
30	1000	0.1	RMS	941.894	-55.58	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.91	-13	Pass	830
1830	1920	1	RMS	1879.5	22.17	60	Pass	601
1920	3000	1	RMS	2654.68	-40.1	-13	Pass	1080
3000	12000	1	RMS	3759.084	-38.15	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.06	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2985
30	1000	0.1	RMS	999.2	-55.49	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.91	-13	Pass	830
1830	1920	1	RMS	1880.4	22.17	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	3761.085	-38.59	-13	Pass	9000
12000	20000	1	RMS	16588.574	-36.27	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2985
30	1000	0.1	RMS	922.892	-55.35	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.88	-13	Pass	830
1830	1920	1	RMS	1908.9	22.82	60	Pass	601
1920	3000	1	RMS	2658.684	-40.03	-13	Pass	1080
3000	12000	1	RMS	3818.091	-36.44	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.18	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.81	-13	Pass	2985
30	1000	0.1	RMS	907.49	-55.44	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.91	-13	Pass	830
1830	1920	1	RMS	1909.8	22.83	60	Pass	601
1920	3000	1	RMS	2659.685	-40.08	-13	Pass	1080
3000	12000	1	RMS	3819.091	-35.7	-13	Pass	9000
12000	20000	1	RMS	16592.574	-36.25	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.68	-13	Pass	2985
30	1000	0.1	RMS	974.497	-55.7	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.87	-13	Pass	830
1830	1920	1	RMS	1908.9	21.9	60	Pass	601
1920	3000	1	RMS	2658.684	-40.05	-13	Pass	1080
3000	12000	1	RMS	3818.091	-37.44	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.17	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.57	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.61	-13	Pass	2985
30	1000	0.1	RMS	998.1	-55.53	-13	Pass	9700
1000	1830	1	RMS	1818.987	-44.92	-13	Pass	830
1830	1920	1	RMS	1909.8	21.94	60	Pass	601
1920	3000	1	RMS	2655.681	-40.03	-13	Pass	1080
3000	12000	1	RMS	3819.091	-36.63	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.24	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.67	-13	Pass	2985
30	1000	0.1	RMS	995.6	-55.66	-13	Pass	9700
1000	1830	1	RMS	1788.951	-44.91	-13	Pass	830
1830	1920	1	RMS	1850.25	23.3	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3700.078	-36.38	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.18	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.1	-13	Pass	2985
30	1000	0.1	RMS	906.99	-55.54	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.89	-13	Pass	830
1830	1920	1	RMS	1852.8	23.22	60	Pass	601
1920	3000	1	RMS	2660.686	-40.05	-13	Pass	1080
3000	12000	1	RMS	3705.078	-37.12	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.29	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.65	-13	Pass	2985
30	1000	0.1	RMS	917.291	-55.66	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.94	-13	Pass	830
1830	1920	1	RMS	1850.25	22.45	60	Pass	601
1920	3000	1	RMS	2660.686	-40.11	-13	Pass	1080
3000	12000	1	RMS	3700.078	-37.36	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.23	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.75	-13	Pass	2985
30	1000	0.1	RMS	961.896	-55.61	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.89	-13	Pass	830
1830	1920	1	RMS	1852.8	22.37	60	Pass	601
1920	3000	1	RMS	2657.683	-39.99	-13	Pass	1080
3000	12000	1	RMS	3705.078	-37.47	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.17	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.96	-13	Pass	2985
30	1000	0.1	RMS	902.79	-55.61	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.9	-13	Pass	830
1830	1920	1	RMS	1878.75	23.27	60	Pass	601
1920	3000	1	RMS	2659.685	-40.04	-13	Pass	1080
3000	12000	1	RMS	3757.084	-38.3	-13	Pass	9000
12000	20000	1	RMS	16606.576	-36.19	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.03	-13	Pass	2985
30	1000	0.1	RMS	928.993	-55.38	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.91	-13	Pass	830
1830	1920	1	RMS	1881.3	23.22	60	Pass	601
1920	3000	1	RMS	2656.682	-40.11	-13	Pass	1080
3000	12000	1	RMS	3762.085	-38.71	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.99	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.77	-13	Pass	2985
30	1000	0.1	RMS	987.399	-55.52	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.91	-13	Pass	830
1830	1920	1	RMS	1878.75	22.28	60	Pass	601
1920	3000	1	RMS	2657.683	-40.04	-13	Pass	1080
3000	12000	1	RMS	3757.084	-39.03	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.33	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.77	-13	Pass	2985
30	1000	0.1	RMS	922.292	-55.63	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.9	-13	Pass	830
1830	1920	1	RMS	1881.3	22.22	60	Pass	601
1920	3000	1	RMS	2657.683	-40.05	-13	Pass	1080
3000	12000	1	RMS	3762.085	-39.49	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.22	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.69	-13	Pass	2985
30	1000	0.1	RMS	885.988	-55.56	-13	Pass	9700
1000	1830	1	RMS	1827.998	-44.93	-13	Pass	830
1830	1920	1	RMS	1907.25	22.94	60	Pass	601
1920	3000	1	RMS	2660.686	-40.02	-13	Pass	1080
3000	12000	1	RMS	3814.09	-37.54	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.25	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.76	-13	Pass	2985
30	1000	0.1	RMS	998.8	-55.54	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.8	22.91	60	Pass	601
1920	3000	1	RMS	2659.685	-40.08	-13	Pass	1080
3000	12000	1	RMS	3819.091	-35.46	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.16	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2985
30	1000	0.1	RMS	985.098	-55.51	-13	Pass	9700
1000	1830	1	RMS	1794.958	-44.93	-13	Pass	830
1830	1920	1	RMS	1907.25	22.02	60	Pass	601
1920	3000	1	RMS	2661.687	-40.05	-13	Pass	1080
3000	12000	1	RMS	3814.09	-38.47	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.33	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.04	-13	Pass	2985
30	1000	0.1	RMS	958.496	-55.72	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.86	-13	Pass	830
1830	1920	1	RMS	1909.8	21.95	60	Pass	601
1920	3000	1	RMS	2657.683	-40.02	-13	Pass	1080
3000	12000	1	RMS	3819.091	-36.72	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.28	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.44	-13	Pass	2985
30	1000	0.1	RMS	936.593	-55.69	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.9	-13	Pass	830
1830	1920	1	RMS	1850.4	23.2	60	Pass	601
1920	3000	1	RMS	2658.684	-40.03	-13	Pass	1080
3000	12000	1	RMS	3701.078	-36.43	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.31	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.1	-13	Pass	2985
30	1000	0.1	RMS	923.392	-55.81	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.89	-13	Pass	830
1830	1920	1	RMS	1854.6	23.17	60	Pass	601
1920	3000	1	RMS	2656.682	-40.04	-13	Pass	1080
3000	12000	1	RMS	3709.079	-36.23	-13	Pass	9000
12000	20000	1	RMS	19946.993	-36.19	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.06	-13	Pass	2985
30	1000	0.1	RMS	980.698	-55.6	-13	Pass	9700
1000	1830	1	RMS	1830	-44.92	-13	Pass	830
1830	1920	1	RMS	1850.4	22.26	60	Pass	601
1920	3000	1	RMS	2655.681	-40.11	-13	Pass	1080
3000	12000	1	RMS	3701.078	-37.04	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.19	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.17	-52.17	-13	Pass	2985
30	1000	0.1	RMS	983.498	-55.52	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.9	-13	Pass	830
1830	1920	1	RMS	1854.6	22.2	60	Pass	601
1920	3000	1	RMS	2658.684	-40	-13	Pass	1080
3000	12000	1	RMS	3709.079	-37.05	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.21	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.04	-13	Pass	2985
30	1000	0.1	RMS	950.695	-55.29	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.89	-13	Pass	830
1830	1920	1	RMS	1877.85	23.2	60	Pass	601
1920	3000	1	RMS	2658.684	-39.99	-13	Pass	1080
3000	12000	1	RMS	3756.084	-38.26	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.18	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2985
30	1000	0.1	RMS	897.389	-55.59	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.9	-13	Pass	830
1830	1920	1	RMS	1882.2	23.16	60	Pass	601
1920	3000	1	RMS	2659.685	-40.04	-13	Pass	1080
3000	12000	1	RMS	3764.085	-37.94	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.22	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.91	-13	Pass	2985
30	1000	0.1	RMS	871.487	-55.57	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.89	-13	Pass	830
1830	1920	1	RMS	1877.85	22.32	60	Pass	601
1920	3000	1	RMS	2658.684	-40.05	-13	Pass	1080
3000	12000	1	RMS	3756.084	-39.55	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.07	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.37	-13	Pass	2985
30	1000	0.1	RMS	971.697	-55.59	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.92	-13	Pass	830
1830	1920	1	RMS	1882.2	22.37	60	Pass	601
1920	3000	1	RMS	2660.686	-40.05	-13	Pass	1080
3000	12000	1	RMS	3764.085	-38.27	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36.26	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.73	-13	Pass	2985
30	1000	0.1	RMS	925.492	-55.64	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.87	-13	Pass	830
1830	1920	1	RMS	1905.3	22.79	60	Pass	601
1920	3000	1	RMS	2658.684	-40.08	-13	Pass	1080
3000	12000	1	RMS	3811.09	-38.78	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.98	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2985
30	1000	0.1	RMS	934.393	-55.41	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.86	-13	Pass	830
1830	1920	1	RMS	1909.65	22.81	60	Pass	601
1920	3000	1	RMS	2660.686	-40.05	-13	Pass	1080
3000	12000	1	RMS	3819.091	-34.67	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.27	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.84	-13	Pass	2985
30	1000	0.1	RMS	873.087	-55.83	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.89	-13	Pass	830
1830	1920	1	RMS	1905.3	21.96	60	Pass	601
1920	3000	1	RMS	2837.85	-40.07	-13	Pass	1080
3000	12000	1	RMS	3811.09	-39.58	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.12	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2985
30	1000	0.1	RMS	907.29	-55.49	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.65	21.98	60	Pass	601
1920	3000	1	RMS	2659.685	-39.96	-13	Pass	1080
3000	12000	1	RMS	3819.091	-35.64	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.33	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.8	-13	Pass	2985
30	1000	0.1	RMS	905.69	-55.47	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.85	-13	Pass	830
1830	1920	1	RMS	1850.55	23.26	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	3701.078	-35.33	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.34	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2985
30	1000	0.1	RMS	987.399	-55.36	-13	Pass	9700
1000	1830	1	RMS	1798.963	-44.92	-13	Pass	830
1830	1920	1	RMS	1859.4	23.18	60	Pass	601
1920	3000	1	RMS	2654.68	-40.07	-13	Pass	1080
3000	12000	1	RMS	3719.08	-37.56	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.08	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.62	-13	Pass	2985
30	1000	0.1	RMS	949.995	-55.44	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.89	-13	Pass	830
1830	1920	1	RMS	1850.55	22.49	60	Pass	601
1920	3000	1	RMS	2660.686	-40.06	-13	Pass	1080
3000	12000	1	RMS	3701.078	-35.88	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.24	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.98	-13	Pass	2985
30	1000	0.1	RMS	899.49	-55.43	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.92	-13	Pass	830
1830	1920	1	RMS	1859.4	22.35	60	Pass	601
1920	3000	1	RMS	2658.684	-40.05	-13	Pass	1080
3000	12000	1	RMS	3719.08	-38.01	-13	Pass	9000
12000	20000	1	RMS	19951.994	-36.17	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.72	-13	Pass	2985
30	1000	0.1	RMS	895.289	-55.69	-13	Pass	9700
1000	1830	1	RMS	1796.96	-44.9	-13	Pass	830
1830	1920	1	RMS	1875.6	23.23	60	Pass	601
1920	3000	1	RMS	2659.685	-40.04	-13	Pass	1080
3000	12000	1	RMS	3751.083	-37.23	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.29	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.59	-13	Pass	2985
30	1000	0.1	RMS	994.699	-55.64	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.88	-13	Pass	830
1830	1920	1	RMS	1884.45	23.2	60	Pass	601
1920	3000	1	RMS	2660.686	-40.05	-13	Pass	1080
3000	12000	1	RMS	3769.085	-38.21	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.16	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.72	-13	Pass	2985
30	1000	0.1	RMS	998.4	-55.57	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.89	-13	Pass	830
1830	1920	1	RMS	1875.6	22.26	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3751.083	-38.35	-13	Pass	9000
12000	20000	1	RMS	16588.574	-36.19	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.86	-13	Pass	2985
30	1000	0.1	RMS	884.088	-55.46	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.86	-13	Pass	830
1830	1920	1	RMS	1884.45	22.18	60	Pass	601
1920	3000	1	RMS	2660.686	-40	-13	Pass	1080
3000	12000	1	RMS	3769.085	-38.69	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.19	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.53	-13	Pass	2985
30	1000	0.1	RMS	898.089	-55.52	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.92	-13	Pass	830
1830	1920	1	RMS	1900.65	22.96	60	Pass	601
1920	3000	1	RMS	2660.686	-40.02	-13	Pass	1080
3000	12000	1	RMS	3801.089	-37.18	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.23	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.54	-13	Pass	2985
30	1000	0.1	RMS	927.493	-55.55	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.88	-13	Pass	830
1830	1920	1	RMS	1909.35	22.82	60	Pass	601
1920	3000	1	RMS	2660.686	-39.99	-13	Pass	1080
3000	12000	1	RMS	3819.091	-35.38	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.26	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.24	-13	Pass	2985
30	1000	0.1	RMS	981.698	-55.79	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.89	-13	Pass	830
1830	1920	1	RMS	1900.65	21.92	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3801.089	-38.3	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.21	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2985
30	1000	0.1	RMS	883.788	-55.24	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.35	21.89	60	Pass	601
1920	3000	1	RMS	2661.687	-40.07	-13	Pass	1080
3000	12000	1	RMS	3819.091	-36.73	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.27	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.08	-13	Pass	2985
30	1000	0.1	RMS	895.389	-55.61	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.52	-13	Pass	830
1830	1920	1	RMS	1850.85	23.22	60	Pass	601
1920	3000	1	RMS	2660.686	-39.92	-13	Pass	1080
3000	12000	1	RMS	3702.078	-36.44	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.14	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.32	-13	Pass	2985
30	1000	0.1	RMS	950.995	-55.45	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.91	-13	Pass	830
1830	1920	1	RMS	1864.2	23.15	60	Pass	601
1920	3000	1	RMS	2660.686	-39.97	-13	Pass	1080
3000	12000	1	RMS	3728.081	-38.04	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.12	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.61	-13	Pass	2985
30	1000	0.1	RMS	923.892	-55.57	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.57	-13	Pass	830
1830	1920	1	RMS	1850.85	22.37	60	Pass	601
1920	3000	1	RMS	2659.685	-40.07	-13	Pass	1080
3000	12000	1	RMS	3702.078	-37.33	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.28	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2985
30	1000	0.1	RMS	960.996	-55.62	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.84	-13	Pass	830
1830	1920	1	RMS	1864.2	22.28	60	Pass	601
1920	3000	1	RMS	2661.687	-40.09	-13	Pass	1080
3000	12000	1	RMS	3728.081	-39.17	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.26	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.86	-13	Pass	2985
30	1000	0.1	RMS	893.189	-55.63	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.88	-13	Pass	830
1830	1920	1	RMS	1873.35	23.1	60	Pass	601
1920	3000	1	RMS	2661.687	-40.02	-13	Pass	1080
3000	12000	1	RMS	3747.083	-38.73	-13	Pass	9000
12000	20000	1	RMS	16592.574	-36.16	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.06	-13	Pass	2985
30	1000	0.1	RMS	983.098	-55.48	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.94	-13	Pass	830
1830	1920	1	RMS	1886.7	23.11	60	Pass	601
1920	3000	1	RMS	2658.684	-40.01	-13	Pass	1080
3000	12000	1	RMS	3773.086	-37.77	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.24	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.79	-13	Pass	2985
30	1000	0.1	RMS	940.294	-55.76	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.91	-13	Pass	830
1830	1920	1	RMS	1873.35	22.1	60	Pass	601
1920	3000	1	RMS	2657.683	-40	-13	Pass	1080
3000	12000	1	RMS	3747.083	-39.52	-13	Pass	9000
12000	20000	1	RMS	19947.993	-36.25	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.13	-13	Pass	2985
30	1000	0.1	RMS	955.595	-55.59	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.89	-13	Pass	830
1830	1920	1	RMS	1886.7	22.17	60	Pass	601
1920	3000	1	RMS	2660.686	-40.08	-13	Pass	1080
3000	12000	1	RMS	3773.086	-38.93	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36.16	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.9	-13	Pass	2985
30	1000	0.1	RMS	983.198	-55.53	-13	Pass	9700
1000	1830	1	RMS	1821.99	-44.9	-13	Pass	830
1830	1920	1	RMS	1895.85	22.97	60	Pass	601
1920	3000	1	RMS	2658.684	-40	-13	Pass	1080
3000	12000	1	RMS	3792.088	-38.11	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.06	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.32	-13	Pass	2985
30	1000	0.1	RMS	896.489	-55.37	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.2	22.74	60	Pass	601
1920	3000	1	RMS	2659.685	-40.08	-13	Pass	1080
3000	12000	1	RMS	3818.091	-35.38	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.17	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.58	-13	Pass	2985
30	1000	0.1	RMS	988.199	-55.57	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.92	-13	Pass	830
1830	1920	1	RMS	1895.85	22.11	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3792.088	-38.98	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.21	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.22	-13	Pass	2985
30	1000	0.1	RMS	864.786	-55.54	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.94	-13	Pass	830
1830	1920	1	RMS	1909.2	21.93	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3818.091	-36.47	-13	Pass	9000
12000	20000	1	RMS	16608.576	-36.23	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2985
30	1000	0.1	RMS	890.989	-55.41	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.81	-13	Pass	830
1830	1920	1	RMS	1851.15	23.04	60	Pass	601
1920	3000	1	RMS	2659.685	-39.96	-13	Pass	1080
3000	12000	1	RMS	3702.078	-35.49	-13	Pass	9000
12000	20000	1	RMS	16587.573	-36.25	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.8	-13	Pass	2985
30	1000	0.1	RMS	912.791	-55.59	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.9	-13	Pass	830
1830	1920	1	RMS	1868.85	22.94	60	Pass	601
1920	3000	1	RMS	2659.685	-40.02	-13	Pass	1080
3000	12000	1	RMS	3738.082	-38.44	-13	Pass	9000
12000	20000	1	RMS	16586.573	-36.26	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.51	-13	Pass	2985
30	1000	0.1	RMS	902.69	-55.13	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.88	-13	Pass	830
1830	1920	1	RMS	1851.15	22.2	60	Pass	601
1920	3000	1	RMS	2659.685	-39.98	-13	Pass	1080
3000	12000	1	RMS	3702.078	-36.14	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.22	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.01	-13	Pass	2985
30	1000	0.1	RMS	981.298	-55.52	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.87	-13	Pass	830
1830	1920	1	RMS	1868.85	22.02	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	3738.082	-39.28	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.27	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.23	-13	Pass	2985
30	1000	0.1	RMS	926.692	-55.71	-13	Pass	9700
1000	1830	1	RMS	1819.988	-44.9	-13	Pass	830
1830	1920	1	RMS	1871.1	22.98	60	Pass	601
1920	3000	1	RMS	2659.685	-40.06	-13	Pass	1080
3000	12000	1	RMS	3742.082	-37.91	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.21	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.57	-13	Pass	2985
30	1000	0.1	RMS	907.59	-55.33	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.9	-13	Pass	830
1830	1920	1	RMS	1888.95	22.9	60	Pass	601
1920	3000	1	RMS	2659.685	-40.06	-13	Pass	1080
3000	12000	1	RMS	3778.086	-38.41	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.16	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.69	-13	Pass	2985
30	1000	0.1	RMS	992.299	-55.6	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.94	-13	Pass	830
1830	1920	1	RMS	1871.1	21.97	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	3742.082	-38.58	-13	Pass	9000
12000	20000	1	RMS	16604.576	-36.15	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.51	-13	Pass	2985
30	1000	0.1	RMS	968.397	-55.55	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.93	-13	Pass	830
1830	1920	1	RMS	1888.95	21.87	60	Pass	601
1920	3000	1	RMS	2660.686	-40.02	-13	Pass	1080
3000	12000	1	RMS	3778.086	-39.31	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.26	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.16	-13	Pass	2985
30	1000	0.1	RMS	902.89	-55.4	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.87	-13	Pass	830
1830	1920	1	RMS	1891.05	22.88	60	Pass	601
1920	3000	1	RMS	2659.685	-40.07	-13	Pass	1080
3000	12000	1	RMS	3782.087	-37.77	-13	Pass	9000
12000	20000	1	RMS	16605.576	-36.27	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.41	-13	Pass	2985
30	1000	0.1	RMS	921.492	-55.73	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.91	-13	Pass	830
1830	1920	1	RMS	1908.9	22.57	60	Pass	601
1920	3000	1	RMS	2659.685	-39.95	-13	Pass	1080
3000	12000	1	RMS	3818.091	-36.47	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.19	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-13	Pass	2985
30	1000	0.1	RMS	916.991	-55.3	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.92	-13	Pass	830
1830	1920	1	RMS	1891.05	21.84	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	3782.087	-38.15	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.02	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.55	-13	Pass	2985
30	1000	0.1	RMS	876.787	-55.53	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.91	-13	Pass	830
1830	1920	1	RMS	1908.9	21.56	60	Pass	601
1920	3000	1	RMS	2662.688	-40.04	-13	Pass	1080
3000	12000	1	RMS	3818.091	-36.91	-13	Pass	9000
12000	20000	1	RMS	16589.574	-36.24	-13	Pass	8000



END