



1.6dB Bandwidth


Test Mode	Test Channel	Ant	EBW[MHz]	Limit	Verdict
BLE	2402	Ant1	0.6972	0.5	PASS
BLE	2440	Ant1	0.7039	0.5	PASS
BLE	2480	Ant1	0.6971	0.5	PASS

6dB Bandwidth_BLE_2402_Ant1



6dB Bandwidth_BLE_2440_Ant1






2.Occupied Bandwidth

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
-----------	--------------	-----	----------	------------	---------


3.Maximum peak conducted output power


Test Mode	Test Channel	Ant	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	Ant1	-1.858	30	PASS
BLE	2440	Ant1	-1.968	30	PASS
BLE	2480	Ant1	-2.043	30	PASS

Maximum peak conducted output power_BLE_2402_Ant1



Maximum peak conducted output power_BLE_2440_Ant1







4.Maximum Peak power spectral density

Test Mode	Test Channel	Ant	PSD[dBm/3KHz]	Limit[dBm/3KHz]	Verdict
BLE	2402	Ant1	-18.335	8.00	PASS
BLE	2440	Ant1	-18.21	8.00	PASS
BLE	2480	Ant1	-18.273	8.00	PASS


Maximum Peak power spectral density_BLE_2402_Ant1



Maximum Peak power spectral density_BLE_2440_Ant1




Maximum Peak power spectral density_BLE_2480_Ant1




5.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Ant	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	-3.135	-50.570	-23.14	PASS
BLE	2480	Ant1	-2.860	-51.028	-22.86	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Ant1





Band-edge for RF Conducted Emissions_BLE_2480_Ant1





6.RF Conducted Spurious Emissions

Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	30	25000	100	300	-3.289	-45.212	<-23.289	PASS
BLE	2440	Ant1	30	25000	100	300	-3.397	-44.406	<-23.397	PASS
BLE	2480	Ant1	30	25000	100	300	-3.473	-44.650	<-23.473	PASS


RF Conducted Spurious Emissions_BLE_2402_Ant1



RF Conducted Spurious Emissions_BLE_2440_Ant1



RF Conducted Spurious Emissions_BLE_2480_Ant1




7.Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
BLE	2402	Ant1	2310.0	-45.88	2	0	51.38	PEAK	74	PASS
BLE	2402	Ant1	2310.0	-55.21	2	0	42.05	AV	54	PASS
BLE	2402	Ant1	2390.0	-43.59	2	0	53.67	PEAK	74	PASS
BLE	2402	Ant1	2390.0	-54.97	2	0	42.29	AV	54	PASS
BLE	2480	Ant1	2483.5	-43.90	2	0	53.35	PEAK	74	PASS
BLE	2480	Ant1	2483.5	-54.71	2	0	42.55	AV	54	PASS
BLE	2480	Ant1	2500.0	-44.10	2	0	53.16	PEAK	74	PASS
BLE	2480	Ant1	2500.0	-54.60	2	0	42.65	AV	54	PASS

MSG STATUS

Restrict-band band-edge measurements_BLE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BLE_2480_Ant1_AV

