
LED Desk Lamp with Wireless Charger



Product Structure





According to the figure, the product folding must pay attention to the direction, the force position and rotation must be in the middle of the corresponding two bead chains

Instructions

- When using this product, please use the output voltage DC 5V/2A, 9V/2.67A, 12V/1.5A power 18W and above PD protocol fast charging source adapter.
- 2.When using wireless charging, in order to achieve the best use effect and higher charging efficiency, it should be noted that the wireless receiving position of the mobile terminal must be in full contact with the wireless charging icon on the product surface and located in the central area.

Attention

- 1. This product is for indoor use only.
- 2.Do not place metal products between the wireless charging area and the charging phone.
- The lamp may be turned on or off under the strong electromagnetic interference.

- 4.The light source of this lamp is not replaceable;
 When the light source comes to its end, the whole lamp should be replaced.
- 5.Please be sure to check whether the charging device is compatible with the voltage of the product when using it.
- 6.When using, charging or storing the product, if there is abnormal odor, tempera- ture is too high (the temperature is slightly higher in normal use but should not be hot), color or shape change or other abnormal phenomena, the product should be stopped immediately and the distributor should be contacted.
- 7. When using this product to charge mobile phones and digital devices, please confirm that the charged device is in charging state, so as to ensure the normal operation of this product.
- 8.Improper use or improper placement of the product or material consumption by the user may lead to the product life reduction or damage, so the responsibility, does not belong to the warranty responsibility, please understand!

Operating function

- 1. Desk lamp function:
 - Put the product on the table, plug in the USB-Type C data cable to turn on the power. Touch button The green indicator lights up and enters the standby state. Touch the switch position first, press the touch switch to turn on the light, hold down the touch switch for stepless dimming, press the touch switch again to turn off the light.
- 2. Wireless charging function operation: After connecting the Type-C data charging cable and power adapter with the product and powering on:

- Wireless charging indicator display information:
 Blue light is on -- wireless charger working power is on
- Red breath light -- wireless charging works normally (the charging icon on the phone shows that charging is in progress)
- The blue light is on again the battery is fully charged, and the charging work is over.
- Blue light flashing -- FOD turn on detection alarm, there is a metal foreign body in the wireless charging emission position

Directions for use

- When using this product, use an adapter with output voltage of DC9V/2A or 12V/1.5A
- 2. When the power adapter and Type-C charging cable with actual power less than 18W are used for emergency use, exceptions may occur (the performance or parameters of the product may be unstable due to insufficient power supply). Not product failure, belongs to improper use.
- 3.When using wireless charging, in order to achieve the best use effect and higher charging efficiency, the wireless receiving position of the mobile terminal should be moved to overlap with the wireless charging transmitting position of the product.

Functions

- 1.15W wireless output, with 10w and 5W.
- Safe charging, compatible with mainstream models
- Intelligent recognition foreign body safe and secure
- 4.5mart current & overcharge protection
- 5.LED night-light lighting, energy efficient
- 6. Simple design, stylish and beautiful

Rated power	3W
Input	DC 5V/2A, 9V/2.67A, 12V/1.5A power 18W or above and comply with the Type-C PD protocol
Wireless charging output power	5W / 10W / 15W
Wireless internal conversion efficiency	> 80%
Product Size	The Base: 160*160 ± 2mm
	Height: 240mm ±2mm
Packing size	180*170*200 MM
Product weight	500 g/ set ± 10g
Operating ambient temperature	-1 °C~55 °C
Luminous flux	700LM
Color temperature	Natural light:3700-3900K
Color rendering index	>80
Switch	Touch
Gear to adjust	Stepless dimmer
LED	35 pcs
Interface	Type- C
Material	ABS plastic
Execution standard	GB7000.204-2008/ GB7000.1-2015

Functions

FAQ	Reasons
Wireless charging lamp can't be used	1.Incorrect connection 2.Loose connection of charging cable 3.Charging cable damaged 4.Other reasons

- 1.Do not place the product in water, fire, high temperature (> 45°C) and low temperature (< -10°C). Do not give the product to children, especially do not let them touch the accessories.
- 2.Please do not disassemble or modify the product, so as not to damage the protective device of the product, which may lead to wire heating, fire or explosion.
- 3.Please do not throw, bump or rub the product violently, which will cause the product sag, perforation, cracking, deformity, corrosion and other abnormal phenomena. Please stop using the product immediately.
- Please use a soft dry cloth to clean the surface without using chemicals, soap or detergent.

Non-product quality problems, due to human damage, such as: product shell damage, wear, crack, fracture, broken skin, rupture, deformation, liquid injection, etc.; Damage caused by disassembly or disassembly without authorization by the repairman of the company; The product exceeds the warranty period; The contents on the vouchers of the three guarantees do not conform to or are altered in accordance with the marks on the real goods;

Without three guarantees or valid invoices; Damage is caused by other force majeure factors.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: - Reorient or rélocate the receiving antenna. - Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. -Consult the dealer or an experienced radio/TV technician for help. This equipment must be installed and operated with a minimum distance of 15 cm between the radiator and user body.

This product may cause interference to radio equipment and should not be installed near maritime safety communications equipment or other critical navigation or communication equipment operating between 0.45–30 MHz.