




802.11n(HT40)_HCH_5670MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant2_NTNV




4.2.2 PSD-Band3




802.11a_HCH_5825MHz_Ant2_NTNV




802.11n(HT20)_LCH_5745MHz_Ant2_NTNV




802.11n(HT20)_MCH_5785MHz_Ant2_NTNV




802.11n(HT20)_HCH_5825MHz_Ant2_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
Carrier Wave	SISO	5180	20	102	5179.652	5150 to 5250	Pass
				120	5180.227	5150 to 5250	Pass
				138	5179.669	5150 to 5250	Pass
			-30	120	5180.226	5150 to 5250	Pass
			-20	120	5180.227	5150 to 5250	Pass
			-10	120	5179.603	5150 to 5250	Pass
			0	120	5180.225	5150 to 5250	Pass
			10	120	5180.355	5150 to 5250	Pass
			30	120	5179.709	5150 to 5250	Pass
			40	120	5180.350	5150 to 5250	Pass
			50	120	5180.226	5150 to 5250	Pass
		5200	20	102	5199.723	5150 to 5250	Pass
				120	5199.732	5150 to 5250	Pass
				138	5200.351	5150 to 5250	Pass
			-30	120	5199.631	5150 to 5250	Pass
			-20	120	5200.225	5150 to 5250	Pass
			-10	120	5199.688	5150 to 5250	Pass
			0	120	5199.715	5150 to 5250	Pass
			10	120	5200.352	5150 to 5250	Pass
			30	120	5200.242	5150 to 5250	Pass
			40	120	5199.727	5150 to 5250	Pass
			50	120	5200.286	5150 to 5250	Pass
		5240	20	102	5239.601	5150 to 5250	Pass
				120	5240.349	5150 to 5250	Pass
				138	5239.652	5150 to 5250	Pass
			-30	120	5239.730	5150 to 5250	Pass
			-20	120	5240.353	5150 to 5250	Pass
			-10	120	5239.672	5150 to 5250	Pass
			0	120	5240.226	5150 to 5250	Pass
			10	120	5240.230	5150 to 5250	Pass
			30	120	5239.636	5150 to 5250	Pass
			40	120	5239.602	5150 to 5250	Pass
			50	120	5239.601	5150 to 5250	Pass
		5260	20	102	5260.350	5250 to 5350	Pass
				120	5259.650	5250 to 5350	Pass
				138	5260.233	5250 to 5350	Pass
			-30	120	5259.726	5250 to 5350	Pass
			-20	120	5260.226	5250 to 5350	Pass
			-10	120	5260.353	5250 to 5350	Pass
			0	120	5260.268	5250 to 5350	Pass
			10	120	5260.277	5250 to 5350	Pass
			30	120	5260.223	5250 to 5350	Pass

			40	120	5259.699	5250 to 5350	Pass
			50	120	5260.225	5250 to 5350	Pass
		5300	20	102	5300.349	5250 to 5350	Pass
				120	5300.259	5250 to 5350	Pass
				138	5300.224	5250 to 5350	Pass
			-30	120	5300.251	5250 to 5350	Pass
			-20	120	5300.224	5250 to 5350	Pass
			-10	120	5300.253	5250 to 5350	Pass
			0	120	5299.689	5250 to 5350	Pass
			10	120	5300.350	5250 to 5350	Pass
			30	120	5300.294	5250 to 5350	Pass
			40	120	5300.265	5250 to 5350	Pass
			50	120	5300.255	5250 to 5350	Pass
		5320	20	102	5319.726	5250 to 5350	Pass
				120	5320.227	5250 to 5350	Pass
				138	5319.595	5250 to 5350	Pass
			-30	120	5319.676	5250 to 5350	Pass
			-20	120	5319.719	5250 to 5350	Pass
			-10	120	5320.280	5250 to 5350	Pass
			0	120	5320.228	5250 to 5350	Pass
			10	120	5319.599	5250 to 5350	Pass
			30	120	5319.723	5250 to 5350	Pass
			40	120	5319.723	5250 to 5350	Pass
			50	120	5319.601	5250 to 5350	Pass
		5500	20	102	5499.726	5470 to 5725	Pass
				120	5500.225	5470 to 5725	Pass
				138	5499.665	5470 to 5725	Pass
			-30	120	5500.256	5470 to 5725	Pass
			-20	120	5499.596	5470 to 5725	Pass
			-10	120	5500.229	5470 to 5725	Pass
			0	120	5499.721	5470 to 5725	Pass
			10	120	5500.294	5470 to 5725	Pass
			30	120	5500.264	5470 to 5725	Pass
			40	120	5499.598	5470 to 5725	Pass
			50	120	5499.722	5470 to 5725	Pass
		5580	20	102	5580.352	5470 to 5725	Pass
				120	5580.349	5470 to 5725	Pass
				138	5579.723	5470 to 5725	Pass
			-30	120	5579.660	5470 to 5725	Pass
			-20	120	5580.224	5470 to 5725	Pass
			-10	120	5580.265	5470 to 5725	Pass
			0	120	5579.601	5470 to 5725	Pass
			10	120	5580.272	5470 to 5725	Pass
			30	120	5580.224	5470 to 5725	Pass
			40	120	5580.225	5470 to 5725	Pass
			50	120	5580.287	5470 to 5725	Pass
		5700	20	102	5699.722	5470 to 5725	Pass
				120	5700.224	5470 to 5725	Pass
				138	5699.726	5470 to 5725	Pass
			-30	120	5699.722	5470 to 5725	Pass
			-20	120	5700.348	5470 to 5725	Pass
			-10	120	5699.723	5470 to 5725	Pass
			0	120	5699.599	5470 to 5725	Pass

			10	120	5699.720	5470 to 5725	Pass
			30	120	5699.725	5470 to 5725	Pass
			40	120	5699.724	5470 to 5725	Pass
			50	120	5699.725	5470 to 5725	Pass
		5745	20	102	5745.224	5725 to 5850	Pass
				120	5744.667	5725 to 5850	Pass
				138	5745.230	5725 to 5850	Pass
			-30	120	5745.353	5725 to 5850	Pass
			-20	120	5745.353	5725 to 5850	Pass
			-10	120	5745.294	5725 to 5850	Pass
			0	120	5745.228	5725 to 5850	Pass
			10	120	5745.224	5725 to 5850	Pass
			30	120	5744.723	5725 to 5850	Pass
			40	120	5744.725	5725 to 5850	Pass
			50	120	5745.349	5725 to 5850	Pass
		5785	20	102	5785.353	5725 to 5850	Pass
				120	5785.228	5725 to 5850	Pass
				138	5784.727	5725 to 5850	Pass
			-30	120	5785.223	5725 to 5850	Pass
			-20	120	5785.280	5725 to 5850	Pass
			-10	120	5785.320	5725 to 5850	Pass
			0	120	5785.355	5725 to 5850	Pass
			10	120	5785.266	5725 to 5850	Pass
			30	120	5785.227	5725 to 5850	Pass
			40	120	5784.599	5725 to 5850	Pass
			50	120	5784.602	5725 to 5850	Pass
		5825	20	102	5824.722	5725 to 5850	Pass
				120	5824.598	5725 to 5850	Pass
				138	5824.696	5725 to 5850	Pass
			-30	120	5825.223	5725 to 5850	Pass
			-20	120	5824.725	5725 to 5850	Pass
			-10	120	5825.263	5725 to 5850	Pass
			0	120	5825.348	5725 to 5850	Pass
			10	120	5825.349	5725 to 5850	Pass
			30	120	5825.272	5725 to 5850	Pass
			40	120	5825.287	5725 to 5850	Pass
			50	120	5825.224	5725 to 5850	Pass
		5190	20	102	5190.478	5150 to 5250	Pass
				120	5190.477	5150 to 5250	Pass
				138	5190.480	5150 to 5250	Pass
			-30	120	5190.478	5150 to 5250	Pass
			-20	120	5190.481	5150 to 5250	Pass
			-10	120	5190.479	5150 to 5250	Pass
			0	120	5190.481	5150 to 5250	Pass
			10	120	5190.479	5150 to 5250	Pass
			30	120	5190.489	5150 to 5250	Pass
			40	120	5190.479	5150 to 5250	Pass
			50	120	5190.500	5150 to 5250	Pass
		5230	20	102	5230.493	5150 to 5250	Pass
				120	5230.482	5150 to 5250	Pass
				138	5230.478	5150 to 5250	Pass
			-30	120	5230.478	5150 to 5250	Pass
			-20	120	5230.477	5150 to 5250	Pass

			-10	120	5230.499	5150 to 5250	Pass
			0	120	5230.481	5150 to 5250	Pass
			10	120	5230.479	5150 to 5250	Pass
			30	120	5230.480	5150 to 5250	Pass
			40	120	5230.492	5150 to 5250	Pass
		5270	50	120	5230.487	5150 to 5250	Pass
			20	102	5270.480	5250 to 5350	Pass
				120	5270.482	5250 to 5350	Pass
				138	5270.495	5250 to 5350	Pass
			-30	120	5270.494	5250 to 5350	Pass
			-20	120	5270.480	5250 to 5350	Pass
			-10	120	5270.482	5250 to 5350	Pass
			0	120	5270.482	5250 to 5350	Pass
			10	120	5270.499	5250 to 5350	Pass
			30	120	5270.497	5250 to 5350	Pass
			40	120	5270.500	5250 to 5350	Pass
			50	120	5270.482	5250 to 5350	Pass
		5310	20	102	5310.498	5250 to 5350	Pass
				120	5310.481	5250 to 5350	Pass
				138	5310.477	5250 to 5350	Pass
			-30	120	5310.483	5250 to 5350	Pass
			-20	120	5310.475	5250 to 5350	Pass
			-10	120	5310.478	5250 to 5350	Pass
			0	120	5310.478	5250 to 5350	Pass
			10	120	5310.478	5250 to 5350	Pass
			30	120	5310.491	5250 to 5350	Pass
			40	120	5310.480	5250 to 5350	Pass
			50	120	5310.475	5250 to 5350	Pass
		5510	20	102	5510.476	5470 to 5725	Pass
				120	5510.480	5470 to 5725	Pass
				138	5510.478	5470 to 5725	Pass
			-30	120	5510.479	5470 to 5725	Pass
			-20	120	5510.500	5470 to 5725	Pass
			-10	120	5510.478	5470 to 5725	Pass
			0	120	5510.488	5470 to 5725	Pass
			10	120	5510.477	5470 to 5725	Pass
			30	120	5510.478	5470 to 5725	Pass
			40	120	5510.499	5470 to 5725	Pass
			50	120	5510.478	5470 to 5725	Pass
		5550	20	102	5550.480	5470 to 5725	Pass
				120	5550.479	5470 to 5725	Pass
				138	5550.481	5470 to 5725	Pass
			-30	120	5550.495	5470 to 5725	Pass
			-20	120	5550.486	5470 to 5725	Pass
			-10	120	5550.479	5470 to 5725	Pass
			0	120	5550.475	5470 to 5725	Pass
			10	120	5550.495	5470 to 5725	Pass
			30	120	5550.477	5470 to 5725	Pass
			40	120	5550.477	5470 to 5725	Pass
			50	120	5550.477	5470 to 5725	Pass
		5670	20	102	5670.490	5470 to 5725	Pass
				120	5670.478	5470 to 5725	Pass
				138	5670.478	5470 to 5725	Pass

			-30	120	5670.485	5470 to 5725	Pass
			-20	120	5670.480	5470 to 5725	Pass
			-10	120	5670.496	5470 to 5725	Pass
			0	120	5670.500	5470 to 5725	Pass
			10	120	5670.477	5470 to 5725	Pass
			30	120	5670.479	5470 to 5725	Pass
			40	120	5670.496	5470 to 5725	Pass
			50	120	5670.481	5470 to 5725	Pass
		5755	20	102	5755.476	5725 to 5850	Pass
				120	5755.495	5725 to 5850	Pass
				138	5755.476	5725 to 5850	Pass
			-30	120	5755.499	5725 to 5850	Pass
			-20	120	5755.485	5725 to 5850	Pass
			-10	120	5755.473	5725 to 5850	Pass
			0	120	5755.480	5725 to 5850	Pass
			10	120	5755.474	5725 to 5850	Pass
			30	120	5755.476	5725 to 5850	Pass
			40	120	5755.480	5725 to 5850	Pass
			50	120	5755.499	5725 to 5850	Pass
		5795	20	102	5795.478	5725 to 5850	Pass
				120	5795.498	5725 to 5850	Pass
				138	5795.483	5725 to 5850	Pass
			-30	120	5795.476	5725 to 5850	Pass
			-20	120	5795.477	5725 to 5850	Pass
			-10	120	5795.476	5725 to 5850	Pass
			0	120	5795.479	5725 to 5850	Pass
			10	120	5795.499	5725 to 5850	Pass
			30	120	5795.481	5725 to 5850	Pass
			40	120	5795.499	5725 to 5850	Pass
			50	120	5795.478	5725 to 5850	Pass
		5210	20	102	5210.477	5150 to 5250	Pass
				120	5210.478	5150 to 5250	Pass
				138	5209.501	5150 to 5250	Pass
			-30	120	5210.478	5150 to 5250	Pass
			-20	120	5210.485	5150 to 5250	Pass
			-10	120	5210.484	5150 to 5250	Pass
			0	120	5210.480	5150 to 5250	Pass
			10	120	5210.498	5150 to 5250	Pass
			30	120	5210.484	5150 to 5250	Pass
			40	120	5210.484	5150 to 5250	Pass
			50	120	5210.486	5150 to 5250	Pass
		5290	20	102	5290.479	5250 to 5350	Pass
				120	5290.481	5250 to 5350	Pass
				138	5290.484	5250 to 5350	Pass
			-30	120	5290.481	5250 to 5350	Pass
			-20	120	5290.482	5250 to 5350	Pass
			-10	120	5290.475	5250 to 5350	Pass
			0	120	5290.479	5250 to 5350	Pass
			10	120	5290.497	5250 to 5350	Pass
			30	120	5290.481	5250 to 5350	Pass
			40	120	5290.478	5250 to 5350	Pass
			50	120	5290.493	5250 to 5350	Pass
		5530	20	102	5530.483	5470 to 5725	Pass

				120	5530.483	5470 to 5725	Pass
				138	5530.496	5470 to 5725	Pass
			-30	120	5530.480	5470 to 5725	Pass
			-20	120	5530.484	5470 to 5725	Pass
			-10	120	5530.480	5470 to 5725	Pass
			0	120	5530.480	5470 to 5725	Pass
			10	120	5530.476	5470 to 5725	Pass
			30	120	5530.485	5470 to 5725	Pass
			40	120	5530.496	5470 to 5725	Pass
			50	120	5530.500	5470 to 5725	Pass
		5610	20	102	5610.481	5470 to 5725	Pass
				120	5610.493	5470 to 5725	Pass
				138	5610.480	5470 to 5725	Pass
			-30	120	5610.475	5470 to 5725	Pass
			-20	120	5610.475	5470 to 5725	Pass
			-10	120	5610.479	5470 to 5725	Pass
			0	120	5610.479	5470 to 5725	Pass
			10	120	5610.478	5470 to 5725	Pass
			30	120	5610.479	5470 to 5725	Pass
			40	120	5610.479	5470 to 5725	Pass
			50	120	5610.478	5470 to 5725	Pass
		5775	20	102	5775.479	5725 to 5850	Pass
				120	5775.480	5725 to 5850	Pass
				138	5775.478	5725 to 5850	Pass
			-30	120	5775.483	5725 to 5850	Pass
			-20	120	5775.478	5725 to 5850	Pass
			-10	120	5775.478	5725 to 5850	Pass
			0	120	5775.500	5725 to 5850	Pass
			10	120	5775.483	5725 to 5850	Pass
			30	120	5775.500	5725 to 5850	Pass
			40	120	5775.483	5725 to 5850	Pass
			50	120	5775.476	5725 to 5850	Pass

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0324	15.10
5260	5320	0.0325	15.12
5500	5700	0.0314	14.97
5745	5825	0.0354	15.49
5190	5230	0.0325	15.12
5270	5310	0.0333	15.23
5510	5670	0.0313	14.95
5755	5795	0.0327	15.14
5210	5210	0.0304	14.83
5530	5610	0.0285	14.55



Test Report Number: BTF240712R00704



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street,
Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT --