

EXHIBIT E- Field Strength of Spurious Radiation

1. GSM 850

1.1 GSM 850 LCH

Test result

Project Number: Certification

Test Time: 2020-01-19_16.32.58

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.277	-51.32	-14.09	-13.0	-38.32	340.60	Horizontal	Vertical	Pass
444.086	-65.28	-3.92	-13.0	-52.28	359.70	Horizontal	Vertical	Pass
767.986	-60.46	-1.22	-13.0	-47.46	259.50	Horizontal	Vertical	Pass
824.231	-31.44	2.28	-13.0	-18.44	235.30	Horizontal	Vertical	Pass
869.083	-41.52	4.38	-13.0	-28.52	294.80	Horizontal	Vertical	Pass
6485.129	-37.01	6.77	-13.0	-24.01	60.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_16.02.15

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
109.763	-55.24	-11.77	-13.0	-42.24	326.40	Vertical	Vertical	Pass
242.134	-72.07	-3.86	-13.0	-59.07	128.10	Vertical	Vertical	Pass
659.858	-72.52	0.08	-13.0	-59.52	297.00	Vertical	Vertical	Pass
869.083	-41.86	4.38	-13.0	-28.86	8.60	Vertical	Vertical	Pass
1648.338	-55.66	-9.53	-13.0	-42.66	78.00	Vertical	Vertical	Pass
2472.632	-53.08	-4.16	-13.0	-40.08	45.60	Vertical	Vertical	Pass

1.2 GSM 850 MCH

Test result

Project Number: Certification

Test Time: 2020-01-19_16.26.12

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_FCC_FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-52.44	-13.27	-13.0	-39.44	1.30	Horizontal	Vertical	Pass
445.784	-63.62	-3.63	-13.0	-50.62	26.80	Horizontal	Vertical	Pass
836.596	-50.72	4.39	-13.0	-37.72	129.50	Horizontal	Vertical	Pass
881.447	-41.26	2.28	-13.0	-28.26	276.10	Horizontal	Vertical	Pass
1672.832	-58.83	-10.07	-13.0	-45.83	115.50	Horizontal	Vertical	Pass
2509.623	-54.15	-4.23	-13.0	-41.15	104.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_16.08.17

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.034	-55.56	-14.21	-13.0	-42.56	109.80	Vertical	Vertical	Pass
239.225	-71.55	-3.60	-13.0	-58.55	83.00	Vertical	Vertical	Pass
836.596	-52.60	4.39	-13.0	-39.60	26.70	Vertical	Vertical	Pass
1672.832	-55.74	-10.07	-13.0	-42.74	127.10	Vertical	Vertical	Pass
3007.998	-46.79	-0.84	-13.0	-33.79	278.90	Vertical	Vertical	Pass
6582.104	-35.79	7.80	-13.0	-22.79	2.50	Vertical	Vertical	Pass

1.3 GSM 850 HCH

Test result

Project Number: Certification

Test Time: 2020-01-19_16.19.50

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE_FCC_FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.186	-52.82	-13.06	-13.0	-39.82	346.90	Horizontal	Vertical	Pass
199.950	-70.20	-8.89	-13.0	-57.20	286.90	Horizontal	Vertical	Pass
848.718	-33.74	5.72	-13.0	-20.74	206.20	Horizontal	Vertical	Pass
881.447	-41.37	2.28	-13.0	-28.37	273.90	Horizontal	Vertical	Pass
2546.113	-50.12	-4.32	-13.0	-37.12	271.20	Horizontal	Vertical	Pass
5362.409	-41.71	1.77	-13.0	-28.71	38.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_16.15.17

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.005	-55.79	-11.71	-13.0	-42.79	336.90	Vertical	Vertical	Pass
222.982	-65.35	-10.19	-13.0	-52.35	62.20	Vertical	Vertical	Pass
444.086	-64.72	-3.92	-13.0	-51.72	30.20	Vertical	Vertical	Pass
848.718	-38.22	5.72	-13.0	-25.22	326.10	Vertical	Vertical	Pass
1697.826	-59.38	-11.01	-13.0	-46.38	0.10	Vertical	Vertical	Pass
6995.001	-32.61	11.06	-13.0	-19.61	301.10	Vertical	Vertical	Pass

2. GSM 1900

2.1 GSM 1900 LCH

Test result

Project Number: Certification

Test Time: 2020-01-19_17.43.09

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.489	-52.21	-13.73	-13.0	-39.21	342.80	Horizontal	Vertical	Pass
881.690	-41.62	1.81	-13.0	-28.62	275.10	Horizontal	Vertical	Pass
1849.788	-61.23	-7.96	-13.0	-48.23	246.90	Horizontal	Vertical	Pass
1930.267	-50.75	-8.28	-13.0	-37.75	3.10	Horizontal	Vertical	Pass
3195.951	-56.34	-1.22	-13.0	-43.34	349.30	Horizontal	Vertical	Pass
5171.457	-52.46	2.87	-13.0	-39.46	273.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_18.01.44

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7973.257	-64.43	8.84	-13.0	-51.43	332.50	Horizontal	Vertical	Pass
9391.902	-59.28	15.20	-13.0	-46.28	221.70	Horizontal	Vertical	Pass
10571.357	-57.26	16.14	-13.0	-44.26	0.90	Horizontal	Vertical	Pass
13518.620	-54.55	17.53	-13.0	-41.55	312.50	Horizontal	Vertical	Pass
14560.610	-46.81	24.31	-13.0	-33.81	121.50	Horizontal	Vertical	Pass
16864.534	-45.29	26.20	-13.0	-32.29	153.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_10.43.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CCE_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.519	-55.94	-14.21	-13.0	-42.94	114.00	Vertical	Vertical	Pass
157.281	-65.47	-16.13	-13.0	-52.47	288.60	Vertical	Vertical	Pass
642.159	-71.84	-0.91	-13.0	-58.84	32.80	Vertical	Vertical	Pass
1850.287	-62.80	-7.96	-13.0	-49.80	275.40	Vertical	Vertical	Pass
1929.768	-43.28	-8.28	-13.0	-30.28	19.80	Vertical	Vertical	Pass
3006.998	-56.27	-0.81	-13.0	-43.27	253.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_18.09.16

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-64.70	9.50	-13.0	-51.70	358.40	Vertical	Vertical	Pass
9400.150	-59.49	15.31	-13.0	-46.49	253.10	Vertical	Vertical	Pass
10521.870	-57.24	16.36	-13.0	-44.24	3.80	Vertical	Vertical	Pass
11200.950	-56.65	16.01	-13.0	-43.65	239.00	Vertical	Vertical	Pass
14546.863	-46.81	24.24	-13.0	-33.81	182.00	Vertical	Vertical	Pass
14810.797	-46.44	25.72	-13.0	-33.44	250.20	Vertical	Vertical	Pass

2.2 GSM 1900 MCH

Test result

Project Number: Certification

Test Time: 2020-01-19_17.49.00

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.125	-53.38	-12.88	-13.0	-40.38	340.60	Horizontal	Vertical	Pass
222.982	-70.44	-10.39	-13.0	-57.44	0.00	Horizontal	Vertical	Pass
446.268	-63.25	-3.94	-13.0	-50.25	16.80	Horizontal	Vertical	Pass
881.447	-41.98	1.84	-13.0	-28.98	275.90	Horizontal	Vertical	Pass
1879.780	-57.26	-8.18	-13.0	-44.26	264.40	Horizontal	Vertical	Pass
1959.760	-48.63	-8.31	-13.0	-35.63	356.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_18.03.24

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.480	-64.32	9.82	-13.0	-51.32	204.00	Horizontal	Vertical	Pass
9237.941	-60.18	13.48	-13.0	-47.18	119.90	Horizontal	Vertical	Pass
10563.109	-56.18	16.14	-13.0	-43.18	125.50	Horizontal	Vertical	Pass
12135.716	-57.95	14.76	-13.0	-44.95	350.30	Horizontal	Vertical	Pass
14808.048	-47.29	25.72	-13.0	-34.29	354.80	Horizontal	Vertical	Pass
16496.126	-46.58	24.86	-13.0	-33.58	251.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_10.48.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
222.982	-63.40	-10.39	-13.0	-50.40	53.30	Vertical	Vertical	Pass
446.026	-64.40	-3.98	-13.0	-51.40	79.80	Vertical	Vertical	Pass
1879.780	-59.62	-8.18	-13.0	-46.62	62.80	Vertical	Vertical	Pass
1959.760	-47.57	-8.31	-13.0	-34.57	157.60	Vertical	Vertical	Pass
3007.998	-55.54	-0.84	-13.0	-42.54	264.80	Vertical	Vertical	Pass
5052.487	-52.40	2.77	-13.0	-39.40	262.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_18.11.43

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8085.979	-64.27	9.94	-13.0	-51.27	278.10	Vertical	Vertical	Pass
9391.902	-59.07	15.20	-13.0	-46.07	187.60	Vertical	Vertical	Pass
10532.867	-57.08	16.27	-13.0	-44.08	147.80	Vertical	Vertical	Pass
11154.211	-56.07	15.65	-13.0	-43.07	29.80	Vertical	Vertical	Pass
14560.610	-47.83	24.31	-13.0	-34.83	236.00	Vertical	Vertical	Pass
14775.056	-47.56	25.41	-13.0	-34.56	359.60	Vertical	Vertical	Pass

2.3 GSM 1900 HCH

Test result

Project Number: Certification

Test Time: 2020-01-19_17.54.58

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.731	-52.58	-13.60	-13.0	-39.58	342.80	Horizontal	Vertical	Pass
222.982	-70.37	-10.39	-13.0	-57.37	158.30	Horizontal	Vertical	Pass
444.086	-65.40	-4.30	-13.0	-52.40	207.00	Horizontal	Vertical	Pass
881.447	-41.88	1.84	-13.0	-28.88	268.80	Horizontal	Vertical	Pass
1909.773	-60.78	-8.32	-13.0	-47.78	255.70	Horizontal	Vertical	Pass
1989.753	-47.10	-7.84	-13.0	-34.10	165.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_18.04.53

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8129.968	-64.42	9.81	-13.0	-51.42	268.80	Horizontal	Vertical	Pass
9430.392	-58.74	14.69	-13.0	-45.74	52.60	Horizontal	Vertical	Pass
10623.594	-56.79	16.05	-13.0	-43.79	1.00	Horizontal	Vertical	Pass
11409.898	-57.41	15.99	-13.0	-44.41	61.10	Horizontal	Vertical	Pass
14827.293	-47.30	25.71	-13.0	-34.30	129.20	Horizontal	Vertical	Pass
16936.016	-44.98	26.48	-13.0	-31.98	148.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_10.54.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
109.035	-57.95	-12.41	-13.0	-44.95	336.10	Vertical	Vertical	Pass
222.012	-65.23	-10.79	-13.0	-52.23	263.50	Vertical	Vertical	Pass
444.086	-63.39	-4.30	-13.0	-50.39	279.50	Vertical	Vertical	Pass
1200.450	-58.82	-3.61	-13.0	-45.82	50.10	Vertical	Vertical	Pass
1909.773	-60.42	-8.32	-13.0	-47.42	288.20	Vertical	Vertical	Pass
1989.753	-42.60	-7.84	-13.0	-29.60	156.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_18.13.00

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7863.284	-65.29	9.04	-13.0	-52.29	291.10	Vertical	Vertical	Pass
9358.910	-59.07	14.73	-13.0	-46.07	71.60	Vertical	Vertical	Pass
10579.605	-57.17	16.14	-13.0	-44.17	228.60	Vertical	Vertical	Pass
11629.843	-57.09	15.77	-13.0	-44.09	154.20	Vertical	Vertical	Pass
14546.863	-47.00	24.24	-13.0	-34.00	74.50	Vertical	Vertical	Pass
16784.804	-45.00	25.04	-13.0	-32.00	185.80	Vertical	Vertical	Pass

3. EDGE 850

3.1 EDGE 850 LCH

Test result

Project Number: Certification

Test Time: 2020-01-19_15.35.19

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.647	-70.21	-9.71	-13.0	-57.21	120.30	Horizontal	Vertical	Pass
823.989	-35.05	2.25	-13.0	-22.05	352.50	Horizontal	Vertical	Pass
881.447	-45.47	2.28	-13.0	-32.47	284.80	Horizontal	Vertical	Pass
1648.338	-56.66	-9.53	-13.0	-43.66	44.30	Horizontal	Vertical	Pass
2472.632	-52.22	-4.16	-13.0	-39.22	293.60	Horizontal	Vertical	Pass
6778.055	-33.94	8.74	-13.0	-20.94	65.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_15.54.04

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.732	-70.49	-11.63	-13.0	-57.49	85.80	Vertical	Vertical	Pass
249.893	-68.74	-5.84	-13.0	-55.74	218.00	Vertical	Vertical	Pass
452.572	-72.58	-3.09	-13.0	-59.58	110.00	Vertical	Vertical	Pass
823.989	-40.97	2.25	-13.0	-27.97	226.20	Vertical	Vertical	Pass
1648.338	-56.18	-9.53	-13.0	-43.18	279.80	Vertical	Vertical	Pass
6593.102	-35.75	7.92	-13.0	-22.75	19.30	Vertical	Vertical	Pass

3.2 EDGE 850 MCH

Test result

Project Number: Certification

Test Time: 2020-01-19_15.30.28

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.819	-63.37	-11.16	-13.0	-50.37	281.40	Horizontal	Vertical	Pass
201.890	-71.12	-9.84	-13.0	-58.12	113.20	Horizontal	Vertical	Pass
881.447	-44.79	2.28	-13.0	-31.79	281.40	Horizontal	Vertical	Pass
2292.677	-56.50	-2.65	-13.0	-43.50	305.00	Horizontal	Vertical	Pass
3002.999	-47.52	-0.71	-13.0	-34.52	54.80	Horizontal	Vertical	Pass
6968.008	-33.43	10.12	-13.0	-20.43	85.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_15.48.59

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.608	-72.18	-14.34	-13.0	-59.18	305.40	Vertical	Vertical	Pass
240.680	-72.23	-3.49	-13.0	-59.23	60.40	Vertical	Vertical	Pass
836.596	-57.09	4.39	-13.0	-44.09	9.50	Vertical	Vertical	Pass
881.447	-42.30	2.28	-13.0	-29.30	324.50	Vertical	Vertical	Pass
1672.832	-59.56	-10.07	-13.0	-46.56	1.40	Vertical	Vertical	Pass
4989.503	-41.18	2.84	-13.0	-28.18	40.10	Vertical	Vertical	Pass

3.3 EDGE 850 HCH

Test result

Project Number: Certification

Test Time: 2020-01-19_15.40.30

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.460	-74.19	-11.55	-13.0	-61.19	273.20	Horizontal	Vertical	Pass
200.192	-71.20	-8.94	-13.0	-58.20	102.40	Horizontal	Vertical	Pass
848.718	-34.63	5.72	-13.0	-21.63	286.60	Horizontal	Vertical	Pass
881.447	-45.17	2.28	-13.0	-32.17	281.40	Horizontal	Vertical	Pass
2546.113	-56.00	-4.32	-13.0	-43.00	360.60	Horizontal	Vertical	Pass
6581.105	-35.77	7.79	-13.0	-22.77	29.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_15.45.01

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.460	-69.77	-11.55	-13.0	-56.77	146.30	Vertical	Vertical	Pass
241.650	-72.53	-3.74	-13.0	-59.53	35.40	Vertical	Vertical	Pass
651.372	-72.32	-0.03	-13.0	-59.32	84.60	Vertical	Vertical	Pass
881.447	-42.96	2.28	-13.0	-29.96	327.20	Vertical	Vertical	Pass
1697.326	-57.41	-10.99	-13.0	-44.41	56.10	Vertical	Vertical	Pass
5403.399	-40.90	2.49	-13.0	-27.90	89.50	Vertical	Vertical	Pass

4. EDGE 1900

4.1 EDGE 1900 LCH

Test result

Project Number: Certification

Test Time: 2020-01-19_16.43.31

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case: CE_FCC_PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.460	-73.26	-12.02	-13.0	-60.26	22.00	Horizontal	Vertical	Pass
881.690	-42.30	1.81	-13.0	-29.30	275.70	Horizontal	Vertical	Pass
1849.788	-51.23	-7.96	-13.0	-38.23	116.70	Horizontal	Vertical	Pass
1929.768	-49.61	-8.28	-13.0	-36.61	285.60	Horizontal	Vertical	Pass
3009.998	-56.13	-0.89	-13.0	-43.13	304.60	Horizontal	Vertical	Pass
5908.273	-51.80	3.27	-13.0	-38.80	120.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.21.52

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8121.720	-64.13	9.93	-13.0	-51.13	66.00	Horizontal	Vertical	Pass
10519.120	-56.84	16.38	-13.0	-43.84	71.60	Horizontal	Vertical	Pass
12130.217	-58.70	14.78	-13.0	-45.70	356.20	Horizontal	Vertical	Pass
14791.552	-47.04	25.62	-13.0	-34.04	86.10	Horizontal	Vertical	Pass
16875.531	-45.59	26.20	-13.0	-32.59	57.50	Horizontal	Vertical	Pass
17931.267	-30.07	40.89	-13.0	-17.07	195.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.10.47

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.460	-69.95	-12.02	-13.0	-56.95	154.50	Vertical	Vertical	Pass
241.165	-71.56	-3.86	-13.0	-58.56	111.30	Vertical	Vertical	Pass
881.447	-51.58	1.84	-13.0	-38.58	2.60	Vertical	Vertical	Pass
1849.788	-51.72	-7.96	-13.0	-38.72	343.00	Vertical	Vertical	Pass
1929.768	-58.43	-8.28	-13.0	-45.43	307.30	Vertical	Vertical	Pass
6618.095	-46.87	7.89	-13.0	-33.87	198.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.15.10

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC_PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-64.40	9.88	-13.0	-51.40	0.00	Vertical	Vertical	Pass
10499.875	-56.69	16.52	-13.0	-43.69	252.70	Vertical	Vertical	Pass
13174.956	-55.88	15.53	-13.0	-42.88	179.80	Vertical	Vertical	Pass
14805.299	-47.16	25.72	-13.0	-34.16	83.40	Vertical	Vertical	Pass
16490.627	-46.15	24.65	-13.0	-33.15	259.00	Vertical	Vertical	Pass
17989.003	-30.39	42.83	-13.0	-17.39	69.30	Vertical	Vertical	Pass

4.2 EDGE 1900 MCH

Test result

Project Number: Certification

Test Time: 2020-01-19_16.48.48

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC,FCC PART22&24&27,FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.192	-70.41	-9.17	-13.0	-57.41	118.20	Horizontal	Vertical	Pass
881.447	-41.31	1.84	-13.0	-28.31	280.40	Horizontal	Vertical	Pass
1879.280	-38.68	-8.18	-13.0	-25.68	281.60	Horizontal	Vertical	Pass
1959.760	-50.86	-8.31	-13.0	-37.86	238.50	Horizontal	Vertical	Pass
3759.810	-54.89	-1.58	-13.0	-41.89	240.20	Horizontal	Vertical	Pass
6655.086	-47.18	7.68	-13.0	-34.18	267.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.23.59

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7970.507	-64.99	8.83	-13.0	-51.99	81.50	Horizontal	Vertical	Pass
9405.649	-59.11	15.20	-13.0	-46.11	210.70	Horizontal	Vertical	Pass
11198.200	-55.88	16.01	-13.0	-42.88	4.90	Horizontal	Vertical	Pass
13477.381	-56.20	17.44	-13.0	-43.20	61.00	Horizontal	Vertical	Pass
16889.278	-44.74	26.19	-13.0	-31.74	265.10	Horizontal	Vertical	Pass
17978.005	-29.55	42.48	-13.0	-16.55	299.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.03.39

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.460	-71.45	-12.02	-13.0	-58.45	91.20	Vertical	Vertical	Pass
241.165	-72.38	-3.86	-13.0	-59.38	72.20	Vertical	Vertical	Pass
468.815	-74.74	-5.02	-13.0	-61.74	64.10	Vertical	Vertical	Pass
881.447	-51.79	1.84	-13.0	-38.79	183.50	Vertical	Vertical	Pass
1879.780	-46.27	-8.18	-13.0	-33.27	279.70	Vertical	Vertical	Pass
1959.760	-51.83	-8.31	-13.0	-38.83	359.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.17.03

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8864.034	-62.23	11.24	-13.0	-49.23	251.30	Vertical	Vertical	Pass
10774.806	-56.84	16.47	-13.0	-43.84	136.60	Vertical	Vertical	Pass
13342.664	-56.33	16.72	-13.0	-43.33	350.30	Vertical	Vertical	Pass
14854.786	-47.82	25.53	-13.0	-34.82	5.30	Vertical	Vertical	Pass
16867.283	-45.01	26.20	-13.0	-32.01	5.30	Vertical	Vertical	Pass
17994.501	-30.17	43.00	-13.0	-17.17	268.40	Vertical	Vertical	Pass

4.3 EDGE 1900 HCH

Test result

Project Number: Certification

Test Time: 2020-01-19_16.53.34

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: LYT


Test Standard: FCC

Work Addition: Normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.975	-73.04	-12.08	-13.0	-60.04	337.10	Horizontal	Vertical	Pass
452.087	-75.28	-3.45	-13.0	-62.28	339.70	Horizontal	Vertical	Pass
881.447	-42.55	1.84	-13.0	-29.55	277.60	Horizontal	Vertical	Pass
1909.273	-46.67	-8.32	-13.0	-33.67	244.70	Horizontal	Vertical	Pass
1989.753	-49.46	-7.84	-13.0	-36.46	260.70	Horizontal	Vertical	Pass
3818.795	-50.99	-1.73	-13.0	-37.99	228.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.28.00

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-64.41	10.04	-13.0	-51.41	261.00	Horizontal	Vertical	Pass
9378.155	-58.98	15.00	-13.0	-45.98	310.20	Horizontal	Vertical	Pass
11151.462	-56.29	15.63	-13.0	-43.29	43.30	Horizontal	Vertical	Pass
13235.441	-56.16	15.86	-13.0	-43.16	45.90	Horizontal	Vertical	Pass
14794.301	-45.59	25.65	-13.0	-32.59	101.00	Horizontal	Vertical	Pass
17964.259	-30.33	42.04	-13.0	-17.33	132.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_16:58.22

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.975	-70.44	-12.08	-13.0	-57.44	96.40	Vertical	Vertical	Pass
453.784	-75.49	-3.55	-13.0	-62.49	45.10	Vertical	Vertical	Pass
881.447	-51.61	1.84	-13.0	-38.61	4.50	Vertical	Vertical	Pass
1909.273	-56.81	-8.32	-13.0	-43.81	157.90	Vertical	Vertical	Pass
1989.753	-51.89	-7.84	-13.0	-38.89	42.20	Vertical	Vertical	Pass
3819.795	-53.85	-1.71	-13.0	-40.85	253.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-19_17.18.54

EUT Name: N.A

Test Engineer: LYT

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-64.22	9.56	-13.0	-51.22	35.00	Vertical	Vertical	Pass
10532.867	-56.47	16.27	-13.0	-43.47	2.30	Vertical	Vertical	Pass
13213.447	-57.08	16.00	-13.0	-44.08	9.70	Vertical	Vertical	Pass
14821.795	-46.74	25.71	-13.0	-33.74	246.30	Vertical	Vertical	Pass
16853.537	-44.20	26.20	-13.0	-31.20	305.80	Vertical	Vertical	Pass
17964.259	-28.79	42.04	-13.0	-15.79	74.50	Vertical	Vertical	Pass

5. WCDMA Band II

5.1 WCDMA Band II LCH

Test result

Project Number: Certification

Test Time: 2020-01-20_16.38.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.732	-75.33	-12.11	-13.0	-62.33	164.70	Horizontal	Vertical	Pass
200.435	-71.97	-9.30	-13.0	-58.97	102.60	Horizontal	Vertical	Pass
846.293	-68.21	4.25	-13.0	-55.21	8.30	Horizontal	Vertical	Pass
1199.950	-58.93	-3.58	-13.0	-45.93	111.50	Horizontal	Vertical	Pass
1838.790	-48.58	-7.99	-13.0	-35.58	253.30	Horizontal	Vertical	Pass
1931.767	-28.79	-8.29	-13.0	-15.79	120.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_16.54.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7404.149	-41.66	7.46	-13.0	-28.66	99.20	Horizontal	Vertical	Pass
9257.186	-52.66	13.37	-13.0	-39.66	150.90	Horizontal	Vertical	Pass
11225.694	-51.49	15.77	-13.0	-38.49	257.00	Horizontal	Vertical	Pass
13207.948	-53.06	16.03	-13.0	-40.06	259.90	Horizontal	Vertical	Pass
14799.800	-46.25	25.72	-13.0	-33.25	359.20	Horizontal	Vertical	Pass
17472.132	-39.54	31.06	-13.0	-26.54	144.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_16.43.04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.850	-71.53	-14.83	-13.0	-58.53	33.90	Vertical	Vertical	Pass
241.407	-73.55	-3.92	-13.0	-60.55	60.30	Vertical	Vertical	Pass
660.827	-71.48	-0.04	-13.0	-58.48	192.40	Vertical	Vertical	Pass
1003.999	-59.95	-4.33	-13.0	-46.95	325.80	Vertical	Vertical	Pass
1840.290	-55.39	-7.89	-13.0	-42.39	290.50	Vertical	Vertical	Pass
1931.267	-28.33	-8.29	-13.0	-15.33	177.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_16.50.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7404.149	-36.45	7.46	-13.0	-23.45	251.90	Vertical	Vertical	Pass
9268.183	-50.06	13.35	-13.0	-37.06	151.80	Vertical	Vertical	Pass
11121.220	-50.43	15.17	-13.0	-37.43	203.20	Vertical	Vertical	Pass
14841.040	-45.26	25.70	-13.0	-32.26	30.50	Vertical	Vertical	Pass
16850.787	-43.87	26.20	-13.0	-30.87	171.50	Vertical	Vertical	Pass
17961.510	-28.92	41.95	-13.0	-15.92	199.80	Vertical	Vertical	Pass

5.2 WCDMA Band II MCH

Test result

Project Number: Certification

Test Time: 2020-01-20_15.04.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.97	-15.68	-13.0	-63.97	172.50	Horizontal	Vertical	Pass
198.980	-72.67	-10.02	-13.0	-59.67	97.00	Horizontal	Vertical	Pass
670.525	-72.28	-0.70	-13.0	-59.28	129.30	Horizontal	Vertical	Pass
1198.950	-58.69	-3.63	-13.0	-45.69	279.30	Horizontal	Vertical	Pass
1878.780	-42.87	-8.17	-13.0	-29.87	250.30	Horizontal	Vertical	Pass
1958.760	-54.29	-8.31	-13.0	-41.29	353.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_17.07.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7514.121	-44.04	7.07	-13.0	-31.04	162.70	Horizontal	Vertical	Pass
9391.902	-51.88	15.20	-13.0	-38.88	194.00	Horizontal	Vertical	Pass
12080.730	-54.69	14.68	-13.0	-41.69	324.90	Horizontal	Vertical	Pass
14615.596	-45.63	24.76	-13.0	-32.63	245.00	Horizontal	Vertical	Pass
16850.787	-44.16	26.20	-13.0	-31.16	267.70	Horizontal	Vertical	Pass
17991.752	-29.85	42.92	-13.0	-16.85	82.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_14.21.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.942	-72.60	-19.00	-13.0	-59.60	92.90	Vertical	Vertical	Pass
199.950	-73.90	-9.11	-13.0	-60.90	184.90	Vertical	Vertical	Pass
851.385	-68.65	4.57	-13.0	-55.65	176.70	Vertical	Vertical	Pass
1202.949	-58.10	-3.75	-13.0	-45.10	6.90	Vertical	Vertical	Pass
1879.280	-50.33	-8.18	-13.0	-37.33	299.40	Vertical	Vertical	Pass
1957.761	-29.10	-8.31	-13.0	-16.10	194.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_17.04.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7522.369	-37.95	7.00	-13.0	-24.95	253.80	Vertical	Vertical	Pass
9394.651	-50.05	15.23	-13.0	-37.05	141.00	Vertical	Vertical	Pass
11286.178	-51.29	15.37	-13.0	-38.29	195.00	Vertical	Vertical	Pass
13636.841	-52.01	18.03	-13.0	-39.01	0.00	Vertical	Vertical	Pass
16925.019	-43.90	26.39	-13.0	-30.90	219.90	Vertical	Vertical	Pass
18000.000	-29.76	43.18	-13.0	-16.76	353.50	Vertical	Vertical	Pass

5.3 WCDMA Band II HCH

Test result

Project Number: Certification

Test Time: 2020-01-20_16.33.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.732	-73.97	-12.11	-13.0	-60.97	321.60	Horizontal	Vertical	Pass
238.255	-72.33	-4.24	-13.0	-59.33	297.00	Horizontal	Vertical	Pass
849.688	-67.45	4.59	-13.0	-54.45	302.60	Horizontal	Vertical	Pass
1000.000	-73.42	1.85	-13.0	-60.42	63.00	Horizontal	Vertical	Pass
1906.773	-40.15	-8.32	-13.0	-27.15	258.80	Horizontal	Vertical	Pass
1987.253	-28.25	-7.91	-13.0	-15.25	144.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_16.57.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7632.342	-43.64	7.60	-13.0	-30.64	157.70	Horizontal	Vertical	Pass
9895.026	-54.22	13.91	-13.0	-41.22	9.30	Horizontal	Vertical	Pass
12138.465	-53.54	14.75	-13.0	-40.54	228.00	Horizontal	Vertical	Pass
14868.533	-45.31	25.06	-13.0	-32.31	208.30	Horizontal	Vertical	Pass
16848.038	-44.94	26.16	-13.0	-31.94	74.70	Horizontal	Vertical	Pass
18000.000	-29.86	43.18	-13.0	-16.86	202.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_16.28.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2&25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.732	-72.21	-12.11	-13.0	-59.21	359.90	Vertical	Vertical	Pass
243.832	-72.86	-4.56	-13.0	-59.86	284.10	Vertical	Vertical	Pass
668.343	-72.41	-0.53	-13.0	-59.41	275.90	Vertical	Vertical	Pass
1200.450	-58.94	-3.61	-13.0	-45.94	19.20	Vertical	Vertical	Pass
1906.773	-46.63	-8.32	-13.0	-33.63	296.80	Vertical	Vertical	Pass
1988.253	-26.92	-7.88	-13.0	-13.92	201.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_17.00.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7626.843	-38.62	7.49	-13.0	-25.62	251.70	Vertical	Vertical	Pass
9694.326	-54.40	13.98	-13.0	-41.40	223.40	Vertical	Vertical	Pass
11401.650	-52.79	16.00	-13.0	-39.79	359.10	Vertical	Vertical	Pass
13205.199	-52.75	16.05	-13.0	-39.75	59.60	Vertical	Vertical	Pass
16496.126	-46.15	24.86	-13.0	-33.15	237.10	Vertical	Vertical	Pass
17980.755	-29.31	42.56	-13.0	-16.31	119.20	Vertical	Vertical	Pass

6. WCDMA Band V

6.1 WCDMA Band V LCH

Test result

Project Number: Certification

Test Time: 2020-01-20_15.48.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.45	-15.38	-13.0	-63.45	183.90	Horizontal	Vertical	Pass
199.950	-70.04	-8.89	-13.0	-57.04	102.40	Horizontal	Vertical	Pass
449.905	-74.25	-2.93	-13.0	-61.25	10.50	Horizontal	Vertical	Pass
826.898	-44.18	2.65	-13.0	-31.18	275.40	Horizontal	Vertical	Pass
870.052	-52.17	4.29	-13.0	-39.17	91.60	Horizontal	Vertical	Pass
3002.000	-47.98	-0.68	-13.0	-34.98	162.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-21_13.41.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7857.786	-55.57	8.93	-13.0	-42.57	100.80	Horizontal	Vertical	Pass
9268.183	-53.29	13.35	-13.0	-40.29	95.20	Horizontal	Vertical	Pass
11605.099	-51.67	16.41	-13.0	-38.67	205.00	Horizontal	Vertical	Pass
13876.031	-50.91	17.95	-13.0	-37.91	114.90	Horizontal	Vertical	Pass
16765.559	-45.16	24.94	-13.0	-32.16	111.90	Horizontal	Vertical	Pass
17989.003	-29.27	42.83	-13.0	-16.27	358.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_15.54.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-72.01	-11.31	-13.0	-59.01	215.90	Vertical	Vertical	Pass
110.732	-71.92	-11.63	-13.0	-58.92	91.90	Vertical	Vertical	Pass
249.893	-72.89	-5.84	-13.0	-59.89	223.70	Vertical	Vertical	Pass
827.141	-50.31	2.68	-13.0	-37.31	97.10	Vertical	Vertical	Pass
872.477	-39.09	3.84	-13.0	-26.09	54.30	Vertical	Vertical	Pass
3020.995	-47.33	-1.18	-13.0	-34.33	307.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-21_13.45.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8143.714	-55.81	9.62	-13.0	-42.81	0.40	Vertical	Vertical	Pass
10519.120	-52.50	16.38	-13.0	-39.50	293.20	Vertical	Vertical	Pass
12586.603	-54.67	13.88	-13.0	-41.67	0.70	Vertical	Vertical	Pass
14852.037	-45.71	25.63	-13.0	-32.71	8.10	Vertical	Vertical	Pass
16853.537	-44.22	26.20	-13.0	-31.22	279.40	Vertical	Vertical	Pass
17989.003	-29.63	42.83	-13.0	-16.63	233.60	Vertical	Vertical	Pass

6.2 WCDMA Band V MCH

Test result

Project Number: Certification

Test Time: 2020-01-21_13.25.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC PART22&24&27 FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.74	-15.38	-13.0	-59.74	71.50	Horizontal	Vertical	Pass
199.223	-69.96	-9.57	-13.0	-56.96	236.00	Horizontal	Vertical	Pass
665.676	-71.41	-0.11	-13.0	-58.41	236.00	Horizontal	Vertical	Pass
838.293	-57.64	4.73	-13.0	-44.64	263.20	Horizontal	Vertical	Pass
881.205	-36.70	2.30	-13.0	-23.70	96.10	Horizontal	Vertical	Pass
3021.995	-47.76	-1.21	-13.0	-34.76	92.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-21_13.27.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8025.494	-64.48	9.10	-13.0	-51.48	246.80	Horizontal	Vertical	Pass
10516.371	-56.92	16.40	-13.0	-43.92	65.90	Horizontal	Vertical	Pass
13224.444	-56.64	15.93	-13.0	-43.64	187.20	Horizontal	Vertical	Pass
16507.123	-46.08	24.77	-13.0	-33.08	146.30	Horizontal	Vertical	Pass
17980.755	-30.27	42.56	-13.0	-17.27	82.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-21_13.19.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.24	-15.38	-13.0	-59.24	124.60	Vertical	Vertical	Pass
447.238	-75.60	-3.38	-13.0	-62.60	2.50	Vertical	Vertical	Pass
838.293	-64.55	4.73	-13.0	-51.55	73.30	Vertical	Vertical	Pass
882.902	-42.47	2.11	-13.0	-29.47	292.20	Vertical	Vertical	Pass
2279.180	-56.53	-2.97	-13.0	-43.53	249.80	Vertical	Vertical	Pass
6995.001	-32.74	11.06	-13.0	-19.74	353.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-21_13.31.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-55.09	9.15	-13.0	-42.09	335.70	Vertical	Vertical	Pass
10483.379	-51.44	16.45	-13.0	-38.44	222.20	Vertical	Vertical	Pass
13199.700	-52.00	16.07	-13.0	-39.00	360.00	Vertical	Vertical	Pass
14491.877	-45.81	23.98	-13.0	-32.81	222.20	Vertical	Vertical	Pass
16067.233	-51.66	17.67	-13.0	-38.66	44.00	Vertical	Vertical	Pass
17978.005	-29.01	42.48	-13.0	-16.01	290.00	Vertical	Vertical	Pass

6.3 WCDMA Band V HCH

Test result

Project Number: Certification

Test Time: 2020-01-20_17.19.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
86.973	-75.79	-17.19	-13.0	-62.79	151.20	Horizontal	Vertical	Pass
200.920	-70.57	-9.33	-13.0	-57.57	97.20	Horizontal	Vertical	Pass
450.147	-75.05	-2.92	-13.0	-62.05	127.40	Horizontal	Vertical	Pass
827.868	-43.40	2.78	-13.0	-30.40	248.30	Horizontal	Vertical	Pass
869.810	-36.27	4.32	-13.0	-23.27	105.40	Horizontal	Vertical	Pass
3014.996	-48.16	-1.02	-13.0	-35.16	114.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-21_13.38.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-56.00	9.76	-13.0	-43.00	197.20	Horizontal	Vertical	Pass
10502.624	-51.92	16.50	-13.0	-38.92	58.10	Horizontal	Vertical	Pass
13199.700	-52.55	16.07	-13.0	-39.55	104.20	Horizontal	Vertical	Pass
14835.541	-44.85	25.71	-13.0	-31.85	188.70	Horizontal	Vertical	Pass
16919.520	-44.24	26.35	-13.0	-31.24	319.60	Horizontal	Vertical	Pass
17986.253	-29.76	42.74	-13.0	-16.76	157.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-20_17.24.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: Normal

Hum:

Work Additon:

RSE Test case FCC_FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.275	-73.13	-17.66	-13.0	-60.13	127.70	Vertical	Vertical	Pass
251.105	-73.08	-6.05	-13.0	-60.08	343.90	Vertical	Vertical	Pass
660.585	-71.44	0.06	-13.0	-58.44	60.40	Vertical	Vertical	Pass
827.626	-50.21	2.75	-13.0	-37.21	103.20	Vertical	Vertical	Pass
871.507	-39.08	4.02	-13.0	-26.08	162.70	Vertical	Vertical	Pass
2286.178	-56.63	-2.71	-13.0	-43.63	360.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-01-21_13.36.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: LYT

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: Normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9108.723	-54.00	11.13	-13.0	-41.00	82.40	Vertical	Vertical	Pass
10741.815	-51.34	16.56	-13.0	-38.34	3.70	Vertical	Vertical	Pass
12608.598	-53.76	14.09	-13.0	-40.76	125.60	Vertical	Vertical	Pass
14530.367	-45.79	24.24	-13.0	-32.79	266.50	Vertical	Vertical	Pass
16520.870	-46.08	24.31	-13.0	-33.08	215.80	Vertical	Vertical	Pass
18000.000	-29.63	43.18	-13.0	-16.63	123.00	Vertical	Vertical	Pass

7. CDMA BC0

7.1 CDMA BC0 LCH

Test result

Project Number: Certification

Test Time: 2020-05-08_14.08.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 21.1

Project Template:

Hum.: 52

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case_CE_FCC_FCC PART22&24&27_FCC CDMA_EVDO



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.793	-80.93	-12.00	-13.0	-67.93	283.30	Horizontal	Vertical	Pass
242.619	-77.21	-3.99	-13.0	-64.21	301.90	Horizontal	Vertical	Pass
449.905	-75.62	-2.93	-13.0	-62.62	274.00	Horizontal	Vertical	Pass
855.991	-69.13	5.43	-13.0	-56.13	240.50	Horizontal	Vertical	Pass
1897.276	-56.85	-9.17	-13.0	-43.85	359.80	Horizontal	Vertical	Pass
2449.638	-46.84	-4.14	-13.0	-33.84	201.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17:35.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8850.287	-62.65	11.59	-13.0	-49.65	0.00	Horizontal	Vertical	Pass
9441.390	-59.60	14.47	-13.0	-46.60	318.70	Horizontal	Vertical	Pass
10604.349	-57.38	16.11	-13.0	-44.38	71.10	Horizontal	Vertical	Pass
11192.702	-56.02	15.96	-13.0	-43.02	312.00	Horizontal	Vertical	Pass
14511.122	-47.42	24.24	-13.0	-34.42	26.10	Horizontal	Vertical	Pass
16903.024	-44.90	26.21	-13.0	-31.90	357.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.02.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.550	-77.32	-12.06	-13.0	-64.32	286.20	Vertical	Vertical	Pass
199.950	-79.03	-8.89	-13.0	-66.03	277.20	Vertical	Vertical	Pass
249.893	-76.18	-5.84	-13.0	-63.18	145.90	Vertical	Vertical	Pass
449.905	-76.16	-2.93	-13.0	-63.16	283.60	Vertical	Vertical	Pass
858.900	-69.25	5.24	-13.0	-56.25	342.70	Vertical	Vertical	Pass
2979.505	-56.41	-1.28	-13.0	-43.41	13.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.45.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE_FCC_PART22824&27_FCC_GSM8/CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9358.910	-59.50	14.73	-13.0	-46.50	7.90	Vertical	Vertical	Pass
10131.467	-59.73	13.65	-13.0	-46.73	321.50	Vertical	Vertical	Pass
11137.716	-56.18	15.43	-13.0	-43.18	46.20	Vertical	Vertical	Pass
13205.199	-55.40	16.05	-13.0	-42.40	192.80	Vertical	Vertical	Pass
14505.624	-46.73	24.24	-13.0	-33.73	321.50	Vertical	Vertical	Pass
16894.776	-44.82	26.19	-13.0	-31.82	138.50	Vertical	Vertical	Pass

7.2 CDMA BC0 MCH

Test result

Project Number: Certification

Test Time: 2020-05-08_14.14.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 21.1

Project Template:

Hum.: 52

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.909	-70.26	-11.72	-13.0	-57.26	190.60	Horizontal	Vertical	Pass
108.793	-80.47	-12.00	-13.0	-67.47	269.50	Horizontal	Vertical	Pass
239.953	-75.17	-3.34	-13.0	-62.17	102.40	Horizontal	Vertical	Pass
858.415	-68.44	5.27	-13.0	-55.44	130.00	Horizontal	Vertical	Pass
1005.999	-59.87	-4.39	-13.0	-46.87	32.20	Horizontal	Vertical	Pass
2815.546	-56.58	-1.81	-13.0	-43.58	150.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.41.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8850.287	-62.19	11.59	-13.0	-49.19	196.70	Horizontal	Vertical	Pass
9364.409	-59.44	14.81	-13.0	-46.44	308.30	Horizontal	Vertical	Pass
10744.564	-57.08	16.60	-13.0	-44.08	51.60	Horizontal	Vertical	Pass
12215.446	-58.21	13.96	-13.0	-45.21	318.00	Horizontal	Vertical	Pass
14505.624	-47.41	24.24	-13.0	-34.41	155.00	Horizontal	Vertical	Pass
17466.633	-40.89	30.98	-13.0	-27.89	7.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.08.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC_FCC PART22&24&27_FCC CDMA_EVDO



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.793	-77.56	-12.00	-13.0	-64.56	143.10	Vertical	Vertical	Pass
199.950	-80.00	-8.89	-13.0	-67.00	101.30	Vertical	Vertical	Pass
239.953	-75.44	-3.34	-13.0	-62.44	0.30	Vertical	Vertical	Pass
861.325	-68.69	5.05	-13.0	-55.69	203.00	Vertical	Vertical	Pass
2327.668	-58.49	-3.70	-13.0	-45.49	2.60	Vertical	Vertical	Pass
7118.470	-42.97	10.26	-13.0	-29.97	359.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.47.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9235.191	-59.45	13.50	-13.0	-46.45	254.40	Vertical	Vertical	Pass
9908.773	-59.97	13.79	-13.0	-46.97	0.20	Vertical	Vertical	Pass
10532.867	-56.29	16.27	-13.0	-43.29	0.20	Vertical	Vertical	Pass
12795.551	-57.55	14.86	-13.0	-44.55	41.70	Vertical	Vertical	Pass
14629.343	-47.29	24.92	-13.0	-34.29	126.60	Vertical	Vertical	Pass
16878.280	-45.49	26.20	-13.0	-32.49	31.70	Vertical	Vertical	Pass

7.3 CDMA BC0 HCH

Test result

Project Number: Certification

Test Time: 2020-05-08_14.05.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E19020010-06#03

Model: N.A

Name:

Temp.(oC): 21.1

Project Template:

Hum.: 52

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC CDMA_EVDO



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.550	-81.90	-12.06	-13.0	-68.90	172.00	Horizontal	Vertical	Pass
124.794	-83.12	-15.38	-13.0	-70.12	0.00	Horizontal	Vertical	Pass
249.893	-76.00	-5.84	-13.0	-63.00	238.50	Horizontal	Vertical	Pass
1000.500	-60.41	-4.29	-13.0	-47.41	114.10	Horizontal	Vertical	Pass
1397.901	-59.02	-5.89	-13.0	-46.02	26.60	Horizontal	Vertical	Pass
2401.650	-49.77	-4.83	-13.0	-36.77	290.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.42.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E190020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8784.304	-62.27	10.87	-13.0	-49.27	200.80	Horizontal	Vertical	Pass
9361.660	-59.27	14.77	-13.0	-46.27	357.70	Horizontal	Vertical	Pass
10530.117	-56.79	16.29	-13.0	-43.79	178.10	Horizontal	Vertical	Pass
11638.090	-56.75	15.56	-13.0	-43.75	321.70	Horizontal	Vertical	Pass
14519.370	-47.92	24.24	-13.0	-34.92	35.00	Horizontal	Vertical	Pass
17480.380	-40.66	31.19	-13.0	-27.66	359.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_14.20.03

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21.1

Hum.: 52

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Addition:

RSE Test case_CE FCC PART22&24&27_FCC CDMA_EVDO



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-75.71	-10.88	-13.0	-62.71	287.00	Vertical	Vertical	Pass
108.550	-79.46	-12.06	-13.0	-66.46	268.40	Vertical	Vertical	Pass
249.893	-74.60	-5.84	-13.0	-61.60	274.70	Vertical	Vertical	Pass
1005.499	-60.08	-4.38	-13.0	-47.08	97.60	Vertical	Vertical	Pass
2287.678	-57.40	-2.66	-13.0	-44.40	297.90	Vertical	Vertical	Pass
7013.497	-42.71	11.08	-13.0	-29.71	136.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.44.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE_FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9416.646	-58.59	14.97	-13.0	-45.59	0.00	Vertical	Vertical	Pass
9895.026	-60.10	13.91	-13.0	-47.10	64.20	Vertical	Vertical	Pass
10821.545	-56.88	16.56	-13.0	-43.88	278.50	Vertical	Vertical	Pass
13155.711	-56.64	15.11	-13.0	-43.64	317.30	Vertical	Vertical	Pass
14590.852	-47.43	24.51	-13.0	-34.43	288.60	Vertical	Vertical	Pass
16861.785	-44.76	26.20	-13.0	-31.76	304.20	Vertical	Vertical	Pass

8. EVDO BC0

8.1 EVDO BC0 LCH

Test result

Project Number: Certification

Test Time: 2020-05-08_17.29.01

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21.1

Hum.: 52

Test Engineer: XCJ


Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE FCC PART22824827_FCC CDMA_EVDO



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.550	-80.92	-12.06	-13.0	-67.92	271.80	Horizontal	Vertical	Pass
243.589	-76.41	-4.24	-13.0	-63.41	354.40	Horizontal	Vertical	Pass
299.835	-77.33	-11.40	-13.0	-64.33	183.40	Horizontal	Vertical	Pass
1006.498	-59.52	-4.39	-13.0	-46.52	276.90	Horizontal	Vertical	Pass
2447.638	-40.90	-4.19	-13.0	-27.90	212.80	Horizontal	Vertical	Pass
7947.763	-40.03	13.64	-13.0	-27.03	212.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.14.05

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
109.520	-76.00	-11.83	-13.0	-63.00	0.00	Vertical	Vertical	Pass
239.710	-76.23	-3.43	-13.0	-63.23	242.20	Vertical	Vertical	Pass
450.390	-74.87	-2.94	-13.0	-61.87	43.50	Vertical	Vertical	Pass
864.234	-69.49	4.80	-13.0	-56.49	144.40	Vertical	Vertical	Pass
2287.678	-57.44	-2.66	-13.0	-44.44	303.90	Vertical	Vertical	Pass
6999.500	-42.40	11.22	-13.0	-29.40	141.70	Vertical	Vertical	Pass

8.2 EVDO BC0 MCH

Test result

Project Number: Certification

Test Time: 2020-05-08_17:31:44

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21.1

Hum.: 52


Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.793	-80.80	-12.00	-13.0	-67.80	176.00	Horizontal	Vertical	Pass
238.740	-76.37	-3.78	-13.0	-63.37	359.40	Horizontal	Vertical	Pass
299.835	-76.84	-11.40	-13.0	-63.84	179.80	Horizontal	Vertical	Pass
1006.498	-60.07	-4.39	-13.0	-47.07	131.70	Horizontal	Vertical	Pass
2288.178	-57.03	-2.64	-13.0	-44.03	212.10	Horizontal	Vertical	Pass
7011.747	-42.10	11.10	-13.0	-29.10	93.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.22.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03

RSE Test case_CE_FCC_FCC PART22824827_FCC CDMA_EVDO



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.793	-76.20	-12.00	-13.0	-63.20	110.50	Vertical	Vertical	Pass
249.893	-73.83	-5.84	-13.0	-60.83	201.30	Vertical	Vertical	Pass
659.615	-72.74	0.07	-13.0	-59.74	328.30	Vertical	Vertical	Pass
1199.950	-58.62	-3.59	-13.0	-45.62	169.20	Vertical	Vertical	Pass
2434.641	-49.13	-4.63	-13.0	-36.13	309.10	Vertical	Vertical	Pass
7011.747	-41.97	11.10	-13.0	-28.97	121.30	Vertical	Vertical	Pass

8.3 EVDO BC0 HCH

Test result

Project Number: Certification

Test Time: 2020-05-08_17:38.22

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 21.1

Hum.: 52


Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.732	-82.89	-11.63	-13.0	-69.89	317.10	Horizontal	Vertical	Pass
299.835	-77.62	-11.40	-13.0	-64.62	327.50	Horizontal	Vertical	Pass
655.494	-72.84	0.02	-13.0	-59.84	346.50	Horizontal	Vertical	Pass
1009.998	-60.24	-4.46	-13.0	-47.24	156.90	Horizontal	Vertical	Pass
2814.546	-57.81	-1.74	-13.0	-44.81	80.60	Horizontal	Vertical	Pass
7016.996	-42.48	11.04	-13.0	-29.48	109.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-05-08_17.18.31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 21.1

Load: full load

Hum.: 52

Remark: DR-RSE01-E19020010-06#03



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.793	-76.85	-12.00	-13.0	-63.85	3.40	Vertical	Vertical	Pass
239.953	-75.42	-3.34	-13.0	-62.42	359.60	Vertical	Vertical	Pass
399.963	-77.26	-9.36	-13.0	-64.26	300.50	Vertical	Vertical	Pass
859.628	-68.69	5.19	-13.0	-55.69	116.70	Vertical	Vertical	Pass
2401.650	-50.30	-4.83	-13.0	-37.30	190.10	Vertical	Vertical	Pass
7034.491	-43.34	10.84	-13.0	-30.34	360.00	Vertical	Vertical	Pass