

RF Exposure Analysis

Silicon Wireless Power System

SAR Exemption Calculation

The conducted output power of the device has been measured by etatronix and is 10.7mW, as stated in the Operational Description.

In KDB 447498, Section 4.3.1. the allowed power of a channel is mentioned::

$$50 \frac{SAR}{\sqrt{0.1}} \left(1 + \log\left(\frac{100MHz}{2MHz}\right)\right)^2 = 640.1 \text{ mW with SAR} = 3$$

and is with SAR = 3 more than 50 times higher than the actual conducted power and ways higher than the radiated power.

See the table below as a second reference. The calculated maximum power fit's to the limit depicted in this table.


Appendix C

SAR Test Exclusion Thresholds for < 100 MHz and < 200 mm

Approximate SAR test exclusion power thresholds at selected frequencies and test separation distances are illustrated in the following table. The equation and threshold in 4.3.1 must be applied to determine SAR test exclusion.

| MHz | < 50 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | mm |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|
| 100 | 237 | 474 | 481 | 487 | 494 | 501 | 507 | 514 | 521 | 527 | 534 | 541 | 547 | 554 | 561 | 567 | mW |
| 50 | 308 | 617 | 625 | 634 | 643 | 651 | 660 | 669 | 677 | 686 | 695 | 703 | 712 | 721 | 729 | 738 | |
| 10 | 474 | 948 | 961 | 975 | 988 | 1001 | 1015 | 1028 | 1041 | 1055 | 1068 | 1081 | 1095 | 1108 | 1121 | 1135 | |
| 1 | 711 | 1422 | 1442 | 1462 | 1482 | 1502 | 1522 | 1542 | 1562 | 1582 | 1602 | 1622 | 1642 | 1662 | 1682 | 1702 | |
| 0.1 | 948 | 1896 | 1923 | 1949 | 1976 | 2003 | 2029 | 2056 | 2083 | 2109 | 2136 | 2163 | 2189 | 2216 | 2243 | 2269 | |
| 0.05 | 1019 | 2039 | 2067 | 2096 | 2125 | 2153 | 2182 | 2211 | 2239 | 2268 | 2297 | 2325 | 2354 | 2383 | 2411 | 2440 | |
| 0.01 | 1185 | 2370 | 2403 | 2437 | 2470 | 2503 | 2537 | 2570 | 2603 | 2637 | 2670 | 2703 | 2737 | 2770 | 2803 | 2837 | |

St. Wendel, August 26, 2020



etatronix GmbH, Dominik Huwig, CEO