


A.6 Conducted Spurious Emission

ANT0

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	995.7	-49.69	-27	Pass	9700
1000	5150	0.1	Peak	5032.375	-47.66	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	3.12	24	Pass	2000
5350	10300	0.1	Peak	5854.016	-46.57	-27	Pass	49499
10300	10700	0.1	Peak	10465.441	-46.47	-27	Pass	4000
10700	25000	0.1	Peak	16313.075	-44.32	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	621.561	-51.03	-27	Pass	9700
1000	5150	0.1	Peak	4664.798	-47.69	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	3.65	24	Pass	2000
5350	10300	0.1	Peak	6902.149	-47.23	-27	Pass	49499
10300	10700	0.1	Peak	10577.169	-47.29	-27	Pass	4000
10700	25000	0.1	Peak	16452.48	-43.87	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	983.098	-50.59	-27	Pass	9700
1000	5150	0.1	Peak	5020.773	-47.49	-27	Pass	41499
5150	5350	0.1	Peak	5241.246	4.35	24	Pass	2000
5350	10300	0.1	Peak	9817.345	-47.24	-27	Pass	49499
10300	10700	0.1	Peak	10361.915	-47.65	-27	Pass	4000
10700	25000	0.1	Peak	16264.774	-42.82	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	894.889	-50.92	-27	Pass	9700
1000	5650	1	Peak	4977.855	-37.21	-27	Pass	4650
5650	5700	1	Peak	5650.072	-37.46	-26.95	Pass	691
5700	5720	1	Peak	5701.797	-36.29	10.5	Pass	691
5720	5725	1	Peak	5720.138	-34.02	15.91	Pass	691
5725	5850	1	Peak	5740.217	11.68	30	Pass	691
5850	5855	1	Peak	5854.942	-36.38	15.73	Pass	691
5855	5875	1	Peak	5874.391	-35.72	10.17	Pass	691
5875	5925	1	Peak	5923.043	-36.09	-25.55	Pass	691
5925	25000	1	Peak	15810.518	-32.53	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	994.799	-50.62	-27	Pass	9700
1000	5650	1	Peak	5422.951	-36.72	-27	Pass	4650
5650	5700	1	Peak	5650.435	-37.26	-26.68	Pass	691
5700	5720	1	Peak	5701.188	-36.23	10.33	Pass	691
5720	5725	1	Peak	5720.159	-36.58	15.96	Pass	691
5725	5850	1	Peak	5780.254	11.56	30	Pass	691
5850	5855	1	Peak	5854.935	-36.21	15.75	Pass	691
5855	5875	1	Peak	5874.478	-36.17	10.15	Pass	691
5875	5925	1	Peak	5924.348	-36.75	-26.52	Pass	691
5925	25000	1	Peak	15410.497	-33.73	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	747.474	-51.05	-27	Pass	9700
1000	5650	1	Peak	5452.958	-36.45	-27	Pass	4650
5650	5700	1	Peak	5650.362	-37.19	-26.73	Pass	691
5700	5720	1	Peak	5700.638	-37.26	10.18	Pass	691
5720	5725	1	Peak	5720.159	-35.97	15.96	Pass	691
5725	5850	1	Peak	5820.471	11.22	30	Pass	691
5850	5855	1	Peak	5854.993	-35.95	15.62	Pass	691
5855	5875	1	Peak	5874.681	-36.04	10.09	Pass	691
5875	5925	1	Peak	5925	-37.15	-27	Pass	691
5925	25000	1	Peak	16314.545	-33.42	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	967.997	-50.83	-27	Pass	9700
1000	5150	0.1	Peak	4100.797	-48.27	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	2.03	24	Pass	2000
5350	10300	0.1	Peak	6180.226	-46.71	-27	Pass	49499
10300	10700	0.1	Peak	10692.698	-46.59	-27	Pass	4000
10700	25000	0.1	Peak	16485.581	-44.46	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	995.9	-50.96	-27	Pass	9700
1000	5150	0.1	Peak	5016.772	-48.07	-27	Pass	41499
5150	5350	0.1	Peak	5218.734	1.81	24	Pass	2000
5350	10300	0.1	Peak	6980.851	-46.77	-27	Pass	49499
10300	10700	0.1	Peak	10600.675	-46.41	-27	Pass	4000
10700	25000	0.1	Peak	15926.463	-44.22	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	920.292	-50.74	-27	Pass	9700
1000	5150	0.1	Peak	5117.593	-47.91	-27	Pass	41499
5150	5350	0.1	Peak	5237.444	1.85	24	Pass	2000
5350	10300	0.1	Peak	5747.512	-46.95	-27	Pass	49499
10300	10700	0.1	Peak	10680.795	-47.56	-27	Pass	4000
10700	25000	0.1	Peak	15837.861	-43.59	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	717.171	-50.92	-27	Pass	9700
1000	5650	1	Peak	5410.949	-36.97	-27	Pass	4650
5650	5700	1	Peak	5651.449	-36.24	-25.93	Pass	691
5700	5720	1	Peak	5701.449	-36.83	10.41	Pass	691
5720	5725	1	Peak	5720.167	-33.46	15.98	Pass	691
5725	5850	1	Peak	5743.659	8.85	30	Pass	691
5850	5855	1	Peak	5854.986	-36.88	15.63	Pass	691
5855	5875	1	Peak	5874.043	-36.12	10.27	Pass	691
5875	5925	1	Peak	5924.638	-37.02	-26.73	Pass	691
5925	25000	1	Peak	16233.54	-33.64	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	875.087	-50.24	-27	Pass	9700
1000	5650	1	Peak	5007.862	-37.28	-27	Pass	4650
5650	5700	1	Peak	5650.87	-37.62	-26.36	Pass	691
5700	5720	1	Peak	5701.014	-37.01	10.28	Pass	691
5720	5725	1	Peak	5720.051	-37.22	15.72	Pass	691
5725	5850	1	Peak	5786.232	9.13	30	Pass	691
5850	5855	1	Peak	5854.949	-36.3	15.72	Pass	691
5855	5875	1	Peak	5874.13	-36.44	10.24	Pass	691
5875	5925	1	Peak	5924.928	-37.36	-26.95	Pass	691
5925	25000	1	Peak	16409.55	-33.62	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	953.895	-50.96	-27	Pass	9700
1000	5650	1	Peak	5427.952	-37.14	-27	Pass	4650
5650	5700	1	Peak	5650.652	-37.79	-26.52	Pass	691
5700	5720	1	Peak	5700.812	-36.89	10.23	Pass	691
5720	5725	1	Peak	5720.036	-37.21	15.68	Pass	691
5725	5850	1	Peak	5823.732	8.91	30	Pass	691
5850	5855	1	Peak	5854.725	-35.66	16.23	Pass	691
5855	5875	1	Peak	5872.71	-35.88	10.64	Pass	691
5875	5925	1	Peak	5924.783	-37.36	-26.84	Pass	691
5925	25000	1	Peak	17145.588	-33.66	-27	Pass	19075



13. 802.11ac_20M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	916.391	-50.96	-27	Pass	9700
1000	5150	0.1	Peak	2430.945	-46.19	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	1.63	24	Pass	2000
5350	10300	0.1	Peak	6892.548	-46.64	-27	Pass	49499
10300	10700	0.1	Peak	10602.476	-47.29	-27	Pass	4000
10700	25000	0.1	Peak	15823.46	-42.81	-27	Pass	142999



14. 802.11ac_20M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	418.14	-50.95	-27	Pass	9700
1000	5150	0.1	Peak	4746.315	-48.13	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	2.22	24	Pass	2000
5350	10300	0.1	Peak	6992.151	-46.69	-27	Pass	49499
10300	10700	0.1	Peak	10682.396	-45.61	-27	Pass	4000
10700	25000	0.1	Peak	15875.162	-43.93	-27	Pass	142999



15. 802.11ac_20M_Band1_H

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	898.99	-50.72	-27	Pass	9700
1000	5150	0.1	Peak	4391.04	-47.93	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	1.88	24	Pass	2000
5350	10300	0.1	Peak	6909.949	-46.16	-27	Pass	49499
10300	10700	0.1	Peak	10695.099	-47.04	-27	Pass	4000
10700	25000	0.1	Peak	15292.944	-43.72	-27	Pass	142999



16. 802.11ac_20M_Band4_L

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	800.179	-50.34	-27	Pass	9700
1000	5650	1	Peak	5454.958	-37.26	-27	Pass	4650
5650	5700	1	Peak	5650	-38.46	-27	Pass	691
5700	5720	1	Peak	5700.638	-37.27	10.18	Pass	691
5720	5725	1	Peak	5721.522	-30.5	19.07	Pass	691
5725	5850	1	Peak	5746.377	8.83	30	Pass	691
5850	5855	1	Peak	5854.971	-36.76	15.67	Pass	691
5855	5875	1	Peak	5873.29	-36.07	10.48	Pass	691
5875	5925	1	Peak	5925	-36.75	-27	Pass	691
5925	25000	1	Peak	16288.543	-33.24	-27	Pass	19075



17. 802.11ac_20M_Band4_M

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	579.057	-50.69	-27	Pass	9700
1000	5650	1	Peak	4642.783	-36.28	-27	Pass	4650
5650	5700	1	Peak	5650.507	-37.87	-26.62	Pass	691
5700	5720	1	Peak	5700.464	-37.01	10.13	Pass	691
5720	5725	1	Peak	5720.21	-36.48	16.08	Pass	691
5725	5850	1	Peak	5783.514	9.2	30	Pass	691
5850	5855	1	Peak	5854.964	-36.04	15.68	Pass	691
5855	5875	1	Peak	5874.971	-36.08	10.01	Pass	691
5875	5925	1	Peak	5922.754	-35.3	-25.34	Pass	691
5925	25000	1	Peak	17655.615	-33.36	-27	Pass	19075



18. 802.11ac_20M_Band4_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	666.666	-50.49	-27	Pass	9700
1000	5650	1	Peak	5127.888	-37	-27	Pass	4650
5650	5700	1	Peak	5650.072	-38.11	-26.95	Pass	691
5700	5720	1	Peak	5701.13	-36.34	10.32	Pass	691
5720	5725	1	Peak	5720	-37.18	15.6	Pass	691
5725	5850	1	Peak	5823.37	8.96	30	Pass	691
5850	5855	1	Peak	5854.978	-36.46	15.65	Pass	691
5855	5875	1	Peak	5874.594	-36.45	10.11	Pass	691
5875	5925	1	Peak	5924.928	-37.51	-26.95	Pass	691
5925	25000	1	Peak	17028.582	-33.98	-27	Pass	19075



19. 802.11n_40M_Band1_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	930.293	-49.96	-27	Pass	9700
1000	5150	0.1	Peak	5117.193	-47.42	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	-1.18	24	Pass	2000
5350	10300	0.1	Peak	10027.169	-47.18	-27	Pass	49499
10300	10700	0.1	Peak	10606.877	-47.16	-27	Pass	4000
10700	25000	0.1	Peak	16402.178	-44.43	-27	Pass	142999



20. 802.11n_40M_Band1_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	236.421	-50.67	-27	Pass	9700
1000	5150	0.1	Peak	2428.045	-44.9	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-0.28	24	Pass	2000
5350	10300	0.1	Peak	6916.949	-46.78	-27	Pass	49499
10300	10700	0.1	Peak	10639.585	-47.33	-27	Pass	4000
10700	25000	0.1	Peak	16907.294	-43.96	-27	Pass	142999



21. 802.11n_40M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	923.192	-49.53	-27	Pass	9700
1000	5650	1	Peak	5304.926	-36.97	-27	Pass	4650
5650	5700	1	Peak	5651.087	-36.98	-26.2	Pass	691
5700	5720	1	Peak	5719.188	-27.91	15.37	Pass	691
5720	5725	1	Peak	5720.08	-27.54	15.78	Pass	691
5725	5850	1	Peak	5760.145	6.03	30	Pass	691
5850	5855	1	Peak	5854.71	-35.91	16.26	Pass	691
5855	5875	1	Peak	5874.217	-35.91	10.22	Pass	691
5875	5925	1	Peak	5924.928	-36.92	-26.95	Pass	691
5925	25000	1	Peak	15925.524	-33.64	-27	Pass	19075



22. 802.11n_40M_Band4_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	876.687	-50.73	-27	Pass	9700
1000	5650	1	Peak	4190.686	-36.86	-27	Pass	4650
5650	5700	1	Peak	5650.29	-38.25	-26.79	Pass	691
5700	5720	1	Peak	5701.362	-35.86	10.38	Pass	691
5720	5725	1	Peak	5720.312	-36.71	16.31	Pass	691
5725	5850	1	Peak	5793.116	6.38	30	Pass	691
5850	5855	1	Peak	5854.906	-36.38	15.81	Pass	691
5855	5875	1	Peak	5874.565	-36.2	10.12	Pass	691
5875	5925	1	Peak	5924.783	-37.4	-26.84	Pass	691
5925	25000	1	Peak	16393.549	-33.59	-27	Pass	19075



23. 802.11ac_40M_Band1_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	831.583	-50.85	-27	Pass	9700
1000	5150	0.1	Peak	4741.714	-48.02	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-1.29	24	Pass	2000
5350	10300	0.1	Peak	6948.75	-46.7	-27	Pass	49499
10300	10700	0.1	Peak	10572.768	-46.59	-27	Pass	4000
10700	25000	0.1	Peak	15951.964	-43.8	-27	Pass	142999



24. 802.11ac_40M_Band1_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	823.782	-50.58	-27	Pass	9700
1000	5150	0.1	Peak	5024.073	-47.34	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-0.58	24	Pass	2000
5350	10300	0.1	Peak	6190.026	-46.25	-27	Pass	49499
10300	10700	0.1	Peak	10608.677	-47.06	-27	Pass	4000
10700	25000	0.1	Peak	16446.48	-44.55	-27	Pass	142999



25. 802.11ac_40M_Band4_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	890.889	-50.36	-27	Pass	9700
1000	5650	1	Peak	5432.953	-37.07	-27	Pass	4650
5650	5700	1	Peak	5650.797	-36.25	-26.41	Pass	691
5700	5720	1	Peak	5716.145	-29.37	14.52	Pass	691
5720	5725	1	Peak	5720.022	-27.09	15.65	Pass	691
5725	5850	1	Peak	5751.268	6.34	30	Pass	691
5850	5855	1	Peak	5854.949	-36.24	15.72	Pass	691
5855	5875	1	Peak	5873.957	-35.98	10.29	Pass	691
5875	5925	1	Peak	5924.13	-36.98	-26.36	Pass	691
5925	25000	1	Peak	15831.519	-33.2	-27	Pass	19075



26. 802.11ac_40M_Band4_H

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	942.194	-51.11	-27	Pass	9700
1000	5650	1	Peak	2428.307	-35.25	-27	Pass	4650
5650	5700	1	Peak	5650.217	-37.73	-26.84	Pass	691
5700	5720	1	Peak	5700.899	-36.63	10.25	Pass	691
5720	5725	1	Peak	5720.087	-36.76	15.8	Pass	691
5725	5850	1	Peak	5791.486	6.66	30	Pass	691
5850	5855	1	Peak	5854.833	-35.91	15.98	Pass	691
5855	5875	1	Peak	5870.884	-35.01	11.15	Pass	691
5875	5925	1	Peak	5924.855	-37.32	-26.89	Pass	691
5925	25000	1	Peak	16349.547	-32.75	-27	Pass	19075



27. 802.11ac_80M_Band1_M

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	593.758	-51.08	-27	Pass	9700
1000	5150	0.1	Peak	5148.4	-44.23	-27	Pass	41499
5150	5350	0.1	Peak	5213.732	-3.07	24	Pass	2000
5350	10300	0.1	Peak	6928.049	-46.73	-27	Pass	49499
10300	10700	0.1	Peak	10670.793	-47.46	-27	Pass	4000
10700	25000	0.1	Peak	15306.044	-44.24	-27	Pass	142999



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	961.396	-50.8	-27	Pass	9700
1000	5650	1	Peak	5432.953	-35.01	-27	Pass	4650
5650	5700	1	Peak	5651.667	-36.24	-25.77	Pass	691
5700	5720	1	Peak	5700.261	-30.66	10.07	Pass	691
5720	5725	1	Peak	5720.043	-28.83	15.7	Pass	691
5725	5850	1	Peak	5768.297	3.91	30	Pass	691
5850	5855	1	Peak	5854.725	-34.21	16.23	Pass	691
5855	5875	1	Peak	5873.058	-34.04	10.54	Pass	691
5875	5925	1	Peak	5924.493	-36.87	-26.62	Pass	691
5925	25000	1	Peak	16384.548	-33.13	-27	Pass	19075




ANT1

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	986.899	-50.57	-27	Pass	9700
1000	5150	0.1	Peak	2423.144	-46.46	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	3.51	24	Pass	2000
5350	10300	0.1	Peak	10252.695	-47.05	-27	Pass	49499
10300	10700	0.1	Peak	10360.615	-47.11	-27	Pass	4000
10700	25000	0.1	Peak	15312.344	-44.5	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	361.734	-50.94	-27	Pass	9700
1000	5150	0.1	Peak	5025.374	-48.45	-27	Pass	41499
5150	5350	0.1	Peak	5218.634	3.86	24	Pass	2000
5350	10300	0.1	Peak	6909.149	-46.52	-27	Pass	49499
10300	10700	0.1	Peak	10455.539	-47.4	-27	Pass	4000
10700	25000	0.1	Peak	16581.784	-44.21	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	272.225	-51.29	-27	Pass	9700
1000	5150	0.1	Peak	4458.554	-48.24	-27	Pass	41499
5150	5350	0.1	Peak	5241.246	4.31	24	Pass	2000
5350	10300	0.1	Peak	6926.049	-46.01	-27	Pass	49499
10300	10700	0.1	Peak	10689.897	-47.47	-27	Pass	4000
10700	25000	0.1	Peak	15910.363	-44.13	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	986.699	-50.86	-27	Pass	9700
1000	5650	1	Peak	5080.878	-36.72	-27	Pass	4650
5650	5700	1	Peak	5650.072	-37.23	-26.95	Pass	691
5700	5720	1	Peak	5702.464	-35.91	10.69	Pass	691
5720	5725	1	Peak	5720.022	-34.88	15.65	Pass	691
5725	5850	1	Peak	5740.217	11.63	30	Pass	691
5850	5855	1	Peak	5854.877	-36.14	15.88	Pass	691
5855	5875	1	Peak	5873.638	-35.4	10.38	Pass	691
5875	5925	1	Peak	5924.638	-37.35	-26.73	Pass	691
5925	25000	1	Peak	16329.545	-33.36	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	913.391	-50.9	-27	Pass	9700
1000	5650	1	Peak	5329.931	-36.78	-27	Pass	4650
5650	5700	1	Peak	5650.87	-37.6	-26.36	Pass	691
5700	5720	1	Peak	5700.957	-36.59	10.27	Pass	691
5720	5725	1	Peak	5720.225	-36.57	16.11	Pass	691
5725	5850	1	Peak	5780.254	11.65	30	Pass	691
5850	5855	1	Peak	5854.986	-36.4	15.63	Pass	691
5855	5875	1	Peak	5872.623	-34.72	10.67	Pass	691
5875	5925	1	Peak	5924.42	-36.59	-26.57	Pass	691
5925	25000	1	Peak	17010.581	-33.5	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	757.875	-51.09	-27	Pass	9700
1000	5650	1	Peak	5344.934	-37.03	-27	Pass	4650
5650	5700	1	Peak	5650.58	-36.94	-26.57	Pass	691
5700	5720	1	Peak	5704.609	-35.96	11.29	Pass	691
5720	5725	1	Peak	5720.014	-36.63	15.63	Pass	691
5725	5850	1	Peak	5820.29	11.45	30	Pass	691
5850	5855	1	Peak	5854.804	-35.28	16.05	Pass	691
5855	5875	1	Peak	5874.681	-35.9	10.09	Pass	691
5875	5925	1	Peak	5924.565	-36.45	-26.68	Pass	691
5925	25000	1	Peak	15303.492	-33.64	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	454.344	-50.44	-27	Pass	9700
1000	5150	0.1	Peak	2427.745	-40.26	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	1.92	24	Pass	2000
5350	10300	0.1	Peak	5840.415	-46.83	-27	Pass	49499
10300	10700	0.1	Peak	10365.616	-47.43	-27	Pass	4000
10700	25000	0.1	Peak	15317.044	-43.77	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	820.782	-50.29	-27	Pass	9700
1000	5150	0.1	Peak	5121.394	-47.97	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	2.01	24	Pass	2000
5350	10300	0.1	Peak	6907.849	-47	-27	Pass	49499
10300	10700	0.1	Peak	10510.353	-47.43	-27	Pass	4000
10700	25000	0.1	Peak	15313.844	-44.52	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	957.996	-50.71	-27	Pass	9700
1000	5150	0.1	Peak	2429.945	-37.36	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	2.97	24	Pass	2000
5350	10300	0.1	Peak	6913.949	-47.3	-27	Pass	49499
10300	10700	0.1	Peak	10593.873	-47.2	-27	Pass	4000
10700	25000	0.1	Peak	17014.597	-44.78	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	874.587	-51.2	-27	Pass	9700
1000	5650	1	Peak	4785.814	-37.12	-27	Pass	4650
5650	5700	1	Peak	5650.217	-37.87	-26.84	Pass	691
5700	5720	1	Peak	5701.391	-36.99	10.39	Pass	691
5720	5725	1	Peak	5722.094	-29.13	20.37	Pass	691
5725	5850	1	Peak	5746.196	8.87	30	Pass	691
5850	5855	1	Peak	5854.732	-36.37	16.21	Pass	691
5855	5875	1	Peak	5874.449	-36.35	10.15	Pass	691
5875	5925	1	Peak	5924.42	-37.35	-26.57	Pass	691
5925	25000	1	Peak	15509.502	-33.78	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	938.394	-51.05	-27	Pass	9700
1000	5650	1	Peak	4695.795	-37.02	-27	Pass	4650
5650	5700	1	Peak	5650.362	-38.09	-26.73	Pass	691
5700	5720	1	Peak	5700.174	-37.48	10.05	Pass	691
5720	5725	1	Peak	5720.246	-36.36	16.16	Pass	691
5725	5850	1	Peak	5783.514	9.27	30	Pass	691
5850	5855	1	Peak	5854.71	-36.17	16.26	Pass	691
5855	5875	1	Peak	5873.667	-36.09	10.37	Pass	691
5875	5925	1	Peak	5924.13	-37.02	-26.36	Pass	691
5925	25000	1	Peak	16378.548	-33.54	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	467.645	-50.45	-27	Pass	9700
1000	5650	1	Peak	5232.91	-36.71	-27	Pass	4650
5650	5700	1	Peak	5650.072	-37.43	-26.95	Pass	691
5700	5720	1	Peak	5700.783	-36.75	10.22	Pass	691
5720	5725	1	Peak	5720.036	-36.96	15.68	Pass	691
5725	5850	1	Peak	5826.812	9.12	30	Pass	691
5850	5855	1	Peak	5854.783	-35.99	16.1	Pass	691
5855	5875	1	Peak	5867.87	-34.17	12	Pass	691
5875	5925	1	Peak	5924.928	-37.87	-26.95	Pass	691
5925	25000	1	Peak	17037.583	-32.88	-27	Pass	19075



13. 802.11ac_20M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	909.191	-50.99	-27	Pass	9700
1000	5150	0.1	Peak	4762.919	-47.97	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	2	24	Pass	2000
5350	10300	0.1	Peak	6950.65	-46.96	-27	Pass	49499
10300	10700	0.1	Peak	10384.421	-46.89	-27	Pass	4000
10700	25000	0.1	Peak	16597.084	-44.14	-27	Pass	142999



14. 802.11ac_20M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	634.262	-49.88	-27	Pass	9700
1000	5150	0.1	Peak	4954.159	-48.32	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	2.62	24	Pass	2000
5350	10300	0.1	Peak	8567.002	-46.75	-27	Pass	49499
10300	10700	0.1	Peak	10590.473	-47.06	-27	Pass	4000
10700	25000	0.1	Peak	17547.014	-44.1	-27	Pass	142999



15. 802.11ac_20M_Band1_H

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	994.199	-49.83	-27	Pass	9700
1000	5150	0.1	Peak	2426.245	-41.4	-27	Pass	41499
5150	5350	0.1	Peak	5241.246	2.92	24	Pass	2000
5350	10300	0.1	Peak	6966.851	-46.52	-27	Pass	49499
10300	10700	0.1	Peak	10592.173	-47.21	-27	Pass	4000
10700	25000	0.1	Peak	15400.347	-44.75	-27	Pass	142999



16. 802.11ac_20M_Band4_L

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	855.985	-51.13	-27	Pass	9700
1000	5650	1	Peak	5229.91	-36.89	-27	Pass	4650
5650	5700	1	Peak	5650.435	-37.52	-26.68	Pass	691
5700	5720	1	Peak	5701.043	-36.2	10.29	Pass	691
5720	5725	1	Peak	5722.833	-27.87	22.06	Pass	691
5725	5850	1	Peak	5746.377	9.42	30	Pass	691
5850	5855	1	Peak	5854.848	-36.4	15.95	Pass	691
5855	5875	1	Peak	5874.623	-36.34	10.11	Pass	691
5875	5925	1	Peak	5924.203	-36.99	-26.41	Pass	691
5925	25000	1	Peak	15812.518	-32.87	-27	Pass	19075



17. 802.11ac_20M_Band4_M

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	892.589	-50.35	-27	Pass	9700
1000	5650	1	Peak	5238.912	-35.93	-27	Pass	4650
5650	5700	1	Peak	5650.652	-37.51	-26.52	Pass	691
5700	5720	1	Peak	5701.536	-36.88	10.43	Pass	691
5720	5725	1	Peak	5720.08	-36.44	15.78	Pass	691
5725	5850	1	Peak	5783.514	9.34	30	Pass	691
5850	5855	1	Peak	5854.87	-36.23	15.9	Pass	691
5855	5875	1	Peak	5874.623	-36.3	10.11	Pass	691
5875	5925	1	Peak	5924.928	-37.39	-26.95	Pass	691
5925	25000	1	Peak	16405.549	-33.7	-27	Pass	19075



18. 802.11ac_20M_Band4_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	809.58	-51.16	-27	Pass	9700
1000	5650	1	Peak	5392.945	-36.92	-27	Pass	4650
5650	5700	1	Peak	5650.072	-36.63	-26.95	Pass	691
5700	5720	1	Peak	5700.087	-36.64	10.02	Pass	691
5720	5725	1	Peak	5720.196	-36.17	16.05	Pass	691
5725	5850	1	Peak	5823.732	9.2	30	Pass	691
5850	5855	1	Peak	5854.848	-35.71	15.95	Pass	691
5855	5875	1	Peak	5873.696	-35.68	10.37	Pass	691
5875	5925	1	Peak	5924.928	-36.93	-26.95	Pass	691
5925	25000	1	Peak	16394.549	-33.62	-27	Pass	19075



19. 802.11n_40M_Band1_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	967.597	-50.76	-27	Pass	9700
1000	5150	0.1	Peak	5013.971	-47.73	-27	Pass	41499
5150	5350	0.1	Peak	5194.922	-1.02	24	Pass	2000
5350	10300	0.1	Peak	10251.694	-47.29	-27	Pass	49499
10300	10700	0.1	Peak	10378.02	-46.63	-27	Pass	4000
10700	25000	0.1	Peak	15956.164	-43.58	-27	Pass	142999



20. 802.11n_40M_Band1_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	698.469	-50.83	-27	Pass	9700
1000	5150	0.1	Peak	4698.805	-47.54	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-0.26	24	Pass	2000
5350	10300	0.1	Peak	6911.149	-45.24	-27	Pass	49499
10300	10700	0.1	Peak	10364.616	-46.85	-27	Pass	4000
10700	25000	0.1	Peak	15427.848	-43.82	-27	Pass	142999



21. 802.11n_40M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	918.492	-50.96	-27	Pass	9700
1000	5650	1	Peak	4753.807	-35.81	-27	Pass	4650
5650	5700	1	Peak	5650.217	-37.73	-26.84	Pass	691
5700	5720	1	Peak	5715.478	-29.04	14.33	Pass	691
5720	5725	1	Peak	5720.051	-27.32	15.72	Pass	691
5725	5850	1	Peak	5760.145	6.63	30	Pass	691
5850	5855	1	Peak	5854.971	-35.55	15.67	Pass	691
5855	5875	1	Peak	5874.594	-35.53	10.11	Pass	691
5875	5925	1	Peak	5923.406	-36.47	-25.82	Pass	691
5925	25000	1	Peak	16377.548	-32.87	-27	Pass	19075



22. 802.11n_40M_Band4_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	915.491	-49.66	-27	Pass	9700
1000	5650	1	Peak	5238.912	-37.36	-27	Pass	4650
5650	5700	1	Peak	5650.435	-37.79	-26.68	Pass	691
5700	5720	1	Peak	5700.87	-36.9	10.24	Pass	691
5720	5725	1	Peak	5720.014	-37.02	15.63	Pass	691
5725	5850	1	Peak	5792.21	7	30	Pass	691
5850	5855	1	Peak	5854.928	-36.55	15.77	Pass	691
5855	5875	1	Peak	5875	-35.97	10	Pass	691
5875	5925	1	Peak	5924.203	-37.22	-26.41	Pass	691
5925	25000	1	Peak	15839.52	-33.82	-27	Pass	19075



23. 802.11ac_40M_Band1_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	716.971	-51.4	-27	Pass	9700
1000	5150	0.1	Peak	4540.072	-47.59	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-1.09	24	Pass	2000
5350	10300	0.1	Peak	9968.062	-45.94	-27	Pass	49499
10300	10700	0.1	Peak	10466.342	-47.04	-27	Pass	4000
10700	25000	0.1	Peak	15808.46	-43.93	-27	Pass	142999



24. 802.11ac_40M_Band1_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	690.768	-51.01	-27	Pass	9700
1000	5150	0.1	Peak	5075.784	-47.61	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-0.27	24	Pass	2000
5350	10300	0.1	Peak	6942.25	-47.11	-27	Pass	49499
10300	10700	0.1	Peak	10581.37	-46.78	-27	Pass	4000
10700	25000	0.1	Peak	16116.669	-44.1	-27	Pass	142999



25. 802.11ac_40M_Band4_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	593.958	-50.64	-27	Pass	9700
1000	5650	1	Peak	5138.89	-36.98	-27	Pass	4650
5650	5700	1	Peak	5650.362	-38.13	-26.73	Pass	691
5700	5720	1	Peak	5720	-26.85	15.6	Pass	691
5720	5725	1	Peak	5720.384	-26.38	16.48	Pass	691
5725	5850	1	Peak	5751.993	6.98	30	Pass	691
5850	5855	1	Peak	5854.848	-36.29	15.95	Pass	691
5855	5875	1	Peak	5874.855	-36.33	10.04	Pass	691
5875	5925	1	Peak	5924.638	-36.85	-26.73	Pass	691
5925	25000	1	Peak	17439.604	-33.58	-27	Pass	19075



26. 802.11ac_40M_Band4_H

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	636.463	-50.42	-27	Pass	9700
1000	5650	1	Peak	5443.956	-36.43	-27	Pass	4650
5650	5700	1	Peak	5650.507	-37.54	-26.62	Pass	691
5700	5720	1	Peak	5701.42	-36.22	10.4	Pass	691
5720	5725	1	Peak	5720.072	-36.8	15.77	Pass	691
5725	5850	1	Peak	5800.543	6.61	30	Pass	691
5850	5855	1	Peak	5854.949	-35.65	15.72	Pass	691
5855	5875	1	Peak	5874.536	-36.11	10.13	Pass	691
5875	5925	1	Peak	5924.42	-36.72	-26.57	Pass	691
5925	25000	1	Peak	15511.503	-33.58	-27	Pass	19075



27. 802.11ac_80M_Band1_M

27.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	895.189	-51.07	-27	Pass	9700
1000	5150	0.1	Peak	5143.499	-44.75	-27	Pass	41499
5150	5350	0.1	Peak	5213.732	-2.75	24	Pass	2000
5350	10300	0.1	Peak	5652.409	-45.44	-27	Pass	49499
10300	10700	0.1	Peak	10680.895	-47.15	-27	Pass	4000
10700	25000	0.1	Peak	16930.695	-44.29	-27	Pass	142999



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	910.391	-50.86	-27	Pass	9700
1000	5650	1	Peak	5411.949	-36.93	-27	Pass	4650
5650	5700	1	Peak	5650.145	-37.16	-26.89	Pass	691
5700	5720	1	Peak	5700.754	-31.13	10.21	Pass	691
5720	5725	1	Peak	5720.065	-29.5	15.75	Pass	691
5725	5850	1	Peak	5768.297	4.16	30	Pass	691
5850	5855	1	Peak	5854.862	-34.41	15.91	Pass	691
5855	5875	1	Peak	5872.478	-35	10.71	Pass	691
5875	5925	1	Peak	5925	-37.67	-27	Pass	691
5925	25000	1	Peak	15857.521	-33.24	-27	Pass	19075

