


Annex A.6 Conducted Spurious Emission and Band Edge (Authorized-band)

ANT0

1. 802.11a_20M_Band1_L


1.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	878.387	-50.26	-27	Pass	9700
1000	5150	0.1	Peak	5147.199	-46.19	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	7.39	24	Pass	2000
5350	10300	0.1	Peak	5889.617	-46.8	-27	Pass	49499
10300	10700	0.1	Peak	10621.08	-47.35	-27	Pass	4000
10700	25000	0.1	Peak	15290.843	-43.08	-27	Pass	142999




1.2. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	906.59	-50.78	-27	Pass	9700
1000	5150	0.1	Peak	5135.997	-45.85	-27	Pass	41499
5150	5350	0.1	Peak	5182.516	5.68	24	Pass	2000
5350	10300	0.1	Peak	6974.551	-47.02	-27	Pass	49499
10300	10700	0.1	Peak	10583.571	-47.57	-27	Pass	4000
10700	25000	0.1	Peak	17126.201	-43.85	-27	Pass	142999



1.3. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	776.577	-50.72	-27	Pass	9700
1000	5150	0.1	Peak	5131.796	-47.52	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	4.86	24	Pass	2000
5350	10300	0.1	Peak	6899.548	-46.75	-27	Pass	49499
10300	10700	0.1	Peak	10683.096	-46.77	-27	Pass	4000
10700	25000	0.1	Peak	16343.276	-43.92	-27	Pass	142999



2. 802.11a_20M_Band1_M


2.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	956.696	-50.83	-27	Pass	9700
1000	5150	0.1	Peak	5135.597	-46.58	-27	Pass	41499
5150	5350	0.1	Peak	5227.539	6.51	24	Pass	2000
5350	10300	0.1	Peak	5877.616	-47.19	-27	Pass	49499
10300	10700	0.1	Peak	10664.691	-47.33	-27	Pass	4000
10700	25000	0.1	Peak	16372.177	-44.45	-27	Pass	142999



2.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	894.089	-51.13	-27	Pass	9700
1000	5150	0.1	Peak	5135.997	-47.61	-27	Pass	41499
5150	5350	0.1	Peak	5224.937	6.01	24	Pass	2000
5350	10300	0.1	Peak	9936.358	-46.59	-27	Pass	49499
10300	10700	0.1	Peak	10601.475	-47.4	-27	Pass	4000
10700	25000	0.1	Peak	17025.598	-44.42	-27	Pass	142999



3. 802.11a_20M_Band1_H


3.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	467.245	-50.78	-27	Pass	9700
1000	5150	0.1	Peak	4880.643	-47.68	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	6.57	24	Pass	2000
5350	10300	0.1	Peak	6928.949	-46.41	-27	Pass	49499
10300	10700	0.1	Peak	10698.7	-47.5	-27	Pass	4000
10700	25000	0.1	Peak	16307.975	-44.1	-27	Pass	142999



3.2. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	773.677	-50.61	-27	Pass	9700
1000	5150	0.1	Peak	4714.708	-47.48	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	5.42	24	Pass	2000
5350	10300	0.1	Peak	6977.451	-46.82	-27	Pass	49499
10300	10700	0.1	Peak	10562.866	-46.86	-27	Pass	4000
10700	25000	0.1	Peak	15892.862	-44.34	-27	Pass	142999



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	881.088	-51.14	-27	Pass	9700
1000	5150	0.1	Peak	5142.298	-47.35	-27	Pass	41499
5150	5350	0.1	Peak	5187.519	4.25	24	Pass	2000
5350	10300	0.1	Peak	6987.151	-45.01	-27	Pass	49499
10300	10700	0.1	Peak	10570.068	-47.21	-27	Pass	4000
10700	25000	0.1	Peak	15315.344	-44.21	-27	Pass	142999



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	886.288	-49.59	-27	Pass	9700
1000	5150	0.1	Peak	4801.727	-48.41	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	5.51	24	Pass	2000
5350	10300	0.1	Peak	6979.351	-46.78	-27	Pass	49499
10300	10700	0.1	Peak	10394.724	-45.98	-27	Pass	4000
10700	25000	0.1	Peak	16370.977	-44.21	-27	Pass	142999



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	960.296	-48.96	-27	Pass	9700
1000	5150	0.1	Peak	5136.097	-47.28	-27	Pass	41499
5150	5350	0.1	Peak	5235.043	5.74	24	Pass	2000
5350	10300	0.1	Peak	9843.748	-46.94	-27	Pass	49499
10300	10700	0.1	Peak	10382.421	-46.98	-27	Pass	4000
10700	25000	0.1	Peak	16247.073	-44.4	-27	Pass	142999



7. 802.11ac_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	543.553	-50.54	-27	Pass	9700
1000	5150	0.1	Peak	4933.955	-47.75	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	4.72	24	Pass	2000
5350	10300	0.1	Peak	6915.749	-45.7	-27	Pass	49499
10300	10700	0.1	Peak	10566.367	-47.1	-27	Pass	4000
10700	25000	0.1	Peak	15310.344	-44.68	-27	Pass	142999



8. 802.11ac_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	997.4	-49.71	-27	Pass	9700
1000	5150	0.1	Peak	2410.444	-45.01	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	5.52	24	Pass	2000
5350	10300	0.1	Peak	6965.15	-47.28	-27	Pass	49499
10300	10700	0.1	Peak	10599.475	-47.11	-27	Pass	4000
10700	25000	0.1	Peak	15974.965	-44.48	-27	Pass	142999



9. 802.11ac_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	875.587	-50.63	-27	Pass	9700
1000	5150	0.1	Peak	4607.686	-47.95	-27	Pass	41499
5150	5350	0.1	Peak	5232.541	5.29	24	Pass	2000
5350	10300	0.1	Peak	6899.548	-47.28	-27	Pass	49499
10300	10700	0.1	Peak	10371.218	-46.71	-27	Pass	4000
10700	25000	0.1	Peak	17485.712	-43.9	-27	Pass	142999



10. 802.11n_40M_Band1_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	990.099	-50.54	-27	Pass	9700
1000	5150	0.1	Peak	5149.2	-44.05	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	2.78	24	Pass	2000
5350	10300	0.1	Peak	6924.749	-47.03	-27	Pass	49499
10300	10700	0.1	Peak	10604.276	-47.31	-27	Pass	4000
10700	25000	0.1	Peak	16375.877	-44.71	-27	Pass	142999



11. 802.11n_40M_Band1_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	915.291	-50.39	-27	Pass	9700
1000	5150	0.1	Peak	4785.723	-48.17	-27	Pass	41499
5150	5350	0.1	Peak	5222.536	2.88	24	Pass	2000
5350	10300	0.1	Peak	6907.549	-46.7	-27	Pass	49499
10300	10700	0.1	Peak	10674.694	-47.22	-27	Pass	4000
10700	25000	0.1	Peak	15808.26	-44.32	-27	Pass	142999



12. 802.11ac_40M_Band1_L

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	798.679	-49.26	-27	Pass	9700
1000	5150	0.1	Peak	5148.6	-44.59	-27	Pass	41499
5150	5350	0.1	Peak	5187.519	2.85	24	Pass	2000
5350	10300	0.1	Peak	6918.749	-46.14	-27	Pass	49499
10300	10700	0.1	Peak	10568.167	-47.29	-27	Pass	4000
10700	25000	0.1	Peak	15288.943	-44.56	-27	Pass	142999



13. 802.11ac_40M_Band1_H

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	821.982	-51.34	-27	Pass	9700
1000	5150	0.1	Peak	2413.244	-46.78	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	3.51	24	Pass	2000
5350	10300	0.1	Peak	5388.001	-46.56	-27	Pass	49499
10300	10700	0.1	Peak	10685.396	-46.54	-27	Pass	4000
10700	25000	0.1	Peak	16782.69	-44.27	-27	Pass	142999



14. 802.11ac_80M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	979.298	-50.95	-27	Pass	9700
1000	5150	0.1	Peak	5132.596	-40.97	-27	Pass	41499
5150	5350	0.1	Peak	5225.038	-0.02	24	Pass	2000
5350	10300	0.1	Peak	6924.249	-47.19	-27	Pass	49499
10300	10700	0.1	Peak	10598.175	-46.39	-27	Pass	4000
10700	25000	0.1	Peak	16445.08	-43.97	-27	Pass	142999



15. 802.11a_20M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	647.464	-51.31	-27	Pass	9700
1000	5650	1	Peak	5099.882	-36.41	-27	Pass	4650
5650	5700	1	Peak	5650.29	-37.59	-26.79	Pass	691
5700	5720	1	Peak	5700.638	-35.92	10.18	Pass	691
5720	5725	1	Peak	5720.08	-33.54	15.78	Pass	691
5725	5850	1	Peak	5747.645	15.18	30	Pass	691
5850	5855	1	Peak	5854.935	-36.28	15.75	Pass	691
5855	5875	1	Peak	5874.333	-35.53	10.19	Pass	691
5875	5925	1	Peak	5925	-37.21	-27	Pass	691
5925	25000	1	Peak	15388.496	-32.6	-27	Pass	19075



16. 802.11a_20M_Band4_M

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	864.886	-51.18	-27	Pass	9700
1000	5650	1	Peak	5270.918	-35.32	-27	Pass	4650
5650	5700	1	Peak	5650.507	-37.52	-26.62	Pass	691
5700	5720	1	Peak	5701.391	-36.32	10.39	Pass	691
5720	5725	1	Peak	5720.101	-35.96	15.83	Pass	691
5725	5850	1	Peak	5781.703	14.93	30	Pass	691
5850	5855	1	Peak	5854.804	-35.83	16.05	Pass	691
5855	5875	1	Peak	5874.188	-35.67	10.23	Pass	691
5875	5925	1	Peak	5924.71	-37.06	-26.79	Pass	691
5925	25000	1	Peak	17124.587	-32.94	-27	Pass	19075



17. 802.11a_20M_Band4_H

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	900.69	-50.4	-27	Pass	9700
1000	5650	1	Peak	5444.956	-36.87	-27	Pass	4650
5650	5700	1	Peak	5650.145	-37.86	-26.89	Pass	691
5700	5720	1	Peak	5700.638	-37.04	10.18	Pass	691
5720	5725	1	Peak	5720.225	-36.7	16.11	Pass	691
5725	5850	1	Peak	5827.717	15.11	30	Pass	691
5850	5855	1	Peak	5854.768	-33.23	16.13	Pass	691
5855	5875	1	Peak	5874.797	-35.5	10.06	Pass	691
5875	5925	1	Peak	5925	-36.64	-27	Pass	691
5925	25000	1	Peak	16391.549	-32.64	-27	Pass	19075



18. 802.11n_20M_Band4_L

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	847.084	-50.54	-27	Pass	9700
1000	5650	1	Peak	5642.998	-37.2	-27	Pass	4650
5650	5700	1	Peak	5650.362	-36.98	-26.73	Pass	691
5700	5720	1	Peak	5700.899	-35.34	10.25	Pass	691
5720	5725	1	Peak	5720.312	-31.83	16.31	Pass	691
5725	5850	1	Peak	5746.558	15.45	30	Pass	691
5850	5855	1	Peak	5854.725	-35.02	16.23	Pass	691
5855	5875	1	Peak	5873.812	-35.68	10.33	Pass	691
5875	5925	1	Peak	5924.203	-35.08	-26.41	Pass	691
5925	25000	1	Peak	16374.548	-33.81	-27	Pass	19075



19. 802.11n_20M_Band4_M

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	862.286	-50.62	-27	Pass	9700
1000	5650	1	Peak	5302.925	-36.13	-27	Pass	4650
5650	5700	1	Peak	5650.362	-37.46	-26.73	Pass	691
5700	5720	1	Peak	5700.667	-36.22	10.19	Pass	691
5720	5725	1	Peak	5720.268	-35.79	16.21	Pass	691
5725	5850	1	Peak	5786.594	15.38	30	Pass	691
5850	5855	1	Peak	5854.964	-35.92	15.68	Pass	691
5855	5875	1	Peak	5874.768	-35.57	10.06	Pass	691
5875	5925	1	Peak	5924.13	-36.82	-26.36	Pass	691
5925	25000	1	Peak	16379.548	-33.83	-27	Pass	19075



20. 802.11n_20M_Band4_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	770.776	-51.02	-27	Pass	9700
1000	5650	1	Peak	5150.893	-37.03	-27	Pass	4650
5650	5700	1	Peak	5650	-37.54	-27	Pass	691
5700	5720	1	Peak	5701.072	-36.95	10.3	Pass	691
5720	5725	1	Peak	5720.239	-36.07	16.15	Pass	691
5725	5850	1	Peak	5826.812	15.62	30	Pass	691
5850	5855	1	Peak	5854.971	-33.46	15.67	Pass	691
5855	5875	1	Peak	5873.116	-34.41	10.53	Pass	691
5875	5925	1	Peak	5924.565	-35.69	-26.68	Pass	691
5925	25000	1	Peak	17044.583	-33.28	-27	Pass	19075



21. 802.11ac_20M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	847.484	-50.41	-27	Pass	9700
1000	5650	1	Peak	4712.798	-37.26	-27	Pass	4650
5650	5700	1	Peak	5650	-37.85	-27	Pass	691
5700	5720	1	Peak	5700.87	-36.03	10.24	Pass	691
5720	5725	1	Peak	5720.283	-31.98	16.24	Pass	691
5725	5850	1	Peak	5746.558	15.65	30	Pass	691
5850	5855	1	Peak	5854.855	-35.28	15.93	Pass	691
5855	5875	1	Peak	5874.681	-35.33	10.09	Pass	691
5875	5925	1	Peak	5924.928	-37.18	-26.95	Pass	691
5925	25000	1	Peak	16346.546	-33.24	-27	Pass	19075



22. 802.11ac_20M_Band4_M

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	704.37	-51.14	-27	Pass	9700
1000	5650	1	Peak	4790.815	-36.73	-27	Pass	4650
5650	5700	1	Peak	5650.362	-37.43	-26.73	Pass	691
5700	5720	1	Peak	5703.275	-35.86	10.92	Pass	691
5720	5725	1	Peak	5720.355	-35.61	16.41	Pass	691
5725	5850	1	Peak	5786.594	15.44	30	Pass	691
5850	5855	1	Peak	5854.681	-34.74	16.33	Pass	691
5855	5875	1	Peak	5874.188	-35.69	10.23	Pass	691
5875	5925	1	Peak	5924.348	-36.75	-26.52	Pass	691
5925	25000	1	Peak	15287.491	-33.33	-27	Pass	19075



23. 802.11ac_20M_Band4_H

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	249.323	-51.28	-27	Pass	9700
1000	5650	1	Peak	5113.885	-36.63	-27	Pass	4650
5650	5700	1	Peak	5650.145	-37.36	-26.89	Pass	691
5700	5720	1	Peak	5701.768	-36.2	10.5	Pass	691
5720	5725	1	Peak	5720.014	-36.57	15.63	Pass	691
5725	5850	1	Peak	5826.812	15.49	30	Pass	691
5850	5855	1	Peak	5854.674	-32.93	16.34	Pass	691
5855	5875	1	Peak	5874.072	-34.9	10.26	Pass	691
5875	5925	1	Peak	5924.855	-37.16	-26.89	Pass	691
5925	25000	1	Peak	15399.497	-32.92	-27	Pass	19075



24. 802.11n_40M_Band4_L

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	969.097	-51.35	-27	Pass	9700
1000	5650	1	Peak	5442.955	-36.41	-27	Pass	4650
5650	5700	1	Peak	5650.58	-37.49	-26.57	Pass	691
5700	5720	1	Peak	5700.406	-35.26	10.11	Pass	691
5720	5725	1	Peak	5720.065	-32.37	15.75	Pass	691
5725	5850	1	Peak	5758.877	11.98	30	Pass	691
5850	5855	1	Peak	5854.804	-34.76	16.05	Pass	691
5855	5875	1	Peak	5873.783	-35.71	10.34	Pass	691
5875	5925	1	Peak	5924.928	-37.04	-26.95	Pass	691
5925	25000	1	Peak	16484.554	-33.98	-27	Pass	19075



25. 802.11n_40M_Band4_H

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	766.876	-51.05	-27	Pass	9700
1000	5650	1	Peak	5384.943	-36.97	-27	Pass	4650
5650	5700	1	Peak	5650.072	-38.06	-26.95	Pass	691
5700	5720	1	Peak	5700.812	-36.01	10.23	Pass	691
5720	5725	1	Peak	5720.304	-34.97	16.29	Pass	691
5725	5850	1	Peak	5798.913	11.21	30	Pass	691
5850	5855	1	Peak	5854.819	-33.93	16.01	Pass	691
5855	5875	1	Peak	5874.884	-35.29	10.03	Pass	691
5875	5925	1	Peak	5924.855	-37.24	-26.89	Pass	691
5925	25000	1	Peak	15815.519	-33.15	-27	Pass	19075



26. 802.11ac_40M_Band4_L

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	987.999	-50.92	-27	Pass	9700
1000	5650	1	Peak	5313.928	-36.73	-27	Pass	4650
5650	5700	1	Peak	5650	-37.12	-27	Pass	691
5700	5720	1	Peak	5701.014	-35.17	10.28	Pass	691
5720	5725	1	Peak	5720.094	-32.87	15.81	Pass	691
5725	5850	1	Peak	5761.413	12.34	30	Pass	691
5850	5855	1	Peak	5854.964	-35.9	15.68	Pass	691
5855	5875	1	Peak	5873.957	-35.51	10.29	Pass	691
5875	5925	1	Peak	5925	-37.11	-27	Pass	691
5925	25000	1	Peak	17009.581	-32.91	-27	Pass	19075



27. 802.11ac_40M_Band4_H

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	722.471	-50.41	-27	Pass	9700
1000	5650	1	Peak	4749.806	-37.16	-27	Pass	4650
5650	5700	1	Peak	5650.362	-37.75	-26.73	Pass	691
5700	5720	1	Peak	5701.855	-35.93	10.52	Pass	691
5720	5725	1	Peak	5720.007	-36.13	15.62	Pass	691
5725	5850	1	Peak	5798.913	11.39	30	Pass	691
5850	5855	1	Peak	5854.957	-34.37	15.7	Pass	691
5855	5875	1	Peak	5874.942	-35.46	10.02	Pass	691
5875	5925	1	Peak	5924.42	-36.31	-26.57	Pass	691
5925	25000	1	Peak	15308.492	-33.29	-27	Pass	19075



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	907.79	-51.12	-27	Pass	9700
1000	5650	1	Peak	4665.788	-36.03	-27	Pass	4650
5650	5700	1	Peak	5650.072	-37.87	-26.95	Pass	691
5700	5720	1	Peak	5703.797	-34.37	11.06	Pass	691
5720	5725	1	Peak	5720.246	-32.94	16.16	Pass	691
5725	5850	1	Peak	5781.884	8.73	30	Pass	691
5850	5855	1	Peak	5854.775	-32.44	16.11	Pass	691
5855	5875	1	Peak	5874.623	-34.08	10.11	Pass	691
5875	5925	1	Peak	5925	-36.24	-27	Pass	691
5925	25000	1	Peak	16385.548	-33.6	-27	Pass	19075




ANT1

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	844.384	-50.5	-27	Pass	9700
1000	5150	0.1	Peak	5001.269	-47.77	-27	Pass	41499
5150	5350	0.1	Peak	5185.018	5.16	24	Pass	2000
5350	10300	0.1	Peak	6916.449	-46.89	-27	Pass	49499
10300	10700	0.1	Peak	10591.773	-47.31	-27	Pass	4000
10700	25000	0.1	Peak	16239.773	-44.34	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	526.951	-51.72	-27	Pass	9700
1000	5150	0.1	Peak	4821.631	-47.89	-27	Pass	41499
5150	5350	0.1	Peak	5227.539	5.32	24	Pass	2000
5350	10300	0.1	Peak	6955.25	-46.06	-27	Pass	49499
10300	10700	0.1	Peak	10697.599	-47.04	-27	Pass	4000
10700	25000	0.1	Peak	15511.75	-44.28	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	930.793	-50.95	-27	Pass	9700
1000	5150	0.1	Peak	4770.32	-48.19	-27	Pass	41499
5150	5350	0.1	Peak	5235.043	5.41	24	Pass	2000
5350	10300	0.1	Peak	6916.949	-46.83	-27	Pass	49499
10300	10700	0.1	Peak	10587.772	-47.03	-27	Pass	4000
10700	25000	0.1	Peak	15302.744	-43.33	-27	Pass	142999



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	706.37	-50.92	-27	Pass	9700
1000	5150	0.1	Peak	5148.5	-47.54	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	4.55	24	Pass	2000
5350	10300	0.1	Peak	9229.478	-46.95	-27	Pass	49499
10300	10700	0.1	Peak	10695.799	-47.18	-27	Pass	4000
10700	25000	0.1	Peak	15279.443	-44.59	-27	Pass	142999



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	924.592	-50.46	-27	Pass	9700
1000	5150	0.1	Peak	5141.398	-46.99	-27	Pass	41499
5150	5350	0.1	Peak	5223.737	4.78	24	Pass	2000
5350	10300	0.1	Peak	6904.649	-46.69	-27	Pass	49499
10300	10700	0.1	Peak	10691.598	-46.95	-27	Pass	4000
10700	25000	0.1	Peak	16320.076	-44.79	-27	Pass	142999



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	837.983	-50.94	-27	Pass	9700
1000	5150	0.1	Peak	2409.844	-47.35	-27	Pass	41499
5150	5350	0.1	Peak	5237.544	4.59	24	Pass	2000
5350	10300	0.1	Peak	6905.049	-46.04	-27	Pass	49499
10300	10700	0.1	Peak	10465.941	-46.95	-27	Pass	4000
10700	25000	0.1	Peak	17662.518	-43.69	-27	Pass	142999



7. 802.11ac_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	989.199	-50.96	-27	Pass	9700
1000	5150	0.1	Peak	5143.599	-48.04	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	4.91	24	Pass	2000
5350	10300	0.1	Peak	6895.848	-46.81	-27	Pass	49499
10300	10700	0.1	Peak	10694.399	-47.33	-27	Pass	4000
10700	25000	0.1	Peak	17048.298	-43.87	-27	Pass	142999



8. 802.11ac_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	996.9	-51.27	-27	Pass	9700
1000	5150	0.1	Peak	5093.888	-48.26	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	4.99	24	Pass	2000
5350	10300	0.1	Peak	6179.326	-46.84	-27	Pass	49499
10300	10700	0.1	Peak	10690.098	-46.77	-27	Pass	4000
10700	25000	0.1	Peak	16310.575	-44.96	-27	Pass	142999



9. 802.11ac_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	961.896	-49.56	-27	Pass	9700
1000	5150	0.1	Peak	4169.699	-47.61	-27	Pass	41499
5150	5350	0.1	Peak	5235.043	4.93	24	Pass	2000
5350	10300	0.1	Peak	6184.926	-46.83	-27	Pass	49499
10300	10700	0.1	Peak	10697.099	-46.43	-27	Pass	4000
10700	25000	0.1	Peak	17119.701	-43.87	-27	Pass	142999



10. 802.11n_40M_Band1_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	738.473	-51	-27	Pass	9700
1000	5150	0.1	Peak	5149.5	-44.51	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	2.43	24	Pass	2000
5350	10300	0.1	Peak	6909.249	-44.94	-27	Pass	49499
10300	10700	0.1	Peak	10488.047	-47.09	-27	Pass	4000
10700	25000	0.1	Peak	15318.744	-44.35	-27	Pass	142999



11. 802.11n_40M_Band1_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	774.377	-50.82	-27	Pass	9700
1000	5150	0.1	Peak	5089.687	-47.97	-27	Pass	41499
5150	5350	0.1	Peak	5222.536	2.54	24	Pass	2000
5350	10300	0.1	Peak	8896.64	-47.43	-27	Pass	49499
10300	10700	0.1	Peak	10656.889	-47.1	-27	Pass	4000
10700	25000	0.1	Peak	16451.58	-43.85	-27	Pass	142999



12. 802.11ac_40M_Band1_L

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	774.977	-50.93	-27	Pass	9700
1000	5150	0.1	Peak	5148	-44.84	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	2.32	24	Pass	2000
5350	10300	0.1	Peak	9409.098	-47.13	-27	Pass	49499
10300	10700	0.1	Peak	10588.272	-47.11	-27	Pass	4000
10700	25000	0.1	Peak	16274.174	-44.06	-27	Pass	142999



13. 802.11ac_40M_Band1_H

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	837.283	-50.67	-27	Pass	9700
1000	5150	0.1	Peak	5137.497	-47.69	-27	Pass	41499
5150	5350	0.1	Peak	5235.043	2.84	24	Pass	2000
5350	10300	0.1	Peak	6982.151	-46.99	-27	Pass	49499
10300	10700	0.1	Peak	10673.093	-47.02	-27	Pass	4000
10700	25000	0.1	Peak	15839.061	-43.99	-27	Pass	142999



14. 802.11ac_80M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	962.796	-50.41	-27	Pass	9700
1000	5150	0.1	Peak	5138.198	-42.53	-27	Pass	41499
5150	5350	0.1	Peak	5227.539	-0.46	24	Pass	2000
5350	10300	0.1	Peak	9317.188	-47.35	-27	Pass	49499
10300	10700	0.1	Peak	10453.738	-46.68	-27	Pass	4000
10700	25000	0.1	Peak	16373.677	-44.58	-27	Pass	142999



15. 802.11a_20M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	792.679	-50.74	-27	Pass	9700
1000	5650	1	Peak	5435.954	-36.57	-27	Pass	4650
5650	5700	1	Peak	5650.652	-36.93	-26.52	Pass	691
5700	5720	1	Peak	5701.014	-36.33	10.28	Pass	691
5720	5725	1	Peak	5720	-33.81	15.6	Pass	691
5725	5850	1	Peak	5741.486	15.02	30	Pass	691
5850	5855	1	Peak	5854.696	-35.59	16.29	Pass	691
5855	5875	1	Peak	5874.623	-35.97	10.11	Pass	691
5875	5925	1	Peak	5924.275	-37.14	-26.46	Pass	691
5925	25000	1	Peak	16013.529	-33.65	-27	Pass	19075



16. 802.11a_20M_Band4_M

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	600.759	-50.49	-27	Pass	9700
1000	5650	1	Peak	5430.953	-37.01	-27	Pass	4650
5650	5700	1	Peak	5651.522	-36.47	-25.87	Pass	691
5700	5720	1	Peak	5701.275	-36.83	10.36	Pass	691
5720	5725	1	Peak	5720.058	-35.77	15.73	Pass	691
5725	5850	1	Peak	5786.413	14.69	30	Pass	691
5850	5855	1	Peak	5854.87	-35.41	15.9	Pass	691
5855	5875	1	Peak	5874.565	-35.72	10.12	Pass	691
5875	5925	1	Peak	5925	-36.69	-27	Pass	691
5925	25000	1	Peak	17157.589	-33.5	-27	Pass	19075



17. 802.11a_20M_Band4_H

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	970.997	-50.53	-27	Pass	9700
1000	5650	1	Peak	5055.872	-37.1	-27	Pass	4650
5650	5700	1	Peak	5651.812	-36.51	-25.66	Pass	691
5700	5720	1	Peak	5702.435	-36.33	10.68	Pass	691
5720	5725	1	Peak	5720.167	-36.1	15.98	Pass	691
5725	5850	1	Peak	5821.92	14.85	30	Pass	691
5850	5855	1	Peak	5854.928	-32.98	15.77	Pass	691
5855	5875	1	Peak	5873.986	-34.38	10.28	Pass	691
5875	5925	1	Peak	5925	-37.21	-27	Pass	691
5925	25000	1	Peak	15391.496	-33.33	-27	Pass	19075



18. 802.11n_20M_Band4_L

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	716.871	-50.64	-27	Pass	9700
1000	5650	1	Peak	5028.866	-37.12	-27	Pass	4650
5650	5700	1	Peak	5650.29	-37.19	-26.79	Pass	691
5700	5720	1	Peak	5700	-36.15	10	Pass	691
5720	5725	1	Peak	5720.036	-32.28	15.68	Pass	691
5725	5850	1	Peak	5746.739	15.62	30	Pass	691
5850	5855	1	Peak	5854.891	-35.52	15.85	Pass	691
5855	5875	1	Peak	5873.261	-35.2	10.49	Pass	691
5875	5925	1	Peak	5924.638	-37.25	-26.73	Pass	691
5925	25000	1	Peak	16331.546	-32.83	-27	Pass	19075



19. 802.11n_20M_Band4_M

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	807.78	-50.89	-27	Pass	9700
1000	5650	1	Peak	5332.932	-37.03	-27	Pass	4650
5650	5700	1	Peak	5650.507	-37.5	-26.62	Pass	691
5700	5720	1	Peak	5701.043	-36.77	10.29	Pass	691
5720	5725	1	Peak	5720.188	-35.89	16.03	Pass	691
5725	5850	1	Peak	5786.413	15.29	30	Pass	691
5850	5855	1	Peak	5854.928	-35.38	15.77	Pass	691
5855	5875	1	Peak	5873.232	-34.79	10.5	Pass	691
5875	5925	1	Peak	5924.928	-37.45	-26.95	Pass	691
5925	25000	1	Peak	15309.492	-32.59	-27	Pass	19075



20. 802.11n_20M_Band4_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	815.481	-51.25	-27	Pass	9700
1000	5650	1	Peak	5375.941	-36.79	-27	Pass	4650
5650	5700	1	Peak	5651.377	-37.02	-25.98	Pass	691
5700	5720	1	Peak	5700.116	-36.69	10.03	Pass	691
5720	5725	1	Peak	5720.007	-36.67	15.62	Pass	691
5725	5850	1	Peak	5826.63	15.61	30	Pass	691
5850	5855	1	Peak	5854.688	-32.34	16.31	Pass	691
5855	5875	1	Peak	5874.362	-33.85	10.18	Pass	691
5875	5925	1	Peak	5923.768	-35.94	-26.09	Pass	691
5925	25000	1	Peak	15760.516	-33.06	-27	Pass	19075



21. 802.11ac_20M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	856.285	-51.31	-27	Pass	9700
1000	5650	1	Peak	5606.991	-37.43	-27	Pass	4650
5650	5700	1	Peak	5650.217	-37.81	-26.84	Pass	691
5700	5720	1	Peak	5700.174	-36.11	10.05	Pass	691
5720	5725	1	Peak	5720.116	-32.39	15.86	Pass	691
5725	5850	1	Peak	5746.377	15.49	30	Pass	691
5850	5855	1	Peak	5854.942	-35.24	15.73	Pass	691
5855	5875	1	Peak	5873.957	-36.07	10.29	Pass	691
5875	5925	1	Peak	5925	-36.21	-27	Pass	691
5925	25000	1	Peak	15802.518	-33.04	-27	Pass	19075



22. 802.11ac_20M_Band4_M

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	339.732	-51.18	-27	Pass	9700
1000	5650	1	Peak	5405.948	-37.12	-27	Pass	4650
5650	5700	1	Peak	5650	-37.98	-27	Pass	691
5700	5720	1	Peak	5704.145	-34.93	11.16	Pass	691
5720	5725	1	Peak	5720.036	-36.35	15.68	Pass	691
5725	5850	1	Peak	5786.594	15.43	30	Pass	691
5850	5855	1	Peak	5854.986	-35.84	15.63	Pass	691
5855	5875	1	Peak	5873.377	-35.37	10.45	Pass	691
5875	5925	1	Peak	5924.855	-37.6	-26.89	Pass	691
5925	25000	1	Peak	15310.492	-33.47	-27	Pass	19075



23. 802.11ac_20M_Band4_H

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	980.998	-50.74	-27	Pass	9700
1000	5650	1	Peak	5425.952	-36.9	-27	Pass	4650
5650	5700	1	Peak	5650	-38.18	-27	Pass	691
5700	5720	1	Peak	5700.58	-36.54	10.16	Pass	691
5720	5725	1	Peak	5720.029	-35.99	15.67	Pass	691
5725	5850	1	Peak	5826.812	15.54	30	Pass	691
5850	5855	1	Peak	5854.935	-33.27	15.75	Pass	691
5855	5875	1	Peak	5872.797	-34.33	10.62	Pass	691
5875	5925	1	Peak	5924.493	-35.6	-26.62	Pass	691
5925	25000	1	Peak	15801.518	-32.89	-27	Pass	19075



24. 802.11n_40M_Band4_L

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	302.928	-50.89	-27	Pass	9700
1000	5650	1	Peak	5586.986	-36.24	-27	Pass	4650
5650	5700	1	Peak	5650.072	-37.2	-26.95	Pass	691
5700	5720	1	Peak	5700.261	-35.11	10.07	Pass	691
5720	5725	1	Peak	5720.217	-33.35	16.1	Pass	691
5725	5850	1	Peak	5758.877	11.92	30	Pass	691
5850	5855	1	Peak	5854.884	-35.52	15.86	Pass	691
5855	5875	1	Peak	5872.623	-35.56	10.67	Pass	691
5875	5925	1	Peak	5924.275	-36.66	-26.46	Pass	691
5925	25000	1	Peak	16259.542	-33.31	-27	Pass	19075



25. 802.11n_40M_Band4_H

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	470.245	-50.89	-27	Pass	9700
1000	5650	1	Peak	5233.911	-36.05	-27	Pass	4650
5650	5700	1	Peak	5650.072	-37.7	-26.95	Pass	691
5700	5720	1	Peak	5700.58	-36.01	10.16	Pass	691
5720	5725	1	Peak	5720.109	-35.13	15.85	Pass	691
5725	5850	1	Peak	5798.007	11.06	30	Pass	691
5850	5855	1	Peak	5854.971	-34.72	15.67	Pass	691
5855	5875	1	Peak	5874.565	-35.4	10.12	Pass	691
5875	5925	1	Peak	5924.058	-36.51	-26.3	Pass	691
5925	25000	1	Peak	15390.496	-33.02	-27	Pass	19075



26. 802.11ac_40M_Band4_L

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	973.297	-50.99	-27	Pass	9700
1000	5650	1	Peak	5433.954	-36.58	-27	Pass	4650
5650	5700	1	Peak	5650.725	-37.16	-26.46	Pass	691
5700	5720	1	Peak	5700.145	-35.39	10.04	Pass	691
5720	5725	1	Peak	5720.174	-32.99	16	Pass	691
5725	5850	1	Peak	5758.877	11.89	30	Pass	691
5850	5855	1	Peak	5854.935	-35.74	15.75	Pass	691
5855	5875	1	Peak	5874.855	-35.73	10.04	Pass	691
5875	5925	1	Peak	5923.768	-35.98	-26.09	Pass	691
5925	25000	1	Peak	17122.587	-33.72	-27	Pass	19075



27. 802.11ac_40M_Band4_H

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	865.186	-50.84	-27	Pass	9700
1000	5650	1	Peak	5478.963	-36.46	-27	Pass	4650
5650	5700	1	Peak	5650.362	-37.53	-26.73	Pass	691
5700	5720	1	Peak	5705.101	-35.73	11.43	Pass	691
5720	5725	1	Peak	5720.167	-35.1	15.98	Pass	691
5725	5850	1	Peak	5798.913	11.11	30	Pass	691
5850	5855	1	Peak	5854.935	-34.4	15.75	Pass	691
5855	5875	1	Peak	5870.797	-34.2	11.18	Pass	691
5875	5925	1	Peak	5924.783	-36.84	-26.84	Pass	691
5925	25000	1	Peak	16449.552	-33.62	-27	Pass	19075



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	916.091	-51.12	-27	Pass	9700
1000	5650	1	Peak	5221.908	-37.3	-27	Pass	4650
5650	5700	1	Peak	5651.594	-36.42	-25.82	Pass	691
5700	5720	1	Peak	5700.029	-34.95	10.01	Pass	691
5720	5725	1	Peak	5720.246	-33.22	16.16	Pass	691
5725	5850	1	Peak	5781.884	8.64	30	Pass	691
5850	5855	1	Peak	5854.812	-32.65	16.03	Pass	691
5855	5875	1	Peak	5869.203	-32.25	11.62	Pass	691
5875	5925	1	Peak	5924.638	-36.15	-26.73	Pass	691
5925	25000	1	Peak	16368.547	-33.25	-27	Pass	19075



END