


RSE-H&H NR_DC_30A_n66A 10MHz(CH27710)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.030	-68.73	-17.36	-13.0	-55.73	279.00	Horizontal	Horizontal	Pass
372.022	-63.65	-9.92	-13.0	-50.65	178.00	Horizontal	Horizontal	Pass
1745.300	-40.08	2.62	-13.0	-27.08	6.00	Horizontal	Horizontal	N/A
2152.400	-39.25	4.22	-13.0	-26.25	186.00	Horizontal	Horizontal	N/A
7969.000	-37.95	17.33	-13.0	-24.95	100.00	Horizontal	Horizontal	Pass
19308.063	-33.24	21.91	-13.0	-20.24	5.00	Horizontal	Horizontal	Pass

60 NR_DC_14A_n66A

60.1 NR_DC_14A_n66A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n66A 10MHz(CH23330)+5MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
759.586	-39.46	4.16	-13.0	-26.46	142.00	Vertical	Horizontal	N/A
796.542	-58.43	4.56	-13.0	-45.43	159.00	Vertical	Horizontal	N/A
1693.200	-40.56	2.26	-13.0	-27.56	0.00	Vertical	Horizontal	N/A
1745.500	-26.65	3.26	-13.0	-13.65	338.00	Vertical	Horizontal	N/A
2143.500	-25.83	4.45	-13.0	-12.83	255.00	Vertical	Horizontal	Pass
7926.500	-37.98	17.18	-13.0	-24.98	214.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n66A 10MHz(CH23330)+5MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
759.779	-50.10	4.11	-13.0	-37.10	197.00	Horizontal	Horizontal	N/A
1745.300	-34.99	3.26	-13.0	-21.99	320.00	Horizontal	Horizontal	N/A
2143.900	-36.63	4.46	-13.0	-23.63	249.00	Horizontal	Horizontal	N/A
4812.000	-44.09	10.72	-13.0	-31.09	0.00	Horizontal	Horizontal	Pass
7967.000	-38.15	17.39	-13.0	-25.15	358.00	Horizontal	Horizontal	Pass
17983.250	-33.01	22.74	-13.0	-20.01	340.00	Horizontal	Horizontal	Pass

60.2 NR_DC_14A_n66A 10MHz(LTE)+15MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n66A 10MHz(CH23330)+15MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
762.593	-39.98	3.89	-13.0	-26.98	151.00	Vertical	Horizontal	N/A
1745.300	-30.16	3.26	-13.0	-17.16	333.00	Vertical	Horizontal	N/A
2143.200	-30.02	4.46	-13.0	-17.02	4.00	Vertical	Horizontal	N/A
2971.600	-43.11	11.38	-13.0	-30.11	360.00	Vertical	Horizontal	Pass
7850.000	-37.74	16.78	-13.0	-24.74	31.00	Vertical	Horizontal	Pass
18306.376	-33.41	23.35	-13.0	-20.41	354.00	Vertical	Horizontal	Pass


RSE-H&H NR_DC_14A_n66A 10MHz(CH233330)+15MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
764.823	-50.26	4.01	-13.0	-37.26	194.00	Horizontal	Horizontal	N/A
1745.600	-37.90	3.26	-13.0	-24.90	307.00	Horizontal	Horizontal	N/A
2149.000	-38.99	4.54	-13.0	-25.99	250.00	Horizontal	Horizontal	N/A
2989.600	-42.50	10.86	-13.0	-29.50	347.00	Horizontal	Horizontal	Pass
7968.000	-37.49	17.35	-13.0	-24.49	328.00	Horizontal	Horizontal	Pass
17967.438	-33.41	23.12	-13.0	-20.41	345.00	Horizontal	Horizontal	Pass

60.3 NR_DC_14A_n66A 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n66A 10MHz(CH23330)+20MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
380.413	-60.34	-6.86	-13.0	-47.34	354.00	Vertical	Horizontal	Pass
763.466	-38.49	3.92	-13.0	-25.49	147.00	Vertical	Horizontal	N/A
2145.500	-33.87	4.50	-13.0	-20.87	206.00	Vertical	Horizontal	N/A
2942.400	-42.32	10.97	-13.0	-29.32	267.00	Vertical	Horizontal	Pass
7917.750	-37.71	17.01	-13.0	-24.71	201.00	Vertical	Horizontal	Pass
18865.312	-33.19	21.71	-13.0	-20.19	178.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n66A 10MHz(CH23330)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.246	-65.76	-14.97	-13.0	-52.76	282.00	Horizontal	Horizontal	Pass
379.782	-63.02	-6.90	-13.0	-50.02	166.00	Horizontal	Horizontal	Pass
758.761	-50.56	4.29	-13.0	-37.56	266.00	Horizontal	Horizontal	N/A
2145.100	-44.43	4.49	-13.0	-31.43	176.00	Horizontal	Horizontal	N/A
7862.500	-37.30	17.07	-13.0	-24.30	69.00	Horizontal	Horizontal	Pass
18178.501	-33.40	23.48	-13.0	-20.40	0.00	Horizontal	Horizontal	Pass

61 NR_DC_48A_n66A

61.1 NR_DC_48A_n66A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_48A_n66A 20MHz(CH55990)+5MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.340	-65.99	-17.28	-13.0	-52.99	263.00	Vertical	Horizontal	Pass
400.297	-64.02	-8.20	-13.0	-51.02	360.00	Vertical	Horizontal	Pass
1745.400	-29.50	3.26	-13.0	-16.50	98.00	Vertical	Horizontal	N/A
2144.700	-33.57	4.49	-13.0	-20.57	334.00	Vertical	Horizontal	N/A
5389.000	-31.81	22.06	-13.0	-18.81	350.00	Vertical	Horizontal	Pass
17898.689	-32.94	23.45	-13.0	-19.94	119.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n66A 20MHz(CH55990)+5MHz(CH349000)

RSE(5G NSA FCC)_NSA 12A_n66A_699-716&729-745&1710-1780&2110-2200_30MHz~27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.746	-66.34	-17.65	-13.0	-53.34	1.00	Horizontal	Horizontal	Pass
419.988	-69.19	-7.94	-13.0	-56.19	240.00	Horizontal	Horizontal	Pass
1745.400	-34.00	3.26	-13.0	-21.00	207.00	Horizontal	Horizontal	N/A
2145.400	-31.52	4.49	-13.0	-18.52	257.00	Horizontal	Horizontal	N/A
5015.250	-32.99	21.71	-13.0	-19.99	355.00	Horizontal	Horizontal	Pass
16916.250	-35.38	20.55	-13.0	-22.38	357.00	Horizontal	Horizontal	Pass

61.2 NR_DC_48A_n66A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n66A 20MHz(CH55990)+15MHz(CH349000)


RSE(5G NSA FCC)_NSA 12A_n66A_699-716&729-745&1710-1780&2110-2200_30MHz~27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.911	-66.09	-17.07	-13.0	-53.09	14.00	Vertical	Horizontal	Pass
401.655	-64.72	-8.15	-13.0	-51.72	176.00	Vertical	Horizontal	Pass
1745.200	-32.55	3.26	-13.0	-19.55	92.00	Vertical	Horizontal	N/A
2143.000	-34.85	4.47	-13.0	-21.85	332.00	Vertical	Horizontal	N/A
5006.000	-33.53	22.25	-13.0	-20.53	226.00	Vertical	Horizontal	Pass
17860.188	-33.41	23.37	-13.0	-20.41	134.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n66A 20MHz(CH55990)+15MHz(CH349000)

RSE(5G NSA FCC)_NSA 12A_n66A_699-716&729-745&1710-1780&2110-2200_30MHz~27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.891	-67.17	-17.66	-13.0	-54.17	0.00	Horizontal	Horizontal	Pass
413.635	-68.53	-7.86	-13.0	-55.53	220.00	Horizontal	Horizontal	Pass
1745.200	-35.87	3.26	-13.0	-22.87	201.00	Horizontal	Horizontal	N/A
2151.200	-34.50	4.62	-13.0	-21.50	255.00	Horizontal	Horizontal	N/A
4755.500	-34.74	20.22	-13.0	-21.74	146.00	Horizontal	Horizontal	Pass
19270.250	-33.21	21.84	-13.0	-20.21	128.00	Horizontal	Horizontal	Pass

61.3 NR_DC_48A_n66A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n66A 20MHz(CH55990)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-745&1710-1780&2110-2200_30MHz~27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.100	-67.78	-16.69	-13.0	-54.78	268.00	Vertical	Horizontal	Pass
398.406	-63.85	-8.30	-13.0	-50.85	186.00	Vertical	Horizontal	Pass
1745.300	-33.45	3.26	-13.0	-20.45	90.00	Vertical	Horizontal	N/A
2149.700	-37.26	4.56	-13.0	-24.26	327.00	Vertical	Horizontal	N/A
4776.000	-33.32	21.21	-13.0	-20.32	233.00	Vertical	Horizontal	Pass
17889.749	-33.63	23.35	-13.0	-20.63	303.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n66A 20MHz(CH55990)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA 12A_n66A_699-716&729-745&1710-1780&2110-2200_30MHz~27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.637	-66.55	-17.71	-13.0	-53.55	350.00	Horizontal	Horizontal	Pass
412.956	-67.46	-7.85	-13.0	-54.46	249.00	Horizontal	Horizontal	Pass
1745.400	-38.18	3.26	-13.0	-25.18	206.00	Horizontal	Horizontal	N/A
2149.100	-35.40	4.54	-13.0	-22.40	251.00	Horizontal	Horizontal	N/A
4990.250	-33.98	21.02	-13.0	-20.98	111.00	Horizontal	Horizontal	Pass
18701.687	-33.69	21.74	-13.0	-20.69	13.00	Horizontal	Horizontal	Pass

62 NR_DC_13A_n66A

62.1 NR_DC_13A_n66A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n66A 10MHz(CH23230)+5MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.478	-67.41	-16.00	-13.0	-54.41	360.00	Vertical	Horizontal	Pass
752.650	-52.79	4.29	-13.0	-39.79	205.00	Vertical	Horizontal	Pass
1745.300	-27.99	3.26	-13.0	-14.99	344.00	Vertical	Horizontal	N/A
2145.000	-32.34	4.49	-13.0	-19.34	333.00	Vertical	Horizontal	N/A
7177.000	-38.79	15.58	-13.0	-25.79	290.00	Vertical	Horizontal	Pass
18148.938	-33.54	23.74	-13.0	-20.54	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n66A 10MHz(CH23230)+5MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
129.279	-66.27	-16.00	-13.0	-53.27	18.00	Horizontal	Horizontal	Pass
755.318	-53.74	4.61	-13.0	-40.74	30.00	Horizontal	Horizontal	Pass
1310.900	-50.09	1.99	-13.0	-37.09	299.00	Horizontal	Horizontal	Pass
2145.400	-33.99	4.49	-13.0	-20.99	246.00	Horizontal	Horizontal	N/A
4950.000	-43.56	11.30	-13.0	-30.56	0.00	Horizontal	Horizontal	Pass
17889.749	-34.01	23.35	-13.0	-21.01	240.00	Horizontal	Horizontal	Pass

62.2 NR_DC_13A_n66A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n66A 10MHz(CH23230)+15MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
127.728	-66.16	-15.94	-13.0	-53.16	0.00	Vertical	Horizontal	Pass
754.590	-53.39	4.56	-13.0	-40.39	144.00	Vertical	Horizontal	Pass
1745.300	-29.49	3.26	-13.0	-16.49	340.00	Vertical	Horizontal	N/A
2149.500	-36.24	4.55	-13.0	-23.24	331.00	Vertical	Horizontal	N/A
7472.750	-37.81	15.63	-13.0	-24.81	223.00	Vertical	Horizontal	Pass
18179.875	-33.00	23.45	-13.0	-20.00	215.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n66A 10MHz(CH23230)+15MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
123.411	-67.91	-15.97	-13.0	-54.91	360.00	Horizontal	Horizontal	Pass
753.377	-52.54	4.40	-13.0	-39.54	25.00	Horizontal	Horizontal	Pass
1745.300	-33.97	3.26	-13.0	-20.97	304.00	Horizontal	Horizontal	N/A
2147.400	-34.97	4.50	-13.0	-21.97	253.00	Horizontal	Horizontal	N/A
4433.750	-45.31	9.28	-13.0	-32.31	64.00	Horizontal	Horizontal	Pass
18449.375	-32.89	22.06	-13.0	-19.89	307.00	Horizontal	Horizontal	Pass

63.3 NR_DC_13A_n66A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n66A 10MHz(CH23230)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.753	-67.67	-15.28	-13.0	-54.67	147.00	Vertical	Horizontal	Pass
752.068	-53.12	4.17	-13.0	-40.12	26.00	Vertical	Horizontal	Pass
1745.300	-31.88	3.26	-13.0	-18.88	0.00	Vertical	Horizontal	N/A
2139.700	-38.21	4.62	-13.0	-25.21	332.00	Vertical	Horizontal	N/A
7202.000	-38.50	16.31	-13.0	-25.50	67.00	Vertical	Horizontal	Pass
18151.688	-33.36	23.81	-13.0	-20.36	76.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n66A 10MHz(CH23230)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.478	-66.36	-16.00	-13.0	-53.36	354.00	Horizontal	Horizontal	Pass
755.366	-53.07	4.61	-13.0	-40.07	32.00	Horizontal	Horizontal	Pass
1745.300	-37.81	3.26	-13.0	-24.81	312.00	Horizontal	Horizontal	N/A
2149.000	-35.94	4.54	-13.0	-22.94	253.00	Horizontal	Horizontal	N/A
7027.000	-38.99	14.73	-13.0	-25.99	167.00	Horizontal	Horizontal	Pass
18461.749	-33.64	21.96	-13.0	-20.64	190.00	Horizontal	Horizontal	Pass

64 NR_DC_5A_n2A

64.1 NR_DC_5A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n2A 10MHz(CH20525)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.074	-70.62	-15.08	-13.0	-57.62	226.00	Vertical	Horizontal	Pass
833.694	-51.73	6.34	-13.0	-38.73	183.00	Vertical	Horizontal	Pass
882.290	-45.24	7.59	-13.0	-32.24	273.00	Vertical	Horizontal	Pass
1958.900	-32.62	4.13	-13.0	-19.62	199.00	Vertical	Horizontal	Pass
7199.000	-38.26	16.04	-13.0	-25.26	0.00	Vertical	Horizontal	Pass
17894.214	-41.38	15.69	-13.0	-28.38	134.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n2A 10MHz(CH20525)+5MHz(CH376000)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
126.030	-65.16	-15.75	-13.0	-52.16	4.00	Horizontal	Horizontal	Pass
833.596	-56.19	6.34	-13.0	-43.19	148.00	Horizontal	Horizontal	N/A
881.660	-53.17	7.67	-13.0	-40.17	211.00	Horizontal	Horizontal	Pass
1958.800	-32.33	4.13	-13.0	-19.33	257.00	Horizontal	Horizontal	N/A
7114.750	-38.94	15.66	-13.0	-25.94	294.00	Horizontal	Horizontal	Pass
12542.900	-43.00	12.25	-13.0	-30.00	336.00	Horizontal	Horizontal	Pass

64.2 NR_DC_5A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n2A 10MHz(CH20525)+15MHz(CH376000)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.700	-66.44	-14.57	-13.0	-53.44	231.00	Vertical	Horizontal	Pass
833.354	-52.54	6.33	-13.0	-39.54	275.00	Vertical	Horizontal	N/A
885.782	-44.89	7.49	-13.0	-31.89	195.00	Vertical	Horizontal	Pass
1961.100	-35.92	4.23	-13.0	-22.92	199.00	Vertical	Horizontal	N/A
7241.750	-37.84	16.22	-13.0	-24.84	0.00	Vertical	Horizontal	Pass
17890.275	-41.64	15.60	-13.0	-28.64	209.00	Vertical	Horizontal	Pass


RSE-H&H NR_DC_5A_n2A 10MHz(CH20525)+15MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
127.534	-65.53	-15.78	-13.0	-52.53	0.00	Horizontal	Horizontal	Pass
410.677	-63.32	-4.25	-13.0	-50.32	208.00	Horizontal	Horizontal	Pass
881.321	-53.81	7.70	-13.0	-40.81	201.00	Horizontal	Horizontal	Pass
1962.900	-36.22	4.46	-13.0	-23.22	251.00	Horizontal	Horizontal	N/A
7647.750	-38.11	15.75	-13.0	-25.11	311.00	Horizontal	Horizontal	Pass
17867.700	-40.92	15.81	-13.0	-27.92	0.00	Horizontal	Horizontal	Pass

64.3 NR_DC_5A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n2A 10MHz(CH20525)+20MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.324	-65.96	-14.78	-13.0	-52.96	252.00	Vertical	Horizontal	Pass
833.596	-52.19	6.34	-13.0	-39.19	168.00	Vertical	Horizontal	Pass
883.358	-44.52	7.53	-13.0	-31.52	13.00	Vertical	Horizontal	Pass
1956.700	-40.47	4.11	-13.0	-27.47	264.00	Vertical	Horizontal	N/A
6734.250	-39.15	15.12	-13.0	-26.15	333.00	Vertical	Horizontal	Pass
18032.400	-41.73	14.11	-13.0	-28.73	317.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n2A 10MHz(CH20525)+20MHz(CH376000)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.314	-66.64	-15.72	-13.0	-53.64	316.00	Horizontal	Horizontal	Pass
404.420	-64.78	-4.62	-13.0	-51.78	192.00	Horizontal	Horizontal	Pass
880.156	-54.35	7.83	-13.0	-41.35	147.00	Horizontal	Horizontal	Pass
1959.900	-37.91	4.15	-13.0	-24.91	246.00	Horizontal	Horizontal	N/A
7200.500	-38.04	16.21	-13.0	-25.04	12.00	Horizontal	Horizontal	Pass
17870.588	-42.14	15.62	-13.0	-29.14	0.00	Horizontal	Horizontal	Pass

65 NR_DC_12A_n2A

65.1 NR_DC_12A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n2A 10MHz(CH23095)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.934	-67.86	-15.42	-13.0	-54.86	282.00	Vertical	Horizontal	Pass
403.693	-62.52	-4.53	-13.0	-49.52	168.00	Vertical	Horizontal	Pass
1296.300	-50.78	1.76	-13.0	-37.78	169.00	Vertical	Horizontal	Pass
1960.900	-34.62	4.20	-13.0	-21.62	199.00	Vertical	Horizontal	N/A
7083.750	-38.37	15.59	-13.0	-25.37	144.00	Vertical	Horizontal	Pass
13549.563	-36.25	18.99	-13.0	-23.25	207.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n2A 10MHz(CH23095)+5MHz(CH376000)

RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.041	-65.58	-15.77	-13.0	-52.58	0.00	Horizontal	Horizontal	Pass
393.168	-64.57	-4.82	-13.0	-51.57	293.00	Horizontal	Horizontal	Pass
1300.900	-50.03	1.97	-13.0	-37.03	102.00	Horizontal	Horizontal	Pass
1959.000	-32.85	4.13	-13.0	-19.85	245.00	Horizontal	Horizontal	N/A
7912.250	-35.69	16.91	-13.0	-22.69	290.00	Horizontal	Horizontal	Pass
17893.876	-33.74	23.49	-13.0	-20.74	327.00	Horizontal	Horizontal	Pass

65.2 NR_DC_12A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n2A 10MHz(CH23095)+15MHz(CH376000)


RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.314	-68.66	-15.65	-13.0	-55.66	260.00	Vertical	Horizontal	Pass
406.457	-62.95	-4.35	-13.0	-49.95	179.00	Vertical	Horizontal	Pass
1168.000	-50.78	1.52	-13.0	-37.78	165.00	Vertical	Horizontal	Pass
1956.200	-38.86	4.12	-13.0	-25.86	228.00	Vertical	Horizontal	N/A
6579.750	-39.05	14.03	-13.0	-26.05	149.00	Vertical	Horizontal	Pass
12758.250	-36.65	18.97	-13.0	-23.65	165.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n2A 10MHz(CH23095)+15MHz(CH376000)

RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.381	-68.13	-15.80	-13.0	-55.13	188.00	Horizontal	Horizontal	Pass
389.239	-65.20	-5.03	-13.0	-52.20	294.00	Horizontal	Horizontal	Pass
1202.900	-50.01	2.28	-13.0	-37.01	341.00	Horizontal	Horizontal	Pass
1963.900	-36.71	4.65	-13.0	-23.71	246.00	Horizontal	Horizontal	N/A
6571.500	-38.72	13.75	-13.0	-25.72	158.00	Horizontal	Horizontal	Pass
18412.937	-32.91	22.77	-13.0	-19.91	164.00	Horizontal	Horizontal	Pass

65.3 NR_DC_12A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n2A 10MHz(CH23095)+20MHz(CH376000)


RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.717	-68.01	-15.18	-13.0	-55.01	255.00	Vertical	Horizontal	Pass
396.466	-62.72	-4.78	-13.0	-49.72	174.00	Vertical	Horizontal	Pass
1205.600	-49.97	2.18	-13.0	-36.97	206.00	Vertical	Horizontal	Pass
1963.900	-38.84	4.65	-13.0	-25.84	272.00	Vertical	Horizontal	N/A
7174.500	-38.19	15.59	-13.0	-25.19	360.00	Vertical	Horizontal	Pass
15072.375	-36.30	19.64	-13.0	-23.30	158.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n2A 10MHz(CH23095)+20MHz(CH376000)

RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.111	-68.80	-15.93	-13.0	-55.80	356.00	Horizontal	Horizontal	Pass
400.589	-64.49	-4.64	-13.0	-51.49	296.00	Horizontal	Horizontal	Pass
1201.500	-50.40	2.37	-13.0	-37.40	70.00	Horizontal	Horizontal	Pass
1962.100	-38.08	4.35	-13.0	-25.08	246.00	Horizontal	Horizontal	N/A
7168.000	-38.78	15.45	-13.0	-25.78	4.00	Horizontal	Horizontal	Pass
17896.624	-33.26	23.63	-13.0	-20.26	0.00	Horizontal	Horizontal	Pass

66 NR_DC_30A_n2A

66.1 NR_DC_30A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_30A_n2A 10MHz(CH27710)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.153	-66.69	-17.05	-13.0	-53.69	248.00	Vertical	Horizontal	Pass
407.863	-62.15	-7.88	-13.0	-49.15	168.00	Vertical	Horizontal	Pass
1210.700	-51.42	1.00	-13.0	-38.42	109.00	Vertical	Horizontal	Pass
1961.200	-33.57	3.72	-13.0	-20.57	196.00	Vertical	Horizontal	N/A
7080.750	-38.59	15.60	-13.0	-25.59	360.00	Vertical	Horizontal	Pass
17861.401	-41.49	15.54	-13.0	-28.49	287.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n2A 10MHz(CH27710)+5MHz(CH376000)


RSE(5G NSA FCC)_NSA_2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.448	-66.08	-17.51	-13.0	-53.08	0.00	Horizontal	Horizontal	Pass
411.743	-65.28	-7.84	-13.0	-52.28	195.00	Horizontal	Horizontal	Pass
1201.900	-51.06	1.54	-13.0	-38.06	360.00	Horizontal	Horizontal	Pass
1959.700	-32.68	3.65	-13.0	-19.68	240.00	Horizontal	Horizontal	N/A
7203.750	-37.70	16.41	-13.0	-24.70	326.00	Horizontal	Horizontal	Pass
17871.114	-41.97	15.66	-13.0	-28.97	322.00	Horizontal	Horizontal	Pass

66.2 NR_DC_30A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel


RSE-V&H NR_DC_30A_n2A 10MHz(CH27710)+15MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.825	-67.19	-17.24	-13.0	-54.19	6.00	Vertical	Horizontal	Pass
402.577	-63.12	-8.10	-13.0	-50.12	165.00	Vertical	Horizontal	Pass
1202.400	-51.73	1.54	-13.0	-38.73	191.00	Vertical	Horizontal	Pass
1960.600	-37.37	3.65	-13.0	-24.37	203.00	Vertical	Horizontal	N/A
7164.250	-38.12	15.32	-13.0	-25.12	136.00	Vertical	Horizontal	Pass
17809.687	-41.78	15.21	-13.0	-28.78	360.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n2A 10MHz(CH27710)+15MHz(CH376000)

RSE(5G NSA FCC_NSA 2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.108	-67.63	-17.50	-13.0	-54.63	351.00	Horizontal	Horizontal	Pass
408.785	-65.97	-7.83	-13.0	-52.97	171.00	Horizontal	Horizontal	Pass
872.542	-63.57	2.45	-13.0	-50.57	0.00	Horizontal	Horizontal	Pass
1955.800	-35.79	3.67	-13.0	-22.79	244.00	Horizontal	Horizontal	N/A
7608.750	-37.41	15.71	-13.0	-24.41	289.00	Horizontal	Horizontal	Pass
17624.099	-42.17	14.75	-13.0	-29.17	0.00	Horizontal	Horizontal	Pass

66.3 NR_DC_30A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n2A 10MHz(CH27710)+20MHz(CH376000)


RSE(5G NSA FCC_NSA 2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.414	-69.33	-16.99	-13.0	-56.33	39.00	Vertical	Horizontal	Pass
403.693	-62.91	-8.08	-13.0	-49.91	180.00	Vertical	Horizontal	Pass
1183.500	-51.88	0.89	-13.0	-38.88	328.00	Vertical	Horizontal	Pass
1961.700	-38.46	3.79	-13.0	-25.46	198.00	Vertical	Horizontal	N/A
7256.750	-37.99	15.88	-13.0	-24.99	151.00	Vertical	Horizontal	Pass
17947.501	-41.12	15.38	-13.0	-28.12	273.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n2A 10MHz(CH27710)+20MHz(CH376000)

RSE(5G NSA FCC)_NSA_2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.963	-64.24	-17.50	-13.0	-51.24	0.00	Horizontal	Horizontal	Pass
408.834	-65.62	-7.83	-13.0	-52.62	168.00	Horizontal	Horizontal	Pass
1215.100	-51.74	0.73	-13.0	-38.74	153.00	Horizontal	Horizontal	Pass
1968.900	-37.78	5.00	-13.0	-24.78	247.00	Horizontal	Horizontal	N/A
7201.750	-37.86	16.29	-13.0	-24.86	239.00	Horizontal	Horizontal	Pass
17897.886	-41.01	15.75	-13.0	-28.01	244.00	Horizontal	Horizontal	Pass

67 NR_DC_66A_n2A

67.1 NR_DC_66A_n2A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n2A 20MHz(CH132322)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.222	-67.05	-16.36	-13.0	-54.05	206.00	Vertical	Horizontal	Pass
407.718	-67.78	-7.88	-13.0	-54.78	169.00	Vertical	Horizontal	Pass
1958.600	-35.18	3.58	-13.0	-22.18	105.00	Vertical	Horizontal	N/A
2152.600	-34.56	4.25	-13.0	-21.56	143.00	Vertical	Horizontal	N/A
7166.250	-39.68	15.37	-13.0	-26.68	295.00	Vertical	Horizontal	Pass
18089.812	-38.31	23.65	-13.0	-25.31	253.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n2A 20MHz(CH132322)+5MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.781	-66.97	-17.61	-13.0	-53.97	141.00	Horizontal	Horizontal	Pass
361.789	-68.13	-10.27	-13.0	-55.13	357.00	Horizontal	Horizontal	Pass
1961.200	-33.19	3.73	-13.0	-20.19	281.00	Horizontal	Horizontal	N/A
2152.300	-41.83	4.24	-13.0	-28.83	237.00	Horizontal	Horizontal	N/A
7190.250	-40.07	15.36	-13.0	-27.07	0.00	Horizontal	Horizontal	Pass
18128.312	-37.35	23.92	-13.0	-24.35	239.00	Horizontal	Horizontal	Pass

67.2 NR_DC_66A_n2A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n2A 20MHz(CH132322)+15MHz(CH376000)


RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.516	-67.06	-17.34	-13.0	-54.06	252.00	Vertical	Horizontal	Pass
395.642	-67.55	-8.44	-13.0	-54.55	168.00	Vertical	Horizontal	Pass
1955.300	-38.66	3.54	-13.0	-25.66	118.00	Vertical	Horizontal	N/A
2152.700	-33.34	4.26	-13.0	-20.34	345.00	Vertical	Horizontal	N/A
7407.250	-40.23	15.47	-13.0	-27.23	104.00	Vertical	Horizontal	Pass
18104.250	-37.46	23.63	-13.0	-24.46	58.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n2A 20MHz(CH132322)+15MHz(CH376000)


RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.720	-67.76	-17.50	-13.0	-54.76	354.00	Horizontal	Horizontal	Pass
390.452	-68.02	-8.68	-13.0	-55.02	239.00	Horizontal	Horizontal	Pass
1954.400	-37.06	3.57	-13.0	-24.06	280.00	Horizontal	Horizontal	N/A
2152.800	-44.29	4.26	-13.0	-31.29	30.00	Horizontal	Horizontal	N/A
6891.250	-40.34	14.34	-13.0	-27.34	360.00	Horizontal	Horizontal	Pass
18150.312	-38.02	23.79	-13.0	-25.02	2.00	Horizontal	Horizontal	Pass

67.3 NR_DC_66A_n2A 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n2A 20MHz(CH132322)+20MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.049	-67.10	-17.31	-13.0	-54.10	0.00	Vertical	Horizontal	Pass
391.228	-67.89	-8.65	-13.0	-54.89	0.00	Vertical	Horizontal	Pass
1952.400	-40.17	3.66	-13.0	-27.17	331.00	Vertical	Horizontal	N/A
2152.900	-34.40	4.26	-13.0	-21.40	199.00	Vertical	Horizontal	N/A
7238.750	-40.64	16.27	-13.0	-27.64	78.00	Vertical	Horizontal	Pass
18170.937	-37.50	23.37	-13.0	-24.50	53.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n2A 20MHz(CH132322)+20MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.220	-66.44	-17.01	-13.0	-53.44	68.00	Horizontal	Horizontal	Pass
406.845	-67.58	-7.93	-13.0	-54.58	239.00	Horizontal	Horizontal	Pass
1953.400	-38.75	3.62	-13.0	-25.75	284.00	Horizontal	Horizontal	N/A
2158.600	-44.88	4.36	-13.0	-31.88	304.00	Horizontal	Horizontal	N/A
7243.500	-40.06	16.22	-13.0	-27.06	287.00	Horizontal	Horizontal	Pass
18143.437	-38.00	23.64	-13.0	-25.00	316.00	Horizontal	Horizontal	Pass

68 NR_DC_14A_n2A

68.1 NR_DC_14A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n2A 10MHz(CH233330)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.167	-65.32	-14.87	-13.0	-52.32	216.00	Vertical	Horizontal	Pass
759.198	-44.98	4.24	-13.0	-31.98	233.00	Vertical	Horizontal	N/A
1586.000	-35.61	0.74	-13.0	-22.61	182.00	Vertical	Horizontal	Pass
1959.000	-35.29	2.90	-13.0	-22.29	130.00	Vertical	Horizontal	N/A
4745.750	-44.81	10.36	-13.0	-31.81	49.00	Vertical	Horizontal	Pass
13532.375	-38.83	19.43	-13.0	-25.83	31.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n2A 10MHz(CH233330)+5MHz(CH376000)


RSE(5G NSA FCC_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.788	-66.14	-15.71	-13.0	-53.14	145.00	Horizontal	Horizontal	Pass
758.906	-56.09	4.27	-13.0	-43.09	196.00	Horizontal	Horizontal	N/A
1579.500	-50.48	0.67	-13.0	-37.48	46.00	Horizontal	Horizontal	Pass
1959.800	-36.66	2.92	-13.0	-23.66	46.00	Horizontal	Horizontal	N/A
6840.000	-40.88	14.96	-13.0	-27.88	189.00	Horizontal	Horizontal	Pass
12781.625	-38.70	18.92	-13.0	-25.70	233.00	Horizontal	Horizontal	Pass

68.2 NR_DC_14A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n2A 10MHz(CH23330)+15MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.093	-67.35	-15.24	-13.0	-54.35	360.00	Vertical	Horizontal	Pass
759.052	-44.54	4.26	-13.0	-31.54	231.00	Vertical	Horizontal	N/A
1581.200	-36.15	0.71	-13.0	-23.15	187.00	Vertical	Horizontal	Pass
1957.600	-40.58	2.87	-13.0	-27.58	238.00	Vertical	Horizontal	N/A
7179.500	-40.34	15.53	-13.0	-27.34	74.00	Vertical	Horizontal	Pass
12837.313	-38.62	18.16	-13.0	-25.62	158.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n2A 10MHz(CH233330)+15MHz(CH376000)

RSE(5G NSA FCC_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.971	-70.05	-15.53	-13.0	-57.05	131.00	Horizontal	Horizontal	Pass
758.858	-56.72	4.28	-13.0	-43.72	232.00	Horizontal	Horizontal	N/A
1586.200	-49.65	0.74	-13.0	-36.65	50.00	Horizontal	Horizontal	Pass
1956.300	-37.24	2.89	-13.0	-24.24	306.00	Horizontal	Horizontal	N/A
7258.500	-40.27	15.77	-13.0	-27.27	297.00	Horizontal	Horizontal	Pass
12753.438	-38.59	18.97	-13.0	-25.59	340.00	Horizontal	Horizontal	Pass

68.3 NR_DC_14A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n2A 10MHz(CH23330)+20MHz(CH376000)


RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.652	-66.68	-14.81	-13.0	-53.68	240.00	Vertical	Horizontal	Pass
760.555	-43.86	4.00	-13.0	-30.86	184.00	Vertical	Horizontal	N/A
1586.100	-35.87	0.74	-13.0	-22.87	183.00	Vertical	Horizontal	Pass
1956.600	-42.16	2.88	-13.0	-29.16	327.00	Vertical	Horizontal	N/A
6656.250	-40.34	14.25	-13.0	-27.34	105.00	Vertical	Horizontal	Pass
12750.000	-50.72	19.01	-13.0	-37.72	246.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n2A 10MHz(CH233330)+20MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.971	-68.15	-15.53	-13.0	-55.15	113.00	Horizontal	Horizontal	Pass
760.701	-56.57	4.00	-13.0	-43.57	221.00	Horizontal	Horizontal	N/A
1583.200	-49.10	0.75	-13.0	-36.10	300.00	Horizontal	Horizontal	Pass
1960.900	-38.08	2.96	-13.0	-25.08	305.00	Horizontal	Horizontal	N/A
7196.750	-40.56	15.83	-13.0	-27.56	8.00	Horizontal	Horizontal	Pass
12767.188	-38.69	18.88	-13.0	-25.69	216.00	Horizontal	Horizontal	Pass

69 NR_DC_13A_n2A

69.1 NR_DC_13A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n2A 10MHz(CH23230)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.906	-65.38	-15.00	-13.0	-52.38	265.00	Vertical	Horizontal	Pass
750.322	-42.21	3.91	-13.0	-29.21	233.00	Vertical	Horizontal	N/A
1563.900	-34.41	0.31	-13.0	-21.41	125.00	Vertical	Horizontal	Pass
1959.300	-36.92	2.91	-13.0	-23.92	130.00	Vertical	Horizontal	N/A
6658.750	-40.74	14.21	-13.0	-27.74	266.00	Vertical	Horizontal	Pass
12750.000	-52.16	19.01	-13.0	-39.16	191.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n2A 10MHz(CH23230)+5MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.534	-65.44	-15.56	-13.0	-52.44	146.00	Horizontal	Horizontal	Pass
747.800	-55.66	3.80	-13.0	-42.66	269.00	Horizontal	Horizontal	N/A
1565.400	-49.87	0.36	-13.0	-36.87	313.00	Horizontal	Horizontal	Pass
1959.400	-32.69	2.91	-13.0	-19.69	309.00	Horizontal	Horizontal	N/A
7202.000	-40.37	16.31	-13.0	-27.37	49.00	Horizontal	Horizontal	Pass
12780.937	-38.76	18.91	-13.0	-25.76	359.00	Horizontal	Horizontal	Pass

69.2 NR_DC_13A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n2A 10MHz(CH23230)+15MHz(CH376000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.243	-66.67	-15.59	-13.0	-53.67	0.00	Vertical	Horizontal	Pass
394.526	-67.19	-5.55	-13.0	-54.19	0.00	Vertical	Horizontal	Pass
746.830	-42.29	3.84	-13.0	-29.29	201.00	Vertical	Horizontal	N/A
1563.900	-35.15	0.31	-13.0	-22.15	138.00	Vertical	Horizontal	Pass
4395.000	-46.58	9.00	-13.0	-33.58	0.00	Vertical	Horizontal	Pass
12756.187	-38.95	18.98	-13.0	-25.95	28.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n2A 10MHz(CH23230)+15MHz(CH376000)

RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.310	-68.18	-15.50	-13.0	-55.18	267.00	Horizontal	Horizontal	Pass
746.976	-55.33	3.84	-13.0	-42.33	267.00	Horizontal	Horizontal	N/A
1563.600	-50.36	0.31	-13.0	-37.36	311.00	Horizontal	Horizontal	Pass
1961.300	-37.04	3.01	-13.0	-24.04	311.00	Horizontal	Horizontal	N/A
7311.000	-40.49	15.56	-13.0	-27.49	229.00	Horizontal	Horizontal	Pass
12756.187	-39.05	18.98	-13.0	-26.05	332.00	Horizontal	Horizontal	Pass

69.3 NR_DC_13A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n2A 10MHz(CH23230)+20MHz(CH376000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.585	-65.66	-14.93	-13.0	-52.66	271.00	Vertical	Horizontal	Pass
752.941	-42.65	4.33	-13.0	-29.65	51.00	Vertical	Horizontal	N/A
1563.700	-34.46	0.31	-13.0	-21.46	126.00	Vertical	Horizontal	Pass
1953.000	-40.53	3.06	-13.0	-27.53	113.00	Vertical	Horizontal	N/A
6856.750	-40.50	14.96	-13.0	-27.50	102.00	Vertical	Horizontal	Pass
12755.500	-39.31	18.98	-13.0	-26.31	343.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n2A 10MHz(CH23230)+20MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
154.014	-70.15	-15.17	-13.0	-57.15	280.00	Horizontal	Horizontal	Pass
748.721	-56.04	3.81	-13.0	-43.04	268.00	Horizontal	Horizontal	N/A
1565.500	-50.09	0.37	-13.0	-37.09	309.00	Horizontal	Horizontal	Pass
1957.900	-38.96	2.87	-13.0	-25.96	304.00	Horizontal	Horizontal	N/A
6852.250	-41.16	14.90	-13.0	-28.16	356.00	Horizontal	Horizontal	Pass
15357.688	-39.09	19.73	-13.0	-26.09	14.00	Horizontal	Horizontal	Pass

70 NR_DC_2A_n30A

70.1 NR_DC_2A_n30A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n30A 20MHz(CH18900)+5MHz(CH462000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.389	-77.24	-25.28	-40.0	-37.24	306.00	Vertical	Vertical	Pass
388.172	-77.57	-16.88	-40.0	-37.57	144.00	Vertical	Vertical	Pass
1957.800	-46.78	-4.38	-40.0	-6.78	248.00	Vertical	Vertical	N/A
2310.600	-50.85	-1.32	-40.0	-10.85	85.00	Vertical	Vertical	N/A
7970.000	-45.18	17.31	-40.0	-5.18	348.00	Vertical	Vertical	Pass
16887.375	-46.48	17.94	-40.0	-6.48	360.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n30A 20MHz(CH18900)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.068	-78.82	-25.21	-40.0	-38.82	283.00	Horizontal	Vertical	Pass
346.317	-78.47	-17.97	-40.0	-38.47	0.00	Horizontal	Vertical	Pass
1956.800	-59.58	-4.37	-40.0	-19.58	148.00	Horizontal	Vertical	N/A
2310.200	-55.51	-1.33	-40.0	-15.51	164.00	Horizontal	Vertical	N/A
7993.000	-45.22	17.14	-40.0	-5.22	35.00	Horizontal	Vertical	Pass
16800.062	-45.95	17.46	-40.0	-5.95	27.00	Horizontal	Vertical	Pass

70.2 NR_DC_2A_n30A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n30A 20MHz(CH18900)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.642	-79.46	-25.39	-40.0	-39.46	347.00	Vertical	Vertical	Pass
1204.900	-67.34	-6.56	-40.0	-27.34	4.00	Vertical	Vertical	Pass
1957.700	-47.56	-4.38	-40.0	-7.56	126.00	Vertical	Vertical	N/A
2310.500	-52.71	-1.32	-40.0	-12.71	95.00	Vertical	Vertical	N/A
7920.250	-45.48	17.04	-40.0	-5.48	226.00	Vertical	Vertical	Pass
16889.437	-46.35	18.00	-40.0	-6.35	0.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n30A 20MHz(CH18900)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.559	-79.39	-24.98	-40.0	-39.39	275.00	Horizontal	Vertical	Pass
346.123	-79.09	-17.99	-40.0	-39.09	357.00	Horizontal	Vertical	Pass
1957.600	-59.22	-4.38	-40.0	-19.22	293.00	Horizontal	Vertical	N/A
2311.400	-56.71	-1.31	-40.0	-16.71	162.00	Horizontal	Vertical	N/A
7926.750	-45.44	17.18	-40.0	-5.44	30.00	Horizontal	Vertical	Pass
16648.125	-46.46	17.05	-40.0	-6.46	25.00	Horizontal	Vertical	Pass

71 NR_DC_5A_n30A

71.1 NR_DC_5A_n30A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n30A 10MHz(CH20525+5MHz(CH462000))


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.421	-68.47	-2.50	-40.0	-28.47	108.00	Vertical	Vertical	N/A
877.974	-48.72	-0.93	-40.0	-8.72	186.00	Vertical	Vertical	N/A
1673.700	-46.21	-6.86	-40.0	-6.21	89.00	Vertical	Vertical	Pass
2310.400	-49.83	-1.32	-40.0	-9.83	82.00	Vertical	Vertical	N/A
7789.750	-45.36	16.26	-40.0	-5.36	0.00	Vertical	Vertical	Pass
16889.437	-45.98	18.00	-40.0	-5.98	231.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_5A_n30A 10MHz(CH20525)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA 2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.814	-82.62	-23.47	-40.0	-42.62	250.00	Horizontal	Vertical	Pass
345.298	-78.51	-15.29	-40.0	-38.51	360.00	Horizontal	Vertical	Pass
878.556	-60.45	-0.92	-40.0	-20.45	242.00	Horizontal	Vertical	N/A
1672.700	-56.81	-6.81	-40.0	-16.81	281.00	Horizontal	Vertical	Pass
2310.700	-57.45	-1.32	-40.0	-17.45	76.00	Horizontal	Vertical	N/AS
7936.500	-45.29	17.15	-40.0	-5.29	305.00	Horizontal	Vertical	Pass

71.2 NR_DC_5A_n30A 10MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n30A 10MHz(CH20525)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.712	-66.69	-2.48	-40.0	-26.69	53.00	Vertical	Vertical	N/A
877.877	-47.55	-0.93	-40.0	-7.55	178.00	Vertical	Vertical	N/A
1672.700	-46.30	-6.81	-40.0	-6.30	125.00	Vertical	Vertical	Pass
2310.500	-50.87	-1.32	-40.0	-10.87	82.00	Vertical	Vertical	N/A
7991.000	-44.98	17.12	-40.0	-4.98	289.00	Vertical	Vertical	Pass
16890.125	-46.18	18.01	-40.0	-6.18	296.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_5A_n30A 10MHz(CH20525)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.335	-78.88	-23.23	-40.0	-38.88	114.00	Horizontal	Vertical	Pass
339.042	-79.17	-15.57	-40.0	-39.17	0.00	Horizontal	Vertical	Pass
884.764	-59.55	-0.56	-40.0	-19.55	132.00	Horizontal	Vertical	N/A
1676.400	-56.80	-7.00	-40.0	-16.80	271.00	Horizontal	Vertical	Pass
2310.700	-58.83	-1.32	-40.0	-18.83	148.00	Horizontal	Vertical	N/A
7867.750	-45.42	17.10	-40.0	-5.42	230.00	Horizontal	Vertical	Pass

72 NR_DC_12A_n30A

72.1 NR_DC_12A_n30A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n30A 10MHz(CH23095)+5MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
731.649	-74.63	-2.92	-40.0	-34.63	192.00	Vertical	Vertical	Pass
1415.000	-57.77	-7.63	-40.0	-17.77	57.00	Vertical	Vertical	Pass
2310.400	-49.65	-2.27	-40.0	-9.65	76.00	Vertical	Vertical	N/A
4998.250	-59.24	3.25	-40.0	-19.24	126.00	Vertical	Vertical	Pass
7857.250	-44.89	16.99	-40.0	-4.89	254.00	Vertical	Vertical	Pass
16800.750	-46.22	17.47	-40.0	-6.22	360.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_12A_n30A 10MHz(CH23095)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.532	-94.80	-20.25	-40.0	-54.80	0.00	Horizontal	Vertical	Pass
745.278	-75.27	-2.77	-40.0	-35.27	356.00	Horizontal	Vertical	Pass
1202.200	-66.01	-5.52	-40.0	-26.01	176.00	Horizontal	Vertical	Pass
2310.600	-56.73	-1.17	-40.0	-16.73	80.00	Horizontal	Vertical	N/A
7863.750	-45.20	17.07	-40.0	-5.20	122.00	Horizontal	Vertical	Pass
16312.625	-46.09	17.05	-40.0	-6.09	3.00	Horizontal	Vertical	Pass

72.2 NR_DC_12A_n30A 10MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n30A 10MHz(CH23095)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
739.894	-74.83	-2.53	-40.0	-34.83	20.00	Vertical	Vertical	Pass
1415.100	-58.07	-7.63	-40.0	-18.07	62.00	Vertical	Vertical	Pass
2310.800	-51.78	-2.26	-40.0	-11.78	71.00	Vertical	Vertical	N/A
4749.500	-60.68	2.48	-40.0	-20.68	1.00	Vertical	Vertical	Pass
7894.250	-45.30	16.75	-40.0	-5.30	207.00	Vertical	Vertical	Pass
15361.125	-46.46	16.65	-40.0	-6.46	94.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_12A_n30A 10MHz(CH23095)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
736.063	-75.51	-2.71	-40.0	-35.51	91.00	Horizontal	Vertical	Pass
1420.600	-66.40	-7.66	-40.0	-26.40	131.00	Horizontal	Vertical	Pass
2310.200	-59.79	-2.27	-40.0	-19.79	143.00	Horizontal	Vertical	N/A
5027.000	-59.02	3.03	-40.0	-19.02	62.00	Horizontal	Vertical	Pass
7970.500	-45.41	17.29	-40.0	-5.41	151.00	Horizontal	Vertical	Pass
16811.750	-46.10	17.51	-40.0	-6.10	332.00	Horizontal	Vertical	Pass

73 NR_DC_14A_n30A

73.1 NR_DC_14A_n30A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n30A 10MHz(CH23330)+5MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
760.216	-51.67	-3.95	-40.0	-11.67	76.00	Vertical	Vertical	N/A
1585.700	-47.48	-7.29	-40.0	-7.48	68.00	Vertical	Vertical	Pass
2310.400	-49.61	-2.27	-40.0	-9.61	81.00	Vertical	Vertical	N/A
4968.500	-59.79	2.71	-40.0	-19.79	79.00	Vertical	Vertical	Pass
7980.000	-45.41	17.16	-40.0	-5.41	86.00	Vertical	Vertical	Pass
16902.500	-46.93	17.88	-40.0	-6.93	0.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_14A_n30A 10MHz(CH233330)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
758.567	-60.23	-3.68	-40.0	-20.23	298.00	Horizontal	Vertical	N/A
1584.700	-58.62	-7.32	-40.0	-18.62	345.00	Horizontal	Vertical	Pass
2310.600	-57.50	-2.26	-40.0	-17.50	82.00	Horizontal	Vertical	N/A
4751.500	-60.20	2.44	-40.0	-20.20	151.00	Horizontal	Vertical	Pass
7750.750	-45.25	15.98	-40.0	-5.25	107.00	Horizontal	Vertical	Pass
16886.688	-46.41	17.91	-40.0	-6.41	21.00	Horizontal	Vertical	Pass

73.2 NR_DC_14A_n30A 10MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n30A 10MHz(CH23330)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
759.391	-59.34	-3.80	-40.0	-19.34	18.00	Horizontal	Vertical	N/A
1585.300	-58.27	-7.30	-40.0	-18.27	269.00	Horizontal	Vertical	Pass
2311.700	-59.50	-2.25	-40.0	-19.50	152.00	Horizontal	Vertical	N/A
4970.500	-59.79	2.70	-40.0	-19.79	334.00	Horizontal	Vertical	Pass
7877.250	-44.98	16.78	-40.0	-4.98	312.00	Horizontal	Vertical	Pass
16802.813	-46.02	17.52	-40.0	-6.02	66.00	Horizontal	Vertical	Pass

RSE-H&H NR_DC_14A_n30A 10MHz(CH23330)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
375.950	-78.79	-14.96	-40.0	-38.79	160.00	Vertical	Vertical	Pass
764.678	-51.18	-4.00	-40.0	-11.18	200.00	Vertical	Vertical	N/A
1585.900	-47.01	-7.30	-40.0	-7.01	75.00	Vertical	Vertical	Pass
2310.800	-51.59	-2.26	-40.0	-11.59	78.00	Vertical	Vertical	N/A
7937.000	-45.20	17.14	-40.0	-5.20	348.00	Vertical	Vertical	Pass
15267.625	-46.14	17.90	-40.0	-6.14	19.00	Vertical	Vertical	Pass

74 NR_DC_66A_n30A

74.1 NR_DC_66A_n30A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n30A 20MHz(CH132322)+5MHz(CH462000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.583	-76.55	-25.50	-40.0	-36.55	329.00	Vertical	Vertical	Pass
2156.900	-45.34	-3.55	-40.0	-5.34	0.00	Vertical	Vertical	N/A
2310.100	-52.49	-1.71	-40.0	-12.49	186.00	Vertical	Vertical	N/A
4997.750	-59.18	3.23	-40.0	-19.18	1.00	Vertical	Vertical	Pass
7933.250	-45.19	17.21	-40.0	-5.19	193.00	Vertical	Vertical	Pass
15357.688	-46.24	16.73	-40.0	-6.24	0.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n30A 20MHz(CH132322)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1193.700	-67.01	-6.83	-40.0	-27.01	51.00	Horizontal	Vertical	Pass
2158.700	-54.49	-3.41	-40.0	-14.49	156.00	Horizontal	Vertical	N/A
2310.400	-55.60	-1.70	-40.0	-15.60	160.00	Horizontal	Vertical	N/A
4950.750	-59.50	3.30	-40.0	-19.50	123.00	Horizontal	Vertical	Pass
7858.500	-45.46	17.01	-40.0	-5.46	257.00	Horizontal	Vertical	Pass
16825.500	-46.29	17.61	-40.0	-6.29	251.00	Horizontal	Vertical	Pass

74.2 NR_DC_66A_n30A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n30A 20MHz(CH132322)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
380.849	-78.40	-18.06	-40.0	-38.40	157.00	Vertical	Vertical	Pass
1202.700	-67.32	-6.47	-40.0	-27.32	110.00	Vertical	Vertical	Pass
2153.500	-45.56	-3.73	-40.0	-5.56	315.00	Vertical	Vertical	N/A
2310.800	-53.09	-1.70	-40.0	-13.09	93.00	Vertical	Vertical	N/A
7985.250	-45.38	17.17	-40.0	-5.38	313.00	Vertical	Vertical	Pass
16368.312	-46.43	17.01	-40.0	-6.43	156.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n30A 20MHz(CH132322)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1197.500	-66.54	-6.48	-40.0	-26.54	87.00	Horizontal	Vertical	Pass
2151.700	-53.57	-3.80	-40.0	-13.57	158.00	Horizontal	Vertical	N/A
2310.600	-56.67	-1.70	-40.0	-16.67	162.00	Horizontal	Vertical	N/A
4947.750	-59.77	3.31	-40.0	-19.77	194.00	Horizontal	Vertical	Pass
7116.750	-45.99	15.65	-40.0	-5.99	179.00	Horizontal	Vertical	Pass
15443.625	-46.38	16.54	-40.0	-6.38	360.00	Horizontal	Vertical	Pass

75 NR_DC_2A_n77A(3545-3550MHz)

75.1 NR_DC_2A_n77A(3545-3550MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.765	-66.91	-17.08	-13.0	-53.91	360.00	Vertical	Horizontal	Pass
375.078	-64.63	-9.88	-13.0	-51.63	360.00	Vertical	Horizontal	Pass
1854.300	-47.96	3.96	-13.0	-34.96	79.00	Vertical	Horizontal	Pass
3501.750	-38.43	13.33	-13.0	-25.43	216.00	Vertical	Horizontal	Pass
7122.000	-38.23	15.44	-13.0	-25.23	182.00	Vertical	Horizontal	Pass
11874.813	-42.17	11.72	-13.0	-29.17	210.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+20MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.623	-66.35	-17.50	-13.0	-53.35	350.00	Horizontal	Horizontal	Pass
370.906	-63.83	-9.94	-13.0	-50.83	141.00	Horizontal	Horizontal	Pass
1830.300	-48.69	3.45	-13.0	-35.69	163.00	Horizontal	Horizontal	Pass
3967.750	-40.43	14.76	-13.0	-27.43	350.00	Horizontal	Horizontal	Pass
7152.750	-38.21	15.38	-13.0	-25.21	217.00	Horizontal	Horizontal	Pass
12660.463	-42.56	12.08	-13.0	-29.56	360.00	Horizontal	Horizontal	Pass

75.2 NR_DC_2A_n77A(3545-3550MHz) 20MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.126	-66.22	-16.35	-13.0	-53.22	274.00	Vertical	Horizontal	Pass
375.078	-65.74	-9.88	-13.0	-52.74	325.00	Vertical	Horizontal	Pass
1568.400	-50.56	0.95	-13.0	-37.56	168.00	Vertical	Horizontal	Pass
3505.250	-38.76	13.35	-13.0	-25.76	173.00	Vertical	Horizontal	Pass
7253.000	-37.64	16.00	-13.0	-24.64	360.00	Vertical	Horizontal	Pass
17655.075	-40.39	15.34	-13.0	-27.39	95.00	Vertical	Horizontal	Pass


RSE-H&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+60MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.246	-66.60	-16.67	-13.0	-53.60	49.00	Horizontal	Horizontal	Pass
372.750	-63.93	-9.92	-13.0	-50.93	124.00	Horizontal	Horizontal	Pass
1617.900	-50.12	1.30	-13.0	-37.12	326.00	Horizontal	Horizontal	Pass
3371.000	-40.88	13.52	-13.0	-27.88	204.00	Horizontal	Horizontal	Pass
7859.250	-37.31	17.02	-13.0	-24.31	360.00	Horizontal	Horizontal	Pass
13400.475	-41.88	13.13	-13.0	-28.88	154.00	Horizontal	Horizontal	Pass


75.3 NR_DC_2A_n77A(3545-3550MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+100MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.444	-63.14	-17.03	-13.0	-50.14	269.00	Vertical	Horizontal	Pass
376.047	-65.58	-9.86	-13.0	-52.58	360.00	Vertical	Horizontal	Pass
1402.600	-50.37	1.48	-13.0	-37.37	64.00	Vertical	Horizontal	Pass
3475.250	-35.96	13.48	-13.0	-22.96	99.00	Vertical	Horizontal	Pass
5797.250	-33.12	19.75	-13.0	-20.12	196.00	Vertical	Horizontal	Pass
13395.488	-42.56	13.02	-13.0	-29.56	167.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+100MHz(CH633334)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.157	-64.65	-17.50	-13.0	-51.65	360.00	Horizontal	Horizontal	Pass
365.766	-63.04	-10.11	-13.0	-50.04	141.00	Horizontal	Horizontal	Pass
1832.600	-49.27	3.51	-13.0	-36.27	359.00	Horizontal	Horizontal	Pass
3521.250	-40.70	13.45	-13.0	-27.70	6.00	Horizontal	Horizontal	Pass
5777.000	-33.81	19.89	-13.0	-20.81	2.00	Horizontal	Horizontal	Pass
11956.513	-42.99	11.66	-13.0	-29.99	0.00	Horizontal	Horizontal	Pass

76 NR_DC_66A_n77A(3545-3550MHz)

76.1 NR_DC_66A_n77A(3545-3550MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.148	-65.43	-16.68	-13.0	-52.43	144.00	Vertical	Horizontal	Pass
370.906	-65.76	-9.94	-13.0	-52.76	360.00	Vertical	Horizontal	Pass
1283.200	-50.57	0.52	-13.0	-37.57	232.00	Vertical	Horizontal	Pass
2136.900	-39.25	4.31	-13.0	-26.25	199.00	Vertical	Horizontal	Pass
3502.750	-37.37	13.34	-13.0	-24.37	20.00	Vertical	Horizontal	Pass
13381.838	-42.61	13.22	-13.0	-29.61	53.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+20MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.697	-64.18	-17.65	-13.0	-51.18	21.00	Horizontal	Horizontal	Pass
374.981	-64.46	-9.89	-13.0	-51.46	123.00	Horizontal	Horizontal	Pass
1347.900	-50.75	-0.04	-13.0	-37.75	0.00	Horizontal	Horizontal	Pass
2138.300	-41.67	4.28	-13.0	-28.67	312.00	Horizontal	Horizontal	N/A
4778.250	-37.02	17.60	-13.0	-24.02	154.00	Horizontal	Horizontal	Pass
12830.850	-43.11	12.11	-13.0	-30.11	360.00	Horizontal	Horizontal	Pass


76.2 NR_DC_66A_n77A(3545-3550M) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+60MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.846	-66.31	-16.52	-13.0	-53.31	232.00	Vertical	Horizontal	Pass
374.738	-65.45	-9.89	-13.0	-52.45	2.00	Vertical	Horizontal	Pass
1180.600	-50.78	1.38	-13.0	-37.78	176.00	Vertical	Horizontal	Pass
2152.200	-39.11	4.21	-13.0	-26.11	212.00	Vertical	Horizontal	Pass
3490.500	-38.12	13.38	-13.0	-25.12	29.00	Vertical	Horizontal	Pass
13398.638	-41.69	13.09	-13.0	-28.69	293.00	Vertical	Horizontal	Pass


RSE-H&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+60MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.025	-65.18	-17.72	-13.0	-52.18	360.00	Horizontal	Horizontal	Pass
369.791	-64.42	-9.97	-13.0	-51.42	141.00	Horizontal	Horizontal	Pass
1201.500	-51.63	1.62	-13.0	-38.63	192.00	Horizontal	Horizontal	Pass
2142.900	-39.66	4.15	-13.0	-26.66	312.00	Horizontal	Horizontal	N/A
5074.250	-35.62	17.72	-13.0	-22.62	163.00	Horizontal	Horizontal	Pass
12678.038	-42.33	12.25	-13.0	-29.33	104.00	Horizontal	Horizontal	Pass


76.3 NR_DC_66A_n77A(3545-3550MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+100MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.070	-63.39	-16.59	-13.0	-50.39	258.00	Vertical	Horizontal	Pass
376.193	-65.75	-9.85	-13.0	-52.75	321.00	Vertical	Horizontal	Pass
1194.200	-51.57	1.23	-13.0	-38.57	358.00	Vertical	Horizontal	Pass
2142.700	-36.60	4.16	-13.0	-23.60	209.00	Vertical	Horizontal	N/A
3476.000	-37.45	13.47	-13.0	-24.45	12.00	Vertical	Horizontal	N/A
17919.676	-41.84	15.49	-13.0	-28.84	121.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+100MHz(CH633334)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
126.030	-65.20	-17.54	-13.0	-52.20	10.00	Horizontal	Horizontal	Pass
376.096	-63.63	-9.85	-13.0	-50.63	113.00	Horizontal	Horizontal	Pass
1206.900	-51.34	1.20	-13.0	-38.34	294.00	Horizontal	Horizontal	Pass
2149.900	-40.98	4.14	-13.0	-27.98	304.00	Horizontal	Horizontal	N/A
7876.250	-37.56	16.82	-13.0	-24.56	175.00	Horizontal	Horizontal	Pass
17854.050	-40.84	15.18	-13.0	-27.84	187.00	Horizontal	Horizontal	Pass

77 NR_DC_12A_n77A(3545-3550MHz)


77.1 NR_DC_12A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.374	-84.54	-12.24	-13.0	-71.54	76.00	Vertical	Horizontal	Pass
106.145	-86.15	-15.00	-13.0	-73.15	322.00	Vertical	Horizontal	Pass
1493.600	-54.57	-2.86	-13.0	-41.57	279.00	Vertical	Horizontal	Pass
3503.250	-37.43	13.34	-13.0	-24.43	18.00	Vertical	Horizontal	N/A
5796.750	-33.96	19.74	-13.0	-20.96	269.00	Vertical	Horizontal	Pass
11907.588	-41.90	11.78	-13.0	-28.90	156.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+20MHz(CH633334)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.811	-84.27	-12.30	-13.0	-71.27	10.00	Horizontal	Horizontal	Pass
742.028	-65.12	5.38	-13.0	-52.12	127.00	Horizontal	Horizontal	Pass
1200.500	-54.11	-1.74	-13.0	-41.11	100.00	Horizontal	Horizontal	Pass
3486.500	-40.75	13.41	-13.0	-27.75	0.00	Horizontal	Horizontal	N/A
5798.500	-34.21	19.78	-13.0	-21.21	166.00	Horizontal	Horizontal	Pass
17977.950	-41.54	15.08	-13.0	-28.54	44.00	Horizontal	Horizontal	Pass

77.2 NR_DC_12A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.573	-85.05	-13.19	-13.0	-72.05	238.00	Vertical	Horizontal	Pass
725.005	-64.81	4.87	-13.0	-51.81	44.00	Vertical	Horizontal	Pass
1219.500	-55.02	-2.70	-13.0	-42.02	327.00	Vertical	Horizontal	Pass
3500.000	-39.60	13.32	-13.0	-26.60	278.00	Vertical	Horizontal	N/A
7239.750	-37.35	16.27	-13.0	-24.35	326.00	Vertical	Horizontal	Pass
17895.526	-41.37	15.74	-13.0	-28.37	110.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+60MHz(CH633334)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.072	-84.41	-12.43	-13.0	-71.41	60.00	Horizontal	Horizontal	Pass
736.548	-64.73	5.31	-13.0	-51.73	338.00	Horizontal	Horizontal	Pass
1200.500	-54.95	-1.74	-13.0	-41.95	246.00	Horizontal	Horizontal	Pass
3472.750	-41.73	13.49	-13.0	-28.73	350.00	Horizontal	Horizontal	Pass
5797.750	-32.94	19.76	-13.0	-19.94	344.00	Horizontal	Horizontal	Pass
17934.113	-40.90	15.31	-13.0	-27.90	346.00	Horizontal	Horizontal	Pass

77.3 NR_DC_12A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.114	-84.34	-12.21	-13.0	-71.34	97.00	Vertical	Horizontal	Pass
736.596	-64.81	5.32	-13.0	-51.81	305.00	Vertical	Horizontal	Pass
1206.700	-54.54	-2.04	-13.0	-41.54	62.00	Vertical	Horizontal	Pass
3475.750	-37.72	13.47	-13.0	-24.72	107.00	Vertical	Horizontal	N/A
7853.500	-37.45	16.91	-13.0	-24.45	219.00	Vertical	Horizontal	Pass
17906.024	-41.23	15.51	-13.0	-28.23	294.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.053	-83.97	-12.32	-13.0	-70.97	242.00	Horizontal	Horizontal	Pass
744.502	-64.96	5.26	-13.0	-51.96	252.00	Horizontal	Horizontal	Pass
2277.500	-51.62	-0.28	-13.0	-38.62	278.00	Horizontal	Horizontal	Pass
5033.750	-36.80	17.78	-13.0	-23.80	218.00	Horizontal	Horizontal	Pass
9303.400	-44.39	10.17	-13.0	-31.39	20.00	Horizontal	Horizontal	Pass
17985.825	-41.09	14.70	-13.0	-28.09	359.00	Horizontal	Horizontal	Pass

78 NR_DC_14A_n77A(3545-3550MHz)

78.1 NR_DC_14A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+20MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.682	-62.07	-14.92	-13.0	-49.07	252.00	Vertical	Horizontal	Pass
379.006	-65.90	-6.89	-13.0	-52.90	332.00	Vertical	Horizontal	Pass
758.858	-38.04	4.28	-13.0	-25.04	144.00	Vertical	Horizontal	N/A
3500.750	-37.37	13.32	-13.0	-24.37	273.00	Vertical	Horizontal	N/A
7893.000	-36.91	16.72	-13.0	-23.91	96.00	Vertical	Horizontal	Pass
17887.912	-40.49	15.49	-13.0	-27.49	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+20MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
139.707	-67.25	-16.31	-13.0	-54.25	167.00	Horizontal	Horizontal	Pass
371.052	-63.31	-7.11	-13.0	-50.31	140.00	Horizontal	Horizontal	Pass
758.664	-46.09	4.30	-13.0	-33.09	14.00	Horizontal	Horizontal	N/A
3190.250	-41.44	11.36	-13.0	-28.44	0.00	Horizontal	Horizontal	Pass
12685.875	-41.44	12.17	-13.0	-28.44	360.00	Horizontal	Horizontal	Pass
17897.886	-41.20	15.75	-13.0	-28.20	97.00	Horizontal	Horizontal	Pass

78.2 NR_DC_14A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.372	-63.64	-15.06	-13.0	-50.64	286.00	Vertical	Horizontal	Pass
373.817	-64.24	-7.03	-13.0	-51.24	325.00	Vertical	Horizontal	Pass
763.805	-38.86	3.93	-13.0	-25.86	136.00	Vertical	Horizontal	N/A
3506.500	-39.25	13.36	-13.0	-26.25	0.00	Vertical	Horizontal	N/A
5969.250	-33.82	19.75	-13.0	-20.82	338.00	Vertical	Horizontal	Pass
17896.051	-41.60	15.79	-13.0	-28.60	187.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.346	-67.74	-16.04	-13.0	-54.74	0.00	Horizontal	Horizontal	Pass
368.821	-64.26	-7.20	-13.0	-51.26	140.00	Horizontal	Horizontal	Pass
759.391	-44.70	4.20	-13.0	-31.70	28.00	Horizontal	Horizontal	N/A
4241.750	-40.11	14.92	-13.0	-27.11	161.00	Horizontal	Horizontal	Pass
7800.500	-37.34	16.29	-13.0	-24.34	111.00	Horizontal	Horizontal	Pass
17645.625	-41.41	15.18	-13.0	-28.41	219.00	Horizontal	Horizontal	Pass

78.3 NR_DC_14A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.116	-64.55	-15.52	-13.0	-51.55	253.00	Vertical	Horizontal	Pass
375.029	-65.03	-6.99	-13.0	-52.03	335.00	Vertical	Horizontal	Pass
759.537	-39.11	4.17	-13.0	-26.11	164.00	Vertical	Horizontal	N/A
3477.000	-35.92	13.47	-13.0	-22.92	0.00	Vertical	Horizontal	Pass
7640.500	-37.85	15.80	-13.0	-24.85	114.00	Vertical	Horizontal	Pass
17860.874	-41.04	15.49	-13.0	-28.04	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.940	-66.97	-15.98	-13.0	-53.97	44.00	Horizontal	Horizontal	Pass
374.010	-63.83	-7.04	-13.0	-50.83	275.00	Horizontal	Horizontal	Pass
759.198	-46.31	4.24	-13.0	-33.31	26.00	Horizontal	Horizontal	N/A
3385.000	-41.11	13.47	-13.0	-28.11	312.00	Horizontal	Horizontal	Pass
7865.750	-36.62	17.09	-13.0	-23.62	290.00	Horizontal	Horizontal	Pass
17971.386	-40.72	15.37	-13.0	-27.72	354.00	Horizontal	Horizontal	Pass

79 NR_DC_13A_n77A(3545-3550MHz)

79.1 NR_DC_13A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+20MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.093	-64.56	-15.24	-13.0	-51.56	321.00	Vertical	Horizontal	Pass
372.992	-64.78	-7.05	-13.0	-51.78	354.00	Vertical	Horizontal	Pass
751.777	-37.87	4.11	-13.0	-24.87	144.00	Vertical	Horizontal	N/A
3503.250	-37.11	13.34	-13.0	-24.11	179.00	Vertical	Horizontal	N/A
7872.000	-36.89	16.98	-13.0	-23.89	0.00	Vertical	Horizontal	Pass
17894.738	-41.14	15.67	-13.0	-28.14	359.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+20MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.787	-65.06	-15.97	-13.0	-52.06	355.00	Horizontal	Horizontal	Pass
375.078	-63.96	-6.99	-13.0	-50.96	272.00	Horizontal	Horizontal	Pass
748.091	-43.48	3.80	-13.0	-30.48	33.00	Horizontal	Horizontal	N/A
1634.500	-54.75	-2.75	-13.0	-41.75	7.00	Horizontal	Horizontal	Pass
5061.500	-36.40	17.72	-13.0	-23.40	0.00	Horizontal	Horizontal	Pass
17898.676	-41.81	15.68	-13.0	-28.81	141.00	Horizontal	Horizontal	Pass

79.2 NR_DC_13A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.730	-63.23	-14.92	-13.0	-50.23	283.00	Vertical	Horizontal	Pass
377.017	-64.41	-6.94	-13.0	-51.41	333.00	Vertical	Horizontal	Pass
754.396	-38.59	4.54	-13.0	-25.59	128.00	Vertical	Horizontal	N/A
3506.000	-38.84	13.36	-13.0	-25.84	179.00	Vertical	Horizontal	N/A
7632.250	-37.53	15.95	-13.0	-24.53	129.00	Vertical	Horizontal	Pass
17859.564	-41.28	15.46	-13.0	-28.28	240.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.090	-64.83	-15.97	-13.0	-51.83	0.00	Horizontal	Horizontal	Pass
375.999	-63.93	-6.96	-13.0	-50.93	116.00	Horizontal	Horizontal	Pass
747.752	-43.24	3.81	-13.0	-30.24	19.00	Horizontal	Horizontal	Pass
5720.000	-35.03	19.06	-13.0	-22.03	0.00	Horizontal	Horizontal	Pass
11874.099	-43.20	11.70	-13.0	-30.20	346.00	Horizontal	Horizontal	Pass
17937.787	-41.71	15.24	-13.0	-28.71	274.00	Horizontal	Horizontal	Pass

79.3 NR_DC_13A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.973	-62.25	-14.89	-13.0	-49.25	251.00	Vertical	Horizontal	Pass
372.944	-65.04	-7.05	-13.0	-52.04	336.00	Vertical	Horizontal	Pass
747.073	-38.28	3.84	-13.0	-25.28	141.00	Vertical	Horizontal	N/A
3476.750	-36.38	13.47	-13.0	-23.38	11.00	Vertical	Horizontal	N/A
7890.750	-36.65	16.69	-13.0	-23.65	0.00	Vertical	Horizontal	Pass
17872.687	-41.29	15.67	-13.0	-28.29	66.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.817	-66.10	-15.99	-13.0	-53.10	13.00	Horizontal	Horizontal	Pass
379.054	-64.36	-6.89	-13.0	-51.36	120.00	Horizontal	Horizontal	Pass
749.255	-44.07	3.83	-13.0	-31.07	36.00	Horizontal	Horizontal	N/A
3475.750	-40.94	13.47	-13.0	-27.94	131.00	Horizontal	Horizontal	N/A
7640.250	-37.44	15.81	-13.0	-24.44	256.00	Horizontal	Horizontal	Pass
17928.073	-41.61	15.43	-13.0	-28.61	154.00	Horizontal	Horizontal	Pass

80 NR_DC_5A_n77A(3545-3550MHz)

80.1 NR_DC_5A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.694	-52.32	5.50	-13.0	-39.32	37.00	Vertical	Horizontal	N/A
884.861	-37.01	6.84	-13.0	-24.01	151.00	Vertical	Horizontal	N/A
1398.700	-53.72	-2.39	-13.0	-40.72	354.00	Vertical	Horizontal	Pass
3503.000	-36.38	13.34	-13.0	-23.38	17.00	Vertical	Horizontal	Pass
5984.000	-33.98	20.28	-13.0	-20.98	2.00	Vertical	Horizontal	Pass
11913.525	-41.11	11.52	-13.0	-28.11	336.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+20MHz(CH633334)

RSE(5G NSA FCC_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.977	-63.14	-15.36	-13.0	-50.14	159.00	Horizontal	Horizontal	Pass
833.742	-56.85	5.50	-13.0	-43.85	113.00	Horizontal	Horizontal	N/A
880.254	-43.77	6.98	-13.0	-30.77	204.00	Horizontal	Horizontal	N/A
3404.750	-41.30	13.44	-13.0	-28.30	346.00	Horizontal	Horizontal	Pass
7988.500	-37.69	17.16	-13.0	-24.69	200.00	Horizontal	Horizontal	Pass
17869.011	-40.65	15.74	-13.0	-27.65	274.00	Horizontal	Horizontal	Pass

80.2 NR_DC_5A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.500	-52.80	5.49	-13.0	-39.80	28.00	Vertical	Horizontal	N/A
882.582	-37.33	6.84	-13.0	-24.33	120.00	Vertical	Horizontal	N/A
1495.800	-54.31	-2.78	-13.0	-41.31	163.00	Vertical	Horizontal	Pass
3503.500	-39.80	13.34	-13.0	-26.80	56.00	Vertical	Horizontal	Pass
5752.750	-30.66	19.18	-13.0	-17.66	252.00	Vertical	Horizontal	Pass
7620.500	-37.17	15.71	-13.0	-24.17	9.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+60MHz(CH633334)

RSE(5G NSA FCC_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.545	-67.14	-15.97	-13.0	-54.14	360.00	Horizontal	Horizontal	Pass
833.548	-56.48	5.49	-13.0	-43.48	359.00	Horizontal	Horizontal	N/A
880.254	-42.92	6.98	-13.0	-29.92	203.00	Horizontal	Horizontal	N/A
3568.000	-41.86	13.57	-13.0	-28.86	194.00	Horizontal	Horizontal	Pass
7674.250	-37.21	15.98	-13.0	-24.21	166.00	Horizontal	Horizontal	Pass
17885.026	-40.39	15.41	-13.0	-27.39	195.00	Horizontal	Horizontal	Pass

80.3 NR_DC_5A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.820	-66.33	-15.20	-13.0	-53.33	208.00	Vertical	Horizontal	Pass
833.694	-52.80	5.50	-13.0	-39.80	15.00	Vertical	Horizontal	N/A
883.406	-37.29	6.81	-13.0	-24.29	130.00	Vertical	Horizontal	N/A
3475.750	-36.90	13.47	-13.0	-23.90	2.00	Vertical	Horizontal	Pass
7856.750	-37.56	17.00	-13.0	-24.56	360.00	Vertical	Horizontal	Pass
13494.450	-41.97	13.15	-13.0	-28.97	195.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.891	-65.58	-16.01	-13.0	-52.58	31.00	Horizontal	Horizontal	Pass
833.500	-57.06	5.49	-13.0	-44.06	129.00	Horizontal	Horizontal	N/A
883.358	-43.11	6.81	-13.0	-30.11	205.00	Horizontal	Horizontal	N/A
3543.250	-41.08	13.58	-13.0	-28.08	133.00	Horizontal	Horizontal	Pass
7958.500	-37.55	17.55	-13.0	-24.55	245.00	Horizontal	Horizontal	Pass
17886.599	-41.52	15.47	-13.0	-28.52	293.00	Horizontal	Horizontal	Pass

81 NR_DC_2A_n77A(3700-3980MHz)

81.1 NR_DC_2A_n77A(3700-3980MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.444	-70.86	-17.03	-13.0	-57.86	4.00	Vertical	Horizontal	Pass
383.177	-62.15	-9.40	-13.0	-49.15	348.00	Vertical	Horizontal	Pass
1958.300	-43.19	4.11	-13.0	-30.19	191.00	Vertical	Horizontal	N/A
3746.500	-40.45	13.47	-13.0	-27.45	189.00	Vertical	Horizontal	N/A
7915.500	-29.83	25.77	-13.0	-16.83	184.00	Vertical	Horizontal	Pass
18096.001	-34.68	23.58	-13.0	-21.68	275.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.474	-66.78	-17.10	-13.0	-53.78	285.00	Horizontal	Horizontal	Pass
373.283	-64.45	-9.90	-13.0	-51.45	174.00	Horizontal	Horizontal	Pass
1292.700	-49.85	1.76	-13.0	-36.85	171.00	Horizontal	Horizontal	Pass
1963.700	-38.79	4.61	-13.0	-25.79	220.00	Horizontal	Horizontal	N/A
3747.000	-40.82	13.47	-13.0	-27.82	260.00	Horizontal	Horizontal	Pass
18169.563	-35.07	23.37	-13.0	-22.07	291.00	Horizontal	Horizontal	Pass

81.2 NR_DC_2A_n77A(3700-3980MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.717	-68.66	-17.08	-13.0	-55.66	0.00	Vertical	Horizontal	Pass
373.041	-63.16	-9.91	-13.0	-50.16	339.00	Vertical	Horizontal	Pass
1957.700	-41.13	4.11	-13.0	-28.13	169.00	Vertical	Horizontal	N/A
3736.000	-39.88	13.52	-13.0	-26.88	192.00	Vertical	Horizontal	N/A
7283.000	-30.39	24.07	-13.0	-17.39	276.00	Vertical	Horizontal	Pass
18091.188	-35.23	23.75	-13.0	-22.23	208.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.656	-66.28	-16.96	-13.0	-53.28	148.00	Horizontal	Horizontal	Pass
374.205	-63.55	-9.89	-13.0	-50.55	179.00	Horizontal	Horizontal	Pass
1957.600	-38.66	4.10	-13.0	-25.66	55.00	Horizontal	Horizontal	N/A
3735.750	-40.29	13.52	-13.0	-27.29	273.00	Horizontal	Horizontal	N/A
7951.000	-30.67	26.24	-13.0	-17.67	203.00	Horizontal	Horizontal	Pass
18094.625	-35.23	23.69	-13.0	-22.23	4.00	Horizontal	Horizontal	Pass

81.3 NR_DC_2A_n77A(3700-3980MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.702	-71.35	-17.54	-13.0	-58.35	279.00	Vertical	Horizontal	Pass
378.230	-63.17	-9.79	-13.0	-50.17	360.00	Vertical	Horizontal	Pass
1967.700	-42.48	5.38	-13.0	-29.48	189.00	Vertical	Horizontal	Pass
5751.750	-31.84	19.12	-13.0	-18.84	217.00	Vertical	Horizontal	Pass
11162.787	-39.47	16.95	-13.0	-26.47	359.00	Vertical	Horizontal	Pass
18173.688	-35.60	23.46	-13.0	-22.60	178.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
123.945	-68.26	-17.43	-13.0	-55.26	0.00	Horizontal	Horizontal	Pass
377.260	-62.95	-9.81	-13.0	-49.95	176.00	Horizontal	Horizontal	Pass
1957.900	-38.63	4.11	-13.0	-25.63	279.00	Horizontal	Horizontal	N/A
4204.500	-40.71	15.19	-13.0	-27.71	5.00	Horizontal	Horizontal	Pass
9303.638	-38.88	16.98	-13.0	-25.88	360.00	Horizontal	Horizontal	Pass
18176.438	-35.29	23.51	-13.0	-22.29	254.00	Horizontal	Horizontal	Pass

82 NR_DC_66A_n77A(3700-3980MHz)

82.1 NR_DC_66A_n77A(3700-3980MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.975	-70.71	-17.60	-13.0	-57.71	54.00	Vertical	Horizontal	Pass
379.637	-62.85	-9.75	-13.0	-49.85	352.00	Vertical	Horizontal	Pass
2148.400	-39.38	4.53	-13.0	-26.38	191.00	Vertical	Horizontal	N/A
3831.250	-39.24	15.26	-13.0	-26.24	38.00	Vertical	Horizontal	N/A
7973.000	-30.89	25.99	-13.0	-17.89	1.00	Vertical	Horizontal	Pass
18112.500	-35.53	23.86	-13.0	-22.53	193.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.266	-67.35	-17.58	-13.0	-54.35	279.00	Horizontal	Horizontal	Pass
377.309	-63.27	-9.81	-13.0	-50.27	173.00	Horizontal	Horizontal	Pass
2148.700	-38.81	4.53	-13.0	-25.81	174.00	Horizontal	Horizontal	N/A
4085.250	-40.48	16.16	-13.0	-27.48	112.00	Horizontal	Horizontal	Pass
7874.750	-30.94	26.20	-13.0	-17.94	330.00	Horizontal	Horizontal	Pass
18093.251	-35.84	23.77	-13.0	-22.84	12.00	Horizontal	Horizontal	Pass

82.2 NR_DC_66A_n77A(3700-3980MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.825	-67.01	-17.24	-13.0	-54.01	360.00	Vertical	Horizontal	Pass
383.226	-63.03	-9.40	-13.0	-50.03	360.00	Vertical	Horizontal	Pass
2148.700	-40.01	4.53	-13.0	-27.01	146.00	Vertical	Horizontal	N/A
7957.000	-30.03	26.39	-13.0	-17.03	295.00	Vertical	Horizontal	Pass
12762.375	-37.91	19.02	-13.0	-24.91	333.00	Vertical	Horizontal	Pass
18168.875	-35.21	23.39	-13.0	-22.21	225.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.994	-66.04	-17.52	-13.0	-53.04	305.00	Horizontal	Horizontal	Pass
373.089	-63.54	-9.91	-13.0	-50.54	182.00	Horizontal	Horizontal	Pass
2151.100	-37.61	4.62	-13.0	-24.61	284.00	Horizontal	Horizontal	N/A
7377.250	-31.55	24.41	-13.0	-18.55	124.00	Horizontal	Horizontal	Pass
11349.701	-40.12	17.20	-13.0	-27.12	64.00	Horizontal	Horizontal	Pass
18126.250	-35.86	23.84	-13.0	-22.86	325.00	Horizontal	Horizontal	Pass

82.3 NR_DC_66A_n77A(3700-3980MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.056	-71.61	-17.06	-13.0	-58.61	0.00	Vertical	Horizontal	Pass
378.230	-63.43	-9.79	-13.0	-50.43	352.00	Vertical	Horizontal	Pass
2148.000	-41.61	4.52	-13.0	-28.61	147.00	Vertical	Horizontal	N/A
3791.000	-37.49	14.97	-13.0	-24.49	119.00	Vertical	Horizontal	Pass
7311.250	-30.39	24.09	-13.0	-17.39	132.00	Vertical	Horizontal	Pass
18141.374	-36.28	23.54	-13.0	-23.28	109.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.324	-66.40	-16.77	-13.0	-53.40	272.00	Horizontal	Horizontal	Pass
371.876	-63.25	-9.92	-13.0	-50.25	171.00	Horizontal	Horizontal	Pass
1724.800	-47.88	3.19	-13.0	-34.88	0.00	Horizontal	Horizontal	N/A
2142.800	-38.28	4.48	-13.0	-25.28	290.00	Horizontal	Horizontal	N/A
7230.750	-30.32	24.71	-13.0	-17.32	248.00	Horizontal	Horizontal	Pass
18091.188	-35.65	23.75	-13.0	-22.65	357.00	Horizontal	Horizontal	Pass

83 NR_DC_12A_n77A(3700-3980MHz)

83.1 NR_DC_12A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.453	-84.68	-12.20	-13.0	-71.68	50.00	Vertical	Horizontal	Pass
739.991	-65.40	5.48	-13.0	-52.40	77.00	Vertical	Horizontal	Pass
1207.000	-55.19	-2.06	-13.0	-42.19	289.00	Vertical	Horizontal	Pass
3835.250	-38.73	15.28	-13.0	-25.73	12.00	Vertical	Horizontal	N/A
7897.250	-31.22	25.37	-13.0	-18.22	152.00	Vertical	Horizontal	Pass
18148.250	-35.64	23.81	-13.0	-22.64	357.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
122.926	-87.43	-15.90	-13.0	-74.43	94.00	Horizontal	Horizontal	Pass
876.956	-62.73	6.56	-13.0	-49.73	209.00	Horizontal	Horizontal	Pass
3836.250	-39.32	15.28	-13.0	-26.32	285.00	Horizontal	Horizontal	N/A
7193.000	-30.83	23.98	-13.0	-17.83	133.00	Horizontal	Horizontal	Pass
9306.724	-40.22	16.94	-13.0	-27.22	315.00	Horizontal	Horizontal	Pass
18137.250	-35.42	23.64	-13.0	-22.42	360.00	Horizontal	Horizontal	Pass

83.2 NR_DC_12A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.356	-84.46	-12.20	-13.0	-71.46	285.00	Vertical	Horizontal	Pass
738.828	-64.58	5.42	-13.0	-51.58	0.00	Vertical	Horizontal	Pass
1215.400	-55.21	-2.54	-13.0	-42.21	1.00	Vertical	Horizontal	Pass
4775.000	-38.24	17.65	-13.0	-25.24	0.00	Vertical	Horizontal	Pass
6844.750	-31.22	23.69	-13.0	-18.22	304.00	Vertical	Horizontal	Pass
18173.688	-35.19	23.46	-13.0	-22.19	4.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.035	-85.40	-12.19	-13.0	-72.40	214.00	Horizontal	Horizontal	Pass
1195.900	-55.04	-1.85	-13.0	-42.04	175.00	Horizontal	Horizontal	Pass
3191.500	-43.57	11.62	-13.0	-30.57	360.00	Horizontal	Horizontal	Pass
7251.500	-31.26	24.37	-13.0	-18.26	99.00	Horizontal	Horizontal	Pass
12871.000	-37.37	18.46	-13.0	-24.37	360.00	Horizontal	Horizontal	Pass
18129.687	-36.58	23.87	-13.0	-23.58	309.00	Horizontal	Horizontal	Pass

83.3 NR_DC_12A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.852	-84.76	-12.27	-13.0	-71.76	134.00	Vertical	Horizontal	Pass
746.878	-64.18	5.15	-13.0	-51.18	126.00	Vertical	Horizontal	Pass
1519.900	-55.32	-2.88	-13.0	-42.32	267.00	Vertical	Horizontal	Pass
4212.250	-39.99	16.70	-13.0	-26.99	4.00	Vertical	Horizontal	Pass
7351.750	-30.69	24.68	-13.0	-17.69	316.00	Vertical	Horizontal	Pass
18120.749	-36.59	24.08	-13.0	-23.59	116.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+100MHz(CH656000)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.259	-85.23	-12.20	-13.0	-72.23	0.00	Horizontal	Horizontal	Pass
712.395	-64.77	4.44	-13.0	-51.77	73.00	Horizontal	Horizontal	Pass
1216.600	-54.35	-2.60	-13.0	-41.35	220.00	Horizontal	Horizontal	Pass
4809.250	-38.54	17.45	-13.0	-25.54	93.00	Horizontal	Horizontal	Pass
9272.526	-39.47	16.99	-13.0	-26.47	209.00	Horizontal	Horizontal	Pass
18118.001	-35.87	23.96	-13.0	-22.87	123.00	Horizontal	Horizontal	Pass

84 NR_DC_14A_n77A(3700-3980MHz)

84.1 NR_DC_14A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.855	-69.01	-15.62	-13.0	-56.01	22.00	Vertical	Horizontal	Pass
375.659	-62.32	-6.97	-13.0	-49.32	336.00	Vertical	Horizontal	Pass
765.260	-41.51	4.02	-13.0	-28.51	148.00	Vertical	Horizontal	N/A
3836.000	-37.60	15.28	-13.0	-24.60	28.00	Vertical	Horizontal	N/A
7871.250	-30.87	26.42	-13.0	-17.87	144.00	Vertical	Horizontal	Pass
18124.876	-35.01	24.05	-13.0	-22.01	328.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.361	-66.55	-14.85	-13.0	-53.55	124.00	Horizontal	Horizontal	Pass
378.375	-64.76	-6.91	-13.0	-51.76	160.00	Horizontal	Horizontal	Pass
761.914	-43.95	3.89	-13.0	-30.95	120.00	Horizontal	Horizontal	N/A
4086.750	-39.26	16.16	-13.0	-26.26	360.00	Horizontal	Horizontal	Pass
7942.500	-28.54	26.12	-13.0	-15.54	4.00	Horizontal	Horizontal	Pass
18091.874	-33.67	23.78	-13.0	-20.67	56.00	Horizontal	Horizontal	Pass

84.2 NR_DC_14A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.444	-70.09	-15.35	-13.0	-57.09	346.00	Vertical	Horizontal	Pass
382.207	-62.21	-6.64	-13.0	-49.21	346.00	Vertical	Horizontal	Pass
759.489	-40.41	4.18	-13.0	-27.41	142.00	Vertical	Horizontal	N/A
797.270	-58.51	4.59	-13.0	-45.51	118.00	Vertical	Horizontal	N/A
3826.000	-40.25	15.24	-13.0	-27.25	208.00	Vertical	Horizontal	N/A
18183.313	-36.31	23.46	-13.0	-23.31	1.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.079	-67.17	-15.69	-13.0	-54.17	302.00	Horizontal	Horizontal	Pass
374.156	-63.60	-7.03	-13.0	-50.60	155.00	Horizontal	Horizontal	Pass
759.779	-44.93	4.11	-13.0	-31.93	325.00	Horizontal	Horizontal	N/A
3833.750	-38.91	15.27	-13.0	-25.91	277.00	Horizontal	Horizontal	N/A
7921.500	-29.05	25.98	-13.0	-16.05	5.00	Horizontal	Horizontal	Pass
19417.375	-33.11	21.40	-13.0	-20.11	234.00	Horizontal	Horizontal	Pass

84.3 NR_DC_14A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+100MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.077	-70.41	-14.56	-13.0	-57.41	295.00	Vertical	Horizontal	Pass
385.699	-62.91	-6.25	-13.0	-49.91	0.00	Vertical	Horizontal	Pass
765.066	-41.69	4.01	-13.0	-28.69	147.00	Vertical	Horizontal	N/A
796.494	-59.78	4.55	-13.0	-46.78	123.00	Vertical	Horizontal	N/A
7965.750	-31.32	26.26	-13.0	-18.32	216.00	Vertical	Horizontal	Pass
18144.813	-36.62	23.76	-13.0	-23.62	110.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.079	-65.71	-15.69	-13.0	-52.71	276.00	Horizontal	Horizontal	Pass
372.313	-61.82	-7.05	-13.0	-48.82	170.00	Horizontal	Horizontal	Pass
760.701	-45.27	4.00	-13.0	-32.27	121.00	Horizontal	Horizontal	N/A
3830.250	-38.76	15.26	-13.0	-25.76	342.00	Horizontal	Horizontal	N/A
7915.250	-28.85	25.96	-13.0	-15.85	336.00	Horizontal	Horizontal	Pass
17889.749	-33.41	23.35	-13.0	-20.41	213.00	Horizontal	Horizontal	Pass

85 NR_DC_13A_n77A(3700-3980MHz)

85.1 NR_DC_13A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.553	-71.10	-15.47	-13.0	-58.10	360.00	Vertical	Horizontal	Pass
373.234	-61.87	-7.04	-13.0	-48.87	360.00	Vertical	Horizontal	Pass
752.698	-39.85	4.30	-13.0	-26.85	144.00	Vertical	Horizontal	N/A
3738.000	-32.98	12.65	-13.0	-19.98	201.00	Vertical	Horizontal	Pass
7981.250	-29.14	25.96	-13.0	-16.14	160.00	Vertical	Horizontal	Pass
18144.125	-33.28	23.70	-13.0	-20.28	1.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.892	-67.53	-15.45	-13.0	-54.53	309.00	Horizontal	Horizontal	Pass
374.010	-63.10	-7.04	-13.0	-50.10	156.00	Horizontal	Horizontal	Pass
751.195	-43.93	4.01	-13.0	-30.93	131.00	Horizontal	Horizontal	N/A
3830.750	-38.42	15.26	-13.0	-25.42	38.00	Horizontal	Horizontal	Pass
7985.500	-29.22	25.88	-13.0	-16.22	269.00	Horizontal	Horizontal	Pass
19460.688	-32.72	21.29	-13.0	-19.72	51.00	Horizontal	Horizontal	Pass

85.2 NR_DC_13A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.391	-64.90	-14.96	-13.0	-51.90	280.00	Horizontal	Horizontal	Pass
374.496	-62.46	-7.01	-13.0	-49.46	160.00	Horizontal	Horizontal	Pass
750.953	-44.34	3.97	-13.0	-31.34	118.00	Horizontal	Horizontal	N/A
3851.000	-39.45	15.35	-13.0	-26.45	1.00	Horizontal	Horizontal	Pass
7854.250	-28.88	25.57	-13.0	-15.88	360.00	Horizontal	Horizontal	Pass
18096.001	-32.64	23.58	-13.0	-19.64	335.00	Horizontal	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.072	-70.12	-15.96	-13.0	-57.12	0.00	Vertical	Horizontal	Pass
377.405	-61.98	-6.93	-13.0	-48.98	353.00	Vertical	Horizontal	Pass
747.412	-40.54	3.83	-13.0	-27.54	149.00	Vertical	Horizontal	N/A
3830.750	-37.60	15.26	-13.0	-24.60	208.00	Vertical	Horizontal	N/A
7911.000	-28.95	25.80	-13.0	-15.95	159.00	Vertical	Horizontal	Pass
19463.438	-32.95	21.50	-13.0	-19.95	302.00	Vertical	Horizontal	Pass

85.3 NR_DC_13A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.945	-67.45	-15.88	-13.0	-54.45	18.00	Vertical	Horizontal	Pass
383.274	-62.65	-6.52	-13.0	-49.65	355.00	Vertical	Horizontal	Pass
754.638	-39.38	4.56	-13.0	-26.38	151.00	Vertical	Horizontal	N/A
3790.750	-37.20	14.97	-13.0	-24.20	187.00	Vertical	Horizontal	Pass
7912.750	-28.84	25.88	-13.0	-15.84	242.00	Vertical	Horizontal	Pass
18439.062	-33.28	22.40	-13.0	-20.28	261.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+100MHz(CH656000)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.213	-66.24	-15.51	-13.0	-53.24	332.00	Horizontal	Horizontal	Pass
371.828	-63.25	-7.06	-13.0	-50.25	183.00	Horizontal	Horizontal	Pass
755.269	-43.48	4.60	-13.0	-30.48	121.00	Horizontal	Horizontal	N/A
5179.500	-35.65	17.12	-13.0	-22.65	0.00	Horizontal	Horizontal	Pass
7948.500	-28.15	26.15	-13.0	-15.15	311.00	Horizontal	Horizontal	Pass
18188.812	-33.52	23.01	-13.0	-20.52	170.00	Horizontal	Horizontal	Pass

86 NR_DC_5A_n77A(3700-3980MHz)

86.1 NR_DC_5A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+20MHz(CH656000)


RSE(5G NSA FCC)_NSA 12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.999	-70.34	-14.58	-13.0	-57.34	234.00	Vertical	Horizontal	Pass
382.886	-61.69	-6.47	-13.0	-48.69	352.00	Vertical	Horizontal	Pass
833.305	-50.90	5.48	-13.0	-37.90	133.00	Vertical	Horizontal	N/A
883.406	-42.24	6.81	-13.0	-29.24	159.00	Vertical	Horizontal	N/A
7939.750	-28.98	26.12	-13.0	-15.98	0.00	Vertical	Horizontal	Pass
18027.938	-32.83	22.58	-13.0	-19.83	86.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
126.321	-68.77	-15.96	-13.0	-55.77	2.00	Horizontal	Horizontal	Pass
833.451	-53.29	5.48	-13.0	-40.29	125.00	Horizontal	Horizontal	N/A
877.877	-39.42	7.10	-13.0	-26.42	137.00	Horizontal	Horizontal	N/A
4255.500	-38.39	17.31	-13.0	-25.39	240.00	Horizontal	Horizontal	Pass
7959.250	-29.14	26.42	-13.0	-16.14	23.00	Horizontal	Horizontal	Pass
18131.063	-33.05	23.80	-13.0	-20.05	360.00	Horizontal	Horizontal	Pass

86.2 NR_DC_5A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.128	-68.15	-15.70	-13.0	-55.15	15.00	Vertical	Horizontal	Pass
385.699	-62.44	-6.20	-13.0	-49.44	357.00	Vertical	Horizontal	Pass
833.694	-50.13	5.50	-13.0	-37.13	120.00	Vertical	Horizontal	N/A
884.861	-42.49	6.84	-13.0	-29.49	152.00	Vertical	Horizontal	N/A
3831.250	-37.56	15.26	-13.0	-24.56	12.00	Vertical	Horizontal	Pass
17870.500	-33.51	23.49	-13.0	-20.51	227.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+60MHz(CH656000)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.850	-66.66	-15.29	-13.0	-53.66	89.00	Horizontal	Horizontal	Pass
833.742	-54.47	5.50	-13.0	-41.47	116.00	Horizontal	Horizontal	N/A
878.265	-41.31	7.07	-13.0	-28.31	128.00	Horizontal	Horizontal	N/A
3826.000	-37.86	15.24	-13.0	-24.86	282.00	Horizontal	Horizontal	N/A
7863.750	-28.64	26.02	-13.0	-15.64	0.00	Horizontal	Horizontal	Pass
18054.750	-33.67	23.01	-13.0	-20.67	3.00	Horizontal	Horizontal	Pass

86.3 NR_DC_5A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.541	-67.82	-15.38	-13.0	-54.82	0.00	Vertical	Horizontal	Pass
383.322	-63.30	-6.43	-13.0	-50.30	355.00	Vertical	Horizontal	Pass
833.354	-51.09	5.48	-13.0	-38.09	166.00	Vertical	Horizontal	N/A
883.309	-42.72	6.82	-13.0	-29.72	166.00	Vertical	Horizontal	N/A
3706.000	-37.16	12.45	-13.0	-24.16	188.00	Vertical	Horizontal	Pass
18084.999	-33.10	23.64	-13.0	-20.10	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.686	-65.58	-15.37	-13.0	-52.58	283.00	Horizontal	Horizontal	Pass
833.742	-53.83	5.50	-13.0	-40.83	127.00	Horizontal	Horizontal	N/A
883.358	-41.15	6.81	-13.0	-28.15	139.00	Horizontal	Horizontal	N/A
5184.250	-35.58	17.08	-13.0	-22.58	360.00	Horizontal	Horizontal	Pass
9302.450	-37.52	16.96	-13.0	-24.52	345.00	Horizontal	Horizontal	Pass
19163.687	-33.52	21.39	-13.0	-20.52	190.00	Horizontal	Horizontal	Pass

87 NR_DC_66A_n71A

87.1 NR_DC_66A_n71A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n71A 20MHz(CH132322)+5MHz(CH136100)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.975	-70.71	-17.60	-13.0	-57.71	54.00	Vertical	Horizontal	Pass
379.637	-62.85	-9.75	-13.0	-49.85	352.00	Vertical	Horizontal	Pass
2148.400	-39.38	4.53	-13.0	-26.38	191.00	Vertical	Horizontal	N/A
3831.250	-39.24	15.26	-13.0	-26.24	38.00	Vertical	Horizontal	N/A
7973.000	-30.89	25.99	-13.0	-17.89	1.00	Vertical	Horizontal	Pass
18112.500	-35.53	23.86	-13.0	-22.53	193.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n71A 20MHz(CH132322)+5MHz(CH136100)

RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.266	-67.35	-17.58	-13.0	-54.35	279.00	Horizontal	Horizontal	Pass
377.309	-63.27	-9.81	-13.0	-50.27	173.00	Horizontal	Horizontal	Pass
2148.700	-38.81	4.53	-13.0	-25.81	174.00	Horizontal	Horizontal	N/A
4085.250	-40.48	16.16	-13.0	-27.48	112.00	Horizontal	Horizontal	Pass
7874.750	-30.94	26.20	-13.0	-17.94	330.00	Horizontal	Horizontal	Pass
18093.251	-35.84	23.77	-13.0	-22.84	12.00	Horizontal	Horizontal	Pass

87.2 NR_DC_66A_n71A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n71A 20MHz(CH132322)+15MHz(CH136100)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.825	-67.01	-17.24	-13.0	-54.01	360.00	Vertical	Horizontal	Pass
383.226	-63.03	-9.40	-13.0	-50.03	360.00	Vertical	Horizontal	Pass
2148.700	-40.01	4.53	-13.0	-27.01	146.00	Vertical	Horizontal	N/A
7957.000	-30.03	26.39	-13.0	-17.03	295.00	Vertical	Horizontal	Pass
12762.375	-37.91	19.02	-13.0	-24.91	333.00	Vertical	Horizontal	Pass
18168.875	-35.21	23.39	-13.0	-22.21	225.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n71A 20MHz(CH132322)+15MHz(CH136100)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.994	-66.04	-17.52	-13.0	-53.04	305.00	Horizontal	Horizontal	Pass
373.089	-63.54	-9.91	-13.0	-50.54	182.00	Horizontal	Horizontal	Pass
2151.100	-37.61	4.62	-13.0	-24.61	284.00	Horizontal	Horizontal	N/A
7377.250	-31.55	24.41	-13.0	-18.55	124.00	Horizontal	Horizontal	Pass
11349.701	-40.12	17.20	-13.0	-27.12	64.00	Horizontal	Horizontal	Pass
18126.250	-35.86	23.84	-13.0	-22.86	325.00	Horizontal	Horizontal	Pass

87.3 NR_DC_66A_n71A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n71A 20MHz(CH132322)+20MHz(CH136100)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.056	-71.61	-17.06	-13.0	-58.61	0.00	Vertical	Horizontal	Pass
378.230	-63.43	-9.79	-13.0	-50.43	352.00	Vertical	Horizontal	Pass
2148.000	-41.61	4.52	-13.0	-28.61	147.00	Vertical	Horizontal	N/A
3791.000	-37.49	14.97	-13.0	-24.49	119.00	Vertical	Horizontal	Pass
7311.250	-30.39	24.09	-13.0	-17.39	132.00	Vertical	Horizontal	Pass
18141.374	-36.28	23.54	-13.0	-23.28	109.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n71A 20MHz(CH132322)+20MHz(CH136100)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.324	-66.40	-16.77	-13.0	-53.40	272.00	Horizontal	Horizontal	Pass
371.876	-63.25	-9.92	-13.0	-50.25	171.00	Horizontal	Horizontal	Pass
1724.800	-47.88	3.19	-13.0	-34.88	0.00	Horizontal	Horizontal	N/A
2142.800	-38.28	4.48	-13.0	-25.28	290.00	Horizontal	Horizontal	N/A
7230.750	-30.32	24.71	-13.0	-17.32	248.00	Horizontal	Horizontal	Pass
18091.188	-35.65	23.75	-13.0	-22.65	357.00	Horizontal	Horizontal	Pass

88 NR_DC_2A_n71A

88.1 NR_DC_2A_n71A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n71A 20MHz(CH18900)+5MHz(CH136100)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.822	-70.54	-15.89	-13.0	-57.54	86.00	Vertical	Horizontal	Pass
383.080	-62.57	-6.01	-13.0	-49.57	360.00	Vertical	Horizontal	Pass
632.612	-29.44	2.88	-13.0	-16.44	354.00	Vertical	Horizontal	Pass
1963.400	-31.79	4.55	-13.0	-18.79	60.00	Vertical	Horizontal	Pass
6738.000	-39.52	15.07	-13.0	-26.52	298.00	Vertical	Horizontal	Pass
12749.525	-36.35	19.01	-13.0	-23.35	194.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n71A 20MHz(CH18900)+5MHz(CH136100)

RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.878	-68.55	-15.69	-13.0	-55.55	324.00	Horizontal	Horizontal	Pass
633.049	-40.52	2.90	-13.0	-27.52	63.00	Horizontal	Horizontal	Pass
1951.600	-29.32	4.34	-13.0	-16.32	282.00	Horizontal	Horizontal	Pass
5809.750	-38.22	12.35	-13.0	-25.22	112.00	Horizontal	Horizontal	Pass
9301.500	-37.66	16.94	-13.0	-24.66	296.00	Horizontal	Horizontal	Pass
18111.812	-32.63	23.78	-13.0	-19.63	3.00	Horizontal	Horizontal	Pass

88.2 NR_DC_2A_n71A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n71A 20MHz(CH18900)+15MHz(CH136100)


RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.072	-67.59	-15.68	-13.0	-54.59	0.00	Vertical	Horizontal	Pass
381.140	-62.23	-6.22	-13.0	-49.23	359.00	Vertical	Horizontal	Pass
630.090	-32.42	3.18	-13.0	-19.42	332.00	Vertical	Horizontal	Pass
1957.700	-29.26	4.11	-13.0	-16.26	280.00	Vertical	Horizontal	Pass
7154.500	-37.88	15.36	-13.0	-24.88	0.00	Vertical	Horizontal	Pass
17891.125	-33.67	23.49	-13.0	-20.67	226.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n71A 20MHz(CH18900)+15MHz(CH136100)

RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.423	-68.83	-15.80	-13.0	-55.83	117.00	Horizontal	Horizontal	Pass
636.929	-44.03	2.92	-13.0	-31.03	59.00	Horizontal	Horizontal	Pass
1954.400	-27.60	4.22	-13.0	-14.60	293.00	Horizontal	Horizontal	Pass
4781.250	-44.98	10.70	-13.0	-31.98	20.00	Horizontal	Horizontal	Pass
9330.475	-37.65	16.89	-13.0	-24.65	299.00	Horizontal	Horizontal	Pass
18122.125	-33.45	24.00	-13.0	-20.45	161.00	Horizontal	Horizontal	Pass

88.3 NR_DC_2A_n71A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n71A 20MHz(CH18900)+20MHz(CH136100)


RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.019	-66.39	-15.30	-13.0	-53.39	31.00	Vertical	Horizontal	Pass
627.762	-34.74	3.37	-13.0	-21.74	338.00	Vertical	Horizontal	Pass
675.583	-49.82	5.29	-13.0	-36.82	17.00	Vertical	Horizontal	Pass
1957.700	-29.37	4.11	-13.0	-16.37	257.00	Vertical	Horizontal	Pass
7143.250	-38.30	15.39	-13.0	-25.30	66.00	Vertical	Horizontal	Pass
15043.500	-35.78	19.74	-13.0	-22.78	25.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n71A 20MHz(CH18900)+20MHz(CH136100)

RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
122.684	-67.43	-15.62	-13.0	-54.43	350.00	Horizontal	Horizontal	Pass
640.809	-46.68	2.32	-13.0	-33.68	64.00	Horizontal	Horizontal	Pass
706.769	-53.39	4.49	-13.0	-40.39	14.00	Horizontal	Horizontal	Pass
1951.600	-28.90	4.34	-13.0	-15.90	298.00	Horizontal	Horizontal	Pass
5749.250	-41.00	12.01	-13.0	-28.00	33.00	Horizontal	Horizontal	Pass
15082.000	-36.13	19.81	-13.0	-23.13	27.00	Horizontal	Horizontal	Pass

89 NR_DC_2A_n41A

89.1 NR_DC_2A_n41A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n41A 20MHz(CH18900)+20MHz(CH518598)


RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.617	-71.60	-17.72	-25.0	-46.60	106.00	Vertical	Vertical	Pass
389.288	-67.49	-8.77	-25.0	-42.49	169.00	Vertical	Vertical	Pass
1957.500	-35.88	3.53	-25.0	-10.88	288.00	Vertical	Vertical	N/A
2589.000	-41.76	8.96	-25.0	-16.76	78.00	Vertical	Vertical	N/A
7916.750	-45.41	16.99	-25.0	-20.41	164.00	Vertical	Vertical	Pass
18101.150	-40.47	23.57	-25.0	-15.47	357.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n41A 20MHz(CH18900)+20MHz(CH518598)

RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
145.964	-69.70	-17.44	-25.0	-44.70	146.00	Horizontal	Vertical	Pass
370.761	-68.87	-9.94	-25.0	-43.87	166.00	Horizontal	Vertical	Pass
1958.000	-48.42	3.54	-25.0	-23.42	271.00	Horizontal	Vertical	N/A
2588.600	-44.73	8.96	-25.0	-19.73	230.00	Horizontal	Vertical	N/A
9302.450	-45.19	16.96	-25.0	-20.19	288.00	Horizontal	Vertical	Pass
18099.450	-40.89	23.65	-25.0	-15.89	360.00	Horizontal	Vertical	Pass

89.2 NR_DC_2A_n41A 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n41A 20MHz(CH18900)+60MHz(CH518598)


RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.246	-71.88	-16.67	-25.0	-46.88	101.00	Vertical	Vertical	Pass
379.879	-68.42	-9.75	-25.0	-43.42	180.00	Vertical	Vertical	Pass
1957.300	-34.89	3.52	-25.0	-9.89	332.00	Vertical	Vertical	N/A
2558.700	-30.62	8.42	-25.0	-5.62	80.00	Vertical	Vertical	N/A
7866.500	-44.67	17.11	-25.0	-19.67	264.00	Vertical	Vertical	Pass
18095.624	-40.22	23.61	-25.0	-15.22	81.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n41A 20MHz(CH18900)+60MHz(CH518598)

RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.310	-69.75	-17.19	-25.0	-44.75	306.00	Horizontal	Vertical	Pass
374.738	-69.48	-9.89	-25.0	-44.48	156.00	Horizontal	Vertical	Pass
1958.600	-48.96	3.56	-25.0	-23.96	249.00	Horizontal	Vertical	N/A
2560.400	-34.12	8.92	-25.0	-9.12	151.00	Horizontal	Vertical	N/A
7863.750	-45.01	17.07	-25.0	-20.01	334.00	Horizontal	Vertical	Pass
18091.375	-40.89	23.76	-25.0	-15.89	304.00	Horizontal	Vertical	Pass

89.3 NR_DC_2A_n41A 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n41A 20MHz(CH18900)+100MHz(CH518598)


RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.414	-70.46	-16.99	-25.0	-45.46	339.00	Vertical	Vertical	Pass
396.320	-67.67	-8.40	-25.0	-42.67	171.00	Vertical	Vertical	Pass
1957.400	-35.91	3.53	-25.0	-10.91	1.00	Vertical	Vertical	N/A
2556.000	-26.19	7.89	-25.0	-1.19	80.00	Vertical	Vertical	N/A
3498.500	-52.79	5.74	-25.0	-27.79	61.00	Vertical	Vertical	Pass
18091.375	-41.07	23.76	-25.0	-16.07	331.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n41A 20MHz(CH18900)+100MHz(CH518598)

RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.012	-68.91	-17.44	-25.0	-43.91	138.00	Horizontal	Vertical	Pass
374.884	-69.56	-9.89	-25.0	-44.56	3.00	Horizontal	Vertical	Pass
1766.800	-38.44	1.19	-25.0	-13.44	134.00	Horizontal	Vertical	Pass
2555.400	-29.63	7.79	-25.0	-4.63	155.00	Horizontal	Vertical	Pass
7161.750	-45.83	15.28	-25.0	-20.83	315.00	Horizontal	Vertical	Pass
18033.574	-40.76	22.86	-25.0	-15.76	144.00	Horizontal	Vertical	Pass

90 NR_DC_12A_n25A

90.1 NR_DC_12A_n25A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n25A 10MHz(CH23095)+5MHz(CH376500)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
233.991	-85.07	-10.18	-13.0	-72.07	120.00	Vertical	Horizontal	Pass
1411.700	-50.88	0.49	-13.0	-37.88	246.00	Vertical	Horizontal	Pass
1960.700	-36.02	2.94	-13.0	-23.02	178.00	Vertical	Horizontal	N/A
3764.250	-50.39	6.97	-13.0	-37.39	124.00	Vertical	Horizontal	Pass
7261.500	-45.11	15.65	-13.0	-32.11	320.00	Vertical	Horizontal	Pass
18137.938	-41.55	23.61	-13.0	-28.55	359.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n25A 10MHz(CH23095)+5MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
48.624	-87.41	-12.70	-13.0	-74.41	186.00	Horizontal	Horizontal	Pass
234.185	-83.12	-10.16	-13.0	-70.12	278.00	Horizontal	Horizontal	Pass
1411.400	-55.31	0.49	-13.0	-42.31	158.00	Horizontal	Horizontal	Pass
1962.800	-34.52	3.18	-13.0	-21.52	259.00	Horizontal	Horizontal	N/A
3764.250	-54.18	6.97	-13.0	-41.18	274.00	Horizontal	Horizontal	Pass
19994.188	-41.31	23.79	-13.0	-28.31	0.00	Horizontal	Horizontal	Pass

90.2 NR_DC_12A_n25A 10MHz(LTE)+15MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n25A 10MHz(CH23095)+15MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
236.077	-83.78	-10.02	-13.0	-70.78	350.00	Vertical	Horizontal	Pass
747.897	-67.87	5.10	-13.0	-54.87	168.00	Vertical	Horizontal	N/A
1414.100	-51.09	0.51	-13.0	-38.09	259.00	Vertical	Horizontal	Pass
1957.600	-39.72	2.87	-13.0	-26.72	348.00	Vertical	Horizontal	N/A
3762.000	-53.98	6.98	-13.0	-40.98	259.00	Vertical	Horizontal	Pass
17871.874	-41.36	23.58	-13.0	-28.36	170.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n25A 10MHz(CH23095)+15MHz(CH376500)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.337	-86.57	-12.26	-13.0	-73.57	99.00	Horizontal	Horizontal	Pass
1412.100	-55.54	0.50	-13.0	-42.54	155.00	Horizontal	Horizontal	Pass
1770.700	-31.00	0.62	-13.0	-18.00	268.00	Horizontal	Horizontal	Pass
1957.500	-37.99	2.87	-13.0	-24.99	260.00	Horizontal	Horizontal	N/A
7895.750	-44.82	16.78	-13.0	-31.82	71.00	Horizontal	Horizontal	Pass
19376.812	-41.28	21.01	-13.0	-28.28	0.00	Horizontal	Horizontal	Pass

90.3 NR_DC_12A_n25A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n25A 10MHz(CH23095)+20MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.266	-87.17	-12.47	-13.0	-74.17	359.00	Vertical	Horizontal	Pass
741.398	-67.12	5.41	-13.0	-54.12	175.00	Vertical	Horizontal	N/A
1415.200	-50.59	0.49	-13.0	-37.59	240.00	Vertical	Horizontal	Pass
1956.600	-41.35	2.88	-13.0	-28.35	99.00	Vertical	Horizontal	N/A
7171.250	-45.51	15.54	-13.0	-32.51	0.00	Vertical	Horizontal	Pass
17891.125	-41.58	23.49	-13.0	-28.58	37.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n25A 10MHz(CH23095)+20MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.617	-87.30	-12.27	-13.0	-74.30	18.00	Horizontal	Horizontal	Pass
517.134	-73.86	-1.80	-13.0	-60.86	292.00	Horizontal	Horizontal	Pass
1411.200	-55.68	0.48	-13.0	-42.68	163.00	Horizontal	Horizontal	Pass
1960.400	-38.97	2.93	-13.0	-25.97	258.00	Horizontal	Horizontal	N/A
7949.500	-44.46	17.31	-13.0	-31.46	313.00	Horizontal	Horizontal	Pass
18400.563	-41.14	23.29	-13.0	-28.14	62.00	Horizontal	Horizontal	Pass

91 NR_DC_66A_n25A

91.1 NR_DC_66A_n25A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n25A 20MHz(CH132322)+5MHz(CH376500)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.434	-71.21	-17.86	-13.0	-58.21	54.00	Vertical	Horizontal	Pass
405.487	-69.86	-7.98	-13.0	-56.86	32.00	Vertical	Horizontal	Pass
1960.900	-35.53	3.69	-13.0	-22.53	58.00	Vertical	Horizontal	N/A
2153.000	-41.01	4.27	-13.0	-28.01	333.00	Vertical	Horizontal	N/A
3765.250	-50.28	6.97	-13.0	-37.28	264.00	Vertical	Horizontal	Pass
17893.876	-41.27	23.49	-13.0	-28.27	298.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n25A 20MHz(CH132322)+5MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.792	-72.05	-17.75	-13.0	-59.05	152.00	Horizontal	Horizontal	Pass
443.366	-69.21	-7.62	-13.0	-56.21	245.00	Horizontal	Horizontal	Pass
1960.900	-34.38	3.69	-13.0	-21.38	102.00	Horizontal	Horizontal	N/A
2142.500	-51.45	3.99	-13.0	-38.45	141.00	Horizontal	Horizontal	N/A
3764.750	-53.48	6.97	-13.0	-40.48	307.00	Horizontal	Horizontal	Pass
17895.938	-41.69	23.56	-13.0	-28.69	316.00	Horizontal	Horizontal	Pass

91.2 NR_DC_66A_n25A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n25A 20MHz(CH132322)+15MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.024	-72.60	-17.60	-13.0	-59.60	26.00	Vertical	Horizontal	Pass
406.942	-70.72	-7.94	-13.0	-57.72	43.00	Vertical	Horizontal	Pass
1961.800	-40.07	3.81	-13.0	-27.07	347.00	Vertical	Horizontal	N/A
2142.700	-40.98	3.98	-13.0	-27.98	246.00	Vertical	Horizontal	N/A
3765.000	-54.38	6.97	-13.0	-41.38	286.00	Vertical	Horizontal	Pass
18872.875	-41.23	21.88	-13.0	-28.23	332.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n25A 20MHz(CH132322)+15MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.668	-72.20	-17.08	-13.0	-59.20	157.00	Horizontal	Horizontal	Pass
444.724	-68.37	-7.52	-13.0	-55.37	253.00	Horizontal	Horizontal	Pass
1956.500	-37.79	3.53	-13.0	-24.79	258.00	Horizontal	Horizontal	N/A
2140.000	-52.43	4.12	-13.0	-39.43	138.00	Horizontal	Horizontal	N/A
7853.000	-44.41	16.90	-13.0	-31.41	256.00	Horizontal	Horizontal	Pass
19458.626	-40.56	21.54	-13.0	-27.56	79.00	Horizontal	Horizontal	Pass

91.3 NR_DC_66A_n25A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n25A 20MHz(CH132322)+20MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.636	-73.91	-17.62	-13.0	-60.91	0.00	Vertical	Horizontal	Pass
404.614	-70.19	-8.00	-13.0	-57.19	164.00	Vertical	Horizontal	Pass
1956.700	-39.93	3.53	-13.0	-26.93	346.00	Vertical	Horizontal	N/A
2142.700	-40.09	3.98	-13.0	-27.09	243.00	Vertical	Horizontal	N/A
9295.563	-44.72	16.86	-13.0	-31.72	275.00	Vertical	Horizontal	Pass
17858.126	-41.43	23.30	-13.0	-28.43	156.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n25A 20MHz(CH132322)+20MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
158.088	-72.11	-16.47	-13.0	-59.11	182.00	Horizontal	Horizontal	Pass
445.936	-66.31	-7.42	-13.0	-53.31	252.00	Horizontal	Horizontal	Pass
1958.700	-38.76	3.59	-13.0	-25.76	257.00	Horizontal	Horizontal	N/A
2148.800	-51.31	4.07	-13.0	-38.31	143.00	Horizontal	Horizontal	N/A
7862.500	-43.92	17.07	-13.0	-30.92	360.00	Horizontal	Horizontal	Pass
17891.125	-41.21	23.49	-13.0	-28.21	144.00	Horizontal	Horizontal	Pass

92 NR_DC_48A_n25A

92.1 NR_DC_48A_n25A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_48A_n25A 20MHz(CH55990)+5MHz(CH376500)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.654	-71.69	-17.55	-13.0	-58.69	284.00	Vertical	Horizontal	Pass
399.570	-69.76	-8.23	-13.0	-56.76	154.00	Vertical	Horizontal	Pass
1961.800	-35.70	3.06	-13.0	-22.70	101.00	Vertical	Horizontal	N/A
3578.750	-48.46	13.80	-13.0	-35.46	247.00	Vertical	Horizontal	Pass
9309.575	-45.20	16.84	-13.0	-32.20	255.00	Vertical	Horizontal	Pass
17897.312	-40.72	23.58	-13.0	-27.72	273.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n25A 20MHz(CH55990)+5MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.462	-69.44	-16.99	-13.0	-56.44	159.00	Horizontal	Horizontal	Pass
446.954	-67.05	-7.40	-13.0	-54.05	253.00	Horizontal	Horizontal	Pass
1886.300	-40.73	3.10	-13.0	-27.73	360.00	Horizontal	Horizontal	N/A
1961.300	-33.98	3.01	-13.0	-20.98	259.00	Horizontal	Horizontal	N/A
5181.500	-36.89	17.19	-13.0	-23.89	0.00	Horizontal	Horizontal	Pass
18300.187	-41.39	23.48	-13.0	-28.39	36.00	Horizontal	Horizontal	Pass

92.2 NR_DC_48A_n25A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n25A 20MHz(CH55990)+15MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.751	-71.54	-17.54	-13.0	-58.54	22.00	Vertical	Horizontal	Pass
395.399	-70.68	-8.44	-13.0	-57.68	170.00	Vertical	Horizontal	Pass
1959.100	-39.23	2.90	-13.0	-26.23	344.00	Vertical	Horizontal	N/A
3579.250	-48.32	13.80	-13.0	-35.32	171.00	Vertical	Horizontal	Pass
7981.250	-35.82	26.15	-13.0	-22.82	199.00	Vertical	Horizontal	Pass
18462.437	-41.09	21.97	-13.0	-28.09	62.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n25A 20MHz(CH55990)+15MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&83300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
120.743	-71.75	-17.32	-13.0	-58.75	209.00	Horizontal	Horizontal	Pass
447.585	-69.58	-7.37	-13.0	-56.58	241.00	Horizontal	Horizontal	Pass
1897.900	-43.67	3.07	-13.0	-30.67	285.00	Horizontal	Horizontal	N/A
1959.400	-37.50	2.91	-13.0	-24.50	261.00	Horizontal	Horizontal	N/A
3576.500	-47.44	13.81	-13.0	-34.44	237.00	Horizontal	Horizontal	Pass
7911.750	-36.05	25.80	-13.0	-23.05	271.00	Horizontal	Horizontal	Pass
18866.688	-41.07	21.70	-13.0	-28.07	239.00	Horizontal	Horizontal	Pass

92.3 NR_DC_48A_n25A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n25A 20MHz(CH55990)+20MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
145.090	-70.62	-17.52	-13.0	-57.62	360.00	Vertical	Horizontal	Pass
450.786	-71.68	-7.19	-13.0	-58.68	237.00	Vertical	Horizontal	Pass
1956.900	-40.67	2.88	-13.0	-27.67	349.00	Vertical	Horizontal	N/A
3164.750	-49.45	13.05	-13.0	-36.45	94.00	Vertical	Horizontal	Pass
7864.750	-35.65	26.01	-13.0	-22.65	217.00	Vertical	Horizontal	Pass
18401.249	-41.40	23.28	-13.0	-28.40	206.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n25A 20MHz(CH55990)+20MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&83300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
119.385	-71.98	-17.20	-13.0	-58.98	234.00	Horizontal	Horizontal	Pass
347.190	-68.89	-9.92	-13.0	-55.89	208.00	Horizontal	Horizontal	Pass
1959.100	-39.08	2.90	-13.0	-26.08	258.00	Horizontal	Horizontal	N/A
3160.250	-48.89	13.50	-13.0	-35.89	152.00	Horizontal	Horizontal	Pass
7923.750	-35.79	25.81	-13.0	-22.79	200.00	Horizontal	Horizontal	Pass
17889.063	-41.12	23.28	-13.0	-28.12	104.00	Horizontal	Horizontal	Pass

93 NR_DC_2A_n48A

93.1 NR_DC_2A_n48A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n48A 20MHz(CH18900)+10MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.848	-76.62	-25.53	-40.0	-36.62	0.00	Vertical	Vertical	Pass
341.224	-77.83	-18.21	-40.0	-37.83	150.00	Vertical	Vertical	Pass
1886.200	-57.70	-4.90	-40.0	-17.70	139.00	Vertical	Vertical	N/A
1957.800	-44.92	-5.13	-40.0	-4.92	4.00	Vertical	Vertical	N/A
9302.925	-46.07	16.14	-40.0	-6.07	328.00	Vertical	Vertical	Pass
16345.625	-46.38	17.34	-40.0	-6.38	102.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n48A 20MHz(CH18900)+10MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.529	-81.16	-24.86	-40.0	-41.16	48.00	Horizontal	Vertical	Pass
370.761	-78.01	-17.94	-40.0	-38.01	314.00	Horizontal	Vertical	Pass
1959.300	-57.66	-5.09	-40.0	-17.66	228.00	Horizontal	Vertical	N/A
4980.500	-59.98	2.50	-40.0	-19.98	112.00	Horizontal	Vertical	Pass
9296.987	-46.66	16.08	-40.0	-6.66	156.00	Horizontal	Vertical	Pass
15879.500	-45.91	16.65	-40.0	-5.91	97.00	Horizontal	Vertical	Pass

93.2 NR_DC_2A_n48A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n48A 20MHz(CH18900)+20MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.557	-79.08	-25.56	-40.0	-39.08	0.00	Vertical	Vertical	Pass
445.500	-77.87	-15.46	-40.0	-37.87	143.00	Vertical	Vertical	Pass
1957.500	-45.52	-5.13	-40.0	-5.52	284.00	Vertical	Vertical	N/A
3318.000	-61.33	-4.09	-40.0	-21.33	282.00	Vertical	Vertical	Pass
9320.738	-46.36	15.91	-40.0	-6.36	321.00	Vertical	Vertical	Pass
16894.250	-46.47	18.01	-40.0	-6.47	360.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n48A 20MHz(CH18900)+20MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.606	-77.03	-25.55	-40.0	-37.03	128.00	Horizontal	Vertical	Pass
374.884	-77.97	-17.89	-40.0	-37.97	160.00	Horizontal	Vertical	Pass
1967.700	-57.67	-3.82	-40.0	-17.67	227.00	Horizontal	Vertical	N/A
3598.750	-64.05	-1.27	-40.0	-24.05	228.00	Horizontal	Vertical	Pass
9322.637	-46.64	15.96	-40.0	-6.64	0.00	Horizontal	Vertical	Pass
16894.250	-46.08	18.01	-40.0	-6.08	100.00	Horizontal	Vertical	Pass

93.3 NR_DC_2A_n48A 20MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n48A 20MHz(CH18900)+40MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
145.672	-77.81	-25.48	-40.0	-37.81	360.00	Vertical	Vertical	Pass
338.023	-77.65	-18.30	-40.0	-37.65	160.00	Vertical	Vertical	Pass
1957.100	-46.61	-5.13	-40.0	-6.61	239.00	Vertical	Vertical	N/A
3581.750	-63.76	-1.21	-40.0	-23.76	360.00	Vertical	Vertical	Pass
9323.350	-46.73	15.99	-40.0	-6.73	140.00	Vertical	Vertical	Pass
16844.750	-45.93	17.64	-40.0	-5.93	255.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n48A 20MHz(CH18900)+40MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.612	-79.11	-25.34	-40.0	-39.11	95.00	Horizontal	Vertical	Pass
374.641	-77.87	-17.89	-40.0	-37.87	333.00	Horizontal	Vertical	Pass
1957.700	-56.97	-5.13	-40.0	-16.97	306.00	Horizontal	Vertical	N/A
3580.250	-63.67	-1.21	-40.0	-23.67	89.00	Horizontal	Vertical	Pass
9329.526	-46.42	16.06	-40.0	-6.42	360.00	Horizontal	Vertical	Pass
16318.812	-46.18	17.05	-40.0	-6.18	291.00	Horizontal	Vertical	Pass

94 NR_DC_66A_n48A

94.1 NR_DC_66A_n48A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n48A 20MHz(CH132322)+10MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.626	-78.88	-24.86	-40.0	-38.88	53.00	Vertical	Vertical	Pass
342.000	-78.46	-18.19	-40.0	-38.46	149.00	Vertical	Vertical	Pass
2158.800	-53.23	-4.29	-40.0	-13.23	295.00	Vertical	Vertical	Pass
3594.500	-63.97	-1.26	-40.0	-23.97	319.00	Vertical	Vertical	Pass
9307.437	-46.64	16.11	-40.0	-6.64	310.00	Vertical	Vertical	Pass
16529.188	-46.59	16.98	-40.0	-6.59	67.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n48A 20MHz(CH132322)+10MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.218	-78.18	-25.58	-40.0	-38.18	111.00	Horizontal	Vertical	Pass
375.078	-78.06	-17.88	-40.0	-38.06	319.00	Horizontal	Vertical	Pass
2137.100	-61.24	-4.43	-40.0	-21.24	254.00	Horizontal	Vertical	N/A
3579.000	-63.79	-1.20	-40.0	-23.79	178.00	Horizontal	Vertical	Pass
9296.037	-46.46	16.05	-40.0	-6.46	7.00	Horizontal	Vertical	Pass
16332.562	-46.14	17.32	-40.0	-6.14	246.00	Horizontal	Vertical	Pass

94.2 NR_DC_66A_n48A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n48A 20MHz(CH132322)+20MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.647	-77.68	-25.76	-40.0	-37.68	1.00	Vertical	Vertical	Pass
445.645	-76.19	-15.45	-40.0	-36.19	144.00	Vertical	Vertical	Pass
2138.400	-52.32	-4.51	-40.0	-12.32	264.00	Vertical	Vertical	N/A
3595.250	-63.59	-1.26	-40.0	-23.59	184.00	Vertical	Vertical	Pass
9326.437	-46.66	15.95	-40.0	-6.66	286.00	Vertical	Vertical	Pass
15308.188	-46.56	16.67	-40.0	-6.56	205.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n48A 20MHz(CH132322)+20MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.310	-78.87	-25.19	-40.0	-38.87	80.00	Horizontal	Vertical	Pass
374.447	-77.50	-17.89	-40.0	-37.50	352.00	Horizontal	Vertical	Pass
2139.900	-61.40	-4.61	-40.0	-21.40	253.00	Horizontal	Vertical	N/A
3578.000	-63.32	-1.20	-40.0	-23.32	356.00	Horizontal	Vertical	Pass
9315.512	-46.51	15.89	-40.0	-6.51	277.00	Horizontal	Vertical	Pass
16857.813	-45.76	17.80	-40.0	-5.76	0.00	Horizontal	Vertical	Pass

94.3 NR_DC_66A_n48A 20MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n48A 20MHz(CH132322)+40MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.830	-80.16	-25.61	-40.0	-40.16	239.00	Vertical	Vertical	Pass
375.999	-78.01	-17.86	-40.0	-38.01	166.00	Vertical	Vertical	Pass
2136.300	-52.34	-4.39	-40.0	-12.34	264.00	Vertical	Vertical	N/A
3578.750	-63.38	-1.20	-40.0	-23.38	0.00	Vertical	Vertical	Pass
9296.987	-46.73	16.08	-40.0	-6.73	153.00	Vertical	Vertical	Pass
15350.125	-46.42	16.84	-40.0	-6.42	15.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n48A 20MHz(CH132322)+40MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.589	-79.84	-25.03	-40.0	-39.84	118.00	Horizontal	Vertical	Pass
375.805	-77.97	-17.86	-40.0	-37.97	315.00	Horizontal	Vertical	Pass
2143.300	-61.30	-4.65	-40.0	-21.30	256.00	Horizontal	Vertical	N/A
3578.250	-63.60	-1.20	-40.0	-23.60	270.00	Horizontal	Vertical	Pass
9305.538	-46.10	16.15	-40.0	-6.10	360.00	Horizontal	Vertical	Pass
16899.063	-46.28	17.94	-40.0	-6.28	360.00	Horizontal	Vertical	Pass

95 NR_DC_2A_n77A(3450-3650MHz)

95.1 NR_DC_2A_n77A(3450-3650MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+20MHz(CH636666)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
135.342	-72.65	-17.76	-30.0	-42.65	98.00	Vertical	Horizontal	Pass
380.994	-70.81	-9.63	-30.0	-40.81	163.00	Vertical	Horizontal	Pass
1952.000	-39.04	4.33	-30.0	-9.04	157.00	Vertical	Horizontal	Pass
3547.750	-41.37	13.60	-30.0	-11.37	64.00	Vertical	Horizontal	Pass
7870.000	-45.01	17.07	-30.0	-15.01	85.00	Vertical	Horizontal	Pass
18124.100	-41.03	24.04	-30.0	-11.03	152.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+20MHz(CH636666)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.414	-71.18	-16.99	-30.0	-41.18	117.00	Horizontal	Horizontal	Pass
349.082	-70.76	-9.84	-30.0	-40.76	360.00	Horizontal	Horizontal	Pass
1956.900	-45.11	4.11	-30.0	-15.11	316.00	Horizontal	Horizontal	Pass
3548.250	-45.72	13.61	-30.0	-15.72	59.00	Horizontal	Horizontal	Pass
7915.000	-45.52	16.96	-30.0	-15.52	250.00	Horizontal	Horizontal	Pass
18090.099	-40.71	23.68	-30.0	-10.71	3.00	Horizontal	Horizontal	Pass