


50 NR_n78_MIMO (3700-3800MHz)_30KHz

50.1 NR_n78_MIMO (3700-3800MHz) BW20, Middle Channel

RSE-V&H NR_n78_MIMO (3700-3800MHz) BW20 CH656000


RSE(5G FCC)_5G N78_3700-3800_30MHz-38GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.668	-69.70	-17.08	-13.0	-56.70	45.00	Vertical	Horizontal	Pass
409.027	-69.95	-7.82	-13.0	-56.95	18.00	Vertical	Horizontal	Pass
1198.300	-62.87	-2.22	-13.0	-49.87	260.00	Vertical	Horizontal	Pass
3745.750	-44.17	13.48	-13.0	-31.17	128.00	Vertical	Horizontal	Pass
7174.000	-37.21	24.63	-13.0	-24.21	34.00	Vertical	Horizontal	Pass
18465.876	-40.81	21.91	-13.0	-27.81	204.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3700-3800MHz) BW20 CH656000


RSE(5G FCC)_5G N78_3700-3800_30MHz-38GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
158.088	-70.81	-16.47	-13.0	-57.81	172.00	Horizontal	Horizontal	Pass
395.593	-70.49	-8.44	-13.0	-57.49	255.00	Horizontal	Horizontal	Pass
1200.900	-62.48	-2.21	-13.0	-49.48	345.00	Horizontal	Horizontal	Pass
3745.750	-46.70	13.48	-13.0	-33.70	128.00	Horizontal	Horizontal	Pass
7081.000	-37.58	23.94	-13.0	-24.58	341.00	Horizontal	Horizontal	Pass
18095.313	-40.57	23.64	-13.0	-27.57	0.00	Horizontal	Horizontal	Pass

50.2 NR_n78_MIMO (3700-3800MHz) BW50, Middle Channel


RSE-V&H NR_n78_MIMO (3700-3800MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.728	-69.22	-17.24	-13.0	-56.22	4.00	Vertical	Horizontal	Pass
401.753	-70.33	-8.15	-13.0	-57.33	159.00	Vertical	Horizontal	Pass
1199.800	-62.71	-2.19	-13.0	-49.71	173.00	Vertical	Horizontal	Pass
3740.500	-45.24	13.50	-13.0	-32.24	224.00	Vertical	Horizontal	Pass
7974.750	-36.29	26.10	-13.0	-23.29	124.00	Vertical	Horizontal	Pass
18122.125	-41.07	24.00	-13.0	-28.07	360.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3700-3800MHz) BW50 CH656000

RSE(5G FCC)_5G NR_n78_3700-3800_30MHz-38GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.197	-72.40	-16.68	-13.0	-59.40	254.00	Horizontal	Horizontal	Pass
398.649	-70.93	-8.28	-13.0	-57.93	261.00	Horizontal	Horizontal	Pass
1199.500	-63.28	-2.20	-13.0	-50.28	359.00	Horizontal	Horizontal	Pass
3740.750	-46.23	13.50	-13.0	-33.23	126.00	Horizontal	Horizontal	Pass
7927.250	-36.39	25.80	-13.0	-23.39	271.00	Horizontal	Horizontal	Pass
18084.999	-41.32	23.64	-13.0	-28.32	345.00	Horizontal	Horizontal	Pass

50.3 NR_n78_MIMO (3700-3800MHz) BW100, Middle Channel

RSE-V&H NR_n78_MIMO (3700-3800MHz) BW100 CH656000


RSE(5G FCC)_5G N78_3700-3800_30MHz-38GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.977	-69.37	-17.03	-13.0	-56.37	19.00	Vertical	Horizontal	Pass
397.824	-69.62	-8.33	-13.0	-56.62	168.00	Vertical	Horizontal	Pass
1209.500	-63.02	-2.77	-13.0	-50.02	139.00	Vertical	Horizontal	Pass
3734.000	-45.59	13.52	-13.0	-32.59	107.00	Vertical	Horizontal	Pass
7164.750	-37.02	24.04	-13.0	-24.02	354.00	Vertical	Horizontal	Pass
18870.125	-41.07	21.75	-13.0	-28.07	360.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3700-3800MHz) BW100 CH656000

RSE(5G FCC)_5G NR_n78_3700-3800_30MHz-38GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.682	-68.86	-16.62	-13.0	-55.86	315.00	Horizontal	Horizontal	Pass
395.642	-70.23	-8.44	-13.0	-57.23	259.00	Horizontal	Horizontal	Pass
1202.400	-62.96	-2.29	-13.0	-49.96	152.00	Horizontal	Horizontal	Pass
3576.750	-48.17	13.81	-13.0	-35.17	262.00	Horizontal	Horizontal	Pass
7204.750	-36.52	24.74	-13.0	-23.52	4.00	Horizontal	Horizontal	Pass
17896.624	-41.04	23.63	-13.0	-28.04	145.00	Horizontal	Horizontal	Pass

51 NR_n78_MIMO (3450-3650MHz)_30KHz

51.1 NR_n78_MIMO (3450-3650MHz) BW20, Middle Channel

RSE-V&H NR_n78_MIMO (3450-3650MHz) BW20 CH636666


RSE(5G FCC)_5G N78_3450-3550_30MHz-36GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.546	-72.48	-17.40	-30.0	-42.48	118.00	Vertical	Horizontal	Pass
385.796	-68.94	-9.13	-30.0	-38.94	170.00	Vertical	Horizontal	Pass
2765.000	-53.38	0.68	-30.0	-23.38	290.00	Vertical	Horizontal	Pass
3546.000	-40.49	13.59	-30.0	-10.49	289.00	Vertical	Horizontal	Pass
7973.750	-44.83	17.20	-30.0	-14.83	325.00	Vertical	Horizontal	Pass
18430.124	-40.90	22.63	-30.0	-10.90	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3450-3650MHz) BW20 CH636666


RSE(5G FCC)_5G NR_n78_3450-3550_30MHz-36GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.971	-71.98	-17.22	-30.0	-41.98	142.00	Horizontal	Horizontal	Pass
383.905	-64.85	-9.32	-30.0	-34.85	142.00	Horizontal	Horizontal	Pass
2076.300	-61.27	-2.03	-30.0	-31.27	356.00	Horizontal	Horizontal	Pass
3546.750	-46.09	13.60	-30.0	-16.09	85.00	Horizontal	Horizontal	Pass
7978.000	-45.66	17.15	-30.0	-15.66	143.00	Horizontal	Horizontal	Pass
18120.749	-40.99	24.08	-30.0	-10.99	10.00	Horizontal	Horizontal	Pass


51.2 NR_n78_MIMO (3450-3650MHz) BW50, Middle Channel

RSE-V&H NR_n78_MIMO (3450-3650MHz) BW50 CH636666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.580	-73.96	-17.85	-30.0	-43.96	107.00	Vertical	Horizontal	Pass
405.778	-67.41	-7.97	-30.0	-37.41	146.00	Vertical	Horizontal	Pass
2242.400	-60.53	-0.94	-30.0	-30.53	132.00	Vertical	Horizontal	Pass
3546.750	-46.31	13.60	-30.0	-16.31	284.00	Vertical	Horizontal	Pass
7896.500	-45.36	16.79	-30.0	-15.36	120.00	Vertical	Horizontal	Pass
18135.187	-40.87	23.75	-30.0	-10.87	333.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3450-3650MHz) BW50 CH636666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.190	-71.06	-16.89	-30.0	-41.06	148.00	Horizontal	Horizontal	Pass
352.573	-68.94	-9.92	-30.0	-38.94	215.00	Horizontal	Horizontal	Pass
1954.400	-62.54	-2.61	-30.0	-32.54	313.00	Horizontal	Horizontal	Pass
3550.000	-48.90	13.62	-30.0	-18.90	348.00	Horizontal	Horizontal	Pass
7962.000	-45.41	17.51	-30.0	-15.41	117.00	Horizontal	Horizontal	Pass
17862.250	-41.13	23.51	-30.0	-11.13	0.00	Horizontal	Horizontal	Pass

51.3 NR_n78_MIMO (3450-3650MHz) BW100, Middle Channel

RSE-V&H NR_n78_MIMO (3450-3650MHz) BW100 CH636666


RSE(5G FCC)_5G NR_n78_3450-3550_30MHz-36GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.046	-73.06	-17.88	-30.0	-43.06	34.00	Vertical	Horizontal	Pass
400.249	-67.37	-8.20	-30.0	-37.37	144.00	Vertical	Horizontal	Pass
2221.200	-61.83	-1.41	-30.0	-31.83	305.00	Vertical	Horizontal	Pass
3542.750	-46.73	13.57	-30.0	-16.73	147.00	Vertical	Horizontal	Pass
9300.076	-45.51	16.97	-30.0	-15.51	353.00	Vertical	Horizontal	Pass
18113.876	-40.98	23.92	-30.0	-10.98	64.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3450-3650MHz) BW100 CH636666

RSE(5G FCC)_5G NR_n78_3450-3550_30MHz-36GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
137.282	-71.16	-17.79	-30.0	-41.16	152.00	Horizontal	Horizontal	Pass
378.036	-67.07	-9.79	-30.0	-37.07	164.00	Horizontal	Horizontal	Pass
2002.700	-61.82	-2.49	-30.0	-31.82	355.00	Horizontal	Horizontal	Pass
3584.000	-48.20	13.53	-30.0	-18.20	217.00	Horizontal	Horizontal	Pass
7855.000	-44.74	16.93	-30.0	-14.74	188.00	Horizontal	Horizontal	Pass
18188.812	-40.79	23.01	-30.0	-10.79	197.00	Horizontal	Horizontal	Pass

52 NR_n78_MIMO (3650-3700MHz)_30KHz

52.1 NR_n78_MIMO (3650-3700MHz) BW20, Middle Channel


RSE-V&H NR_n78_MIMO (3650-3700MHz) BW20 CH645000

RSE(5G FCC)_5G N78_3700-3800_30MHz-38GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.049	-69.60	-17.31	-13.0	-56.60	33.00	Vertical	Horizontal	Pass
409.949	-70.91	-7.79	-13.0	-57.91	157.00	Vertical	Horizontal	Pass
1200.100	-63.02	-2.19	-13.0	-50.02	0.00	Vertical	Horizontal	Pass
3670.500	-45.09	13.66	-13.0	-32.09	253.00	Vertical	Horizontal	Pass
7868.500	-36.64	26.01	-13.0	-23.64	186.00	Vertical	Horizontal	Pass
17863.625	-40.71	23.55	-13.0	-27.71	231.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3650-3700MHz) BW20 CH645000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
121.229	-73.27	-17.34	-13.0	-60.27	360.00	Horizontal	Horizontal	Pass
384.438	-72.40	-9.26	-13.0	-59.40	241.00	Horizontal	Horizontal	Pass
1197.400	-63.29	-2.22	-13.0	-50.29	271.00	Horizontal	Horizontal	Pass
3581.500	-49.11	13.79	-13.0	-36.11	146.00	Horizontal	Horizontal	Pass
7173.500	-36.95	24.63	-13.0	-23.95	226.00	Horizontal	Horizontal	Pass
17904.876	-41.13	23.36	-13.0	-28.13	5.00	Horizontal	Horizontal	Pass

52.2 NR_n78_MIMO (3650-3700MHz) BW40, Middle Channel

RSE-V&H NR_n78_MIMO (3650-3700MHz) BW40 CH645000


RSE(5G FCC)_5G N78_3700-3800_30MHz-38GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.250	-69.83	-17.05	-13.0	-56.83	79.00	Vertical	Horizontal	Pass
407.670	-70.28	-7.89	-13.0	-57.28	155.00	Vertical	Horizontal	Pass
1202.500	-63.08	-2.30	-13.0	-50.08	336.00	Vertical	Horizontal	Pass
3670.750	-48.48	13.66	-13.0	-35.48	257.00	Vertical	Horizontal	Pass
7947.250	-36.36	26.28	-13.0	-23.36	179.00	Vertical	Horizontal	Pass
18091.188	-41.29	23.75	-13.0	-28.29	54.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3650-3700MHz) BW40 CH645000


RSE(5G FCC)_5G NR_n78_3700-3800_30MHz-38GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.024	-71.41	-17.60	-13.0	-58.41	359.00	Horizontal	Horizontal	Pass
401.801	-70.01	-8.14	-13.0	-57.01	254.00	Horizontal	Horizontal	Pass
1205.400	-63.12	-2.49	-13.0	-50.12	290.00	Horizontal	Horizontal	Pass
3578.000	-49.38	13.80	-13.0	-36.38	156.00	Horizontal	Horizontal	Pass
7178.250	-37.57	24.37	-13.0	-24.57	0.00	Horizontal	Horizontal	Pass
17865.001	-40.89	23.56	-13.0	-27.89	91.00	Horizontal	Horizontal	Pass

52.3 NR_n78_MIMO (3650-3700MHz) BW50, Middle Channel


RSE-V&H NR_n78_MIMO (3650-3700MHz) BW50 CH645000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.310	-71.24	-17.19	-13.0	-58.24	343.00	Vertical	Horizontal	Pass
396.612	-69.98	-8.37	-13.0	-56.98	160.00	Vertical	Horizontal	Pass
1198.300	-62.87	-2.22	-13.0	-49.87	124.00	Vertical	Horizontal	Pass
3660.500	-39.46	13.65	-13.0	-26.46	255.00	Vertical	Horizontal	Pass
7176.250	-37.55	24.51	-13.0	-24.55	360.00	Vertical	Horizontal	Pass
18139.312	-40.48	23.62	-13.0	-27.48	306.00	Vertical	Horizontal	Pass

RSE-H&H NR_n78_MIMO (3650-3700MHz) BW50 CH645000

RSE(5G FCC)_5G NR_n78_3700-3800_30MHz-38GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.000	-69.68	-17.32	-13.0	-56.68	314.00	Horizontal	Horizontal	Pass
383.274	-70.75	-9.39	-13.0	-57.75	258.00	Horizontal	Horizontal	Pass
1200.400	-62.37	-2.20	-13.0	-49.37	284.00	Horizontal	Horizontal	Pass
3660.250	-44.22	13.65	-13.0	-31.22	323.00	Horizontal	Horizontal	Pass
7174.500	-36.70	24.62	-13.0	-23.70	165.00	Horizontal	Horizontal	Pass
18100.126	-41.08	23.64	-13.0	-28.08	295.00	Horizontal	Horizontal	Pass

53 NR_DC_2A_n5A

53.1 NR_DC_2A_n5A 20MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n5A 20MHz(CH18900)+5MHz(CH167300)


RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.439	-36.17	6.44	-13.0	-23.17	148.00	Vertical	Horizontal	N/A
879.623	-35.10	7.88	-13.0	-22.1	62.00	Vertical	Horizontal	N/A
1766.000	-38.32	1.84	-13.0	-25.32	4.00	Vertical	Horizontal	Pass
1967.600	-31.31	5.37	-13.0	-18.31	257.00	Vertical	Horizontal	N/A
7922.250	-38.01	17.09	-13.0	-25.01	0.00	Vertical	Horizontal	Pass
17868.489	-41.55	15.82	-13.0	-28.55	53.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n5A 20MHz(CH18900)+5MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.391	-48.02	6.43	-13.0	-35.02	206.00	Horizontal	Horizontal	N/A
883.212	-45.48	7.54	-13.0	-32.48	131.00	Horizontal	Horizontal	N/A
1779.500	-42.31	1.68	-13.0	-29.31	359.00	Horizontal	Horizontal	Pass
1957.600	-29.84	4.10	-13.0	-16.84	131.00	Horizontal	Horizontal	N/A
2999.300	-42.45	11.59	-13.0	-29.45	10.00	Horizontal	Horizontal	Pass
7890.250	-37.42	16.67	-13.0	-24.42	110.00	Horizontal	Horizontal	Pass

53.2 NR_DC_2A_n5A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n5A 20MHz(CH18900)+15MHz(CH167300)


RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.645	-26.56	6.34	-13.0	-13.56	146.00	Vertical	Horizontal	N/A
876.374	-38.76	8.10	-13.0	-25.76	53.00	Vertical	Horizontal	N/A
1957.500	-30.20	4.10	-13.0	-17.20	316.00	Vertical	Horizontal	N/A
2987.100	-42.54	10.79	-13.0	-29.54	168.00	Vertical	Horizontal	Pass
7888.750	-37.65	16.66	-13.0	-24.65	0.00	Vertical	Horizontal	Pass
17896.837	-40.83	15.84	-13.0	-27.83	244.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n5A 20MHz(CH18900)+15MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.548	-38.73	6.34	-13.0	-25.73	194.00	Horizontal	Horizontal	N/A
886.995	-50.14	7.53	-13.0	-37.14	132.00	Horizontal	Horizontal	N/A
1953.400	-28.89	4.28	-13.0	-15.89	235.00	Horizontal	Horizontal	N/A
2986.800	-42.88	10.80	-13.0	-29.88	58.00	Horizontal	Horizontal	Pass
7969.750	-38.10	17.32	-13.0	-25.10	292.00	Horizontal	Horizontal	Pass
17886.863	-41.67	15.49	-13.0	-28.67	119.00	Horizontal	Horizontal	Pass

53.3 NR_DC_2A_n5A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n5A 20MHz(CH18900)+20MHz(CH167300)


RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.839	-27.79	6.35	-13.0	-14.79	148.00	Vertical	Horizontal	N/A
874.870	-39.62	8.01	-13.0	-26.62	228.00	Vertical	Horizontal	N/A
1766.000	-37.09	1.84	-13.0	-24.09	189.00	Vertical	Horizontal	Pass
1957.600	-28.04	4.10	-13.0	-15.04	250.00	Vertical	Horizontal	N/A
2993.500	-43.03	11.18	-13.0	-30.03	146.00	Vertical	Horizontal	Pass
7955.750	-38.16	17.54	-13.0	-25.16	12.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n5A 20MHz(CH18900)+20MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.936	-39.97	6.36	-13.0	-26.97	199.00	Horizontal	Horizontal	N/A
878.023	-49.71	8.02	-13.0	-36.71	140.00	Horizontal	Horizontal	N/A
1951.600	-26.92	4.34	-13.0	-13.92	234.00	Horizontal	Horizontal	N/A
2996.300	-42.35	11.41	-13.0	-29.35	263.00	Horizontal	Horizontal	Pass
7999.000	-36.94	17.25	-13.0	-23.94	79.00	Horizontal	Horizontal	Pass
17917.837	-41.01	15.31	-13.0	-28.01	44.00	Horizontal	Horizontal	Pass

54 NR_DC_30A_n5A

54.1 NR_DC_30A_n5A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n5A 10MHz(CH27710)+5MHz(CH167300)


RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.391	-36.42	6.43	-13.0	-23.42	153.00	Vertical	Horizontal	N/A
880.545	-35.12	7.78	-13.0	-22.12	227.00	Vertical	Horizontal	N/A
1783.600	-36.27	2.97	-13.0	-23.27	76.00	Vertical	Horizontal	Pass
2309.100	-2.01	5.34	-13.0	10.99	244.00	Vertical	Horizontal	N/A
2353.200	-30.39	5.80	-13.0	-17.39	137.00	Vertical	Horizontal	Pass
7967.750	-37.70	17.36	-13.0	-24.70	358.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n5A 10MHz(CH27710)+5MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.439	-49.34	6.44	-13.0	-36.34	209.00	Horizontal	Horizontal	N/A
882.145	-43.95	7.61	-13.0	-30.95	140.00	Horizontal	Horizontal	N/A
1766.000	-33.64	3.13	-13.0	-20.64	238.00	Horizontal	Horizontal	Pass
2308.000	-10.96	5.32	-13.0	2.04	172.00	Horizontal	Horizontal	N/A
2353.800	-28.87	5.81	-13.0	-15.87	209.00	Horizontal	Horizontal	Pass
7862.750	-37.22	17.06	-13.0	-24.22	15.00	Horizontal	Horizontal	Pass

54.2 NR_DC_30A_n5A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n5A 10MHz(CH27710)+15MHz(CH167300)


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.839	-26.50	6.35	-13.0	-13.50	147.00	Vertical	Horizontal	N/A
877.926	-38.92	8.03	-13.0	-25.92	186.00	Vertical	Horizontal	N/A
1783.800	-38.54	2.97	-13.0	-25.54	261.00	Vertical	Horizontal	Pass
2308.500	-1.88	5.33	-13.0	11.12	248.00	Vertical	Horizontal	N/A
2352.700	-28.93	5.81	-13.0	-15.93	143.00	Vertical	Horizontal	Pass
7641.250	-37.21	15.78	-13.0	-24.21	127.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n5A 10MHz(CH27710)+15MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.936	-38.92	6.36	-13.0	-25.92	190.00	Horizontal	Horizontal	N/A
877.247	-48.04	8.07	-13.0	-35.04	135.00	Horizontal	Horizontal	N/A
1783.800	-42.41	2.97	-13.0	-29.41	360.00	Horizontal	Horizontal	Pass
2313.600	-9.83	5.49	-13.0	3.17	69.00	Horizontal	Horizontal	N/A
2355.300	-29.08	5.78	-13.0	-16.08	208.00	Horizontal	Horizontal	Pass
7892.750	-37.75	16.73	-13.0	-24.75	157.00	Horizontal	Horizontal	Pass

54.3 NR_DC_30A_n5A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n5A 10MHz(CH27710)+20MHz(CH167300)


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.791	-27.83	6.35	-13.0	-14.83	148.00	Vertical	Horizontal	N/A
874.773	-39.27	8.00	-13.0	-26.27	58.00	Vertical	Horizontal	N/A
2306.700	-1.85	5.30	-13.0	11.15	240.00	Vertical	Horizontal	N/A
2356.600	-29.65	5.75	-13.0	-16.65	146.00	Vertical	Horizontal	Pass
7999.000	-38.04	17.25	-13.0	-25.04	239.00	Vertical	Horizontal	Pass
17900.511	-41.30	15.47	-13.0	-28.30	204.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n5A 10MHz(CH27710)+20MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.791	-40.25	6.35	-13.0	-27.25	199.00	Horizontal	Horizontal	N/A
881.078	-50.85	7.72	-13.0	-37.85	142.00	Horizontal	Horizontal	N/A
1766.100	-38.20	3.13	-13.0	-25.20	97.00	Horizontal	Horizontal	Pass
2306.300	-9.77	5.29	-13.0	3.23	93.00	Horizontal	Horizontal	N/A
2352.000	-29.98	5.83	-13.0	-16.98	202.00	Horizontal	Horizontal	Pass
7859.500	-38.32	17.01	-13.0	-25.32	177.00	Horizontal	Horizontal	Pass

55 NR_DC_66A_n5A

55.1 NR_DC_66A_n5A 20MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n5A 20MHz(CH132322)+5MHz(CH167300)


RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.822	-59.92	-12.13	-13.0	-46.92	271.00	Vertical	Horizontal	Pass
835.439	-36.22	6.44	-13.0	-23.22	139.00	Vertical	Horizontal	N/A
881.466	-35.47	7.69	-13.0	-22.47	104.00	Vertical	Horizontal	N/A
2152.000	-30.31	4.66	-13.0	-17.31	260.00	Vertical	Horizontal	N/A
7928.750	-37.76	17.19	-13.0	-24.76	241.00	Vertical	Horizontal	Pass
17933.851	-41.58	15.32	-13.0	-28.58	55.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n5A 20MHz(CH132322)+5MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.439	-48.49	6.44	-13.0	-35.49	189.00	Horizontal	Horizontal	N/A
879.914	-43.71	7.85	-13.0	-30.71	135.00	Horizontal	Horizontal	N/A
2152.700	-29.44	4.70	-13.0	-16.44	166.00	Horizontal	Horizontal	N/A
2963.400	-43.06	11.00	-13.0	-30.06	252.00	Horizontal	Horizontal	Pass
7927.000	-37.83	17.18	-13.0	-24.83	333.00	Horizontal	Horizontal	Pass
17965.089	-41.80	15.65	-13.0	-28.80	173.00	Horizontal	Horizontal	Pass

55.2 NR_DC_66A_n5A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n5A 20MHz(CH132322)+15MHz(CH167300)


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.742	-26.26	6.35	-13.0	-13.26	154.00	Vertical	Horizontal	N/A
877.828	-38.35	8.04	-13.0	-25.35	68.00	Vertical	Horizontal	N/A
2158.400	-30.52	5.04	-13.0	-17.52	144.00	Vertical	Horizontal	N/A
2992.300	-42.75	11.00	-13.0	-29.75	31.00	Vertical	Horizontal	Pass
7976.500	-37.31	17.14	-13.0	-24.31	217.00	Vertical	Horizontal	Pass
17974.276	-41.81	15.07	-13.0	-28.81	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n5A 20MHz(CH132322)+15MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.791	-37.94	6.35	-13.0	-24.94	192.00	Horizontal	Horizontal	N/A
877.877	-47.93	8.03	-13.0	-34.93	141.00	Horizontal	Horizontal	N/A
2151.700	-32.78	4.64	-13.0	-19.78	238.00	Horizontal	Horizontal	N/A
2985.600	-43.15	10.90	-13.0	-30.15	101.00	Horizontal	Horizontal	Pass
7887.250	-37.77	16.66	-13.0	-24.77	104.00	Horizontal	Horizontal	Pass
17899.725	-41.68	15.56	-13.0	-28.68	268.00	Horizontal	Horizontal	Pass

55.3 NR_DC_66A_n5A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n5A 20MHz(CH132322)+20MHz(CH167300)


RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.596	-27.71	6.34	-13.0	-14.71	152.00	Vertical	Horizontal	N/A
872.639	-39.80	7.81	-13.0	-26.80	315.00	Vertical	Horizontal	M/A
2158.900	-30.03	5.06	-13.0	-17.03	141.00	Vertical	Horizontal	N/A
2975.300	-42.88	11.48	-13.0	-29.88	255.00	Vertical	Horizontal	Pass
7866.750	-37.46	17.12	-13.0	-24.46	7.00	Vertical	Horizontal	Pass
17863.500	-41.03	15.65	-13.0	-28.03	333.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n5A 20MHz(CH132322)+20MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.839	-39.60	6.35	-13.0	-26.60	196.00	Horizontal	Horizontal	N/A
882.436	-49.90	7.59	-13.0	-36.90	138.00	Horizontal	Horizontal	N/A
2158.500	-31.46	5.05	-13.0	-18.46	162.00	Horizontal	Horizontal	N/A
3000.000	-43.11	11.58	-13.0	-30.11	230.00	Horizontal	Horizontal	Pass
7882.500	-37.69	16.65	-13.0	-24.69	0.00	Horizontal	Horizontal	Pass
17959.574	-41.40	15.55	-13.0	-28.40	0.00	Horizontal	Horizontal	Pass

54 NR_DC_48A_n5A

54.1 NR_DC_48A_n5A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_48A_n5A 20MHz(CH55990)+5MHz(CH167300)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.391	-36.94	6.43	-13.0	-23.94	138.00	Vertical	Horizontal	N/A
881.466	-34.46	7.69	-13.0	-21.46	188.00	Vertical	Horizontal	N/A
2994.500	-42.77	11.18	-13.0	-29.77	263.00	Vertical	Horizontal	Pass
3616.500	-9.53	6.65	-13.0	3.47	0.00	Vertical	Horizontal	N/A
7933.250	-38.42	17.21	-13.0	-25.42	205.00	Vertical	Horizontal	Pass
17929.650	-41.76	15.39	-13.0	-28.76	194.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n5A 20MHz(CH55990)+5MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.391	-49.90	6.43	-13.0	-36.90	297.00	Horizontal	Horizontal	N/A
882.533	-44.86	7.58	-13.0	-31.86	142.00	Horizontal	Horizontal	N/A
2995.900	-42.58	11.31	-13.0	-29.58	112.00	Horizontal	Horizontal	N/A
3630.000	-10.86	6.05	-13.0	2.14	163.00	Horizontal	Horizontal	Pass
7931.000	-37.73	17.23	-13.0	-24.73	303.00	Horizontal	Horizontal	Pass
17898.412	-41.27	15.71	-13.0	-28.27	75.00	Horizontal	Horizontal	Pass

54.2 NR_DC_48A_n5A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n5A 20MHz(CH55990)+15MHz(CH167300)


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.839	-27.11	6.35	-13.0	-14.11	142.00	Vertical	Horizontal	N/A
875.258	-39.61	8.03	-13.0	-26.61	45.00	Vertical	Horizontal	N/A
2989.600	-42.28	10.86	-13.0	-29.28	163.00	Vertical	Horizontal	Pass
3617.250	-9.04	6.65	-13.0	3.96	0.00	Vertical	Horizontal	N/A
7241.500	-36.81	16.24	-13.0	-23.81	0.00	Vertical	Horizontal	Pass
17866.125	-40.80	15.68	-13.0	-27.80	256.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n5A 20MHz(CH55990)+15MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.887	-39.12	6.35	-13.0	-26.12	191.00	Horizontal	Horizontal	N/A
884.036	-48.89	7.52	-13.0	-35.89	144.00	Horizontal	Horizontal	N/A
2982.700	-42.55	11.25	-13.0	-29.55	57.00	Horizontal	Horizontal	Pass
3617.250	-11.03	6.65	-13.0	1.97	121.00	Horizontal	Horizontal	N/A
7997.750	-37.74	17.21	-13.0	-24.74	247.00	Horizontal	Horizontal	Pass
17935.426	-41.43	15.32	-13.0	-28.43	0.00	Horizontal	Horizontal	Pass

54.3 NR_DC_48A_n5A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n5A 20MHz(CH55990)+20MHz(CH167300)


RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.936	-28.44	6.36	-13.0	-15.44	153.00	Vertical	Horizontal	N/A
874.773	-38.83	8.00	-13.0	-25.83	189.00	Vertical	Horizontal	N/A
2984.500	-42.88	11.00	-13.0	-29.88	152.00	Vertical	Horizontal	Pass
3616.250	-8.82	6.64	-13.0	4.18	0.00	Vertical	Horizontal	N/A
7233.250	-37.12	16.20	-13.0	-24.12	345.00	Vertical	Horizontal	Pass
17948.813	-42.18	15.59	-13.0	-29.18	64.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n5A 20MHz(CH55990)+20MHz(CH167300)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.839	-40.96	6.35	-13.0	-27.96	203.00	Horizontal	Horizontal	N/A
888.207	-50.80	7.55	-13.0	-37.80	137.00	Horizontal	Horizontal	N/A
2996.000	-42.81	11.33	-13.0	-29.81	82.00	Horizontal	Horizontal	Pass
3628.500	-11.76	6.12	-13.0	1.24	117.00	Horizontal	Horizontal	N/A
7997.250	-37.34	17.21	-13.0	-24.34	0.00	Horizontal	Horizontal	Pass
17870.850	-41.45	15.64	-13.0	-28.45	224.00	Horizontal	Horizontal	Pass

56 NR_DC_2A_n66A

56.1 NR_DC_2A_n66A 20MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n66A 20MHz(CH18900)+5MHz(CH349000)


RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.500	-31.66	3.26	-13.0	-18.66	194.00	Vertical	Horizontal	N/A
1888.100	-1.68	3.06	-13.0	11.32	296.00	Vertical	Horizontal	N/A
1958.100	-30.71	3.95	-13.0	-17.71	276.00	Vertical	Horizontal	N/A
2144.000	-24.30	4.46	-13.0	-11.30	360.00	Vertical	Horizontal	N/A
7955.750	-37.85	17.54	-13.0	-24.85	0.00	Vertical	Horizontal	Pass
17905.762	-40.74	15.53	-13.0	-27.74	76.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n66A 20MHz(CH18900)+5MHz(CH349000)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.400	-38.90	3.26	-13.0	-25.90	43.00	Horizontal	Horizontal	N/A
1875.200	-8.47	3.00	-13.0	4.53	197.00	Horizontal	Horizontal	N/A
1957.500	-28.29	3.94	-13.0	-15.29	311.00	Horizontal	Horizontal	N/A
2144.900	-36.88	4.49	-13.0	-23.88	169.00	Horizontal	Horizontal	N/A
7968.250	-37.84	17.35	-13.0	-24.84	104.00	Horizontal	Horizontal	Pass
17858.775	-41.64	15.46	-13.0	-28.64	119.00	Horizontal	Horizontal	Pass

2.2 NR_DC_2A_n66A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n66A 20MHz(CH18900)+15MHz(CH349000)


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.300	-33.13	3.26	-13.0	-20.13	193.00	Vertical	Horizontal	N/A
1881.800	-0.75	3.15	-13.0	12.25	86.00	Vertical	Horizontal	N/A
1956.300	-30.45	3.93	-13.0	-17.45	249.00	Vertical	Horizontal	N/A
2141.700	-28.75	4.53	-13.0	-15.75	326.00	Vertical	Horizontal	N/A
7992.000	-37.93	17.13	-13.0	-24.93	204.00	Vertical	Horizontal	Pass
17864.026	-41.06	15.66	-13.0	-28.06	259.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n66A 20MHz(CH18900)+15MHz(CH349000)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.700	-39.13	3.26	-13.0	-26.13	140.00	Horizontal	Horizontal	N/A
1880.500	-8.11	3.14	-13.0	4.89	197.00	Horizontal	Horizontal	N/A
1957.800	-27.33	3.94	-13.0	-14.33	140.00	Horizontal	Horizontal	N/A
2139.700	-41.24	4.62	-13.0	-28.24	10.00	Horizontal	Horizontal	N/A
7851.750	-37.59	16.85	-13.0	-24.59	232.00	Horizontal	Horizontal	Pass
17896.051	-41.13	15.79	-13.0	-28.13	350.00	Horizontal	Horizontal	Pass

2.3 NR_DC_2A_n66A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n66A 20MHz(CH18900)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.400	-34.20	3.26	-13.0	-21.20	164.00	Vertical	Horizontal	N/A
1876.600	-1.03	3.02	-13.0	11.97	86.00	Vertical	Horizontal	N/A
1957.900	-30.88	3.94	-13.0	-17.88	270.00	Vertical	Horizontal	N/A
2149.900	-30.71	4.57	-13.0	-17.71	323.00	Vertical	Horizontal	N/A
7968.000	-38.16	17.35	-13.0	-25.16	0.00	Vertical	Horizontal	Pass
17886.863	-41.12	15.49	-13.0	-28.12	348.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n66A 20MHz(CH18900)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.600	-41.31	3.26	-13.0	-28.31	37.00	Horizontal	Horizontal	N/A
1878.300	-8.36	3.05	-13.0	4.64	203.00	Horizontal	Horizontal	N/A
1957.200	-29.02	3.94	-13.0	-16.02	232.00	Horizontal	Horizontal	N/A
2140.000	-42.28	4.59	-13.0	-29.28	164.00	Horizontal	Horizontal	N/A
7117.500	-37.57	15.62	-13.0	-24.57	12.00	Horizontal	Horizontal	Pass
17863.238	-41.60	15.65	-13.0	-28.60	0.00	Horizontal	Horizontal	Pass

57 NR_DC_5A_n66A

57.1 NR_DC_5A_n66A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n66A 10MHz(CH20525)+5MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.451	-51.55	6.33	-13.0	-38.55	143.00	Vertical	Horizontal	N/A
882.484	-31.61	7.58	-13.0	-18.61	186.00	Vertical	Horizontal	N/A
1691.200	-43.29	2.15	-13.0	-30.29	262.00	Vertical	Horizontal	Pass
2144.600	-26.42	4.49	-13.0	-13.42	19.00	Vertical	Horizontal	N/A
7914.750	-37.03	16.95	-13.0	-24.03	276.00	Vertical	Horizontal	Pass
17875.837	-41.66	15.74	-13.0	-28.66	246.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n66A 10MHz(CH20525)+5MHz(CH349000)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.874	-67.81	-17.80	-13.0	-54.81	347.00	Horizontal	Horizontal	Pass
883.260	-32.70	7.54	-13.0	-19.70	187.00	Horizontal	Horizontal	N/A
2142.200	-41.16	4.51	-13.0	-28.16	352.00	Horizontal	Horizontal	N/A
2677.300	-44.23	7.96	-13.0	-31.23	343.00	Horizontal	Horizontal	Pass
7945.250	-37.99	17.16	-13.0	-24.99	296.00	Horizontal	Horizontal	Pass
17659.275	-41.61	15.25	-13.0	-28.61	162.00	Horizontal	Horizontal	Pass

57.2 NR_DC_5A_n66A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n66A 10MHz(CH20525)+15MHz(CH349000)


RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.120	-67.68	-15.74	-13.0	-54.68	8.00	Vertical	Horizontal	Pass
833.839	-50.40	6.35	-13.0	-37.40	163.00	Vertical	Horizontal	N/A
883.406	-37.63	7.53	-13.0	-24.63	174.00	Vertical	Horizontal	N/A
1745.600	-32.48	3.26	-13.0	-19.48	1.00	Vertical	Horizontal	N/A
2145.800	-21.70	4.50	-13.0	-8.70	74.00	Vertical	Horizontal	N/A
7200.500	-38.51	16.21	-13.0	-25.51	46.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n66A 10MHz(CH20525)+15MHz(CH349000)

RSE(5G NSA FCC)_NSA_5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
119.046	-71.58	-15.56	-13.0	-58.58	54.00	Horizontal	Horizontal	Pass
395.448	-64.80	-5.03	-13.0	-51.80	242.00	Horizontal	Horizontal	Pass
885.152	-40.28	7.50	-13.0	-27.28	231.00	Horizontal	Horizontal	N/A
1745.200	-36.89	3.26	-13.0	-23.89	168.00	Horizontal	Horizontal	N/A
2150.700	-31.21	4.61	-13.0	-18.21	321.00	Horizontal	Horizontal	N/A
17902.875	-41.34	15.62	-13.0	-28.34	244.00	Horizontal	Horizontal	Pass

57.3 NR_DC_5A_n66A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n66A 10MHz(CH20525)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.176	-68.69	-15.50	-13.0	-55.69	331.00	Vertical	Horizontal	Pass
833.694	-49.94	6.34	-13.0	-36.94	150.00	Vertical	Horizontal	N/A
884.279	-37.38	7.51	-13.0	-24.38	296.00	Vertical	Horizontal	N/A
1745.800	-34.43	3.26	-13.0	-21.43	6.00	Vertical	Horizontal	N/A
2139.200	-23.78	4.67	-13.0	-10.78	272.00	Vertical	Horizontal	N/A
12552.637	-42.56	12.39	-13.0	-29.56	242.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n66A 10MHz(CH20525)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA 5A_n66A & 66A_n5A_814-849&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
121.811	-69.34	-15.68	-13.0	-56.34	225.00	Horizontal	Horizontal	Pass
387.299	-64.58	-5.57	-13.0	-51.58	252.00	Horizontal	Horizontal	Pass
879.041	-40.33	7.94	-13.0	-27.33	232.00	Horizontal	Horizontal	N/A
1745.600	-38.94	3.26	-13.0	-25.94	94.00	Horizontal	Horizontal	N/A
2142.200	-32.31	4.51	-13.0	-19.31	322.00	Horizontal	Horizontal	N/A
7963.000	-37.96	17.51	-13.0	-24.96	33.00	Horizontal	Horizontal	Pass

58 NR_DC_12A_n66A

58.1 NR_DC_12A_n66A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n66A 10MHz(CH23095)+5MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
255.476	-80.59	-9.66	-13.0	-67.59	173.00	Vertical	Horizontal	Pass
1745.300	-26.77	3.26	-13.0	-13.77	339.00	Vertical	Horizontal	N/A
2143.900	-26.30	4.46	-13.0	-13.30	102.00	Vertical	Horizontal	N/A
7204.750	-37.13	16.43	-13.0	-24.13	5.00	Vertical	Horizontal	Pass
11287.474	-37.60	16.85	-13.0	-24.60	127.00	Vertical	Horizontal	Pass
18404.688	-32.87	23.20	-13.0	-19.87	360.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n66A 10MHz(CH23095)+5MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
402.141	-75.10	-4.96	-13.0	-62.10	89.00	Horizontal	Horizontal	Pass
1745.300	-34.58	3.26	-13.0	-21.58	261.00	Horizontal	Horizontal	N/A
2144.400	-33.94	4.48	-13.0	-20.94	248.00	Horizontal	Horizontal	N/A
4970.000	-43.24	10.69	-13.0	-30.24	62.00	Horizontal	Horizontal	Pass
9295.088	-36.82	16.83	-13.0	-23.82	272.00	Horizontal	Horizontal	Pass
19316.312	-32.22	21.95	-13.0	-19.22	354.00	Horizontal	Horizontal	Pass


58.2 NR_DC_12A_n66A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n66A 10MHz(CH23095)+15MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
401.995	-75.47	-4.98	-13.0	-62.47	254.00	Vertical	Horizontal	Pass
1745.200	-30.04	3.26	-13.0	-17.04	340.00	Vertical	Horizontal	N/A
2145.800	-30.45	4.50	-13.0	-17.45	0.00	Vertical	Horizontal	N/A
5013.250	-43.32	11.06	-13.0	-30.32	314.00	Vertical	Horizontal	Pass
9324.537	-37.41	16.82	-13.0	-24.41	359.00	Vertical	Horizontal	Pass
17891.125	-33.70	23.49	-13.0	-20.70	42.00	Vertical	Horizontal	Pass


RSE-H&H NR_DC_12A_n66A 10MHz(CH23095)+15MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
349.082	-78.11	-7.08	-13.0	-65.11	3.00	Horizontal	Horizontal	Pass
1745.400	-36.34	3.26	-13.0	-23.34	308.00	Horizontal	Horizontal	N/A
2146.000	-37.09	4.50	-13.0	-24.09	178.00	Horizontal	Horizontal	N/A
4997.500	-43.78	11.22	-13.0	-30.78	314.00	Horizontal	Horizontal	Pass
9256.612	-38.09	16.49	-13.0	-25.09	232.00	Horizontal	Horizontal	Pass
17994.250	-33.46	22.58	-13.0	-20.46	187.00	Horizontal	Horizontal	Pass

58.3 NR_DC_12A_n66A 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n66A 10MHz(CH23095)+20MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
411.259	-75.48	-4.59	-13.0	-62.48	38.00	Vertical	Horizontal	Pass
1745.400	-31.54	3.26	-13.0	-18.54	327.00	Vertical	Horizontal	N/A
2140.000	-31.30	4.59	-13.0	-18.30	295.00	Vertical	Horizontal	N/A
7231.500	-37.98	16.12	-13.0	-24.98	0.00	Vertical	Horizontal	Pass
13554.375	-36.33	19.05	-13.0	-23.33	4.00	Vertical	Horizontal	Pass
18034.813	-33.72	22.87	-13.0	-20.72	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n66A 10MHz(CH23095)+20MHz(CH349000)

RSE(SG NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
251.742	-81.31	-9.70	-13.0	-68.31	231.00	Horizontal	Horizontal	Pass
1744.900	-39.57	3.26	-13.0	-26.57	310.00	Horizontal	Horizontal	N/A
2151.400	-38.97	4.63	-13.0	-25.97	264.00	Horizontal	Horizontal	N/A
4948.500	-43.87	11.32	-13.0	-30.87	111.00	Horizontal	Horizontal	Pass
9299.363	-37.73	17.00	-13.0	-24.73	15.00	Horizontal	Horizontal	Pass
18591.687	-33.10	21.30	-13.0	-20.10	357.00	Horizontal	Horizontal	Pass

59 NR_DC_30A_n66A

59.1 NR_DC_30A_n66A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n66A 10MHz(CH27710)+5MHz(CH349000)


RSE(5G NSA FCC)_NSA 12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.410	-67.73	-16.59	-13.0	-54.73	294.00	Vertical	Horizontal	Pass
389.530	-63.52	-8.76	-13.0	-50.52	0.00	Vertical	Horizontal	Pass
1745.400	-28.35	2.62	-13.0	-15.35	147.00	Vertical	Horizontal	N/A
2143.800	-25.61	4.13	-13.0	-12.61	4.00	Vertical	Horizontal	N/A
7922.250	-37.78	17.09	-13.0	-24.78	265.00	Vertical	Horizontal	Pass
19033.063	-33.53	20.79	-13.0	-20.53	4.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n66A 10MHz(CH27710)+5MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.090	-67.21	-17.45	-13.0	-54.21	360.00	Horizontal	Horizontal	Pass
371.974	-64.30	-9.92	-13.0	-51.30	165.00	Horizontal	Horizontal	Pass
1745.300	-36.27	2.62	-13.0	-23.27	348.00	Horizontal	Horizontal	N/A
2145.300	-35.24	4.15	-13.0	-22.24	253.00	Horizontal	Horizontal	N/A
7987.500	-37.80	17.19	-13.0	-24.80	355.00	Horizontal	Horizontal	Pass
18296.062	-32.00	23.48	-13.0	-19.00	346.00	Horizontal	Horizontal	Pass


59.2 NR_DC_30A_n66A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n66A 10MHz(CH27710)+15MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.022	-68.50	-16.59	-13.0	-55.50	230.00	Vertical	Horizontal	Pass
375.999	-62.19	-9.86	-13.0	-49.19	346.00	Vertical	Horizontal	Pass
1745.200	-32.78	2.62	-13.0	-19.78	156.00	Vertical	Horizontal	N/A
2142.900	-29.16	4.15	-13.0	-16.16	253.00	Vertical	Horizontal	N/A
7973.500	-37.81	17.20	-13.0	-24.81	71.00	Vertical	Horizontal	Pass
18175.750	-33.21	23.51	-13.0	-20.21	297.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n66A 10MHz(CH27710)+15MHz(CH349000)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
121.132	-67.78	-17.34	-13.0	-54.78	345.00	Horizontal	Horizontal	Pass
375.999	-65.04	-9.86	-13.0	-52.04	173.00	Horizontal	Horizontal	Pass
1745.200	-39.01	2.62	-13.0	-26.01	51.00	Horizontal	Horizontal	N/A
2148.000	-38.12	4.15	-13.0	-25.12	282.00	Horizontal	Horizontal	N/A
7898.500	-37.93	16.81	-13.0	-24.93	96.00	Horizontal	Horizontal	Pass
19179.500	-33.47	21.17	-13.0	-20.47	254.00	Horizontal	Horizontal	Pass

59.3 NR_DC_30A_n66A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n66A 10MHz(CH27710)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.414	-68.07	-16.99	-13.0	-55.07	47.00	Vertical	Horizontal	Pass
385.166	-63.48	-9.20	-13.0	-50.48	165.00	Vertical	Horizontal	Pass
1767.200	-33.36	2.42	-13.0	-20.36	4.00	Vertical	Horizontal	N/A
2140.400	-31.03	4.24	-13.0	-18.03	253.00	Vertical	Horizontal	N/A
5173.250	-41.38	10.34	-13.0	-28.38	12.00	Vertical	Horizontal	Pass
17867.063	-32.92	23.63	-13.0	-19.92	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n66A 10MHz(CH27710)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.030	-68.73	-17.36	-13.0	-55.73	279.00	Horizontal	Horizontal	Pass
372.022	-63.65	-9.92	-13.0	-50.65	178.00	Horizontal	Horizontal	Pass
1745.300	-40.08	2.62	-13.0	-27.08	6.00	Horizontal	Horizontal	N/A
2152.400	-39.25	4.22	-13.0	-26.25	186.00	Horizontal	Horizontal	N/A
7969.000	-37.95	17.33	-13.0	-24.95	100.00	Horizontal	Horizontal	Pass
19308.063	-33.24	21.91	-13.0	-20.24	5.00	Horizontal	Horizontal	Pass

60 NR_DC_14A_n66A

60.1 NR_DC_14A_n66A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n66A 10MHz(CH23330)+5MHz(CH349000)


RSE(5G NSA FCC)_NSA 12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
759.586	-39.46	4.16	-13.0	-26.46	142.00	Vertical	Horizontal	N/A
796.542	-58.43	4.56	-13.0	-45.43	159.00	Vertical	Horizontal	N/A
1693.200	-40.56	2.26	-13.0	-27.56	0.00	Vertical	Horizontal	N/A
1745.500	-26.65	3.26	-13.0	-13.65	338.00	Vertical	Horizontal	N/A
2143.500	-25.83	4.45	-13.0	-12.83	255.00	Vertical	Horizontal	Pass
7926.500	-37.98	17.18	-13.0	-24.98	214.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n66A 10MHz(CH23330)+5MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
759.779	-50.10	4.11	-13.0	-37.10	197.00	Horizontal	Horizontal	N/A
1745.300	-34.99	3.26	-13.0	-21.99	320.00	Horizontal	Horizontal	N/A
2143.900	-36.63	4.46	-13.0	-23.63	249.00	Horizontal	Horizontal	N/A
4812.000	-44.09	10.72	-13.0	-31.09	0.00	Horizontal	Horizontal	Pass
7967.000	-38.15	17.39	-13.0	-25.15	358.00	Horizontal	Horizontal	Pass
17983.250	-33.01	22.74	-13.0	-20.01	340.00	Horizontal	Horizontal	Pass

60.2 NR_DC_14A_n66A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n66A 10MHz(CH23330)+15MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
762.593	-39.98	3.89	-13.0	-26.98	151.00	Vertical	Horizontal	N/A
1745.300	-30.16	3.26	-13.0	-17.16	333.00	Vertical	Horizontal	N/A
2143.200	-30.02	4.46	-13.0	-17.02	4.00	Vertical	Horizontal	N/A
2971.600	-43.11	11.38	-13.0	-30.11	360.00	Vertical	Horizontal	Pass
7850.000	-37.74	16.78	-13.0	-24.74	31.00	Vertical	Horizontal	Pass
18306.376	-33.41	23.35	-13.0	-20.41	354.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n66A 10MHz(CH233330)+15MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
764.823	-50.26	4.01	-13.0	-37.26	194.00	Horizontal	Horizontal	N/A
1745.600	-37.90	3.26	-13.0	-24.90	307.00	Horizontal	Horizontal	N/A
2149.000	-38.99	4.54	-13.0	-25.99	250.00	Horizontal	Horizontal	N/A
2989.600	-42.50	10.86	-13.0	-29.50	347.00	Horizontal	Horizontal	Pass
7968.000	-37.49	17.35	-13.0	-24.49	328.00	Horizontal	Horizontal	Pass
17967.438	-33.41	23.12	-13.0	-20.41	345.00	Horizontal	Horizontal	Pass

60.3 NR_DC_14A_n66A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n66A 10MHz(CH23330)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
380.413	-60.34	-6.86	-13.0	-47.34	354.00	Vertical	Horizontal	Pass
763.466	-38.49	3.92	-13.0	-25.49	147.00	Vertical	Horizontal	N/A
2145.500	-33.87	4.50	-13.0	-20.87	206.00	Vertical	Horizontal	N/A
2942.400	-42.32	10.97	-13.0	-29.32	267.00	Vertical	Horizontal	Pass
7917.750	-37.71	17.01	-13.0	-24.71	201.00	Vertical	Horizontal	Pass
18865.312	-33.19	21.71	-13.0	-20.19	178.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n66A 10MHz(CH23330)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.246	-65.76	-14.97	-13.0	-52.76	282.00	Horizontal	Horizontal	Pass
379.782	-63.02	-6.90	-13.0	-50.02	166.00	Horizontal	Horizontal	Pass
758.761	-50.56	4.29	-13.0	-37.56	266.00	Horizontal	Horizontal	N/A
2145.100	-44.43	4.49	-13.0	-31.43	176.00	Horizontal	Horizontal	N/A
7862.500	-37.30	17.07	-13.0	-24.30	69.00	Horizontal	Horizontal	Pass
18178.501	-33.40	23.48	-13.0	-20.40	0.00	Horizontal	Horizontal	Pass

61 NR_DC_48A_n66A

61.1 NR_DC_48A_n66A 20MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n66A 20MHz(CH55990)+5MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.340	-65.99	-17.28	-13.0	-52.99	263.00	Vertical	Horizontal	Pass
400.297	-64.02	-8.20	-13.0	-51.02	360.00	Vertical	Horizontal	Pass
1745.400	-29.50	3.26	-13.0	-16.50	98.00	Vertical	Horizontal	N/A
2144.700	-33.57	4.49	-13.0	-20.57	334.00	Vertical	Horizontal	N/A
5389.000	-31.81	22.06	-13.0	-18.81	350.00	Vertical	Horizontal	Pass
17898.689	-32.94	23.45	-13.0	-19.94	119.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n66A 20MHz(CH55990)+5MHz(CH349000)

RSE(SG NSA FCC)_NSA 12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.746	-66.34	-17.65	-13.0	-53.34	1.00	Horizontal	Horizontal	Pass
419.988	-69.19	-7.94	-13.0	-56.19	240.00	Horizontal	Horizontal	Pass
1745.400	-34.00	3.26	-13.0	-21.00	207.00	Horizontal	Horizontal	N/A
2145.400	-31.52	4.49	-13.0	-18.52	257.00	Horizontal	Horizontal	N/A
5015.250	-32.99	21.71	-13.0	-19.99	355.00	Horizontal	Horizontal	Pass
16916.250	-35.38	20.55	-13.0	-22.38	357.00	Horizontal	Horizontal	Pass

61.2 NR_DC_48A_n66A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n66A 20MHz(CH55990)+15MHz(CH349000)


RSE(5G NSA FCC_NSA 12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.911	-66.09	-17.07	-13.0	-53.09	14.00	Vertical	Horizontal	Pass
401.655	-64.72	-8.15	-13.0	-51.72	176.00	Vertical	Horizontal	Pass
1745.200	-32.55	3.26	-13.0	-19.55	92.00	Vertical	Horizontal	N/A
2143.000	-34.85	4.47	-13.0	-21.85	332.00	Vertical	Horizontal	N/A
5006.000	-33.53	22.25	-13.0	-20.53	226.00	Vertical	Horizontal	Pass
17860.188	-33.41	23.37	-13.0	-20.41	134.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n66A 20MHz(CH55990)+15MHz(CH349000)

RSE(SG NSA FCC)_NSA 12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.891	-67.17	-17.66	-13.0	-54.17	0.00	Horizontal	Horizontal	Pass
413.635	-68.53	-7.86	-13.0	-55.53	220.00	Horizontal	Horizontal	Pass
1745.200	-35.87	3.26	-13.0	-22.87	201.00	Horizontal	Horizontal	N/A
2151.200	-34.50	4.62	-13.0	-21.50	255.00	Horizontal	Horizontal	N/A
4755.500	-34.74	20.22	-13.0	-21.74	146.00	Horizontal	Horizontal	Pass
19270.250	-33.21	21.84	-13.0	-20.21	128.00	Horizontal	Horizontal	Pass

61.3 NR_DC_48A_n66A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n66A 20MHz(CH55990)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA 12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.100	-67.78	-16.69	-13.0	-54.78	268.00	Vertical	Horizontal	Pass
398.406	-63.85	-8.30	-13.0	-50.85	186.00	Vertical	Horizontal	Pass
1745.300	-33.45	3.26	-13.0	-20.45	90.00	Vertical	Horizontal	N/A
2149.700	-37.26	4.56	-13.0	-24.26	327.00	Vertical	Horizontal	N/A
4776.000	-33.32	21.21	-13.0	-20.32	233.00	Vertical	Horizontal	Pass
17889.749	-33.63	23.35	-13.0	-20.63	303.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n66A 20MHz(CH55990)+20MHz(CH349000)

RSE(SG NSA FCC_NSA 12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.637	-66.55	-17.71	-13.0	-53.55	350.00	Horizontal	Horizontal	Pass
412.956	-67.46	-7.85	-13.0	-54.46	249.00	Horizontal	Horizontal	Pass
1745.400	-38.18	3.26	-13.0	-25.18	206.00	Horizontal	Horizontal	N/A
2149.100	-35.40	4.54	-13.0	-22.40	251.00	Horizontal	Horizontal	N/A
4990.250	-33.98	21.02	-13.0	-20.98	111.00	Horizontal	Horizontal	Pass
18701.687	-33.69	21.74	-13.0	-20.69	13.00	Horizontal	Horizontal	Pass

62 NR_DC_13A_n66A

62.1 NR_DC_13A_n66A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n66A 10MHz(CH23230)+5MHz(CH349000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.478	-67.41	-16.00	-13.0	-54.41	360.00	Vertical	Horizontal	Pass
752.650	-52.79	4.29	-13.0	-39.79	205.00	Vertical	Horizontal	Pass
1745.300	-27.99	3.26	-13.0	-14.99	344.00	Vertical	Horizontal	N/A
2145.000	-32.34	4.49	-13.0	-19.34	333.00	Vertical	Horizontal	N/A
7177.000	-38.79	15.58	-13.0	-25.79	290.00	Vertical	Horizontal	Pass
18148.938	-33.54	23.74	-13.0	-20.54	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n66A 10MHz(CH23230)+5MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
129.279	-66.27	-16.00	-13.0	-53.27	18.00	Horizontal	Horizontal	Pass
755.318	-53.74	4.61	-13.0	-40.74	30.00	Horizontal	Horizontal	Pass
1310.900	-50.09	1.99	-13.0	-37.09	299.00	Horizontal	Horizontal	Pass
2145.400	-33.99	4.49	-13.0	-20.99	246.00	Horizontal	Horizontal	N/A
4950.000	-43.56	11.30	-13.0	-30.56	0.00	Horizontal	Horizontal	Pass
17889.749	-34.01	23.35	-13.0	-21.01	240.00	Horizontal	Horizontal	Pass

62.2 NR_DC_13A_n66A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n66A 10MHz(CH23230)+15MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
127.728	-66.16	-15.94	-13.0	-53.16	0.00	Vertical	Horizontal	Pass
754.590	-53.39	4.56	-13.0	-40.39	144.00	Vertical	Horizontal	Pass
1745.300	-29.49	3.26	-13.0	-16.49	340.00	Vertical	Horizontal	N/A
2149.500	-36.24	4.55	-13.0	-23.24	331.00	Vertical	Horizontal	N/A
7472.750	-37.81	15.63	-13.0	-24.81	223.00	Vertical	Horizontal	Pass
18179.875	-33.00	23.45	-13.0	-20.00	215.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n66A 10MHz(CH23230)+15MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
123.411	-67.91	-15.97	-13.0	-54.91	360.00	Horizontal	Horizontal	Pass
753.377	-52.54	4.40	-13.0	-39.54	25.00	Horizontal	Horizontal	Pass
1745.300	-33.97	3.26	-13.0	-20.97	304.00	Horizontal	Horizontal	N/A
2147.400	-34.97	4.50	-13.0	-21.97	253.00	Horizontal	Horizontal	N/A
4433.750	-45.31	9.28	-13.0	-32.31	64.00	Horizontal	Horizontal	Pass
18449.375	-32.89	22.06	-13.0	-19.89	307.00	Horizontal	Horizontal	Pass

63.3 NR_DC_13A_n66A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n66A 10MHz(CH23230)+20MHz(CH349000)


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.753	-67.67	-15.28	-13.0	-54.67	147.00	Vertical	Horizontal	Pass
752.068	-53.12	4.17	-13.0	-40.12	26.00	Vertical	Horizontal	Pass
1745.300	-31.88	3.26	-13.0	-18.88	0.00	Vertical	Horizontal	N/A
2139.700	-38.21	4.62	-13.0	-25.21	332.00	Vertical	Horizontal	N/A
7202.000	-38.50	16.31	-13.0	-25.50	67.00	Vertical	Horizontal	Pass
18151.688	-33.36	23.81	-13.0	-20.36	76.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n66A 10MHz(CH23230)+20MHz(CH349000)

RSE(5G NSA FCC)_NSA_12A_n66A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.478	-66.36	-16.00	-13.0	-53.36	354.00	Horizontal	Horizontal	Pass
755.366	-53.07	4.61	-13.0	-40.07	32.00	Horizontal	Horizontal	Pass
1745.300	-37.81	3.26	-13.0	-24.81	312.00	Horizontal	Horizontal	N/A
2149.000	-35.94	4.54	-13.0	-22.94	253.00	Horizontal	Horizontal	N/A
7027.000	-38.99	14.73	-13.0	-25.99	167.00	Horizontal	Horizontal	Pass
18461.749	-33.64	21.96	-13.0	-20.64	190.00	Horizontal	Horizontal	Pass

64 NR_DC_5A_n2A

64.1 NR_DC_5A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n2A 10MHz(CH20525)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.074	-70.62	-15.08	-13.0	-57.62	226.00	Vertical	Horizontal	Pass
833.694	-51.73	6.34	-13.0	-38.73	183.00	Vertical	Horizontal	Pass
882.290	-45.24	7.59	-13.0	-32.24	273.00	Vertical	Horizontal	Pass
1958.900	-32.62	4.13	-13.0	-19.62	199.00	Vertical	Horizontal	Pass
7199.000	-38.26	16.04	-13.0	-25.26	0.00	Vertical	Horizontal	Pass
17894.214	-41.38	15.69	-13.0	-28.38	134.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n2A 10MHz(CH20525)+5MHz(CH376000)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
126.030	-65.16	-15.75	-13.0	-52.16	4.00	Horizontal	Horizontal	Pass
833.596	-56.19	6.34	-13.0	-43.19	148.00	Horizontal	Horizontal	N/A
881.660	-53.17	7.67	-13.0	-40.17	211.00	Horizontal	Horizontal	Pass
1958.800	-32.33	4.13	-13.0	-19.33	257.00	Horizontal	Horizontal	N/A
7114.750	-38.94	15.66	-13.0	-25.94	294.00	Horizontal	Horizontal	Pass
12542.900	-43.00	12.25	-13.0	-30.00	336.00	Horizontal	Horizontal	Pass

64.2 NR_DC_5A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n2A 10MHz(CH20525)+15MHz(CH376000)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.700	-66.44	-14.57	-13.0	-53.44	231.00	Vertical	Horizontal	Pass
833.354	-52.54	6.33	-13.0	-39.54	275.00	Vertical	Horizontal	N/A
885.782	-44.89	7.49	-13.0	-31.89	195.00	Vertical	Horizontal	Pass
1961.100	-35.92	4.23	-13.0	-22.92	199.00	Vertical	Horizontal	N/A
7241.750	-37.84	16.22	-13.0	-24.84	0.00	Vertical	Horizontal	Pass
17890.275	-41.64	15.60	-13.0	-28.64	209.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n2A 10MHz(CH20525)+15MHz(CH376000)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
127.534	-65.53	-15.78	-13.0	-52.53	0.00	Horizontal	Horizontal	Pass
410.677	-63.32	-4.25	-13.0	-50.32	208.00	Horizontal	Horizontal	Pass
881.321	-53.81	7.70	-13.0	-40.81	201.00	Horizontal	Horizontal	Pass
1962.900	-36.22	4.46	-13.0	-23.22	251.00	Horizontal	Horizontal	N/A
7647.750	-38.11	15.75	-13.0	-25.11	311.00	Horizontal	Horizontal	Pass
17867.700	-40.92	15.81	-13.0	-27.92	0.00	Horizontal	Horizontal	Pass

64.3 NR_DC_5A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n2A 10MHz(CH20525)+20MHz(CH376000)


RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.324	-65.96	-14.78	-13.0	-52.96	252.00	Vertical	Horizontal	Pass
833.596	-52.19	6.34	-13.0	-39.19	168.00	Vertical	Horizontal	Pass
883.358	-44.52	7.53	-13.0	-31.52	13.00	Vertical	Horizontal	Pass
1956.700	-40.47	4.11	-13.0	-27.47	264.00	Vertical	Horizontal	N/A
6734.250	-39.15	15.12	-13.0	-26.15	333.00	Vertical	Horizontal	Pass
18032.400	-41.73	14.11	-13.0	-28.73	317.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n2A 10MHz(CH20525)+20MHz(CH376000)

RSE(5G NSA FCC)_NSA_5A_n2A & 2A_n5A_814-849&1850-1920_30MHz-20GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.314	-66.64	-15.72	-13.0	-53.64	316.00	Horizontal	Horizontal	Pass
404.420	-64.78	-4.62	-13.0	-51.78	192.00	Horizontal	Horizontal	Pass
880.156	-54.35	7.83	-13.0	-41.35	147.00	Horizontal	Horizontal	Pass
1959.900	-37.91	4.15	-13.0	-24.91	246.00	Horizontal	Horizontal	N/A
7200.500	-38.04	16.21	-13.0	-25.04	12.00	Horizontal	Horizontal	Pass
17870.588	-42.14	15.62	-13.0	-29.14	0.00	Horizontal	Horizontal	Pass

65 NR_DC_12A_n2A

65.1 NR_DC_12A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n2A 10MHz(CH23095)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.934	-67.86	-15.42	-13.0	-54.86	282.00	Vertical	Horizontal	Pass
403.693	-62.52	-4.53	-13.0	-49.52	168.00	Vertical	Horizontal	Pass
1296.300	-50.78	1.76	-13.0	-37.78	169.00	Vertical	Horizontal	Pass
1960.900	-34.62	4.20	-13.0	-21.62	199.00	Vertical	Horizontal	N/A
7083.750	-38.37	15.59	-13.0	-25.37	144.00	Vertical	Horizontal	Pass
13549.563	-36.25	18.99	-13.0	-23.25	207.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n2A 10MHz(CH23095)+5MHz(CH376000)

RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.041	-65.58	-15.77	-13.0	-52.58	0.00	Horizontal	Horizontal	Pass
393.168	-64.57	-4.82	-13.0	-51.57	293.00	Horizontal	Horizontal	Pass
1300.900	-50.03	1.97	-13.0	-37.03	102.00	Horizontal	Horizontal	Pass
1959.000	-32.85	4.13	-13.0	-19.85	245.00	Horizontal	Horizontal	N/A
7912.250	-35.69	16.91	-13.0	-22.69	290.00	Horizontal	Horizontal	Pass
17893.876	-33.74	23.49	-13.0	-20.74	327.00	Horizontal	Horizontal	Pass

65.2 NR_DC_12A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n2A 10MHz(CH23095)+15MHz(CH376000)


RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.314	-68.66	-15.65	-13.0	-55.66	260.00	Vertical	Horizontal	Pass
406.457	-62.95	-4.35	-13.0	-49.95	179.00	Vertical	Horizontal	Pass
1168.000	-50.78	1.52	-13.0	-37.78	165.00	Vertical	Horizontal	Pass
1956.200	-38.86	4.12	-13.0	-25.86	228.00	Vertical	Horizontal	N/A
6579.750	-39.05	14.03	-13.0	-26.05	149.00	Vertical	Horizontal	Pass
12758.250	-36.65	18.97	-13.0	-23.65	165.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n2A 10MHz(CH23095)+15MHz(CH376000)

RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.381	-68.13	-15.80	-13.0	-55.13	188.00	Horizontal	Horizontal	Pass
389.239	-65.20	-5.03	-13.0	-52.20	294.00	Horizontal	Horizontal	Pass
1202.900	-50.01	2.28	-13.0	-37.01	341.00	Horizontal	Horizontal	Pass
1963.900	-36.71	4.65	-13.0	-23.71	246.00	Horizontal	Horizontal	N/A
6571.500	-38.72	13.75	-13.0	-25.72	158.00	Horizontal	Horizontal	Pass
18412.937	-32.91	22.77	-13.0	-19.91	164.00	Horizontal	Horizontal	Pass

65.3 NR_DC_12A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n2A 10MHz(CH23095)+20MHz(CH376000)


RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.717	-68.01	-15.18	-13.0	-55.01	255.00	Vertical	Horizontal	Pass
396.466	-62.72	-4.78	-13.0	-49.72	174.00	Vertical	Horizontal	Pass
1205.600	-49.97	2.18	-13.0	-36.97	206.00	Vertical	Horizontal	Pass
1963.900	-38.84	4.65	-13.0	-25.84	272.00	Vertical	Horizontal	N/A
7174.500	-38.19	15.59	-13.0	-25.19	360.00	Vertical	Horizontal	Pass
15072.375	-36.30	19.64	-13.0	-23.30	158.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n2A 10MHz(CH23095)+20MHz(CH376000)

RSE(5G NSA FCC)_NSA_12A_n6A_699-716&729-746&1710-1780&2110-2200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.111	-68.80	-15.93	-13.0	-55.80	356.00	Horizontal	Horizontal	Pass
400.589	-64.49	-4.64	-13.0	-51.49	296.00	Horizontal	Horizontal	Pass
1201.500	-50.40	2.37	-13.0	-37.40	70.00	Horizontal	Horizontal	Pass
1962.100	-38.08	4.35	-13.0	-25.08	246.00	Horizontal	Horizontal	N/A
7168.000	-38.78	15.45	-13.0	-25.78	4.00	Horizontal	Horizontal	Pass
17896.624	-33.26	23.63	-13.0	-20.26	0.00	Horizontal	Horizontal	Pass

66 NR_DC_30A_n2A

66.1 NR_DC_30A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_30A_n2A 10MHz(CH27710)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.153	-66.69	-17.05	-13.0	-53.69	248.00	Vertical	Horizontal	Pass
407.863	-62.15	-7.88	-13.0	-49.15	168.00	Vertical	Horizontal	Pass
1210.700	-51.42	1.00	-13.0	-38.42	109.00	Vertical	Horizontal	Pass
1961.200	-33.57	3.72	-13.0	-20.57	196.00	Vertical	Horizontal	N/A
7080.750	-38.59	15.60	-13.0	-25.59	360.00	Vertical	Horizontal	Pass
17861.401	-41.49	15.54	-13.0	-28.49	287.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n2A 10MHz(CH27710)+5MHz(CH376000)

RSE(5G NSA FCC_NSA 2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.448	-66.08	-17.51	-13.0	-53.08	0.00	Horizontal	Horizontal	Pass
411.743	-65.28	-7.84	-13.0	-52.28	195.00	Horizontal	Horizontal	Pass
1201.900	-51.06	1.54	-13.0	-38.06	360.00	Horizontal	Horizontal	Pass
1959.700	-32.68	3.65	-13.0	-19.68	240.00	Horizontal	Horizontal	N/A
7203.750	-37.70	16.41	-13.0	-24.70	326.00	Horizontal	Horizontal	Pass
17871.114	-41.97	15.66	-13.0	-28.97	322.00	Horizontal	Horizontal	Pass

66.2 NR_DC_30A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_30A_n2A 10MHz(CH27710)+15MHz(CH376000)


RSE(5G NSA FCC_NSA_2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.825	-67.19	-17.24	-13.0	-54.19	6.00	Vertical	Horizontal	Pass
402.577	-63.12	-8.10	-13.0	-50.12	165.00	Vertical	Horizontal	Pass
1202.400	-51.73	1.54	-13.0	-38.73	191.00	Vertical	Horizontal	Pass
1960.600	-37.37	3.65	-13.0	-24.37	203.00	Vertical	Horizontal	N/A
7164.250	-38.12	15.32	-13.0	-25.12	136.00	Vertical	Horizontal	Pass
17809.687	-41.78	15.21	-13.0	-28.78	360.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n2A 10MHz(CH27710)+15MHz(CH376000)


RSE(5G NSA FCC_NSA 2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.108	-67.63	-17.50	-13.0	-54.63	351.00	Horizontal	Horizontal	Pass
408.785	-65.97	-7.83	-13.0	-52.97	171.00	Horizontal	Horizontal	Pass
872.542	-63.57	2.45	-13.0	-50.57	0.00	Horizontal	Horizontal	Pass
1955.800	-35.79	3.67	-13.0	-22.79	244.00	Horizontal	Horizontal	N/A
7608.750	-37.41	15.71	-13.0	-24.41	289.00	Horizontal	Horizontal	Pass
17624.099	-42.17	14.75	-13.0	-29.17	0.00	Horizontal	Horizontal	Pass

66.3 NR_DC_30A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_30A_n2A 10MHz(CH27710)+20MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.414	-69.33	-16.99	-13.0	-56.33	39.00	Vertical	Horizontal	Pass
403.693	-62.91	-8.08	-13.0	-49.91	180.00	Vertical	Horizontal	Pass
1183.500	-51.88	0.89	-13.0	-38.88	328.00	Vertical	Horizontal	Pass
1961.700	-38.46	3.79	-13.0	-25.46	198.00	Vertical	Horizontal	N/A
7256.750	-37.99	15.88	-13.0	-24.99	151.00	Vertical	Horizontal	Pass
17947.501	-41.12	15.38	-13.0	-28.12	273.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_30A_n2A 10MHz(CH27710)+20MHz(CH376000)

RSE(5G NSA FCC)_NSA_2A_n41A(High) & 2A_n38A & 38A_n2A_1850-1920&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.963	-64.24	-17.50	-13.0	-51.24	0.00	Horizontal	Horizontal	Pass
408.834	-65.62	-7.83	-13.0	-52.62	168.00	Horizontal	Horizontal	Pass
1215.100	-51.74	0.73	-13.0	-38.74	153.00	Horizontal	Horizontal	Pass
1968.900	-37.78	5.00	-13.0	-24.78	247.00	Horizontal	Horizontal	N/A
7201.750	-37.86	16.29	-13.0	-24.86	239.00	Horizontal	Horizontal	Pass
17897.886	-41.01	15.75	-13.0	-28.01	244.00	Horizontal	Horizontal	Pass

67 NR_DC_66A_n2A

67.1 NR_DC_66A_n2A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n2A 20MHz(CH132322)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.222	-67.05	-16.36	-13.0	-54.05	206.00	Vertical	Horizontal	Pass
407.718	-67.78	-7.88	-13.0	-54.78	169.00	Vertical	Horizontal	Pass
1958.600	-35.18	3.58	-13.0	-22.18	105.00	Vertical	Horizontal	N/A
2152.600	-34.56	4.25	-13.0	-21.56	143.00	Vertical	Horizontal	N/A
7166.250	-39.68	15.37	-13.0	-26.68	295.00	Vertical	Horizontal	Pass
18089.812	-38.31	23.65	-13.0	-25.31	253.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n2A 20MHz(CH132322)+5MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.781	-66.97	-17.61	-13.0	-53.97	141.00	Horizontal	Horizontal	Pass
361.789	-68.13	-10.27	-13.0	-55.13	357.00	Horizontal	Horizontal	Pass
1961.200	-33.19	3.73	-13.0	-20.19	281.00	Horizontal	Horizontal	N/A
2152.300	-41.83	4.24	-13.0	-28.83	237.00	Horizontal	Horizontal	N/A
7190.250	-40.07	15.36	-13.0	-27.07	0.00	Horizontal	Horizontal	Pass
18128.312	-37.35	23.92	-13.0	-24.35	239.00	Horizontal	Horizontal	Pass

67.2 NR_DC_66A_n2A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n2A 20MHz(CH132322)+15MHz(CH376000)


RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.516	-67.06	-17.34	-13.0	-54.06	252.00	Vertical	Horizontal	Pass
395.642	-67.55	-8.44	-13.0	-54.55	168.00	Vertical	Horizontal	Pass
1955.300	-38.66	3.54	-13.0	-25.66	118.00	Vertical	Horizontal	N/A
2152.700	-33.34	4.26	-13.0	-20.34	345.00	Vertical	Horizontal	N/A
7407.250	-40.23	15.47	-13.0	-27.23	104.00	Vertical	Horizontal	Pass
18104.250	-37.46	23.63	-13.0	-24.46	58.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n2A 20MHz(CH132322)+15MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.720	-67.76	-17.50	-13.0	-54.76	354.00	Horizontal	Horizontal	Pass
390.452	-68.02	-8.68	-13.0	-55.02	239.00	Horizontal	Horizontal	Pass
1954.400	-37.06	3.57	-13.0	-24.06	280.00	Horizontal	Horizontal	N/A
2152.800	-44.29	4.26	-13.0	-31.29	30.00	Horizontal	Horizontal	N/A
6891.250	-40.34	14.34	-13.0	-27.34	360.00	Horizontal	Horizontal	Pass
18150.312	-38.02	23.79	-13.0	-25.02	2.00	Horizontal	Horizontal	Pass

67.3 NR_DC_66A_n2A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n2A 20MHz(CH132322)+20MHz(CH376000)


RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.049	-67.10	-17.31	-13.0	-54.10	0.00	Vertical	Horizontal	Pass
391.228	-67.89	-8.65	-13.0	-54.89	0.00	Vertical	Horizontal	Pass
1952.400	-40.17	3.66	-13.0	-27.17	331.00	Vertical	Horizontal	N/A
2152.900	-34.40	4.26	-13.0	-21.40	199.00	Vertical	Horizontal	N/A
7238.750	-40.64	16.27	-13.0	-27.64	78.00	Vertical	Horizontal	Pass
18170.937	-37.50	23.37	-13.0	-24.50	53.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n2A 20MHz(CH132322)+20MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.220	-66.44	-17.01	-13.0	-53.44	68.00	Horizontal	Horizontal	Pass
406.845	-67.58	-7.93	-13.0	-54.58	239.00	Horizontal	Horizontal	Pass
1953.400	-38.75	3.62	-13.0	-25.75	284.00	Horizontal	Horizontal	N/A
2158.600	-44.88	4.36	-13.0	-31.88	304.00	Horizontal	Horizontal	N/A
7243.500	-40.06	16.22	-13.0	-27.06	287.00	Horizontal	Horizontal	Pass
18143.437	-38.00	23.64	-13.0	-25.00	316.00	Horizontal	Horizontal	Pass

68 NR_DC_14A_n2A

68.1 NR_DC_14A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n2A 10MHz(CH23330)+5MHz(CH376000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.167	-65.32	-14.87	-13.0	-52.32	216.00	Vertical	Horizontal	Pass
759.198	-44.98	4.24	-13.0	-31.98	233.00	Vertical	Horizontal	N/A
1586.000	-35.61	0.74	-13.0	-22.61	182.00	Vertical	Horizontal	Pass
1959.000	-35.29	2.90	-13.0	-22.29	130.00	Vertical	Horizontal	N/A
4745.750	-44.81	10.36	-13.0	-31.81	49.00	Vertical	Horizontal	Pass
13532.375	-38.83	19.43	-13.0	-25.83	31.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n2A 10MHz(CH23330)+5MHz(CH376000)

RSE(5G NSA FCC_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.788	-66.14	-15.71	-13.0	-53.14	145.00	Horizontal	Horizontal	Pass
758.906	-56.09	4.27	-13.0	-43.09	196.00	Horizontal	Horizontal	N/A
1579.500	-50.48	0.67	-13.0	-37.48	46.00	Horizontal	Horizontal	Pass
1959.800	-36.66	2.92	-13.0	-23.66	46.00	Horizontal	Horizontal	N/A
6840.000	-40.88	14.96	-13.0	-27.88	189.00	Horizontal	Horizontal	Pass
12781.625	-38.70	18.92	-13.0	-25.70	233.00	Horizontal	Horizontal	Pass

68.2 NR_DC_14A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n2A 10MHz(CH233330)+15MHz(CH376000)


RSE(5G NSA FCC_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.093	-67.35	-15.24	-13.0	-54.35	360.00	Vertical	Horizontal	Pass
759.052	-44.54	4.26	-13.0	-31.54	231.00	Vertical	Horizontal	N/A
1581.200	-36.15	0.71	-13.0	-23.15	187.00	Vertical	Horizontal	Pass
1957.600	-40.58	2.87	-13.0	-27.58	238.00	Vertical	Horizontal	N/A
7179.500	-40.34	15.53	-13.0	-27.34	74.00	Vertical	Horizontal	Pass
12837.313	-38.62	18.16	-13.0	-25.62	158.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n2A 10MHz(CH23330)+15MHz(CH376000)

RSE(5G NSA FCC_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.971	-70.05	-15.53	-13.0	-57.05	131.00	Horizontal	Horizontal	Pass
758.858	-56.72	4.28	-13.0	-43.72	232.00	Horizontal	Horizontal	N/A
1586.200	-49.65	0.74	-13.0	-36.65	50.00	Horizontal	Horizontal	Pass
1956.300	-37.24	2.89	-13.0	-24.24	306.00	Horizontal	Horizontal	N/A
7258.500	-40.27	15.77	-13.0	-27.27	297.00	Horizontal	Horizontal	Pass
12753.438	-38.59	18.97	-13.0	-25.59	340.00	Horizontal	Horizontal	Pass

68.3 NR_DC_14A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n2A 10MHz(CH23330)+20MHz(CH376000)


RSE(5G NSA FCC_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.652	-66.68	-14.81	-13.0	-53.68	240.00	Vertical	Horizontal	Pass
760.555	-43.86	4.00	-13.0	-30.86	184.00	Vertical	Horizontal	N/A
1586.100	-35.87	0.74	-13.0	-22.87	183.00	Vertical	Horizontal	Pass
1956.600	-42.16	2.88	-13.0	-29.16	327.00	Vertical	Horizontal	N/A
6656.250	-40.34	14.25	-13.0	-27.34	105.00	Vertical	Horizontal	Pass
12750.000	-50.72	19.01	-13.0	-37.72	246.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n2A 10MHz(CH23330)+20MHz(CH376000)

RSE(5G NSA FCC_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.971	-68.15	-15.53	-13.0	-55.15	113.00	Horizontal	Horizontal	Pass
760.701	-56.57	4.00	-13.0	-43.57	221.00	Horizontal	Horizontal	N/A
1583.200	-49.10	0.75	-13.0	-36.10	300.00	Horizontal	Horizontal	Pass
1960.900	-38.08	2.96	-13.0	-25.08	305.00	Horizontal	Horizontal	N/A
7196.750	-40.56	15.83	-13.0	-27.56	8.00	Horizontal	Horizontal	Pass
12767.188	-38.69	18.88	-13.0	-25.69	216.00	Horizontal	Horizontal	Pass

69 NR_DC_13A_n2A

69.1 NR_DC_13A_n2A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n2A 10MHz(CH23230)+5MHz(CH376000)


RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.906	-65.38	-15.00	-13.0	-52.38	265.00	Vertical	Horizontal	Pass
750.322	-42.21	3.91	-13.0	-29.21	233.00	Vertical	Horizontal	N/A
1563.900	-34.41	0.31	-13.0	-21.41	125.00	Vertical	Horizontal	Pass
1959.300	-36.92	2.91	-13.0	-23.92	130.00	Vertical	Horizontal	N/A
6658.750	-40.74	14.21	-13.0	-27.74	266.00	Vertical	Horizontal	Pass
12750.000	-52.16	19.01	-13.0	-39.16	191.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n2A 10MHz(CH23230)+5MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.534	-65.44	-15.56	-13.0	-52.44	146.00	Horizontal	Horizontal	Pass
747.800	-55.66	3.80	-13.0	-42.66	269.00	Horizontal	Horizontal	N/A
1565.400	-49.87	0.36	-13.0	-36.87	313.00	Horizontal	Horizontal	Pass
1959.400	-32.69	2.91	-13.0	-19.69	309.00	Horizontal	Horizontal	N/A
7202.000	-40.37	16.31	-13.0	-27.37	49.00	Horizontal	Horizontal	Pass
12780.937	-38.76	18.91	-13.0	-25.76	359.00	Horizontal	Horizontal	Pass

69.2 NR_DC_13A_n2A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n2A 10MHz(CH23230)+15MHz(CH376000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.243	-66.67	-15.59	-13.0	-53.67	0.00	Vertical	Horizontal	Pass
394.526	-67.19	-5.55	-13.0	-54.19	0.00	Vertical	Horizontal	Pass
746.830	-42.29	3.84	-13.0	-29.29	201.00	Vertical	Horizontal	N/A
1563.900	-35.15	0.31	-13.0	-22.15	138.00	Vertical	Horizontal	Pass
4395.000	-46.58	9.00	-13.0	-33.58	0.00	Vertical	Horizontal	Pass
12756.187	-38.95	18.98	-13.0	-25.95	28.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n2A 10MHz(CH23230)+15MHz(CH376000)

RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.310	-68.18	-15.50	-13.0	-55.18	267.00	Horizontal	Horizontal	Pass
746.976	-55.33	3.84	-13.0	-42.33	267.00	Horizontal	Horizontal	N/A
1563.600	-50.36	0.31	-13.0	-37.36	311.00	Horizontal	Horizontal	Pass
1961.300	-37.04	3.01	-13.0	-24.04	311.00	Horizontal	Horizontal	N/A
7311.000	-40.49	15.56	-13.0	-27.49	229.00	Horizontal	Horizontal	Pass
12756.187	-39.05	18.98	-13.0	-26.05	332.00	Horizontal	Horizontal	Pass

69.3 NR_DC_13A_n2A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n2A 10MHz(CH23230)+20MHz(CH376000)


RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.585	-65.66	-14.93	-13.0	-52.66	271.00	Vertical	Horizontal	Pass
752.941	-42.65	4.33	-13.0	-29.65	51.00	Vertical	Horizontal	N/A
1563.700	-34.46	0.31	-13.0	-21.46	126.00	Vertical	Horizontal	Pass
1953.000	-40.53	3.06	-13.0	-27.53	113.00	Vertical	Horizontal	N/A
6856.750	-40.50	14.96	-13.0	-27.50	102.00	Vertical	Horizontal	Pass
12755.500	-39.31	18.98	-13.0	-26.31	343.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n2A 10MHz(CH23230)+20MHz(CH376000)

RSE(5G NSA FCC_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
154.014	-70.15	-15.17	-13.0	-57.15	280.00	Horizontal	Horizontal	Pass
748.721	-56.04	3.81	-13.0	-43.04	268.00	Horizontal	Horizontal	N/A
1565.500	-50.09	0.37	-13.0	-37.09	309.00	Horizontal	Horizontal	Pass
1957.900	-38.96	2.87	-13.0	-25.96	304.00	Horizontal	Horizontal	N/A
6852.250	-41.16	14.90	-13.0	-28.16	356.00	Horizontal	Horizontal	Pass
15357.688	-39.09	19.73	-13.0	-26.09	14.00	Horizontal	Horizontal	Pass

70 NR_DC_2A_n30A

70.1 NR_DC_2A_n30A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n30A 20MHz(CH18900)+5MHz(CH462000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.389	-77.24	-25.28	-40.0	-37.24	306.00	Vertical	Vertical	Pass
388.172	-77.57	-16.88	-40.0	-37.57	144.00	Vertical	Vertical	Pass
1957.800	-46.78	-4.38	-40.0	-6.78	248.00	Vertical	Vertical	N/A
2310.600	-50.85	-1.32	-40.0	-10.85	85.00	Vertical	Vertical	N/A
7970.000	-45.18	17.31	-40.0	-5.18	348.00	Vertical	Vertical	Pass
16887.375	-46.48	17.94	-40.0	-6.48	360.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n30A 20MHz(CH18900)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.068	-78.82	-25.21	-40.0	-38.82	283.00	Horizontal	Vertical	Pass
346.317	-78.47	-17.97	-40.0	-38.47	0.00	Horizontal	Vertical	Pass
1956.800	-59.58	-4.37	-40.0	-19.58	148.00	Horizontal	Vertical	N/A
2310.200	-55.51	-1.33	-40.0	-15.51	164.00	Horizontal	Vertical	N/A
7993.000	-45.22	17.14	-40.0	-5.22	35.00	Horizontal	Vertical	Pass
16800.062	-45.95	17.46	-40.0	-5.95	27.00	Horizontal	Vertical	Pass

70.2 NR_DC_2A_n30A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n30A 20MHz(CH18900)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.642	-79.46	-25.39	-40.0	-39.46	347.00	Vertical	Vertical	Pass
1204.900	-67.34	-6.56	-40.0	-27.34	4.00	Vertical	Vertical	Pass
1957.700	-47.56	-4.38	-40.0	-7.56	126.00	Vertical	Vertical	N/A
2310.500	-52.71	-1.32	-40.0	-12.71	95.00	Vertical	Vertical	N/A
7920.250	-45.48	17.04	-40.0	-5.48	226.00	Vertical	Vertical	Pass
16889.437	-46.35	18.00	-40.0	-6.35	0.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n30A 20MHz(CH18900)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.559	-79.39	-24.98	-40.0	-39.39	275.00	Horizontal	Vertical	Pass
346.123	-79.09	-17.99	-40.0	-39.09	357.00	Horizontal	Vertical	Pass
1957.600	-59.22	-4.38	-40.0	-19.22	293.00	Horizontal	Vertical	N/A
2311.400	-56.71	-1.31	-40.0	-16.71	162.00	Horizontal	Vertical	N/A
7926.750	-45.44	17.18	-40.0	-5.44	30.00	Horizontal	Vertical	Pass
16648.125	-46.46	17.05	-40.0	-6.46	25.00	Horizontal	Vertical	Pass

71 NR_DC_5A_n30A

71.1 NR_DC_5A_n30A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n30A 10MHz(CH20525+5MHz(CH462000))


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.421	-68.47	-2.50	-40.0	-28.47	108.00	Vertical	Vertical	N/A
877.974	-48.72	-0.93	-40.0	-8.72	186.00	Vertical	Vertical	N/A
1673.700	-46.21	-6.86	-40.0	-6.21	89.00	Vertical	Vertical	Pass
2310.400	-49.83	-1.32	-40.0	-9.83	82.00	Vertical	Vertical	N/A
7789.750	-45.36	16.26	-40.0	-5.36	0.00	Vertical	Vertical	Pass
16889.437	-45.98	18.00	-40.0	-5.98	231.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_5A_n30A 10MHz(CH20525)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA 2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.814	-82.62	-23.47	-40.0	-42.62	250.00	Horizontal	Vertical	Pass
345.298	-78.51	-15.29	-40.0	-38.51	360.00	Horizontal	Vertical	Pass
878.556	-60.45	-0.92	-40.0	-20.45	242.00	Horizontal	Vertical	N/A
1672.700	-56.81	-6.81	-40.0	-16.81	281.00	Horizontal	Vertical	Pass
2310.700	-57.45	-1.32	-40.0	-17.45	76.00	Horizontal	Vertical	N/AS
7936.500	-45.29	17.15	-40.0	-5.29	305.00	Horizontal	Vertical	Pass

71.2 NR_DC_5A_n30A 10MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n30A 10MHz(CH20525)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.712	-66.69	-2.48	-40.0	-26.69	53.00	Vertical	Vertical	N/A
877.877	-47.55	-0.93	-40.0	-7.55	178.00	Vertical	Vertical	N/A
1672.700	-46.30	-6.81	-40.0	-6.30	125.00	Vertical	Vertical	Pass
2310.500	-50.87	-1.32	-40.0	-10.87	82.00	Vertical	Vertical	N/A
7991.000	-44.98	17.12	-40.0	-4.98	289.00	Vertical	Vertical	Pass
16890.125	-46.18	18.01	-40.0	-6.18	296.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_5A_n30A 10MHz(CH20525)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.335	-78.88	-23.23	-40.0	-38.88	114.00	Horizontal	Vertical	Pass
339.042	-79.17	-15.57	-40.0	-39.17	0.00	Horizontal	Vertical	Pass
884.764	-59.55	-0.56	-40.0	-19.55	132.00	Horizontal	Vertical	N/A
1676.400	-56.80	-7.00	-40.0	-16.80	271.00	Horizontal	Vertical	Pass
2310.700	-58.83	-1.32	-40.0	-18.83	148.00	Horizontal	Vertical	N/A
7867.750	-45.42	17.10	-40.0	-5.42	230.00	Horizontal	Vertical	Pass

72 NR_DC_12A_n30A

72.1 NR_DC_12A_n30A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n30A 10MHz(CH23095)+5MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
731.649	-74.63	-2.92	-40.0	-34.63	192.00	Vertical	Vertical	Pass
1415.000	-57.77	-7.63	-40.0	-17.77	57.00	Vertical	Vertical	Pass
2310.400	-49.65	-2.27	-40.0	-9.65	76.00	Vertical	Vertical	N/A
4998.250	-59.24	3.25	-40.0	-19.24	126.00	Vertical	Vertical	Pass
7857.250	-44.89	16.99	-40.0	-4.89	254.00	Vertical	Vertical	Pass
16800.750	-46.22	17.47	-40.0	-6.22	360.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_12A_n30A 10MHz(CH23095)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.532	-94.80	-20.25	-40.0	-54.80	0.00	Horizontal	Vertical	Pass
745.278	-75.27	-2.77	-40.0	-35.27	356.00	Horizontal	Vertical	Pass
1202.200	-66.01	-5.52	-40.0	-26.01	176.00	Horizontal	Vertical	Pass
2310.600	-56.73	-1.17	-40.0	-16.73	80.00	Horizontal	Vertical	N/A
7863.750	-45.20	17.07	-40.0	-5.20	122.00	Horizontal	Vertical	Pass
16312.625	-46.09	17.05	-40.0	-6.09	3.00	Horizontal	Vertical	Pass

72.2 NR_DC_12A_n30A 10MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n30A 10MHz(CH23095)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
739.894	-74.83	-2.53	-40.0	-34.83	20.00	Vertical	Vertical	Pass
1415.100	-58.07	-7.63	-40.0	-18.07	62.00	Vertical	Vertical	Pass
2310.800	-51.78	-2.26	-40.0	-11.78	71.00	Vertical	Vertical	N/A
4749.500	-60.68	2.48	-40.0	-20.68	1.00	Vertical	Vertical	Pass
7894.250	-45.30	16.75	-40.0	-5.30	207.00	Vertical	Vertical	Pass
15361.125	-46.46	16.65	-40.0	-6.46	94.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_12A_n30A 10MHz(CH23095)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
736.063	-75.51	-2.71	-40.0	-35.51	91.00	Horizontal	Vertical	Pass
1420.600	-66.40	-7.66	-40.0	-26.40	131.00	Horizontal	Vertical	Pass
2310.200	-59.79	-2.27	-40.0	-19.79	143.00	Horizontal	Vertical	N/A
5027.000	-59.02	3.03	-40.0	-19.02	62.00	Horizontal	Vertical	Pass
7970.500	-45.41	17.29	-40.0	-5.41	151.00	Horizontal	Vertical	Pass
16811.750	-46.10	17.51	-40.0	-6.10	332.00	Horizontal	Vertical	Pass

73 NR_DC_14A_n30A

73.1 NR_DC_14A_n30A 10MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n30A 10MHz(CH23330)+5MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
760.216	-51.67	-3.95	-40.0	-11.67	76.00	Vertical	Vertical	N/A
1585.700	-47.48	-7.29	-40.0	-7.48	68.00	Vertical	Vertical	Pass
2310.400	-49.61	-2.27	-40.0	-9.61	81.00	Vertical	Vertical	N/A
4968.500	-59.79	2.71	-40.0	-19.79	79.00	Vertical	Vertical	Pass
7980.000	-45.41	17.16	-40.0	-5.41	86.00	Vertical	Vertical	Pass
16902.500	-46.93	17.88	-40.0	-6.93	0.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_14A_n30A 10MHz(CH233330)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
758.567	-60.23	-3.68	-40.0	-20.23	298.00	Horizontal	Vertical	N/A
1584.700	-58.62	-7.32	-40.0	-18.62	345.00	Horizontal	Vertical	Pass
2310.600	-57.50	-2.26	-40.0	-17.50	82.00	Horizontal	Vertical	N/A
4751.500	-60.20	2.44	-40.0	-20.20	151.00	Horizontal	Vertical	Pass
7750.750	-45.25	15.98	-40.0	-5.25	107.00	Horizontal	Vertical	Pass
16886.688	-46.41	17.91	-40.0	-6.41	21.00	Horizontal	Vertical	Pass

73.2 NR_DC_14A_n30A 10MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n30A 10MHz(CH23330)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
759.391	-59.34	-3.80	-40.0	-19.34	18.00	Horizontal	Vertical	N/A
1585.300	-58.27	-7.30	-40.0	-18.27	269.00	Horizontal	Vertical	Pass
2311.700	-59.50	-2.25	-40.0	-19.50	152.00	Horizontal	Vertical	N/A
4970.500	-59.79	2.70	-40.0	-19.79	334.00	Horizontal	Vertical	Pass
7877.250	-44.98	16.78	-40.0	-4.98	312.00	Horizontal	Vertical	Pass
16802.813	-46.02	17.52	-40.0	-6.02	66.00	Horizontal	Vertical	Pass

RSE-H&H NR_DC_14A_n30A 10MHz(CH233330)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
375.950	-78.79	-14.96	-40.0	-38.79	160.00	Vertical	Vertical	Pass
764.678	-51.18	-4.00	-40.0	-11.18	200.00	Vertical	Vertical	N/A
1585.900	-47.01	-7.30	-40.0	-7.01	75.00	Vertical	Vertical	Pass
2310.800	-51.59	-2.26	-40.0	-11.59	78.00	Vertical	Vertical	N/A
7937.000	-45.20	17.14	-40.0	-5.20	348.00	Vertical	Vertical	Pass
15267.625	-46.14	17.90	-40.0	-6.14	19.00	Vertical	Vertical	Pass

74 NR_DC_66A_n30A

74.1 NR_DC_66A_n30A 20MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n30A 20MHz(CH132322)+5MHz(CH462000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.583	-76.55	-25.50	-40.0	-36.55	329.00	Vertical	Vertical	Pass
2156.900	-45.34	-3.55	-40.0	-5.34	0.00	Vertical	Vertical	N/A
2310.100	-52.49	-1.71	-40.0	-12.49	186.00	Vertical	Vertical	N/A
4997.750	-59.18	3.23	-40.0	-19.18	1.00	Vertical	Vertical	Pass
7933.250	-45.19	17.21	-40.0	-5.19	193.00	Vertical	Vertical	Pass
15357.688	-46.24	16.73	-40.0	-6.24	0.00	Vertical	Vertical	Pass