

|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n5_SA     |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |           |             |
| 826.5                | 5                       | 12      | 6         | 23.35              | 22.38     | < 38.45     |
|                      |                         | 1       | 1         | 23.27              | 22.30     | < 38.45     |
|                      |                         | 1       | 23        | 23.40              | 22.43     | < 38.45     |
|                      |                         | 25      | 0         | 23.36              | 22.39     | < 38.45     |
|                      |                         | 1       | 24        | 23.35              | 22.38     | < 38.45     |
|                      |                         | 1       | 0         | 23.29              | 22.32     | < 38.45     |
| 836.5                | 5                       | 12      | 6         | 23.42              | 22.45     | < 38.45     |
|                      |                         | 1       | 1         | 23.31              | 22.34     | < 38.45     |
|                      |                         | 1       | 23        | 23.38              | 22.41     | < 38.45     |
|                      |                         | 25      | 0         | 23.42              | 22.45     | < 38.45     |
|                      |                         | 1       | 24        | 23.32              | 22.35     | < 38.45     |
|                      |                         | 1       | 0         | 23.32              | 22.35     | < 38.45     |
| 846.5                | 5                       | 12      | 6         | 23.32              | 22.35     | < 38.45     |
|                      |                         | 1       | 1         | 23.25              | 22.28     | < 38.45     |
|                      |                         | 1       | 23        | 23.24              | 22.27     | < 38.45     |
|                      |                         | 25      | 0         | 23.34              | 22.37     | < 38.45     |
|                      |                         | 1       | 24        | 23.22              | 22.25     | < 38.45     |
|                      |                         | 1       | 0         | 23.29              | 22.32     | < 38.45     |
| 829.0                | 10                      | 25      | 12        | 23.43              | 22.46     | < 38.45     |
|                      |                         | 1       | 1         | 23.25              | 22.28     | < 38.45     |
|                      |                         | 1       | 50        | 23.28              | 22.31     | < 38.45     |
|                      |                         | 50      | 0         | 23.39              | 22.42     | < 38.45     |
|                      |                         | 1       | 51        | 23.23              | 22.26     | < 38.45     |
|                      |                         | 1       | 0         | 23.20              | 22.23     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |           |             |
| 836.5                       | 10                      | 25      | 12        | 23.47              | 22.50     | < 38.45     |
|                             |                         | 1       | 1         | 23.32              | 22.35     | < 38.45     |
|                             |                         | 1       | 50        | 23.29              | 22.32     | < 38.45     |
|                             |                         | 50      | 0         | 23.44              | 22.47     | < 38.45     |
|                             |                         | 1       | 51        | 23.26              | 22.29     | < 38.45     |
|                             |                         | 1       | 0         | 23.34              | 22.37     | < 38.45     |
| 844.0                       | 10                      | 25      | 12        | 23.39              | 22.42     | < 38.45     |
|                             |                         | 1       | 1         | 23.31              | 22.34     | < 38.45     |
|                             |                         | 1       | 50        | 23.18              | 22.21     | < 38.45     |
|                             |                         | 50      | 0         | 23.38              | 22.41     | < 38.45     |
|                             |                         | 1       | 51        | 23.17              | 22.20     | < 38.45     |
|                             |                         | 1       | 0         | 23.30              | 22.33     | < 38.45     |
| 831.5                       | 15                      | 36      | 18        | 23.60              | 22.63     | < 38.45     |
|                             |                         | 1       | 1         | 23.44              | 22.47     | < 38.45     |
|                             |                         | 1       | 77        | 23.35              | 22.38     | < 38.45     |
|                             |                         | 75      | 0         | 23.66              | 22.69     | < 38.45     |
|                             |                         | 1       | 78        | 23.28              | 22.31     | < 38.45     |
|                             |                         | 1       | 0         | 23.45              | 22.48     | < 38.45     |
| 836.5                       | 15                      | 36      | 18        | 23.55              | 22.58     | < 38.45     |
|                             |                         | 1       | 1         | 23.54              | 22.57     | < 38.45     |
|                             |                         | 1       | 77        | 23.27              | 22.30     | < 38.45     |
|                             |                         | 75      | 0         | 23.53              | 22.56     | < 38.45     |
|                             |                         | 1       | 78        | 23.27              | 22.30     | < 38.45     |
|                             |                         | 1       | 0         | 23.44              | 22.47     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |           |             |
| 841.5                       | 15                      | 36      | 18        | 23.44              | 22.47     | < 38.45     |
|                             |                         | 1       | 1         | 23.48              | 22.51     | < 38.45     |
|                             |                         | 1       | 77        | 23.25              | 22.28     | < 38.45     |
|                             |                         | 75      | 0         | 23.51              | 22.54     | < 38.45     |
|                             |                         | 1       | 78        | 23.14              | 22.17     | < 38.45     |
|                             |                         | 1       | 0         | 23.45              | 22.48     | < 38.45     |
| 834.0                       | 20                      | 50      | 25        | 23.60              | 22.63     | < 38.45     |
|                             |                         | 1       | 1         | 23.47              | 22.50     | < 38.45     |
|                             |                         | 1       | 104       | 23.31              | 22.34     | < 38.45     |
|                             |                         | 100     | 0         | 23.63              | 22.66     | < 38.45     |
|                             |                         | 1       | 105       | 23.31              | 22.34     | < 38.45     |
|                             |                         | 1       | 0         | 23.52              | 22.55     | < 38.45     |
| 836.5                       | 20                      | 50      | 25        | 23.59              | 22.62     | < 38.45     |
|                             |                         | 1       | 1         | 23.49              | 22.52     | < 38.45     |
|                             |                         | 1       | 104       | 23.20              | 22.23     | < 38.45     |
|                             |                         | 100     | 0         | 23.56              | 22.59     | < 38.45     |
|                             |                         | 1       | 105       | 23.20              | 22.23     | < 38.45     |
|                             |                         | 1       | 0         | 23.43              | 22.46     | < 38.45     |
| 836.0                       | 20                      | 50      | 25        | 23.49              | 22.52     | < 38.45     |
|                             |                         | 1       | 1         | 23.48              | 22.51     | < 38.45     |
|                             |                         | 1       | 104       | 23.17              | 22.20     | < 38.45     |
|                             |                         | 100     | 0         | 23.53              | 22.56     | < 38.45     |
|                             |                         | 1       | 105       | 23.16              | 22.19     | < 38.45     |
|                             |                         | 1       | 0         | 23.54              | 22.57     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |           |             |
| 826.5                  | 5                       | 12      | 6         | 23.41              | 22.44     | < 38.45     |
|                        |                         | 1       | 1         | 23.51              | 22.54     | < 38.45     |
|                        |                         | 1       | 23        | 23.55              | 22.58     | < 38.45     |
|                        |                         | 25      | 0         | 23.35              | 22.38     | < 38.45     |
|                        |                         | 1       | 24        | 23.45              | 22.48     | < 38.45     |
|                        |                         | 1       | 0         | 23.36              | 22.39     | < 38.45     |
| 836.5                  | 5                       | 12      | 6         | 23.40              | 22.43     | < 38.45     |
|                        |                         | 1       | 1         | 23.58              | 22.61     | < 38.45     |
|                        |                         | 1       | 23        | 23.56              | 22.59     | < 38.45     |
|                        |                         | 25      | 0         | 23.47              | 22.50     | < 38.45     |
|                        |                         | 1       | 24        | 23.44              | 22.47     | < 38.45     |
|                        |                         | 1       | 0         | 23.45              | 22.48     | < 38.45     |
| 846.5                  | 5                       | 12      | 6         | 23.32              | 22.35     | < 38.45     |
|                        |                         | 1       | 1         | 23.41              | 22.44     | < 38.45     |
|                        |                         | 1       | 23        | 23.36              | 22.39     | < 38.45     |
|                        |                         | 25      | 0         | 23.23              | 22.26     | < 38.45     |
|                        |                         | 1       | 24        | 23.29              | 22.32     | < 38.45     |
|                        |                         | 1       | 0         | 23.45              | 22.48     | < 38.45     |
| 829.0                  | 10                      | 25      | 12        | 23.38              | 22.41     | < 38.45     |
|                        |                         | 1       | 1         | 23.46              | 22.49     | < 38.45     |
|                        |                         | 1       | 50        | 23.39              | 22.42     | < 38.45     |
|                        |                         | 50      | 0         | 23.43              | 22.46     | < 38.45     |
|                        |                         | 1       | 51        | 23.37              | 22.40     | < 38.45     |
|                        |                         | 1       | 0         | 23.31              | 22.34     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |           |             |
| 836.5                  | 10                      | 25      | 12        | 23.43              | 22.46     | < 38.45     |
|                        |                         | 1       | 1         | 23.50              | 22.53     | < 38.45     |
|                        |                         | 1       | 50        | 23.48              | 22.51     | < 38.45     |
|                        |                         | 50      | 0         | 23.41              | 22.44     | < 38.45     |
|                        |                         | 1       | 51        | 23.39              | 22.42     | < 38.45     |
|                        |                         | 1       | 0         | 23.39              | 22.42     | < 38.45     |
| 844.0                  | 10                      | 25      | 12        | 23.30              | 22.33     | < 38.45     |
|                        |                         | 1       | 1         | 23.50              | 22.53     | < 38.45     |
|                        |                         | 1       | 50        | 23.28              | 22.31     | < 38.45     |
|                        |                         | 50      | 0         | 23.38              | 22.41     | < 38.45     |
|                        |                         | 1       | 51        | 23.17              | 22.20     | < 38.45     |
|                        |                         | 1       | 0         | 23.44              | 22.47     | < 38.45     |
| 831.5                  | 15                      | 36      | 18        | 23.62              | 22.65     | < 38.45     |
|                        |                         | 1       | 1         | 23.59              | 22.62     | < 38.45     |
|                        |                         | 1       | 77        | 23.35              | 22.38     | < 38.45     |
|                        |                         | 75      | 0         | 23.64              | 22.67     | < 38.45     |
|                        |                         | 1       | 78        | 23.41              | 22.44     | < 38.45     |
|                        |                         | 1       | 0         | 23.51              | 22.54     | < 38.45     |
| 836.5                  | 15                      | 36      | 18        | 23.47              | 22.50     | < 38.45     |
|                        |                         | 1       | 1         | 23.82              | 22.85     | < 38.45     |
|                        |                         | 1       | 77        | 23.42              | 22.45     | < 38.45     |
|                        |                         | 75      | 0         | 23.58              | 22.61     | < 38.45     |
|                        |                         | 1       | 78        | 23.49              | 22.52     | < 38.45     |
|                        |                         | 1       | 0         | 23.60              | 22.63     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |           |             |
| 841.5                  | 15                      | 36      | 18        | 23.48              | 22.51     | < 38.45     |
|                        |                         | 1       | 1         | 23.68              | 22.71     | < 38.45     |
|                        |                         | 1       | 77        | 23.29              | 22.32     | < 38.45     |
|                        |                         | 75      | 0         | 23.49              | 22.52     | < 38.45     |
|                        |                         | 1       | 78        | 23.27              | 22.30     | < 38.45     |
|                        |                         | 1       | 0         | 23.50              | 22.53     | < 38.45     |
| 834.0                  | 20                      | 50      | 25        | 23.62              | 22.65     | < 38.45     |
|                        |                         | 1       | 1         | 23.65              | 22.68     | < 38.45     |
|                        |                         | 1       | 104       | 23.44              | 22.47     | < 38.45     |
|                        |                         | 100     | 0         | 23.63              | 22.66     | < 38.45     |
|                        |                         | 1       | 105       | 23.42              | 22.45     | < 38.45     |
|                        |                         | 1       | 0         | 23.65              | 22.68     | < 38.45     |
| 836.5                  | 20                      | 50      | 25        | 23.54              | 22.57     | < 38.45     |
|                        |                         | 1       | 1         | 23.68              | 22.71     | < 38.45     |
|                        |                         | 1       | 104       | 23.40              | 22.43     | < 38.45     |
|                        |                         | 100     | 0         | 23.57              | 22.60     | < 38.45     |
|                        |                         | 1       | 105       | 23.42              | 22.45     | < 38.45     |
|                        |                         | 1       | 0         | 23.78              | 22.81     | < 38.45     |
| 836.0                  | 20                      | 50      | 25        | 23.52              | 22.55     | < 38.45     |
|                        |                         | 1       | 1         | 23.74              | 22.77     | < 38.45     |
|                        |                         | 1       | 104       | 23.38              | 22.41     | < 38.45     |
|                        |                         | 100     | 0         | 23.54              | 22.57     | < 38.45     |
|                        |                         | 1       | 105       | 23.26              | 22.29     | < 38.45     |
|                        |                         | 1       | 0         | 23.76              | 22.79     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |           |             |
| 826.5                   | 5                       | 12      | 6         | 23.08              | 22.11     | < 38.45     |
|                         |                         | 1       | 1         | 23.29              | 22.32     | < 38.45     |
|                         |                         | 1       | 23        | 23.40              | 22.43     | < 38.45     |
|                         |                         | 25      | 0         | 22.32              | 21.35     | < 38.45     |
|                         |                         | 1       | 24        | 22.55              | 21.58     | < 38.45     |
|                         |                         | 1       | 0         | 22.48              | 21.51     | < 38.45     |
| 836.5                   | 5                       | 12      | 6         | 23.31              | 22.34     | < 38.45     |
|                         |                         | 1       | 1         | 23.68              | 22.71     | < 38.45     |
|                         |                         | 1       | 23        | 23.67              | 22.70     | < 38.45     |
|                         |                         | 25      | 0         | 22.43              | 21.46     | < 38.45     |
|                         |                         | 1       | 24        | 22.66              | 21.69     | < 38.45     |
|                         |                         | 1       | 0         | 22.67              | 21.70     | < 38.45     |
| 846.5                   | 5                       | 12      | 6         | 23.13              | 22.16     | < 38.45     |
|                         |                         | 1       | 1         | 23.33              | 22.36     | < 38.45     |
|                         |                         | 1       | 23        | 23.22              | 22.25     | < 38.45     |
|                         |                         | 25      | 0         | 22.31              | 21.34     | < 38.45     |
|                         |                         | 1       | 24        | 22.43              | 21.46     | < 38.45     |
|                         |                         | 1       | 0         | 22.48              | 21.51     | < 38.45     |
| 829.0                   | 10                      | 25      | 12        | 23.39              | 22.42     | < 38.45     |
|                         |                         | 1       | 1         | 23.64              | 22.67     | < 38.45     |
|                         |                         | 1       | 50        | 23.58              | 22.61     | < 38.45     |
|                         |                         | 50      | 0         | 22.43              | 21.46     | < 38.45     |
|                         |                         | 1       | 51        | 22.45              | 21.48     | < 38.45     |
|                         |                         | 1       | 0         | 22.50              | 21.53     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |           |             |
| 836.5                   | 10                      | 25      | 12        | 23.44              | 22.47     | < 38.45     |
|                         |                         | 1       | 1         | 23.56              | 22.59     | < 38.45     |
|                         |                         | 1       | 50        | 23.55              | 22.58     | < 38.45     |
|                         |                         | 50      | 0         | 22.39              | 21.42     | < 38.45     |
|                         |                         | 1       | 51        | 22.56              | 21.59     | < 38.45     |
|                         |                         | 1       | 0         | 22.58              | 21.61     | < 38.45     |
| 844.0                   | 10                      | 25      | 12        | 23.35              | 22.38     | < 38.45     |
|                         |                         | 1       | 1         | 23.55              | 22.58     | < 38.45     |
|                         |                         | 1       | 50        | 23.47              | 22.50     | < 38.45     |
|                         |                         | 50      | 0         | 22.35              | 21.38     | < 38.45     |
|                         |                         | 1       | 51        | 22.43              | 21.46     | < 38.45     |
|                         |                         | 1       | 0         | 22.61              | 21.64     | < 38.45     |
| 831.5                   | 15                      | 36      | 18        | 23.65              | 22.68     | < 38.45     |
|                         |                         | 1       | 1         | 23.44              | 22.47     | < 38.45     |
|                         |                         | 1       | 77        | 23.27              | 22.30     | < 38.45     |
|                         |                         | 75      | 0         | 22.67              | 21.70     | < 38.45     |
|                         |                         | 1       | 78        | 22.44              | 21.47     | < 38.45     |
|                         |                         | 1       | 0         | 22.64              | 21.67     | < 38.45     |
| 836.5                   | 15                      | 36      | 18        | 23.54              | 22.57     | < 38.45     |
|                         |                         | 1       | 1         | 23.79              | 22.82     | < 38.45     |
|                         |                         | 1       | 77        | 23.57              | 22.60     | < 38.45     |
|                         |                         | 75      | 0         | 22.56              | 21.59     | < 38.45     |
|                         |                         | 1       | 78        | 22.55              | 21.58     | < 38.45     |
|                         |                         | 1       | 0         | 22.70              | 21.73     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |           |             |
| 841.5                   | 15                      | 36      | 18        | 23.49              | 22.52     | < 38.45     |
|                         |                         | 1       | 1         | 23.39              | 22.42     | < 38.45     |
|                         |                         | 1       | 77        | 23.20              | 22.23     | < 38.45     |
|                         |                         | 75      | 0         | 22.47              | 21.50     | < 38.45     |
|                         |                         | 1       | 78        | 22.34              | 21.37     | < 38.45     |
|                         |                         | 1       | 0         | 22.67              | 21.70     | < 38.45     |
| 834.0                   | 20                      | 50      | 25        | 23.55              | 22.58     | < 38.45     |
|                         |                         | 1       | 1         | 23.85              | 22.88     | < 38.45     |
|                         |                         | 1       | 104       | 23.58              | 22.61     | < 38.45     |
|                         |                         | 100     | 0         | 22.62              | 21.65     | < 38.45     |
|                         |                         | 1       | 105       | 22.56              | 21.59     | < 38.45     |
|                         |                         | 1       | 0         | 22.75              | 21.78     | < 38.45     |
| 836.5                   | 20                      | 50      | 25        | 23.56              | 22.59     | < 38.45     |
|                         |                         | 1       | 1         | 23.74              | 22.77     | < 38.45     |
|                         |                         | 1       | 104       | 23.55              | 22.58     | < 38.45     |
|                         |                         | 100     | 0         | 22.56              | 21.59     | < 38.45     |
|                         |                         | 1       | 105       | 22.48              | 21.51     | < 38.45     |
|                         |                         | 1       | 0         | 22.70              | 21.73     | < 38.45     |
| 836.0                   | 20                      | 50      | 25        | 23.44              | 22.47     | < 38.45     |
|                         |                         | 1       | 1         | 23.91              | 22.94     | < 38.45     |
|                         |                         | 1       | 104       | 23.51              | 22.54     | < 38.45     |
|                         |                         | 100     | 0         | 22.55              | 21.58     | < 38.45     |
|                         |                         | 1       | 105       | 22.44              | 21.47     | < 38.45     |
|                         |                         | 1       | 0         | 22.80              | 21.83     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |           |             |
| 826.5                   | 5                       | 12      | 6         | 21.91              | 20.94     | < 38.45     |
|                         |                         | 1       | 1         | 22.04              | 21.07     | < 38.45     |
|                         |                         | 1       | 23        | 22.21              | 21.24     | < 38.45     |
|                         |                         | 25      | 0         | 21.89              | 20.92     | < 38.45     |
|                         |                         | 1       | 24        | 22.10              | 21.13     | < 38.45     |
|                         |                         | 1       | 0         | 22.09              | 21.12     | < 38.45     |
| 836.5                   | 5                       | 12      | 6         | 21.96              | 20.99     | < 38.45     |
|                         |                         | 1       | 1         | 22.11              | 21.14     | < 38.45     |
|                         |                         | 1       | 23        | 22.10              | 21.13     | < 38.45     |
|                         |                         | 25      | 0         | 22.06              | 21.09     | < 38.45     |
|                         |                         | 1       | 24        | 22.17              | 21.20     | < 38.45     |
|                         |                         | 1       | 0         | 22.08              | 21.11     | < 38.45     |
| 846.5                   | 5                       | 12      | 6         | 21.77              | 20.80     | < 38.45     |
|                         |                         | 1       | 1         | 22.15              | 21.18     | < 38.45     |
|                         |                         | 1       | 23        | 21.96              | 20.99     | < 38.45     |
|                         |                         | 25      | 0         | 21.90              | 20.93     | < 38.45     |
|                         |                         | 1       | 24        | 21.97              | 21.00     | < 38.45     |
|                         |                         | 1       | 0         | 22.09              | 21.12     | < 38.45     |
| 829.0                   | 10                      | 25      | 12        | 21.98              | 21.01     | < 38.45     |
|                         |                         | 1       | 1         | 21.97              | 21.00     | < 38.45     |
|                         |                         | 1       | 50        | 22.05              | 21.08     | < 38.45     |
|                         |                         | 50      | 0         | 21.93              | 20.96     | < 38.45     |
|                         |                         | 1       | 51        | 21.99              | 21.02     | < 38.45     |
|                         |                         | 1       | 0         | 22.04              | 21.07     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |           |             |
| 836.5                   | 10                      | 25      | 12        | 22.04              | 21.07     | < 38.45     |
|                         |                         | 1       | 1         | 22.10              | 21.13     | < 38.45     |
|                         |                         | 1       | 50        | 22.10              | 21.13     | < 38.45     |
|                         |                         | 50      | 0         | 22.02              | 21.05     | < 38.45     |
|                         |                         | 1       | 51        | 22.02              | 21.05     | < 38.45     |
|                         |                         | 1       | 0         | 22.16              | 21.19     | < 38.45     |
| 844.0                   | 10                      | 25      | 12        | 21.93              | 20.96     | < 38.45     |
|                         |                         | 1       | 1         | 22.09              | 21.12     | < 38.45     |
|                         |                         | 1       | 50        | 22.18              | 21.21     | < 38.45     |
|                         |                         | 50      | 0         | 21.86              | 20.89     | < 38.45     |
|                         |                         | 1       | 51        | 21.59              | 20.62     | < 38.45     |
|                         |                         | 1       | 0         | 22.15              | 21.18     | < 38.45     |
| 831.5                   | 15                      | 36      | 18        | 22.13              | 21.16     | < 38.45     |
|                         |                         | 1       | 1         | 22.24              | 21.27     | < 38.45     |
|                         |                         | 1       | 77        | 22.07              | 21.10     | < 38.45     |
|                         |                         | 75      | 0         | 22.13              | 21.16     | < 38.45     |
|                         |                         | 1       | 78        | 22.15              | 21.18     | < 38.45     |
|                         |                         | 1       | 0         | 22.23              | 21.26     | < 38.45     |
| 836.5                   | 15                      | 36      | 18        | 22.12              | 21.15     | < 38.45     |
|                         |                         | 1       | 1         | 22.17              | 21.20     | < 38.45     |
|                         |                         | 1       | 77        | 22.14              | 21.17     | < 38.45     |
|                         |                         | 75      | 0         | 22.11              | 21.14     | < 38.45     |
|                         |                         | 1       | 78        | 22.14              | 21.17     | < 38.45     |
|                         |                         | 1       | 0         | 22.25              | 21.28     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |           |             |
| 841.5  | 15                      | 36      | 18        | 22.05              | 21.08     | < 38.45     |
|  |                         | 1       | 1         | 22.31              | 21.34     | < 38.45     |
|  |                         | 1       | 77        | 21.96              | 20.99     | < 38.45     |
|  |                         | 75      | 0         | 22.00              | 21.03     | < 38.45     |
|  |                         | 1       | 78        | 22.02              | 21.05     | < 38.45     |
|  |                         | 1       | 0         | 22.32              | 21.35     | < 38.45     |
| 834.0  | 20                      | 50      | 25        | 22.14              | 21.17     | < 38.45     |
|  |                         | 1       | 1         | 22.29              | 21.32     | < 38.45     |
|  |                         | 1       | 104       | 22.06              | 21.09     | < 38.45     |
|  |                         | 100     | 0         | 22.10              | 21.13     | < 38.45     |
|  |                         | 1       | 105       | 22.15              | 21.18     | < 38.45     |
|  |                         | 1       | 0         | 22.28              | 21.31     | < 38.45     |
| 836.5  | 20                      | 50      | 25        | 22.11              | 21.14     | < 38.45     |
|  |                         | 1       | 1         | 22.22              | 21.25     | < 38.45     |
|  |                         | 1       | 104       | 22.12              | 21.15     | < 38.45     |
|  |                         | 100     | 0         | 22.05              | 21.08     | < 38.45     |
|  |                         | 1       | 105       | 22.04              | 21.07     | < 38.45     |
|  |                         | 1       | 0         | 22.19              | 21.22     | < 38.45     |
| 836.0  | 20                      | 50      | 25        | 22.10              | 21.13     | < 38.45     |
|  |                         | 1       | 1         | 22.29              | 21.32     | < 38.45     |
|  |                         | 1       | 104       | 22.01              | 21.04     | < 38.45     |
|  |                         | 100     | 0         | 22.02              | 21.05     | < 38.45     |
|  |                         | 1       | 105       | 22.01              | 21.04     | < 38.45     |
|  |                         | 1       | 0         | 22.36              | 21.39     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |           |             |
| 826.5                    | 5                       | 12      | 6         | 19.79              | 18.82     | < 38.45     |
|                          |                         | 1       | 1         | 19.48              | 18.51     | < 38.45     |
|                          |                         | 1       | 23        | 19.57              | 18.60     | < 38.45     |
|                          |                         | 25      | 0         | 19.91              | 18.94     | < 38.45     |
|                          |                         | 1       | 24        | 19.55              | 18.58     | < 38.45     |
|                          |                         | 1       | 0         | 19.45              | 18.48     | < 38.45     |
| 836.5                    | 5                       | 12      | 6         | 19.79              | 18.82     | < 38.45     |
|                          |                         | 1       | 1         | 19.54              | 18.57     | < 38.45     |
|                          |                         | 1       | 23        | 19.56              | 18.59     | < 38.45     |
|                          |                         | 25      | 0         | 19.90              | 18.93     | < 38.45     |
|                          |                         | 1       | 24        | 19.62              | 18.65     | < 38.45     |
|                          |                         | 1       | 0         | 19.60              | 18.63     | < 38.45     |
| 846.5                    | 5                       | 12      | 6         | 19.70              | 18.73     | < 38.45     |
|                          |                         | 1       | 1         | 19.49              | 18.52     | < 38.45     |
|                          |                         | 1       | 23        | 19.42              | 18.45     | < 38.45     |
|                          |                         | 25      | 0         | 19.76              | 18.79     | < 38.45     |
|                          |                         | 1       | 24        | 19.41              | 18.44     | < 38.45     |
|                          |                         | 1       | 0         | 19.46              | 18.49     | < 38.45     |
| 829.0                    | 10                      | 25      | 12        | 19.87              | 18.90     | < 38.45     |
|                          |                         | 1       | 1         | 19.55              | 18.58     | < 38.45     |
|                          |                         | 1       | 50        | 19.42              | 18.45     | < 38.45     |
|                          |                         | 50      | 0         | 19.91              | 18.94     | < 38.45     |
|                          |                         | 1       | 51        | 19.47              | 18.50     | < 38.45     |
|                          |                         | 1       | 0         | 19.55              | 18.58     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |           |             |
| 836.5                    | 10                      | 25      | 12        | 19.85              | 18.88     | < 38.45     |
|                          |                         | 1       | 1         | 19.53              | 18.56     | < 38.45     |
|                          |                         | 1       | 50        | 19.50              | 18.53     | < 38.45     |
|                          |                         | 50      | 0         | 19.85              | 18.88     | < 38.45     |
|                          |                         | 1       | 51        | 19.46              | 18.49     | < 38.45     |
|                          |                         | 1       | 0         | 19.59              | 18.62     | < 38.45     |
| 844.0                    | 10                      | 25      | 12        | 19.74              | 18.77     | < 38.45     |
|                          |                         | 1       | 1         | 19.51              | 18.54     | < 38.45     |
|                          |                         | 1       | 50        | 19.36              | 18.39     | < 38.45     |
|                          |                         | 50      | 0         | 19.78              | 18.81     | < 38.45     |
|                          |                         | 1       | 51        | 19.35              | 18.38     | < 38.45     |
|                          |                         | 1       | 0         | 19.53              | 18.56     | < 38.45     |
| 831.5                    | 15                      | 36      | 18        | 20.06              | 19.09     | < 38.45     |
|                          |                         | 1       | 1         | 19.77              | 18.80     | < 38.45     |
|                          |                         | 1       | 77        | 19.55              | 18.58     | < 38.45     |
|                          |                         | 75      | 0         | 20.08              | 19.11     | < 38.45     |
|                          |                         | 1       | 78        | 19.57              | 18.60     | < 38.45     |
|                          |                         | 1       | 0         | 19.77              | 18.80     | < 38.45     |
| 836.5                    | 15                      | 36      | 18        | 19.97              | 19.00     | < 38.45     |
|                          |                         | 1       | 1         | 19.84              | 18.87     | < 38.45     |
|                          |                         | 1       | 77        | 19.53              | 18.56     | < 38.45     |
|                          |                         | 75      | 0         | 19.97              | 19.00     | < 38.45     |
|                          |                         | 1       | 78        | 19.47              | 18.50     | < 38.45     |
|                          |                         | 1       | 0         | 19.66              | 18.69     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |           |             |
| 841.5                    | 15                      | 36      | 18        | 19.95              | 18.98     | < 38.45     |
|                          |                         | 1       | 1         | 19.66              | 18.69     | < 38.45     |
|                          |                         | 1       | 77        | 19.31              | 18.34     | < 38.45     |
|                          |                         | 75      | 0         | 20.01              | 19.04     | < 38.45     |
|                          |                         | 1       | 78        | 19.29              | 18.32     | < 38.45     |
|                          |                         | 1       | 0         | 19.69              | 18.72     | < 38.45     |
| 834.0                    | 20                      | 50      | 25        | 20.03              | 19.06     | < 38.45     |
|                          |                         | 1       | 1         | 19.75              | 18.78     | < 38.45     |
|                          |                         | 1       | 104       | 19.57              | 18.60     | < 38.45     |
|                          |                         | 100     | 0         | 20.01              | 19.04     | < 38.45     |
|                          |                         | 1       | 105       | 19.60              | 18.63     | < 38.45     |
|                          |                         | 1       | 0         | 19.80              | 18.83     | < 38.45     |
| 836.5                    | 20                      | 50      | 25        | 20.04              | 19.07     | < 38.45     |
|                          |                         | 1       | 1         | 19.66              | 18.69     | < 38.45     |
|                          |                         | 1       | 104       | 19.52              | 18.55     | < 38.45     |
|                          |                         | 100     | 0         | 19.96              | 18.99     | < 38.45     |
|                          |                         | 1       | 105       | 19.57              | 18.60     | < 38.45     |
|                          |                         | 1       | 0         | 19.71              | 18.74     | < 38.45     |
| 836.0                    | 20                      | 50      | 25        | 20.01              | 19.04     | < 38.45     |
|                          |                         | 1       | 1         | 19.85              | 18.88     | < 38.45     |
|                          |                         | 1       | 104       | 19.52              | 18.55     | < 38.45     |
|                          |                         | 100     | 0         | 20.06              | 19.09     | < 38.45     |
|                          |                         | 1       | 105       | 19.52              | 18.55     | < 38.45     |
|                          |                         | 1       | 0         | 19.85              | 18.88     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |           |             |
| 826.5           | 5                       | 13      | 6         | 22.78              | 21.81     | < 38.45     |
|                 |                         | 1       | 1         | 22.95              | 21.98     | < 38.45     |
|                 |                         | 1       | 23        | 22.96              | 21.99     | < 38.45     |
|                 |                         | 25      | 0         | 21.38              | 20.41     | < 38.45     |
|                 |                         | 1       | 24        | 21.40              | 20.43     | < 38.45     |
|                 |                         | 1       | 0         | 21.41              | 20.44     | < 38.45     |
| 836.5           | 5                       | 13      | 6         | 22.82              | 21.85     | < 38.45     |
|                 |                         | 1       | 1         | 23.14              | 22.17     | < 38.45     |
|                 |                         | 1       | 23        | 23.09              | 22.12     | < 38.45     |
|                 |                         | 25      | 0         | 21.37              | 20.40     | < 38.45     |
|                 |                         | 1       | 24        | 21.43              | 20.46     | < 38.45     |
|                 |                         | 1       | 0         | 21.40              | 20.43     | < 38.45     |
| 846.5           | 5                       | 13      | 6         | 22.67              | 21.70     | < 38.45     |
|                 |                         | 1       | 1         | 22.98              | 22.01     | < 38.45     |
|                 |                         | 1       | 23        | 23.00              | 22.03     | < 38.45     |
|                 |                         | 25      | 0         | 21.28              | 20.31     | < 38.45     |
|                 |                         | 1       | 24        | 21.28              | 20.31     | < 38.45     |
|                 |                         | 1       | 0         | 21.35              | 20.38     | < 38.45     |
| 829.0           | 10                      | 26      | 13        | 22.83              | 21.86     | < 38.45     |
|                 |                         | 1       | 1         | 23.06              | 22.09     | < 38.45     |
|                 |                         | 1       | 50        | 23.06              | 22.09     | < 38.45     |
|                 |                         | 52      | 0         | 21.44              | 20.47     | < 38.45     |
|                 |                         | 1       | 51        | 21.33              | 20.36     | < 38.45     |
|                 |                         | 1       | 0         | 21.42              | 20.45     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15



| Frequency (MHz)     | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|---------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>CP OFDM QPSK</b> |                         |         |           |                    |           |             |
| 836.5               | 10                      | 26      | 13        | 22.94              | 21.97     | < 38.45     |
|                     |                         | 1       | 1         | 23.04              | 22.07     | < 38.45     |
|                     |                         | 1       | 50        | 23.03              | 22.06     | < 38.45     |
|                     |                         | 52      | 0         | 21.42              | 20.45     | < 38.45     |
|                     |                         | 1       | 51        | 21.32              | 20.35     | < 38.45     |
|                     |                         | 1       | 0         | 21.42              | 20.45     | < 38.45     |
| 844.0               | 10                      | 26      | 13        | 22.78              | 21.81     | < 38.45     |
|                     |                         | 1       | 1         | 23.16              | 22.19     | < 38.45     |
|                     |                         | 1       | 50        | 22.92              | 21.95     | < 38.45     |
|                     |                         | 52      | 0         | 21.30              | 20.33     | < 38.45     |
|                     |                         | 1       | 51        | 21.18              | 20.21     | < 38.45     |
|                     |                         | 1       | 0         | 21.32              | 20.35     | < 38.45     |
| 831.5               | 15                      | 39      | 19        | 23.00              | 22.03     | < 38.45     |
|                     |                         | 1       | 1         | 23.21              | 22.24     | < 38.45     |
|                     |                         | 1       | 77        | 23.12              | 22.15     | < 38.45     |
|                     |                         | 79      | 0         | 21.61              | 20.64     | < 38.45     |
|                     |                         | 1       | 78        | 21.39              | 20.42     | < 38.45     |
|                     |                         | 1       | 0         | 21.57              | 20.60     | < 38.45     |
| 836.5               | 15                      | 39      | 19        | 22.90              | 21.93     | < 38.45     |
|                     |                         | 1       | 1         | 23.34              | 22.37     | < 38.45     |
|                     |                         | 1       | 77        | 23.03              | 22.06     | < 38.45     |
|                     |                         | 79      | 0         | 21.51              | 20.54     | < 38.45     |
|                     |                         | 1       | 78        | 21.39              | 20.42     | < 38.45     |
|                     |                         | 1       | 0         | 21.64              | 20.67     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |           |             |
| 841.5           | 15                      | 39      | 19        | 22.86              | 21.89     | < 38.45     |
|                 |                         | 1       | 1         | 22.92              | 21.95     | < 38.45     |
|                 |                         | 1       | 77        | 22.75              | 21.78     | < 38.45     |
|                 |                         | 79      | 0         | 21.50              | 20.53     | < 38.45     |
|                 |                         | 1       | 78        | 21.30              | 20.33     | < 38.45     |
|                 |                         | 1       | 0         | 21.58              | 20.61     | < 38.45     |
| 834.0           | 20                      | 53      | 26        | 23.02              | 22.05     | < 38.45     |
|                 |                         | 1       | 1         | 23.24              | 22.27     | < 38.45     |
|                 |                         | 1       | 104       | 23.11              | 22.14     | < 38.45     |
|                 |                         | 106     | 0         | 21.63              | 20.66     | < 38.45     |
|                 |                         | 1       | 105       | 21.38              | 20.41     | < 38.45     |
|                 |                         | 1       | 0         | 21.51              | 20.54     | < 38.45     |
| 836.5           | 20                      | 53      | 26        | 23.05              | 22.08     | < 38.45     |
|                 |                         | 1       | 1         | 23.29              | 22.32     | < 38.45     |
|                 |                         | 1       | 104       | 23.00              | 22.03     | < 38.45     |
|                 |                         | 106     | 0         | 21.48              | 20.51     | < 38.45     |
|                 |                         | 1       | 105       | 21.38              | 20.41     | < 38.45     |
|                 |                         | 1       | 0         | 21.66              | 20.69     | < 38.45     |
| 836.0           | 20                      | 53      | 26        | 23.03              | 22.06     | < 38.45     |
|                 |                         | 1       | 1         | 23.35              | 22.38     | < 38.45     |
|                 |                         | 1       | 104       | 22.95              | 21.98     | < 38.45     |
|                 |                         | 106     | 0         | 21.52              | 20.55     | < 38.45     |
|                 |                         | 1       | 105       | 21.30              | 20.33     | < 38.45     |
|                 |                         | 1       | 0         | 21.61              | 20.64     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |           |             |
| 826.5  | 5                       | 13      | 6         | 22.57              | 21.60     | < 38.45     |
|  |                         | 1       | 1         | 22.53              | 21.56     | < 38.45     |
|  |                         | 1       | 23        | 22.68              | 21.71     | < 38.45     |
|  |                         | 25      | 0         | 21.56              | 20.59     | < 38.45     |
|  |                         | 1       | 24        | 21.60              | 20.63     | < 38.45     |
|  |                         | 1       | 0         | 21.58              | 20.61     | < 38.45     |
| 836.5  | 5                       | 13      | 6         | 22.52              | 21.55     | < 38.45     |
|  |                         | 1       | 1         | 22.67              | 21.70     | < 38.45     |
|  |                         | 1       | 23        | 22.30              | 21.33     | < 38.45     |
|  |                         | 25      | 0         | 21.43              | 20.46     | < 38.45     |
|  |                         | 1       | 24        | 21.20              | 20.23     | < 38.45     |
|  |                         | 1       | 0         | 21.11              | 20.14     | < 38.45     |
| 846.5  | 5                       | 13      | 6         | 22.49              | 21.52     | < 38.45     |
|  |                         | 1       | 1         | 22.49              | 21.52     | < 38.45     |
|  |                         | 1       | 23        | 22.38              | 21.41     | < 38.45     |
|  |                         | 25      | 0         | 21.36              | 20.39     | < 38.45     |
|  |                         | 1       | 24        | 21.36              | 20.39     | < 38.45     |
|  |                         | 1       | 0         | 21.60              | 20.63     | < 38.45     |
| 829.0  | 10                      | 26      | 13        | 22.50              | 21.53     | < 38.45     |
|  |                         | 1       | 1         | 22.54              | 21.57     | < 38.45     |
|  |                         | 1       | 50        | 22.48              | 21.51     | < 38.45     |
|  |                         | 52      | 0         | 21.36              | 20.39     | < 38.45     |
|  |                         | 1       | 51        | 21.12              | 20.15     | < 38.45     |
|  |                         | 1       | 0         | 21.15              | 20.18     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |           |             |
| 836.5           | 10                      | 26      | 13        | 22.44              | 21.47     | < 38.45     |
|                 |                         | 1       | 1         | 22.53              | 21.56     | < 38.45     |
|                 |                         | 1       | 50        | 22.49              | 21.52     | < 38.45     |
|                 |                         | 52      | 0         | 21.42              | 20.45     | < 38.45     |
|                 |                         | 1       | 51        | 21.14              | 20.17     | < 38.45     |
|                 |                         | 1       | 0         | 21.24              | 20.27     | < 38.45     |
| 844.0           | 10                      | 26      | 13        | 22.37              | 21.40     | < 38.45     |
|                 |                         | 1       | 1         | 22.56              | 21.59     | < 38.45     |
|                 |                         | 1       | 50        | 22.33              | 21.36     | < 38.45     |
|                 |                         | 52      | 0         | 21.31              | 20.34     | < 38.45     |
|                 |                         | 1       | 51        | 20.93              | 19.96     | < 38.45     |
|                 |                         | 1       | 0         | 21.17              | 20.20     | < 38.45     |
| 831.5           | 15                      | 39      | 19        | 22.61              | 21.64     | < 38.45     |
|                 |                         | 1       | 1         | 22.67              | 21.70     | < 38.45     |
|                 |                         | 1       | 77        | 22.63              | 21.66     | < 38.45     |
|                 |                         | 79      | 0         | 21.69              | 20.72     | < 38.45     |
|                 |                         | 1       | 78        | 21.51              | 20.54     | < 38.45     |
|                 |                         | 1       | 0         | 21.66              | 20.69     | < 38.45     |
| 836.5           | 15                      | 39      | 19        | 22.50              | 21.53     | < 38.45     |
|                 |                         | 1       | 1         | 22.67              | 21.70     | < 38.45     |
|                 |                         | 1       | 77        | 22.51              | 21.54     | < 38.45     |
|                 |                         | 79      | 0         | 21.59              | 20.62     | < 38.45     |
|                 |                         | 1       | 78        | 21.20              | 20.23     | < 38.45     |
|                 |                         | 1       | 0         | 21.33              | 20.36     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |           |             |
| 841.5           | 15                      | 39      | 19        | 22.45              | 21.48     | < 38.45     |
|                 |                         | 1       | 1         | 22.70              | 21.73     | < 38.45     |
|                 |                         | 1       | 77        | 22.50              | 21.53     | < 38.45     |
|                 |                         | 79      | 0         | 21.58              | 20.61     | < 38.45     |
|                 |                         | 1       | 78        | 21.53              | 20.56     | < 38.45     |
|                 |                         | 1       | 0         | 21.65              | 20.68     | < 38.45     |
| 834.0           | 20                      | 53      | 26        | 22.50              | 21.53     | < 38.45     |
|                 |                         | 1       | 1         | 22.69              | 21.72     | < 38.45     |
|                 |                         | 1       | 104       | 22.57              | 21.60     | < 38.45     |
|                 |                         | 106     | 0         | 21.57              | 20.60     | < 38.45     |
|                 |                         | 1       | 105       | 21.19              | 20.22     | < 38.45     |
|                 |                         | 1       | 0         | 21.42              | 20.45     | < 38.45     |
| 836.5           | 20                      | 53      | 26        | 22.49              | 21.52     | < 38.45     |
|                 |                         | 1       | 1         | 22.70              | 21.73     | < 38.45     |
|                 |                         | 1       | 104       | 22.55              | 21.58     | < 38.45     |
|                 |                         | 106     | 0         | 21.53              | 20.56     | < 38.45     |
|                 |                         | 1       | 105       | 21.22              | 20.25     | < 38.45     |
|                 |                         | 1       | 0         | 21.37              | 20.40     | < 38.45     |
| 836.0           | 20                      | 53      | 26        | 22.41              | 21.44     | < 38.45     |
|                 |                         | 1       | 1         | 22.81              | 21.84     | < 38.45     |
|                 |                         | 1       | 104       | 22.55              | 21.58     | < 38.45     |
|                 |                         | 106     | 0         | 21.55              | 20.58     | < 38.45     |
|                 |                         | 1       | 105       | 21.14              | 20.17     | < 38.45     |
|                 |                         | 1       | 0         | 21.42              | 20.45     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |           |             |
| 826.5           | 5                       | 13      | 6         | 20.91              | 19.94     | < 38.45     |
|                 |                         | 1       | 1         | 21.15              | 20.18     | < 38.45     |
|                 |                         | 1       | 23        | 21.32              | 20.35     | < 38.45     |
|                 |                         | 25      | 0         | 20.85              | 19.88     | < 38.45     |
|                 |                         | 1       | 24        | 21.33              | 20.36     | < 38.45     |
|                 |                         | 1       | 0         | 21.14              | 20.17     | < 38.45     |
| 836.5           | 5                       | 13      | 6         | 20.95              | 19.98     | < 38.45     |
|                 |                         | 1       | 1         | 20.91              | 19.94     | < 38.45     |
|                 |                         | 1       | 23        | 20.91              | 19.94     | < 38.45     |
|                 |                         | 25      | 0         | 20.93              | 19.96     | < 38.45     |
|                 |                         | 1       | 24        | 20.93              | 19.96     | < 38.45     |
|                 |                         | 1       | 0         | 20.91              | 19.94     | < 38.45     |
| 846.5           | 5                       | 13      | 6         | 20.93              | 19.96     | < 38.45     |
|                 |                         | 1       | 1         | 21.18              | 20.21     | < 38.45     |
|                 |                         | 1       | 23        | 21.11              | 20.14     | < 38.45     |
|                 |                         | 25      | 0         | 20.78              | 19.81     | < 38.45     |
|                 |                         | 1       | 24        | 21.12              | 20.15     | < 38.45     |
|                 |                         | 1       | 0         | 21.18              | 20.21     | < 38.45     |
| 829.0           | 10                      | 26      | 13        | 20.91              | 19.94     | < 38.45     |
|                 |                         | 1       | 1         | 20.72              | 19.75     | < 38.45     |
|                 |                         | 1       | 50        | 20.82              | 19.85     | < 38.45     |
|                 |                         | 52      | 0         | 20.95              | 19.98     | < 38.45     |
|                 |                         | 1       | 51        | 20.81              | 19.84     | < 38.45     |
|                 |                         | 1       | 0         | 20.83              | 19.86     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |           |             |
| 836.5           | 10                      | 26      | 13        | 20.93              | 19.96     | < 38.45     |
|                 |                         | 1       | 1         | 20.90              | 19.93     | < 38.45     |
|                 |                         | 1       | 50        | 20.81              | 19.84     | < 38.45     |
|                 |                         | 52      | 0         | 21.00              | 20.03     | < 38.45     |
|                 |                         | 1       | 51        | 20.76              | 19.79     | < 38.45     |
|                 |                         | 1       | 0         | 20.83              | 19.86     | < 38.45     |
| 844.0           | 10                      | 26      | 13        | 20.83              | 19.86     | < 38.45     |
|                 |                         | 1       | 1         | 20.75              | 19.78     | < 38.45     |
|                 |                         | 1       | 50        | 20.65              | 19.68     | < 38.45     |
|                 |                         | 52      | 0         | 20.89              | 19.92     | < 38.45     |
|                 |                         | 1       | 51        | 20.67              | 19.70     | < 38.45     |
|                 |                         | 1       | 0         | 20.81              | 19.84     | < 38.45     |
| 831.5           | 15                      | 39      | 19        | 21.13              | 20.16     | < 38.45     |
|                 |                         | 1       | 1         | 21.30              | 20.33     | < 38.45     |
|                 |                         | 1       | 77        | 21.23              | 20.26     | < 38.45     |
|                 |                         | 79      | 0         | 21.09              | 20.12     | < 38.45     |
|                 |                         | 1       | 78        | 21.22              | 20.25     | < 38.45     |
|                 |                         | 1       | 0         | 21.33              | 20.36     | < 38.45     |
| 836.5           | 15                      | 39      | 19        | 21.05              | 20.08     | < 38.45     |
|                 |                         | 1       | 1         | 21.06              | 20.09     | < 38.45     |
|                 |                         | 1       | 77        | 20.80              | 19.83     | < 38.45     |
|                 |                         | 79      | 0         | 21.01              | 20.04     | < 38.45     |
|                 |                         | 1       | 78        | 20.88              | 19.91     | < 38.45     |
|                 |                         | 1       | 0         | 21.04              | 20.07     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |           |             |
| 841.5  | 15                      | 39      | 19        | 21.02              | 20.05     | < 38.45     |
|  |                         | 1       | 1         | 21.30              | 20.33     | < 38.45     |
|  |                         | 1       | 77        | 21.06              | 20.09     | < 38.45     |
|  |                         | 79      | 0         | 20.96              | 19.99     | < 38.45     |
|  |                         | 1       | 78        | 21.12              | 20.15     | < 38.45     |
|  |                         | 1       | 0         | 21.39              | 20.42     | < 38.45     |
| 834.0  | 20                      | 53      | 26        | 21.08              | 20.11     | < 38.45     |
|  |                         | 1       | 1         | 21.00              | 20.03     | < 38.45     |
|  |                         | 1       | 104       | 20.93              | 19.96     | < 38.45     |
|  |                         | 106     | 0         | 21.12              | 20.15     | < 38.45     |
|  |                         | 1       | 105       | 20.88              | 19.91     | < 38.45     |
|  |                         | 1       | 0         | 21.03              | 20.06     | < 38.45     |
| 836.5  | 20                      | 53      | 26        | 21.09              | 20.12     | < 38.45     |
|  |                         | 1       | 1         | 21.04              | 20.07     | < 38.45     |
|  |                         | 1       | 104       | 20.84              | 19.87     | < 38.45     |
|  |                         | 106     | 0         | 21.05              | 20.08     | < 38.45     |
|  |                         | 1       | 105       | 20.88              | 19.91     | < 38.45     |
|  |                         | 1       | 0         | 21.13              | 20.16     | < 38.45     |
| 836.0  | 20                      | 53      | 26        | 21.04              | 20.07     | < 38.45     |
|  |                         | 1       | 1         | 21.16              | 20.19     | < 38.45     |
|  |                         | 1       | 104       | 20.81              | 19.84     | < 38.45     |
|  |                         | 106     | 0         | 21.02              | 20.05     | < 38.45     |
|  |                         | 1       | 105       | 20.83              | 19.86     | < 38.45     |
|  |                         | 1       | 0         | 21.14              | 20.17     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |           |             |
| 826.5  | 5                       | 13      | 6         | 18.05              | 17.08     | < 38.45     |
|  |                         | 1       | 1         | 17.50              | 16.53     | < 38.45     |
|  |                         | 1       | 23        | 17.66              | 16.69     | < 38.45     |
|  |                         | 25      | 0         | 17.84              | 16.87     | < 38.45     |
|  |                         | 1       | 24        | 17.64              | 16.67     | < 38.45     |
|  |                         | 1       | 0         | 17.52              | 16.55     | < 38.45     |
| 836.5  | 5                       | 13      | 6         | 18.04              | 17.07     | < 38.45     |
|  |                         | 1       | 1         | 17.68              | 16.71     | < 38.45     |
|  |                         | 1       | 23        | 17.71              | 16.74     | < 38.45     |
|  |                         | 25      | 0         | 17.88              | 16.91     | < 38.45     |
|  |                         | 1       | 24        | 17.80              | 16.83     | < 38.45     |
|  |                         | 1       | 0         | 17.65              | 16.68     | < 38.45     |
| 846.5  | 5                       | 13      | 6         | 17.91              | 16.94     | < 38.45     |
|  |                         | 1       | 1         | 17.50              | 16.53     | < 38.45     |
|  |                         | 1       | 23        | 17.51              | 16.54     | < 38.45     |
|  |                         | 25      | 0         | 17.73              | 16.76     | < 38.45     |
|  |                         | 1       | 24        | 17.42              | 16.45     | < 38.45     |
|  |                         | 1       | 0         | 17.57              | 16.60     | < 38.45     |
| 829.0  | 10                      | 26      | 13        | 17.90              | 16.93     | < 38.45     |
|  |                         | 1       | 1         | 17.67              | 16.70     | < 38.45     |
|  |                         | 1       | 50        | 17.69              | 16.72     | < 38.45     |
|  |                         | 52      | 0         | 17.93              | 16.96     | < 38.45     |
|  |                         | 1       | 51        | 17.72              | 16.75     | < 38.45     |
|  |                         | 1       | 0         | 17.76              | 16.79     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |           |             |
| 836.5           | 10                      | 26      | 13        | 17.86              | 16.89     | < 38.45     |
|                 |                         | 1       | 1         | 17.75              | 16.78     | < 38.45     |
|                 |                         | 1       | 50        | 17.74              | 16.77     | < 38.45     |
|                 |                         | 52      | 0         | 17.88              | 16.91     | < 38.45     |
|                 |                         | 1       | 51        | 17.70              | 16.73     | < 38.45     |
|                 |                         | 1       | 0         | 17.72              | 16.75     | < 38.45     |
| 844.0           | 10                      | 26      | 13        | 17.78              | 16.81     | < 38.45     |
|                 |                         | 1       | 1         | 17.76              | 16.79     | < 38.45     |
|                 |                         | 1       | 50        | 17.62              | 16.65     | < 38.45     |
|                 |                         | 52      | 0         | 17.81              | 16.84     | < 38.45     |
|                 |                         | 1       | 51        | 17.60              | 16.63     | < 38.45     |
|                 |                         | 1       | 0         | 17.76              | 16.79     | < 38.45     |
| 831.5           | 15                      | 39      | 19        | 18.07              | 17.10     | < 38.45     |
|                 |                         | 1       | 1         | 17.99              | 17.02     | < 38.45     |
|                 |                         | 1       | 77        | 17.75              | 16.78     | < 38.45     |
|                 |                         | 79      | 0         | 18.10              | 17.13     | < 38.45     |
|                 |                         | 1       | 78        | 17.82              | 16.85     | < 38.45     |
|                 |                         | 1       | 0         | 18.01              | 17.04     | < 38.45     |
| 836.5           | 15                      | 39      | 19        | 18.01              | 17.04     | < 38.45     |
|                 |                         | 1       | 1         | 18.05              | 17.08     | < 38.45     |
|                 |                         | 1       | 77        | 17.69              | 16.72     | < 38.45     |
|                 |                         | 79      | 0         | 18.10              | 17.13     | < 38.45     |
|                 |                         | 1       | 78        | 17.78              | 16.81     | < 38.45     |
|                 |                         | 1       | 0         | 18.01              | 17.04     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |           |             |
| 841.5           | 15                      | 39      | 19        | 17.96              | 16.99     | < 38.45     |
|                 |                         | 1       | 1         | 17.85              | 16.88     | < 38.45     |
|                 |                         | 1       | 77        | 17.51              | 16.54     | < 38.45     |
|                 |                         | 79      | 0         | 18.03              | 17.06     | < 38.45     |
|                 |                         | 1       | 78        | 17.52              | 16.55     | < 38.45     |
|                 |                         | 1       | 0         | 17.89              | 16.92     | < 38.45     |
| 834.0           | 20                      | 53      | 26        | 18.03              | 17.06     | < 38.45     |
|                 |                         | 1       | 1         | 17.98              | 17.01     | < 38.45     |
|                 |                         | 1       | 104       | 17.87              | 16.90     | < 38.45     |
|                 |                         | 106     | 0         | 18.14              | 17.17     | < 38.45     |
|                 |                         | 1       | 105       | 17.82              | 16.85     | < 38.45     |
|                 |                         | 1       | 0         | 18.00              | 17.03     | < 38.45     |
| 836.5           | 20                      | 53      | 26        | 18.09              | 17.12     | < 38.45     |
|                 |                         | 1       | 1         | 18.00              | 17.03     | < 38.45     |
|                 |                         | 1       | 104       | 18.28              | 17.31     | < 38.45     |
|                 |                         | 106     | 0         | 18.04              | 17.07     | < 38.45     |
|                 |                         | 1       | 105       | 18.31              | 17.34     | < 38.45     |
|                 |                         | 1       | 0         | 18.02              | 17.05     | < 38.45     |
| 836.0           | 20                      | 53      | 26        | 17.99              | 17.02     | < 38.45     |
|                 |                         | 1       | 1         | 18.09              | 17.12     | < 38.45     |
|                 |                         | 1       | 104       | 17.79              | 16.82     | < 38.45     |
|                 |                         | 106     | 0         | 17.95              | 16.98     | < 38.45     |
|                 |                         | 1       | 105       | 17.75              | 16.78     | < 38.45     |
|                 |                         | 1       | 0         | 18.04              | 17.07     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n7_SA     |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 2502.5               | 5                       | 12      | 6         | 24.19              | 26.26      | < 33.01     |
|                      |                         | 1       | 1         | 24.13              | 26.20      | < 33.01     |
|                      |                         | 1       | 23        | 24.17              | 26.24      | < 33.01     |
|                      |                         | 25      | 0         | 24.22              | 26.29      | < 33.01     |
|                      |                         | 1       | 24        | 24.17              | 26.24      | < 33.01     |
|                      |                         | 1       | 0         | 24.10              | 26.17      | < 33.01     |
| 2535.0               | 5                       | 12      | 6         | 24.31              | 26.38      | < 33.01     |
|                      |                         | 1       | 1         | 24.25              | 26.32      | < 33.01     |
|                      |                         | 1       | 23        | 24.29              | 26.36      | < 33.01     |
|                      |                         | 25      | 0         | 24.29              | 26.36      | < 33.01     |
|                      |                         | 1       | 24        | 24.25              | 26.32      | < 33.01     |
|                      |                         | 1       | 0         | 24.24              | 26.31      | < 33.01     |
| 2567.5               | 5                       | 12      | 6         | 24.11              | 26.18      | < 33.01     |
|                      |                         | 1       | 1         | 24.10              | 26.17      | < 33.01     |
|                      |                         | 1       | 23        | 24.12              | 26.19      | < 33.01     |
|                      |                         | 25      | 0         | 24.21              | 26.28      | < 33.01     |
|                      |                         | 1       | 24        | 24.13              | 26.20      | < 33.01     |
|                      |                         | 1       | 0         | 24.11              | 26.18      | < 33.01     |
| 2505.0               | 10                      | 25      | 12        | 24.24              | 26.31      | < 33.01     |
|                      |                         | 1       | 1         | 24.05              | 26.12      | < 33.01     |
|                      |                         | 1       | 50        | 24.15              | 26.22      | < 33.01     |
|                      |                         | 50      | 0         | 24.22              | 26.29      | < 33.01     |
|                      |                         | 1       | 51        | 24.14              | 26.21      | < 33.01     |
|                      |                         | 1       | 0         | 24.08              | 26.15      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2535.0                      | 10                      | 25      | 12        | 24.32              | 26.39      | < 33.01     |
|                             |                         | 1       | 1         | 24.20              | 26.27      | < 33.01     |
|                             |                         | 1       | 50        | 24.25              | 26.32      | < 33.01     |
|                             |                         | 50      | 0         | 24.36              | 26.43      | < 33.01     |
|                             |                         | 1       | 51        | 24.30              | 26.37      | < 33.01     |
|                             |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2565.0                      | 10                      | 25      | 12        | 24.19              | 26.26      | < 33.01     |
|                             |                         | 1       | 1         | 24.10              | 26.17      | < 33.01     |
|                             |                         | 1       | 50        | 24.10              | 26.17      | < 33.01     |
|                             |                         | 50      | 0         | 24.23              | 26.30      | < 33.01     |
|                             |                         | 1       | 51        | 24.10              | 26.17      | < 33.01     |
|                             |                         | 1       | 0         | 24.11              | 26.18      | < 33.01     |
| 2507.5                      | 15                      | 36      | 18        | 24.51              | 26.58      | < 33.01     |
|                             |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|                             |                         | 1       | 77        | 24.34              | 26.41      | < 33.01     |
|                             |                         | 75      | 0         | 24.43              | 26.50      | < 33.01     |
|                             |                         | 1       | 78        | 24.38              | 26.45      | < 33.01     |
|                             |                         | 1       | 0         | 24.37              | 26.44      | < 33.01     |
| 2535.0                      | 15                      | 36      | 18        | 24.43              | 26.50      | < 33.01     |
|                             |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|                             |                         | 1       | 77        | 24.34              | 26.41      | < 33.01     |
|                             |                         | 75      | 0         | 24.50              | 26.57      | < 33.01     |
|                             |                         | 1       | 78        | 24.41              | 26.48      | < 33.01     |
|                             |                         | 1       | 0         | 24.40              | 26.47      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2562.5                      | 15                      | 36      | 18        | 24.40              | 26.47      | < 33.01     |
|                             |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|                             |                         | 1       | 77        | 24.23              | 26.30      | < 33.01     |
|                             |                         | 75      | 0         | 24.39              | 26.46      | < 33.01     |
|                             |                         | 1       | 78        | 24.25              | 26.32      | < 33.01     |
|                             |                         | 1       | 0         | 24.36              | 26.43      | < 33.01     |
| 2510.0                      | 20                      | 50      | 25        | 24.43              | 26.50      | < 33.01     |
|                             |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                             |                         | 1       | 104       | 24.34              | 26.41      | < 33.01     |
|                             |                         | 100     | 0         | 24.49              | 26.56      | < 33.01     |
|                             |                         | 1       | 105       | 24.40              | 26.47      | < 33.01     |
|                             |                         | 1       | 0         | 24.36              | 26.43      | < 33.01     |
| 2535.0                      | 20                      | 50      | 25        | 24.42              | 26.49      | < 33.01     |
|                             |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                             |                         | 1       | 104       | 24.35              | 26.42      | < 33.01     |
|                             |                         | 100     | 0         | 24.44              | 26.51      | < 33.01     |
|                             |                         | 1       | 105       | 24.32              | 26.39      | < 33.01     |
|                             |                         | 1       | 0         | 24.43              | 26.50      | < 33.01     |
| 2560.0                      | 20                      | 50      | 25        | 24.31              | 26.38      | < 33.01     |
|                             |                         | 1       | 1         | 24.33              | 26.40      | < 33.01     |
|                             |                         | 1       | 104       | 24.18              | 26.25      | < 33.01     |
|                             |                         | 100     | 0         | 24.41              | 26.48      | < 33.01     |
|                             |                         | 1       | 105       | 24.19              | 26.26      | < 33.01     |
|                             |                         | 1       | 0         | 24.31              | 26.38      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2512.5                      | 25                      | 64      | 32        | 24.49              | 26.56      | < 33.01     |
|                             |                         | 1       | 1         | 24.49              | 26.56      | < 33.01     |
|                             |                         | 1       | 131       | 24.47              | 26.54      | < 33.01     |
|                             |                         | 128     | 0         | 24.48              | 26.55      | < 33.01     |
|                             |                         | 1       | 132       | 24.54              | 26.61      | < 33.01     |
|                             |                         | 1       | 0         | 24.50              | 26.57      | < 33.01     |
| 2535.0                      | 25                      | 64      | 32        | 24.47              | 26.54      | < 33.01     |
|                             |                         | 1       | 1         | 24.48              | 26.55      | < 33.01     |
|                             |                         | 1       | 131       | 24.45              | 26.52      | < 33.01     |
|                             |                         | 128     | 0         | 24.55              | 26.62      | < 33.01     |
|                             |                         | 1       | 132       | 24.53              | 26.60      | < 33.01     |
|                             |                         | 1       | 0         | 24.48              | 26.55      | < 33.01     |
| 2557.5                      | 25                      | 64      | 32        | 24.33              | 26.40      | < 33.01     |
|                             |                         | 1       | 1         | 24.33              | 26.40      | < 33.01     |
|                             |                         | 1       | 131       | 24.21              | 26.28      | < 33.01     |
|                             |                         | 128     | 0         | 24.29              | 26.36      | < 33.01     |
|                             |                         | 1       | 132       | 24.23              | 26.30      | < 33.01     |
|                             |                         | 1       | 0         | 24.28              | 26.35      | < 33.01     |
| 2515.0                      | 30                      | 80      | 40        | 23.95              | 26.02      | < 33.01     |
|                             |                         | 1       | 1         | 23.91              | 25.98      | < 33.01     |
|                             |                         | 1       | 158       | 23.85              | 25.92      | < 33.01     |
|                             |                         | 160     | 0         | 23.93              | 26.00      | < 33.01     |
|                             |                         | 1       | 159       | 23.80              | 25.87      | < 33.01     |
|                             |                         | 1       | 0         | 23.93              | 26.00      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2535.0                      | 30                      | 80      | 40        | 24.28              | 26.35      | < 33.01     |
|                             |                         | 1       | 1         | 24.21              | 26.28      | < 33.01     |
|                             |                         | 1       | 158       | 24.27              | 26.34      | < 33.01     |
|                             |                         | 160     | 0         | 24.34              | 26.41      | < 33.01     |
|                             |                         | 1       | 159       | 24.26              | 26.33      | < 33.01     |
|                             |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2555.0                      | 30                      | 80      | 40        | 24.25              | 26.32      | < 33.01     |
|                             |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                             |                         | 1       | 158       | 24.07              | 26.14      | < 33.01     |
|                             |                         | 160     | 0         | 24.31              | 26.38      | < 33.01     |
|                             |                         | 1       | 159       | 24.13              | 26.20      | < 33.01     |
|                             |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |
| 2520.0                      | 40                      | 108     | 54        | 24.28              | 26.35      | < 33.01     |
|                             |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                             |                         | 1       | 214       | 24.24              | 26.31      | < 33.01     |
|                             |                         | 216     | 0         | 24.34              | 26.41      | < 33.01     |
|                             |                         | 1       | 215       | 24.27              | 26.34      | < 33.01     |
|                             |                         | 1       | 0         | 23.94              | 26.01      | < 33.01     |
| 2535.0                      | 40                      | 108     | 54        | 24.34              | 26.41      | < 33.01     |
|                             |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|                             |                         | 1       | 214       | 24.19              | 26.26      | < 33.01     |
|                             |                         | 216     | 0         | 24.33              | 26.40      | < 33.01     |
|                             |                         | 1       | 215       | 24.19              | 26.26      | < 33.01     |
|                             |                         | 1       | 0         | 24.13              | 26.20      | < 33.01     |
| 2550.0                      | 40                      | 108     | 54        | 24.23              | 26.30      | < 33.01     |
|                             |                         | 1       | 1         | 24.21              | 26.28      | < 33.01     |
|                             |                         | 1       | 214       | 24.13              | 26.20      | < 33.01     |
|                             |                         | 216     | 0         | 24.26              | 26.33      | < 33.01     |
|                             |                         | 1       | 215       | 24.09              | 26.16      | < 33.01     |
|                             |                         | 1       | 0         | 24.21              | 26.28      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2502.5                 | 5                       | 12      | 6         | 24.25              | 26.32      | < 33.01     |
|                        |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 23        | 24.37              | 26.44      | < 33.01     |
|                        |                         | 25      | 0         | 24.27              | 26.34      | < 33.01     |
|                        |                         | 1       | 24        | 24.17              | 26.24      | < 33.01     |
|                        |                         | 1       | 0         | 24.07              | 26.14      | < 33.01     |
| 2535.0                 | 5                       | 12      | 6         | 24.31              | 26.38      | < 33.01     |
|                        |                         | 1       | 1         | 24.53              | 26.60      | < 33.01     |
|                        |                         | 1       | 23        | 24.29              | 26.36      | < 33.01     |
|                        |                         | 25      | 0         | 24.28              | 26.35      | < 33.01     |
|                        |                         | 1       | 24        | 24.44              | 26.51      | < 33.01     |
|                        |                         | 1       | 0         | 24.40              | 26.47      | < 33.01     |
| 2567.5                 | 5                       | 12      | 6         | 24.20              | 26.27      | < 33.01     |
|                        |                         | 1       | 1         | 24.02              | 26.09      | < 33.01     |
|                        |                         | 1       | 23        | 24.44              | 26.51      | < 33.01     |
|                        |                         | 25      | 0         | 24.17              | 26.24      | < 33.01     |
|                        |                         | 1       | 24        | 24.26              | 26.33      | < 33.01     |
|                        |                         | 1       | 0         | 24.23              | 26.30      | < 33.01     |
| 2505.0                 | 10                      | 25      | 12        | 24.19              | 26.26      | < 33.01     |
|                        |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                        |                         | 1       | 50        | 24.40              | 26.47      | < 33.01     |
|                        |                         | 50      | 0         | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 51        | 24.34              | 26.41      | < 33.01     |
|                        |                         | 1       | 0         | 24.20              | 26.27      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2535.0                 | 10                      | 25      | 12        | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 1         | 24.49              | 26.56      | < 33.01     |
|                        |                         | 1       | 50        | 24.55              | 26.62      | < 33.01     |
|                        |                         | 50      | 0         | 24.33              | 26.40      | < 33.01     |
|                        |                         | 1       | 51        | 24.44              | 26.51      | < 33.01     |
|                        |                         | 1       | 0         | 24.44              | 26.51      | < 33.01     |
| 2565.0                 | 10                      | 25      | 12        | 24.11              | 26.18      | < 33.01     |
|                        |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                        |                         | 1       | 50        | 24.49              | 26.56      | < 33.01     |
|                        |                         | 50      | 0         | 24.18              | 26.25      | < 33.01     |
|                        |                         | 1       | 51        | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 0         | 24.28              | 26.35      | < 33.01     |
| 2507.5                 | 15                      | 36      | 18        | 24.40              | 26.47      | < 33.01     |
|                        |                         | 1       | 1         | 24.46              | 26.53      | < 33.01     |
|                        |                         | 1       | 77        | 24.60              | 26.67      | < 33.01     |
|                        |                         | 75      | 0         | 24.47              | 26.54      | < 33.01     |
|                        |                         | 1       | 78        | 24.54              | 26.61      | < 33.01     |
|                        |                         | 1       | 0         | 24.58              | 26.65      | < 33.01     |
| 2535.0                 | 15                      | 36      | 18        | 24.42              | 26.49      | < 33.01     |
|                        |                         | 1       | 1         | 24.58              | 26.65      | < 33.01     |
|                        |                         | 1       | 77        | 24.47              | 26.54      | < 33.01     |
|                        |                         | 75      | 0         | 24.54              | 26.61      | < 33.01     |
|                        |                         | 1       | 78        | 24.55              | 26.62      | < 33.01     |
|                        |                         | 1       | 0         | 24.55              | 26.62      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2562.5                 | 15                      | 36      | 18        | 24.40              | 26.47      | < 33.01     |
|                        |                         | 1       | 1         | 24.63              | 26.70      | < 33.01     |
|                        |                         | 1       | 77        | 24.47              | 26.54      | < 33.01     |
|                        |                         | 75      | 0         | 24.41              | 26.48      | < 33.01     |
|                        |                         | 1       | 78        | 24.39              | 26.46      | < 33.01     |
|                        |                         | 1       | 0         | 24.57              | 26.64      | < 33.01     |
| 2510.0                 | 20                      | 50      | 25        | 24.44              | 26.51      | < 33.01     |
|                        |                         | 1       | 1         | 24.54              | 26.61      | < 33.01     |
|                        |                         | 1       | 104       | 24.64              | 26.71      | < 33.01     |
|                        |                         | 100     | 0         | 24.47              | 26.54      | < 33.01     |
|                        |                         | 1       | 105       | 24.56              | 26.63      | < 33.01     |
|                        |                         | 1       | 0         | 24.59              | 26.66      | < 33.01     |
| 2535.0                 | 20                      | 50      | 25        | 24.42              | 26.49      | < 33.01     |
|                        |                         | 1       | 1         | 24.39              | 26.46      | < 33.01     |
|                        |                         | 1       | 104       | 24.63              | 26.70      | < 33.01     |
|                        |                         | 100     | 0         | 24.50              | 26.57      | < 33.01     |
|                        |                         | 1       | 105       | 24.46              | 26.53      | < 33.01     |
|                        |                         | 1       | 0         | 24.54              | 26.61      | < 33.01     |
| 2560.0                 | 20                      | 50      | 25        | 24.38              | 26.45      | < 33.01     |
|                        |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                        |                         | 1       | 104       | 24.19              | 26.26      | < 33.01     |
|                        |                         | 100     | 0         | 24.40              | 26.47      | < 33.01     |
|                        |                         | 1       | 105       | 24.53              | 26.60      | < 33.01     |
|                        |                         | 1       | 0         | 24.52              | 26.59      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2512.5                 | 25                      | 64      | 32        | 24.49              | 26.56      | < 33.01     |
|                        |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 131       | 24.61              | 26.68      | < 33.01     |
|                        |                         | 128     | 0         | 23.30              | 25.37      | < 33.01     |
|                        |                         | 1       | 132       | 23.69              | 25.76      | < 33.01     |
|                        |                         | 1       | 0         | 23.09              | 25.16      | < 33.01     |
| 2535.0                 | 25                      | 64      | 32        | 24.54              | 26.61      | < 33.01     |
|                        |                         | 1       | 1         | 24.69              | 26.76      | < 33.01     |
|                        |                         | 1       | 131       | 24.59              | 26.66      | < 33.01     |
|                        |                         | 128     | 0         | 23.46              | 25.53      | < 33.01     |
|                        |                         | 1       | 132       | 23.56              | 25.63      | < 33.01     |
|                        |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| 2557.5                 | 25                      | 64      | 32        | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 1         | 24.39              | 26.46      | < 33.01     |
|                        |                         | 1       | 131       | 24.48              | 26.55      | < 33.01     |
|                        |                         | 128     | 0         | 24.29              | 26.36      | < 33.01     |
|                        |                         | 1       | 132       | 24.43              | 26.50      | < 33.01     |
|                        |                         | 1       | 0         | 24.12              | 26.19      | < 33.01     |
| 2515.0                 | 30                      | 80      | 40        | 24.35              | 26.42      | < 33.01     |
|                        |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|                        |                         | 1       | 158       | 24.42              | 26.49      | < 33.01     |
|                        |                         | 160     | 0         | 24.12              | 26.19      | < 33.01     |
|                        |                         | 1       | 159       | 24.44              | 26.51      | < 33.01     |
|                        |                         | 1       | 0         | 24.22              | 26.29      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2535.0                 | 30                      | 80      | 40        | 24.32              | 26.39      | < 33.01     |
|                        |                         | 1       | 1         | 24.45              | 26.52      | < 33.01     |
|                        |                         | 1       | 158       | 24.39              | 26.46      | < 33.01     |
|                        |                         | 160     | 0         | 24.09              | 26.16      | < 33.01     |
|                        |                         | 1       | 159       | 24.38              | 26.45      | < 33.01     |
|                        |                         | 1       | 0         | 24.30              | 26.37      | < 33.01     |
| 2555.0                 | 30                      | 80      | 40        | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 1         | 24.45              | 26.52      | < 33.01     |
|                        |                         | 1       | 158       | 24.45              | 26.52      | < 33.01     |
|                        |                         | 160     | 0         | 24.35              | 26.42      | < 33.01     |
|                        |                         | 1       | 159       | 24.39              | 26.46      | < 33.01     |
|                        |                         | 1       | 0         | 24.47              | 26.54      | < 33.01     |
| 2520.0                 | 40                      | 108     | 54        | 24.34              | 26.41      | < 33.01     |
|                        |                         | 1       | 1         | 24.41              | 26.48      | < 33.01     |
|                        |                         | 1       | 214       | 24.45              | 26.52      | < 33.01     |
|                        |                         | 216     | 0         | 23.87              | 25.94      | < 33.01     |
|                        |                         | 1       | 215       | 24.23              | 26.30      | < 33.01     |
|                        |                         | 1       | 0         | 23.90              | 25.97      | < 33.01     |
| 2535.0                 | 40                      | 108     | 54        | 24.31              | 26.38      | < 33.01     |
|                        |                         | 1       | 1         | 24.48              | 26.55      | < 33.01     |
|                        |                         | 1       | 214       | 24.51              | 26.58      | < 33.01     |
|                        |                         | 216     | 0         | 24.04              | 26.11      | < 33.01     |
|                        |                         | 1       | 215       | 24.38              | 26.45      | < 33.01     |
|                        |                         | 1       | 0         | 24.07              | 26.14      | < 33.01     |
| 2550.0                 | 40                      | 108     | 54        | 24.27              | 26.34      | < 33.01     |
|                        |                         | 1       | 1         | 24.46              | 26.53      | < 33.01     |
|                        |                         | 1       | 214       | 24.37              | 26.44      | < 33.01     |
|                        |                         | 216     | 0         | 24.31              | 26.38      | < 33.01     |
|                        |                         | 1       | 215       | 24.42              | 26.49      | < 33.01     |
|                        |                         | 1       | 0         | 24.38              | 26.45      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2502.5           | 5                       | 12      | 6         | 24.19              | 26.26      | < 33.01     |
|                  |                         | 1       | 1         | 24.33              | 26.40      | < 33.01     |
|                  |                         | 1       | 23        | 24.17              | 26.24      | < 33.01     |
|                  |                         | 25      | 0         | 23.25              | 25.32      | < 33.01     |
|                  |                         | 1       | 24        | 22.79              | 24.86      | < 33.01     |
|                  |                         | 1       | 0         | 23.13              | 25.20      | < 33.01     |
| 2535.0           | 5                       | 12      | 6         | 24.16              | 26.23      | < 33.01     |
|                  |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 23        | 24.31              | 26.38      | < 33.01     |
|                  |                         | 25      | 0         | 23.30              | 25.37      | < 33.01     |
|                  |                         | 1       | 24        | 23.61              | 25.68      | < 33.01     |
|                  |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2567.5           | 5                       | 12      | 6         | 24.07              | 26.14      | < 33.01     |
|                  |                         | 1       | 1         | 24.17              | 26.24      | < 33.01     |
|                  |                         | 1       | 23        | 24.20              | 26.27      | < 33.01     |
|                  |                         | 25      | 0         | 23.20              | 25.27      | < 33.01     |
|                  |                         | 1       | 24        | 23.39              | 25.46      | < 33.01     |
|                  |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |
| 2505.0           | 10                      | 25      | 12        | 24.23              | 26.30      | < 33.01     |
|                  |                         | 1       | 1         | 24.17              | 26.24      | < 33.01     |
|                  |                         | 1       | 50        | 24.27              | 26.34      | < 33.01     |
|                  |                         | 50      | 0         | 23.21              | 25.28      | < 33.01     |
|                  |                         | 1       | 51        | 23.51              | 25.58      | < 33.01     |
|                  |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2535.0                  | 10                      | 25      | 12        | 24.39              | 26.46      | < 33.01     |
|                         |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                         |                         | 1       | 50        | 24.33              | 26.40      | < 33.01     |
|                         |                         | 50      | 0         | 23.37              | 25.44      | < 33.01     |
|                         |                         | 1       | 51        | 23.61              | 25.68      | < 33.01     |
|                         |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2565.0                  | 10                      | 25      | 12        | 24.22              | 26.29      | < 33.01     |
|                         |                         | 1       | 1         | 24.06              | 26.13      | < 33.01     |
|                         |                         | 1       | 50        | 24.17              | 26.24      | < 33.01     |
|                         |                         | 50      | 0         | 23.18              | 25.25      | < 33.01     |
|                         |                         | 1       | 51        | 23.38              | 25.45      | < 33.01     |
|                         |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |
| 2507.5                  | 15                      | 36      | 18        | 24.41              | 26.48      | < 33.01     |
|                         |                         | 1       | 1         | 24.59              | 26.66      | < 33.01     |
|                         |                         | 1       | 77        | 24.78              | 26.85      | < 33.01     |
|                         |                         | 75      | 0         | 23.49              | 25.56      | < 33.01     |
|                         |                         | 1       | 78        | 23.68              | 25.75      | < 33.01     |
|                         |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |
| 2535.0                  | 15                      | 36      | 18        | 24.41              | 26.48      | < 33.01     |
|                         |                         | 1       | 1         | 24.67              | 26.74      | < 33.01     |
|                         |                         | 1       | 77        | 24.69              | 26.76      | < 33.01     |
|                         |                         | 75      | 0         | 23.51              | 25.58      | < 33.01     |
|                         |                         | 1       | 78        | 23.60              | 25.67      | < 33.01     |
|                         |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2562.5           | 15                      | 36      | 18        | 24.34              | 26.41      | < 33.01     |
|                  |                         | 1       | 1         | 24.37              | 26.44      | < 33.01     |
|                  |                         | 1       | 77        | 24.34              | 26.41      | < 33.01     |
|                  |                         | 75      | 0         | 23.41              | 25.48      | < 33.01     |
|                  |                         | 1       | 78        | 23.60              | 25.67      | < 33.01     |
|                  |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |
| 2510.0           | 20                      | 50      | 25        | 24.44              | 26.51      | < 33.01     |
|                  |                         | 1       | 1         | 24.60              | 26.67      | < 33.01     |
|                  |                         | 1       | 104       | 24.70              | 26.77      | < 33.01     |
|                  |                         | 100     | 0         | 23.45              | 25.52      | < 33.01     |
|                  |                         | 1       | 105       | 23.63              | 25.70      | < 33.01     |
|                  |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| 2535.0           | 20                      | 50      | 25        | 24.33              | 26.40      | < 33.01     |
|                  |                         | 1       | 1         | 24.64              | 26.71      | < 33.01     |
|                  |                         | 1       | 104       | 24.70              | 26.77      | < 33.01     |
|                  |                         | 100     | 0         | 23.48              | 25.55      | < 33.01     |
|                  |                         | 1       | 105       | 23.64              | 25.71      | < 33.01     |
|                  |                         | 1       | 0         | 23.63              | 25.70      | < 33.01     |
| 2560.0           | 20                      | 50      | 25        | 24.38              | 26.45      | < 33.01     |
|                  |                         | 1       | 1         | 24.36              | 26.43      | < 33.01     |
|                  |                         | 1       | 104       | 24.33              | 26.40      | < 33.01     |
|                  |                         | 100     | 0         | 23.40              | 25.47      | < 33.01     |
|                  |                         | 1       | 105       | 23.59              | 25.66      | < 33.01     |
|                  |                         | 1       | 0         | 23.63              | 25.70      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2512.5                  | 25                      | 64      | 32        | 23.21              | 25.28      | < 33.01     |
|                         |                         | 1       | 1         | 23.35              | 25.42      | < 33.01     |
|                         |                         | 1       | 131       | 23.89              | 25.96      | < 33.01     |
|                         |                         | 128     | 0         | 22.17              | 24.24      | < 33.01     |
|                         |                         | 1       | 132       | 22.92              | 24.99      | < 33.01     |
|                         |                         | 1       | 0         | 22.32              | 24.39      | < 33.01     |
| 2535.0                  | 25                      | 64      | 32        | 23.31              | 25.38      | < 33.01     |
|                         |                         | 1       | 1         | 23.81              | 25.88      | < 33.01     |
|                         |                         | 1       | 131       | 23.77              | 25.84      | < 33.01     |
|                         |                         | 128     | 0         | 22.34              | 24.41      | < 33.01     |
|                         |                         | 1       | 132       | 22.78              | 24.85      | < 33.01     |
|                         |                         | 1       | 0         | 22.88              | 24.95      | < 33.01     |
| 2557.5                  | 25                      | 64      | 32        | 24.36              | 26.43      | < 33.01     |
|                         |                         | 1       | 1         | 24.03              | 26.10      | < 33.01     |
|                         |                         | 1       | 131       | 24.34              | 26.41      | < 33.01     |
|                         |                         | 128     | 0         | 23.33              | 25.40      | < 33.01     |
|                         |                         | 1       | 132       | 23.53              | 25.60      | < 33.01     |
|                         |                         | 1       | 0         | 23.33              | 25.40      | < 33.01     |
| 2515.0                  | 30                      | 80      | 40        | 23.96              | 26.03      | < 33.01     |
|                         |                         | 1       | 1         | 23.97              | 26.04      | < 33.01     |
|                         |                         | 1       | 158       | 24.49              | 26.56      | < 33.01     |
|                         |                         | 160     | 0         | 22.92              | 24.99      | < 33.01     |
|                         |                         | 1       | 159       | 23.57              | 25.64      | < 33.01     |
|                         |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2535.0                  | 30                      | 80      | 40        | 23.86              | 25.93      | < 33.01     |
|                         |                         | 1       | 1         | 24.09              | 26.16      | < 33.01     |
|                         |                         | 1       | 158       | 24.54              | 26.61      | < 33.01     |
|                         |                         | 160     | 0         | 22.95              | 25.02      | < 33.01     |
|                         |                         | 1       | 159       | 23.51              | 25.58      | < 33.01     |
|                         |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2555.0                  | 30                      | 80      | 40        | 24.26              | 26.33      | < 33.01     |
|                         |                         | 1       | 1         | 23.88              | 25.95      | < 33.01     |
|                         |                         | 1       | 158       | 24.17              | 26.24      | < 33.01     |
|                         |                         | 160     | 0         | 23.38              | 25.45      | < 33.01     |
|                         |                         | 1       | 159       | 23.52              | 25.59      | < 33.01     |
|                         |                         | 1       | 0         | 23.58              | 25.65      | < 33.01     |
| 2520.0                  | 40                      | 108     | 54        | 23.86              | 25.93      | < 33.01     |
|                         |                         | 1       | 1         | 23.69              | 25.76      | < 33.01     |
|                         |                         | 1       | 214       | 23.98              | 26.05      | < 33.01     |
|                         |                         | 216     | 0         | 22.79              | 24.86      | < 33.01     |
|                         |                         | 1       | 215       | 23.43              | 25.50      | < 33.01     |
|                         |                         | 1       | 0         | 23.10              | 25.17      | < 33.01     |
| 2535.0                  | 40                      | 108     | 54        | 23.84              | 25.91      | < 33.01     |
|                         |                         | 1       | 1         | 23.88              | 25.95      | < 33.01     |
|                         |                         | 1       | 214       | 24.65              | 26.72      | < 33.01     |
|                         |                         | 216     | 0         | 22.94              | 25.01      | < 33.01     |
|                         |                         | 1       | 215       | 23.49              | 25.56      | < 33.01     |
|                         |                         | 1       | 0         | 23.26              | 25.33      | < 33.01     |
| 2550.0                  | 40                      | 108     | 54        | 24.33              | 26.40      | < 33.01     |
|                         |                         | 1       | 1         | 23.81              | 25.88      | < 33.01     |
|                         |                         | 1       | 214       | 24.09              | 26.16      | < 33.01     |
|                         |                         | 216     | 0         | 23.40              | 25.47      | < 33.01     |
|                         |                         | 1       | 215       | 23.49              | 25.56      | < 33.01     |
|                         |                         | 1       | 0         | 23.59              | 25.66      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2502.5                  | 5                       | 12      | 6         | 22.76              | 24.83      | < 33.01     |
|                         |                         | 1       | 1         | 22.28              | 24.35      | < 33.01     |
|                         |                         | 1       | 23        | 22.76              | 24.83      | < 33.01     |
|                         |                         | 25      | 0         | 22.71              | 24.78      | < 33.01     |
|                         |                         | 1       | 24        | 22.79              | 24.86      | < 33.01     |
|                         |                         | 1       | 0         | 23.00              | 25.07      | < 33.01     |
| 2535.0                  | 5                       | 12      | 6         | 22.95              | 25.02      | < 33.01     |
|                         |                         | 1       | 1         | 22.96              | 25.03      | < 33.01     |
|                         |                         | 1       | 23        | 23.08              | 25.15      | < 33.01     |
|                         |                         | 25      | 0         | 22.92              | 24.99      | < 33.01     |
|                         |                         | 1       | 24        | 23.05              | 25.12      | < 33.01     |
|                         |                         | 1       | 0         | 22.97              | 25.04      | < 33.01     |
| 2567.5                  | 5                       | 12      | 6         | 22.66              | 24.73      | < 33.01     |
|                         |                         | 1       | 1         | 22.81              | 24.88      | < 33.01     |
|                         |                         | 1       | 23        | 22.87              | 24.94      | < 33.01     |
|                         |                         | 25      | 0         | 22.78              | 24.85      | < 33.01     |
|                         |                         | 1       | 24        | 22.89              | 24.96      | < 33.01     |
|                         |                         | 1       | 0         | 22.97              | 25.04      | < 33.01     |
| 2505.0                  | 10                      | 25      | 12        | 22.82              | 24.89      | < 33.01     |
|                         |                         | 1       | 1         | 22.83              | 24.90      | < 33.01     |
|                         |                         | 1       | 50        | 22.92              | 24.99      | < 33.01     |
|                         |                         | 50      | 0         | 22.80              | 24.87      | < 33.01     |
|                         |                         | 1       | 51        | 22.89              | 24.96      | < 33.01     |
|                         |                         | 1       | 0         | 22.87              | 24.94      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2535.0                  | 10                      | 25      | 12        | 22.91              | 24.98      | < 33.01     |
|                         |                         | 1       | 1         | 22.95              | 25.02      | < 33.01     |
|                         |                         | 1       | 50        | 22.90              | 24.97      | < 33.01     |
|                         |                         | 50      | 0         | 22.89              | 24.96      | < 33.01     |
|                         |                         | 1       | 51        | 22.87              | 24.94      | < 33.01     |
|                         |                         | 1       | 0         | 22.92              | 24.99      | < 33.01     |
| 2565.0                  | 10                      | 25      | 12        | 22.74              | 24.81      | < 33.01     |
|                         |                         | 1       | 1         | 22.74              | 24.81      | < 33.01     |
|                         |                         | 1       | 50        | 22.66              | 24.73      | < 33.01     |
|                         |                         | 50      | 0         | 22.70              | 24.77      | < 33.01     |
|                         |                         | 1       | 51        | 22.78              | 24.85      | < 33.01     |
|                         |                         | 1       | 0         | 22.73              | 24.80      | < 33.01     |
| 2507.5                  | 15                      | 36      | 18        | 22.99              | 25.06      | < 33.01     |
|                         |                         | 1       | 1         | 23.19              | 25.26      | < 33.01     |
|                         |                         | 1       | 77        | 23.09              | 25.16      | < 33.01     |
|                         |                         | 75      | 0         | 23.02              | 25.09      | < 33.01     |
|                         |                         | 1       | 78        | 23.15              | 25.22      | < 33.01     |
|                         |                         | 1       | 0         | 23.14              | 25.21      | < 33.01     |
| 2535.0                  | 15                      | 36      | 18        | 22.99              | 25.06      | < 33.01     |
|                         |                         | 1       | 1         | 23.24              | 25.31      | < 33.01     |
|                         |                         | 1       | 77        | 23.18              | 25.25      | < 33.01     |
|                         |                         | 75      | 0         | 23.03              | 25.10      | < 33.01     |
|                         |                         | 1       | 78        | 23.14              | 25.21      | < 33.01     |
|                         |                         | 1       | 0         | 23.19              | 25.26      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2562.5                  | 15                      | 36      | 18        | 22.99              | 25.06      | < 33.01     |
|                         |                         | 1       | 1         | 22.97              | 25.04      | < 33.01     |
|                         |                         | 1       | 77        | 22.91              | 24.98      | < 33.01     |
|                         |                         | 75      | 0         | 22.96              | 25.03      | < 33.01     |
|                         |                         | 1       | 78        | 22.94              | 25.01      | < 33.01     |
|                         |                         | 1       | 0         | 22.73              | 24.80      | < 33.01     |
| 2510.0                  | 20                      | 50      | 25        | 23.02              | 25.09      | < 33.01     |
|                         |                         | 1       | 1         | 23.20              | 25.27      | < 33.01     |
|                         |                         | 1       | 104       | 23.20              | 25.27      | < 33.01     |
|                         |                         | 100     | 0         | 23.03              | 25.10      | < 33.01     |
|                         |                         | 1       | 105       | 23.19              | 25.26      | < 33.01     |
|                         |                         | 1       | 0         | 23.25              | 25.32      | < 33.01     |
| 2535.0                  | 20                      | 50      | 25        | 22.96              | 25.03      | < 33.01     |
|                         |                         | 1       | 1         | 23.15              | 25.22      | < 33.01     |
|                         |                         | 1       | 104       | 23.22              | 25.29      | < 33.01     |
|                         |                         | 100     | 0         | 22.98              | 25.05      | < 33.01     |
|                         |                         | 1       | 105       | 23.19              | 25.26      | < 33.01     |
|                         |                         | 1       | 0         | 23.21              | 25.28      | < 33.01     |
| 2560.0                  | 20                      | 50      | 25        | 22.96              | 25.03      | < 33.01     |
|                         |                         | 1       | 1         | 23.02              | 25.09      | < 33.01     |
|                         |                         | 1       | 104       | 22.98              | 25.05      | < 33.01     |
|                         |                         | 100     | 0         | 22.86              | 24.93      | < 33.01     |
|                         |                         | 1       | 105       | 22.73              | 24.80      | < 33.01     |
|                         |                         | 1       | 0         | 22.93              | 25.00      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2512.5                  | 25                      | 64      | 32        | 21.76              | 23.83      | < 33.01     |
|                         |                         | 1       | 1         | 21.72              | 23.79      | < 33.01     |
|                         |                         | 1       | 131       | 22.30              | 24.37      | < 33.01     |
|                         |                         | 128     | 0         | 21.72              | 23.79      | < 33.01     |
|                         |                         | 1       | 132       | 22.28              | 24.35      | < 33.01     |
|                         |                         | 1       | 0         | 21.71              | 23.78      | < 33.01     |
| 2535.0                  | 25                      | 64      | 32        | 22.02              | 24.09      | < 33.01     |
|                         |                         | 1       | 1         | 22.38              | 24.45      | < 33.01     |
|                         |                         | 1       | 131       | 22.35              | 24.42      | < 33.01     |
|                         |                         | 128     | 0         | 22.18              | 24.25      | < 33.01     |
|                         |                         | 1       | 132       | 22.44              | 24.51      | < 33.01     |
|                         |                         | 1       | 0         | 22.51              | 24.58      | < 33.01     |
| 2557.5                  | 25                      | 64      | 32        | 22.88              | 24.95      | < 33.01     |
|                         |                         | 1       | 1         | 22.55              | 24.62      | < 33.01     |
|                         |                         | 1       | 131       | 22.82              | 24.89      | < 33.01     |
|                         |                         | 128     | 0         | 22.90              | 24.97      | < 33.01     |
|                         |                         | 1       | 132       | 22.87              | 24.94      | < 33.01     |
|                         |                         | 1       | 0         | 22.53              | 24.60      | < 33.01     |
| 2515.0                  | 30                      | 80      | 40        | 22.46              | 24.53      | < 33.01     |
|                         |                         | 1       | 1         | 22.82              | 24.89      | < 33.01     |
|                         |                         | 1       | 158       | 23.17              | 25.24      | < 33.01     |
|                         |                         | 160     | 0         | 22.41              | 24.48      | < 33.01     |
|                         |                         | 1       | 159       | 23.15              | 25.22      | < 33.01     |
|                         |                         | 1       | 0         | 22.75              | 24.82      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2535.0                  | 30                      | 80      | 40        | 22.41              | 24.48      | < 33.01     |
|                         |                         | 1       | 1         | 22.95              | 25.02      | < 33.01     |
|                         |                         | 1       | 158       | 23.10              | 25.17      | < 33.01     |
|                         |                         | 160     | 0         | 22.47              | 24.54      | < 33.01     |
|                         |                         | 1       | 159       | 23.12              | 25.19      | < 33.01     |
|                         |                         | 1       | 0         | 22.92              | 24.99      | < 33.01     |
| 2555.0                  | 30                      | 80      | 40        | 22.84              | 24.91      | < 33.01     |
|                         |                         | 1       | 1         | 22.89              | 24.96      | < 33.01     |
|                         |                         | 1       | 158       | 22.84              | 24.91      | < 33.01     |
|                         |                         | 160     | 0         | 22.85              | 24.92      | < 33.01     |
|                         |                         | 1       | 159       | 22.77              | 24.84      | < 33.01     |
|                         |                         | 1       | 0         | 22.85              | 24.92      | < 33.01     |
| 2520.0                  | 40                      | 108     | 54        | 22.40              | 24.47      | < 33.01     |
|                         |                         | 1       | 1         | 22.54              | 24.61      | < 33.01     |
|                         |                         | 1       | 214       | 22.84              | 24.91      | < 33.01     |
|                         |                         | 216     | 0         | 22.27              | 24.34      | < 33.01     |
|                         |                         | 1       | 215       | 22.79              | 24.86      | < 33.01     |
|                         |                         | 1       | 0         | 22.47              | 24.54      | < 33.01     |
| 2535.0                  | 40                      | 108     | 54        | 22.34              | 24.41      | < 33.01     |
|                         |                         | 1       | 1         | 22.69              | 24.76      | < 33.01     |
|                         |                         | 1       | 214       | 23.06              | 25.13      | < 33.01     |
|                         |                         | 216     | 0         | 22.43              | 24.50      | < 33.01     |
|                         |                         | 1       | 215       | 23.04              | 25.11      | < 33.01     |
|                         |                         | 1       | 0         | 22.59              | 24.66      | < 33.01     |
| 2550.0                  | 40                      | 108     | 54        | 22.83              | 24.90      | < 33.01     |
|                         |                         | 1       | 1         | 22.86              | 24.93      | < 33.01     |
|                         |                         | 1       | 214       | 22.86              | 24.93      | < 33.01     |
|                         |                         | 216     | 0         | 22.90              | 24.97      | < 33.01     |
|                         |                         | 1       | 215       | 22.66              | 24.73      | < 33.01     |
|                         |                         | 1       | 0         | 22.84              | 24.91      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2502.5                   | 5                       | 12      | 6         | 20.81              | 22.88      | < 33.01     |
|                          |                         | 1       | 1         | 20.43              | 22.50      | < 33.01     |
|                          |                         | 1       | 23        | 20.56              | 22.63      | < 33.01     |
|                          |                         | 25      | 0         | 20.85              | 22.92      | < 33.01     |
|                          |                         | 1       | 24        | 20.52              | 22.59      | < 33.01     |
|                          |                         | 1       | 0         | 20.43              | 22.50      | < 33.01     |
| 2535.0                   | 5                       | 12      | 6         | 20.97              | 23.04      | < 33.01     |
|                          |                         | 1       | 1         | 20.52              | 22.59      | < 33.01     |
|                          |                         | 1       | 23        | 20.65              | 22.72      | < 33.01     |
|                          |                         | 25      | 0         | 20.97              | 23.04      | < 33.01     |
|                          |                         | 1       | 24        | 20.61              | 22.68      | < 33.01     |
|                          |                         | 1       | 0         | 20.56              | 22.63      | < 33.01     |
| 2567.5                   | 5                       | 12      | 6         | 20.89              | 22.96      | < 33.01     |
|                          |                         | 1       | 1         | 20.46              | 22.53      | < 33.01     |
|                          |                         | 1       | 23        | 20.56              | 22.63      | < 33.01     |
|                          |                         | 25      | 0         | 20.79              | 22.86      | < 33.01     |
|                          |                         | 1       | 24        | 20.50              | 22.57      | < 33.01     |
|                          |                         | 1       | 0         | 20.48              | 22.55      | < 33.01     |
| 2505.0                   | 10                      | 25      | 12        | 20.86              | 22.93      | < 33.01     |
|                          |                         | 1       | 1         | 20.53              | 22.60      | < 33.01     |
|                          |                         | 1       | 50        | 20.54              | 22.61      | < 33.01     |
|                          |                         | 50      | 0         | 20.86              | 22.93      | < 33.01     |
|                          |                         | 1       | 51        | 20.60              | 22.67      | < 33.01     |
|                          |                         | 1       | 0         | 20.46              | 22.53      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2535.0                   | 10                      | 25      | 12        | 21.04              | 23.11      | < 33.01     |
|                          |                         | 1       | 1         | 20.54              | 22.61      | < 33.01     |
|                          |                         | 1       | 50        | 20.60              | 22.67      | < 33.01     |
|                          |                         | 50      | 0         | 21.01              | 23.08      | < 33.01     |
|                          |                         | 1       | 51        | 20.64              | 22.71      | < 33.01     |
|                          |                         | 1       | 0         | 20.56              | 22.63      | < 33.01     |
| 2565.0                   | 10                      | 25      | 12        | 20.90              | 22.97      | < 33.01     |
|                          |                         | 1       | 1         | 20.43              | 22.50      | < 33.01     |
|                          |                         | 1       | 50        | 20.45              | 22.52      | < 33.01     |
|                          |                         | 50      | 0         | 20.80              | 22.87      | < 33.01     |
|                          |                         | 1       | 51        | 20.50              | 22.57      | < 33.01     |
|                          |                         | 1       | 0         | 20.48              | 22.55      | < 33.01     |
| 2507.5                   | 15                      | 36      | 18        | 21.03              | 23.10      | < 33.01     |
|                          |                         | 1       | 1         | 20.60              | 22.67      | < 33.01     |
|                          |                         | 1       | 77        | 20.68              | 22.75      | < 33.01     |
|                          |                         | 75      | 0         | 20.99              | 23.06      | < 33.01     |
|                          |                         | 1       | 78        | 20.62              | 22.69      | < 33.01     |
|                          |                         | 1       | 0         | 20.60              | 22.67      | < 33.01     |
| 2535.0                   | 15                      | 36      | 18        | 21.09              | 23.16      | < 33.01     |
|                          |                         | 1       | 1         | 20.72              | 22.79      | < 33.01     |
|                          |                         | 1       | 77        | 20.76              | 22.83      | < 33.01     |
|                          |                         | 75      | 0         | 21.18              | 23.25      | < 33.01     |
|                          |                         | 1       | 78        | 20.75              | 22.82      | < 33.01     |
|                          |                         | 1       | 0         | 20.73              | 22.80      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2562.5                   | 15                      | 36      | 18        | 21.11              | 23.18      | < 33.01     |
|                          |                         | 1       | 1         | 20.62              | 22.69      | < 33.01     |
|                          |                         | 1       | 77        | 20.59              | 22.66      | < 33.01     |
|                          |                         | 75      | 0         | 21.09              | 23.16      | < 33.01     |
|                          |                         | 1       | 78        | 20.52              | 22.59      | < 33.01     |
|                          |                         | 1       | 0         | 20.63              | 22.70      | < 33.01     |
| 2510.0                   | 20                      | 50      | 25        | 21.06              | 23.13      | < 33.01     |
|                          |                         | 1       | 1         | 20.66              | 22.73      | < 33.01     |
|                          |                         | 1       | 104       | 20.68              | 22.75      | < 33.01     |
|                          |                         | 100     | 0         | 21.11              | 23.18      | < 33.01     |
|                          |                         | 1       | 105       | 20.74              | 22.81      | < 33.01     |
|                          |                         | 1       | 0         | 20.69              | 22.76      | < 33.01     |
| 2535.0                   | 20                      | 50      | 25        | 21.09              | 23.16      | < 33.01     |
|                          |                         | 1       | 1         | 20.67              | 22.74      | < 33.01     |
|                          |                         | 1       | 104       | 20.81              | 22.88      | < 33.01     |
|                          |                         | 100     | 0         | 21.13              | 23.20      | < 33.01     |
|                          |                         | 1       | 105       | 20.76              | 22.83      | < 33.01     |
|                          |                         | 1       | 0         | 20.70              | 22.77      | < 33.01     |
| 2560.0                   | 20                      | 50      | 25        | 21.03              | 23.10      | < 33.01     |
|                          |                         | 1       | 1         | 20.67              | 22.74      | < 33.01     |
|                          |                         | 1       | 104       | 20.56              | 22.63      | < 33.01     |
|                          |                         | 100     | 0         | 21.12              | 23.19      | < 33.01     |
|                          |                         | 1       | 105       | 20.61              | 22.68      | < 33.01     |
|                          |                         | 1       | 0         | 20.71              | 22.78      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2512.5                   | 25                      | 64      | 32        | 20.51              | 22.58      | < 33.01     |
|                          |                         | 1       | 1         | 19.93              | 22.00      | < 33.01     |
|                          |                         | 1       | 131       | 20.64              | 22.71      | < 33.01     |
|                          |                         | 128     | 0         | 20.39              | 22.46      | < 33.01     |
|                          |                         | 1       | 132       | 20.60              | 22.67      | < 33.01     |
|                          |                         | 1       | 0         | 19.84              | 21.91      | < 33.01     |
| 2535.0                   | 25                      | 64      | 32        | 21.06              | 23.13      | < 33.01     |
|                          |                         | 1       | 1         | 20.72              | 22.79      | < 33.01     |
|                          |                         | 1       | 131       | 20.76              | 22.83      | < 33.01     |
|                          |                         | 128     | 0         | 21.09              | 23.16      | < 33.01     |
|                          |                         | 1       | 132       | 20.73              | 22.80      | < 33.01     |
|                          |                         | 1       | 0         | 20.67              | 22.74      | < 33.01     |
| 2557.5                   | 25                      | 64      | 32        | 21.00              | 23.07      | < 33.01     |
|                          |                         | 1       | 1         | 20.65              | 22.72      | < 33.01     |
|                          |                         | 1       | 131       | 20.65              | 22.72      | < 33.01     |
|                          |                         | 128     | 0         | 21.06              | 23.13      | < 33.01     |
|                          |                         | 1       | 132       | 20.59              | 22.66      | < 33.01     |
|                          |                         | 1       | 0         | 20.67              | 22.74      | < 33.01     |
| 2515.0                   | 30                      | 80      | 40        | 20.89              | 22.96      | < 33.01     |
|                          |                         | 1       | 1         | 20.56              | 22.63      | < 33.01     |
|                          |                         | 1       | 158       | 20.73              | 22.80      | < 33.01     |
|                          |                         | 160     | 0         | 21.00              | 23.07      | < 33.01     |
|                          |                         | 1       | 159       | 20.67              | 22.74      | < 33.01     |
|                          |                         | 1       | 0         | 20.55              | 22.62      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2535.0                   | 30                      | 80      | 40        | 20.98              | 23.05      | < 33.01     |
|                          |                         | 1       | 1         | 20.74              | 22.81      | < 33.01     |
|                          |                         | 1       | 158       | 20.64              | 22.71      | < 33.01     |
|                          |                         | 160     | 0         | 21.05              | 23.12      | < 33.01     |
|                          |                         | 1       | 159       | 20.70              | 22.77      | < 33.01     |
|                          |                         | 1       | 0         | 20.75              | 22.82      | < 33.01     |
| 2555.0                   | 30                      | 80      | 40        | 20.97              | 23.04      | < 33.01     |
|                          |                         | 1       | 1         | 20.59              | 22.66      | < 33.01     |
|                          |                         | 1       | 158       | 20.47              | 22.54      | < 33.01     |
|                          |                         | 160     | 0         | 21.03              | 23.10      | < 33.01     |
|                          |                         | 1       | 159       | 20.52              | 22.59      | < 33.01     |
|                          |                         | 1       | 0         | 20.64              | 22.71      | < 33.01     |
| 2520.0                   | 40                      | 108     | 54        | 20.96              | 23.03      | < 33.01     |
|                          |                         | 1       | 1         | 20.60              | 22.67      | < 33.01     |
|                          |                         | 1       | 214       | 20.79              | 22.86      | < 33.01     |
|                          |                         | 216     | 0         | 20.96              | 23.03      | < 33.01     |
|                          |                         | 1       | 215       | 20.72              | 22.79      | < 33.01     |
|                          |                         | 1       | 0         | 20.58              | 22.65      | < 33.01     |
| 2535.0                   | 40                      | 108     | 54        | 20.95              | 23.02      | < 33.01     |
|                          |                         | 1       | 1         | 20.71              | 22.78      | < 33.01     |
|                          |                         | 1       | 214       | 20.80              | 22.87      | < 33.01     |
|                          |                         | 216     | 0         | 21.01              | 23.08      | < 33.01     |
|                          |                         | 1       | 215       | 20.76              | 22.83      | < 33.01     |
|                          |                         | 1       | 0         | 20.80              | 22.87      | < 33.01     |
| 2550.0                   | 40                      | 108     | 54        | 20.96              | 23.03      | < 33.01     |
|                          |                         | 1       | 1         | 20.67              | 22.74      | < 33.01     |
|                          |                         | 1       | 214       | 20.54              | 22.61      | < 33.01     |
|                          |                         | 216     | 0         | 21.01              | 23.08      | < 33.01     |
|                          |                         | 1       | 215       | 20.57              | 22.64      | < 33.01     |
|                          |                         | 1       | 0         | 20.68              | 22.75      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2502.5          | 5                       | 13      | 6         | 23.71              | 25.78      | < 33.01     |
|                 |                         | 1       | 1         | 23.86              | 25.93      | < 33.01     |
|                 |                         | 1       | 23        | 23.94              | 26.01      | < 33.01     |
|                 |                         | 25      | 0         | 22.22              | 24.29      | < 33.01     |
|                 |                         | 1       | 24        | 22.23              | 24.30      | < 33.01     |
|                 |                         | 1       | 0         | 22.15              | 24.22      | < 33.01     |
| 2535.0          | 5                       | 13      | 6         | 23.75              | 25.82      | < 33.01     |
|                 |                         | 1       | 1         | 23.70              | 25.77      | < 33.01     |
|                 |                         | 1       | 23        | 23.70              | 25.77      | < 33.01     |
|                 |                         | 25      | 0         | 22.36              | 24.43      | < 33.01     |
|                 |                         | 1       | 24        | 22.38              | 24.45      | < 33.01     |
|                 |                         | 1       | 0         | 22.26              | 24.33      | < 33.01     |
| 2567.5          | 5                       | 13      | 6         | 23.59              | 25.66      | < 33.01     |
|                 |                         | 1       | 1         | 23.67              | 25.74      | < 33.01     |
|                 |                         | 1       | 23        | 23.68              | 25.75      | < 33.01     |
|                 |                         | 25      | 0         | 22.24              | 24.31      | < 33.01     |
|                 |                         | 1       | 24        | 22.22              | 24.29      | < 33.01     |
|                 |                         | 1       | 0         | 22.14              | 24.21      | < 33.01     |
| 2505.0          | 10                      | 26      | 13        | 23.67              | 25.74      | < 33.01     |
|                 |                         | 1       | 1         | 23.60              | 25.67      | < 33.01     |
|                 |                         | 1       | 50        | 23.64              | 25.71      | < 33.01     |
|                 |                         | 52      | 0         | 22.21              | 24.28      | < 33.01     |
|                 |                         | 1       | 51        | 22.32              | 24.39      | < 33.01     |
|                 |                         | 1       | 0         | 22.29              | 24.36      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2535.0          | 10                      | 26      | 13        | 23.75              | 25.82      | < 33.01     |
|                 |                         | 1       | 1         | 23.75              | 25.82      | < 33.01     |
|                 |                         | 1       | 50        | 23.77              | 25.84      | < 33.01     |
|                 |                         | 52      | 0         | 22.37              | 24.44      | < 33.01     |
|                 |                         | 1       | 51        | 22.42              | 24.49      | < 33.01     |
|                 |                         | 1       | 0         | 22.36              | 24.43      | < 33.01     |
| 2565.0          | 10                      | 26      | 13        | 23.72              | 25.79      | < 33.01     |
|                 |                         | 1       | 1         | 23.72              | 25.79      | < 33.01     |
|                 |                         | 1       | 50        | 23.78              | 25.85      | < 33.01     |
|                 |                         | 52      | 0         | 22.29              | 24.36      | < 33.01     |
|                 |                         | 1       | 51        | 22.25              | 24.32      | < 33.01     |
|                 |                         | 1       | 0         | 22.29              | 24.36      | < 33.01     |
| 2507.5          | 15                      | 39      | 19        | 23.84              | 25.91      | < 33.01     |
|                 |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                 |                         | 1       | 77        | 24.23              | 26.30      | < 33.01     |
|                 |                         | 79      | 0         | 22.44              | 24.51      | < 33.01     |
|                 |                         | 1       | 78        | 22.49              | 24.56      | < 33.01     |
|                 |                         | 1       | 0         | 22.43              | 24.50      | < 33.01     |
| 2535.0          | 15                      | 39      | 19        | 23.84              | 25.91      | < 33.01     |
|                 |                         | 1       | 1         | 24.16              | 26.23      | < 33.01     |
|                 |                         | 1       | 77        | 24.15              | 26.22      | < 33.01     |
|                 |                         | 79      | 0         | 22.43              | 24.50      | < 33.01     |
|                 |                         | 1       | 78        | 22.54              | 24.61      | < 33.01     |
|                 |                         | 1       | 0         | 22.53              | 24.60      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2562.5          | 15                      | 39      | 19        | 23.79              | 25.86      | < 33.01     |
|                 |                         | 1       | 1         | 23.69              | 25.76      | < 33.01     |
|                 |                         | 1       | 77        | 23.79              | 25.86      | < 33.01     |
|                 |                         | 79      | 0         | 22.26              | 24.33      | < 33.01     |
|                 |                         | 1       | 78        | 22.45              | 24.52      | < 33.01     |
|                 |                         | 1       | 0         | 22.47              | 24.54      | < 33.01     |
| 2510.0          | 20                      | 53      | 26        | 24.01              | 26.08      | < 33.01     |
|                 |                         | 1       | 1         | 23.91              | 25.98      | < 33.01     |
|                 |                         | 1       | 104       | 24.19              | 26.26      | < 33.01     |
|                 |                         | 106     | 0         | 22.44              | 24.51      | < 33.01     |
|                 |                         | 1       | 105       | 22.50              | 24.57      | < 33.01     |
|                 |                         | 1       | 0         | 22.41              | 24.48      | < 33.01     |
| 2535.0          | 20                      | 53      | 26        | 24.02              | 26.09      | < 33.01     |
|                 |                         | 1       | 1         | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 104       | 24.00              | 26.07      | < 33.01     |
|                 |                         | 106     | 0         | 22.44              | 24.51      | < 33.01     |
|                 |                         | 1       | 105       | 22.44              | 24.51      | < 33.01     |
|                 |                         | 1       | 0         | 22.49              | 24.56      | < 33.01     |
| 2560.0          | 20                      | 53      | 26        | 23.89              | 25.96      | < 33.01     |
|                 |                         | 1       | 1         | 23.83              | 25.90      | < 33.01     |
|                 |                         | 1       | 104       | 23.73              | 25.80      | < 33.01     |
|                 |                         | 106     | 0         | 22.37              | 24.44      | < 33.01     |
|                 |                         | 1       | 105       | 22.37              | 24.44      | < 33.01     |
|                 |                         | 1       | 0         | 22.35              | 24.42      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2512.5          | 25                      | 64      | 32        | 22.95              | 25.02      | < 33.01     |
|                 |                         | 1       | 1         | 22.91              | 24.98      | < 33.01     |
|                 |                         | 1       | 131       | 23.46              | 25.53      | < 33.01     |
|                 |                         | 133     | 0         | 21.86              | 23.93      | < 33.01     |
|                 |                         | 1       | 132       | 22.38              | 24.45      | < 33.01     |
|                 |                         | 1       | 0         | 21.75              | 23.82      | < 33.01     |
| 2535.0          | 25                      | 64      | 32        | 23.65              | 25.72      | < 33.01     |
|                 |                         | 1       | 1         | 23.95              | 26.02      | < 33.01     |
|                 |                         | 1       | 131       | 23.80              | 25.87      | < 33.01     |
|                 |                         | 133     | 0         | 22.38              | 24.45      | < 33.01     |
|                 |                         | 1       | 132       | 22.38              | 24.45      | < 33.01     |
|                 |                         | 1       | 0         | 22.40              | 24.47      | < 33.01     |
| 2557.5          | 25                      | 64      | 32        | 23.87              | 25.94      | < 33.01     |
|                 |                         | 1       | 1         | 23.69              | 25.76      | < 33.01     |
|                 |                         | 1       | 131       | 23.71              | 25.78      | < 33.01     |
|                 |                         | 133     | 0         | 22.25              | 24.32      | < 33.01     |
|                 |                         | 1       | 132       | 22.29              | 24.36      | < 33.01     |
|                 |                         | 1       | 0         | 22.32              | 24.39      | < 33.01     |
| 2515.0          | 30                      | 80      | 40        | 23.64              | 25.71      | < 33.01     |
|                 |                         | 1       | 1         | 23.45              | 25.52      | < 33.01     |
|                 |                         | 1       | 158       | 24.05              | 26.12      | < 33.01     |
|                 |                         | 160     | 0         | 22.10              | 24.17      | < 33.01     |
|                 |                         | 1       | 159       | 22.38              | 24.45      | < 33.01     |
|                 |                         | 1       | 0         | 22.42              | 24.49      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)     | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|---------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>CP OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2535.0              | 30                      | 80      | 40        | 23.71              | 25.78      | < 33.01     |
|                     |                         | 1       | 1         | 23.76              | 25.83      | < 33.01     |
|                     |                         | 1       | 158       | 23.98              | 26.05      | < 33.01     |
|                     |                         | 160     | 0         | 22.24              | 24.31      | < 33.01     |
|                     |                         | 1       | 159       | 22.35              | 24.42      | < 33.01     |
|                     |                         | 1       | 0         | 22.32              | 24.39      | < 33.01     |
| 2555.0              | 30                      | 80      | 40        | 23.77              | 25.84      | < 33.01     |
|                     |                         | 1       | 1         | 23.61              | 25.68      | < 33.01     |
|                     |                         | 1       | 158       | 23.69              | 25.76      | < 33.01     |
|                     |                         | 160     | 0         | 22.32              | 24.39      | < 33.01     |
|                     |                         | 1       | 159       | 22.22              | 24.29      | < 33.01     |
|                     |                         | 1       | 0         | 22.28              | 24.35      | < 33.01     |
| 2520.0              | 40                      | 108     | 54        | 23.49              | 25.56      | < 33.01     |
|                     |                         | 1       | 1         | 23.21              | 25.28      | < 33.01     |
|                     |                         | 1       | 214       | 23.52              | 25.59      | < 33.01     |
|                     |                         | 216     | 0         | 21.96              | 24.03      | < 33.01     |
|                     |                         | 1       | 215       | 22.40              | 24.47      | < 33.01     |
|                     |                         | 1       | 0         | 22.08              | 24.15      | < 33.01     |
| 2535.0              | 40                      | 108     | 54        | 23.45              | 25.52      | < 33.01     |
|                     |                         | 1       | 1         | 23.44              | 25.51      | < 33.01     |
|                     |                         | 1       | 214       | 24.00              | 26.07      | < 33.01     |
|                     |                         | 216     | 0         | 22.09              | 24.16      | < 33.01     |
|                     |                         | 1       | 215       | 22.25              | 24.32      | < 33.01     |
|                     |                         | 1       | 0         | 22.30              | 24.37      | < 33.01     |
| 2550.0              | 40                      | 108     | 54        | 23.79              | 25.86      | < 33.01     |
|                     |                         | 1       | 1         | 23.53              | 25.60      | < 33.01     |
|                     |                         | 1       | 214       | 23.71              | 25.78      | < 33.01     |
|                     |                         | 216     | 0         | 22.29              | 24.36      | < 33.01     |
|                     |                         | 1       | 215       | 22.24              | 24.31      | < 33.01     |
|                     |                         | 1       | 0         | 22.34              | 24.41      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2502.5          | 5                       | 13      | 6         | 23.33              | 25.40      | < 33.01     |
|                 |                         | 1       | 1         | 23.49              | 25.56      | < 33.01     |
|                 |                         | 1       | 23        | 23.18              | 25.25      | < 33.01     |
|                 |                         | 25      | 0         | 22.24              | 24.31      | < 33.01     |
|                 |                         | 1       | 24        | 22.08              | 24.15      | < 33.01     |
|                 |                         | 1       | 0         | 21.98              | 24.05      | < 33.01     |
| 2535.0          | 5                       | 13      | 6         | 23.42              | 25.49      | < 33.01     |
|                 |                         | 1       | 1         | 23.54              | 25.61      | < 33.01     |
|                 |                         | 1       | 23        | 23.54              | 25.61      | < 33.01     |
|                 |                         | 25      | 0         | 22.39              | 24.46      | < 33.01     |
|                 |                         | 1       | 24        | 22.80              | 24.87      | < 33.01     |
|                 |                         | 1       | 0         | 22.50              | 24.57      | < 33.01     |
| 2567.5          | 5                       | 13      | 6         | 23.40              | 25.47      | < 33.01     |
|                 |                         | 1       | 1         | 23.43              | 25.50      | < 33.01     |
|                 |                         | 1       | 23        | 23.18              | 25.25      | < 33.01     |
|                 |                         | 25      | 0         | 22.21              | 24.28      | < 33.01     |
|                 |                         | 1       | 24        | 22.65              | 24.72      | < 33.01     |
|                 |                         | 1       | 0         | 22.52              | 24.59      | < 33.01     |
| 2505.0          | 10                      | 26      | 13        | 23.21              | 25.28      | < 33.01     |
|                 |                         | 1       | 1         | 23.34              | 25.41      | < 33.01     |
|                 |                         | 1       | 50        | 23.46              | 25.53      | < 33.01     |
|                 |                         | 52      | 0         | 22.12              | 24.19      | < 33.01     |
|                 |                         | 1       | 51        | 22.57              | 24.64      | < 33.01     |
|                 |                         | 1       | 0         | 22.54              | 24.61      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2535.0   | 10                      | 26      | 13        | 23.31              | 25.38      | < 33.01     |
|  |                         | 1       | 1         | 23.53              | 25.60      | < 33.01     |
|  |                         | 1       | 50        | 23.53              | 25.60      | < 33.01     |
|  |                         | 52      | 0         | 22.35              | 24.42      | < 33.01     |
|  |                         | 1       | 51        | 22.64              | 24.71      | < 33.01     |
|  |                         | 1       | 0         | 22.68              | 24.75      | < 33.01     |
| 2565.0   | 10                      | 26      | 13        | 23.21              | 25.28      | < 33.01     |
|  |                         | 1       | 1         | 23.43              | 25.50      | < 33.01     |
|  |                         | 1       | 50        | 23.45              | 25.52      | < 33.01     |
|  |                         | 52      | 0         | 22.21              | 24.28      | < 33.01     |
|  |                         | 1       | 51        | 22.58              | 24.65      | < 33.01     |
|  |                         | 1       | 0         | 22.59              | 24.66      | < 33.01     |
| 2507.5   | 15                      | 39      | 19        | 23.46              | 25.53      | < 33.01     |
|  |                         | 1       | 1         | 23.43              | 25.50      | < 33.01     |
|  |                         | 1       | 77        | 23.57              | 25.64      | < 33.01     |
|  |                         | 79      | 0         | 22.58              | 24.65      | < 33.01     |
|  |                         | 1       | 78        | 22.30              | 24.37      | < 33.01     |
|  |                         | 1       | 0         | 22.34              | 24.41      | < 33.01     |
| 2535.0   | 15                      | 39      | 19        | 23.52              | 25.59      | < 33.01     |
|  |                         | 1       | 1         | 23.57              | 25.64      | < 33.01     |
|  |                         | 1       | 77        | 23.53              | 25.60      | < 33.01     |
|  |                         | 79      | 0         | 22.51              | 24.58      | < 33.01     |
|  |                         | 1       | 78        | 22.29              | 24.36      | < 33.01     |
|  |                         | 1       | 0         | 22.04              | 24.11      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2562.5          | 15                      | 39      | 19        | 23.29              | 25.36      | < 33.01     |
|                 |                         | 1       | 1         | 23.60              | 25.67      | < 33.01     |
|                 |                         | 1       | 77        | 23.55              | 25.62      | < 33.01     |
|                 |                         | 79      | 0         | 22.41              | 24.48      | < 33.01     |
|                 |                         | 1       | 78        | 22.73              | 24.80      | < 33.01     |
|                 |                         | 1       | 0         | 22.76              | 24.83      | < 33.01     |
| 2510.0          | 20                      | 53      | 26        | 23.43              | 25.50      | < 33.01     |
|                 |                         | 1       | 1         | 23.42              | 25.49      | < 33.01     |
|                 |                         | 1       | 104       | 23.57              | 25.64      | < 33.01     |
|                 |                         | 106     | 0         | 22.45              | 24.52      | < 33.01     |
|                 |                         | 1       | 105       | 22.06              | 24.13      | < 33.01     |
|                 |                         | 1       | 0         | 22.39              | 24.46      | < 33.01     |
| 2535.0          | 20                      | 53      | 26        | 23.39              | 25.46      | < 33.01     |
|                 |                         | 1       | 1         | 23.57              | 25.64      | < 33.01     |
|                 |                         | 1       | 104       | 23.52              | 25.59      | < 33.01     |
|                 |                         | 106     | 0         | 22.45              | 24.52      | < 33.01     |
|                 |                         | 1       | 105       | 22.31              | 24.38      | < 33.01     |
|                 |                         | 1       | 0         | 22.36              | 24.43      | < 33.01     |
| 2560.0          | 20                      | 53      | 26        | 23.31              | 25.38      | < 33.01     |
|                 |                         | 1       | 1         | 23.59              | 25.66      | < 33.01     |
|                 |                         | 1       | 104       | 23.67              | 25.74      | < 33.01     |
|                 |                         | 106     | 0         | 22.31              | 24.38      | < 33.01     |
|                 |                         | 1       | 105       | 22.75              | 24.82      | < 33.01     |
|                 |                         | 1       | 0         | 22.80              | 24.87      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2512.5          | 25                      | 64      | 32        | 22.31              | 24.38      | < 33.01     |
|                 |                         | 1       | 1         | 22.15              | 24.22      | < 33.01     |
|                 |                         | 1       | 131       | 22.70              | 24.77      | < 33.01     |
|                 |                         | 133     | 0         | 21.76              | 23.83      | < 33.01     |
|                 |                         | 1       | 132       | 21.93              | 24.00      | < 33.01     |
|                 |                         | 1       | 0         | 21.33              | 23.40      | < 33.01     |
| 2535.0          | 25                      | 64      | 32        | 22.95              | 25.02      | < 33.01     |
|                 |                         | 1       | 1         | 23.14              | 25.21      | < 33.01     |
|                 |                         | 1       | 131       | 23.05              | 25.12      | < 33.01     |
|                 |                         | 133     | 0         | 22.45              | 24.52      | < 33.01     |
|                 |                         | 1       | 132       | 22.27              | 24.34      | < 33.01     |
|                 |                         | 1       | 0         | 22.22              | 24.29      | < 33.01     |
| 2557.5          | 25                      | 64      | 32        | 23.36              | 25.43      | < 33.01     |
|                 |                         | 1       | 1         | 23.16              | 25.23      | < 33.01     |
|                 |                         | 1       | 131       | 23.56              | 25.63      | < 33.01     |
|                 |                         | 133     | 0         | 22.36              | 24.43      | < 33.01     |
|                 |                         | 1       | 132       | 22.48              | 24.55      | < 33.01     |
|                 |                         | 1       | 0         | 22.68              | 24.75      | < 33.01     |
| 2515.0          | 30                      | 80      | 40        | 22.98              | 25.05      | < 33.01     |
|                 |                         | 1       | 1         | 22.75              | 24.82      | < 33.01     |
|                 |                         | 1       | 158       | 23.30              | 25.37      | < 33.01     |
|                 |                         | 160     | 0         | 21.95              | 24.02      | < 33.01     |
|                 |                         | 1       | 159       | 22.24              | 24.31      | < 33.01     |
|                 |                         | 1       | 0         | 21.90              | 23.97      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2535.0          | 30                      | 80      | 40        | 23.03              | 25.10      | < 33.01     |
|                 |                         | 1       | 1         | 22.94              | 25.01      | < 33.01     |
|                 |                         | 1       | 158       | 23.37              | 25.44      | < 33.01     |
|                 |                         | 160     | 0         | 22.09              | 24.16      | < 33.01     |
|                 |                         | 1       | 159       | 22.22              | 24.29      | < 33.01     |
|                 |                         | 1       | 0         | 22.15              | 24.22      | < 33.01     |
| 2555.0          | 30                      | 80      | 40        | 23.33              | 25.40      | < 33.01     |
|                 |                         | 1       | 1         | 23.04              | 25.11      | < 33.01     |
|                 |                         | 1       | 158       | 23.44              | 25.51      | < 33.01     |
|                 |                         | 160     | 0         | 22.32              | 24.39      | < 33.01     |
|                 |                         | 1       | 159       | 22.67              | 24.74      | < 33.01     |
|                 |                         | 1       | 0         | 22.66              | 24.73      | < 33.01     |
| 2520.0          | 40                      | 108     | 54        | 22.86              | 24.93      | < 33.01     |
|                 |                         | 1       | 1         | 22.52              | 24.59      | < 33.01     |
|                 |                         | 1       | 214       | 22.79              | 24.86      | < 33.01     |
|                 |                         | 216     | 0         | 21.81              | 23.88      | < 33.01     |
|                 |                         | 1       | 215       | 21.57              | 23.64      | < 33.01     |
|                 |                         | 1       | 0         | 21.20              | 23.27      | < 33.01     |
| 2535.0          | 40                      | 108     | 54        | 22.80              | 24.87      | < 33.01     |
|                 |                         | 1       | 1         | 22.63              | 24.70      | < 33.01     |
|                 |                         | 1       | 214       | 23.53              | 25.60      | < 33.01     |
|                 |                         | 216     | 0         | 21.97              | 24.04      | < 33.01     |
|                 |                         | 1       | 215       | 22.14              | 24.21      | < 33.01     |
|                 |                         | 1       | 0         | 21.37              | 23.44      | < 33.01     |
| 2550.0          | 40                      | 108     | 54        | 23.30              | 25.37      | < 33.01     |
|                 |                         | 1       | 1         | 23.01              | 25.08      | < 33.01     |
|                 |                         | 1       | 214       | 23.38              | 25.45      | < 33.01     |
|                 |                         | 216     | 0         | 22.36              | 24.43      | < 33.01     |
|                 |                         | 1       | 215       | 22.58              | 24.65      | < 33.01     |
|                 |                         | 1       | 0         | 22.27              | 24.34      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2502.5          | 5                       | 13      | 6         | 21.85              | 23.92      | < 33.01     |
|                 |                         | 1       | 1         | 21.68              | 23.75      | < 33.01     |
|                 |                         | 1       | 23        | 21.74              | 23.81      | < 33.01     |
|                 |                         | 25      | 0         | 21.73              | 23.80      | < 33.01     |
|                 |                         | 1       | 24        | 21.75              | 23.82      | < 33.01     |
|                 |                         | 1       | 0         | 21.70              | 23.77      | < 33.01     |
| 2535.0          | 5                       | 13      | 6         | 21.97              | 24.04      | < 33.01     |
|                 |                         | 1       | 1         | 21.91              | 23.98      | < 33.01     |
|                 |                         | 1       | 23        | 21.90              | 23.97      | < 33.01     |
|                 |                         | 25      | 0         | 21.87              | 23.94      | < 33.01     |
|                 |                         | 1       | 24        | 21.95              | 24.02      | < 33.01     |
|                 |                         | 1       | 0         | 21.92              | 23.99      | < 33.01     |
| 2567.5          | 5                       | 13      | 6         | 21.78              | 23.85      | < 33.01     |
|                 |                         | 1       | 1         | 21.87              | 23.94      | < 33.01     |
|                 |                         | 1       | 23        | 22.02              | 24.09      | < 33.01     |
|                 |                         | 25      | 0         | 21.75              | 23.82      | < 33.01     |
|                 |                         | 1       | 24        | 21.87              | 23.94      | < 33.01     |
|                 |                         | 1       | 0         | 21.72              | 23.79      | < 33.01     |
| 2505.0          | 10                      | 26      | 13        | 21.82              | 23.89      | < 33.01     |
|                 |                         | 1       | 1         | 21.68              | 23.75      | < 33.01     |
|                 |                         | 1       | 50        | 21.82              | 23.89      | < 33.01     |
|                 |                         | 52      | 0         | 21.80              | 23.87      | < 33.01     |
|                 |                         | 1       | 51        | 21.80              | 23.87      | < 33.01     |
|                 |                         | 1       | 0         | 21.79              | 23.86      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2535.0          | 10                      | 26      | 13        | 21.92              | 23.99      | < 33.01     |
|                 |                         | 1       | 1         | 21.95              | 24.02      | < 33.01     |
|                 |                         | 1       | 50        | 22.05              | 24.12      | < 33.01     |
|                 |                         | 52      | 0         | 21.82              | 23.89      | < 33.01     |
|                 |                         | 1       | 51        | 21.99              | 24.06      | < 33.01     |
|                 |                         | 1       | 0         | 21.97              | 24.04      | < 33.01     |
| 2565.0          | 10                      | 26      | 13        | 21.81              | 23.88      | < 33.01     |
|                 |                         | 1       | 1         | 21.88              | 23.95      | < 33.01     |
|                 |                         | 1       | 50        | 22.12              | 24.19      | < 33.01     |
|                 |                         | 52      | 0         | 21.69              | 23.76      | < 33.01     |
|                 |                         | 1       | 51        | 22.06              | 24.13      | < 33.01     |
|                 |                         | 1       | 0         | 22.12              | 24.19      | < 33.01     |
| 2507.5          | 15                      | 39      | 19        | 22.00              | 24.07      | < 33.01     |
|                 |                         | 1       | 1         | 21.92              | 23.99      | < 33.01     |
|                 |                         | 1       | 77        | 21.94              | 24.01      | < 33.01     |
|                 |                         | 79      | 0         | 22.01              | 24.08      | < 33.01     |
|                 |                         | 1       | 78        | 21.93              | 24.00      | < 33.01     |
|                 |                         | 1       | 0         | 21.97              | 24.04      | < 33.01     |
| 2535.0          | 15                      | 39      | 19        | 22.03              | 24.10      | < 33.01     |
|                 |                         | 1       | 1         | 21.97              | 24.04      | < 33.01     |
|                 |                         | 1       | 77        | 21.98              | 24.05      | < 33.01     |
|                 |                         | 79      | 0         | 22.05              | 24.12      | < 33.01     |
|                 |                         | 1       | 78        | 21.96              | 24.03      | < 33.01     |
|                 |                         | 1       | 0         | 22.07              | 24.14      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2562.5          | 15                      | 39      | 19        | 21.99              | 24.06      | < 33.01     |
|                 |                         | 1       | 1         | 21.91              | 23.98      | < 33.01     |
|                 |                         | 1       | 77        | 21.93              | 24.00      | < 33.01     |
|                 |                         | 79      | 0         | 21.91              | 23.98      | < 33.01     |
|                 |                         | 1       | 78        | 21.91              | 23.98      | < 33.01     |
|                 |                         | 1       | 0         | 21.90              | 23.97      | < 33.01     |
| 2510.0          | 20                      | 53      | 26        | 21.98              | 24.05      | < 33.01     |
|                 |                         | 1       | 1         | 21.90              | 23.97      | < 33.01     |
|                 |                         | 1       | 104       | 22.00              | 24.07      | < 33.01     |
|                 |                         | 106     | 0         | 22.03              | 24.10      | < 33.01     |
|                 |                         | 1       | 105       | 22.02              | 24.09      | < 33.01     |
|                 |                         | 1       | 0         | 22.03              | 24.10      | < 33.01     |
| 2535.0          | 20                      | 53      | 26        | 21.97              | 24.04      | < 33.01     |
|                 |                         | 1       | 1         | 21.95              | 24.02      | < 33.01     |
|                 |                         | 1       | 104       | 21.90              | 23.97      | < 33.01     |
|                 |                         | 106     | 0         | 22.02              | 24.09      | < 33.01     |
|                 |                         | 1       | 105       | 21.96              | 24.03      | < 33.01     |
|                 |                         | 1       | 0         | 22.05              | 24.12      | < 33.01     |
| 2560.0          | 20                      | 53      | 26        | 21.95              | 24.02      | < 33.01     |
|                 |                         | 1       | 1         | 22.06              | 24.13      | < 33.01     |
|                 |                         | 1       | 104       | 21.99              | 24.06      | < 33.01     |
|                 |                         | 106     | 0         | 21.88              | 23.95      | < 33.01     |
|                 |                         | 1       | 105       | 22.08              | 24.15      | < 33.01     |
|                 |                         | 1       | 0         | 22.11              | 24.18      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2512.5          | 25                      | 64      | 32        | 21.80              | 23.87      | < 33.01     |
|                 |                         | 1       | 1         | 21.65              | 23.72      | < 33.01     |
|                 |                         | 1       | 131       | 22.06              | 24.13      | < 33.01     |
|                 |                         | 133     | 0         | 21.70              | 23.77      | < 33.01     |
|                 |                         | 1       | 132       | 22.19              | 24.26      | < 33.01     |
|                 |                         | 1       | 0         | 21.67              | 23.74      | < 33.01     |
| 2535.0          | 25                      | 64      | 32        | 22.01              | 24.08      | < 33.01     |
|                 |                         | 1       | 1         | 21.91              | 23.98      | < 33.01     |
|                 |                         | 1       | 131       | 21.92              | 23.99      | < 33.01     |
|                 |                         | 133     | 0         | 21.98              | 24.05      | < 33.01     |
|                 |                         | 1       | 132       | 21.94              | 24.01      | < 33.01     |
|                 |                         | 1       | 0         | 21.92              | 23.99      | < 33.01     |
| 2557.5          | 25                      | 64      | 32        | 21.85              | 23.92      | < 33.01     |
|                 |                         | 1       | 1         | 22.04              | 24.11      | < 33.01     |
|                 |                         | 1       | 131       | 22.05              | 24.12      | < 33.01     |
|                 |                         | 133     | 0         | 21.90              | 23.97      | < 33.01     |
|                 |                         | 1       | 132       | 21.99              | 24.06      | < 33.01     |
|                 |                         | 1       | 0         | 22.03              | 24.10      | < 33.01     |
| 2515.0          | 30                      | 80      | 40        | 21.54              | 23.61      | < 33.01     |
|                 |                         | 1       | 1         | 21.76              | 23.83      | < 33.01     |
|                 |                         | 1       | 158       | 21.86              | 23.93      | < 33.01     |
|                 |                         | 160     | 0         | 21.48              | 23.55      | < 33.01     |
|                 |                         | 1       | 159       | 21.94              | 24.01      | < 33.01     |
|                 |                         | 1       | 0         | 21.79              | 23.86      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2535.0          | 30                      | 80      | 40        | 21.63              | 23.70      | < 33.01     |
|                 |                         | 1       | 1         | 21.88              | 23.95      | < 33.01     |
|                 |                         | 1       | 158       | 21.82              | 23.89      | < 33.01     |
|                 |                         | 160     | 0         | 21.63              | 23.70      | < 33.01     |
|                 |                         | 1       | 159       | 21.84              | 23.91      | < 33.01     |
|                 |                         | 1       | 0         | 21.98              | 24.05      | < 33.01     |
| 2555.0          | 30                      | 80      | 40        | 21.82              | 23.89      | < 33.01     |
|                 |                         | 1       | 1         | 22.07              | 24.14      | < 33.01     |
|                 |                         | 1       | 158       | 21.86              | 23.93      | < 33.01     |
|                 |                         | 160     | 0         | 21.83              | 23.90      | < 33.01     |
|                 |                         | 1       | 159       | 21.99              | 24.06      | < 33.01     |
|                 |                         | 1       | 0         | 22.02              | 24.09      | < 33.01     |
| 2520.0          | 40                      | 108     | 54        | 21.52              | 23.59      | < 33.01     |
|                 |                         | 1       | 1         | 21.54              | 23.61      | < 33.01     |
|                 |                         | 1       | 214       | 21.87              | 23.94      | < 33.01     |
|                 |                         | 216     | 0         | 21.35              | 23.42      | < 33.01     |
|                 |                         | 1       | 215       | 21.41              | 23.48      | < 33.01     |
|                 |                         | 1       | 0         | 21.08              | 23.15      | < 33.01     |
| 2535.0          | 40                      | 108     | 54        | 21.47              | 23.54      | < 33.01     |
|                 |                         | 1       | 1         | 21.73              | 23.80      | < 33.01     |
|                 |                         | 1       | 214       | 21.90              | 23.97      | < 33.01     |
|                 |                         | 216     | 0         | 21.52              | 23.59      | < 33.01     |
|                 |                         | 1       | 215       | 21.76              | 23.83      | < 33.01     |
|                 |                         | 1       | 0         | 21.27              | 23.34      | < 33.01     |
| 2550.0          | 40                      | 108     | 54        | 21.83              | 23.90      | < 33.01     |
|                 |                         | 1       | 1         | 22.01              | 24.08      | < 33.01     |
|                 |                         | 1       | 214       | 21.96              | 24.03      | < 33.01     |
|                 |                         | 216     | 0         | 21.78              | 23.85      | < 33.01     |
|                 |                         | 1       | 215       | 22.02              | 24.09      | < 33.01     |
|                 |                         | 1       | 0         | 21.72              | 23.79      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2502.5          | 5                       | 13      | 6         | 18.91              | 20.98      | < 33.01     |
|                 |                         | 1       | 1         | 18.53              | 20.60      | < 33.01     |
|                 |                         | 1       | 23        | 18.68              | 20.75      | < 33.01     |
|                 |                         | 25      | 0         | 18.79              | 20.86      | < 33.01     |
|                 |                         | 1       | 24        | 18.68              | 20.75      | < 33.01     |
|                 |                         | 1       | 0         | 18.58              | 20.65      | < 33.01     |
| 2535.0          | 5                       | 13      | 6         | 19.15              | 21.22      | < 33.01     |
|                 |                         | 1       | 1         | 18.79              | 20.86      | < 33.01     |
|                 |                         | 1       | 23        | 18.63              | 20.70      | < 33.01     |
|                 |                         | 25      | 0         | 18.89              | 20.96      | < 33.01     |
|                 |                         | 1       | 24        | 18.66              | 20.73      | < 33.01     |
|                 |                         | 1       | 0         | 18.57              | 20.64      | < 33.01     |
| 2567.5          | 5                       | 13      | 6         | 19.06              | 21.13      | < 33.01     |
|                 |                         | 1       | 1         | 18.41              | 20.48      | < 33.01     |
|                 |                         | 1       | 23        | 18.54              | 20.61      | < 33.01     |
|                 |                         | 25      | 0         | 18.85              | 20.92      | < 33.01     |
|                 |                         | 1       | 24        | 18.41              | 20.48      | < 33.01     |
|                 |                         | 1       | 0         | 18.45              | 20.52      | < 33.01     |
| 2505.0          | 10                      | 26      | 13        | 18.79              | 20.86      | < 33.01     |
|                 |                         | 1       | 1         | 18.68              | 20.75      | < 33.01     |
|                 |                         | 1       | 50        | 18.82              | 20.89      | < 33.01     |
|                 |                         | 52      | 0         | 18.85              | 20.92      | < 33.01     |
|                 |                         | 1       | 51        | 18.75              | 20.82      | < 33.01     |
|                 |                         | 1       | 0         | 18.62              | 20.69      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2535.0          | 10                      | 26      | 13        | 18.93              | 21.00      | < 33.01     |
|                 |                         | 1       | 1         | 18.62              | 20.69      | < 33.01     |
|                 |                         | 1       | 50        | 18.79              | 20.86      | < 33.01     |
|                 |                         | 52      | 0         | 18.98              | 21.05      | < 33.01     |
|                 |                         | 1       | 51        | 18.66              | 20.73      | < 33.01     |
|                 |                         | 1       | 0         | 18.59              | 20.66      | < 33.01     |
| 2565.0          | 10                      | 26      | 13        | 18.74              | 20.81      | < 33.01     |
|                 |                         | 1       | 1         | 18.62              | 20.69      | < 33.01     |
|                 |                         | 1       | 50        | 18.62              | 20.69      | < 33.01     |
|                 |                         | 52      | 0         | 18.82              | 20.89      | < 33.01     |
|                 |                         | 1       | 51        | 18.68              | 20.75      | < 33.01     |
|                 |                         | 1       | 0         | 18.58              | 20.65      | < 33.01     |
| 2507.5          | 15                      | 39      | 19        | 18.99              | 21.06      | < 33.01     |
|                 |                         | 1       | 1         | 18.80              | 20.87      | < 33.01     |
|                 |                         | 1       | 77        | 18.85              | 20.92      | < 33.01     |
|                 |                         | 79      | 0         | 19.04              | 21.11      | < 33.01     |
|                 |                         | 1       | 78        | 18.94              | 21.01      | < 33.01     |
|                 |                         | 1       | 0         | 18.82              | 20.89      | < 33.01     |
| 2535.0          | 15                      | 39      | 19        | 19.12              | 21.19      | < 33.01     |
|                 |                         | 1       | 1         | 18.91              | 20.98      | < 33.01     |
|                 |                         | 1       | 77        | 18.95              | 21.02      | < 33.01     |
|                 |                         | 79      | 0         | 19.15              | 21.22      | < 33.01     |
|                 |                         | 1       | 78        | 19.05              | 21.12      | < 33.01     |
|                 |                         | 1       | 0         | 18.86              | 20.93      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2562.5          | 15                      | 39      | 19        | 19.11              | 21.18      | < 33.01     |
|                 |                         | 1       | 1         | 18.79              | 20.86      | < 33.01     |
|                 |                         | 1       | 77        | 18.76              | 20.83      | < 33.01     |
|                 |                         | 79      | 0         | 19.02              | 21.09      | < 33.01     |
|                 |                         | 1       | 78        | 18.86              | 20.93      | < 33.01     |
|                 |                         | 1       | 0         | 18.73              | 20.80      | < 33.01     |
| 2510.0          | 20                      | 53      | 26        | 19.04              | 21.11      | < 33.01     |
|                 |                         | 1       | 1         | 18.81              | 20.88      | < 33.01     |
|                 |                         | 1       | 104       | 18.92              | 20.99      | < 33.01     |
|                 |                         | 106     | 0         | 19.02              | 21.09      | < 33.01     |
|                 |                         | 1       | 105       | 18.90              | 20.97      | < 33.01     |
|                 |                         | 1       | 0         | 18.75              | 20.82      | < 33.01     |
| 2535.0          | 20                      | 53      | 26        | 19.12              | 21.19      | < 33.01     |
|                 |                         | 1       | 1         | 18.86              | 20.93      | < 33.01     |
|                 |                         | 1       | 104       | 18.94              | 21.01      | < 33.01     |
|                 |                         | 106     | 0         | 19.09              | 21.16      | < 33.01     |
|                 |                         | 1       | 105       | 18.97              | 21.04      | < 33.01     |
|                 |                         | 1       | 0         | 18.90              | 20.97      | < 33.01     |
| 2560.0          | 20                      | 53      | 26        | 19.09              | 21.16      | < 33.01     |
|                 |                         | 1       | 1         | 18.80              | 20.87      | < 33.01     |
|                 |                         | 1       | 104       | 18.67              | 20.74      | < 33.01     |
|                 |                         | 106     | 0         | 19.02              | 21.09      | < 33.01     |
|                 |                         | 1       | 105       | 18.62              | 20.69      | < 33.01     |
|                 |                         | 1       | 0         | 18.73              | 20.80      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2512.5          | 25                      | 64      | 32        | 19.12              | 21.19      | < 33.01     |
|                 |                         | 1       | 1         | 18.85              | 20.92      | < 33.01     |
|                 |                         | 1       | 131       | 18.97              | 21.04      | < 33.01     |
|                 |                         | 133     | 0         | 19.12              | 21.19      | < 33.01     |
|                 |                         | 1       | 132       | 18.95              | 21.02      | < 33.01     |
|                 |                         | 1       | 0         | 18.89              | 20.96      | < 33.01     |
| 2535.0          | 25                      | 64      | 32        | 19.08              | 21.15      | < 33.01     |
|                 |                         | 1       | 1         | 19.33              | 21.40      | < 33.01     |
|                 |                         | 1       | 131       | 19.22              | 21.29      | < 33.01     |
|                 |                         | 133     | 0         | 19.05              | 21.12      | < 33.01     |
|                 |                         | 1       | 132       | 18.93              | 21.00      | < 33.01     |
|                 |                         | 1       | 0         | 18.87              | 20.94      | < 33.01     |
| 2557.5          | 25                      | 64      | 32        | 19.09              | 21.16      | < 33.01     |
|                 |                         | 1       | 1         | 18.78              | 20.85      | < 33.01     |
|                 |                         | 1       | 131       | 18.73              | 20.80      | < 33.01     |
|                 |                         | 133     | 0         | 19.08              | 21.15      | < 33.01     |
|                 |                         | 1       | 132       | 18.70              | 20.77      | < 33.01     |
|                 |                         | 1       | 0         | 18.74              | 20.81      | < 33.01     |
| 2515.0          | 30                      | 80      | 40        | 18.88              | 20.95      | < 33.01     |
|                 |                         | 1       | 1         | 18.66              | 20.73      | < 33.01     |
|                 |                         | 1       | 158       | 18.88              | 20.95      | < 33.01     |
|                 |                         | 160     | 0         | 18.97              | 21.04      | < 33.01     |
|                 |                         | 1       | 159       | 18.92              | 20.99      | < 33.01     |
|                 |                         | 1       | 0         | 18.68              | 20.75      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 2535.0   | 30                      | 80      | 40        | 18.98              | 21.05      | < 33.01     |
|  |                         | 1       | 1         | 18.86              | 20.93      | < 33.01     |
|  |                         | 1       | 158       | 18.87              | 20.94      | < 33.01     |
|  |                         | 160     | 0         | 19.02              | 21.09      | < 33.01     |
|  |                         | 1       | 159       | 18.88              | 20.95      | < 33.01     |
|  |                         | 1       | 0         | 18.86              | 20.93      | < 33.01     |
| 2555.0   | 30                      | 80      | 40        | 19.02              | 21.09      | < 33.01     |
|  |                         | 1       | 1         | 18.67              | 20.74      | < 33.01     |
|  |                         | 1       | 158       | 18.53              | 20.60      | < 33.01     |
|  |                         | 160     | 0         | 19.05              | 21.12      | < 33.01     |
|  |                         | 1       | 159       | 18.61              | 20.68      | < 33.01     |
|  |                         | 1       | 0         | 18.67              | 20.74      | < 33.01     |
| 2520.0   | 40                      | 108     | 54        | 18.95              | 21.02      | < 33.01     |
|  |                         | 1       | 1         | 18.76              | 20.83      | < 33.01     |
|  |                         | 1       | 214       | 19.00              | 21.07      | < 33.01     |
|  |                         | 216     | 0         | 18.96              | 21.03      | < 33.01     |
|  |                         | 1       | 215       | 18.91              | 20.98      | < 33.01     |
|  |                         | 1       | 0         | 18.74              | 20.81      | < 33.01     |
| 2535.0   | 40                      | 108     | 54        | 18.89              | 20.96      | < 33.01     |
|  |                         | 1       | 1         | 18.90              | 20.97      | < 33.01     |
|  |                         | 1       | 214       | 18.95              | 21.02      | < 33.01     |
|  |                         | 216     | 0         | 18.97              | 21.04      | < 33.01     |
|  |                         | 1       | 215       | 18.88              | 20.95      | < 33.01     |
|  |                         | 1       | 0         | 18.91              | 20.98      | < 33.01     |
| 2550.0   | 40                      | 108     | 54        | 18.94              | 21.01      | < 33.01     |
|  |                         | 1       | 1         | 18.67              | 20.74      | < 33.01     |
|  |                         | 1       | 214       | 18.66              | 20.73      | < 33.01     |
|  |                         | 216     | 0         | 18.90              | 20.97      | < 33.01     |
|  |                         | 1       | 215       | 18.71              | 20.78      | < 33.01     |
|  |                         | 1       | 0         | 18.69              | 20.76      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n12_SA    |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |           |             |
| 701.5                | 5                       | 12      | 6         | 23.11              | 22.14     | < 34.77     |
|                      |                         | 1       | 1         | 23.09              | 22.12     | < 34.77     |
|                      |                         | 1       | 23        | 23.04              | 22.07     | < 34.77     |
|                      |                         | 25      | 0         | 23.11              | 22.14     | < 34.77     |
|                      |                         | 1       | 24        | 23.01              | 22.04     | < 34.77     |
|                      |                         | 1       | 0         | 23.03              | 22.06     | < 34.77     |
| 707.5                | 5                       | 12      | 6         | 23.21              | 22.24     | < 34.77     |
|                      |                         | 1       | 1         | 22.98              | 22.01     | < 34.77     |
|                      |                         | 1       | 23        | 23.13              | 22.16     | < 34.77     |
|                      |                         | 25      | 0         | 23.21              | 22.24     | < 34.77     |
|                      |                         | 1       | 24        | 23.05              | 22.08     | < 34.77     |
|                      |                         | 1       | 0         | 23.00              | 22.03     | < 34.77     |
| 713.5                | 5                       | 12      | 6         | 23.18              | 22.21     | < 34.77     |
|                      |                         | 1       | 1         | 23.15              | 22.18     | < 34.77     |
|                      |                         | 1       | 23        | 23.05              | 22.08     | < 34.77     |
|                      |                         | 25      | 0         | 23.20              | 22.23     | < 34.77     |
|                      |                         | 1       | 24        | 23.13              | 22.16     | < 34.77     |
|                      |                         | 1       | 0         | 23.11              | 22.14     | < 34.77     |
| 704.0                | 10                      | 25      | 12        | 23.18              | 22.21     | < 34.77     |
|                      |                         | 1       | 1         | 23.21              | 22.24     | < 34.77     |
|                      |                         | 1       | 50        | 23.12              | 22.15     | < 34.77     |
|                      |                         | 50      | 0         | 23.15              | 22.18     | < 34.77     |
|                      |                         | 1       | 51        | 23.11              | 22.14     | < 34.77     |
|                      |                         | 1       | 0         | 23.17              | 22.20     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |           |             |
| 707.5                       | 10                      | 25      | 12        | 23.22              | 22.25     | < 34.77     |
|                             |                         | 1       | 1         | 23.04              | 22.07     | < 34.77     |
|                             |                         | 1       | 50        | 23.07              | 22.10     | < 34.77     |
|                             |                         | 50      | 0         | 23.26              | 22.29     | < 34.77     |
|                             |                         | 1       | 51        | 23.10              | 22.13     | < 34.77     |
|                             |                         | 1       | 0         | 23.07              | 22.10     | < 34.77     |
| 711.0                       | 10                      | 25      | 12        | 23.15              | 22.18     | < 34.77     |
|                             |                         | 1       | 1         | 23.11              | 22.14     | < 34.77     |
|                             |                         | 1       | 50        | 23.07              | 22.10     | < 34.77     |
|                             |                         | 50      | 0         | 23.16              | 22.19     | < 34.77     |
|                             |                         | 1       | 51        | 23.07              | 22.10     | < 34.77     |
|                             |                         | 1       | 0         | 22.97              | 22.00     | < 34.77     |
| 706.5                       | 15                      | 36      | 18        | 23.35              | 22.38     | < 34.77     |
|                             |                         | 1       | 1         | 23.18              | 22.21     | < 34.77     |
|                             |                         | 1       | 77        | 23.11              | 22.14     | < 34.77     |
|                             |                         | 75      | 0         | 23.40              | 22.43     | < 34.77     |
|                             |                         | 1       | 78        | 23.10              | 22.13     | < 34.77     |
|                             |                         | 1       | 0         | 23.12              | 22.15     | < 34.77     |
| 707.5                       | 15                      | 36      | 18        | 23.37              | 22.40     | < 34.77     |
|                             |                         | 1       | 1         | 23.19              | 22.22     | < 34.77     |
|                             |                         | 1       | 77        | 23.08              | 22.11     | < 34.77     |
|                             |                         | 75      | 0         | 23.37              | 22.40     | < 34.77     |
|                             |                         | 1       | 78        | 23.09              | 22.12     | < 34.77     |
|                             |                         | 1       | 0         | 23.07              | 22.10     | < 34.77     |
| 708.5                       | 15                      | 36      | 18        | 23.34              | 22.37     | < 34.77     |
|                             |                         | 1       | 1         | 23.17              | 22.20     | < 34.77     |
|                             |                         | 1       | 77        | 23.07              | 22.10     | < 34.77     |
|                             |                         | 75      | 0         | 23.37              | 22.40     | < 34.77     |
|                             |                         | 1       | 78        | 23.08              | 22.11     | < 34.77     |
|                             |                         | 1       | 0         | 23.06              | 22.09     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM QPSK |                         |         |           |                    |           |             |
| 701.5           | 5                       | 12      | 6         | 23.19              | 22.22     | < 34.77     |
|                 |                         | 1       | 1         | 23.48              | 22.51     | < 34.77     |
|                 |                         | 1       | 23        | 23.35              | 22.38     | < 34.77     |
|                 |                         | 25      | 0         | 23.12              | 22.15     | < 34.77     |
|                 |                         | 1       | 24        | 23.23              | 22.26     | < 34.77     |
|                 |                         | 1       | 0         | 23.30              | 22.33     | < 34.77     |
| 707.5           | 5                       | 12      | 6         | 23.16              | 22.19     | < 34.77     |
|                 |                         | 1       | 1         | 23.26              | 22.29     | < 34.77     |
|                 |                         | 1       | 23        | 23.39              | 22.42     | < 34.77     |
|                 |                         | 25      | 0         | 23.17              | 22.20     | < 34.77     |
|                 |                         | 1       | 24        | 23.17              | 22.20     | < 34.77     |
|                 |                         | 1       | 0         | 23.22              | 22.25     | < 34.77     |
| 713.5           | 5                       | 12      | 6         | 23.24              | 22.27     | < 34.77     |
|                 |                         | 1       | 1         | 23.34              | 22.37     | < 34.77     |
|                 |                         | 1       | 23        | 23.45              | 22.48     | < 34.77     |
|                 |                         | 25      | 0         | 23.13              | 22.16     | < 34.77     |
|                 |                         | 1       | 24        | 23.37              | 22.40     | < 34.77     |
|                 |                         | 1       | 0         | 23.19              | 22.22     | < 34.77     |
| 704.0           | 10                      | 25      | 12        | 23.20              | 22.23     | < 34.77     |
|                 |                         | 1       | 1         | 23.42              | 22.45     | < 34.77     |
|                 |                         | 1       | 50        | 23.19              | 22.22     | < 34.77     |
|                 |                         | 50      | 0         | 23.11              | 22.14     | < 34.77     |
|                 |                         | 1       | 51        | 23.29              | 22.32     | < 34.77     |
|                 |                         | 1       | 0         | 23.19              | 22.22     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |           |             |
| 707.5                  | 10                      | 25      | 12        | 23.21              | 22.24     | < 34.77     |
|                        |                         | 1       | 1         | 23.33              | 22.36     | < 34.77     |
|                        |                         | 1       | 50        | 23.21              | 22.24     | < 34.77     |
|                        |                         | 50      | 0         | 23.11              | 22.14     | < 34.77     |
|                        |                         | 1       | 51        | 23.25              | 22.28     | < 34.77     |
|                        |                         | 1       | 0         | 23.24              | 22.27     | < 34.77     |
| 711.0                  | 10                      | 25      | 12        | 23.20              | 22.23     | < 34.77     |
|                        |                         | 1       | 1         | 23.47              | 22.50     | < 34.77     |
|                        |                         | 1       | 50        | 23.35              | 22.38     | < 34.77     |
|                        |                         | 50      | 0         | 23.21              | 22.24     | < 34.77     |
|                        |                         | 1       | 51        | 23.33              | 22.36     | < 34.77     |
|                        |                         | 1       | 0         | 23.28              | 22.31     | < 34.77     |
| 706.5                  | 15                      | 36      | 18        | 23.32              | 22.35     | < 34.77     |
|                        |                         | 1       | 1         | 23.37              | 22.40     | < 34.77     |
|                        |                         | 1       | 77        | 23.32              | 22.35     | < 34.77     |
|                        |                         | 75      | 0         | 23.34              | 22.37     | < 34.77     |
|                        |                         | 1       | 78        | 23.24              | 22.27     | < 34.77     |
|                        |                         | 1       | 0         | 23.27              | 22.30     | < 34.77     |
| 707.5                  | 15                      | 36      | 18        | 23.24              | 22.27     | < 34.77     |
|                        |                         | 1       | 1         | 23.31              | 22.34     | < 34.77     |
|                        |                         | 1       | 77        | 23.36              | 22.39     | < 34.77     |
|                        |                         | 75      | 0         | 23.33              | 22.36     | < 34.77     |
|                        |                         | 1       | 78        | 23.31              | 22.34     | < 34.77     |
|                        |                         | 1       | 0         | 23.35              | 22.38     | < 34.77     |
| 708.5                  | 15                      | 36      | 18        | 23.29              | 22.32     | < 34.77     |
|                        |                         | 1       | 1         | 23.54              | 22.57     | < 34.77     |
|                        |                         | 1       | 77        | 23.41              | 22.44     | < 34.77     |
|                        |                         | 75      | 0         | 23.34              | 22.37     | < 34.77     |
|                        |                         | 1       | 78        | 23.34              | 22.37     | < 34.77     |
|                        |                         | 1       | 0         | 23.21              | 22.24     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |           |             |
| 701.5            | 5                       | 12      | 6         | 23.08              | 22.11     | < 34.77     |
|                  |                         | 1       | 1         | 23.10              | 22.13     | < 34.77     |
|                  |                         | 1       | 23        | 23.13              | 22.16     | < 34.77     |
|                  |                         | 25      | 0         | 22.09              | 21.12     | < 34.77     |
|                  |                         | 1       | 24        | 22.39              | 21.42     | < 34.77     |
|                  |                         | 1       | 0         | 22.34              | 21.37     | < 34.77     |
| 707.5            | 5                       | 12      | 6         | 22.93              | 21.96     | < 34.77     |
|                  |                         | 1       | 1         | 23.44              | 22.47     | < 34.77     |
|                  |                         | 1       | 23        | 23.41              | 22.44     | < 34.77     |
|                  |                         | 25      | 0         | 22.06              | 21.09     | < 34.77     |
|                  |                         | 1       | 24        | 22.39              | 21.42     | < 34.77     |
|                  |                         | 1       | 0         | 22.35              | 21.38     | < 34.77     |
| 713.5            | 5                       | 12      | 6         | 23.08              | 22.11     | < 34.77     |
|                  |                         | 1       | 1         | 23.13              | 22.16     | < 34.77     |
|                  |                         | 1       | 23        | 23.22              | 22.25     | < 34.77     |
|                  |                         | 25      | 0         | 22.12              | 21.15     | < 34.77     |
|                  |                         | 1       | 24        | 22.40              | 21.43     | < 34.77     |
|                  |                         | 1       | 0         | 22.38              | 21.41     | < 34.77     |
| 704.0            | 10                      | 25      | 12        | 23.19              | 22.22     | < 34.77     |
|                  |                         | 1       | 1         | 23.43              | 22.46     | < 34.77     |
|                  |                         | 1       | 50        | 23.34              | 22.37     | < 34.77     |
|                  |                         | 50      | 0         | 22.16              | 21.19     | < 34.77     |
|                  |                         | 1       | 51        | 22.25              | 21.28     | < 34.77     |
|                  |                         | 1       | 0         | 22.28              | 21.31     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |           |             |
| 707.5            | 10                      | 25      | 12        | 23.08              | 22.11     | < 34.77     |
|                  |                         | 1       | 1         | 23.16              | 22.19     | < 34.77     |
|                  |                         | 1       | 50        | 23.07              | 22.10     | < 34.77     |
|                  |                         | 50      | 0         | 22.13              | 21.16     | < 34.77     |
|                  |                         | 1       | 51        | 22.39              | 21.42     | < 34.77     |
|                  |                         | 1       | 0         | 22.45              | 21.48     | < 34.77     |
| 711.0            | 10                      | 25      | 12        | 23.15              | 22.18     | < 34.77     |
|                  |                         | 1       | 1         | 23.13              | 22.16     | < 34.77     |
|                  |                         | 1       | 50        | 23.19              | 22.22     | < 34.77     |
|                  |                         | 50      | 0         | 22.23              | 21.26     | < 34.77     |
|                  |                         | 1       | 51        | 22.36              | 21.39     | < 34.77     |
|                  |                         | 1       | 0         | 22.36              | 21.39     | < 34.77     |
| 706.5            | 15                      | 36      | 18        | 23.34              | 22.37     | < 34.77     |
|                  |                         | 1       | 1         | 23.49              | 22.52     | < 34.77     |
|                  |                         | 1       | 77        | 23.41              | 22.44     | < 34.77     |
|                  |                         | 75      | 0         | 22.37              | 21.40     | < 34.77     |
|                  |                         | 1       | 78        | 22.35              | 21.38     | < 34.77     |
|                  |                         | 1       | 0         | 22.42              | 21.45     | < 34.77     |
| 707.5            | 15                      | 36      | 18        | 23.32              | 22.35     | < 34.77     |
|                  |                         | 1       | 1         | 23.45              | 22.48     | < 34.77     |
|                  |                         | 1       | 77        | 23.50              | 22.53     | < 34.77     |
|                  |                         | 75      | 0         | 22.29              | 21.32     | < 34.77     |
|                  |                         | 1       | 78        | 22.39              | 21.42     | < 34.77     |
|                  |                         | 1       | 0         | 22.14              | 21.17     | < 34.77     |
| 708.5            | 15                      | 36      | 18        | 23.28              | 22.31     | < 34.77     |
|                  |                         | 1       | 1         | 23.44              | 22.47     | < 34.77     |
|                  |                         | 1       | 77        | 23.48              | 22.51     | < 34.77     |
|                  |                         | 75      | 0         | 22.31              | 21.34     | < 34.77     |
|                  |                         | 1       | 78        | 22.33              | 21.36     | < 34.77     |
|                  |                         | 1       | 0         | 22.36              | 21.39     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |           |             |
| 701.5            | 5                       | 12      | 6         | 21.73              | 20.76     | < 34.77     |
|                  |                         | 1       | 1         | 21.66              | 20.69     | < 34.77     |
|                  |                         | 1       | 23        | 21.61              | 20.64     | < 34.77     |
|                  |                         | 25      | 0         | 21.62              | 20.65     | < 34.77     |
|                  |                         | 1       | 24        | 21.69              | 20.72     | < 34.77     |
|                  |                         | 1       | 0         | 21.58              | 20.61     | < 34.77     |
| 707.5            | 5                       | 12      | 6         | 21.61              | 20.64     | < 34.77     |
|                  |                         | 1       | 1         | 21.81              | 20.84     | < 34.77     |
|                  |                         | 1       | 23        | 21.90              | 20.93     | < 34.77     |
|                  |                         | 25      | 0         | 21.75              | 20.78     | < 34.77     |
|                  |                         | 1       | 24        | 21.83              | 20.86     | < 34.77     |
|                  |                         | 1       | 0         | 21.79              | 20.82     | < 34.77     |
| 713.5            | 5                       | 12      | 6         | 21.77              | 20.80     | < 34.77     |
|                  |                         | 1       | 1         | 21.67              | 20.70     | < 34.77     |
|                  |                         | 1       | 23        | 21.75              | 20.78     | < 34.77     |
|                  |                         | 25      | 0         | 21.70              | 20.73     | < 34.77     |
|                  |                         | 1       | 24        | 21.78              | 20.81     | < 34.77     |
|                  |                         | 1       | 0         | 21.71              | 20.74     | < 34.77     |
| 704.0            | 10                      | 25      | 12        | 21.74              | 20.77     | < 34.77     |
|                  |                         | 1       | 1         | 21.89              | 20.92     | < 34.77     |
|                  |                         | 1       | 50        | 21.82              | 20.85     | < 34.77     |
|                  |                         | 50      | 0         | 21.63              | 20.66     | < 34.77     |
|                  |                         | 1       | 51        | 21.75              | 20.78     | < 34.77     |
|                  |                         | 1       | 0         | 21.79              | 20.82     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |           |             |
| 701.5  | 5                       | 12      | 6         | 19.70              | 18.73     | < 34.77     |
|  |                         | 1       | 1         | 19.31              | 18.34     | < 34.77     |
|  |                         | 1       | 23        | 19.20              | 18.23     | < 34.77     |
|  |                         | 25      | 0         | 19.56              | 18.59     | < 34.77     |
|  |                         | 1       | 24        | 19.20              | 18.23     | < 34.77     |
|  |                         | 1       | 0         | 19.26              | 18.29     | < 34.77     |
| 707.5  | 5                       | 12      | 6         | 19.65              | 18.68     | < 34.77     |
|  |                         | 1       | 1         | 19.33              | 18.36     | < 34.77     |
|  |                         | 1       | 23        | 19.41              | 18.44     | < 34.77     |
|  |                         | 25      | 0         | 19.64              | 18.67     | < 34.77     |
|  |                         | 1       | 24        | 19.33              | 18.36     | < 34.77     |
|  |                         | 1       | 0         | 19.27              | 18.30     | < 34.77     |
| 713.5  | 5                       | 12      | 6         | 19.68              | 18.71     | < 34.77     |
|  |                         | 1       | 1         | 19.23              | 18.26     | < 34.77     |
|  |                         | 1       | 23        | 19.30              | 18.33     | < 34.77     |
|  |                         | 25      | 0         | 19.57              | 18.60     | < 34.77     |
|  |                         | 1       | 24        | 19.29              | 18.32     | < 34.77     |
|  |                         | 1       | 0         | 19.31              | 18.34     | < 34.77     |
| 704.0  | 10                      | 25      | 12        | 19.59              | 18.62     | < 34.77     |
|  |                         | 1       | 1         | 19.33              | 18.36     | < 34.77     |
|  |                         | 1       | 50        | 19.40              | 18.43     | < 34.77     |
|  |                         | 50      | 0         | 19.61              | 18.64     | < 34.77     |
|  |                         | 1       | 51        | 19.36              | 18.39     | < 34.77     |
|  |                         | 1       | 0         | 19.20              | 18.23     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 25QAM |                         |         |           |                    |           |             |
| 707.5            | 10                      | 25      | 12        | 19.67              | 18.70     | < 34.77     |
|                  |                         | 1       | 1         | 19.24              | 18.27     | < 34.77     |
|                  |                         | 1       | 50        | 19.39              | 18.42     | < 34.77     |
|                  |                         | 50      | 0         | 19.58              | 18.61     | < 34.77     |
|                  |                         | 1       | 51        | 19.29              | 18.32     | < 34.77     |
|                  |                         | 1       | 0         | 19.19              | 18.22     | < 34.77     |
| 711.0            | 10                      | 25      | 12        | 19.61              | 18.64     | < 34.77     |
|                  |                         | 1       | 1         | 19.27              | 18.30     | < 34.77     |
|                  |                         | 1       | 50        | 19.34              | 18.37     | < 34.77     |
|                  |                         | 50      | 0         | 19.69              | 18.72     | < 34.77     |
|                  |                         | 1       | 51        | 19.38              | 18.41     | < 34.77     |
|                  |                         | 1       | 0         | 19.16              | 18.19     | < 34.77     |
| 706.5            | 15                      | 36      | 18        | 19.77              | 18.80     | < 34.77     |
|                  |                         | 1       | 1         | 19.49              | 18.52     | < 34.77     |
|                  |                         | 1       | 77        | 19.41              | 18.44     | < 34.77     |
|                  |                         | 75      | 0         | 19.82              | 18.85     | < 34.77     |
|                  |                         | 1       | 78        | 19.33              | 18.36     | < 34.77     |
|                  |                         | 1       | 0         | 19.47              | 18.50     | < 34.77     |
| 707.5            | 15                      | 36      | 18        | 19.75              | 18.78     | < 34.77     |
|                  |                         | 1       | 1         | 19.46              | 18.49     | < 34.77     |
|                  |                         | 1       | 77        | 19.43              | 18.46     | < 34.77     |
|                  |                         | 75      | 0         | 19.83              | 18.86     | < 34.77     |
|                  |                         | 1       | 78        | 19.36              | 18.39     | < 34.77     |
|                  |                         | 1       | 0         | 19.63              | 18.66     | < 34.77     |
| 708.5            | 15                      | 36      | 18        | 19.73              | 18.76     | < 34.77     |
|                  |                         | 1       | 1         | 19.50              | 18.53     | < 34.77     |
|                  |                         | 1       | 77        | 19.36              | 18.39     | < 34.77     |
|                  |                         | 75      | 0         | 19.76              | 18.79     | < 34.77     |
|                  |                         | 1       | 78        | 19.36              | 18.39     | < 34.77     |
|                  |                         | 1       | 0         | 19.44              | 18.47     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |           |             |
| 701.5           | 5                       | 13      | 6         | 22.65              | 21.68     | < 34.77     |
|                 |                         | 1       | 1         | 22.58              | 21.61     | < 34.77     |
|                 |                         | 1       | 23        | 22.52              | 21.55     | < 34.77     |
|                 |                         | 25      | 0         | 21.19              | 20.22     | < 34.77     |
|                 |                         | 1       | 24        | 21.11              | 20.14     | < 34.77     |
|                 |                         | 1       | 0         | 21.19              | 20.22     | < 34.77     |
| 707.5           | 5                       | 13      | 6         | 22.56              | 21.59     | < 34.77     |
|                 |                         | 1       | 1         | 22.85              | 21.88     | < 34.77     |
|                 |                         | 1       | 23        | 22.87              | 21.90     | < 34.77     |
|                 |                         | 25      | 0         | 21.20              | 20.23     | < 34.77     |
|                 |                         | 1       | 24        | 21.17              | 20.20     | < 34.77     |
|                 |                         | 1       | 0         | 21.16              | 20.19     | < 34.77     |
| 713.5           | 5                       | 13      | 6         | 22.61              | 21.64     | < 34.77     |
|                 |                         | 1       | 1         | 22.68              | 21.71     | < 34.77     |
|                 |                         | 1       | 23        | 22.78              | 21.81     | < 34.77     |
|                 |                         | 25      | 0         | 21.18              | 20.21     | < 34.77     |
|                 |                         | 1       | 24        | 21.23              | 20.26     | < 34.77     |
|                 |                         | 1       | 0         | 21.13              | 20.16     | < 34.77     |
| 704.0           | 10                      | 26      | 13        | 22.62              | 21.65     | < 34.77     |
|                 |                         | 1       | 1         | 22.89              | 21.92     | < 34.77     |
|                 |                         | 1       | 50        | 22.89              | 21.92     | < 34.77     |
|                 |                         | 52      | 0         | 21.15              | 20.18     | < 34.77     |
|                 |                         | 1       | 51        | 21.21              | 20.24     | < 34.77     |
|                 |                         | 1       | 0         | 21.19              | 20.22     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |           |             |
| 707.5  | 10                      | 26      | 13        | 22.63              | 21.66     | < 34.77     |
|  |                         | 1       | 1         | 22.62              | 21.65     | < 34.77     |
|  |                         | 1       | 50        | 22.69              | 21.72     | < 34.77     |
|  |                         | 52      | 0         | 21.21              | 20.24     | < 34.77     |
|  |                         | 1       | 51        | 21.14              | 20.17     | < 34.77     |
|  |                         | 1       | 0         | 21.23              | 20.26     | < 34.77     |
| 711.0  | 10                      | 26      | 13        | 22.63              | 21.66     | < 34.77     |
|  |                         | 1       | 1         | 22.75              | 21.78     | < 34.77     |
|  |                         | 1       | 50        | 22.63              | 21.66     | < 34.77     |
|  |                         | 52      | 0         | 21.06              | 20.09     | < 34.77     |
|  |                         | 1       | 51        | 21.15              | 20.18     | < 34.77     |
|  |                         | 1       | 0         | 21.13              | 20.16     | < 34.77     |
| 706.5  | 15                      | 39      | 19        | 22.64              | 21.67     | < 34.77     |
|  |                         | 1       | 1         | 22.83              | 21.86     | < 34.77     |
|  |                         | 1       | 77        | 22.90              | 21.93     | < 34.77     |
|  |                         | 79      | 0         | 21.27              | 20.30     | < 34.77     |
|  |                         | 1       | 78        | 21.20              | 20.23     | < 34.77     |
|  |                         | 1       | 0         | 21.26              | 20.29     | < 34.77     |
| 707.5  | 15                      | 39      | 19        | 22.67              | 21.70     | < 34.77     |
|  |                         | 1       | 1         | 22.90              | 21.93     | < 34.77     |
|  |                         | 1       | 77        | 22.91              | 21.94     | < 34.77     |
|  |                         | 79      | 0         | 21.30              | 20.33     | < 34.77     |
|  |                         | 1       | 78        | 21.25              | 20.28     | < 34.77     |
|  |                         | 1       | 0         | 21.23              | 20.26     | < 34.77     |
| 708.5  | 15                      | 39      | 19        | 22.69              | 21.72     | < 34.77     |
|  |                         | 1       | 1         | 22.87              | 21.90     | < 34.77     |
|  |                         | 1       | 77        | 22.89              | 21.92     | < 34.77     |
|  |                         | 79      | 0         | 21.25              | 20.28     | < 34.77     |
|  |                         | 1       | 78        | 21.32              | 20.35     | < 34.77     |
|  |                         | 1       | 0         | 21.23              | 20.26     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |           |             |
| 701.5           | 5                       | 13      | 6         | 22.34              | 21.37     | < 34.77     |
|                 |                         | 1       | 1         | 22.33              | 21.36     | < 34.77     |
|                 |                         | 1       | 23        | 22.36              | 21.39     | < 34.77     |
|                 |                         | 25      | 0         | 21.18              | 20.21     | < 34.77     |
|                 |                         | 1       | 24        | 21.48              | 20.51     | < 34.77     |
|                 |                         | 1       | 0         | 21.49              | 20.52     | < 34.77     |
| 707.5           | 5                       | 13      | 6         | 22.17              | 21.20     | < 34.77     |
|                 |                         | 1       | 1         | 22.36              | 21.39     | < 34.77     |
|                 |                         | 1       | 23        | 22.33              | 21.36     | < 34.77     |
|                 |                         | 25      | 0         | 21.12              | 20.15     | < 34.77     |
|                 |                         | 1       | 24        | 21.05              | 20.08     | < 34.77     |
|                 |                         | 1       | 0         | 20.84              | 19.87     | < 34.77     |
| 713.5           | 5                       | 13      | 6         | 22.34              | 21.37     | < 34.77     |
|                 |                         | 1       | 1         | 22.33              | 21.36     | < 34.77     |
|                 |                         | 1       | 23        | 22.33              | 21.36     | < 34.77     |
|                 |                         | 25      | 0         | 21.17              | 20.20     | < 34.77     |
|                 |                         | 1       | 24        | 21.54              | 20.57     | < 34.77     |
|                 |                         | 1       | 0         | 21.50              | 20.53     | < 34.77     |
| 704.0           | 10                      | 26      | 13        | 22.13              | 21.16     | < 34.77     |
|                 |                         | 1       | 1         | 22.29              | 21.32     | < 34.77     |
|                 |                         | 1       | 50        | 22.15              | 21.18     | < 34.77     |
|                 |                         | 52      | 0         | 21.07              | 20.10     | < 34.77     |
|                 |                         | 1       | 51        | 21.01              | 20.04     | < 34.77     |
|                 |                         | 1       | 0         | 20.92              | 19.95     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |           |             |
| 707.5           | 10                      | 26      | 13        | 22.17              | 21.20     | < 34.77     |
|                 |                         | 1       | 1         | 22.40              | 21.43     | < 34.77     |
|                 |                         | 1       | 50        | 22.28              | 21.31     | < 34.77     |
|                 |                         | 52      | 0         | 21.06              | 20.09     | < 34.77     |
|                 |                         | 1       | 51        | 21.56              | 20.59     | < 34.77     |
|                 |                         | 1       | 0         | 21.41              | 20.44     | < 34.77     |
| 711.0           | 10                      | 26      | 13        | 22.16              | 21.19     | < 34.77     |
|                 |                         | 1       | 1         | 22.34              | 21.37     | < 34.77     |
|                 |                         | 1       | 50        | 22.35              | 21.38     | < 34.77     |
|                 |                         | 52      | 0         | 21.16              | 20.19     | < 34.77     |
|                 |                         | 1       | 51        | 21.62              | 20.65     | < 34.77     |
|                 |                         | 1       | 0         | 21.50              | 20.53     | < 34.77     |
| 706.5           | 15                      | 39      | 19        | 22.29              | 21.32     | < 34.77     |
|                 |                         | 1       | 1         | 22.43              | 21.46     | < 34.77     |
|                 |                         | 1       | 77        | 22.33              | 21.36     | < 34.77     |
|                 |                         | 79      | 0         | 21.34              | 20.37     | < 34.77     |
|                 |                         | 1       | 78        | 21.06              | 20.09     | < 34.77     |
|                 |                         | 1       | 0         | 21.08              | 20.11     | < 34.77     |
| 707.5           | 15                      | 39      | 19        | 22.30              | 21.33     | < 34.77     |
|                 |                         | 1       | 1         | 22.41              | 21.44     | < 34.77     |
|                 |                         | 1       | 77        | 22.44              | 21.47     | < 34.77     |
|                 |                         | 79      | 0         | 21.37              | 20.40     | < 34.77     |
|                 |                         | 1       | 78        | 20.98              | 20.01     | < 34.77     |
|                 |                         | 1       | 0         | 21.24              | 20.27     | < 34.77     |
| 708.5           | 15                      | 39      | 19        | 22.21              | 21.24     | < 34.77     |
|                 |                         | 1       | 1         | 22.34              | 21.37     | < 34.77     |
|                 |                         | 1       | 77        | 22.47              | 21.50     | < 34.77     |
|                 |                         | 79      | 0         | 21.34              | 20.37     | < 34.77     |
|                 |                         | 1       | 78        | 21.15              | 20.18     | < 34.77     |
|                 |                         | 1       | 0         | 21.00              | 20.03     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |           |             |
| 701.5  | 5                       | 13      | 6         | 20.84              | 19.87     | < 34.77     |
|  |                         | 1       | 1         | 20.50              | 19.53     | < 34.77     |
|  |                         | 1       | 23        | 20.68              | 19.71     | < 34.77     |
|  |                         | 25      | 0         | 20.68              | 19.71     | < 34.77     |
|  |                         | 1       | 24        | 20.67              | 19.70     | < 34.77     |
|  |                         | 1       | 0         | 20.55              | 19.58     | < 34.77     |
| 707.5  | 5                       | 13      | 6         | 20.70              | 19.73     | < 34.77     |
|  |                         | 1       | 1         | 20.70              | 19.73     | < 34.77     |
|  |                         | 1       | 23        | 20.58              | 19.61     | < 34.77     |
|  |                         | 25      | 0         | 20.50              | 19.53     | < 34.77     |
|  |                         | 1       | 24        | 20.64              | 19.67     | < 34.77     |
|  |                         | 1       | 0         | 20.79              | 19.82     | < 34.77     |
| 713.5  | 5                       | 13      | 6         | 20.69              | 19.72     | < 34.77     |
|  |                         | 1       | 1         | 20.83              | 19.86     | < 34.77     |
|  |                         | 1       | 23        | 20.85              | 19.88     | < 34.77     |
|  |                         | 25      | 0         | 20.71              | 19.74     | < 34.77     |
|  |                         | 1       | 24        | 20.36              | 19.39     | < 34.77     |
|  |                         | 1       | 0         | 20.76              | 19.79     | < 34.77     |
| 704.0  | 10                      | 26      | 13        | 20.62              | 19.65     | < 34.77     |
|  |                         | 1       | 1         | 20.57              | 19.60     | < 34.77     |
|  |                         | 1       | 50        | 20.61              | 19.64     | < 34.77     |
|  |                         | 52      | 0         | 20.67              | 19.70     | < 34.77     |
|  |                         | 1       | 51        | 20.75              | 19.78     | < 34.77     |
|  |                         | 1       | 0         | 20.59              | 19.62     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |           |             |
| 707.5           | 10                      | 26      | 13        | 20.62              | 19.65     | < 34.77     |
|                 |                         | 1       | 1         | 20.89              | 19.92     | < 34.77     |
|                 |                         | 1       | 50        | 20.88              | 19.91     | < 34.77     |
|                 |                         | 52      | 0         | 20.64              | 19.67     | < 34.77     |
|                 |                         | 1       | 51        | 20.81              | 19.84     | < 34.77     |
|                 |                         | 1       | 0         | 20.95              | 19.98     | < 34.77     |
| 711.0           | 10                      | 26      | 13        | 20.68              | 19.71     | < 34.77     |
|                 |                         | 1       | 1         | 20.75              | 19.78     | < 34.77     |
|                 |                         | 1       | 50        | 20.95              | 19.98     | < 34.77     |
|                 |                         | 52      | 0         | 20.63              | 19.66     | < 34.77     |
|                 |                         | 1       | 51        | 20.78              | 19.81     | < 34.77     |
|                 |                         | 1       | 0         | 20.80              | 19.83     | < 34.77     |
| 706.5           | 15                      | 39      | 19        | 20.79              | 19.82     | < 34.77     |
|                 |                         | 1       | 1         | 20.66              | 19.69     | < 34.77     |
|                 |                         | 1       | 77        | 20.67              | 19.70     | < 34.77     |
|                 |                         | 79      | 0         | 20.83              | 19.86     | < 34.77     |
|                 |                         | 1       | 78        | 20.69              | 19.72     | < 34.77     |
|                 |                         | 1       | 0         | 20.79              | 19.82     | < 34.77     |
| 707.5           | 15                      | 39      | 19        | 20.79              | 19.82     | < 34.77     |
|                 |                         | 1       | 1         | 20.50              | 19.53     | < 34.77     |
|                 |                         | 1       | 77        | 20.64              | 19.67     | < 34.77     |
|                 |                         | 79      | 0         | 20.81              | 19.84     | < 34.77     |
|                 |                         | 1       | 78        | 20.75              | 19.78     | < 34.77     |
|                 |                         | 1       | 0         | 20.73              | 19.76     | < 34.77     |
| 708.5           | 15                      | 39      | 19        | 20.75              | 19.78     | < 34.77     |
|                 |                         | 1       | 1         | 20.65              | 19.68     | < 34.77     |
|                 |                         | 1       | 77        | 20.72              | 19.75     | < 34.77     |
|                 |                         | 79      | 0         | 20.76              | 19.79     | < 34.77     |
|                 |                         | 1       | 78        | 20.82              | 19.85     | < 34.77     |
|                 |                         | 1       | 0         | 20.67              | 19.70     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |           |             |
| 701.5  | 5                       | 13      | 6         | 17.86              | 16.89     | < 34.77     |
|  |                         | 1       | 1         | 17.52              | 16.55     | < 34.77     |
|  |                         | 1       | 23        | 17.47              | 16.50     | < 34.77     |
|  |                         | 25      | 0         | 17.56              | 16.59     | < 34.77     |
|  |                         | 1       | 24        | 17.37              | 16.40     | < 34.77     |
|  |                         | 1       | 0         | 17.50              | 16.53     | < 34.77     |
| 707.5  | 5                       | 13      | 6         | 17.81              | 16.84     | < 34.77     |
|  |                         | 1       | 1         | 17.41              | 16.44     | < 34.77     |
|  |                         | 1       | 23        | 17.50              | 16.53     | < 34.77     |
|  |                         | 25      | 0         | 17.64              | 16.67     | < 34.77     |
|  |                         | 1       | 24        | 17.42              | 16.45     | < 34.77     |
|  |                         | 1       | 0         | 17.37              | 16.40     | < 34.77     |
| 713.5  | 5                       | 13      | 6         | 17.85              | 16.88     | < 34.77     |
|  |                         | 1       | 1         | 17.27              | 16.30     | < 34.77     |
|  |                         | 1       | 23        | 17.29              | 16.32     | < 34.77     |
|  |                         | 25      | 0         | 17.59              | 16.62     | < 34.77     |
|  |                         | 1       | 24        | 17.36              | 16.39     | < 34.77     |
|  |                         | 1       | 0         | 17.23              | 16.26     | < 34.77     |
| 704.0  | 10                      | 26      | 13        | 17.65              | 16.68     | < 34.77     |
|  |                         | 1       | 1         | 17.55              | 16.58     | < 34.77     |
|  |                         | 1       | 50        | 17.62              | 16.65     | < 34.77     |
|  |                         | 52      | 0         | 17.60              | 16.63     | < 34.77     |
|  |                         | 1       | 51        | 17.64              | 16.67     | < 34.77     |
|  |                         | 1       | 0         | 17.51              | 16.54     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |           |             |
| 707.5           | 10                      | 26      | 13        | 17.65              | 16.68     | < 34.77     |
|                 |                         | 1       | 1         | 17.37              | 16.40     | < 34.77     |
|                 |                         | 1       | 50        | 17.40              | 16.43     | < 34.77     |
|                 |                         | 52      | 0         | 17.63              | 16.66     | < 34.77     |
|                 |                         | 1       | 51        | 17.50              | 16.53     | < 34.77     |
|                 |                         | 1       | 0         | 17.31              | 16.34     | < 34.77     |
| 711.0           | 10                      | 26      | 13        | 17.57              | 16.60     | < 34.77     |
|                 |                         | 1       | 1         | 17.35              | 16.38     | < 34.77     |
|                 |                         | 1       | 50        | 17.42              | 16.45     | < 34.77     |
|                 |                         | 52      | 0         | 17.68              | 16.71     | < 34.77     |
|                 |                         | 1       | 51        | 17.44              | 16.47     | < 34.77     |
|                 |                         | 1       | 0         | 17.32              | 16.35     | < 34.77     |
| 706.5           | 15                      | 39      | 19        | 17.73              | 16.76     | < 34.77     |
|                 |                         | 1       | 1         | 17.59              | 16.62     | < 34.77     |
|                 |                         | 1       | 77        | 17.68              | 16.71     | < 34.77     |
|                 |                         | 79      | 0         | 17.86              | 16.89     | < 34.77     |
|                 |                         | 1       | 78        | 17.61              | 16.64     | < 34.77     |
|                 |                         | 1       | 0         | 17.68              | 16.71     | < 34.77     |
| 707.5           | 15                      | 39      | 19        | 17.84              | 16.87     | < 34.77     |
|                 |                         | 1       | 1         | 17.66              | 16.69     | < 34.77     |
|                 |                         | 1       | 77        | 17.63              | 16.66     | < 34.77     |
|                 |                         | 79      | 0         | 17.81              | 16.84     | < 34.77     |
|                 |                         | 1       | 78        | 17.54              | 16.57     | < 34.77     |
|                 |                         | 1       | 0         | 17.85              | 16.88     | < 34.77     |
| 708.5           | 15                      | 39      | 19        | 17.73              | 16.76     | < 34.77     |
|                 |                         | 1       | 1         | 17.73              | 16.76     | < 34.77     |
|                 |                         | 1       | 77        | 17.64              | 16.67     | < 34.77     |
|                 |                         | 79      | 0         | 17.77              | 16.80     | < 34.77     |
|                 |                         | 1       | 78        | 17.63              | 16.66     | < 34.77     |
|                 |                         | 1       | 0         | 17.68              | 16.71     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n13_SA    |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |           |             |
| 779.5                | 5                       | 12      | 6         | 22.51              | 21.54     | < 34.77     |
|                      |                         | 1       | 1         | 22.52              | 21.55     | < 34.77     |
|                      |                         | 1       | 23        | 22.63              | 21.66     | < 34.77     |
|                      |                         | 25      | 0         | 22.53              | 21.56     | < 34.77     |
|                      |                         | 1       | 24        | 22.63              | 21.66     | < 34.77     |
|                      |                         | 1       | 0         | 22.46              | 21.49     | < 34.77     |
| 782.0                | 5                       | 12      | 6         | 22.71              | 21.74     | < 34.77     |
|                      |                         | 1       | 1         | 22.52              | 21.55     | < 34.77     |
|                      |                         | 1       | 23        | 22.58              | 21.61     | < 34.77     |
|                      |                         | 25      | 0         | 22.59              | 21.62     | < 34.77     |
|                      |                         | 1       | 24        | 22.56              | 21.59     | < 34.77     |
|                      |                         | 1       | 0         | 22.58              | 21.61     | < 34.77     |
| 784.5                | 5                       | 12      | 6         | 22.62              | 21.65     | < 34.77     |
|                      |                         | 1       | 1         | 22.64              | 21.67     | < 34.77     |
|                      |                         | 1       | 23        | 22.63              | 21.66     | < 34.77     |
|                      |                         | 25      | 0         | 22.64              | 21.67     | < 34.77     |
|                      |                         | 1       | 24        | 22.46              | 21.49     | < 34.77     |
|                      |                         | 1       | 0         | 22.56              | 21.59     | < 34.77     |
| 782.0                | 10                      | 25      | 12        | 22.53              | 21.56     | < 34.77     |
|                      |                         | 1       | 1         | 22.54              | 21.57     | < 34.77     |
|                      |                         | 1       | 50        | 22.52              | 21.55     | < 34.77     |
|                      |                         | 50      | 0         | 22.54              | 21.57     | < 34.77     |
|                      |                         | 1       | 51        | 22.56              | 21.59     | < 34.77     |
|                      |                         | 1       | 0         | 22.51              | 21.54     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |           |             |
| 779.5                  | 5                       | 12      | 6         | 22.58              | 21.61     | < 34.77     |
|                        |                         | 1       | 1         | 22.47              | 21.50     | < 34.77     |
|                        |                         | 1       | 23        | 22.47              | 21.50     | < 34.77     |
|                        |                         | 25      | 0         | 22.50              | 21.53     | < 34.77     |
|                        |                         | 1       | 24        | 22.57              | 21.60     | < 34.77     |
|                        |                         | 1       | 0         | 22.47              | 21.50     | < 34.77     |
| 782.0                  | 5                       | 12      | 6         | 22.69              | 21.72     | < 34.77     |
|                        |                         | 1       | 1         | 22.49              | 21.52     | < 34.77     |
|                        |                         | 1       | 23        | 22.51              | 21.54     | < 34.77     |
|                        |                         | 25      | 0         | 22.65              | 21.68     | < 34.77     |
|                        |                         | 1       | 24        | 22.56              | 21.59     | < 34.77     |
|                        |                         | 1       | 0         | 22.46              | 21.49     | < 34.77     |
| 784.5                  | 5                       | 12      | 6         | 22.53              | 21.56     | < 34.77     |
|                        |                         | 1       | 1         | 22.63              | 21.66     | < 34.77     |
|                        |                         | 1       | 23        | 22.63              | 21.66     | < 34.77     |
|                        |                         | 25      | 0         | 22.59              | 21.62     | < 34.77     |
|                        |                         | 1       | 24        | 22.55              | 21.58     | < 34.77     |
|                        |                         | 1       | 0         | 22.57              | 21.60     | < 34.77     |
| 782.0                  | 10                      | 25      | 12        | 22.62              | 21.65     | < 34.77     |
|                        |                         | 1       | 1         | 22.51              | 21.54     | < 34.77     |
|                        |                         | 1       | 50        | 22.49              | 21.52     | < 34.77     |
|                        |                         | 50      | 0         | 22.60              | 21.63     | < 34.77     |
|                        |                         | 1       | 51        | 22.52              | 21.55     | < 34.77     |
|                        |                         | 1       | 0         | 22.55              | 21.58     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |           |             |
| 779.5            | 5                       | 12      | 6         | 22.52              | 21.55     | < 34.77     |
|                  |                         | 1       | 1         | 22.75              | 21.78     | < 34.77     |
|                  |                         | 1       | 23        | 22.49              | 21.52     | < 34.77     |
|                  |                         | 25      | 0         | 21.46              | 20.49     | < 34.77     |
|                  |                         | 1       | 24        | 21.67              | 20.70     | < 34.77     |
|                  |                         | 1       | 0         | 21.34              | 20.37     | < 34.77     |
| 782.0            | 5                       | 12      | 6         | 22.68              | 21.71     | < 34.77     |
|                  |                         | 1       | 1         | 22.60              | 21.63     | < 34.77     |
|                  |                         | 1       | 23        | 22.69              | 21.72     | < 34.77     |
|                  |                         | 25      | 0         | 21.64              | 20.67     | < 34.77     |
|                  |                         | 1       | 24        | 21.35              | 20.38     | < 34.77     |
|                  |                         | 1       | 0         | 21.36              | 20.39     | < 34.77     |
| 784.5            | 5                       | 12      | 6         | 22.57              | 21.60     | < 34.77     |
|                  |                         | 1       | 1         | 22.67              | 21.70     | < 34.77     |
|                  |                         | 1       | 23        | 22.63              | 21.66     | < 34.77     |
|                  |                         | 25      | 0         | 21.58              | 20.61     | < 34.77     |
|                  |                         | 1       | 24        | 21.31              | 20.34     | < 34.77     |
|                  |                         | 1       | 0         | 21.51              | 20.54     | < 34.77     |
| 782.0            | 10                      | 25      | 12        | 22.65              | 21.68     | < 34.77     |
|                  |                         | 1       | 1         | 22.76              | 21.79     | < 34.77     |
|                  |                         | 1       | 50        | 22.71              | 21.74     | < 34.77     |
|                  |                         | 50      | 0         | 21.61              | 20.64     | < 34.77     |
|                  |                         | 1       | 51        | 21.38              | 20.41     | < 34.77     |
|                  |                         | 1       | 0         | 21.42              | 20.45     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |           |             |
| 779.5            | 5                       | 12      | 6         | 21.03              | 20.06     | < 34.77     |
|                  |                         | 1       | 1         | 21.37              | 20.40     | < 34.77     |
|                  |                         | 1       | 23        | 21.38              | 20.41     | < 34.77     |
|                  |                         | 25      | 0         | 21.12              | 20.15     | < 34.77     |
|                  |                         | 1       | 24        | 21.70              | 20.73     | < 34.77     |
|                  |                         | 1       | 0         | 21.42              | 20.45     | < 34.77     |
| 782.0            | 5                       | 12      | 6         | 21.06              | 20.09     | < 34.77     |
|                  |                         | 1       | 1         | 21.34              | 20.37     | < 34.77     |
|                  |                         | 1       | 23        | 21.32              | 20.35     | < 34.77     |
|                  |                         | 25      | 0         | 21.12              | 20.15     | < 34.77     |
|                  |                         | 1       | 24        | 21.29              | 20.32     | < 34.77     |
|                  |                         | 1       | 0         | 21.27              | 20.30     | < 34.77     |
| 784.5            | 5                       | 12      | 6         | 21.10              | 20.13     | < 34.77     |
|                  |                         | 1       | 1         | 21.45              | 20.48     | < 34.77     |
|                  |                         | 1       | 23        | 21.41              | 20.44     | < 34.77     |
|                  |                         | 25      | 0         | 21.04              | 20.07     | < 34.77     |
|                  |                         | 1       | 24        | 21.33              | 20.36     | < 34.77     |
|                  |                         | 1       | 0         | 21.42              | 20.45     | < 34.77     |
| 782.0            | 10                      | 25      | 12        | 21.13              | 20.16     | < 34.77     |
|                  |                         | 1       | 1         | 21.34              | 20.37     | < 34.77     |
|                  |                         | 1       | 50        | 21.32              | 20.35     | < 34.77     |
|                  |                         | 50      | 0         | 21.05              | 20.08     | < 34.77     |
|                  |                         | 1       | 51        | 21.32              | 20.35     | < 34.77     |
|                  |                         | 1       | 0         | 21.39              | 20.42     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |           |             |
| 779.5             | 5                       | 12      | 6         | 18.95              | 17.98     | < 34.77     |
|                   |                         | 1       | 1         | 18.68              | 17.71     | < 34.77     |
|                   |                         | 1       | 23        | 18.79              | 17.82     | < 34.77     |
|                   |                         | 25      | 0         | 19.00              | 18.03     | < 34.77     |
|                   |                         | 1       | 24        | 18.77              | 17.80     | < 34.77     |
|                   |                         | 1       | 0         | 18.63              | 17.66     | < 34.77     |
| 782.0             | 5                       | 12      | 6         | 18.96              | 17.99     | < 34.77     |
|                   |                         | 1       | 1         | 18.62              | 17.65     | < 34.77     |
|                   |                         | 1       | 23        | 18.69              | 17.72     | < 34.77     |
|                   |                         | 25      | 0         | 18.99              | 18.02     | < 34.77     |
|                   |                         | 1       | 24        | 18.72              | 17.75     | < 34.77     |
|                   |                         | 1       | 0         | 18.65              | 17.68     | < 34.77     |
| 784.5             | 5                       | 12      | 6         | 18.94              | 17.97     | < 34.77     |
|                   |                         | 1       | 1         | 18.77              | 17.80     | < 34.77     |
|                   |                         | 1       | 23        | 18.74              | 17.77     | < 34.77     |
|                   |                         | 25      | 0         | 19.01              | 18.04     | < 34.77     |
|                   |                         | 1       | 24        | 18.65              | 17.68     | < 34.77     |
|                   |                         | 1       | 0         | 18.76              | 17.79     | < 34.77     |
| 782.0             | 10                      | 25      | 12        | 18.99              | 18.02     | < 34.77     |
|                   |                         | 1       | 1         | 18.72              | 17.75     | < 34.77     |
|                   |                         | 1       | 50        | 18.66              | 17.69     | < 34.77     |
|                   |                         | 50      | 0         | 19.01              | 18.04     | < 34.77     |
|                   |                         | 1       | 51        | 18.65              | 17.68     | < 34.77     |
|                   |                         | 1       | 0         | 18.65              | 17.68     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |           |             |
| 779.5           | 5                       | 13      | 6         | 22.09              | 21.12     | < 34.77     |
|                 |                         | 1       | 1         | 21.79              | 20.82     | < 34.77     |
|                 |                         | 1       | 23        | 22.04              | 21.07     | < 34.77     |
|                 |                         | 25      | 0         | 20.56              | 19.59     | < 34.77     |
|                 |                         | 1       | 24        | 20.53              | 19.56     | < 34.77     |
|                 |                         | 1       | 0         | 20.46              | 19.49     | < 34.77     |
| 782.0           | 5                       | 13      | 6         | 22.12              | 21.15     | < 34.77     |
|                 |                         | 1       | 1         | 21.96              | 20.99     | < 34.77     |
|                 |                         | 1       | 23        | 21.82              | 20.85     | < 34.77     |
|                 |                         | 25      | 0         | 20.66              | 19.69     | < 34.77     |
|                 |                         | 1       | 24        | 20.50              | 19.53     | < 34.77     |
|                 |                         | 1       | 0         | 20.48              | 19.51     | < 34.77     |
| 784.5           | 5                       | 13      | 6         | 22.12              | 21.15     | < 34.77     |
|                 |                         | 1       | 1         | 22.08              | 21.11     | < 34.77     |
|                 |                         | 1       | 23        | 21.95              | 20.98     | < 34.77     |
|                 |                         | 25      | 0         | 20.60              | 19.63     | < 34.77     |
|                 |                         | 1       | 24        | 20.48              | 19.51     | < 34.77     |
|                 |                         | 1       | 0         | 20.57              | 19.60     | < 34.77     |
| 782.0           | 10                      | 26      | 13        | 22.14              | 21.17     | < 34.77     |
|                 |                         | 1       | 1         | 21.86              | 20.89     | < 34.77     |
|                 |                         | 1       | 50        | 21.97              | 21.00     | < 34.77     |
|                 |                         | 52      | 0         | 20.68              | 19.71     | < 34.77     |
|                 |                         | 1       | 51        | 20.35              | 19.38     | < 34.77     |
|                 |                         | 1       | 0         | 20.53              | 19.56     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |           |             |
| 779.5  | 5                       | 13      | 6         | 21.52              | 20.55     | < 34.77     |
|  |                         | 1       | 1         | 21.46              | 20.49     | < 34.77     |
|  |                         | 1       | 23        | 21.53              | 20.56     | < 34.77     |
|  |                         | 25      | 0         | 20.61              | 19.64     | < 34.77     |
|  |                         | 1       | 24        | 20.74              | 19.77     | < 34.77     |
|  |                         | 1       | 0         | 20.62              | 19.65     | < 34.77     |
| 782.0  | 5                       | 13      | 6         | 21.68              | 20.71     | < 34.77     |
|  |                         | 1       | 1         | 21.50              | 20.53     | < 34.77     |
|  |                         | 1       | 23        | 21.57              | 20.60     | < 34.77     |
|  |                         | 25      | 0         | 20.61              | 19.64     | < 34.77     |
|  |                         | 1       | 24        | 20.58              | 19.61     | < 34.77     |
|  |                         | 1       | 0         | 20.59              | 19.62     | < 34.77     |
| 784.5  | 5                       | 13      | 6         | 21.70              | 20.73     | < 34.77     |
|  |                         | 1       | 1         | 21.58              | 20.61     | < 34.77     |
|  |                         | 1       | 23        | 21.52              | 20.55     | < 34.77     |
|  |                         | 25      | 0         | 20.56              | 19.59     | < 34.77     |
|  |                         | 1       | 24        | 20.42              | 19.45     | < 34.77     |
|  |                         | 1       | 0         | 20.48              | 19.51     | < 34.77     |
| 782.0  | 10                      | 26      | 13        | 21.62              | 20.65     | < 34.77     |
|  |                         | 1       | 1         | 21.48              | 20.51     | < 34.77     |
|  |                         | 1       | 50        | 21.49              | 20.52     | < 34.77     |
|  |                         | 52      | 0         | 20.65              | 19.68     | < 34.77     |
|  |                         | 1       | 51        | 20.61              | 19.64     | < 34.77     |
|  |                         | 1       | 0         | 20.55              | 19.58     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                         |         |           |                    |           |             |



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |           |             |
| 779.5           | 5                       | 13      | 6         | 20.12              | 19.15     | < 34.77     |
|                 |                         | 1       | 1         | 20.12              | 19.15     | < 34.77     |
|                 |                         | 1       | 23        | 20.08              | 19.11     | < 34.77     |
|                 |                         | 25      | 0         | 20.00              | 19.03     | < 34.77     |
|                 |                         | 1       | 24        | 20.15              | 19.18     | < 34.77     |
|                 |                         | 1       | 0         | 20.13              | 19.16     | < 34.77     |
| 782.0           | 5                       | 13      | 6         | 20.06              | 19.09     | < 34.77     |
|                 |                         | 1       | 1         | 20.09              | 19.12     | < 34.77     |
|                 |                         | 1       | 23        | 20.20              | 19.23     | < 34.77     |
|                 |                         | 25      | 0         | 20.11              | 19.14     | < 34.77     |
|                 |                         | 1       | 24        | 20.12              | 19.15     | < 34.77     |
|                 |                         | 1       | 0         | 20.06              | 19.09     | < 34.77     |
| 784.5           | 5                       | 13      | 6         | 20.07              | 19.10     | < 34.77     |
|                 |                         | 1       | 1         | 20.15              | 19.18     | < 34.77     |
|                 |                         | 1       | 23        | 20.14              | 19.17     | < 34.77     |
|                 |                         | 25      | 0         | 20.14              | 19.17     | < 34.77     |
|                 |                         | 1       | 24        | 20.03              | 19.06     | < 34.77     |
|                 |                         | 1       | 0         | 20.16              | 19.19     | < 34.77     |
| 782.0           | 10                      | 26      | 13        | 20.07              | 19.10     | < 34.77     |
|                 |                         | 1       | 1         | 20.05              | 19.08     | < 34.77     |
|                 |                         | 1       | 50        | 20.13              | 19.16     | < 34.77     |
|                 |                         | 52      | 0         | 20.10              | 19.13     | < 34.77     |
|                 |                         | 1       | 51        | 20.05              | 19.08     | < 34.77     |
|                 |                         | 1       | 0         | 20.05              | 19.08     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |           |             |
| 779.5           | 5                       | 13      | 6         | 17.29              | 16.32     | < 34.77     |
|                 |                         | 1       | 1         | 17.12              | 16.15     | < 34.77     |
|                 |                         | 1       | 23        | 17.33              | 16.36     | < 34.77     |
|                 |                         | 25      | 0         | 17.31              | 16.34     | < 34.77     |
|                 |                         | 1       | 24        | 16.84              | 15.87     | < 34.77     |
|                 |                         | 1       | 0         | 16.79              | 15.82     | < 34.77     |
| 782.0           | 5                       | 13      | 6         | 17.22              | 16.25     | < 34.77     |
|                 |                         | 1       | 1         | 17.25              | 16.28     | < 34.77     |
|                 |                         | 1       | 23        | 17.28              | 16.31     | < 34.77     |
|                 |                         | 25      | 0         | 17.09              | 16.12     | < 34.77     |
|                 |                         | 1       | 24        | 16.82              | 15.85     | < 34.77     |
|                 |                         | 1       | 0         | 16.83              | 15.86     | < 34.77     |
| 784.5           | 5                       | 13      | 6         | 17.17              | 16.20     | < 34.77     |
|                 |                         | 1       | 1         | 17.28              | 16.31     | < 34.77     |
|                 |                         | 1       | 23        | 17.37              | 16.40     | < 34.77     |
|                 |                         | 25      | 0         | 17.13              | 16.16     | < 34.77     |
|                 |                         | 1       | 24        | 16.76              | 15.79     | < 34.77     |
|                 |                         | 1       | 0         | 16.77              | 15.80     | < 34.77     |
| 782.0           | 10                      | 26      | 13        | 16.85              | 15.88     | < 34.77     |
|                 |                         | 1       | 1         | 16.89              | 15.92     | < 34.77     |
|                 |                         | 1       | 50        | 16.93              | 15.96     | < 34.77     |
|                 |                         | 52      | 0         | 17.03              | 16.06     | < 34.77     |
|                 |                         | 1       | 51        | 16.84              | 15.87     | < 34.77     |
|                 |                         | 1       | 0         | 16.78              | 15.81     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n25_SA    |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 1852.5               | 5                       | 12      | 6         | 22.93              | 24.30      | < 33.01     |
|                      |                         | 1       | 1         | 22.98              | 24.35      | < 33.01     |
|                      |                         | 1       | 23        | 23.00              | 24.37      | < 33.01     |
|                      |                         | 25      | 0         | 23.07              | 24.44      | < 33.01     |
|                      |                         | 1       | 24        | 22.97              | 24.34      | < 33.01     |
|                      |                         | 1       | 0         | 22.97              | 24.34      | < 33.01     |
| 1882.5               | 5                       | 12      | 6         | 23.00              | 24.37      | < 33.01     |
|                      |                         | 1       | 1         | 23.00              | 24.37      | < 33.01     |
|                      |                         | 1       | 23        | 22.97              | 24.34      | < 33.01     |
|                      |                         | 25      | 0         | 23.06              | 24.43      | < 33.01     |
|                      |                         | 1       | 24        | 23.01              | 24.38      | < 33.01     |
|                      |                         | 1       | 0         | 22.92              | 24.29      | < 33.01     |
| 1912.5               | 5                       | 12      | 6         | 23.10              | 24.47      | < 33.01     |
|                      |                         | 1       | 1         | 22.99              | 24.36      | < 33.01     |
|                      |                         | 1       | 23        | 22.82              | 24.19      | < 33.01     |
|                      |                         | 25      | 0         | 23.11              | 24.48      | < 33.01     |
|                      |                         | 1       | 24        | 22.92              | 24.29      | < 33.01     |
|                      |                         | 1       | 0         | 22.95              | 24.32      | < 33.01     |
| 1855.0               | 10                      | 25      | 12        | 23.11              | 24.48      | < 33.01     |
|                      |                         | 1       | 1         | 22.98              | 24.35      | < 33.01     |
|                      |                         | 1       | 50        | 22.97              | 24.34      | < 33.01     |
|                      |                         | 50      | 0         | 23.07              | 24.44      | < 33.01     |
|                      |                         | 1       | 51        | 22.97              | 24.34      | < 33.01     |
|                      |                         | 1       | 0         | 22.98              | 24.35      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 1882.5               | 10                      | 25      | 12        | 23.03              | 24.40      | < 33.01     |
|                      |                         | 1       | 1         | 22.90              | 24.27      | < 33.01     |
|                      |                         | 1       | 50        | 22.92              | 24.29      | < 33.01     |
|                      |                         | 50      | 0         | 23.00              | 24.37      | < 33.01     |
|                      |                         | 1       | 51        | 22.89              | 24.26      | < 33.01     |
|                      |                         | 1       | 0         | 22.92              | 24.29      | < 33.01     |
| 1910.0               | 10                      | 25      | 12        | 23.03              | 24.40      | < 33.01     |
|                      |                         | 1       | 1         | 22.86              | 24.23      | < 33.01     |
|                      |                         | 1       | 50        | 22.85              | 24.22      | < 33.01     |
|                      |                         | 50      | 0         | 23.07              | 24.44      | < 33.01     |
|                      |                         | 1       | 51        | 22.84              | 24.21      | < 33.01     |
|                      |                         | 1       | 0         | 22.94              | 24.31      | < 33.01     |
| 1857.5               | 15                      | 36      | 18        | 23.19              | 24.56      | < 33.01     |
|                      |                         | 1       | 1         | 23.03              | 24.40      | < 33.01     |
|                      |                         | 1       | 77        | 23.14              | 24.51      | < 33.01     |
|                      |                         | 75      | 0         | 23.16              | 24.53      | < 33.01     |
|                      |                         | 1       | 78        | 23.02              | 24.39      | < 33.01     |
|                      |                         | 1       | 0         | 23.09              | 24.46      | < 33.01     |
| 1882.5               | 15                      | 36      | 18        | 23.14              | 24.51      | < 33.01     |
|                      |                         | 1       | 1         | 23.05              | 24.42      | < 33.01     |
|                      |                         | 1       | 77        | 23.05              | 24.42      | < 33.01     |
|                      |                         | 75      | 0         | 23.10              | 24.47      | < 33.01     |
|                      |                         | 1       | 78        | 23.02              | 24.39      | < 33.01     |
|                      |                         | 1       | 0         | 23.05              | 24.42      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 1907.5               | 15                      | 36      | 18        | 23.24              | 24.61      | < 33.01     |
|                      |                         | 1       | 1         | 23.08              | 24.45      | < 33.01     |
|                      |                         | 1       | 77        | 23.02              | 24.39      | < 33.01     |
|                      |                         | 75      | 0         | 23.26              | 24.63      | < 33.01     |
|                      |                         | 1       | 78        | 23.07              | 24.44      | < 33.01     |
|                      |                         | 1       | 0         | 23.00              | 24.37      | < 33.01     |
| 1860.0               | 20                      | 50      | 25        | 23.15              | 24.52      | < 33.01     |
|                      |                         | 1       | 1         | 22.99              | 24.36      | < 33.01     |
|                      |                         | 1       | 104       | 23.06              | 24.43      | < 33.01     |
|                      |                         | 100     | 0         | 23.14              | 24.51      | < 33.01     |
|                      |                         | 1       | 105       | 23.05              | 24.42      | < 33.01     |
|                      |                         | 1       | 0         | 23.17              | 24.54      | < 33.01     |
| 1882.5               | 20                      | 50      | 25        | 23.14              | 24.51      | < 33.01     |
|                      |                         | 1       | 1         | 23.01              | 24.38      | < 33.01     |
|                      |                         | 1       | 104       | 23.07              | 24.44      | < 33.01     |
|                      |                         | 100     | 0         | 23.15              | 24.52      | < 33.01     |
|                      |                         | 1       | 105       | 23.06              | 24.43      | < 33.01     |
|                      |                         | 1       | 0         | 22.99              | 24.36      | < 33.01     |
| 1905.0               | 20                      | 50      | 25        | 23.23              | 24.60      | < 33.01     |
|                      |                         | 1       | 1         | 23.11              | 24.48      | < 33.01     |
|                      |                         | 1       | 104       | 23.00              | 24.37      | < 33.01     |
|                      |                         | 100     | 0         | 23.15              | 24.52      | < 33.01     |
|                      |                         | 1       | 105       | 23.07              | 24.44      | < 33.01     |
|                      |                         | 1       | 0         | 23.15              | 24.52      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 1862.5               | 25                      | 64      | 32        | 22.85              | 24.22      | < 33.01     |
|                      |                         | 1       | 1         | 22.82              | 24.19      | < 33.01     |
|                      |                         | 1       | 131       | 22.86              | 24.23      | < 33.01     |
|                      |                         | 128     | 0         | 22.84              | 24.21      | < 33.01     |
|                      |                         | 1       | 132       | 22.81              | 24.18      | < 33.01     |
|                      |                         | 1       | 0         | 22.80              | 24.17      | < 33.01     |
| 1882.5               | 25                      | 64      | 32        | 22.94              | 24.31      | < 33.01     |
|                      |                         | 1       | 1         | 22.91              | 24.28      | < 33.01     |
|                      |                         | 1       | 131       | 23.00              | 24.37      | < 33.01     |
|                      |                         | 128     | 0         | 22.89              | 24.26      | < 33.01     |
|                      |                         | 1       | 132       | 22.89              | 24.26      | < 33.01     |
|                      |                         | 1       | 0         | 23.05              | 24.42      | < 33.01     |
| 1902.5               | 25                      | 64      | 32        | 23.00              | 24.37      | < 33.01     |
|                      |                         | 1       | 1         | 22.86              | 24.23      | < 33.01     |
|                      |                         | 1       | 131       | 22.90              | 24.27      | < 33.01     |
|                      |                         | 128     | 0         | 22.98              | 24.35      | < 33.01     |
|                      |                         | 1       | 132       | 22.97              | 24.34      | < 33.01     |
|                      |                         | 1       | 0         | 22.97              | 24.34      | < 33.01     |
| 1865.0               | 30                      | 80      | 40        | 23.21              | 24.58      | < 33.01     |
|                      |                         | 1       | 1         | 23.12              | 24.49      | < 33.01     |
|                      |                         | 1       | 158       | 23.07              | 24.44      | < 33.01     |
|                      |                         | 160     | 0         | 23.16              | 24.53      | < 33.01     |
|                      |                         | 1       | 159       | 23.07              | 24.44      | < 33.01     |
|                      |                         | 1       | 0         | 23.02              | 24.39      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 1882.5               | 30                      | 80      | 40        | 23.13              | 24.50      | < 33.01     |
|                      |                         | 1       | 1         | 23.09              | 24.46      | < 33.01     |
|                      |                         | 1       | 158       | 22.99              | 24.36      | < 33.01     |
|                      |                         | 160     | 0         | 23.14              | 24.51      | < 33.01     |
|                      |                         | 1       | 159       | 23.00              | 24.37      | < 33.01     |
|                      |                         | 1       | 0         | 23.05              | 24.42      | < 33.01     |
| 1900.0               | 30                      | 80      | 40        | 23.13              | 24.50      | < 33.01     |
|                      |                         | 1       | 1         | 22.98              | 24.35      | < 33.01     |
|                      |                         | 1       | 158       | 23.00              | 24.37      | < 33.01     |
|                      |                         | 160     | 0         | 23.18              | 24.55      | < 33.01     |
|                      |                         | 1       | 159       | 22.97              | 24.34      | < 33.01     |
|                      |                         | 1       | 0         | 22.96              | 24.33      | < 33.01     |
| 1870.0               | 40                      | 108     | 54        | 23.13              | 24.50      | < 33.01     |
|                      |                         | 1       | 1         | 23.01              | 24.38      | < 33.01     |
|                      |                         | 1       | 214       | 22.98              | 24.35      | < 33.01     |
|                      |                         | 216     | 0         | 23.15              | 24.52      | < 33.01     |
|                      |                         | 1       | 215       | 23.10              | 24.47      | < 33.01     |
|                      |                         | 1       | 0         | 22.99              | 24.36      | < 33.01     |
| 1882.5               | 40                      | 108     | 54        | 23.17              | 24.54      | < 33.01     |
|                      |                         | 1       | 1         | 23.07              | 24.44      | < 33.01     |
|                      |                         | 1       | 214       | 23.05              | 24.42      | < 33.01     |
|                      |                         | 216     | 0         | 23.17              | 24.54      | < 33.01     |
|                      |                         | 1       | 215       | 23.06              | 24.43      | < 33.01     |
|                      |                         | 1       | 0         | 23.05              | 24.42      | < 33.01     |
| 1895.0               | 40                      | 108     | 54        | 23.12              | 24.49      | < 33.01     |
|                      |                         | 1       | 1         | 22.97              | 24.34      | < 33.01     |
|                      |                         | 1       | 214       | 23.05              | 24.42      | < 33.01     |
|                      |                         | 216     | 0         | 23.09              | 24.46      | < 33.01     |
|                      |                         | 1       | 215       | 22.98              | 24.35      | < 33.01     |
|                      |                         | 1       | 0         | 23.01              | 24.38      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM QPSK |                         |         |           |                    |            |             |
| 1852.5          | 5                       | 12      | 6         | 23.06              | 24.43      | < 33.01     |
|                 |                         | 1       | 1         | 22.94              | 24.31      | < 33.01     |
|                 |                         | 1       | 23        | 23.00              | 24.37      | < 33.01     |
|                 |                         | 25      | 0         | 22.50              | 23.87      | < 33.01     |
|                 |                         | 1       | 24        | 22.58              | 23.95      | < 33.01     |
|                 |                         | 1       | 0         | 22.58              | 23.95      | < 33.01     |
| 1882.5          | 5                       | 12      | 6         | 23.03              | 24.40      | < 33.01     |
|                 |                         | 1       | 1         | 22.93              | 24.30      | < 33.01     |
|                 |                         | 1       | 23        | 22.98              | 24.35      | < 33.01     |
|                 |                         | 25      | 0         | 22.51              | 23.88      | < 33.01     |
|                 |                         | 1       | 24        | 22.53              | 23.90      | < 33.01     |
|                 |                         | 1       | 0         | 22.54              | 23.91      | < 33.01     |
| 1912.5          | 5                       | 12      | 6         | 23.02              | 24.39      | < 33.01     |
|                 |                         | 1       | 1         | 22.93              | 24.30      | < 33.01     |
|                 |                         | 1       | 23        | 22.80              | 24.17      | < 33.01     |
|                 |                         | 25      | 0         | 22.49              | 23.86      | < 33.01     |
|                 |                         | 1       | 24        | 22.44              | 23.81      | < 33.01     |
|                 |                         | 1       | 0         | 22.48              | 23.85      | < 33.01     |
| 1855.0          | 10                      | 25      | 12        | 23.04              | 24.41      | < 33.01     |
|                 |                         | 1       | 1         | 22.88              | 24.25      | < 33.01     |
|                 |                         | 1       | 50        | 22.92              | 24.29      | < 33.01     |
|                 |                         | 50      | 0         | 22.54              | 23.91      | < 33.01     |
|                 |                         | 1       | 51        | 22.38              | 23.75      | < 33.01     |
|                 |                         | 1       | 0         | 22.38              | 23.75      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 1882.5                 | 10                      | 25      | 12        | 23.03              | 24.40      | < 33.01     |
|                        |                         | 1       | 1         | 22.94              | 24.31      | < 33.01     |
|                        |                         | 1       | 50        | 22.96              | 24.33      | < 33.01     |
|                        |                         | 50      | 0         | 22.46              | 23.83      | < 33.01     |
|                        |                         | 1       | 51        | 22.50              | 23.87      | < 33.01     |
|                        |                         | 1       | 0         | 22.43              | 23.80      | < 33.01     |
| 1910.0                 | 10                      | 25      | 12        | 23.05              | 24.42      | < 33.01     |
|                        |                         | 1       | 1         | 22.89              | 24.26      | < 33.01     |
|                        |                         | 1       | 50        | 22.87              | 24.24      | < 33.01     |
|                        |                         | 50      | 0         | 22.53              | 23.90      | < 33.01     |
|                        |                         | 1       | 51        | 22.41              | 23.78      | < 33.01     |
|                        |                         | 1       | 0         | 22.47              | 23.84      | < 33.01     |
| 1857.5                 | 15                      | 36      | 18        | 23.19              | 24.56      | < 33.01     |
|                        |                         | 1       | 1         | 23.13              | 24.50      | < 33.01     |
|                        |                         | 1       | 77        | 23.22              | 24.59      | < 33.01     |
|                        |                         | 75      | 0         | 22.60              | 23.97      | < 33.01     |
|                        |                         | 1       | 78        | 22.59              | 23.96      | < 33.01     |
|                        |                         | 1       | 0         | 22.67              | 24.04      | < 33.01     |
| 1882.5                 | 15                      | 36      | 18        | 23.10              | 24.47      | < 33.01     |
|                        |                         | 1       | 1         | 23.10              | 24.47      | < 33.01     |
|                        |                         | 1       | 77        | 23.25              | 24.62      | < 33.01     |
|                        |                         | 75      | 0         | 22.67              | 24.04      | < 33.01     |
|                        |                         | 1       | 78        | 22.61              | 23.98      | < 33.01     |
|                        |                         | 1       | 0         | 22.61              | 23.98      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 1907.5                 | 15                      | 36      | 18        | 23.25              | 24.62      | < 33.01     |
|                        |                         | 1       | 1         | 22.97              | 24.34      | < 33.01     |
|                        |                         | 1       | 77        | 23.04              | 24.41      | < 33.01     |
|                        |                         | 75      | 0         | 22.71              | 24.08      | < 33.01     |
|                        |                         | 1       | 78        | 22.40              | 23.77      | < 33.01     |
|                        |                         | 1       | 0         | 22.46              | 23.83      | < 33.01     |
| 1860.0                 | 20                      | 50      | 25        | 23.15              | 24.52      | < 33.01     |
|                        |                         | 1       | 1         | 23.02              | 24.39      | < 33.01     |
|                        |                         | 1       | 104       | 23.03              | 24.40      | < 33.01     |
|                        |                         | 100     | 0         | 22.59              | 23.96      | < 33.01     |
|                        |                         | 1       | 105       | 22.37              | 23.74      | < 33.01     |
|                        |                         | 1       | 0         | 22.44              | 23.81      | < 33.01     |
| 1882.5                 | 20                      | 50      | 25        | 23.13              | 24.50      | < 33.01     |
|                        |                         | 1       | 1         | 23.02              | 24.39      | < 33.01     |
|                        |                         | 1       | 104       | 23.13              | 24.50      | < 33.01     |
|                        |                         | 100     | 0         | 22.62              | 23.99      | < 33.01     |
|                        |                         | 1       | 105       | 22.56              | 23.93      | < 33.01     |
|                        |                         | 1       | 0         | 22.51              | 23.88      | < 33.01     |
| 1905.0                 | 20                      | 50      | 25        | 23.15              | 24.52      | < 33.01     |
|                        |                         | 1       | 1         | 23.11              | 24.48      | < 33.01     |
|                        |                         | 1       | 104       | 23.13              | 24.50      | < 33.01     |
|                        |                         | 100     | 0         | 22.70              | 24.07      | < 33.01     |
|                        |                         | 1       | 105       | 22.69              | 24.06      | < 33.01     |
|                        |                         | 1       | 0         | 22.61              | 23.98      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 1862.5                 | 25                      | 64      | 32        | 22.91              | 24.28      | < 33.01     |
|                        |                         | 1       | 1         | 23.06              | 24.43      | < 33.01     |
|                        |                         | 1       | 131       | 22.91              | 24.28      | < 33.01     |
|                        |                         | 128     | 0         | 22.35              | 23.72      | < 33.01     |
|                        |                         | 1       | 132       | 22.42              | 23.79      | < 33.01     |
|                        |                         | 1       | 0         | 22.39              | 23.76      | < 33.01     |
| 1882.5                 | 25                      | 64      | 32        | 22.87              | 24.24      | < 33.01     |
|                        |                         | 1       | 1         | 22.91              | 24.28      | < 33.01     |
|                        |                         | 1       | 131       | 23.06              | 24.43      | < 33.01     |
|                        |                         | 128     | 0         | 22.42              | 23.79      | < 33.01     |
|                        |                         | 1       | 132       | 22.36              | 23.73      | < 33.01     |
|                        |                         | 1       | 0         | 22.49              | 23.86      | < 33.01     |
| 1902.5                 | 25                      | 64      | 32        | 22.98              | 24.35      | < 33.01     |
|                        |                         | 1       | 1         | 22.88              | 24.25      | < 33.01     |
|                        |                         | 1       | 131       | 22.88              | 24.25      | < 33.01     |
|                        |                         | 128     | 0         | 22.52              | 23.89      | < 33.01     |
|                        |                         | 1       | 132       | 22.43              | 23.80      | < 33.01     |
|                        |                         | 1       | 0         | 22.34              | 23.71      | < 33.01     |
| 1865.0                 | 30                      | 80      | 40        | 23.16              | 24.53      | < 33.01     |
|                        |                         | 1       | 1         | 23.12              | 24.49      | < 33.01     |
|                        |                         | 1       | 158       | 23.23              | 24.60      | < 33.01     |
|                        |                         | 160     | 0         | 22.61              | 23.98      | < 33.01     |
|                        |                         | 1       | 159       | 22.71              | 24.08      | < 33.01     |
|                        |                         | 1       | 0         | 22.60              | 23.97      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 1882.5                 | 30                      | 80      | 40        | 23.13              | 24.50      | < 33.01     |
|                        |                         | 1       | 1         | 22.93              | 24.30      | < 33.01     |
|                        |                         | 1       | 158       | 23.00              | 24.37      | < 33.01     |
|                        |                         | 160     | 0         | 22.69              | 24.06      | < 33.01     |
|                        |                         | 1       | 159       | 22.36              | 23.73      | < 33.01     |
|                        |                         | 1       | 0         | 22.45              | 23.82      | < 33.01     |
| 1900.0                 | 30                      | 80      | 40        | 23.15              | 24.52      | < 33.01     |
|                        |                         | 1       | 1         | 22.96              | 24.33      | < 33.01     |
|                        |                         | 1       | 158       | 23.04              | 24.41      | < 33.01     |
|                        |                         | 160     | 0         | 22.64              | 24.01      | < 33.01     |
|                        |                         | 1       | 159       | 22.45              | 23.82      | < 33.01     |
|                        |                         | 1       | 0         | 22.38              | 23.75      | < 33.01     |
| 1870.0                 | 40                      | 108     | 54        | 23.18              | 24.55      | < 33.01     |
|                        |                         | 1       | 1         | 23.01              | 24.38      | < 33.01     |
|                        |                         | 1       | 214       | 22.98              | 24.35      | < 33.01     |
|                        |                         | 216     | 0         | 22.60              | 23.97      | < 33.01     |
|                        |                         | 1       | 215       | 22.53              | 23.90      | < 33.01     |
|                        |                         | 1       | 0         | 22.47              | 23.84      | < 33.01     |
| 1882.5                 | 40                      | 108     | 54        | 23.13              | 24.50      | < 33.01     |
|                        |                         | 1       | 1         | 23.01              | 24.38      | < 33.01     |
|                        |                         | 1       | 214       | 23.06              | 24.43      | < 33.01     |
|                        |                         | 216     | 0         | 22.65              | 24.02      | < 33.01     |
|                        |                         | 1       | 215       | 22.49              | 23.86      | < 33.01     |
|                        |                         | 1       | 0         | 22.46              | 23.83      | < 33.01     |
| 1895.0                 | 40                      | 108     | 54        | 23.17              | 24.54      | < 33.01     |
|                        |                         | 1       | 1         | 22.89              | 24.26      | < 33.01     |
|                        |                         | 1       | 214       | 22.87              | 24.24      | < 33.01     |
|                        |                         | 216     | 0         | 22.55              | 23.92      | < 33.01     |
|                        |                         | 1       | 215       | 22.44              | 23.81      | < 33.01     |
|                        |                         | 1       | 0         | 22.42              | 23.79      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 1852.5           | 5                       | 12      | 6         | 22.56              | 23.93      | < 33.01     |
|                  |                         | 1       | 1         | 22.45              | 23.82      | < 33.01     |
|                  |                         | 1       | 23        | 22.47              | 23.84      | < 33.01     |
|                  |                         | 25      | 0         | 21.53              | 22.90      | < 33.01     |
|                  |                         | 1       | 24        | 21.50              | 22.87      | < 33.01     |
|                  |                         | 1       | 0         | 21.49              | 22.86      | < 33.01     |
| 1882.5           | 5                       | 12      | 6         | 22.58              | 23.95      | < 33.01     |
|                  |                         | 1       | 1         | 22.48              | 23.85      | < 33.01     |
|                  |                         | 1       | 23        | 22.42              | 23.79      | < 33.01     |
|                  |                         | 25      | 0         | 21.57              | 22.94      | < 33.01     |
|                  |                         | 1       | 24        | 21.46              | 22.83      | < 33.01     |
|                  |                         | 1       | 0         | 21.47              | 22.84      | < 33.01     |
| 1912.5           | 5                       | 12      | 6         | 22.55              | 23.92      | < 33.01     |
|                  |                         | 1       | 1         | 22.31              | 23.68      | < 33.01     |
|                  |                         | 1       | 23        | 22.37              | 23.74      | < 33.01     |
|                  |                         | 25      | 0         | 21.63              | 23.00      | < 33.01     |
|                  |                         | 1       | 24        | 21.37              | 22.74      | < 33.01     |
|                  |                         | 1       | 0         | 21.50              | 22.87      | < 33.01     |
| 1855.0           | 10                      | 25      | 12        | 22.54              | 23.91      | < 33.01     |
|                  |                         | 1       | 1         | 22.32              | 23.69      | < 33.01     |
|                  |                         | 1       | 50        | 22.31              | 23.68      | < 33.01     |
|                  |                         | 50      | 0         | 21.53              | 22.90      | < 33.01     |
|                  |                         | 1       | 51        | 21.41              | 22.78      | < 33.01     |
|                  |                         | 1       | 0         | 21.42              | 22.79      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 1882.5                  | 10                      | 25      | 12        | 22.50              | 23.87      | < 33.01     |
|                         |                         | 1       | 1         | 22.40              | 23.77      | < 33.01     |
|                         |                         | 1       | 50        | 22.43              | 23.80      | < 33.01     |
|                         |                         | 50      | 0         | 21.52              | 22.89      | < 33.01     |
|                         |                         | 1       | 51        | 21.45              | 22.82      | < 33.01     |
|                         |                         | 1       | 0         | 21.47              | 22.84      | < 33.01     |
| 1910.0                  | 10                      | 25      | 12        | 22.53              | 23.90      | < 33.01     |
|                         |                         | 1       | 1         | 22.36              | 23.73      | < 33.01     |
|                         |                         | 1       | 50        | 22.33              | 23.70      | < 33.01     |
|                         |                         | 50      | 0         | 21.54              | 22.91      | < 33.01     |
|                         |                         | 1       | 51        | 21.36              | 22.73      | < 33.01     |
|                         |                         | 1       | 0         | 21.42              | 22.79      | < 33.01     |
| 1857.5                  | 15                      | 36      | 18        | 22.63              | 24.00      | < 33.01     |
|                         |                         | 1       | 1         | 22.56              | 23.93      | < 33.01     |
|                         |                         | 1       | 77        | 22.54              | 23.91      | < 33.01     |
|                         |                         | 75      | 0         | 21.62              | 22.99      | < 33.01     |
|                         |                         | 1       | 78        | 21.39              | 22.76      | < 33.01     |
|                         |                         | 1       | 0         | 21.55              | 22.92      | < 33.01     |
| 1882.5                  | 15                      | 36      | 18        | 22.59              | 23.96      | < 33.01     |
|                         |                         | 1       | 1         | 22.56              | 23.93      | < 33.01     |
|                         |                         | 1       | 77        | 22.66              | 24.03      | < 33.01     |
|                         |                         | 75      | 0         | 21.69              | 23.06      | < 33.01     |
|                         |                         | 1       | 78        | 21.41              | 22.78      | < 33.01     |
|                         |                         | 1       | 0         | 21.41              | 22.78      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 1907.5                  | 15                      | 36      | 18        | 22.75              | 24.12      | < 33.01     |
|                         |                         | 1       | 1         | 22.53              | 23.90      | < 33.01     |
|                         |                         | 1       | 77        | 22.51              | 23.88      | < 33.01     |
|                         |                         | 75      | 0         | 21.76              | 23.13      | < 33.01     |
|                         |                         | 1       | 78        | 21.46              | 22.83      | < 33.01     |
|                         |                         | 1       | 0         | 21.44              | 22.81      | < 33.01     |
| 1860.0                  | 20                      | 50      | 25        | 22.60              | 23.97      | < 33.01     |
|                         |                         | 1       | 1         | 22.40              | 23.77      | < 33.01     |
|                         |                         | 1       | 104       | 22.42              | 23.79      | < 33.01     |
|                         |                         | 100     | 0         | 21.55              | 22.92      | < 33.01     |
|                         |                         | 1       | 105       | 21.50              | 22.87      | < 33.01     |
|                         |                         | 1       | 0         | 21.60              | 22.97      | < 33.01     |
| 1882.5                  | 20                      | 50      | 25        | 22.62              | 23.99      | < 33.01     |
|                         |                         | 1       | 1         | 22.46              | 23.83      | < 33.01     |
|                         |                         | 1       | 104       | 22.51              | 23.88      | < 33.01     |
|                         |                         | 100     | 0         | 21.59              | 22.96      | < 33.01     |
|                         |                         | 1       | 105       | 21.58              | 22.95      | < 33.01     |
|                         |                         | 1       | 0         | 21.43              | 22.80      | < 33.01     |
| 1905.0                  | 20                      | 50      | 25        | 22.72              | 24.09      | < 33.01     |
|                         |                         | 1       | 1         | 22.58              | 23.95      | < 33.01     |
|                         |                         | 1       | 104       | 22.66              | 24.03      | < 33.01     |
|                         |                         | 100     | 0         | 21.67              | 23.04      | < 33.01     |
|                         |                         | 1       | 105       | 21.57              | 22.94      | < 33.01     |
|                         |                         | 1       | 0         | 21.39              | 22.76      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 1862.5                  | 25                      | 64      | 32        | 21.66              | 23.03      | < 33.01     |
|                         |                         | 1       | 1         | 22.44              | 23.81      | < 33.01     |
|                         |                         | 1       | 131       | 22.30              | 23.67      | < 33.01     |
|                         |                         | 128     | 0         | 21.40              | 22.77      | < 33.01     |
|                         |                         | 1       | 132       | 21.17              | 22.54      | < 33.01     |
|                         |                         | 1       | 0         | 21.17              | 22.54      | < 33.01     |
| 1882.5                  | 25                      | 64      | 32        | 22.34              | 23.71      | < 33.01     |
|                         |                         | 1       | 1         | 22.32              | 23.69      | < 33.01     |
|                         |                         | 1       | 131       | 22.47              | 23.84      | < 33.01     |
|                         |                         | 128     | 0         | 21.39              | 22.76      | < 33.01     |
|                         |                         | 1       | 132       | 21.15              | 22.52      | < 33.01     |
|                         |                         | 1       | 0         | 21.29              | 22.66      | < 33.01     |
| 1902.5                  | 25                      | 64      | 32        | 22.45              | 23.82      | < 33.01     |
|                         |                         | 1       | 1         | 22.30              | 23.67      | < 33.01     |
|                         |                         | 1       | 131       | 22.31              | 23.68      | < 33.01     |
|                         |                         | 128     | 0         | 21.50              | 22.87      | < 33.01     |
|                         |                         | 1       | 132       | 21.44              | 22.81      | < 33.01     |
|                         |                         | 1       | 0         | 21.46              | 22.83      | < 33.01     |
| 1865.0                  | 30                      | 80      | 40        | 22.58              | 23.95      | < 33.01     |
|                         |                         | 1       | 1         | 22.65              | 24.02      | < 33.01     |
|                         |                         | 1       | 158       | 22.64              | 24.01      | < 33.01     |
|                         |                         | 160     | 0         | 21.56              | 22.93      | < 33.01     |
|                         |                         | 1       | 159       | 21.38              | 22.75      | < 33.01     |
|                         |                         | 1       | 0         | 21.37              | 22.74      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 1882.5                  | 30                      | 80      | 40        | 22.53              | 23.90      | < 33.01     |
|                         |                         | 1       | 1         | 22.32              | 23.69      | < 33.01     |
|                         |                         | 1       | 158       | 22.36              | 23.73      | < 33.01     |
|                         |                         | 160     | 0         | 21.64              | 23.01      | < 33.01     |
|                         |                         | 1       | 159       | 21.48              | 22.85      | < 33.01     |
|                         |                         | 1       | 0         | 21.46              | 22.83      | < 33.01     |
| 1900.0                  | 30                      | 80      | 40        | 22.58              | 23.95      | < 33.01     |
|                         |                         | 1       | 1         | 22.44              | 23.81      | < 33.01     |
|                         |                         | 1       | 158       | 22.43              | 23.80      | < 33.01     |
|                         |                         | 160     | 0         | 21.60              | 22.97      | < 33.01     |
|                         |                         | 1       | 159       | 21.50              | 22.87      | < 33.01     |
|                         |                         | 1       | 0         | 21.44              | 22.81      | < 33.01     |
| 1870.0                  | 40                      | 108     | 54        | 22.58              | 23.95      | < 33.01     |
|                         |                         | 1       | 1         | 22.42              | 23.79      | < 33.01     |
|                         |                         | 1       | 214       | 22.47              | 23.84      | < 33.01     |
|                         |                         | 216     | 0         | 21.60              | 22.97      | < 33.01     |
|                         |                         | 1       | 215       | 21.31              | 22.68      | < 33.01     |
|                         |                         | 1       | 0         | 21.50              | 22.87      | < 33.01     |
| 1882.5                  | 40                      | 108     | 54        | 22.62              | 23.99      | < 33.01     |
|                         |                         | 1       | 1         | 22.41              | 23.78      | < 33.01     |
|                         |                         | 1       | 214       | 22.55              | 23.92      | < 33.01     |
|                         |                         | 216     | 0         | 21.63              | 23.00      | < 33.01     |
|                         |                         | 1       | 215       | 21.53              | 22.90      | < 33.01     |
|                         |                         | 1       | 0         | 21.58              | 22.95      | < 33.01     |
| 1895.0                  | 40                      | 108     | 54        | 22.59              | 23.96      | < 33.01     |
|                         |                         | 1       | 1         | 22.37              | 23.74      | < 33.01     |
|                         |                         | 1       | 214       | 22.50              | 23.87      | < 33.01     |
|                         |                         | 216     | 0         | 21.55              | 22.92      | < 33.01     |
|                         |                         | 1       | 215       | 21.48              | 22.85      | < 33.01     |
|                         |                         | 1       | 0         | 21.57              | 22.94      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 1852.5                  | 5                       | 12      | 6         | 20.96              | 22.33      | < 33.01     |
|                         |                         | 1       | 1         | 21.35              | 22.72      | < 33.01     |
|                         |                         | 1       | 23        | 21.37              | 22.74      | < 33.01     |
|                         |                         | 25      | 0         | 21.05              | 22.42      | < 33.01     |
|                         |                         | 1       | 24        | 21.34              | 22.71      | < 33.01     |
|                         |                         | 1       | 0         | 21.35              | 22.72      | < 33.01     |
| 1882.5                  | 5                       | 12      | 6         | 20.98              | 22.35      | < 33.01     |
|                         |                         | 1       | 1         | 21.30              | 22.67      | < 33.01     |
|                         |                         | 1       | 23        | 21.41              | 22.78      | < 33.01     |
|                         |                         | 25      | 0         | 21.07              | 22.44      | < 33.01     |
|                         |                         | 1       | 24        | 21.32              | 22.69      | < 33.01     |
|                         |                         | 1       | 0         | 21.31              | 22.68      | < 33.01     |
| 1912.5                  | 5                       | 12      | 6         | 21.03              | 22.40      | < 33.01     |
|                         |                         | 1       | 1         | 21.30              | 22.67      | < 33.01     |
|                         |                         | 1       | 23        | 21.26              | 22.63      | < 33.01     |
|                         |                         | 25      | 0         | 21.06              | 22.43      | < 33.01     |
|                         |                         | 1       | 24        | 21.23              | 22.60      | < 33.01     |
|                         |                         | 1       | 0         | 21.36              | 22.73      | < 33.01     |
| 1855.0                  | 10                      | 25      | 12        | 21.06              | 22.43      | < 33.01     |
|                         |                         | 1       | 1         | 20.84              | 22.21      | < 33.01     |
|                         |                         | 1       | 50        | 20.93              | 22.30      | < 33.01     |
|                         |                         | 50      | 0         | 21.07              | 22.44      | < 33.01     |
|                         |                         | 1       | 51        | 20.84              | 22.21      | < 33.01     |
|                         |                         | 1       | 0         | 20.84              | 22.21      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 1882.5                  | 10                      | 25      | 12        | 21.00              | 22.37      | < 33.01     |
|                         |                         | 1       | 1         | 21.32              | 22.69      | < 33.01     |
|                         |                         | 1       | 50        | 21.34              | 22.71      | < 33.01     |
|                         |                         | 50      | 0         | 21.02              | 22.39      | < 33.01     |
|                         |                         | 1       | 51        | 21.22              | 22.59      | < 33.01     |
|                         |                         | 1       | 0         | 21.23              | 22.60      | < 33.01     |
| 1910.0                  | 10                      | 25      | 12        | 21.04              | 22.41      | < 33.01     |
|                         |                         | 1       | 1         | 21.23              | 22.60      | < 33.01     |
|                         |                         | 1       | 50        | 21.27              | 22.64      | < 33.01     |
|                         |                         | 50      | 0         | 21.02              | 22.39      | < 33.01     |
|                         |                         | 1       | 51        | 21.23              | 22.60      | < 33.01     |
|                         |                         | 1       | 0         | 21.22              | 22.59      | < 33.01     |
| 1857.5                  | 15                      | 36      | 18        | 21.13              | 22.50      | < 33.01     |
|                         |                         | 1       | 1         | 20.95              | 22.32      | < 33.01     |
|                         |                         | 1       | 77        | 20.96              | 22.33      | < 33.01     |
|                         |                         | 75      | 0         | 21.18              | 22.55      | < 33.01     |
|                         |                         | 1       | 78        | 21.06              | 22.43      | < 33.01     |
|                         |                         | 1       | 0         | 21.05              | 22.42      | < 33.01     |
| 1882.5                  | 15                      | 36      | 18        | 21.11              | 22.48      | < 33.01     |
|                         |                         | 1       | 1         | 20.88              | 22.25      | < 33.01     |
|                         |                         | 1       | 77        | 20.98              | 22.35      | < 33.01     |
|                         |                         | 75      | 0         | 21.14              | 22.51      | < 33.01     |
|                         |                         | 1       | 78        | 20.98              | 22.35      | < 33.01     |
|                         |                         | 1       | 0         | 20.90              | 22.27      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 1907.5                  | 15                      | 36      | 18        | 21.21              | 22.58      | < 33.01     |
|                         |                         | 1       | 1         | 20.96              | 22.33      | < 33.01     |
|                         |                         | 1       | 77        | 21.00              | 22.37      | < 33.01     |
|                         |                         | 75      | 0         | 21.23              | 22.60      | < 33.01     |
|                         |                         | 1       | 78        | 20.97              | 22.34      | < 33.01     |
|                         |                         | 1       | 0         | 20.98              | 22.35      | < 33.01     |
| 1860.0                  | 20                      | 50      | 25        | 21.10              | 22.47      | < 33.01     |
|                         |                         | 1       | 1         | 21.38              | 22.75      | < 33.01     |
|                         |                         | 1       | 104       | 21.34              | 22.71      | < 33.01     |
|                         |                         | 100     | 0         | 21.18              | 22.55      | < 33.01     |
|                         |                         | 1       | 105       | 21.33              | 22.70      | < 33.01     |
|                         |                         | 1       | 0         | 21.38              | 22.75      | < 33.01     |
| 1882.5                  | 20                      | 50      | 25        | 21.11              | 22.48      | < 33.01     |
|                         |                         | 1       | 1         | 21.30              | 22.67      | < 33.01     |
|                         |                         | 1       | 104       | 21.45              | 22.82      | < 33.01     |
|                         |                         | 100     | 0         | 21.11              | 22.48      | < 33.01     |
|                         |                         | 1       | 105       | 21.47              | 22.84      | < 33.01     |
|                         |                         | 1       | 0         | 21.38              | 22.75      | < 33.01     |
| 1905.0                  | 20                      | 50      | 25        | 21.19              | 22.56      | < 33.01     |
|                         |                         | 1       | 1         | 21.44              | 22.81      | < 33.01     |
|                         |                         | 1       | 104       | 20.86              | 22.23      | < 33.01     |
|                         |                         | 100     | 0         | 21.22              | 22.59      | < 33.01     |
|                         |                         | 1       | 105       | 21.42              | 22.79      | < 33.01     |
|                         |                         | 1       | 0         | 21.46              | 22.83      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 1862.5                  | 25                      | 64      | 32        | 20.89              | 22.26      | < 33.01     |
|                         |                         | 1       | 1         | 20.72              | 22.09      | < 33.01     |
|                         |                         | 1       | 131       | 20.70              | 22.07      | < 33.01     |
|                         |                         | 128     | 0         | 20.91              | 22.28      | < 33.01     |
|                         |                         | 1       | 132       | 20.73              | 22.10      | < 33.01     |
|                         |                         | 1       | 0         | 20.79              | 22.16      | < 33.01     |
| 1882.5                  | 25                      | 64      | 32        | 20.96              | 22.33      | < 33.01     |
|                         |                         | 1       | 1         | 20.72              | 22.09      | < 33.01     |
|                         |                         | 1       | 131       | 20.79              | 22.16      | < 33.01     |
|                         |                         | 128     | 0         | 21.02              | 22.39      | < 33.01     |
|                         |                         | 1       | 132       | 20.70              | 22.07      | < 33.01     |
|                         |                         | 1       | 0         | 20.93              | 22.30      | < 33.01     |
| 1902.5                  | 25                      | 64      | 32        | 21.09              | 22.46      | < 33.01     |
|                         |                         | 1       | 1         | 20.87              | 22.24      | < 33.01     |
|                         |                         | 1       | 131       | 20.90              | 22.27      | < 33.01     |
|                         |                         | 128     | 0         | 21.19              | 22.56      | < 33.01     |
|                         |                         | 1       | 132       | 20.84              | 22.21      | < 33.01     |
|                         |                         | 1       | 0         | 20.80              | 22.17      | < 33.01     |
| 1865.0                  | 30                      | 80      | 40        | 21.14              | 22.51      | < 33.01     |
|                         |                         | 1       | 1         | 20.82              | 22.19      | < 33.01     |
|                         |                         | 1       | 158       | 20.96              | 22.33      | < 33.01     |
|                         |                         | 160     | 0         | 21.20              | 22.57      | < 33.01     |
|                         |                         | 1       | 159       | 20.94              | 22.31      | < 33.01     |
|                         |                         | 1       | 0         | 20.93              | 22.30      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 1882.5                  | 30                      | 80      | 40        | 21.11              | 22.48      | < 33.01     |
|                         |                         | 1       | 1         | 21.09              | 22.46      | < 33.01     |
|                         |                         | 1       | 158       | 20.94              | 22.31      | < 33.01     |
|                         |                         | 160     | 0         | 21.09              | 22.46      | < 33.01     |
|                         |                         | 1       | 159       | 20.92              | 22.29      | < 33.01     |
|                         |                         | 1       | 0         | 21.08              | 22.45      | < 33.01     |
| 1900.0                  | 30                      | 80      | 40        | 21.20              | 22.57      | < 33.01     |
|                         |                         | 1       | 1         | 20.89              | 22.26      | < 33.01     |
|                         |                         | 1       | 158       | 20.98              | 22.35      | < 33.01     |
|                         |                         | 160     | 0         | 21.13              | 22.50      | < 33.01     |
|                         |                         | 1       | 159       | 20.94              | 22.31      | < 33.01     |
|                         |                         | 1       | 0         | 20.85              | 22.22      | < 33.01     |
| 1870.0                  | 40                      | 108     | 54        | 21.08              | 22.45      | < 33.01     |
|                         |                         | 1       | 1         | 21.28              | 22.65      | < 33.01     |
|                         |                         | 1       | 214       | 21.19              | 22.56      | < 33.01     |
|                         |                         | 216     | 0         | 21.19              | 22.56      | < 33.01     |
|                         |                         | 1       | 215       | 20.97              | 22.34      | < 33.01     |
|                         |                         | 1       | 0         | 20.91              | 22.28      | < 33.01     |
| 1882.5                  | 40                      | 108     | 54        | 21.14              | 22.51      | < 33.01     |
|                         |                         | 1       | 1         | 21.01              | 22.38      | < 33.01     |
|                         |                         | 1       | 214       | 21.02              | 22.39      | < 33.01     |
|                         |                         | 216     | 0         | 21.16              | 22.53      | < 33.01     |
|                         |                         | 1       | 215       | 21.08              | 22.45      | < 33.01     |
|                         |                         | 1       | 0         | 20.90              | 22.27      | < 33.01     |
| 1895.0                  | 40                      | 108     | 54        | 21.22              | 22.59      | < 33.01     |
|                         |                         | 1       | 1         | 21.03              | 22.40      | < 33.01     |
|                         |                         | 1       | 214       | 20.97              | 22.34      | < 33.01     |
|                         |                         | 216     | 0         | 21.16              | 22.53      | < 33.01     |
|                         |                         | 1       | 215       | 20.82              | 22.19      | < 33.01     |
|                         |                         | 1       | 0         | 20.95              | 22.32      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 1852.5                   | 5                       | 12      | 6         | 18.93              | 20.30      | < 33.01     |
|                          |                         | 1       | 1         | 18.63              | 20.00      | < 33.01     |
|                          |                         | 1       | 23        | 18.70              | 20.07      | < 33.01     |
|                          |                         | 25      | 0         | 18.99              | 20.36      | < 33.01     |
|                          |                         | 1       | 24        | 18.76              | 20.13      | < 33.01     |
|                          |                         | 1       | 0         | 18.73              | 20.10      | < 33.01     |
| 1882.5                   | 5                       | 12      | 6         | 18.93              | 20.30      | < 33.01     |
|                          |                         | 1       | 1         | 18.66              | 20.03      | < 33.01     |
|                          |                         | 1       | 23        | 18.75              | 20.12      | < 33.01     |
|                          |                         | 25      | 0         | 18.95              | 20.32      | < 33.01     |
|                          |                         | 1       | 24        | 18.73              | 20.10      | < 33.01     |
|                          |                         | 1       | 0         | 18.68              | 20.05      | < 33.01     |
| 1912.5                   | 5                       | 12      | 6         | 19.03              | 20.40      | < 33.01     |
|                          |                         | 1       | 1         | 18.80              | 20.17      | < 33.01     |
|                          |                         | 1       | 23        | 18.70              | 20.07      | < 33.01     |
|                          |                         | 25      | 0         | 19.07              | 20.44      | < 33.01     |
|                          |                         | 1       | 24        | 18.59              | 19.96      | < 33.01     |
|                          |                         | 1       | 0         | 18.69              | 20.06      | < 33.01     |
| 1855.0                   | 10                      | 25      | 12        | 19.04              | 20.41      | < 33.01     |
|                          |                         | 1       | 1         | 18.66              | 20.03      | < 33.01     |
|                          |                         | 1       | 50        | 18.64              | 20.01      | < 33.01     |
|                          |                         | 50      | 0         | 19.04              | 20.41      | < 33.01     |
|                          |                         | 1       | 51        | 18.64              | 20.01      | < 33.01     |
|                          |                         | 1       | 0         | 18.57              | 19.94      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 1882.5                   | 10                      | 25      | 12        | 19.00              | 20.37      | < 33.01     |
|                          |                         | 1       | 1         | 18.61              | 19.98      | < 33.01     |
|                          |                         | 1       | 50        | 18.63              | 20.00      | < 33.01     |
|                          |                         | 50      | 0         | 18.97              | 20.34      | < 33.01     |
|                          |                         | 1       | 51        | 18.64              | 20.01      | < 33.01     |
|                          |                         | 1       | 0         | 18.64              | 20.01      | < 33.01     |
| 1910.0                   | 10                      | 25      | 12        | 19.07              | 20.44      | < 33.01     |
|                          |                         | 1       | 1         | 18.66              | 20.03      | < 33.01     |
|                          |                         | 1       | 50        | 18.57              | 19.94      | < 33.01     |
|                          |                         | 50      | 0         | 19.05              | 20.42      | < 33.01     |
|                          |                         | 1       | 51        | 18.45              | 19.82      | < 33.01     |
|                          |                         | 1       | 0         | 18.55              | 19.92      | < 33.01     |
| 1857.5                   | 15                      | 36      | 18        | 19.12              | 20.49      | < 33.01     |
|                          |                         | 1       | 1         | 18.66              | 20.03      | < 33.01     |
|                          |                         | 1       | 77        | 18.68              | 20.05      | < 33.01     |
|                          |                         | 75      | 0         | 19.15              | 20.52      | < 33.01     |
|                          |                         | 1       | 78        | 18.60              | 19.97      | < 33.01     |
|                          |                         | 1       | 0         | 18.67              | 20.04      | < 33.01     |
| 1882.5                   | 15                      | 36      | 18        | 19.12              | 20.49      | < 33.01     |
|                          |                         | 1       | 1         | 18.73              | 20.10      | < 33.01     |
|                          |                         | 1       | 77        | 18.82              | 20.19      | < 33.01     |
|                          |                         | 75      | 0         | 19.13              | 20.50      | < 33.01     |
|                          |                         | 1       | 78        | 18.71              | 20.08      | < 33.01     |
|                          |                         | 1       | 0         | 18.73              | 20.10      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 1907.5                   | 15                      | 36      | 18        | 19.01              | 20.38      | < 33.01     |
|                          |                         | 1       | 1         | 18.74              | 20.11      | < 33.01     |
|                          |                         | 1       | 77        | 18.72              | 20.09      | < 33.01     |
|                          |                         | 75      | 0         | 19.17              | 20.54      | < 33.01     |
|                          |                         | 1       | 78        | 18.71              | 20.08      | < 33.01     |
|                          |                         | 1       | 0         | 18.76              | 20.13      | < 33.01     |
| 1860.0                   | 20                      | 50      | 25        | 19.05              | 20.42      | < 33.01     |
|                          |                         | 1       | 1         | 18.68              | 20.05      | < 33.01     |
|                          |                         | 1       | 104       | 19.17              | 20.54      | < 33.01     |
|                          |                         | 100     | 0         | 19.18              | 20.55      | < 33.01     |
|                          |                         | 1       | 105       | 18.64              | 20.01      | < 33.01     |
|                          |                         | 1       | 0         | 18.70              | 20.07      | < 33.01     |
| 1882.5                   | 20                      | 50      | 25        | 19.00              | 20.37      | < 33.01     |
|                          |                         | 1       | 1         | 18.80              | 20.17      | < 33.01     |
|                          |                         | 1       | 104       | 18.84              | 20.21      | < 33.01     |
|                          |                         | 100     | 0         | 19.16              | 20.53      | < 33.01     |
|                          |                         | 1       | 105       | 18.80              | 20.17      | < 33.01     |
|                          |                         | 1       | 0         | 18.74              | 20.11      | < 33.01     |
| 1905.0                   | 20                      | 50      | 25        | 19.10              | 20.47      | < 33.01     |
|                          |                         | 1       | 1         | 18.79              | 20.16      | < 33.01     |
|                          |                         | 1       | 104       | 18.76              | 20.13      | < 33.01     |
|                          |                         | 100     | 0         | 19.18              | 20.55      | < 33.01     |
|                          |                         | 1       | 105       | 18.75              | 20.12      | < 33.01     |
|                          |                         | 1       | 0         | 18.77              | 20.14      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 1862.5                   | 25                      | 64      | 32        | 18.81              | 20.18      | < 33.01     |
|                          |                         | 1       | 1         | 18.58              | 19.95      | < 33.01     |
|                          |                         | 1       | 131       | 18.53              | 19.90      | < 33.01     |
|                          |                         | 128     | 0         | 18.90              | 20.27      | < 33.01     |
|                          |                         | 1       | 132       | 18.57              | 19.94      | < 33.01     |
|                          |                         | 1       | 0         | 18.52              | 19.89      | < 33.01     |
| 1882.5                   | 25                      | 64      | 32        | 18.84              | 20.21      | < 33.01     |
|                          |                         | 1       | 1         | 18.63              | 20.00      | < 33.01     |
|                          |                         | 1       | 131       | 18.67              | 20.04      | < 33.01     |
|                          |                         | 128     | 0         | 18.92              | 20.29      | < 33.01     |
|                          |                         | 1       | 132       | 18.62              | 19.99      | < 33.01     |
|                          |                         | 1       | 0         | 18.71              | 20.08      | < 33.01     |
| 1902.5                   | 25                      | 64      | 32        | 18.99              | 20.36      | < 33.01     |
|                          |                         | 1       | 1         | 18.70              | 20.07      | < 33.01     |
|                          |                         | 1       | 131       | 18.60              | 19.97      | < 33.01     |
|                          |                         | 128     | 0         | 18.94              | 20.31      | < 33.01     |
|                          |                         | 1       | 132       | 18.68              | 20.05      | < 33.01     |
|                          |                         | 1       | 0         | 18.57              | 19.94      | < 33.01     |
| 1865.0                   | 30                      | 80      | 40        | 19.14              | 20.51      | < 33.01     |
|                          |                         | 1       | 1         | 18.82              | 20.19      | < 33.01     |
|                          |                         | 1       | 158       | 18.85              | 20.22      | < 33.01     |
|                          |                         | 160     | 0         | 19.08              | 20.45      | < 33.01     |
|                          |                         | 1       | 159       | 18.82              | 20.19      | < 33.01     |
|                          |                         | 1       | 0         | 18.82              | 20.19      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 1882.5                   | 30                      | 80      | 40        | 19.12              | 20.49      | < 33.01     |
|                          |                         | 1       | 1         | 18.83              | 20.20      | < 33.01     |
|                          |                         | 1       | 158       | 18.70              | 20.07      | < 33.01     |
|                          |                         | 160     | 0         | 19.09              | 20.46      | < 33.01     |
|                          |                         | 1       | 159       | 18.68              | 20.05      | < 33.01     |
|                          |                         | 1       | 0         | 18.69              | 20.06      | < 33.01     |
| 1900.0                   | 30                      | 80      | 40        | 19.22              | 20.59      | < 33.01     |
|                          |                         | 1       | 1         | 18.74              | 20.11      | < 33.01     |
|                          |                         | 1       | 158       | 18.82              | 20.19      | < 33.01     |
|                          |                         | 160     | 0         | 19.17              | 20.54      | < 33.01     |
|                          |                         | 1       | 159       | 18.78              | 20.15      | < 33.01     |
|                          |                         | 1       | 0         | 18.72              | 20.09      | < 33.01     |
| 1870.0                   | 40                      | 108     | 54        | 19.08              | 20.45      | < 33.01     |
|                          |                         | 1       | 1         | 18.85              | 20.22      | < 33.01     |
|                          |                         | 1       | 214       | 18.86              | 20.23      | < 33.01     |
|                          |                         | 216     | 0         | 19.12              | 20.49      | < 33.01     |
|                          |                         | 1       | 215       | 18.85              | 20.22      | < 33.01     |
|                          |                         | 1       | 0         | 18.83              | 20.20      | < 33.01     |
| 1882.5                   | 40                      | 108     | 54        | 19.07              | 20.44      | < 33.01     |
|                          |                         | 1       | 1         | 18.78              | 20.15      | < 33.01     |
|                          |                         | 1       | 214       | 18.88              | 20.25      | < 33.01     |
|                          |                         | 216     | 0         | 19.12              | 20.49      | < 33.01     |
|                          |                         | 1       | 215       | 18.86              | 20.23      | < 33.01     |
|                          |                         | 1       | 0         | 18.76              | 20.13      | < 33.01     |
| 1895.0                   | 40                      | 108     | 54        | 19.24              | 20.61      | < 33.01     |
|                          |                         | 1       | 1         | 18.81              | 20.18      | < 33.01     |
|                          |                         | 1       | 214       | 18.87              | 20.24      | < 33.01     |
|                          |                         | 216     | 0         | 19.04              | 20.41      | < 33.01     |
|                          |                         | 1       | 215       | 18.69              | 20.06      | < 33.01     |
|                          |                         | 1       | 0         | 18.83              | 20.20      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 1852.5          | 5                       | 13      | 6         | 22.09              | 23.46      | < 33.01     |
|                 |                         | 1       | 1         | 21.80              | 23.17      | < 33.01     |
|                 |                         | 1       | 23        | 21.93              | 23.30      | < 33.01     |
|                 |                         | 25      | 0         | 20.49              | 21.86      | < 33.01     |
|                 |                         | 1       | 24        | 20.43              | 21.80      | < 33.01     |
|                 |                         | 1       | 0         | 20.45              | 21.82      | < 33.01     |
| 1882.5          | 5                       | 13      | 6         | 21.90              | 23.27      | < 33.01     |
|                 |                         | 1       | 1         | 21.90              | 23.27      | < 33.01     |
|                 |                         | 1       | 23        | 21.77              | 23.14      | < 33.01     |
|                 |                         | 25      | 0         | 20.47              | 21.84      | < 33.01     |
|                 |                         | 1       | 24        | 20.50              | 21.87      | < 33.01     |
|                 |                         | 1       | 0         | 20.46              | 21.83      | < 33.01     |
| 1912.5          | 5                       | 13      | 6         | 21.93              | 23.30      | < 33.01     |
|                 |                         | 1       | 1         | 21.91              | 23.28      | < 33.01     |
|                 |                         | 1       | 23        | 21.82              | 23.19      | < 33.01     |
|                 |                         | 25      | 0         | 20.55              | 21.92      | < 33.01     |
|                 |                         | 1       | 24        | 20.37              | 21.74      | < 33.01     |
|                 |                         | 1       | 0         | 20.26              | 21.63      | < 33.01     |
| 1855.0          | 10                      | 26      | 13        | 22.08              | 23.45      | < 33.01     |
|                 |                         | 1       | 1         | 21.74              | 23.11      | < 33.01     |
|                 |                         | 1       | 50        | 21.88              | 23.25      | < 33.01     |
|                 |                         | 52      | 0         | 20.51              | 21.88      | < 33.01     |
|                 |                         | 1       | 51        | 20.36              | 21.73      | < 33.01     |
|                 |                         | 1       | 0         | 20.46              | 21.83      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 1882.5          | 10                      | 26      | 13        | 21.98              | 23.35      | < 33.01     |
|                 |                         | 1       | 1         | 21.81              | 23.18      | < 33.01     |
|                 |                         | 1       | 50        | 21.81              | 23.18      | < 33.01     |
|                 |                         | 52      | 0         | 20.48              | 21.85      | < 33.01     |
|                 |                         | 1       | 51        | 20.39              | 21.76      | < 33.01     |
|                 |                         | 1       | 0         | 20.40              | 21.77      | < 33.01     |
| 1910.0          | 10                      | 26      | 13        | 22.02              | 23.39      | < 33.01     |
|                 |                         | 1       | 1         | 21.85              | 23.22      | < 33.01     |
|                 |                         | 1       | 50        | 21.98              | 23.35      | < 33.01     |
|                 |                         | 52      | 0         | 20.56              | 21.93      | < 33.01     |
|                 |                         | 1       | 51        | 20.25              | 21.62      | < 33.01     |
|                 |                         | 1       | 0         | 20.33              | 21.70      | < 33.01     |
| 1857.5          | 15                      | 39      | 19        | 22.08              | 23.45      | < 33.01     |
|                 |                         | 1       | 1         | 21.91              | 23.28      | < 33.01     |
|                 |                         | 1       | 77        | 21.95              | 23.32      | < 33.01     |
|                 |                         | 79      | 0         | 20.68              | 22.05      | < 33.01     |
|                 |                         | 1       | 78        | 20.56              | 21.93      | < 33.01     |
|                 |                         | 1       | 0         | 20.64              | 22.01      | < 33.01     |
| 1882.5          | 15                      | 39      | 19        | 22.02              | 23.39      | < 33.01     |
|                 |                         | 1       | 1         | 21.99              | 23.36      | < 33.01     |
|                 |                         | 1       | 77        | 22.09              | 23.46      | < 33.01     |
|                 |                         | 79      | 0         | 20.62              | 21.99      | < 33.01     |
|                 |                         | 1       | 78        | 20.53              | 21.90      | < 33.01     |
|                 |                         | 1       | 0         | 20.53              | 21.90      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 1907.5          | 15                      | 39      | 19        | 22.16              | 23.53      | < 33.01     |
|                 |                         | 1       | 1         | 22.01              | 23.38      | < 33.01     |
|                 |                         | 1       | 77        | 21.98              | 23.35      | < 33.01     |
|                 |                         | 79      | 0         | 20.68              | 22.05      | < 33.01     |
|                 |                         | 1       | 78        | 20.53              | 21.90      | < 33.01     |
|                 |                         | 1       | 0         | 20.42              | 21.79      | < 33.01     |
| 1860.0          | 20                      | 53      | 26        | 22.19              | 23.56      | < 33.01     |
|                 |                         | 1       | 1         | 21.85              | 23.22      | < 33.01     |
|                 |                         | 1       | 104       | 21.95              | 23.32      | < 33.01     |
|                 |                         | 106     | 0         | 20.50              | 21.87      | < 33.01     |
|                 |                         | 1       | 105       | 20.51              | 21.88      | < 33.01     |
|                 |                         | 1       | 0         | 20.58              | 21.95      | < 33.01     |
| 1882.5          | 20                      | 53      | 26        | 22.14              | 23.51      | < 33.01     |
|                 |                         | 1       | 1         | 21.95              | 23.32      | < 33.01     |
|                 |                         | 1       | 104       | 21.90              | 23.27      | < 33.01     |
|                 |                         | 106     | 0         | 20.49              | 21.86      | < 33.01     |
|                 |                         | 1       | 105       | 20.47              | 21.84      | < 33.01     |
|                 |                         | 1       | 0         | 20.62              | 21.99      | < 33.01     |
| 1905.0          | 20                      | 53      | 26        | 22.17              | 23.54      | < 33.01     |
|                 |                         | 1       | 1         | 22.05              | 23.42      | < 33.01     |
|                 |                         | 1       | 104       | 22.02              | 23.39      | < 33.01     |
|                 |                         | 106     | 0         | 20.61              | 21.98      | < 33.01     |
|                 |                         | 1       | 105       | 20.57              | 21.94      | < 33.01     |
|                 |                         | 1       | 0         | 20.73              | 22.10      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 1862.5          | 25                      | 64      | 32        | 21.91              | 23.28      | < 33.01     |
|                 |                         | 1       | 1         | 21.75              | 23.12      | < 33.01     |
|                 |                         | 1       | 131       | 21.74              | 23.11      | < 33.01     |
|                 |                         | 133     | 0         | 20.41              | 21.78      | < 33.01     |
|                 |                         | 1       | 132       | 20.36              | 21.73      | < 33.01     |
|                 |                         | 1       | 0         | 20.37              | 21.74      | < 33.01     |
| 1882.5          | 25                      | 64      | 32        | 21.92              | 23.29      | < 33.01     |
|                 |                         | 1       | 1         | 21.87              | 23.24      | < 33.01     |
|                 |                         | 1       | 131       | 21.84              | 23.21      | < 33.01     |
|                 |                         | 133     | 0         | 20.46              | 21.83      | < 33.01     |
|                 |                         | 1       | 132       | 20.48              | 21.85      | < 33.01     |
|                 |                         | 1       | 0         | 20.49              | 21.86      | < 33.01     |
| 1902.5          | 25                      | 64      | 32        | 21.97              | 23.34      | < 33.01     |
|                 |                         | 1       | 1         | 21.87              | 23.24      | < 33.01     |
|                 |                         | 1       | 131       | 21.74              | 23.11      | < 33.01     |
|                 |                         | 133     | 0         | 20.45              | 21.82      | < 33.01     |
|                 |                         | 1       | 132       | 20.42              | 21.79      | < 33.01     |
|                 |                         | 1       | 0         | 20.49              | 21.86      | < 33.01     |
| 1865.0          | 30                      | 80      | 40        | 22.04              | 23.41      | < 33.01     |
|                 |                         | 1       | 1         | 21.82              | 23.19      | < 33.01     |
|                 |                         | 1       | 158       | 22.11              | 23.48      | < 33.01     |
|                 |                         | 160     | 0         | 20.60              | 21.97      | < 33.01     |
|                 |                         | 1       | 159       | 20.48              | 21.85      | < 33.01     |
|                 |                         | 1       | 0         | 20.43              | 21.80      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 1882.5          | 30                      | 80      | 40        | 22.08              | 23.45      | < 33.01     |
|                 |                         | 1       | 1         | 22.04              | 23.41      | < 33.01     |
|                 |                         | 1       | 158       | 21.94              | 23.31      | < 33.01     |
|                 |                         | 160     | 0         | 20.64              | 22.01      | < 33.01     |
|                 |                         | 1       | 159       | 21.06              | 22.43      | < 33.01     |
|                 |                         | 1       | 0         | 20.46              | 21.83      | < 33.01     |
| 1900.0          | 30                      | 80      | 40        | 22.12              | 23.49      | < 33.01     |
|                 |                         | 1       | 1         | 21.97              | 23.34      | < 33.01     |
|                 |                         | 1       | 158       | 21.98              | 23.35      | < 33.01     |
|                 |                         | 160     | 0         | 20.61              | 21.98      | < 33.01     |
|                 |                         | 1       | 159       | 20.45              | 21.82      | < 33.01     |
|                 |                         | 1       | 0         | 20.41              | 21.78      | < 33.01     |
| 1870.0          | 40                      | 108     | 54        | 22.13              | 23.50      | < 33.01     |
|                 |                         | 1       | 1         | 21.93              | 23.30      | < 33.01     |
|                 |                         | 1       | 214       | 22.04              | 23.41      | < 33.01     |
|                 |                         | 216     | 0         | 20.68              | 22.05      | < 33.01     |
|                 |                         | 1       | 215       | 20.55              | 21.92      | < 33.01     |
|                 |                         | 1       | 0         | 20.52              | 21.89      | < 33.01     |
| 1882.5          | 40                      | 108     | 54        | 22.12              | 23.49      | < 33.01     |
|                 |                         | 1       | 1         | 22.17              | 23.54      | < 33.01     |
|                 |                         | 1       | 214       | 22.00              | 23.37      | < 33.01     |
|                 |                         | 216     | 0         | 20.67              | 22.04      | < 33.01     |
|                 |                         | 1       | 215       | 20.56              | 21.93      | < 33.01     |
|                 |                         | 1       | 0         | 20.55              | 21.92      | < 33.01     |
| 1895.0          | 40                      | 108     | 54        | 22.08              | 23.45      | < 33.01     |
|                 |                         | 1       | 1         | 21.92              | 23.29      | < 33.01     |
|                 |                         | 1       | 214       | 22.02              | 23.39      | < 33.01     |
|                 |                         | 216     | 0         | 20.76              | 22.13      | < 33.01     |
|                 |                         | 1       | 215       | 20.46              | 21.83      | < 33.01     |
|                 |                         | 1       | 0         | 20.47              | 21.84      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 1852.5          | 5                       | 13      | 6         | 21.53              | 22.90      | < 33.01     |
|                 |                         | 1       | 1         | 21.43              | 22.80      | < 33.01     |
|                 |                         | 1       | 23        | 21.58              | 22.95      | < 33.01     |
|                 |                         | 25      | 0         | 20.63              | 22.00      | < 33.01     |
|                 |                         | 1       | 24        | 20.47              | 21.84      | < 33.01     |
|                 |                         | 1       | 0         | 20.51              | 21.88      | < 33.01     |
| 1882.5          | 5                       | 13      | 6         | 21.61              | 22.98      | < 33.01     |
|                 |                         | 1       | 1         | 21.47              | 22.84      | < 33.01     |
|                 |                         | 1       | 23        | 21.56              | 22.93      | < 33.01     |
|                 |                         | 25      | 0         | 20.51              | 21.88      | < 33.01     |
|                 |                         | 1       | 24        | 20.51              | 21.88      | < 33.01     |
|                 |                         | 1       | 0         | 20.43              | 21.80      | < 33.01     |
| 1912.5          | 5                       | 13      | 6         | 21.65              | 23.02      | < 33.01     |
|                 |                         | 1       | 1         | 21.54              | 22.91      | < 33.01     |
|                 |                         | 1       | 23        | 21.44              | 22.81      | < 33.01     |
|                 |                         | 25      | 0         | 20.57              | 21.94      | < 33.01     |
|                 |                         | 1       | 24        | 20.35              | 21.72      | < 33.01     |
|                 |                         | 1       | 0         | 20.43              | 21.80      | < 33.01     |
| 1855.0          | 10                      | 26      | 13        | 21.49              | 22.86      | < 33.01     |
|                 |                         | 1       | 1         | 21.36              | 22.73      | < 33.01     |
|                 |                         | 1       | 50        | 21.35              | 22.72      | < 33.01     |
|                 |                         | 52      | 0         | 20.48              | 21.85      | < 33.01     |
|                 |                         | 1       | 51        | 20.20              | 21.57      | < 33.01     |
|                 |                         | 1       | 0         | 20.26              | 21.63      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 1882.5          | 10                      | 26      | 13        | 21.50              | 22.87      | < 33.01     |
|                 |                         | 1       | 1         | 21.42              | 22.79      | < 33.01     |
|                 |                         | 1       | 50        | 21.50              | 22.87      | < 33.01     |
|                 |                         | 52      | 0         | 20.48              | 21.85      | < 33.01     |
|                 |                         | 1       | 51        | 20.41              | 21.78      | < 33.01     |
|                 |                         | 1       | 0         | 20.33              | 21.70      | < 33.01     |
| 1910.0          | 10                      | 26      | 13        | 21.55              | 22.92      | < 33.01     |
|                 |                         | 1       | 1         | 21.43              | 22.80      | < 33.01     |
|                 |                         | 1       | 50        | 21.48              | 22.85      | < 33.01     |
|                 |                         | 52      | 0         | 20.53              | 21.90      | < 33.01     |
|                 |                         | 1       | 51        | 20.25              | 21.62      | < 33.01     |
|                 |                         | 1       | 0         | 20.34              | 21.71      | < 33.01     |
| 1857.5          | 15                      | 39      | 19        | 21.57              | 22.94      | < 33.01     |
|                 |                         | 1       | 1         | 21.68              | 23.05      | < 33.01     |
|                 |                         | 1       | 77        | 21.84              | 23.21      | < 33.01     |
|                 |                         | 79      | 0         | 20.67              | 22.04      | < 33.01     |
|                 |                         | 1       | 78        | 20.31              | 21.68      | < 33.01     |
|                 |                         | 1       | 0         | 20.29              | 21.66      | < 33.01     |
| 1882.5          | 15                      | 39      | 19        | 21.59              | 22.96      | < 33.01     |
|                 |                         | 1       | 1         | 21.69              | 23.06      | < 33.01     |
|                 |                         | 1       | 77        | 21.71              | 23.08      | < 33.01     |
|                 |                         | 79      | 0         | 20.60              | 21.97      | < 33.01     |
|                 |                         | 1       | 78        | 20.34              | 21.71      | < 33.01     |
|                 |                         | 1       | 0         | 20.31              | 21.68      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 1907.5          | 15                      | 39      | 19        | 21.70              | 23.07      | < 33.01     |
|                 |                         | 1       | 1         | 21.67              | 23.04      | < 33.01     |
|                 |                         | 1       | 77        | 21.63              | 23.00      | < 33.01     |
|                 |                         | 79      | 0         | 20.63              | 22.00      | < 33.01     |
|                 |                         | 1       | 78        | 20.26              | 21.63      | < 33.01     |
|                 |                         | 1       | 0         | 20.17              | 21.54      | < 33.01     |
| 1860.0          | 20                      | 53      | 26        | 21.60              | 22.97      | < 33.01     |
|                 |                         | 1       | 1         | 21.39              | 22.76      | < 33.01     |
|                 |                         | 1       | 104       | 21.57              | 22.94      | < 33.01     |
|                 |                         | 106     | 0         | 20.40              | 21.77      | < 33.01     |
|                 |                         | 1       | 105       | 20.45              | 21.82      | < 33.01     |
|                 |                         | 1       | 0         | 20.69              | 22.06      | < 33.01     |
| 1882.5          | 20                      | 53      | 26        | 21.51              | 22.88      | < 33.01     |
|                 |                         | 1       | 1         | 21.53              | 22.90      | < 33.01     |
|                 |                         | 1       | 104       | 21.59              | 22.96      | < 33.01     |
|                 |                         | 106     | 0         | 20.59              | 21.96      | < 33.01     |
|                 |                         | 1       | 105       | 20.66              | 22.03      | < 33.01     |
|                 |                         | 1       | 0         | 20.63              | 22.00      | < 33.01     |
| 1905.0          | 20                      | 53      | 26        | 21.60              | 22.97      | < 33.01     |
|                 |                         | 1       | 1         | 21.81              | 23.18      | < 33.01     |
|                 |                         | 1       | 104       | 21.92              | 23.29      | < 33.01     |
|                 |                         | 106     | 0         | 20.23              | 21.60      | < 33.01     |
|                 |                         | 1       | 105       | 20.26              | 21.63      | < 33.01     |
|                 |                         | 1       | 0         | 20.73              | 22.10      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 1862.5          | 25                      | 64      | 32        | 21.48              | 22.85      | < 33.01     |
|                 |                         | 1       | 1         | 21.50              | 22.87      | < 33.01     |
|                 |                         | 1       | 131       | 21.58              | 22.95      | < 33.01     |
|                 |                         | 133     | 0         | 20.53              | 21.90      | < 33.01     |
|                 |                         | 1       | 132       | 20.21              | 21.58      | < 33.01     |
|                 |                         | 1       | 0         | 20.02              | 21.39      | < 33.01     |
| 1882.5          | 25                      | 64      | 32        | 21.31              | 22.68      | < 33.01     |
|                 |                         | 1       | 1         | 21.49              | 22.86      | < 33.01     |
|                 |                         | 1       | 131       | 21.65              | 23.02      | < 33.01     |
|                 |                         | 133     | 0         | 20.49              | 21.86      | < 33.01     |
|                 |                         | 1       | 132       | 20.15              | 21.52      | < 33.01     |
|                 |                         | 1       | 0         | 20.18              | 21.55      | < 33.01     |
| 1902.5          | 25                      | 64      | 32        | 21.46              | 22.83      | < 33.01     |
|                 |                         | 1       | 1         | 21.33              | 22.70      | < 33.01     |
|                 |                         | 1       | 131       | 21.33              | 22.70      | < 33.01     |
|                 |                         | 133     | 0         | 20.57              | 21.94      | < 33.01     |
|                 |                         | 1       | 132       | 20.38              | 21.75      | < 33.01     |
|                 |                         | 1       | 0         | 20.36              | 21.73      | < 33.01     |
| 1865.0          | 30                      | 80      | 40        | 21.54              | 22.91      | < 33.01     |
|                 |                         | 1       | 1         | 21.58              | 22.95      | < 33.01     |
|                 |                         | 1       | 158       | 21.65              | 23.02      | < 33.01     |
|                 |                         | 160     | 0         | 20.55              | 21.92      | < 33.01     |
|                 |                         | 1       | 159       | 20.19              | 21.56      | < 33.01     |
|                 |                         | 1       | 0         | 20.15              | 21.52      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 1882.5          | 30                      | 80      | 40        | 21.61              | 22.98      | < 33.01     |
|                 |                         | 1       | 1         | 21.41              | 22.78      | < 33.01     |
|                 |                         | 1       | 158       | 21.48              | 22.85      | < 33.01     |
|                 |                         | 160     | 0         | 20.52              | 21.89      | < 33.01     |
|                 |                         | 1       | 159       | 20.36              | 21.73      | < 33.01     |
|                 |                         | 1       | 0         | 20.36              | 21.73      | < 33.01     |
| 1900.0          | 30                      | 80      | 40        | 21.66              | 23.03      | < 33.01     |
|                 |                         | 1       | 1         | 21.33              | 22.70      | < 33.01     |
|                 |                         | 1       | 158       | 21.47              | 22.84      | < 33.01     |
|                 |                         | 160     | 0         | 20.59              | 21.96      | < 33.01     |
|                 |                         | 1       | 159       | 20.36              | 21.73      | < 33.01     |
|                 |                         | 1       | 0         | 20.26              | 21.63      | < 33.01     |
| 1870.0          | 40                      | 108     | 54        | 21.54              | 22.91      | < 33.01     |
|                 |                         | 1       | 1         | 21.40              | 22.77      | < 33.01     |
|                 |                         | 1       | 214       | 21.55              | 22.92      | < 33.01     |
|                 |                         | 216     | 0         | 20.60              | 21.97      | < 33.01     |
|                 |                         | 1       | 215       | 20.35              | 21.72      | < 33.01     |
|                 |                         | 1       | 0         | 20.39              | 21.76      | < 33.01     |
| 1882.5          | 40                      | 108     | 54        | 21.54              | 22.91      | < 33.01     |
|                 |                         | 1       | 1         | 21.43              | 22.80      | < 33.01     |
|                 |                         | 1       | 214       | 21.50              | 22.87      | < 33.01     |
|                 |                         | 216     | 0         | 20.60              | 21.97      | < 33.01     |
|                 |                         | 1       | 215       | 20.39              | 21.76      | < 33.01     |
|                 |                         | 1       | 0         | 20.57              | 21.94      | < 33.01     |
| 1895.0          | 40                      | 108     | 54        | 21.57              | 22.94      | < 33.01     |
|                 |                         | 1       | 1         | 21.38              | 22.75      | < 33.01     |
|                 |                         | 1       | 214       | 21.65              | 23.02      | < 33.01     |
|                 |                         | 216     | 0         | 20.59              | 21.96      | < 33.01     |
|                 |                         | 1       | 215       | 20.38              | 21.75      | < 33.01     |
|                 |                         | 1       | 0         | 20.49              | 21.86      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 1852.5          | 5                       | 13      | 6         | 20.00              | 21.37      | < 33.01     |
|                 |                         | 1       | 1         | 20.06              | 21.43      | < 33.01     |
|                 |                         | 1       | 23        | 20.10              | 21.47      | < 33.01     |
|                 |                         | 25      | 0         | 20.08              | 21.45      | < 33.01     |
|                 |                         | 1       | 24        | 20.15              | 21.52      | < 33.01     |
|                 |                         | 1       | 0         | 20.11              | 21.48      | < 33.01     |
| 1882.5          | 5                       | 13      | 6         | 19.93              | 21.30      | < 33.01     |
|                 |                         | 1       | 1         | 20.09              | 21.46      | < 33.01     |
|                 |                         | 1       | 23        | 20.15              | 21.52      | < 33.01     |
|                 |                         | 25      | 0         | 20.15              | 21.52      | < 33.01     |
|                 |                         | 1       | 24        | 20.12              | 21.49      | < 33.01     |
|                 |                         | 1       | 0         | 20.16              | 21.53      | < 33.01     |
| 1912.5          | 5                       | 13      | 6         | 20.06              | 21.43      | < 33.01     |
|                 |                         | 1       | 1         | 20.14              | 21.51      | < 33.01     |
|                 |                         | 1       | 23        | 20.01              | 21.38      | < 33.01     |
|                 |                         | 25      | 0         | 20.16              | 21.53      | < 33.01     |
|                 |                         | 1       | 24        | 19.95              | 21.32      | < 33.01     |
|                 |                         | 1       | 0         | 20.00              | 21.37      | < 33.01     |
| 1855.0          | 10                      | 26      | 13        | 20.10              | 21.47      | < 33.01     |
|                 |                         | 1       | 1         | 19.88              | 21.25      | < 33.01     |
|                 |                         | 1       | 50        | 19.91              | 21.28      | < 33.01     |
|                 |                         | 52      | 0         | 20.11              | 21.48      | < 33.01     |
|                 |                         | 1       | 51        | 19.84              | 21.21      | < 33.01     |
|                 |                         | 1       | 0         | 19.87              | 21.24      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 1882.5          | 10                      | 26      | 13        | 20.00              | 21.37      | < 33.01     |
|                 |                         | 1       | 1         | 20.05              | 21.42      | < 33.01     |
|                 |                         | 1       | 50        | 20.12              | 21.49      | < 33.01     |
|                 |                         | 52      | 0         | 20.07              | 21.44      | < 33.01     |
|                 |                         | 1       | 51        | 20.10              | 21.47      | < 33.01     |
|                 |                         | 1       | 0         | 20.07              | 21.44      | < 33.01     |
| 1910.0          | 10                      | 26      | 13        | 20.04              | 21.41      | < 33.01     |
|                 |                         | 1       | 1         | 20.13              | 21.50      | < 33.01     |
|                 |                         | 1       | 50        | 20.03              | 21.40      | < 33.01     |
|                 |                         | 52      | 0         | 20.15              | 21.52      | < 33.01     |
|                 |                         | 1       | 51        | 19.97              | 21.34      | < 33.01     |
|                 |                         | 1       | 0         | 20.01              | 21.38      | < 33.01     |
| 1857.5          | 15                      | 39      | 19        | 20.17              | 21.54      | < 33.01     |
|                 |                         | 1       | 1         | 19.91              | 21.28      | < 33.01     |
|                 |                         | 1       | 77        | 20.01              | 21.38      | < 33.01     |
|                 |                         | 79      | 0         | 20.15              | 21.52      | < 33.01     |
|                 |                         | 1       | 78        | 19.88              | 21.25      | < 33.01     |
|                 |                         | 1       | 0         | 19.87              | 21.24      | < 33.01     |
| 1882.5          | 15                      | 39      | 19        | 20.13              | 21.50      | < 33.01     |
|                 |                         | 1       | 1         | 19.93              | 21.30      | < 33.01     |
|                 |                         | 1       | 77        | 19.89              | 21.26      | < 33.01     |
|                 |                         | 79      | 0         | 20.09              | 21.46      | < 33.01     |
|                 |                         | 1       | 78        | 19.94              | 21.31      | < 33.01     |
|                 |                         | 1       | 0         | 19.88              | 21.25      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 1907.5          | 15                      | 39      | 19        | 20.33              | 21.70      | < 33.01     |
|                 |                         | 1       | 1         | 19.99              | 21.36      | < 33.01     |
|                 |                         | 1       | 77        | 19.90              | 21.27      | < 33.01     |
|                 |                         | 79      | 0         | 20.31              | 21.68      | < 33.01     |
|                 |                         | 1       | 78        | 19.98              | 21.35      | < 33.01     |
|                 |                         | 1       | 0         | 19.94              | 21.31      | < 33.01     |
| 1860.0          | 20                      | 53      | 26        | 20.17              | 21.54      | < 33.01     |
|                 |                         | 1       | 1         | 20.11              | 21.48      | < 33.01     |
|                 |                         | 1       | 104       | 20.24              | 21.61      | < 33.01     |
|                 |                         | 106     | 0         | 20.15              | 21.52      | < 33.01     |
|                 |                         | 1       | 105       | 19.98              | 21.35      | < 33.01     |
|                 |                         | 1       | 0         | 20.13              | 21.50      | < 33.01     |
| 1882.5          | 20                      | 53      | 26        | 20.06              | 21.43      | < 33.01     |
|                 |                         | 1       | 1         | 19.86              | 21.23      | < 33.01     |
|                 |                         | 1       | 104       | 19.94              | 21.31      | < 33.01     |
|                 |                         | 106     | 0         | 19.93              | 21.30      | < 33.01     |
|                 |                         | 1       | 105       | 19.89              | 21.26      | < 33.01     |
|                 |                         | 1       | 0         | 20.06              | 21.43      | < 33.01     |
| 1905.0          | 20                      | 53      | 26        | 20.20              | 21.57      | < 33.01     |
|                 |                         | 1       | 1         | 19.92              | 21.29      | < 33.01     |
|                 |                         | 1       | 104       | 19.83              | 21.20      | < 33.01     |
|                 |                         | 106     | 0         | 19.90              | 21.27      | < 33.01     |
|                 |                         | 1       | 105       | 19.91              | 21.28      | < 33.01     |
|                 |                         | 1       | 0         | 20.16              | 21.53      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 1862.5          | 25                      | 64      | 32        | 19.94              | 21.31      | < 33.01     |
|                 |                         | 1       | 1         | 19.69              | 21.06      | < 33.01     |
|                 |                         | 1       | 131       | 19.67              | 21.04      | < 33.01     |
|                 |                         | 133     | 0         | 19.94              | 21.31      | < 33.01     |
|                 |                         | 1       | 132       | 19.65              | 21.02      | < 33.01     |
|                 |                         | 1       | 0         | 19.13              | 20.50      | < 33.01     |
| 1882.5          | 25                      | 64      | 32        | 19.96              | 21.33      | < 33.01     |
|                 |                         | 1       | 1         | 19.68              | 21.05      | < 33.01     |
|                 |                         | 1       | 131       | 19.90              | 21.27      | < 33.01     |
|                 |                         | 133     | 0         | 20.01              | 21.38      | < 33.01     |
|                 |                         | 1       | 132       | 19.71              | 21.08      | < 33.01     |
|                 |                         | 1       | 0         | 19.84              | 21.21      | < 33.01     |
| 1902.5          | 25                      | 64      | 32        | 20.03              | 21.40      | < 33.01     |
|                 |                         | 1       | 1         | 19.82              | 21.19      | < 33.01     |
|                 |                         | 1       | 131       | 19.85              | 21.22      | < 33.01     |
|                 |                         | 133     | 0         | 19.98              | 21.35      | < 33.01     |
|                 |                         | 1       | 132       | 19.80              | 21.17      | < 33.01     |
|                 |                         | 1       | 0         | 19.89              | 21.26      | < 33.01     |
| 1865.0          | 30                      | 80      | 40        | 20.15              | 21.52      | < 33.01     |
|                 |                         | 1       | 1         | 19.89              | 21.26      | < 33.01     |
|                 |                         | 1       | 158       | 19.80              | 21.17      | < 33.01     |
|                 |                         | 160     | 0         | 20.19              | 21.56      | < 33.01     |
|                 |                         | 1       | 159       | 19.88              | 21.25      | < 33.01     |
|                 |                         | 1       | 0         | 19.83              | 21.20      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 1882.5          | 30                      | 80      | 40        | 20.12              | 21.49      | < 33.01     |
|                 |                         | 1       | 1         | 20.21              | 21.58      | < 33.01     |
|                 |                         | 1       | 158       | 19.95              | 21.32      | < 33.01     |
|                 |                         | 160     | 0         | 20.09              | 21.46      | < 33.01     |
|                 |                         | 1       | 159       | 20.09              | 21.46      | < 33.01     |
|                 |                         | 1       | 0         | 19.93              | 21.30      | < 33.01     |
| 1900.0          | 30                      | 80      | 40        | 20.09              | 21.46      | < 33.01     |
|                 |                         | 1       | 1         | 19.88              | 21.25      | < 33.01     |
|                 |                         | 1       | 158       | 19.99              | 21.36      | < 33.01     |
|                 |                         | 160     | 0         | 20.14              | 21.51      | < 33.01     |
|                 |                         | 1       | 159       | 20.05              | 21.42      | < 33.01     |
|                 |                         | 1       | 0         | 19.84              | 21.21      | < 33.01     |
| 1870.0          | 40                      | 108     | 54        | 20.13              | 21.50      | < 33.01     |
|                 |                         | 1       | 1         | 19.85              | 21.22      | < 33.01     |
|                 |                         | 1       | 214       | 19.99              | 21.36      | < 33.01     |
|                 |                         | 216     | 0         | 20.12              | 21.49      | < 33.01     |
|                 |                         | 1       | 215       | 20.02              | 21.39      | < 33.01     |
|                 |                         | 1       | 0         | 19.93              | 21.30      | < 33.01     |
| 1882.5          | 40                      | 108     | 54        | 20.12              | 21.49      | < 33.01     |
|                 |                         | 1       | 1         | 19.95              | 21.32      | < 33.01     |
|                 |                         | 1       | 214       | 20.07              | 21.44      | < 33.01     |
|                 |                         | 216     | 0         | 20.19              | 21.56      | < 33.01     |
|                 |                         | 1       | 215       | 19.99              | 21.36      | < 33.01     |
|                 |                         | 1       | 0         | 19.96              | 21.33      | < 33.01     |
| 1895.0          | 40                      | 108     | 54        | 20.07              | 21.44      | < 33.01     |
|                 |                         | 1       | 1         | 19.94              | 21.31      | < 33.01     |
|                 |                         | 1       | 214       | 19.99              | 21.36      | < 33.01     |
|                 |                         | 216     | 0         | 20.10              | 21.47      | < 33.01     |
|                 |                         | 1       | 215       | 19.93              | 21.30      | < 33.01     |
|                 |                         | 1       | 0         | 19.96              | 21.33      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 1852.5          | 5                       | 13      | 6         | 16.74              | 18.11      | < 33.01     |
|                 |                         | 1       | 1         | 17.19              | 18.56      | < 33.01     |
|                 |                         | 1       | 23        | 17.23              | 18.60      | < 33.01     |
|                 |                         | 25      | 0         | 16.80              | 18.17      | < 33.01     |
|                 |                         | 1       | 24        | 17.14              | 18.51      | < 33.01     |
|                 |                         | 1       | 0         | 17.14              | 18.51      | < 33.01     |
| 1882.5          | 5                       | 13      | 6         | 16.59              | 17.96      | < 33.01     |
|                 |                         | 1       | 1         | 16.77              | 18.14      | < 33.01     |
|                 |                         | 1       | 23        | 16.90              | 18.27      | < 33.01     |
|                 |                         | 25      | 0         | 16.72              | 18.09      | < 33.01     |
|                 |                         | 1       | 24        | 16.75              | 18.12      | < 33.01     |
|                 |                         | 1       | 0         | 16.82              | 18.19      | < 33.01     |
| 1912.5          | 5                       | 13      | 6         | 16.62              | 17.99      | < 33.01     |
|                 |                         | 1       | 1         | 17.21              | 18.58      | < 33.01     |
|                 |                         | 1       | 23        | 17.25              | 18.62      | < 33.01     |
|                 |                         | 25      | 0         | 16.74              | 18.11      | < 33.01     |
|                 |                         | 1       | 24        | 17.20              | 18.57      | < 33.01     |
|                 |                         | 1       | 0         | 17.28              | 18.65      | < 33.01     |
| 1855.0          | 10                      | 26      | 13        | 16.65              | 18.02      | < 33.01     |
|                 |                         | 1       | 1         | 17.06              | 18.43      | < 33.01     |
|                 |                         | 1       | 50        | 17.07              | 18.44      | < 33.01     |
|                 |                         | 52      | 0         | 16.75              | 18.12      | < 33.01     |
|                 |                         | 1       | 51        | 17.04              | 18.41      | < 33.01     |
|                 |                         | 1       | 0         | 17.08              | 18.45      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 1882.5   | 10                      | 26      | 13        | 16.65              | 18.02      | < 33.01     |
|  |                         | 1       | 1         | 17.03              | 18.40      | < 33.01     |
|  |                         | 1       | 50        | 17.04              | 18.41      | < 33.01     |
|  |                         | 52      | 0         | 16.67              | 18.04      | < 33.01     |
|  |                         | 1       | 51        | 17.03              | 18.40      | < 33.01     |
|  |                         | 1       | 0         | 17.06              | 18.43      | < 33.01     |
| 1910.0   | 10                      | 26      | 13        | 16.66              | 18.03      | < 33.01     |
|  |                         | 1       | 1         | 17.06              | 18.43      | < 33.01     |
|  |                         | 1       | 50        | 17.06              | 18.43      | < 33.01     |
|  |                         | 52      | 0         | 16.71              | 18.08      | < 33.01     |
|  |                         | 1       | 51        | 16.92              | 18.29      | < 33.01     |
|  |                         | 1       | 0         | 16.99              | 18.36      | < 33.01     |
| 1857.5   | 15                      | 39      | 19        | 16.77              | 18.14      | < 33.01     |
|  |                         | 1       | 1         | 16.85              | 18.22      | < 33.01     |
|  |                         | 1       | 77        | 16.83              | 18.20      | < 33.01     |
|  |                         | 79      | 0         | 16.75              | 18.12      | < 33.01     |
|  |                         | 1       | 78        | 16.91              | 18.28      | < 33.01     |
|  |                         | 1       | 0         | 16.98              | 18.35      | < 33.01     |
| 1882.5   | 15                      | 39      | 19        | 16.73              | 18.10      | < 33.01     |
|  |                         | 1       | 1         | 17.03              | 18.40      | < 33.01     |
|  |                         | 1       | 77        | 16.95              | 18.32      | < 33.01     |
|  |                         | 79      | 0         | 16.78              | 18.15      | < 33.01     |
|  |                         | 1       | 78        | 16.90              | 18.27      | < 33.01     |
|  |                         | 1       | 0         | 16.88              | 18.25      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 1907.5          | 15                      | 39      | 19        | 16.84              | 18.21      | < 33.01     |
|                 |                         | 1       | 1         | 16.99              | 18.36      | < 33.01     |
|                 |                         | 1       | 77        | 17.01              | 18.38      | < 33.01     |
|                 |                         | 79      | 0         | 16.86              | 18.23      | < 33.01     |
|                 |                         | 1       | 78        | 16.91              | 18.28      | < 33.01     |
|                 |                         | 1       | 0         | 16.89              | 18.26      | < 33.01     |
| 1860.0          | 20                      | 53      | 26        | 16.81              | 18.18      | < 33.01     |
|                 |                         | 1       | 1         | 17.15              | 18.52      | < 33.01     |
|                 |                         | 1       | 104       | 17.19              | 18.56      | < 33.01     |
|                 |                         | 106     | 0         | 17.17              | 18.54      | < 33.01     |
|                 |                         | 1       | 105       | 17.26              | 18.63      | < 33.01     |
|                 |                         | 1       | 0         | 16.75              | 18.12      | < 33.01     |
| 1882.5          | 20                      | 53      | 26        | 16.77              | 18.14      | < 33.01     |
|                 |                         | 1       | 1         | 17.21              | 18.58      | < 33.01     |
|                 |                         | 1       | 104       | 17.13              | 18.50      | < 33.01     |
|                 |                         | 106     | 0         | 17.19              | 18.56      | < 33.01     |
|                 |                         | 1       | 105       | 17.15              | 18.52      | < 33.01     |
|                 |                         | 1       | 0         | 16.72              | 18.09      | < 33.01     |
| 1905.0          | 20                      | 53      | 26        | 16.83              | 18.20      | < 33.01     |
|                 |                         | 1       | 1         | 16.95              | 18.32      | < 33.01     |
|                 |                         | 1       | 104       | 16.80              | 18.17      | < 33.01     |
|                 |                         | 106     | 0         | 16.83              | 18.20      | < 33.01     |
|                 |                         | 1       | 105       | 16.96              | 18.33      | < 33.01     |
|                 |                         | 1       | 0         | 16.94              | 18.31      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 1862.5          | 25                      | 64      | 32        | 16.93              | 18.30      | < 33.01     |
|                 |                         | 1       | 1         | 17.14              | 18.51      | < 33.01     |
|                 |                         | 1       | 131       | 17.06              | 18.43      | < 33.01     |
|                 |                         | 133     | 0         | 16.93              | 18.30      | < 33.01     |
|                 |                         | 1       | 132       | 17.21              | 18.58      | < 33.01     |
|                 |                         | 1       | 0         | 16.99              | 18.36      | < 33.01     |
| 1882.5          | 25                      | 64      | 32        | 16.91              | 18.28      | < 33.01     |
|                 |                         | 1       | 1         | 17.19              | 18.56      | < 33.01     |
|                 |                         | 1       | 131       | 17.20              | 18.57      | < 33.01     |
|                 |                         | 133     | 0         | 16.93              | 18.30      | < 33.01     |
|                 |                         | 1       | 132       | 17.23              | 18.60      | < 33.01     |
|                 |                         | 1       | 0         | 17.28              | 18.65      | < 33.01     |
| 1902.5          | 25                      | 64      | 32        | 17.03              | 18.40      | < 33.01     |
|                 |                         | 1       | 1         | 17.18              | 18.55      | < 33.01     |
|                 |                         | 1       | 131       | 17.17              | 18.54      | < 33.01     |
|                 |                         | 133     | 0         | 17.03              | 18.40      | < 33.01     |
|                 |                         | 1       | 132       | 17.28              | 18.65      | < 33.01     |
|                 |                         | 1       | 0         | 17.19              | 18.56      | < 33.01     |
| 1865.0          | 30                      | 80      | 40        | 16.80              | 18.17      | < 33.01     |
|                 |                         | 1       | 1         | 17.03              | 18.40      | < 33.01     |
|                 |                         | 1       | 158       | 16.99              | 18.36      | < 33.01     |
|                 |                         | 160     | 0         | 16.89              | 18.26      | < 33.01     |
|                 |                         | 1       | 159       | 17.07              | 18.44      | < 33.01     |
|                 |                         | 1       | 0         | 17.03              | 18.40      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 1882.5   | 30                      | 80      | 40        | 16.79              | 18.16      | < 33.01     |
|  |                         | 1       | 1         | 17.11              | 18.48      | < 33.01     |
|  |                         | 1       | 158       | 17.00              | 18.37      | < 33.01     |
|  |                         | 160     | 0         | 16.85              | 18.22      | < 33.01     |
|  |                         | 1       | 159       | 17.00              | 18.37      | < 33.01     |
|  |                         | 1       | 0         | 17.13              | 18.50      | < 33.01     |
| 1900.0   | 30                      | 80      | 40        | 16.78              | 18.15      | < 33.01     |
|  |                         | 1       | 1         | 16.91              | 18.28      | < 33.01     |
|  |                         | 1       | 158       | 17.11              | 18.48      | < 33.01     |
|  |                         | 160     | 0         | 16.86              | 18.23      | < 33.01     |
|  |                         | 1       | 159       | 17.00              | 18.37      | < 33.01     |
|  |                         | 1       | 0         | 17.00              | 18.37      | < 33.01     |
| 1870.0   | 40                      | 108     | 54        | 16.84              | 18.21      | < 33.01     |
|  |                         | 1       | 1         | 17.29              | 18.66      | < 33.01     |
|  |                         | 1       | 214       | 17.30              | 18.67      | < 33.01     |
|  |                         | 216     | 0         | 16.75              | 18.12      | < 33.01     |
|  |                         | 1       | 215       | 17.35              | 18.72      | < 33.01     |
|  |                         | 1       | 0         | 17.31              | 18.68      | < 33.01     |
| 1882.5   | 40                      | 108     | 54        | 16.73              | 18.10      | < 33.01     |
|  |                         | 1       | 1         | 17.35              | 18.72      | < 33.01     |
|  |                         | 1       | 214       | 17.32              | 18.69      | < 33.01     |
|  |                         | 216     | 0         | 16.82              | 18.19      | < 33.01     |
|  |                         | 1       | 215       | 17.39              | 18.76      | < 33.01     |
|  |                         | 1       | 0         | 17.38              | 18.75      | < 33.01     |
| 1895.0   | 40                      | 108     | 54        | 16.77              | 18.14      | < 33.01     |
|  |                         | 1       | 1         | 17.10              | 18.47      | < 33.01     |
|  |                         | 1       | 214       | 17.03              | 18.40      | < 33.01     |
|  |                         | 216     | 0         | 16.62              | 17.99      | < 33.01     |
|  |                         | 1       | 215       | 17.25              | 18.62      | < 33.01     |
|  |                         | 1       | 0         | 17.10              | 18.47      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n38_SA    |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 2575.0               | 10                      | 12      | 6         | 24.11              | 26.18      | < 33.01     |
|                      |                         | 1       | 1         | 24.09              | 26.16      | < 33.01     |
|                      |                         | 1       | 22        | 24.02              | 26.09      | < 33.01     |
|                      |                         | 24      | 0         | 24.14              | 26.21      | < 33.01     |
|                      |                         | 1       | 23        | 24.00              | 26.07      | < 33.01     |
|                      |                         | 1       | 0         | 24.10              | 26.17      | < 33.01     |
| 2595.0               | 10                      | 12      | 6         | 24.09              | 26.16      | < 33.01     |
|                      |                         | 1       | 1         | 24.04              | 26.11      | < 33.01     |
|                      |                         | 1       | 22        | 23.98              | 26.05      | < 33.01     |
|                      |                         | 24      | 0         | 24.14              | 26.21      | < 33.01     |
|                      |                         | 1       | 23        | 23.98              | 26.05      | < 33.01     |
|                      |                         | 1       | 0         | 24.09              | 26.16      | < 33.01     |
| 2615.0               | 10                      | 12      | 6         | 24.03              | 26.10      | < 33.01     |
|                      |                         | 1       | 1         | 23.97              | 26.04      | < 33.01     |
|                      |                         | 1       | 22        | 23.94              | 26.01      | < 33.01     |
|                      |                         | 24      | 0         | 23.96              | 26.03      | < 33.01     |
|                      |                         | 1       | 23        | 23.93              | 26.00      | < 33.01     |
|                      |                         | 1       | 0         | 23.93              | 26.00      | < 33.01     |
| 2577.5               | 15                      | 18      | 9         | 24.33              | 26.40      | < 33.01     |
|                      |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                      |                         | 1       | 36        | 24.25              | 26.32      | < 33.01     |
|                      |                         | 36      | 0         | 24.28              | 26.35      | < 33.01     |
|                      |                         | 1       | 37        | 24.28              | 26.35      | < 33.01     |
|                      |                         | 1       | 0         | 24.33              | 26.40      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 2595.0               | 15                      | 18      | 9         | 24.18              | 26.25      | < 33.01     |
|                      |                         | 1       | 1         | 24.26              | 26.33      | < 33.01     |
|                      |                         | 1       | 36        | 24.15              | 26.22      | < 33.01     |
|                      |                         | 36      | 0         | 24.30              | 26.37      | < 33.01     |
|                      |                         | 1       | 37        | 24.07              | 26.14      | < 33.01     |
|                      |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2612.5               | 15                      | 18      | 9         | 24.01              | 26.08      | < 33.01     |
|                      |                         | 1       | 1         | 24.06              | 26.13      | < 33.01     |
|                      |                         | 1       | 36        | 24.14              | 26.21      | < 33.01     |
|                      |                         | 36      | 0         | 24.13              | 26.20      | < 33.01     |
|                      |                         | 1       | 37        | 24.14              | 26.21      | < 33.01     |
|                      |                         | 1       | 0         | 24.08              | 26.15      | < 33.01     |
| 2580.0               | 20                      | 25      | 12        | 24.34              | 26.41      | < 33.01     |
|                      |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                      |                         | 1       | 49        | 24.20              | 26.27      | < 33.01     |
|                      |                         | 50      | 0         | 24.31              | 26.38      | < 33.01     |
|                      |                         | 1       | 50        | 24.19              | 26.26      | < 33.01     |
|                      |                         | 1       | 0         | 24.31              | 26.38      | < 33.01     |
| 2595.0               | 20                      | 25      | 12        | 24.42              | 26.49      | < 33.01     |
|                      |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                      |                         | 1       | 49        | 24.03              | 26.10      | < 33.01     |
|                      |                         | 50      | 0         | 24.22              | 26.29      | < 33.01     |
|                      |                         | 1       | 50        | 24.04              | 26.11      | < 33.01     |
|                      |                         | 1       | 0         | 24.27              | 26.34      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 2610.0               | 20                      | 25      | 12        | 24.05              | 26.12      | < 33.01     |
|                      |                         | 1       | 1         | 24.07              | 26.14      | < 33.01     |
|                      |                         | 1       | 49        | 23.99              | 26.06      | < 33.01     |
|                      |                         | 50      | 0         | 24.06              | 26.13      | < 33.01     |
|                      |                         | 1       | 50        | 23.97              | 26.04      | < 33.01     |
|                      |                         | 1       | 0         | 24.12              | 26.19      | < 33.01     |
| 2585.0               | 30                      | 36      | 78        | 24.34              | 26.41      | < 33.01     |
|                      |                         | 1       | 1         | 24.35              | 26.42      | < 33.01     |
|                      |                         | 1       | 76        | 24.28              | 26.35      | < 33.01     |
|                      |                         | 75      | 0         | 24.34              | 26.41      | < 33.01     |
|                      |                         | 1       | 77        | 24.35              | 26.42      | < 33.01     |
|                      |                         | 1       | 0         | 24.30              | 26.37      | < 33.01     |
| 2595.0               | 30                      | 36      | 78        | 24.26              | 26.33      | < 33.01     |
|                      |                         | 1       | 1         | 24.26              | 26.33      | < 33.01     |
|                      |                         | 1       | 76        | 24.22              | 26.29      | < 33.01     |
|                      |                         | 75      | 0         | 24.29              | 26.36      | < 33.01     |
|                      |                         | 1       | 77        | 24.13              | 26.20      | < 33.01     |
|                      |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2605.0               | 30                      | 36      | 78        | 24.11              | 26.18      | < 33.01     |
|                      |                         | 1       | 1         | 24.20              | 26.27      | < 33.01     |
|                      |                         | 1       | 76        | 24.28              | 26.35      | < 33.01     |
|                      |                         | 75      | 0         | 24.27              | 26.34      | < 33.01     |
|                      |                         | 1       | 77        | 24.18              | 26.25      | < 33.01     |
|                      |                         | 1       | 0         | 24.23              | 26.30      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 2590.0               | 40                      | 50      | 25        | 24.28              | 26.35      | < 33.01     |
|                      |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|                      |                         | 1       | 104       | 24.18              | 26.25      | < 33.01     |
|                      |                         | 100     | 0         | 24.36              | 26.43      | < 33.01     |
|                      |                         | 1       | 105       | 24.20              | 26.27      | < 33.01     |
|                      |                         | 1       | 0         | 24.38              | 26.45      | < 33.01     |
| 2595.0               | 40                      | 50      | 25        | 24.24              | 26.31      | < 33.01     |
|                      |                         | 1       | 1         | 24.35              | 26.42      | < 33.01     |
|                      |                         | 1       | 104       | 24.13              | 26.20      | < 33.01     |
|                      |                         | 100     | 0         | 24.29              | 26.36      | < 33.01     |
|                      |                         | 1       | 105       | 24.16              | 26.23      | < 33.01     |
|                      |                         | 1       | 0         | 24.30              | 26.37      | < 33.01     |
| 2600.0               | 40                      | 50      | 25        | 24.28              | 26.35      | < 33.01     |
|                      |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                      |                         | 1       | 104       | 24.23              | 26.30      | < 33.01     |
|                      |                         | 100     | 0         | 24.33              | 26.40      | < 33.01     |
|                      |                         | 1       | 105       | 24.25              | 26.32      | < 33.01     |
|                      |                         | 1       | 0         | 24.23              | 26.30      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2575.0                 | 10                      | 12      | 6         | 24.16              | 26.23      | < 33.01     |
|                        |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                        |                         | 1       | 22        | 23.98              | 26.05      | < 33.01     |
|                        |                         | 24      | 0         | 24.19              | 26.26      | < 33.01     |
|                        |                         | 1       | 23        | 24.06              | 26.13      | < 33.01     |
|                        |                         | 1       | 0         | 24.09              | 26.16      | < 33.01     |
| 2595.0                 | 10                      | 12      | 6         | 24.10              | 26.17      | < 33.01     |
|                        |                         | 1       | 1         | 24.13              | 26.20      | < 33.01     |
|                        |                         | 1       | 22        | 23.96              | 26.03      | < 33.01     |
|                        |                         | 24      | 0         | 24.10              | 26.17      | < 33.01     |
|                        |                         | 1       | 23        | 24.07              | 26.14      | < 33.01     |
|                        |                         | 1       | 0         | 24.08              | 26.15      | < 33.01     |
| 2615.0                 | 10                      | 12      | 6         | 24.00              | 26.07      | < 33.01     |
|                        |                         | 1       | 1         | 24.09              | 26.16      | < 33.01     |
|                        |                         | 1       | 22        | 23.96              | 26.03      | < 33.01     |
|                        |                         | 24      | 0         | 24.01              | 26.08      | < 33.01     |
|                        |                         | 1       | 23        | 23.85              | 25.92      | < 33.01     |
|                        |                         | 1       | 0         | 23.92              | 25.99      | < 33.01     |
| 2577.5                 | 15                      | 18      | 9         | 24.34              | 26.41      | < 33.01     |
|                        |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                        |                         | 1       | 36        | 24.44              | 26.51      | < 33.01     |
|                        |                         | 36      | 0         | 24.24              | 26.31      | < 33.01     |
|                        |                         | 1       | 37        | 24.40              | 26.47      | < 33.01     |
|                        |                         | 1       | 0         | 24.36              | 26.43      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM QPSK  |                         |         |           |                    |            |             |
| 2595.0   | 15                      | 18      | 9         | 24.22              | 26.29      | < 33.01     |
|  |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|  |                         | 1       | 36        | 24.10              | 26.17      | < 33.01     |
|  |                         | 36      | 0         | 24.25              | 26.32      | < 33.01     |
|  |                         | 1       | 37        | 24.05              | 26.12      | < 33.01     |
|  |                         | 1       | 0         | 24.35              | 26.42      | < 33.01     |
| 2612.5   | 15                      | 18      | 9         | 24.04              | 26.11      | < 33.01     |
|  |                         | 1       | 1         | 24.01              | 26.08      | < 33.01     |
|  |                         | 1       | 36        | 24.12              | 26.19      | < 33.01     |
|  |                         | 36      | 0         | 24.11              | 26.18      | < 33.01     |
|  |                         | 1       | 37        | 23.99              | 26.06      | < 33.01     |
|  |                         | 1       | 0         | 24.07              | 26.14      | < 33.01     |
| 2580.0   | 20                      | 25      | 12        | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 1         | 24.21              | 26.28      | < 33.01     |
|  |                         | 1       | 49        | 24.18              | 26.25      | < 33.01     |
|  |                         | 50      | 0         | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 50        | 24.30              | 26.37      | < 33.01     |
|  |                         | 1       | 0         | 24.27              | 26.34      | < 33.01     |
| 2595.0   | 20                      | 25      | 12        | 24.17              | 26.24      | < 33.01     |
|  |                         | 1       | 1         | 24.17              | 26.24      | < 33.01     |
|  |                         | 1       | 49        | 24.09              | 26.16      | < 33.01     |
|  |                         | 50      | 0         | 24.26              | 26.33      | < 33.01     |
|  |                         | 1       | 50        | 24.18              | 26.25      | < 33.01     |
|  |                         | 1       | 0         | 24.33              | 26.40      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM QPSK  |                         |         |           |                    |            |             |
| 2610.0   | 20                      | 25      | 12        | 24.11              | 26.18      | < 33.01     |
|  |                         | 1       | 1         | 24.14              | 26.21      | < 33.01     |
|  |                         | 1       | 49        | 24.06              | 26.13      | < 33.01     |
|  |                         | 50      | 0         | 24.10              | 26.17      | < 33.01     |
|  |                         | 1       | 50        | 24.04              | 26.11      | < 33.01     |
|  |                         | 1       | 0         | 24.10              | 26.17      | < 33.01     |
| 2585.0   | 30                      | 36      | 78        | 24.38              | 26.45      | < 33.01     |
|  |                         | 1       | 1         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 76        | 24.40              | 26.47      | < 33.01     |
|  |                         | 75      | 0         | 24.30              | 26.37      | < 33.01     |
|  |                         | 1       | 77        | 24.30              | 26.37      | < 33.01     |
|  |                         | 1       | 0         | 24.40              | 26.47      | < 33.01     |
| 2595.0   | 30                      | 36      | 78        | 24.24              | 26.31      | < 33.01     |
|  |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|  |                         | 1       | 76        | 24.25              | 26.32      | < 33.01     |
|  |                         | 75      | 0         | 24.24              | 26.31      | < 33.01     |
|  |                         | 1       | 77        | 24.22              | 26.29      | < 33.01     |
|  |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |
| 2605.0   | 30                      | 36      | 78        | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 1         | 24.26              | 26.33      | < 33.01     |
|  |                         | 1       | 76        | 24.13              | 26.20      | < 33.01     |
|  |                         | 75      | 0         | 24.24              | 26.31      | < 33.01     |
|  |                         | 1       | 77        | 24.28              | 26.35      | < 33.01     |
|  |                         | 1       | 0         | 24.19              | 26.26      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM QPSK |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 1         | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 104       | 24.27              | 26.34      | < 33.01     |
|                 |                         | 100     | 0         | 24.32              | 26.39      | < 33.01     |
|                 |                         | 1       | 105       | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 0         | 24.37              | 26.44      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 24.20              | 26.27      | < 33.01     |
|                 |                         | 1       | 1         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 104       | 24.18              | 26.25      | < 33.01     |
|                 |                         | 100     | 0         | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 105       | 24.15              | 26.22      | < 33.01     |
|                 |                         | 1       | 0         | 24.32              | 26.39      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 1         | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 104       | 24.30              | 26.37      | < 33.01     |
|                 |                         | 100     | 0         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 105       | 24.13              | 26.20      | < 33.01     |
|                 |                         | 1       | 0         | 24.23              | 26.30      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2575.0           | 10                      | 12      | 6         | 24.11              | 26.18      | < 33.01     |
|                  |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                  |                         | 1       | 22        | 24.09              | 26.16      | < 33.01     |
|                  |                         | 24      | 0         | 24.13              | 26.20      | < 33.01     |
|                  |                         | 1       | 23        | 24.06              | 26.13      | < 33.01     |
|                  |                         | 1       | 0         | 24.09              | 26.16      | < 33.01     |
| 2595.0           | 10                      | 12      | 6         | 24.14              | 26.21      | < 33.01     |
|                  |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                  |                         | 1       | 22        | 23.97              | 26.04      | < 33.01     |
|                  |                         | 24      | 0         | 24.16              | 26.23      | < 33.01     |
|                  |                         | 1       | 23        | 24.02              | 26.09      | < 33.01     |
|                  |                         | 1       | 0         | 24.08              | 26.15      | < 33.01     |
| 2615.0           | 10                      | 12      | 6         | 23.94              | 26.01      | < 33.01     |
|                  |                         | 1       | 1         | 24.16              | 26.23      | < 33.01     |
|                  |                         | 1       | 22        | 24.24              | 26.31      | < 33.01     |
|                  |                         | 24      | 0         | 24.07              | 26.14      | < 33.01     |
|                  |                         | 1       | 23        | 24.02              | 26.09      | < 33.01     |
|                  |                         | 1       | 0         | 24.22              | 26.29      | < 33.01     |
| 2577.5           | 15                      | 18      | 9         | 24.32              | 26.39      | < 33.01     |
|                  |                         | 1       | 1         | 24.53              | 26.60      | < 33.01     |
|                  |                         | 1       | 36        | 24.47              | 26.54      | < 33.01     |
|                  |                         | 36      | 0         | 24.27              | 26.34      | < 33.01     |
|                  |                         | 1       | 37        | 24.55              | 26.62      | < 33.01     |
|                  |                         | 1       | 0         | 24.51              | 26.58      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2595.0           | 15                      | 18      | 9         | 24.26              | 26.33      | < 33.01     |
|                  |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                  |                         | 1       | 36        | 24.18              | 26.25      | < 33.01     |
|                  |                         | 36      | 0         | 24.21              | 26.28      | < 33.01     |
|                  |                         | 1       | 37        | 24.14              | 26.21      | < 33.01     |
|                  |                         | 1       | 0         | 24.25              | 26.32      | < 33.01     |
| 2612.5           | 15                      | 18      | 9         | 24.00              | 26.07      | < 33.01     |
|                  |                         | 1       | 1         | 24.04              | 26.11      | < 33.01     |
|                  |                         | 1       | 36        | 24.10              | 26.17      | < 33.01     |
|                  |                         | 36      | 0         | 24.05              | 26.12      | < 33.01     |
|                  |                         | 1       | 37        | 24.09              | 26.16      | < 33.01     |
|                  |                         | 1       | 0         | 24.07              | 26.14      | < 33.01     |
| 2580.0           | 20                      | 25      | 12        | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|                  |                         | 1       | 49        | 24.28              | 26.35      | < 33.01     |
|                  |                         | 50      | 0         | 24.29              | 26.36      | < 33.01     |
|                  |                         | 1       | 50        | 24.23              | 26.30      | < 33.01     |
|                  |                         | 1       | 0         | 24.28              | 26.35      | < 33.01     |
| 2595.0           | 20                      | 25      | 12        | 24.20              | 26.27      | < 33.01     |
|                  |                         | 1       | 1         | 24.28              | 26.35      | < 33.01     |
|                  |                         | 1       | 49        | 24.09              | 26.16      | < 33.01     |
|                  |                         | 50      | 0         | 24.19              | 26.26      | < 33.01     |
|                  |                         | 1       | 50        | 24.06              | 26.13      | < 33.01     |
|                  |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2610.0           | 20                      | 25      | 12        | 24.04              | 26.11      | < 33.01     |
|                  |                         | 1       | 1         | 24.04              | 26.11      | < 33.01     |
|                  |                         | 1       | 49        | 24.06              | 26.13      | < 33.01     |
|                  |                         | 50      | 0         | 24.01              | 26.08      | < 33.01     |
|                  |                         | 1       | 50        | 24.04              | 26.11      | < 33.01     |
|                  |                         | 1       | 0         | 24.12              | 26.19      | < 33.01     |
| 2585.0           | 30                      | 36      | 78        | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 1         | 24.43              | 26.50      | < 33.01     |
|                  |                         | 1       | 76        | 24.37              | 26.44      | < 33.01     |
|                  |                         | 75      | 0         | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 77        | 24.29              | 26.36      | < 33.01     |
|                  |                         | 1       | 0         | 24.40              | 26.47      | < 33.01     |
| 2595.0           | 30                      | 36      | 78        | 24.25              | 26.32      | < 33.01     |
|                  |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                  |                         | 1       | 76        | 24.25              | 26.32      | < 33.01     |
|                  |                         | 75      | 0         | 24.26              | 26.33      | < 33.01     |
|                  |                         | 1       | 77        | 24.21              | 26.28      | < 33.01     |
|                  |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2605.0           | 30                      | 36      | 78        | 24.19              | 26.26      | < 33.01     |
|                  |                         | 1       | 1         | 24.26              | 26.33      | < 33.01     |
|                  |                         | 1       | 76        | 24.23              | 26.30      | < 33.01     |
|                  |                         | 75      | 0         | 24.24              | 26.31      | < 33.01     |
|                  |                         | 1       | 77        | 24.20              | 26.27      | < 33.01     |
|                  |                         | 1       | 0         | 24.22              | 26.29      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2590.0           | 40                      | 50      | 25        | 24.21              | 26.28      | < 33.01     |
|                  |                         | 1       | 1         | 24.56              | 26.63      | < 33.01     |
|                  |                         | 1       | 104       | 24.40              | 26.47      | < 33.01     |
|                  |                         | 100     | 0         | 24.29              | 26.36      | < 33.01     |
|                  |                         | 1       | 105       | 24.37              | 26.44      | < 33.01     |
|                  |                         | 1       | 0         | 24.55              | 26.62      | < 33.01     |
| 2595.0           | 40                      | 50      | 25        | 24.20              | 26.27      | < 33.01     |
|                  |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|                  |                         | 1       | 104       | 24.17              | 26.24      | < 33.01     |
|                  |                         | 100     | 0         | 24.34              | 26.41      | < 33.01     |
|                  |                         | 1       | 105       | 24.15              | 26.22      | < 33.01     |
|                  |                         | 1       | 0         | 24.40              | 26.47      | < 33.01     |
| 2600.0           | 40                      | 50      | 25        | 24.23              | 26.30      | < 33.01     |
|                  |                         | 1       | 1         | 24.28              | 26.35      | < 33.01     |
|                  |                         | 1       | 104       | 24.18              | 26.25      | < 33.01     |
|                  |                         | 100     | 0         | 24.40              | 26.47      | < 33.01     |
|                  |                         | 1       | 105       | 24.25              | 26.32      | < 33.01     |
|                  |                         | 1       | 0         | 24.37              | 26.44      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2575.0                  | 10                      | 12      | 6         | 24.13              | 26.20      | < 33.01     |
|                         |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                         |                         | 1       | 22        | 24.23              | 26.30      | < 33.01     |
|                         |                         | 24      | 0         | 24.14              | 26.21      | < 33.01     |
|                         |                         | 1       | 23        | 24.20              | 26.27      | < 33.01     |
|                         |                         | 1       | 0         | 24.24              | 26.31      | < 33.01     |
| 2595.0                  | 10                      | 12      | 6         | 24.14              | 26.21      | < 33.01     |
|                         |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 22        | 24.18              | 26.25      | < 33.01     |
|                         |                         | 24      | 0         | 24.16              | 26.23      | < 33.01     |
|                         |                         | 1       | 23        | 24.17              | 26.24      | < 33.01     |
|                         |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |
| 2615.0                  | 10                      | 12      | 6         | 24.08              | 26.15      | < 33.01     |
|                         |                         | 1       | 1         | 24.20              | 26.27      | < 33.01     |
|                         |                         | 1       | 22        | 24.08              | 26.15      | < 33.01     |
|                         |                         | 24      | 0         | 24.11              | 26.18      | < 33.01     |
|                         |                         | 1       | 23        | 24.06              | 26.13      | < 33.01     |
|                         |                         | 1       | 0         | 24.17              | 26.24      | < 33.01     |
| 2577.5                  | 15                      | 18      | 9         | 24.35              | 26.42      | < 33.01     |
|                         |                         | 1       | 1         | 24.44              | 26.51      | < 33.01     |
|                         |                         | 1       | 36        | 24.47              | 26.54      | < 33.01     |
|                         |                         | 36      | 0         | 24.42              | 26.49      | < 33.01     |
|                         |                         | 1       | 37        | 24.47              | 26.54      | < 33.01     |
|                         |                         | 1       | 0         | 24.42              | 26.49      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 2595.0           | 15                      | 18      | 9         | 24.26              | 26.33      | < 33.01     |
|                  |                         | 1       | 1         | 24.49              | 26.56      | < 33.01     |
|                  |                         | 1       | 36        | 24.24              | 26.31      | < 33.01     |
|                  |                         | 36      | 0         | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 37        | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 0         | 24.35              | 26.42      | < 33.01     |
| 2612.5           | 15                      | 18      | 9         | 24.09              | 26.16      | < 33.01     |
|                  |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|                  |                         | 1       | 36        | 24.26              | 26.33      | < 33.01     |
|                  |                         | 36      | 0         | 24.07              | 26.14      | < 33.01     |
|                  |                         | 1       | 37        | 24.24              | 26.31      | < 33.01     |
|                  |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |
| 2580.0           | 20                      | 25      | 12        | 24.35              | 26.42      | < 33.01     |
|                  |                         | 1       | 1         | 24.50              | 26.57      | < 33.01     |
|                  |                         | 1       | 49        | 24.33              | 26.40      | < 33.01     |
|                  |                         | 50      | 0         | 24.32              | 26.39      | < 33.01     |
|                  |                         | 1       | 50        | 24.58              | 26.65      | < 33.01     |
|                  |                         | 1       | 0         | 24.49              | 26.56      | < 33.01     |
| 2595.0           | 20                      | 25      | 12        | 24.35              | 26.42      | < 33.01     |
|                  |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|                  |                         | 1       | 49        | 24.31              | 26.38      | < 33.01     |
|                  |                         | 50      | 0         | 24.22              | 26.29      | < 33.01     |
|                  |                         | 1       | 50        | 24.33              | 26.40      | < 33.01     |
|                  |                         | 1       | 0         | 24.42              | 26.49      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 2610.0           | 20                      | 25      | 12        | 24.19              | 26.26      | < 33.01     |
|                  |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 49        | 24.20              | 26.27      | < 33.01     |
|                  |                         | 50      | 0         | 24.13              | 26.20      | < 33.01     |
|                  |                         | 1       | 50        | 24.19              | 26.26      | < 33.01     |
|                  |                         | 1       | 0         | 24.28              | 26.35      | < 33.01     |
| 2585.0           | 30                      | 36      | 78        | 24.42              | 26.49      | < 33.01     |
|                  |                         | 1       | 1         | 24.49              | 26.56      | < 33.01     |
|                  |                         | 1       | 76        | 24.30              | 26.37      | < 33.01     |
|                  |                         | 75      | 0         | 24.35              | 26.42      | < 33.01     |
|                  |                         | 1       | 77        | 24.27              | 26.34      | < 33.01     |
|                  |                         | 1       | 0         | 24.47              | 26.54      | < 33.01     |
| 2595.0           | 30                      | 36      | 78        | 24.25              | 26.32      | < 33.01     |
|                  |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                  |                         | 1       | 76        | 24.30              | 26.37      | < 33.01     |
|                  |                         | 75      | 0         | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 77        | 24.16              | 26.23      | < 33.01     |
|                  |                         | 1       | 0         | 23.95              | 26.02      | < 33.01     |
| 2605.0           | 30                      | 36      | 78        | 24.28              | 26.35      | < 33.01     |
|                  |                         | 1       | 1         | 24.43              | 26.50      | < 33.01     |
|                  |                         | 1       | 76        | 24.37              | 26.44      | < 33.01     |
|                  |                         | 75      | 0         | 24.29              | 26.36      | < 33.01     |
|                  |                         | 1       | 77        | 24.36              | 26.43      | < 33.01     |
|                  |                         | 1       | 0         | 24.41              | 26.48      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 2590.0           | 40                      | 50      | 25        | 24.35              | 26.42      | < 33.01     |
|                  |                         | 1       | 1         | 24.48              | 26.55      | < 33.01     |
|                  |                         | 1       | 104       | 24.46              | 26.53      | < 33.01     |
|                  |                         | 100     | 0         | 24.33              | 26.40      | < 33.01     |
|                  |                         | 1       | 105       | 24.34              | 26.41      | < 33.01     |
|                  |                         | 1       | 0         | 24.58              | 26.65      | < 33.01     |
| 2595.0           | 40                      | 50      | 25        | 24.31              | 26.38      | < 33.01     |
|                  |                         | 1       | 1         | 24.52              | 26.59      | < 33.01     |
|                  |                         | 1       | 104       | 24.43              | 26.50      | < 33.01     |
|                  |                         | 100     | 0         | 24.27              | 26.34      | < 33.01     |
|                  |                         | 1       | 105       | 24.43              | 26.50      | < 33.01     |
|                  |                         | 1       | 0         | 24.60              | 26.67      | < 33.01     |
| 2600.0           | 40                      | 50      | 25        | 24.30              | 26.37      | < 33.01     |
|                  |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|                  |                         | 1       | 104       | 24.42              | 26.49      | < 33.01     |
|                  |                         | 100     | 0         | 24.33              | 26.40      | < 33.01     |
|                  |                         | 1       | 105       | 24.31              | 26.38      | < 33.01     |
|                  |                         | 1       | 0         | 24.52              | 26.59      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2575.0                   | 10                      | 12      | 6         | 23.59              | 25.66      | < 33.01     |
|                          |                         | 1       | 1         | 23.41              | 25.48      | < 33.01     |
|                          |                         | 1       | 22        | 23.33              | 25.40      | < 33.01     |
|                          |                         | 24      | 0         | 23.62              | 25.69      | < 33.01     |
|                          |                         | 1       | 23        | 23.32              | 25.39      | < 33.01     |
|                          |                         | 1       | 0         | 23.38              | 25.45      | < 33.01     |
| 2595.0                   | 10                      | 12      | 6         | 23.53              | 25.60      | < 33.01     |
|                          |                         | 1       | 1         | 23.42              | 25.49      | < 33.01     |
|                          |                         | 1       | 22        | 23.31              | 25.38      | < 33.01     |
|                          |                         | 24      | 0         | 23.58              | 25.65      | < 33.01     |
|                          |                         | 1       | 23        | 23.30              | 25.37      | < 33.01     |
|                          |                         | 1       | 0         | 23.38              | 25.45      | < 33.01     |
| 2615.0                   | 10                      | 12      | 6         | 23.46              | 25.53      | < 33.01     |
|                          |                         | 1       | 1         | 23.32              | 25.39      | < 33.01     |
|                          |                         | 1       | 22        | 23.15              | 25.22      | < 33.01     |
|                          |                         | 24      | 0         | 23.39              | 25.46      | < 33.01     |
|                          |                         | 1       | 23        | 23.16              | 25.23      | < 33.01     |
|                          |                         | 1       | 0         | 23.29              | 25.36      | < 33.01     |
| 2577.5                   | 15                      | 18      | 9         | 23.73              | 25.80      | < 33.01     |
|                          |                         | 1       | 1         | 23.56              | 25.63      | < 33.01     |
|                          |                         | 1       | 36        | 23.60              | 25.67      | < 33.01     |
|                          |                         | 36      | 0         | 23.81              | 25.88      | < 33.01     |
|                          |                         | 1       | 37        | 23.55              | 25.62      | < 33.01     |
|                          |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 2595.0            | 15                      | 18      | 9         | 23.70              | 25.77      | < 33.01     |
|                   |                         | 1       | 1         | 23.53              | 25.60      | < 33.01     |
|                   |                         | 1       | 36        | 23.37              | 25.44      | < 33.01     |
|                   |                         | 36      | 0         | 23.76              | 25.83      | < 33.01     |
|                   |                         | 1       | 37        | 23.34              | 25.41      | < 33.01     |
|                   |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| 2612.5            | 15                      | 18      | 9         | 23.56              | 25.63      | < 33.01     |
|                   |                         | 1       | 1         | 23.23              | 25.30      | < 33.01     |
|                   |                         | 1       | 36        | 23.36              | 25.43      | < 33.01     |
|                   |                         | 36      | 0         | 23.51              | 25.58      | < 33.01     |
|                   |                         | 1       | 37        | 23.35              | 25.42      | < 33.01     |
|                   |                         | 1       | 0         | 23.30              | 25.37      | < 33.01     |
| 2580.0            | 20                      | 25      | 12        | 23.73              | 25.80      | < 33.01     |
|                   |                         | 1       | 1         | 23.53              | 25.60      | < 33.01     |
|                   |                         | 1       | 49        | 23.43              | 25.50      | < 33.01     |
|                   |                         | 50      | 0         | 23.75              | 25.82      | < 33.01     |
|                   |                         | 1       | 50        | 23.51              | 25.58      | < 33.01     |
|                   |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| 2595.0            | 20                      | 25      | 12        | 23.68              | 25.75      | < 33.01     |
|                   |                         | 1       | 1         | 23.40              | 25.47      | < 33.01     |
|                   |                         | 1       | 49        | 23.22              | 25.29      | < 33.01     |
|                   |                         | 50      | 0         | 23.66              | 25.73      | < 33.01     |
|                   |                         | 1       | 50        | 23.29              | 25.36      | < 33.01     |
|                   |                         | 1       | 0         | 23.46              | 25.53      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 2610.0            | 20                      | 25      | 12        | 23.49              | 25.56      | < 33.01     |
|                   |                         | 1       | 1         | 23.38              | 25.45      | < 33.01     |
|                   |                         | 1       | 49        | 23.32              | 25.39      | < 33.01     |
|                   |                         | 50      | 0         | 23.52              | 25.59      | < 33.01     |
|                   |                         | 1       | 50        | 23.32              | 25.39      | < 33.01     |
|                   |                         | 1       | 0         | 23.32              | 25.39      | < 33.01     |
| 2585.0            | 30                      | 36      | 78        | 23.84              | 25.91      | < 33.01     |
|                   |                         | 1       | 1         | 23.56              | 25.63      | < 33.01     |
|                   |                         | 1       | 76        | 23.57              | 25.64      | < 33.01     |
|                   |                         | 75      | 0         | 23.78              | 25.85      | < 33.01     |
|                   |                         | 1       | 77        | 23.54              | 25.61      | < 33.01     |
|                   |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| 2595.0            | 30                      | 36      | 78        | 23.71              | 25.78      | < 33.01     |
|                   |                         | 1       | 1         | 23.57              | 25.64      | < 33.01     |
|                   |                         | 1       | 76        | 23.44              | 25.51      | < 33.01     |
|                   |                         | 75      | 0         | 23.76              | 25.83      | < 33.01     |
|                   |                         | 1       | 77        | 23.40              | 25.47      | < 33.01     |
|                   |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| 2605.0            | 30                      | 36      | 78        | 23.60              | 25.67      | < 33.01     |
|                   |                         | 1       | 1         | 23.47              | 25.54      | < 33.01     |
|                   |                         | 1       | 76        | 23.50              | 25.57      | < 33.01     |
|                   |                         | 75      | 0         | 23.74              | 25.81      | < 33.01     |
|                   |                         | 1       | 77        | 23.48              | 25.55      | < 33.01     |
|                   |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 2590.0            | 40                      | 50      | 25        | 23.84              | 25.91      | < 33.01     |
|                   |                         | 1       | 1         | 23.56              | 25.63      | < 33.01     |
|                   |                         | 1       | 104       | 23.46              | 25.53      | < 33.01     |
|                   |                         | 100     | 0         | 23.75              | 25.82      | < 33.01     |
|                   |                         | 1       | 105       | 23.36              | 25.43      | < 33.01     |
|                   |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |
| 2595.0            | 40                      | 50      | 25        | 23.71              | 25.78      | < 33.01     |
|                   |                         | 1       | 1         | 23.53              | 25.60      | < 33.01     |
|                   |                         | 1       | 104       | 23.34              | 25.41      | < 33.01     |
|                   |                         | 100     | 0         | 23.79              | 25.86      | < 33.01     |
|                   |                         | 1       | 105       | 23.42              | 25.49      | < 33.01     |
|                   |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2600.0            | 40                      | 50      | 25        | 23.76              | 25.83      | < 33.01     |
|                   |                         | 1       | 1         | 23.48              | 25.55      | < 33.01     |
|                   |                         | 1       | 104       | 23.45              | 25.52      | < 33.01     |
|                   |                         | 100     | 0         | 23.83              | 25.90      | < 33.01     |
|                   |                         | 1       | 105       | 23.42              | 25.49      | < 33.01     |
|                   |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2575.0          | 10                      | 12      | 6         | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 1         | 24.08              | 26.15      | < 33.01     |
|                 |                         | 1       | 22        | 23.98              | 26.05      | < 33.01     |
|                 |                         | 24      | 0         | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 23        | 23.94              | 26.01      | < 33.01     |
|                 |                         | 1       | 0         | 24.14              | 26.21      | < 33.01     |
| 2595.0          | 10                      | 12      | 6         | 24.15              | 26.22      | < 33.01     |
|                 |                         | 1       | 1         | 24.15              | 26.22      | < 33.01     |
|                 |                         | 1       | 22        | 24.02              | 26.09      | < 33.01     |
|                 |                         | 24      | 0         | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 23        | 24.00              | 26.07      | < 33.01     |
|                 |                         | 1       | 0         | 24.10              | 26.17      | < 33.01     |
| 2615.0          | 10                      | 12      | 6         | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 1         | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 22        | 23.88              | 25.95      | < 33.01     |
|                 |                         | 24      | 0         | 24.01              | 26.08      | < 33.01     |
|                 |                         | 1       | 23        | 23.89              | 25.96      | < 33.01     |
|                 |                         | 1       | 0         | 24.00              | 26.07      | < 33.01     |
| 2577.5          | 15                      | 18      | 9         | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 1         | 24.39              | 26.46      | < 33.01     |
|                 |                         | 1       | 36        | 24.45              | 26.52      | < 33.01     |
|                 |                         | 36      | 0         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 37        | 24.40              | 26.47      | < 33.01     |
|                 |                         | 1       | 0         | 24.32              | 26.39      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2595.0          | 15                      | 18      | 9         | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 1         | 24.39              | 26.46      | < 33.01     |
|                 |                         | 1       | 36        | 24.04              | 26.11      | < 33.01     |
|                 |                         | 36      | 0         | 24.21              | 26.28      | < 33.01     |
|                 |                         | 1       | 37        | 24.10              | 26.17      | < 33.01     |
|                 |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2612.5          | 15                      | 18      | 9         | 23.98              | 26.05      | < 33.01     |
|                 |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                 |                         | 1       | 36        | 24.02              | 26.09      | < 33.01     |
|                 |                         | 36      | 0         | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 37        | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 0         | 24.04              | 26.11      | < 33.01     |
| 2580.0          | 20                      | 25      | 12        | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 1         | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 49        | 24.29              | 26.36      | < 33.01     |
|                 |                         | 50      | 0         | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 50        | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2595.0          | 20                      | 25      | 12        | 24.20              | 26.27      | < 33.01     |
|                 |                         | 1       | 1         | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 49        | 24.11              | 26.18      | < 33.01     |
|                 |                         | 50      | 0         | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 50        | 24.08              | 26.15      | < 33.01     |
|                 |                         | 1       | 0         | 24.35              | 26.42      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2610.0          | 20                      | 25      | 12        | 24.06              | 26.13      | < 33.01     |
|                 |                         | 1       | 1         | 24.04              | 26.11      | < 33.01     |
|                 |                         | 1       | 49        | 24.02              | 26.09      | < 33.01     |
|                 |                         | 50      | 0         | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 50        | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 0         | 24.01              | 26.08      | < 33.01     |
| 2585.0          | 30                      | 36      | 78        | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 1         | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 76        | 24.40              | 26.47      | < 33.01     |
|                 |                         | 75      | 0         | 24.35              | 26.42      | < 33.01     |
|                 |                         | 1       | 77        | 24.20              | 26.27      | < 33.01     |
|                 |                         | 1       | 0         | 24.32              | 26.39      | < 33.01     |
| 2595.0          | 30                      | 36      | 78        | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 1         | 24.21              | 26.28      | < 33.01     |
|                 |                         | 1       | 76        | 24.26              | 26.33      | < 33.01     |
|                 |                         | 75      | 0         | 24.21              | 26.28      | < 33.01     |
|                 |                         | 1       | 77        | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 0         | 24.28              | 26.35      | < 33.01     |
| 2605.0          | 30                      | 36      | 78        | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 1         | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 76        | 24.19              | 26.26      | < 33.01     |
|                 |                         | 75      | 0         | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 77        | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 0         | 24.21              | 26.28      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 1         | 24.36              | 26.43      | < 33.01     |
|                 |                         | 1       | 104       | 24.13              | 26.20      | < 33.01     |
|                 |                         | 100     | 0         | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 105       | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 0         | 24.25              | 26.32      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                 |                         | 1       | 104       | 24.22              | 26.29      | < 33.01     |
|                 |                         | 100     | 0         | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 105       | 24.10              | 26.17      | < 33.01     |
|                 |                         | 1       | 0         | 24.32              | 26.39      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 24.34              | 26.41      | < 33.01     |
|                 |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                 |                         | 1       | 104       | 24.11              | 26.18      | < 33.01     |
|                 |                         | 100     | 0         | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 105       | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP 16QAM        |                         |         |           |                    |            |             |
| 2575.0          | 10                      | 12      | 6         | 24.07              | 26.14      | < 33.01     |
|                 |                         | 1       | 1         | 24.64              | 26.71      | < 33.01     |
|                 |                         | 1       | 22        | 24.37              | 26.44      | < 33.01     |
|                 |                         | 24      | 0         | 24.07              | 26.14      | < 33.01     |
|                 |                         | 1       | 23        | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 0         | 24.43              | 26.50      | < 33.01     |
| 2595.0          | 10                      | 12      | 6         | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 1         | 24.44              | 26.51      | < 33.01     |
|                 |                         | 1       | 22        | 24.13              | 26.20      | < 33.01     |
|                 |                         | 24      | 0         | 24.10              | 26.17      | < 33.01     |
|                 |                         | 1       | 23        | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 0         | 24.72              | 26.79      | < 33.01     |
| 2615.0          | 10                      | 12      | 6         | 24.03              | 26.10      | < 33.01     |
|                 |                         | 1       | 1         | 24.01              | 26.08      | < 33.01     |
|                 |                         | 1       | 22        | 24.08              | 26.15      | < 33.01     |
|                 |                         | 24      | 0         | 24.02              | 26.09      | < 33.01     |
|                 |                         | 1       | 23        | 24.16              | 26.23      | < 33.01     |
|                 |                         | 1       | 0         | 24.17              | 26.24      | < 33.01     |
| 2577.5          | 15                      | 18      | 9         | 24.38              | 26.45      | < 33.01     |
|                 |                         | 1       | 1         | 24.47              | 26.54      | < 33.01     |
|                 |                         | 1       | 36        | 24.67              | 26.74      | < 33.01     |
|                 |                         | 36      | 0         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 37        | 24.34              | 26.41      | < 33.01     |
|                 |                         | 1       | 0         | 24.43              | 26.50      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2595.0   | 15                      | 18      | 9         | 24.32              | 26.39      | < 33.01     |
|  |                         | 1       | 1         | 24.52              | 26.59      | < 33.01     |
|  |                         | 1       | 36        | 24.43              | 26.50      | < 33.01     |
|  |                         | 36      | 0         | 24.25              | 26.32      | < 33.01     |
|  |                         | 1       | 37        | 24.51              | 26.58      | < 33.01     |
|  |                         | 1       | 0         | 24.57              | 26.64      | < 33.01     |
| 2612.5   | 15                      | 18      | 9         | 24.14              | 26.21      | < 33.01     |
|  |                         | 1       | 1         | 24.44              | 26.51      | < 33.01     |
|  |                         | 1       | 36        | 24.51              | 26.58      | < 33.01     |
|  |                         | 36      | 0         | 23.99              | 26.06      | < 33.01     |
|  |                         | 1       | 37        | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 0         | 24.39              | 26.46      | < 33.01     |
| 2580.0   | 20                      | 25      | 12        | 24.28              | 26.35      | < 33.01     |
|  |                         | 1       | 1         | 24.70              | 26.77      | < 33.01     |
|  |                         | 1       | 49        | 24.76              | 26.83      | < 33.01     |
|  |                         | 50      | 0         | 24.24              | 26.31      | < 33.01     |
|  |                         | 1       | 50        | 24.56              | 26.63      | < 33.01     |
|  |                         | 1       | 0         | 24.56              | 26.63      | < 33.01     |
| 2595.0   | 20                      | 25      | 12        | 24.21              | 26.28      | < 33.01     |
|  |                         | 1       | 1         | 24.47              | 26.54      | < 33.01     |
|  |                         | 1       | 49        | 24.38              | 26.45      | < 33.01     |
|  |                         | 50      | 0         | 24.23              | 26.30      | < 33.01     |
|  |                         | 1       | 50        | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 0         | 24.31              | 26.38      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2610.0   | 20                      | 25      | 12        | 24.04              | 26.11      | < 33.01     |
|  |                         | 1       | 1         | 24.10              | 26.17      | < 33.01     |
|  |                         | 1       | 49        | 24.17              | 26.24      | < 33.01     |
|  |                         | 50      | 0         | 24.03              | 26.10      | < 33.01     |
|  |                         | 1       | 50        | 24.26              | 26.33      | < 33.01     |
|  |                         | 1       | 0         | 24.21              | 26.28      | < 33.01     |
| 2585.0   | 30                      | 36      | 78        | 24.30              | 26.37      | < 33.01     |
|  |                         | 1       | 1         | 24.55              | 26.62      | < 33.01     |
|  |                         | 1       | 76        | 24.52              | 26.59      | < 33.01     |
|  |                         | 75      | 0         | 24.32              | 26.39      | < 33.01     |
|  |                         | 1       | 77        | 24.42              | 26.49      | < 33.01     |
|  |                         | 1       | 0         | 24.44              | 26.51      | < 33.01     |
| 2595.0   | 30                      | 36      | 78        | 24.23              | 26.30      | < 33.01     |
|  |                         | 1       | 1         | 24.52              | 26.59      | < 33.01     |
|  |                         | 1       | 76        | 24.27              | 26.34      | < 33.01     |
|  |                         | 75      | 0         | 24.26              | 26.33      | < 33.01     |
|  |                         | 1       | 77        | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 0         | 24.38              | 26.45      | < 33.01     |
| 2605.0   | 30                      | 36      | 78        | 24.18              | 26.25      | < 33.01     |
|  |                         | 1       | 1         | 24.60              | 26.67      | < 33.01     |
|  |                         | 1       | 76        | 24.55              | 26.62      | < 33.01     |
|  |                         | 75      | 0         | 24.22              | 26.29      | < 33.01     |
|  |                         | 1       | 77        | 24.51              | 26.58      | < 33.01     |
|  |                         | 1       | 0         | 24.66              | 26.73      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 1         | 24.57              | 26.64      | < 33.01     |
|                 |                         | 1       | 104       | 24.34              | 26.41      | < 33.01     |
|                 |                         | 100     | 0         | 24.35              | 26.42      | < 33.01     |
|                 |                         | 1       | 105       | 24.42              | 26.49      | < 33.01     |
|                 |                         | 1       | 0         | 24.46              | 26.53      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 1         | 24.60              | 26.67      | < 33.01     |
|                 |                         | 1       | 104       | 24.31              | 26.38      | < 33.01     |
|                 |                         | 100     | 0         | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 105       | 24.36              | 26.43      | < 33.01     |
|                 |                         | 1       | 0         | 24.59              | 26.66      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 1         | 24.62              | 26.69      | < 33.01     |
|                 |                         | 1       | 104       | 24.57              | 26.64      | < 33.01     |
|                 |                         | 100     | 0         | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 105       | 24.56              | 26.63      | < 33.01     |
|                 |                         | 1       | 0         | 24.70              | 26.77      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2575.0          | 10                      | 12      | 6         | 24.20              | 26.27      | < 33.01     |
|                 |                         | 1       | 1         | 24.15              | 26.22      | < 33.01     |
|                 |                         | 1       | 22        | 24.09              | 26.16      | < 33.01     |
|                 |                         | 24      | 0         | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 23        | 23.98              | 26.05      | < 33.01     |
|                 |                         | 1       | 0         | 24.05              | 26.12      | < 33.01     |
| 2595.0          | 10                      | 12      | 6         | 24.09              | 26.16      | < 33.01     |
|                 |                         | 1       | 1         | 24.07              | 26.14      | < 33.01     |
|                 |                         | 1       | 22        | 24.05              | 26.12      | < 33.01     |
|                 |                         | 24      | 0         | 24.21              | 26.28      | < 33.01     |
|                 |                         | 1       | 23        | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 0         | 24.16              | 26.23      | < 33.01     |
| 2615.0          | 10                      | 12      | 6         | 24.01              | 26.08      | < 33.01     |
|                 |                         | 1       | 1         | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 22        | 23.91              | 25.98      | < 33.01     |
|                 |                         | 24      | 0         | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 23        | 24.00              | 26.07      | < 33.01     |
|                 |                         | 1       | 0         | 24.06              | 26.13      | < 33.01     |
| 2577.5          | 15                      | 18      | 9         | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|                 |                         | 1       | 36        | 24.29              | 26.36      | < 33.01     |
|                 |                         | 36      | 0         | 24.39              | 26.46      | < 33.01     |
|                 |                         | 1       | 37        | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 0         | 24.32              | 26.39      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2595.0          | 15                      | 18      | 9         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 1         | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 36        | 24.10              | 26.17      | < 33.01     |
|                 |                         | 36      | 0         | 24.21              | 26.28      | < 33.01     |
|                 |                         | 1       | 37        | 24.07              | 26.14      | < 33.01     |
|                 |                         | 1       | 0         | 24.35              | 26.42      | < 33.01     |
| 2612.5          | 15                      | 18      | 9         | 24.13              | 26.20      | < 33.01     |
|                 |                         | 1       | 1         | 24.10              | 26.17      | < 33.01     |
|                 |                         | 1       | 36        | 24.11              | 26.18      | < 33.01     |
|                 |                         | 36      | 0         | 24.03              | 26.10      | < 33.01     |
|                 |                         | 1       | 37        | 24.08              | 26.15      | < 33.01     |
|                 |                         | 1       | 0         | 24.15              | 26.22      | < 33.01     |
| 2580.0          | 20                      | 25      | 12        | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 49        | 24.27              | 26.34      | < 33.01     |
|                 |                         | 50      | 0         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 50        | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |
| 2595.0          | 20                      | 25      | 12        | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 49        | 24.09              | 26.16      | < 33.01     |
|                 |                         | 50      | 0         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 50        | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 0         | 24.32              | 26.39      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2610.0          | 20                      | 25      | 12        | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 1         | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 49        | 23.99              | 26.06      | < 33.01     |
|                 |                         | 50      | 0         | 24.13              | 26.20      | < 33.01     |
|                 |                         | 1       | 50        | 24.06              | 26.13      | < 33.01     |
|                 |                         | 1       | 0         | 24.00              | 26.07      | < 33.01     |
| 2585.0          | 30                      | 36      | 78        | 24.42              | 26.49      | < 33.01     |
|                 |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|                 |                         | 1       | 76        | 24.59              | 26.66      | < 33.01     |
|                 |                         | 75      | 0         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 77        | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 0         | 24.33              | 26.40      | < 33.01     |
| 2595.0          | 30                      | 36      | 78        | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 76        | 24.15              | 26.22      | < 33.01     |
|                 |                         | 75      | 0         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 77        | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 0         | 24.17              | 26.24      | < 33.01     |
| 2605.0          | 30                      | 36      | 78        | 24.32              | 26.39      | < 33.01     |
|                 |                         | 1       | 1         | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 76        | 24.35              | 26.42      | < 33.01     |
|                 |                         | 75      | 0         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 77        | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 24.37              | 26.44      | < 33.01     |
|                 |                         | 1       | 1         | 24.54              | 26.61      | < 33.01     |
|                 |                         | 1       | 104       | 24.43              | 26.50      | < 33.01     |
|                 |                         | 100     | 0         | 24.35              | 26.42      | < 33.01     |
|                 |                         | 1       | 105       | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 0         | 24.44              | 26.51      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|                 |                         | 1       | 104       | 23.98              | 26.05      | < 33.01     |
|                 |                         | 100     | 0         | 24.31              | 26.38      | < 33.01     |
|                 |                         | 1       | 105       | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 0         | 24.30              | 26.37      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 104       | 24.29              | 26.36      | < 33.01     |
|                 |                         | 100     | 0         | 24.35              | 26.42      | < 33.01     |
|                 |                         | 1       | 105       | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 0         | 24.31              | 26.38      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2575.0          | 10                      | 12      | 6         | 21.69              | 23.76      | < 33.01     |
|                 |                         | 1       | 1         | 21.54              | 23.61      | < 33.01     |
|                 |                         | 1       | 22        | 21.44              | 23.51      | < 33.01     |
|                 |                         | 24      | 0         | 21.55              | 23.62      | < 33.01     |
|                 |                         | 1       | 23        | 21.39              | 23.46      | < 33.01     |
|                 |                         | 1       | 0         | 21.50              | 23.57      | < 33.01     |
| 2595.0          | 10                      | 12      | 6         | 21.64              | 23.71      | < 33.01     |
|                 |                         | 1       | 1         | 21.40              | 23.47      | < 33.01     |
|                 |                         | 1       | 22        | 21.30              | 23.37      | < 33.01     |
|                 |                         | 24      | 0         | 21.56              | 23.63      | < 33.01     |
|                 |                         | 1       | 23        | 21.27              | 23.34      | < 33.01     |
|                 |                         | 1       | 0         | 21.28              | 23.35      | < 33.01     |
| 2615.0          | 10                      | 12      | 6         | 21.58              | 23.65      | < 33.01     |
|                 |                         | 1       | 1         | 21.30              | 23.37      | < 33.01     |
|                 |                         | 1       | 22        | 21.26              | 23.33      | < 33.01     |
|                 |                         | 24      | 0         | 21.50              | 23.57      | < 33.01     |
|                 |                         | 1       | 23        | 21.13              | 23.20      | < 33.01     |
|                 |                         | 1       | 0         | 21.25              | 23.32      | < 33.01     |
| 2577.5          | 15                      | 18      | 9         | 21.87              | 23.94      | < 33.01     |
|                 |                         | 1       | 1         | 21.64              | 23.71      | < 33.01     |
|                 |                         | 1       | 36        | 21.63              | 23.70      | < 33.01     |
|                 |                         | 36      | 0         | 21.83              | 23.90      | < 33.01     |
|                 |                         | 1       | 37        | 21.58              | 23.65      | < 33.01     |
|                 |                         | 1       | 0         | 21.59              | 23.66      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2595.0          | 15                      | 18      | 9         | 21.82              | 23.89      | < 33.01     |
|                 |                         | 1       | 1         | 21.63              | 23.70      | < 33.01     |
|                 |                         | 1       | 36        | 21.48              | 23.55      | < 33.01     |
|                 |                         | 36      | 0         | 21.78              | 23.85      | < 33.01     |
|                 |                         | 1       | 37        | 21.43              | 23.50      | < 33.01     |
|                 |                         | 1       | 0         | 21.52              | 23.59      | < 33.01     |
| 2612.5          | 15                      | 18      | 9         | 21.67              | 23.74      | < 33.01     |
|                 |                         | 1       | 1         | 21.31              | 23.38      | < 33.01     |
|                 |                         | 1       | 36        | 21.34              | 23.41      | < 33.01     |
|                 |                         | 36      | 0         | 21.62              | 23.69      | < 33.01     |
|                 |                         | 1       | 37        | 21.31              | 23.38      | < 33.01     |
|                 |                         | 1       | 0         | 21.26              | 23.33      | < 33.01     |
| 2580.0          | 20                      | 25      | 12        | 21.84              | 23.91      | < 33.01     |
|                 |                         | 1       | 1         | 21.55              | 23.62      | < 33.01     |
|                 |                         | 1       | 49        | 21.50              | 23.57      | < 33.01     |
|                 |                         | 50      | 0         | 21.80              | 23.87      | < 33.01     |
|                 |                         | 1       | 50        | 21.49              | 23.56      | < 33.01     |
|                 |                         | 1       | 0         | 21.61              | 23.68      | < 33.01     |
| 2595.0          | 20                      | 25      | 12        | 21.78              | 23.85      | < 33.01     |
|                 |                         | 1       | 1         | 21.49              | 23.56      | < 33.01     |
|                 |                         | 1       | 49        | 21.34              | 23.41      | < 33.01     |
|                 |                         | 50      | 0         | 21.71              | 23.78      | < 33.01     |
|                 |                         | 1       | 50        | 21.40              | 23.47      | < 33.01     |
|                 |                         | 1       | 0         | 21.47              | 23.54      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2610.0          | 20                      | 25      | 12        | 21.62              | 23.69      | < 33.01     |
|                 |                         | 1       | 1         | 21.33              | 23.40      | < 33.01     |
|                 |                         | 1       | 49        | 21.40              | 23.47      | < 33.01     |
|                 |                         | 50      | 0         | 21.53              | 23.60      | < 33.01     |
|                 |                         | 1       | 50        | 21.27              | 23.34      | < 33.01     |
|                 |                         | 1       | 0         | 21.39              | 23.46      | < 33.01     |
| 2585.0          | 30                      | 36      | 78        | 21.83              | 23.90      | < 33.01     |
|                 |                         | 1       | 1         | 21.59              | 23.66      | < 33.01     |
|                 |                         | 1       | 76        | 21.55              | 23.62      | < 33.01     |
|                 |                         | 75      | 0         | 21.84              | 23.91      | < 33.01     |
|                 |                         | 1       | 77        | 21.52              | 23.59      | < 33.01     |
|                 |                         | 1       | 0         | 21.54              | 23.61      | < 33.01     |
| 2595.0          | 30                      | 36      | 78        | 21.73              | 23.80      | < 33.01     |
|                 |                         | 1       | 1         | 21.53              | 23.60      | < 33.01     |
|                 |                         | 1       | 76        | 21.49              | 23.56      | < 33.01     |
|                 |                         | 75      | 0         | 21.80              | 23.87      | < 33.01     |
|                 |                         | 1       | 77        | 21.48              | 23.55      | < 33.01     |
|                 |                         | 1       | 0         | 21.60              | 23.67      | < 33.01     |
| 2605.0          | 30                      | 36      | 78        | 21.72              | 23.79      | < 33.01     |
|                 |                         | 1       | 1         | 21.67              | 23.74      | < 33.01     |
|                 |                         | 1       | 76        | 21.58              | 23.65      | < 33.01     |
|                 |                         | 75      | 0         | 21.76              | 23.83      | < 33.01     |
|                 |                         | 1       | 77        | 21.56              | 23.63      | < 33.01     |
|                 |                         | 1       | 0         | 21.63              | 23.70      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 21.76              | 23.83      | < 33.01     |
|                 |                         | 1       | 1         | 21.56              | 23.63      | < 33.01     |
|                 |                         | 1       | 104       | 21.32              | 23.39      | < 33.01     |
|                 |                         | 100     | 0         | 21.88              | 23.95      | < 33.01     |
|                 |                         | 1       | 105       | 21.40              | 23.47      | < 33.01     |
|                 |                         | 1       | 0         | 22.29              | 24.36      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 21.72              | 23.79      | < 33.01     |
|                 |                         | 1       | 1         | 21.76              | 23.83      | < 33.01     |
|                 |                         | 1       | 104       | 21.54              | 23.61      | < 33.01     |
|                 |                         | 100     | 0         | 21.70              | 23.77      | < 33.01     |
|                 |                         | 1       | 105       | 21.50              | 23.57      | < 33.01     |
|                 |                         | 1       | 0         | 21.78              | 23.85      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 21.76              | 23.83      | < 33.01     |
|                 |                         | 1       | 1         | 21.59              | 23.66      | < 33.01     |
|                 |                         | 1       | 104       | 21.56              | 23.63      | < 33.01     |
|                 |                         | 100     | 0         | 21.85              | 23.92      | < 33.01     |
|                 |                         | 1       | 105       | 21.54              | 23.61      | < 33.01     |
|                 |                         | 1       | 0         | 21.53              | 23.60      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

|           |                         |               |             |
|-----------|-------------------------|---------------|-------------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo   |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | HPUE n38_SA |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2575.0                      | 10                      | 12      | 6         | 25.90              | 27.97      | < 33.01     |
|                             |                         | 1       | 1         | 25.84              | 27.91      | < 33.01     |
|                             |                         | 1       | 22        | 25.88              | 27.95      | < 33.01     |
|                             |                         | 24      | 0         | 25.93              | 28.00      | < 33.01     |
|                             |                         | 1       | 23        | 23.31              | 25.38      | < 33.01     |
|                             |                         | 1       | 0         | 23.25              | 25.32      | < 33.01     |
| 2595.0                      | 10                      | 12      | 6         | 26.02              | 28.09      | < 33.01     |
|                             |                         | 1       | 1         | 25.97              | 28.04      | < 33.01     |
|                             |                         | 1       | 22        | 25.97              | 28.04      | < 33.01     |
|                             |                         | 24      | 0         | 26.05              | 28.12      | < 33.01     |
|                             |                         | 1       | 23        | 23.34              | 25.41      | < 33.01     |
|                             |                         | 1       | 0         | 23.40              | 25.47      | < 33.01     |
| 2615.0                      | 10                      | 12      | 6         | 25.89              | 27.96      | < 33.01     |
|                             |                         | 1       | 1         | 25.88              | 27.95      | < 33.01     |
|                             |                         | 1       | 22        | 25.77              | 27.84      | < 33.01     |
|                             |                         | 24      | 0         | 25.86              | 27.93      | < 33.01     |
|                             |                         | 1       | 23        | 23.40              | 25.47      | < 33.01     |
|                             |                         | 1       | 0         | 23.23              | 25.30      | < 33.01     |
| 2577.5                      | 15                      | 18      | 9         | 26.19              | 28.26      | < 33.01     |
|                             |                         | 1       | 1         | 25.95              | 28.02      | < 33.01     |
|                             |                         | 1       | 36        | 26.12              | 28.19      | < 33.01     |
|                             |                         | 36      | 0         | 26.12              | 28.19      | < 33.01     |
|                             |                         | 1       | 37        | 23.56              | 25.63      | < 33.01     |
|                             |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2595.0                      | 15                      | 18      | 9         | 26.14              | 28.21      | < 33.01     |
|                             |                         | 1       | 1         | 26.10              | 28.17      | < 33.01     |
|                             |                         | 1       | 36        | 26.10              | 28.17      | < 33.01     |
|                             |                         | 36      | 0         | 26.11              | 28.18      | < 33.01     |
|                             |                         | 1       | 37        | 23.58              | 25.65      | < 33.01     |
|                             |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| 2612.5                      | 15                      | 18      | 9         | 25.97              | 28.04      | < 33.01     |
|                             |                         | 1       | 1         | 25.86              | 27.93      | < 33.01     |
|                             |                         | 1       | 36        | 25.82              | 27.89      | < 33.01     |
|                             |                         | 36      | 0         | 25.92              | 27.99      | < 33.01     |
|                             |                         | 1       | 37        | 23.28              | 25.35      | < 33.01     |
|                             |                         | 1       | 0         | 23.37              | 25.44      | < 33.01     |
| 2580.0                      | 20                      | 25      | 12        | 26.19              | 28.26      | < 33.01     |
|                             |                         | 1       | 1         | 25.99              | 28.06      | < 33.01     |
|                             |                         | 1       | 49        | 26.08              | 28.15      | < 33.01     |
|                             |                         | 50      | 0         | 26.16              | 28.23      | < 33.01     |
|                             |                         | 1       | 50        | 23.66              | 25.73      | < 33.01     |
|                             |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |
| 2595.0                      | 20                      | 25      | 12        | 26.24              | 28.31      | < 33.01     |
|                             |                         | 1       | 1         | 26.05              | 28.12      | < 33.01     |
|                             |                         | 1       | 49        | 25.99              | 28.06      | < 33.01     |
|                             |                         | 50      | 0         | 26.15              | 28.22      | < 33.01     |
|                             |                         | 1       | 50        | 23.57              | 25.64      | < 33.01     |
|                             |                         | 1       | 0         | 23.59              | 25.66      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2610.0                      | 20                      | 25      | 12        | 26.04              | 28.11      | < 33.01     |
|                             |                         | 1       | 1         | 25.99              | 28.06      | < 33.01     |
|                             |                         | 1       | 49        | 25.90              | 27.97      | < 33.01     |
|                             |                         | 50      | 0         | 26.03              | 28.10      | < 33.01     |
|                             |                         | 1       | 50        | 23.35              | 25.42      | < 33.01     |
|                             |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| 2585.0                      | 30                      | 36      | 78        | 26.20              | 28.27      | < 33.01     |
|                             |                         | 1       | 1         | 25.98              | 28.05      | < 33.01     |
|                             |                         | 1       | 76        | 26.22              | 28.29      | < 33.01     |
|                             |                         | 75      | 0         | 26.19              | 28.26      | < 33.01     |
|                             |                         | 1       | 77        | 23.69              | 25.76      | < 33.01     |
|                             |                         | 1       | 0         | 23.41              | 25.48      | < 33.01     |
| 2595.0                      | 30                      | 36      | 78        | 26.17              | 28.24      | < 33.01     |
|                             |                         | 1       | 1         | 26.20              | 28.27      | < 33.01     |
|                             |                         | 1       | 76        | 26.15              | 28.22      | < 33.01     |
|                             |                         | 75      | 0         | 26.19              | 28.26      | < 33.01     |
|                             |                         | 1       | 77        | 23.61              | 25.68      | < 33.01     |
|                             |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |
| 2605.0                      | 30                      | 36      | 78        | 26.18              | 28.25      | < 33.01     |
|                             |                         | 1       | 1         | 26.20              | 28.27      | < 33.01     |
|                             |                         | 1       | 76        | 26.05              | 28.12      | < 33.01     |
|                             |                         | 75      | 0         | 26.18              | 28.25      | < 33.01     |
|                             |                         | 1       | 77        | 23.54              | 25.61      | < 33.01     |
|                             |                         | 1       | 0         | 23.61              | 25.68      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2590.0                      | 40                      | 50      | 25        | 26.11              | 28.18      | < 33.01     |
|                             |                         | 1       | 1         | 26.02              | 28.09      | < 33.01     |
|                             |                         | 1       | 104       | 26.10              | 28.17      | < 33.01     |
|                             |                         | 100     | 0         | 26.24              | 28.31      | < 33.01     |
|                             |                         | 1       | 105       | 23.58              | 25.65      | < 33.01     |
|                             |                         | 1       | 0         | 23.57              | 25.64      | < 33.01     |
| 2595.0                      | 40                      | 50      | 25        | 26.22              | 28.29      | < 33.01     |
|                             |                         | 1       | 1         | 26.17              | 28.24      | < 33.01     |
|                             |                         | 1       | 104       | 26.06              | 28.13      | < 33.01     |
|                             |                         | 100     | 0         | 26.20              | 28.27      | < 33.01     |
|                             |                         | 1       | 105       | 23.53              | 25.60      | < 33.01     |
|                             |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |
| 2600.0                      | 40                      | 50      | 25        | 26.30              | 28.37      | < 33.01     |
|                             |                         | 1       | 1         | 26.18              | 28.25      | < 33.01     |
|                             |                         | 1       | 104       | 25.99              | 28.06      | < 33.01     |
|                             |                         | 100     | 0         | 26.25              | 28.32      | < 33.01     |
|                             |                         | 1       | 105       | 23.49              | 25.56      | < 33.01     |
|                             |                         | 1       | 0         | 23.63              | 25.70      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2575.0                 | 10                      | 12      | 6         | 25.84              | 27.91      | < 33.01     |
|                        |                         | 1       | 1         | 25.91              | 27.98      | < 33.01     |
|                        |                         | 1       | 22        | 25.94              | 28.01      | < 33.01     |
|                        |                         | 24      | 0         | 25.91              | 27.98      | < 33.01     |
|                        |                         | 1       | 23        | 23.43              | 25.50      | < 33.01     |
|                        |                         | 1       | 0         | 23.31              | 25.38      | < 33.01     |
| 2595.0                 | 10                      | 12      | 6         | 25.98              | 28.05      | < 33.01     |
|                        |                         | 1       | 1         | 26.04              | 28.11      | < 33.01     |
|                        |                         | 1       | 22        | 26.00              | 28.07      | < 33.01     |
|                        |                         | 24      | 0         | 25.99              | 28.06      | < 33.01     |
|                        |                         | 1       | 23        | 23.40              | 25.47      | < 33.01     |
|                        |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |
| 2615.0                 | 10                      | 12      | 6         | 25.88              | 27.95      | < 33.01     |
|                        |                         | 1       | 1         | 25.98              | 28.05      | < 33.01     |
|                        |                         | 1       | 22        | 25.79              | 27.86      | < 33.01     |
|                        |                         | 24      | 0         | 25.94              | 28.01      | < 33.01     |
|                        |                         | 1       | 23        | 23.47              | 25.54      | < 33.01     |
|                        |                         | 1       | 0         | 23.27              | 25.34      | < 33.01     |
| 2577.5                 | 15                      | 18      | 9         | 26.20              | 28.27      | < 33.01     |
|                        |                         | 1       | 1         | 25.93              | 28.00      | < 33.01     |
|                        |                         | 1       | 36        | 26.13              | 28.20      | < 33.01     |
|                        |                         | 36      | 0         | 26.13              | 28.20      | < 33.01     |
|                        |                         | 1       | 37        | 23.53              | 25.60      | < 33.01     |
|                        |                         | 1       | 0         | 23.42              | 25.49      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2595.0                 | 15                      | 18      | 9         | 26.15              | 28.22      | < 33.01     |
|                        |                         | 1       | 1         | 26.15              | 28.22      | < 33.01     |
|                        |                         | 1       | 36        | 26.13              | 28.20      | < 33.01     |
|                        |                         | 36      | 0         | 26.20              | 28.27      | < 33.01     |
|                        |                         | 1       | 37        | 23.55              | 25.62      | < 33.01     |
|                        |                         | 1       | 0         | 23.79              | 25.86      | < 33.01     |
| 2612.5                 | 15                      | 18      | 9         | 25.92              | 27.99      | < 33.01     |
|                        |                         | 1       | 1         | 25.95              | 28.02      | < 33.01     |
|                        |                         | 1       | 36        | 25.76              | 27.83      | < 33.01     |
|                        |                         | 36      | 0         | 25.93              | 28.00      | < 33.01     |
|                        |                         | 1       | 37        | 23.26              | 25.33      | < 33.01     |
|                        |                         | 1       | 0         | 23.46              | 25.53      | < 33.01     |
| 2580.0                 | 20                      | 25      | 12        | 26.23              | 28.30      | < 33.01     |
|                        |                         | 1       | 1         | 26.00              | 28.07      | < 33.01     |
|                        |                         | 1       | 49        | 26.17              | 28.24      | < 33.01     |
|                        |                         | 50      | 0         | 26.16              | 28.23      | < 33.01     |
|                        |                         | 1       | 50        | 23.43              | 25.50      | < 33.01     |
|                        |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| 2595.0                 | 20                      | 25      | 12        | 26.16              | 28.23      | < 33.01     |
|                        |                         | 1       | 1         | 26.08              | 28.15      | < 33.01     |
|                        |                         | 1       | 49        | 26.10              | 28.17      | < 33.01     |
|                        |                         | 50      | 0         | 26.14              | 28.21      | < 33.01     |
|                        |                         | 1       | 50        | 23.61              | 25.68      | < 33.01     |
|                        |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 2610.0   | 20                      | 25      | 12        | 26.02              | 28.09      | < 33.01     |
|  |                         | 1       | 1         | 26.00              | 28.07      | < 33.01     |
|  |                         | 1       | 49        | 25.90              | 27.97      | < 33.01     |
|  |                         | 50      | 0         | 26.05              | 28.12      | < 33.01     |
|  |                         | 1       | 50        | 23.31              | 25.38      | < 33.01     |
|  |                         | 1       | 0         | 23.45              | 25.52      | < 33.01     |
| 2585.0   | 30                      | 36      | 78        | 26.15              | 28.22      | < 33.01     |
|  |                         | 1       | 1         | 26.13              | 28.20      | < 33.01     |
|  |                         | 1       | 76        | 26.31              | 28.38      | < 33.01     |
|  |                         | 75      | 0         | 26.20              | 28.27      | < 33.01     |
|  |                         | 1       | 77        | 23.46              | 25.53      | < 33.01     |
|  |                         | 1       | 0         | 23.58              | 25.65      | < 33.01     |
| 2595.0   | 30                      | 36      | 78        | 26.15              | 28.22      | < 33.01     |
|  |                         | 1       | 1         | 26.20              | 28.27      | < 33.01     |
|  |                         | 1       | 76        | 26.23              | 28.30      | < 33.01     |
|  |                         | 75      | 0         | 26.17              | 28.24      | < 33.01     |
|  |                         | 1       | 77        | 23.56              | 25.63      | < 33.01     |
|  |                         | 1       | 0         | 23.58              | 25.65      | < 33.01     |
| 2605.0   | 30                      | 36      | 78        | 26.22              | 28.29      | < 33.01     |
|  |                         | 1       | 1         | 26.21              | 28.28      | < 33.01     |
|  |                         | 1       | 76        | 26.06              | 28.13      | < 33.01     |
|  |                         | 75      | 0         | 26.25              | 28.32      | < 33.01     |
|  |                         | 1       | 77        | 23.47              | 25.54      | < 33.01     |
|  |                         | 1       | 0         | 23.34              | 25.41      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2590.0                 | 40                      | 50      | 25        | 26.14              | 28.21      | < 33.01     |
|                        |                         | 1       | 1         | 26.11              | 28.18      | < 33.01     |
|                        |                         | 1       | 104       | 26.19              | 28.26      | < 33.01     |
|                        |                         | 100     | 0         | 26.15              | 28.22      | < 33.01     |
|                        |                         | 1       | 105       | 23.65              | 25.72      | < 33.01     |
|                        |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| 2595.0                 | 40                      | 50      | 25        | 26.14              | 28.21      | < 33.01     |
|                        |                         | 1       | 1         | 26.18              | 28.25      | < 33.01     |
|                        |                         | 1       | 104       | 26.16              | 28.23      | < 33.01     |
|                        |                         | 100     | 0         | 26.16              | 28.23      | < 33.01     |
|                        |                         | 1       | 105       | 23.62              | 25.69      | < 33.01     |
|                        |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |
| 2600.0                 | 40                      | 50      | 25        | 26.24              | 28.31      | < 33.01     |
|                        |                         | 1       | 1         | 26.26              | 28.33      | < 33.01     |
|                        |                         | 1       | 104       | 26.13              | 28.20      | < 33.01     |
|                        |                         | 100     | 0         | 26.24              | 28.31      | < 33.01     |
|                        |                         | 1       | 105       | 23.56              | 25.63      | < 33.01     |
|                        |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2575.0                  | 10                      | 12      | 6         | 25.94              | 28.01      | < 33.01     |
|                         |                         | 1       | 1         | 25.73              | 27.80      | < 33.01     |
|                         |                         | 1       | 22        | 25.66              | 27.73      | < 33.01     |
|                         |                         | 24      | 0         | 24.90              | 26.97      | < 33.01     |
|                         |                         | 1       | 23        | 23.14              | 25.21      | < 33.01     |
|                         |                         | 1       | 0         | 23.01              | 25.08      | < 33.01     |
| 2595.0                  | 10                      | 12      | 6         | 26.03              | 28.10      | < 33.01     |
|                         |                         | 1       | 1         | 25.90              | 27.97      | < 33.01     |
|                         |                         | 1       | 22        | 25.76              | 27.83      | < 33.01     |
|                         |                         | 24      | 0         | 24.99              | 27.06      | < 33.01     |
|                         |                         | 1       | 23        | 23.22              | 25.29      | < 33.01     |
|                         |                         | 1       | 0         | 23.16              | 25.23      | < 33.01     |
| 2615.0                  | 10                      | 12      | 6         | 25.99              | 28.06      | < 33.01     |
|                         |                         | 1       | 1         | 26.01              | 28.08      | < 33.01     |
|                         |                         | 1       | 22        | 25.88              | 27.95      | < 33.01     |
|                         |                         | 24      | 0         | 24.87              | 26.94      | < 33.01     |
|                         |                         | 1       | 23        | 23.42              | 25.49      | < 33.01     |
|                         |                         | 1       | 0         | 23.26              | 25.33      | < 33.01     |
| 2577.5                  | 15                      | 18      | 9         | 26.22              | 28.29      | < 33.01     |
|                         |                         | 1       | 1         | 25.84              | 27.91      | < 33.01     |
|                         |                         | 1       | 36        | 26.02              | 28.09      | < 33.01     |
|                         |                         | 36      | 0         | 25.18              | 27.25      | < 33.01     |
|                         |                         | 1       | 37        | 23.32              | 25.39      | < 33.01     |
|                         |                         | 1       | 0         | 23.23              | 25.30      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2595.0                  | 15                      | 18      | 9         | 26.17              | 28.24      | < 33.01     |
|                         |                         | 1       | 1         | 26.02              | 28.09      | < 33.01     |
|                         |                         | 1       | 36        | 25.94              | 28.01      | < 33.01     |
|                         |                         | 36      | 0         | 25.16              | 27.23      | < 33.01     |
|                         |                         | 1       | 37        | 23.36              | 25.43      | < 33.01     |
|                         |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2612.5                  | 15                      | 18      | 9         | 26.00              | 28.07      | < 33.01     |
|                         |                         | 1       | 1         | 25.79              | 27.86      | < 33.01     |
|                         |                         | 1       | 36        | 25.66              | 27.73      | < 33.01     |
|                         |                         | 36      | 0         | 24.96              | 27.03      | < 33.01     |
|                         |                         | 1       | 37        | 23.11              | 25.18      | < 33.01     |
|                         |                         | 1       | 0         | 23.22              | 25.29      | < 33.01     |
| 2580.0                  | 20                      | 25      | 12        | 26.24              | 28.31      | < 33.01     |
|                         |                         | 1       | 1         | 25.82              | 27.89      | < 33.01     |
|                         |                         | 1       | 49        | 25.97              | 28.04      | < 33.01     |
|                         |                         | 50      | 0         | 25.21              | 27.28      | < 33.01     |
|                         |                         | 1       | 50        | 23.38              | 25.45      | < 33.01     |
|                         |                         | 1       | 0         | 23.20              | 25.27      | < 33.01     |
| 2595.0                  | 20                      | 25      | 12        | 26.12              | 28.19      | < 33.01     |
|                         |                         | 1       | 1         | 25.93              | 28.00      | < 33.01     |
|                         |                         | 1       | 49        | 25.91              | 27.98      | < 33.01     |
|                         |                         | 50      | 0         | 25.19              | 27.26      | < 33.01     |
|                         |                         | 1       | 50        | 23.29              | 25.36      | < 33.01     |
|                         |                         | 1       | 0         | 23.40              | 25.47      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM   |                         |         |           |                    |            |             |
| 2610.0   | 20                      | 25      | 12        | 26.04              | 28.11      | < 33.01     |
|  |                         | 1       | 1         | 25.83              | 27.90      | < 33.01     |
|  |                         | 1       | 49        | 25.77              | 27.84      | < 33.01     |
|  |                         | 50      | 0         | 25.01              | 27.08      | < 33.01     |
|  |                         | 1       | 50        | 23.06              | 25.13      | < 33.01     |
|  |                         | 1       | 0         | 23.21              | 25.28      | < 33.01     |
| 2585.0   | 30                      | 36      | 78        | 26.16              | 28.23      | < 33.01     |
|  |                         | 1       | 1         | 26.06              | 28.13      | < 33.01     |
|  |                         | 1       | 76        | 26.30              | 28.37      | < 33.01     |
|  |                         | 75      | 0         | 25.22              | 27.29      | < 33.01     |
|  |                         | 1       | 77        | 23.62              | 25.69      | < 33.01     |
|  |                         | 1       | 0         | 23.44              | 25.51      | < 33.01     |
| 2595.0   | 30                      | 36      | 78        | 26.08              | 28.15      | < 33.01     |
|  |                         | 1       | 1         | 26.05              | 28.12      | < 33.01     |
|  |                         | 1       | 76        | 26.00              | 28.07      | < 33.01     |
|  |                         | 75      | 0         | 25.13              | 27.20      | < 33.01     |
|  |                         | 1       | 77        | 23.52              | 25.59      | < 33.01     |
|  |                         | 1       | 0         | 23.42              | 25.49      | < 33.01     |
| 2605.0   | 30                      | 36      | 78        | 26.18              | 28.25      | < 33.01     |
|  |                         | 1       | 1         | 26.04              | 28.11      | < 33.01     |
|  |                         | 1       | 76        | 25.90              | 27.97      | < 33.01     |
|  |                         | 75      | 0         | 25.23              | 27.30      | < 33.01     |
|  |                         | 1       | 77        | 23.43              | 25.50      | < 33.01     |
|  |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2590.0                  | 40                      | 50      | 25        | 26.18              | 28.25      | < 33.01     |
|                         |                         | 1       | 1         | 26.22              | 28.29      | < 33.01     |
|                         |                         | 1       | 104       | 26.37              | 28.44      | < 33.01     |
|                         |                         | 100     | 0         | 25.15              | 27.22      | < 33.01     |
|                         |                         | 1       | 105       | 23.41              | 25.48      | < 33.01     |
|                         |                         | 1       | 0         | 23.31              | 25.38      | < 33.01     |
| 2595.0                  | 40                      | 50      | 25        | 26.19              | 28.26      | < 33.01     |
|                         |                         | 1       | 1         | 25.93              | 28.00      | < 33.01     |
|                         |                         | 1       | 104       | 25.94              | 28.01      | < 33.01     |
|                         |                         | 100     | 0         | 25.18              | 27.25      | < 33.01     |
|                         |                         | 1       | 105       | 23.43              | 25.50      | < 33.01     |
|                         |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| 2600.0                  | 40                      | 50      | 25        | 26.29              | 28.36      | < 33.01     |
|                         |                         | 1       | 1         | 26.08              | 28.15      | < 33.01     |
|                         |                         | 1       | 104       | 25.97              | 28.04      | < 33.01     |
|                         |                         | 100     | 0         | 25.22              | 27.29      | < 33.01     |
|                         |                         | 1       | 105       | 23.35              | 25.42      | < 33.01     |
|                         |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2575.0                  | 10                      | 12      | 6         | 24.45              | 26.52      | < 33.01     |
|                         |                         | 1       | 1         | 24.42              | 26.49      | < 33.01     |
|                         |                         | 1       | 22        | 24.49              | 26.56      | < 33.01     |
|                         |                         | 24      | 0         | 24.44              | 26.51      | < 33.01     |
|                         |                         | 1       | 23        | 23.41              | 25.48      | < 33.01     |
|                         |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |
| 2595.0                  | 10                      | 12      | 6         | 24.54              | 26.61      | < 33.01     |
|                         |                         | 1       | 1         | 24.67              | 26.74      | < 33.01     |
|                         |                         | 1       | 22        | 24.55              | 26.62      | < 33.01     |
|                         |                         | 24      | 0         | 24.53              | 26.60      | < 33.01     |
|                         |                         | 1       | 23        | 23.51              | 25.58      | < 33.01     |
|                         |                         | 1       | 0         | 23.67              | 25.74      | < 33.01     |
| 2615.0                  | 10                      | 12      | 6         | 24.42              | 26.49      | < 33.01     |
|                         |                         | 1       | 1         | 24.37              | 26.44      | < 33.01     |
|                         |                         | 1       | 22        | 24.51              | 26.58      | < 33.01     |
|                         |                         | 24      | 0         | 24.43              | 26.50      | < 33.01     |
|                         |                         | 1       | 23        | 23.49              | 25.56      | < 33.01     |
|                         |                         | 1       | 0         | 23.32              | 25.39      | < 33.01     |
| 2577.5                  | 15                      | 18      | 9         | 24.61              | 26.68      | < 33.01     |
|                         |                         | 1       | 1         | 24.59              | 26.66      | < 33.01     |
|                         |                         | 1       | 36        | 24.92              | 26.99      | < 33.01     |
|                         |                         | 36      | 0         | 24.68              | 26.75      | < 33.01     |
|                         |                         | 1       | 37        | 23.41              | 25.48      | < 33.01     |
|                         |                         | 1       | 0         | 23.33              | 25.40      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 2595.0   | 15                      | 18      | 9         | 24.60              | 26.67      | < 33.01     |
|  |                         | 1       | 1         | 24.71              | 26.78      | < 33.01     |
|  |                         | 1       | 36        | 24.68              | 26.75      | < 33.01     |
|  |                         | 36      | 0         | 24.66              | 26.73      | < 33.01     |
|  |                         | 1       | 37        | 23.43              | 25.50      | < 33.01     |
|  |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| 2612.5   | 15                      | 18      | 9         | 24.41              | 26.48      | < 33.01     |
|  |                         | 1       | 1         | 24.54              | 26.61      | < 33.01     |
|  |                         | 1       | 36        | 24.50              | 26.57      | < 33.01     |
|  |                         | 36      | 0         | 24.47              | 26.54      | < 33.01     |
|  |                         | 1       | 37        | 23.24              | 25.31      | < 33.01     |
|  |                         | 1       | 0         | 23.35              | 25.42      | < 33.01     |
| 2580.0   | 20                      | 25      | 12        | 24.75              | 26.82      | < 33.01     |
|  |                         | 1       | 1         | 24.60              | 26.67      | < 33.01     |
|  |                         | 1       | 49        | 24.70              | 26.77      | < 33.01     |
|  |                         | 50      | 0         | 24.72              | 26.79      | < 33.01     |
|  |                         | 1       | 50        | 23.64              | 25.71      | < 33.01     |
|  |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |
| 2595.0   | 20                      | 25      | 12        | 24.72              | 26.79      | < 33.01     |
|  |                         | 1       | 1         | 24.72              | 26.79      | < 33.01     |
|  |                         | 1       | 49        | 24.53              | 26.60      | < 33.01     |
|  |                         | 50      | 0         | 24.70              | 26.77      | < 33.01     |
|  |                         | 1       | 50        | 23.68              | 25.75      | < 33.01     |
|  |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 2610.0   | 20                      | 25      | 12        | 24.63              | 26.70      | < 33.01     |
|  |                         | 1       | 1         | 24.67              | 26.74      | < 33.01     |
|  |                         | 1       | 49        | 24.46              | 26.53      | < 33.01     |
|  |                         | 50      | 0         | 24.50              | 26.57      | < 33.01     |
|  |                         | 1       | 50        | 23.52              | 25.59      | < 33.01     |
|  |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| 2585.0   | 30                      | 36      | 78        | 24.69              | 26.76      | < 33.01     |
|  |                         | 1       | 1         | 24.72              | 26.79      | < 33.01     |
|  |                         | 1       | 76        | 24.96              | 27.03      | < 33.01     |
|  |                         | 75      | 0         | 24.73              | 26.80      | < 33.01     |
|  |                         | 1       | 77        | 23.52              | 25.59      | < 33.01     |
|  |                         | 1       | 0         | 23.60              | 25.67      | < 33.01     |
| 2595.0   | 30                      | 36      | 78        | 24.59              | 26.66      | < 33.01     |
|  |                         | 1       | 1         | 24.62              | 26.69      | < 33.01     |
|  |                         | 1       | 76        | 24.90              | 26.97      | < 33.01     |
|  |                         | 75      | 0         | 24.67              | 26.74      | < 33.01     |
|  |                         | 1       | 77        | 23.81              | 25.88      | < 33.01     |
|  |                         | 1       | 0         | 23.74              | 25.81      | < 33.01     |
| 2605.0   | 30                      | 36      | 78        | 24.71              | 26.78      | < 33.01     |
|  |                         | 1       | 1         | 24.90              | 26.97      | < 33.01     |
|  |                         | 1       | 76        | 24.52              | 26.59      | < 33.01     |
|  |                         | 75      | 0         | 24.73              | 26.80      | < 33.01     |
|  |                         | 1       | 77        | 23.62              | 25.69      | < 33.01     |
|  |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 2590.0           | 40                      | 50      | 25        | 24.70              | 26.77      | < 33.01     |
|                  |                         | 1       | 1         | 24.74              | 26.81      | < 33.01     |
|                  |                         | 1       | 104       | 24.80              | 26.87      | < 33.01     |
|                  |                         | 100     | 0         | 24.69              | 26.76      | < 33.01     |
|                  |                         | 1       | 105       | 23.53              | 25.60      | < 33.01     |
|                  |                         | 1       | 0         | 23.46              | 25.53      | < 33.01     |
| 2595.0           | 40                      | 50      | 25        | 24.70              | 26.77      | < 33.01     |
|                  |                         | 1       | 1         | 24.92              | 26.99      | < 33.01     |
|                  |                         | 1       | 104       | 24.63              | 26.70      | < 33.01     |
|                  |                         | 100     | 0         | 24.74              | 26.81      | < 33.01     |
|                  |                         | 1       | 105       | 23.44              | 25.51      | < 33.01     |
|                  |                         | 1       | 0         | 23.60              | 25.67      | < 33.01     |
| 2600.0           | 40                      | 50      | 25        | 24.76              | 26.83      | < 33.01     |
|                  |                         | 1       | 1         | 24.97              | 27.04      | < 33.01     |
|                  |                         | 1       | 104       | 24.68              | 26.75      | < 33.01     |
|                  |                         | 100     | 0         | 24.77              | 26.84      | < 33.01     |
|                  |                         | 1       | 105       | 23.40              | 25.47      | < 33.01     |
|                  |                         | 1       | 0         | 23.49              | 25.56      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2575.0                   | 10                      | 12      | 6         | 22.36              | 24.43      | < 33.01     |
|                          |                         | 1       | 1         | 22.54              | 24.61      | < 33.01     |
|                          |                         | 1       | 22        | 22.49              | 24.56      | < 33.01     |
|                          |                         | 24      | 0         | 22.47              | 24.54      | < 33.01     |
|                          |                         | 1       | 23        | 22.46              | 24.53      | < 33.01     |
|                          |                         | 1       | 0         | 22.36              | 24.43      | < 33.01     |
| 2595.0                   | 10                      | 12      | 6         | 22.51              | 24.58      | < 33.01     |
|                          |                         | 1       | 1         | 22.58              | 24.65      | < 33.01     |
|                          |                         | 1       | 22        | 22.66              | 24.73      | < 33.01     |
|                          |                         | 24      | 0         | 22.62              | 24.69      | < 33.01     |
|                          |                         | 1       | 23        | 22.53              | 24.60      | < 33.01     |
|                          |                         | 1       | 0         | 22.36              | 24.43      | < 33.01     |
| 2615.0                   | 10                      | 12      | 6         | 22.36              | 24.43      | < 33.01     |
|                          |                         | 1       | 1         | 22.38              | 24.45      | < 33.01     |
|                          |                         | 1       | 22        | 22.29              | 24.36      | < 33.01     |
|                          |                         | 24      | 0         | 22.49              | 24.56      | < 33.01     |
|                          |                         | 1       | 23        | 22.57              | 24.64      | < 33.01     |
|                          |                         | 1       | 0         | 22.36              | 24.43      | < 33.01     |
| 2577.5                   | 15                      | 18      | 9         | 22.75              | 24.82      | < 33.01     |
|                          |                         | 1       | 1         | 22.33              | 24.40      | < 33.01     |
|                          |                         | 1       | 36        | 22.50              | 24.57      | < 33.01     |
|                          |                         | 36      | 0         | 22.71              | 24.78      | < 33.01     |
|                          |                         | 1       | 37        | 22.69              | 24.76      | < 33.01     |
|                          |                         | 1       | 0         | 22.30              | 24.37      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 2595.0   | 15                      | 18      | 9         | 22.69              | 24.76      | < 33.01     |
|  |                         | 1       | 1         | 22.80              | 24.87      | < 33.01     |
|  |                         | 1       | 36        | 22.41              | 24.48      | < 33.01     |
|  |                         | 36      | 0         | 22.70              | 24.77      | < 33.01     |
|  |                         | 1       | 37        | 22.41              | 24.48      | < 33.01     |
|  |                         | 1       | 0         | 22.57              | 24.64      | < 33.01     |
| 2612.5   | 15                      | 18      | 9         | 22.48              | 24.55      | < 33.01     |
|  |                         | 1       | 1         | 22.40              | 24.47      | < 33.01     |
|  |                         | 1       | 36        | 22.28              | 24.35      | < 33.01     |
|  |                         | 36      | 0         | 22.51              | 24.58      | < 33.01     |
|  |                         | 1       | 37        | 22.12              | 24.19      | < 33.01     |
|  |                         | 1       | 0         | 22.51              | 24.58      | < 33.01     |
| 2580.0   | 20                      | 25      | 12        | 22.71              | 24.78      | < 33.01     |
|  |                         | 1       | 1         | 22.60              | 24.67      | < 33.01     |
|  |                         | 1       | 49        | 22.78              | 24.85      | < 33.01     |
|  |                         | 50      | 0         | 22.66              | 24.73      | < 33.01     |
|  |                         | 1       | 50        | 22.56              | 24.63      | < 33.01     |
|  |                         | 1       | 0         | 22.48              | 24.55      | < 33.01     |
| 2595.0   | 20                      | 25      | 12        | 22.68              | 24.75      | < 33.01     |
|  |                         | 1       | 1         | 22.70              | 24.77      | < 33.01     |
|  |                         | 1       | 49        | 22.51              | 24.58      | < 33.01     |
|  |                         | 50      | 0         | 22.59              | 24.66      | < 33.01     |
|  |                         | 1       | 50        | 22.48              | 24.55      | < 33.01     |
|  |                         | 1       | 0         | 22.74              | 24.81      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 2610.0            | 20                      | 25      | 12        | 22.55              | 24.62      | < 33.01     |
|                   |                         | 1       | 1         | 22.50              | 24.57      | < 33.01     |
|                   |                         | 1       | 49        | 22.52              | 24.59      | < 33.01     |
|                   |                         | 50      | 0         | 22.56              | 24.63      | < 33.01     |
|                   |                         | 1       | 50        | 22.37              | 24.44      | < 33.01     |
|                   |                         | 1       | 0         | 22.69              | 24.76      | < 33.01     |
| 2585.0            | 30                      | 36      | 78        | 22.65              | 24.72      | < 33.01     |
|                   |                         | 1       | 1         | 22.37              | 24.44      | < 33.01     |
|                   |                         | 1       | 76        | 22.58              | 24.65      | < 33.01     |
|                   |                         | 75      | 0         | 22.67              | 24.74      | < 33.01     |
|                   |                         | 1       | 77        | 22.56              | 24.63      | < 33.01     |
|                   |                         | 1       | 0         | 22.55              | 24.62      | < 33.01     |
| 2595.0            | 30                      | 36      | 78        | 22.70              | 24.77      | < 33.01     |
|                   |                         | 1       | 1         | 22.67              | 24.74      | < 33.01     |
|                   |                         | 1       | 76        | 22.70              | 24.77      | < 33.01     |
|                   |                         | 75      | 0         | 22.59              | 24.66      | < 33.01     |
|                   |                         | 1       | 77        | 22.55              | 24.62      | < 33.01     |
|                   |                         | 1       | 0         | 22.49              | 24.56      | < 33.01     |
| 2605.0            | 30                      | 36      | 78        | 22.72              | 24.79      | < 33.01     |
|                   |                         | 1       | 1         | 22.80              | 24.87      | < 33.01     |
|                   |                         | 1       | 76        | 22.65              | 24.72      | < 33.01     |
|                   |                         | 75      | 0         | 22.66              | 24.73      | < 33.01     |
|                   |                         | 1       | 77        | 22.58              | 24.65      | < 33.01     |
|                   |                         | 1       | 0         | 22.63              | 24.70      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 2590.0            | 40                      | 50      | 25        | 22.66              | 24.73      | < 33.01     |
|                   |                         | 1       | 1         | 22.70              | 24.77      | < 33.01     |
|                   |                         | 1       | 104       | 22.76              | 24.83      | < 33.01     |
|                   |                         | 100     | 0         | 22.68              | 24.75      | < 33.01     |
|                   |                         | 1       | 105       | 22.46              | 24.53      | < 33.01     |
|                   |                         | 1       | 0         | 22.54              | 24.61      | < 33.01     |
| 2595.0            | 40                      | 50      | 25        | 22.65              | 24.72      | < 33.01     |
|                   |                         | 1       | 1         | 22.66              | 24.73      | < 33.01     |
|                   |                         | 1       | 104       | 22.75              | 24.82      | < 33.01     |
|                   |                         | 100     | 0         | 22.63              | 24.70      | < 33.01     |
|                   |                         | 1       | 105       | 22.46              | 24.53      | < 33.01     |
|                   |                         | 1       | 0         | 22.64              | 24.71      | < 33.01     |
| 2600.0            | 40                      | 50      | 25        | 22.79              | 24.86      | < 33.01     |
|                   |                         | 1       | 1         | 22.79              | 24.86      | < 33.01     |
|                   |                         | 1       | 104       | 22.55              | 24.62      | < 33.01     |
|                   |                         | 100     | 0         | 22.76              | 24.83      | < 33.01     |
|                   |                         | 1       | 105       | 22.63              | 24.70      | < 33.01     |
|                   |                         | 1       | 0         | 22.87              | 24.94      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2575.0          | 10                      | 12      | 6         | 25.48              | 27.55      | < 33.01     |
|                 |                         | 1       | 1         | 25.38              | 27.45      | < 33.01     |
|                 |                         | 1       | 22        | 25.37              | 27.44      | < 33.01     |
|                 |                         | 24      | 0         | 23.91              | 25.98      | < 33.01     |
|                 |                         | 1       | 23        | 23.28              | 25.35      | < 33.01     |
|                 |                         | 1       | 0         | 23.29              | 25.36      | < 33.01     |
| 2595.0          | 10                      | 12      | 6         | 25.59              | 27.66      | < 33.01     |
|                 |                         | 1       | 1         | 25.54              | 27.61      | < 33.01     |
|                 |                         | 1       | 22        | 25.47              | 27.54      | < 33.01     |
|                 |                         | 24      | 0         | 23.98              | 26.05      | < 33.01     |
|                 |                         | 1       | 23        | 23.33              | 25.40      | < 33.01     |
|                 |                         | 1       | 0         | 23.51              | 25.58      | < 33.01     |
| 2615.0          | 10                      | 12      | 6         | 25.50              | 27.57      | < 33.01     |
|                 |                         | 1       | 1         | 25.55              | 27.62      | < 33.01     |
|                 |                         | 1       | 22        | 25.17              | 27.24      | < 33.01     |
|                 |                         | 24      | 0         | 23.91              | 25.98      | < 33.01     |
|                 |                         | 1       | 23        | 23.30              | 25.37      | < 33.01     |
|                 |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2577.5          | 15                      | 18      | 9         | 25.75              | 27.82      | < 33.01     |
|                 |                         | 1       | 1         | 25.58              | 27.65      | < 33.01     |
|                 |                         | 1       | 36        | 25.53              | 27.60      | < 33.01     |
|                 |                         | 36      | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 37        | 23.51              | 25.58      | < 33.01     |
|                 |                         | 1       | 0         | 23.46              | 25.53      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2595.0          | 15                      | 18      | 9         | 25.70              | 27.77      | < 33.01     |
|                 |                         | 1       | 1         | 25.54              | 27.61      | < 33.01     |
|                 |                         | 1       | 36        | 25.44              | 27.51      | < 33.01     |
|                 |                         | 36      | 0         | 24.10              | 26.17      | < 33.01     |
|                 |                         | 1       | 37        | 23.51              | 25.58      | < 33.01     |
|                 |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| 2612.5          | 15                      | 18      | 9         | 25.50              | 27.57      | < 33.01     |
|                 |                         | 1       | 1         | 25.61              | 27.68      | < 33.01     |
|                 |                         | 1       | 36        | 25.27              | 27.34      | < 33.01     |
|                 |                         | 36      | 0         | 23.85              | 25.92      | < 33.01     |
|                 |                         | 1       | 37        | 23.17              | 25.24      | < 33.01     |
|                 |                         | 1       | 0         | 23.30              | 25.37      | < 33.01     |
| 2580.0          | 20                      | 25      | 12        | 25.70              | 27.77      | < 33.01     |
|                 |                         | 1       | 1         | 25.52              | 27.59      | < 33.01     |
|                 |                         | 1       | 49        | 25.55              | 27.62      | < 33.01     |
|                 |                         | 50      | 0         | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 50        | 23.61              | 25.68      | < 33.01     |
|                 |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2595.0          | 20                      | 25      | 12        | 25.57              | 27.64      | < 33.01     |
|                 |                         | 1       | 1         | 25.62              | 27.69      | < 33.01     |
|                 |                         | 1       | 49        | 25.50              | 27.57      | < 33.01     |
|                 |                         | 50      | 0         | 24.16              | 26.23      | < 33.01     |
|                 |                         | 1       | 50        | 23.51              | 25.58      | < 33.01     |
|                 |                         | 1       | 0         | 23.57              | 25.64      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 2610.0   | 20                      | 25      | 12        | 25.51              | 27.58      | < 33.01     |
|  |                         | 1       | 1         | 25.54              | 27.61      | < 33.01     |
|  |                         | 1       | 49        | 25.60              | 27.67      | < 33.01     |
|  |                         | 50      | 0         | 24.08              | 26.15      | < 33.01     |
|  |                         | 1       | 50        | 23.41              | 25.48      | < 33.01     |
|  |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |
| 2585.0   | 30                      | 36      | 78        | 25.67              | 27.74      | < 33.01     |
|  |                         | 1       | 1         | 25.50              | 27.57      | < 33.01     |
|  |                         | 1       | 76        | 25.59              | 27.66      | < 33.01     |
|  |                         | 75      | 0         | 24.11              | 26.18      | < 33.01     |
|  |                         | 1       | 77        | 23.64              | 25.71      | < 33.01     |
|  |                         | 1       | 0         | 23.58              | 25.65      | < 33.01     |
| 2595.0   | 30                      | 36      | 78        | 25.66              | 27.73      | < 33.01     |
|  |                         | 1       | 1         | 25.76              | 27.83      | < 33.01     |
|  |                         | 1       | 76        | 25.64              | 27.71      | < 33.01     |
|  |                         | 75      | 0         | 24.07              | 26.14      | < 33.01     |
|  |                         | 1       | 77        | 23.51              | 25.58      | < 33.01     |
|  |                         | 1       | 0         | 23.61              | 25.68      | < 33.01     |
| 2605.0   | 30                      | 36      | 78        | 25.69              | 27.76      | < 33.01     |
|  |                         | 1       | 1         | 25.57              | 27.64      | < 33.01     |
|  |                         | 1       | 76        | 25.49              | 27.56      | < 33.01     |
|  |                         | 75      | 0         | 24.18              | 26.25      | < 33.01     |
|  |                         | 1       | 77        | 23.44              | 25.51      | < 33.01     |
|  |                         | 1       | 0         | 23.57              | 25.64      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 25.71              | 27.78      | < 33.01     |
|                 |                         | 1       | 1         | 25.63              | 27.70      | < 33.01     |
|                 |                         | 1       | 104       | 25.66              | 27.73      | < 33.01     |
|                 |                         | 100     | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 105       | 23.51              | 25.58      | < 33.01     |
|                 |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 25.71              | 27.78      | < 33.01     |
|                 |                         | 1       | 1         | 25.71              | 27.78      | < 33.01     |
|                 |                         | 1       | 104       | 25.52              | 27.59      | < 33.01     |
|                 |                         | 100     | 0         | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 105       | 23.56              | 25.63      | < 33.01     |
|                 |                         | 1       | 0         | 23.60              | 25.67      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 25.79              | 27.86      | < 33.01     |
|                 |                         | 1       | 1         | 25.67              | 27.74      | < 33.01     |
|                 |                         | 1       | 104       | 25.61              | 27.68      | < 33.01     |
|                 |                         | 100     | 0         | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 105       | 23.47              | 25.54      | < 33.01     |
|                 |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP 16QAM   |                         |         |           |                    |            |             |
| 2575.0   | 10                      | 12      | 6         | 24.94              | 27.01      | < 33.01     |
|  |                         | 1       | 1         | 24.98              | 27.05      | < 33.01     |
|  |                         | 1       | 22        | 24.68              | 26.75      | < 33.01     |
|  |                         | 24      | 0         | 24.08              | 26.15      | < 33.01     |
|  |                         | 1       | 23        | 23.40              | 25.47      | < 33.01     |
|  |                         | 1       | 0         | 23.21              | 25.28      | < 33.01     |
| 2595.0   | 10                      | 12      | 6         | 24.92              | 26.99      | < 33.01     |
|  |                         | 1       | 1         | 24.92              | 26.99      | < 33.01     |
|  |                         | 1       | 22        | 24.85              | 26.92      | < 33.01     |
|  |                         | 24      | 0         | 24.03              | 26.10      | < 33.01     |
|  |                         | 1       | 23        | 23.44              | 25.51      | < 33.01     |
|  |                         | 1       | 0         | 23.28              | 25.35      | < 33.01     |
| 2615.0   | 10                      | 12      | 6         | 24.83              | 26.90      | < 33.01     |
|  |                         | 1       | 1         | 24.60              | 26.67      | < 33.01     |
|  |                         | 1       | 22        | 24.59              | 26.66      | < 33.01     |
|  |                         | 24      | 0         | 23.95              | 26.02      | < 33.01     |
|  |                         | 1       | 23        | 23.13              | 25.20      | < 33.01     |
|  |                         | 1       | 0         | 23.24              | 25.31      | < 33.01     |
| 2577.5   | 15                      | 18      | 9         | 25.16              | 27.23      | < 33.01     |
|  |                         | 1       | 1         | 24.76              | 26.83      | < 33.01     |
|  |                         | 1       | 36        | 24.82              | 26.89      | < 33.01     |
|  |                         | 36      | 0         | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 37        | 23.48              | 25.55      | < 33.01     |
|  |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2595.0          | 15                      | 18      | 9         | 25.12              | 27.19      | < 33.01     |
|                 |                         | 1       | 1         | 25.00              | 27.07      | < 33.01     |
|                 |                         | 1       | 36        | 24.97              | 27.04      | < 33.01     |
|                 |                         | 36      | 0         | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 37        | 23.58              | 25.65      | < 33.01     |
|                 |                         | 1       | 0         | 23.49              | 25.56      | < 33.01     |
| 2612.5          | 15                      | 18      | 9         | 24.89              | 26.96      | < 33.01     |
|                 |                         | 1       | 1         | 24.80              | 26.87      | < 33.01     |
|                 |                         | 1       | 36        | 24.79              | 26.86      | < 33.01     |
|                 |                         | 36      | 0         | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 37        | 23.31              | 25.38      | < 33.01     |
|                 |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| 2580.0          | 20                      | 25      | 12        | 25.26              | 27.33      | < 33.01     |
|                 |                         | 1       | 1         | 24.99              | 27.06      | < 33.01     |
|                 |                         | 1       | 49        | 24.96              | 27.03      | < 33.01     |
|                 |                         | 50      | 0         | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 50        | 23.53              | 25.60      | < 33.01     |
|                 |                         | 1       | 0         | 23.60              | 25.67      | < 33.01     |
| 2595.0          | 20                      | 25      | 12        | 25.28              | 27.35      | < 33.01     |
|                 |                         | 1       | 1         | 25.12              | 27.19      | < 33.01     |
|                 |                         | 1       | 49        | 24.84              | 26.91      | < 33.01     |
|                 |                         | 50      | 0         | 24.13              | 26.20      | < 33.01     |
|                 |                         | 1       | 50        | 23.37              | 25.44      | < 33.01     |
|                 |                         | 1       | 0         | 23.40              | 25.47      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2610.0   | 20                      | 25      | 12        | 25.16              | 27.23      | < 33.01     |
|  |                         | 1       | 1         | 24.94              | 27.01      | < 33.01     |
|  |                         | 1       | 49        | 24.95              | 27.02      | < 33.01     |
|  |                         | 50      | 0         | 23.98              | 26.05      | < 33.01     |
|  |                         | 1       | 50        | 23.54              | 25.61      | < 33.01     |
|  |                         | 1       | 0         | 23.63              | 25.70      | < 33.01     |
| 2585.0   | 30                      | 36      | 78        | 25.17              | 27.24      | < 33.01     |
|  |                         | 1       | 1         | 24.98              | 27.05      | < 33.01     |
|  |                         | 1       | 76        | 25.00              | 27.07      | < 33.01     |
|  |                         | 75      | 0         | 24.09              | 26.16      | < 33.01     |
|  |                         | 1       | 77        | 23.63              | 25.70      | < 33.01     |
|  |                         | 1       | 0         | 23.41              | 25.48      | < 33.01     |
| 2595.0   | 30                      | 36      | 78        | 25.15              | 27.22      | < 33.01     |
|  |                         | 1       | 1         | 24.84              | 26.91      | < 33.01     |
|  |                         | 1       | 76        | 24.81              | 26.88      | < 33.01     |
|  |                         | 75      | 0         | 24.17              | 26.24      | < 33.01     |
|  |                         | 1       | 77        | 23.70              | 25.77      | < 33.01     |
|  |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| 2605.0   | 30                      | 36      | 78        | 25.21              | 27.28      | < 33.01     |
|  |                         | 1       | 1         | 24.98              | 27.05      | < 33.01     |
|  |                         | 1       | 76        | 24.75              | 26.82      | < 33.01     |
|  |                         | 75      | 0         | 24.17              | 26.24      | < 33.01     |
|  |                         | 1       | 77        | 23.43              | 25.50      | < 33.01     |
|  |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 25.18              | 27.25      | < 33.01     |
|                 |                         | 1       | 1         | 25.23              | 27.30      | < 33.01     |
|                 |                         | 1       | 104       | 25.08              | 27.15      | < 33.01     |
|                 |                         | 100     | 0         | 24.20              | 26.27      | < 33.01     |
|                 |                         | 1       | 105       | 23.62              | 25.69      | < 33.01     |
|                 |                         | 1       | 0         | 23.52              | 25.59      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 25.19              | 27.26      | < 33.01     |
|                 |                         | 1       | 1         | 25.29              | 27.36      | < 33.01     |
|                 |                         | 1       | 104       | 24.88              | 26.95      | < 33.01     |
|                 |                         | 100     | 0         | 24.21              | 26.28      | < 33.01     |
|                 |                         | 1       | 105       | 23.70              | 25.77      | < 33.01     |
|                 |                         | 1       | 0         | 23.58              | 25.65      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 25.22              | 27.29      | < 33.01     |
|                 |                         | 1       | 1         | 24.92              | 26.99      | < 33.01     |
|                 |                         | 1       | 104       | 24.92              | 26.99      | < 33.01     |
|                 |                         | 100     | 0         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 105       | 23.67              | 25.74      | < 33.01     |
|                 |                         | 1       | 0         | 23.79              | 25.86      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2575.0          | 10                      | 12      | 6         | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 1         | 23.31              | 25.38      | < 33.01     |
|                 |                         | 1       | 22        | 23.30              | 25.37      | < 33.01     |
|                 |                         | 24      | 0         | 23.48              | 25.55      | < 33.01     |
|                 |                         | 1       | 23        | 23.41              | 25.48      | < 33.01     |
|                 |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |
| 2595.0          | 10                      | 12      | 6         | 23.54              | 25.61      | < 33.01     |
|                 |                         | 1       | 1         | 23.61              | 25.68      | < 33.01     |
|                 |                         | 1       | 22        | 23.51              | 25.58      | < 33.01     |
|                 |                         | 24      | 0         | 23.57              | 25.64      | < 33.01     |
|                 |                         | 1       | 23        | 23.49              | 25.56      | < 33.01     |
|                 |                         | 1       | 0         | 23.49              | 25.56      | < 33.01     |
| 2615.0          | 10                      | 12      | 6         | 23.40              | 25.47      | < 33.01     |
|                 |                         | 1       | 1         | 23.39              | 25.46      | < 33.01     |
|                 |                         | 1       | 22        | 23.37              | 25.44      | < 33.01     |
|                 |                         | 24      | 0         | 23.45              | 25.52      | < 33.01     |
|                 |                         | 1       | 23        | 23.21              | 25.28      | < 33.01     |
|                 |                         | 1       | 0         | 23.52              | 25.59      | < 33.01     |
| 2577.5          | 15                      | 18      | 9         | 23.66              | 25.73      | < 33.01     |
|                 |                         | 1       | 1         | 23.41              | 25.48      | < 33.01     |
|                 |                         | 1       | 36        | 23.47              | 25.54      | < 33.01     |
|                 |                         | 36      | 0         | 23.63              | 25.70      | < 33.01     |
|                 |                         | 1       | 37        | 23.17              | 25.24      | < 33.01     |
|                 |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2595.0   | 15                      | 18      | 9         | 23.59              | 25.66      | < 33.01     |
|  |                         | 1       | 1         | 23.44              | 25.51      | < 33.01     |
|  |                         | 1       | 36        | 23.49              | 25.56      | < 33.01     |
|  |                         | 36      | 0         | 23.70              | 25.77      | < 33.01     |
|  |                         | 1       | 37        | 23.42              | 25.49      | < 33.01     |
|  |                         | 1       | 0         | 23.42              | 25.49      | < 33.01     |
| 2612.5   | 15                      | 18      | 9         | 23.40              | 25.47      | < 33.01     |
|  |                         | 1       | 1         | 23.33              | 25.40      | < 33.01     |
|  |                         | 1       | 36        | 23.21              | 25.28      | < 33.01     |
|  |                         | 36      | 0         | 23.40              | 25.47      | < 33.01     |
|  |                         | 1       | 37        | 23.09              | 25.16      | < 33.01     |
|  |                         | 1       | 0         | 23.24              | 25.31      | < 33.01     |
| 2580.0   | 20                      | 25      | 12        | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 1         | 23.56              | 25.63      | < 33.01     |
|  |                         | 1       | 49        | 23.58              | 25.65      | < 33.01     |
|  |                         | 50      | 0         | 23.78              | 25.85      | < 33.01     |
|  |                         | 1       | 50        | 23.66              | 25.73      | < 33.01     |
|  |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |
| 2595.0   | 20                      | 25      | 12        | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 1         | 23.55              | 25.62      | < 33.01     |
|  |                         | 1       | 49        | 23.47              | 25.54      | < 33.01     |
|  |                         | 50      | 0         | 23.66              | 25.73      | < 33.01     |
|  |                         | 1       | 50        | 23.49              | 25.56      | < 33.01     |
|  |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2610.0          | 20                      | 25      | 12        | 23.57              | 25.64      | < 33.01     |
|                 |                         | 1       | 1         | 23.36              | 25.43      | < 33.01     |
|                 |                         | 1       | 49        | 23.28              | 25.35      | < 33.01     |
|                 |                         | 50      | 0         | 23.56              | 25.63      | < 33.01     |
|                 |                         | 1       | 50        | 23.48              | 25.55      | < 33.01     |
|                 |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2585.0          | 30                      | 36      | 78        | 23.73              | 25.80      | < 33.01     |
|                 |                         | 1       | 1         | 23.53              | 25.60      | < 33.01     |
|                 |                         | 1       | 76        | 23.55              | 25.62      | < 33.01     |
|                 |                         | 75      | 0         | 23.68              | 25.75      | < 33.01     |
|                 |                         | 1       | 77        | 23.62              | 25.69      | < 33.01     |
|                 |                         | 1       | 0         | 23.37              | 25.44      | < 33.01     |
| 2595.0          | 30                      | 36      | 78        | 23.71              | 25.78      | < 33.01     |
|                 |                         | 1       | 1         | 23.60              | 25.67      | < 33.01     |
|                 |                         | 1       | 76        | 23.45              | 25.52      | < 33.01     |
|                 |                         | 75      | 0         | 23.69              | 25.76      | < 33.01     |
|                 |                         | 1       | 77        | 23.44              | 25.51      | < 33.01     |
|                 |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |
| 2605.0          | 30                      | 36      | 78        | 23.69              | 25.76      | < 33.01     |
|                 |                         | 1       | 1         | 23.42              | 25.49      | < 33.01     |
|                 |                         | 1       | 76        | 23.45              | 25.52      | < 33.01     |
|                 |                         | 75      | 0         | 23.67              | 25.74      | < 33.01     |
|                 |                         | 1       | 77        | 23.53              | 25.60      | < 33.01     |
|                 |                         | 1       | 0         | 23.59              | 25.66      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 23.74              | 25.81      | < 33.01     |
|                 |                         | 1       | 1         | 23.42              | 25.49      | < 33.01     |
|                 |                         | 1       | 104       | 23.48              | 25.55      | < 33.01     |
|                 |                         | 100     | 0         | 23.71              | 25.78      | < 33.01     |
|                 |                         | 1       | 105       | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 23.72              | 25.79      | < 33.01     |
|                 |                         | 1       | 1         | 23.57              | 25.64      | < 33.01     |
|                 |                         | 1       | 104       | 23.44              | 25.51      | < 33.01     |
|                 |                         | 100     | 0         | 23.58              | 25.65      | < 33.01     |
|                 |                         | 1       | 105       | 23.54              | 25.61      | < 33.01     |
|                 |                         | 1       | 0         | 23.57              | 25.64      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 23.80              | 25.87      | < 33.01     |
|                 |                         | 1       | 1         | 23.48              | 25.55      | < 33.01     |
|                 |                         | 1       | 104       | 23.39              | 25.46      | < 33.01     |
|                 |                         | 100     | 0         | 23.72              | 25.79      | < 33.01     |
|                 |                         | 1       | 105       | 23.39              | 25.46      | < 33.01     |
|                 |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2575.0          | 10                      | 12      | 6         | 20.75              | 22.82      | < 33.01     |
|                 |                         | 1       | 1         | 21.00              | 23.07      | < 33.01     |
|                 |                         | 1       | 22        | 20.86              | 22.93      | < 33.01     |
|                 |                         | 24      | 0         | 20.80              | 22.87      | < 33.01     |
|                 |                         | 1       | 23        | 21.06              | 23.13      | < 33.01     |
|                 |                         | 1       | 0         | 21.00              | 23.07      | < 33.01     |
| 2595.0          | 10                      | 12      | 6         | 20.91              | 22.98      | < 33.01     |
|                 |                         | 1       | 1         | 21.02              | 23.09      | < 33.01     |
|                 |                         | 1       | 22        | 21.02              | 23.09      | < 33.01     |
|                 |                         | 24      | 0         | 20.90              | 22.97      | < 33.01     |
|                 |                         | 1       | 23        | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 0         | 21.10              | 23.17      | < 33.01     |
| 2615.0          | 10                      | 12      | 6         | 20.82              | 22.89      | < 33.01     |
|                 |                         | 1       | 1         | 21.01              | 23.08      | < 33.01     |
|                 |                         | 1       | 22        | 20.85              | 22.92      | < 33.01     |
|                 |                         | 24      | 0         | 20.70              | 22.77      | < 33.01     |
|                 |                         | 1       | 23        | 20.81              | 22.88      | < 33.01     |
|                 |                         | 1       | 0         | 21.11              | 23.18      | < 33.01     |
| 2577.5          | 15                      | 18      | 9         | 21.00              | 23.07      | < 33.01     |
|                 |                         | 1       | 1         | 21.11              | 23.18      | < 33.01     |
|                 |                         | 1       | 36        | 21.06              | 23.13      | < 33.01     |
|                 |                         | 36      | 0         | 21.02              | 23.09      | < 33.01     |
|                 |                         | 1       | 37        | 21.27              | 23.34      | < 33.01     |
|                 |                         | 1       | 0         | 21.14              | 23.21      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2595.0          | 15                      | 18      | 9         | 20.96              | 23.03      | < 33.01     |
|                 |                         | 1       | 1         | 21.44              | 23.51      | < 33.01     |
|                 |                         | 1       | 36        | 21.26              | 23.33      | < 33.01     |
|                 |                         | 36      | 0         | 21.09              | 23.16      | < 33.01     |
|                 |                         | 1       | 37        | 21.14              | 23.21      | < 33.01     |
|                 |                         | 1       | 0         | 21.25              | 23.32      | < 33.01     |
| 2612.5          | 15                      | 18      | 9         | 20.80              | 22.87      | < 33.01     |
|                 |                         | 1       | 1         | 21.06              | 23.13      | < 33.01     |
|                 |                         | 1       | 36        | 21.02              | 23.09      | < 33.01     |
|                 |                         | 36      | 0         | 20.80              | 22.87      | < 33.01     |
|                 |                         | 1       | 37        | 20.98              | 23.05      | < 33.01     |
|                 |                         | 1       | 0         | 21.11              | 23.18      | < 33.01     |
| 2580.0          | 20                      | 25      | 12        | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 1         | 21.06              | 23.13      | < 33.01     |
|                 |                         | 1       | 49        | 21.37              | 23.44      | < 33.01     |
|                 |                         | 50      | 0         | 21.06              | 23.13      | < 33.01     |
|                 |                         | 1       | 50        | 21.27              | 23.34      | < 33.01     |
|                 |                         | 1       | 0         | 21.08              | 23.15      | < 33.01     |
| 2595.0          | 20                      | 25      | 12        | 21.02              | 23.09      | < 33.01     |
|                 |                         | 1       | 1         | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 49        | 21.15              | 23.22      | < 33.01     |
|                 |                         | 50      | 0         | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 50        | 21.12              | 23.19      | < 33.01     |
|                 |                         | 1       | 0         | 21.06              | 23.13      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2610.0          | 20                      | 25      | 12        | 20.80              | 22.87      | < 33.01     |
|                 |                         | 1       | 1         | 21.22              | 23.29      | < 33.01     |
|                 |                         | 1       | 49        | 21.02              | 23.09      | < 33.01     |
|                 |                         | 50      | 0         | 20.92              | 22.99      | < 33.01     |
|                 |                         | 1       | 50        | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 0         | 21.25              | 23.32      | < 33.01     |
| 2585.0          | 30                      | 36      | 78        | 21.09              | 23.16      | < 33.01     |
|                 |                         | 1       | 1         | 21.05              | 23.12      | < 33.01     |
|                 |                         | 1       | 76        | 21.33              | 23.40      | < 33.01     |
|                 |                         | 75      | 0         | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 77        | 21.20              | 23.27      | < 33.01     |
|                 |                         | 1       | 0         | 21.09              | 23.16      | < 33.01     |
| 2595.0          | 30                      | 36      | 78        | 21.02              | 23.09      | < 33.01     |
|                 |                         | 1       | 1         | 21.19              | 23.26      | < 33.01     |
|                 |                         | 1       | 76        | 21.20              | 23.27      | < 33.01     |
|                 |                         | 75      | 0         | 20.96              | 23.03      | < 33.01     |
|                 |                         | 1       | 77        | 21.14              | 23.21      | < 33.01     |
|                 |                         | 1       | 0         | 21.24              | 23.31      | < 33.01     |
| 2605.0          | 30                      | 36      | 78        | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 1         | 21.17              | 23.24      | < 33.01     |
|                 |                         | 1       | 76        | 21.08              | 23.15      | < 33.01     |
|                 |                         | 75      | 0         | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 77        | 21.05              | 23.12      | < 33.01     |
|                 |                         | 1       | 0         | 21.19              | 23.26      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2590.0          | 40                      | 50      | 25        | 20.99              | 23.06      | < 33.01     |
|                 |                         | 1       | 1         | 21.03              | 23.10      | < 33.01     |
|                 |                         | 1       | 104       | 21.20              | 23.27      | < 33.01     |
|                 |                         | 100     | 0         | 21.02              | 23.09      | < 33.01     |
|                 |                         | 1       | 105       | 21.13              | 23.20      | < 33.01     |
|                 |                         | 1       | 0         | 21.22              | 23.29      | < 33.01     |
| 2595.0          | 40                      | 50      | 25        | 20.96              | 23.03      | < 33.01     |
|                 |                         | 1       | 1         | 21.20              | 23.27      | < 33.01     |
|                 |                         | 1       | 104       | 21.16              | 23.23      | < 33.01     |
|                 |                         | 100     | 0         | 20.96              | 23.03      | < 33.01     |
|                 |                         | 1       | 105       | 21.27              | 23.34      | < 33.01     |
|                 |                         | 1       | 0         | 21.28              | 23.35      | < 33.01     |
| 2600.0          | 40                      | 50      | 25        | 21.00              | 23.07      | < 33.01     |
|                 |                         | 1       | 1         | 21.22              | 23.29      | < 33.01     |
|                 |                         | 1       | 104       | 21.01              | 23.08      | < 33.01     |
|                 |                         | 100     | 0         | 21.12              | 23.19      | < 33.01     |
|                 |                         | 1       | 105       | 21.18              | 23.25      | < 33.01     |
|                 |                         | 1       | 0         | 21.39              | 23.46      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

|           |                         |               |           |
|-----------|-------------------------|---------------|-----------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n41_SA    |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 2506.02              | 20                      | 25      | 12        | 24.17              | 26.24      | < 33.01     |
|                      |                         | 1       | 1         | 24.16              | 26.23      | < 33.01     |
|                      |                         | 1       | 49        | 24.18              | 26.25      | < 33.01     |
|                      |                         | 50      | 0         | 24.25              | 26.32      | < 33.01     |
|                      |                         | 1       | 50        | 23.66              | 25.73      | < 33.01     |
|                      |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| 2592.99              | 20                      | 25      | 12        | 24.25              | 26.32      | < 33.01     |
|                      |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                      |                         | 1       | 49        | 24.19              | 26.26      | < 33.01     |
|                      |                         | 50      | 0         | 24.23              | 26.30      | < 33.01     |
|                      |                         | 1       | 50        | 23.66              | 25.73      | < 33.01     |
|                      |                         | 1       | 0         | 23.82              | 25.89      | < 33.01     |
| 2679.99              | 20                      | 25      | 12        | 24.56              | 26.63      | < 33.01     |
|                      |                         | 1       | 1         | 24.48              | 26.55      | < 33.01     |
|                      |                         | 1       | 49        | 24.63              | 26.70      | < 33.01     |
|                      |                         | 50      | 0         | 24.56              | 26.63      | < 33.01     |
|                      |                         | 1       | 50        | 24.15              | 26.22      | < 33.01     |
|                      |                         | 1       | 0         | 23.97              | 26.04      | < 33.01     |
| 2511.00              | 30                      | 36      | 78        | 24.28              | 26.35      | < 33.01     |
|                      |                         | 1       | 1         | 24.20              | 26.27      | < 33.01     |
|                      |                         | 1       | 76        | 24.27              | 26.34      | < 33.01     |
|                      |                         | 75      | 0         | 24.35              | 26.42      | < 33.01     |
|                      |                         | 1       | 77        | 23.72              | 25.79      | < 33.01     |
|                      |                         | 1       | 0         | 23.73              | 25.80      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2592.99                     | 30                      | 36      | 78        | 24.36              | 26.43      | < 33.01     |
|                             |                         | 1       | 1         | 24.35              | 26.42      | < 33.01     |
|                             |                         | 1       | 76        | 24.25              | 26.32      | < 33.01     |
|                             |                         | 75      | 0         | 24.37              | 26.44      | < 33.01     |
|                             |                         | 1       | 77        | 23.83              | 25.90      | < 33.01     |
|                             |                         | 1       | 0         | 23.78              | 25.85      | < 33.01     |
| 2674.98                     | 30                      | 36      | 78        | 24.68              | 26.75      | < 33.01     |
|                             |                         | 1       | 1         | 24.46              | 26.53      | < 33.01     |
|                             |                         | 1       | 76        | 24.73              | 26.80      | < 33.01     |
|                             |                         | 75      | 0         | 24.64              | 26.71      | < 33.01     |
|                             |                         | 1       | 77        | 24.20              | 26.27      | < 33.01     |
|                             |                         | 1       | 0         | 24.02              | 26.09      | < 33.01     |
| 2516.01                     | 40                      | 50      | 25        | 24.29              | 26.36      | < 33.01     |
|                             |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                             |                         | 1       | 104       | 24.43              | 26.50      | < 33.01     |
|                             |                         | 100     | 0         | 24.33              | 26.40      | < 33.01     |
|                             |                         | 1       | 105       | 23.91              | 25.98      | < 33.01     |
|                             |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2592.99                     | 40                      | 50      | 25        | 24.37              | 26.44      | < 33.01     |
|                             |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|                             |                         | 1       | 104       | 24.35              | 26.42      | < 33.01     |
|                             |                         | 100     | 0         | 24.32              | 26.39      | < 33.01     |
|                             |                         | 1       | 105       | 23.92              | 25.99      | < 33.01     |
|                             |                         | 1       | 0         | 23.97              | 26.04      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.62              | 26.69      | < 33.01     |
|  |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|  |                         | 1       | 104       | 24.72              | 26.79      | < 33.01     |
|  |                         | 100     | 0         | 24.57              | 26.64      | < 33.01     |
|  |                         | 1       | 105       | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 24.28              | 26.35      | < 33.01     |
|  |                         | 1       | 1         | 24.18              | 26.25      | < 33.01     |
|  |                         | 1       | 131       | 24.26              | 26.33      | < 33.01     |
|  |                         | 128     | 0         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 132       | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 24.43              | 26.50      | < 33.01     |
|  |                         | 1       | 1         | 24.41              | 26.48      | < 33.01     |
|  |                         | 1       | 131       | 24.34              | 26.41      | < 33.01     |
|  |                         | 128     | 0         | 24.42              | 26.49      | < 33.01     |
|  |                         | 1       | 132       | 23.80              | 25.87      | < 33.01     |
|  |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 24.33              | 26.40      | < 33.01     |
|  |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 131       | 24.66              | 26.73      | < 33.01     |
|  |                         | 128     | 0         | 24.32              | 26.39      | < 33.01     |
|  |                         | 1       | 132       | 24.12              | 26.19      | < 33.01     |
|  |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2526.00                     | 60                      | 81      | 40        | 24.31              | 26.38      | < 33.01     |
|                             |                         | 1       | 1         | 24.08              | 26.15      | < 33.01     |
|                             |                         | 1       | 160       | 24.10              | 26.17      | < 33.01     |
|                             |                         | 162     | 0         | 24.35              | 26.42      | < 33.01     |
|                             |                         | 1       | 161       | 23.57              | 25.64      | < 33.01     |
|                             |                         | 1       | 0         | 23.71              | 25.78      | < 33.01     |
| 2592.99                     | 60                      | 81      | 40        | 24.31              | 26.38      | < 33.01     |
|                             |                         | 1       | 1         | 24.36              | 26.43      | < 33.01     |
|                             |                         | 1       | 160       | 24.25              | 26.32      | < 33.01     |
|                             |                         | 162     | 0         | 24.34              | 26.41      | < 33.01     |
|                             |                         | 1       | 161       | 23.80              | 25.87      | < 33.01     |
|                             |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2659.98                     | 60                      | 81      | 40        | 24.35              | 26.42      | < 33.01     |
|                             |                         | 1       | 1         | 24.13              | 26.20      | < 33.01     |
|                             |                         | 1       | 160       | 24.52              | 26.59      | < 33.01     |
|                             |                         | 162     | 0         | 24.34              | 26.41      | < 33.01     |
|                             |                         | 1       | 161       | 23.96              | 26.03      | < 33.01     |
|                             |                         | 1       | 0         | 23.67              | 25.74      | < 33.01     |
| 2531.01                     | 70                      | 90      | 45        | 23.47              | 25.54      | < 33.01     |
|                             |                         | 1       | 1         | 23.76              | 25.83      | < 33.01     |
|                             |                         | 1       | 187       | 23.40              | 25.47      | < 33.01     |
|                             |                         | 180     | 0         | 23.60              | 25.67      | < 33.01     |
|                             |                         | 1       | 188       | 22.59              | 24.66      | < 33.01     |
|                             |                         | 1       | 0         | 23.40              | 25.47      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2592.99                     | 70                      | 90      | 45        | 23.68              | 25.75      | < 33.01     |
|                             |                         | 1       | 1         | 23.73              | 25.80      | < 33.01     |
|                             |                         | 1       | 187       | 23.64              | 25.71      | < 33.01     |
|                             |                         | 180     | 0         | 23.67              | 25.74      | < 33.01     |
|                             |                         | 1       | 188       | 23.21              | 25.28      | < 33.01     |
|                             |                         | 1       | 0         | 23.06              | 25.13      | < 33.01     |
| 2655.00                     | 70                      | 90      | 45        | 23.76              | 25.83      | < 33.01     |
|                             |                         | 1       | 1         | 23.51              | 25.58      | < 33.01     |
|                             |                         | 1       | 187       | 24.14              | 26.21      | < 33.01     |
|                             |                         | 180     | 0         | 23.82              | 25.89      | < 33.01     |
|                             |                         | 1       | 188       | 23.01              | 25.08      | < 33.01     |
|                             |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |
| 2536.02                     | 80                      | 108     | 54        | 24.06              | 26.13      | < 33.01     |
|                             |                         | 1       | 1         | 23.99              | 26.06      | < 33.01     |
|                             |                         | 1       | 215       | 23.87              | 25.94      | < 33.01     |
|                             |                         | 216     | 0         | 24.03              | 26.10      | < 33.01     |
|                             |                         | 1       | 216       | 23.41              | 25.48      | < 33.01     |
|                             |                         | 1       | 0         | 23.60              | 25.67      | < 33.01     |
| 2592.99                     | 80                      | 108     | 54        | 24.21              | 26.28      | < 33.01     |
|                             |                         | 1       | 1         | 24.17              | 26.24      | < 33.01     |
|                             |                         | 1       | 215       | 23.95              | 26.02      | < 33.01     |
|                             |                         | 216     | 0         | 24.25              | 26.32      | < 33.01     |
|                             |                         | 1       | 216       | 23.38              | 25.45      | < 33.01     |
|                             |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 2649.99              | 80                      | 108     | 54        | 24.19              | 26.26      | < 33.01     |
|                      |                         | 1       | 1         | 24.08              | 26.15      | < 33.01     |
|                      |                         | 1       | 215       | 24.43              | 26.50      | < 33.01     |
|                      |                         | 216     | 0         | 24.28              | 26.35      | < 33.01     |
|                      |                         | 1       | 216       | 23.97              | 26.04      | < 33.01     |
|                      |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| 2541.00              | 90                      | 120     | 60        | 24.05              | 26.12      | < 33.01     |
|                      |                         | 1       | 1         | 23.98              | 26.05      | < 33.01     |
|                      |                         | 1       | 243       | 23.82              | 25.89      | < 33.01     |
|                      |                         | 243     | 0         | 24.00              | 26.07      | < 33.01     |
|                      |                         | 1       | 244       | 23.29              | 25.36      | < 33.01     |
|                      |                         | 1       | 0         | 23.42              | 25.49      | < 33.01     |
| 2592.99              | 90                      | 120     | 60        | 24.24              | 26.31      | < 33.01     |
|                      |                         | 1       | 1         | 24.22              | 26.29      | < 33.01     |
|                      |                         | 1       | 243       | 24.16              | 26.23      | < 33.01     |
|                      |                         | 243     | 0         | 24.17              | 26.24      | < 33.01     |
|                      |                         | 1       | 244       | 23.57              | 25.64      | < 33.01     |
|                      |                         | 1       | 0         | 23.74              | 25.81      | < 33.01     |
| 2644.98              | 90                      | 120     | 60        | 24.14              | 26.21      | < 33.01     |
|                      |                         | 1       | 1         | 24.02              | 26.09      | < 33.01     |
|                      |                         | 1       | 243       | 24.56              | 26.63      | < 33.01     |
|                      |                         | 243     | 0         | 24.15              | 26.22      | < 33.01     |
|                      |                         | 1       | 244       | 23.82              | 25.89      | < 33.01     |
|                      |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2546.01                     | 100                     | 135     | 67        | 24.18              | 26.25      | < 33.01     |
|                             |                         | 1       | 1         | 24.01              | 26.08      | < 33.01     |
|                             |                         | 1       | 271       | 23.71              | 25.78      | < 33.01     |
|                             |                         | 270     | 0         | 24.22              | 26.29      | < 33.01     |
|                             |                         | 1       | 272       | 23.11              | 25.18      | < 33.01     |
|                             |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |
| 2592.99                     | 100                     | 135     | 67        | 24.26              | 26.33      | < 33.01     |
|                             |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                             |                         | 1       | 271       | 24.07              | 26.14      | < 33.01     |
|                             |                         | 270     | 0         | 24.23              | 26.30      | < 33.01     |
|                             |                         | 1       | 272       | 23.36              | 25.43      | < 33.01     |
|                             |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |
| 2640.00                     | 100                     | 135     | 67        | 24.20              | 26.27      | < 33.01     |
|                             |                         | 1       | 1         | 24.20              | 26.27      | < 33.01     |
|                             |                         | 1       | 271       | 24.48              | 26.55      | < 33.01     |
|                             |                         | 270     | 0         | 24.22              | 26.29      | < 33.01     |
|                             |                         | 1       | 272       | 23.78              | 25.85      | < 33.01     |
|                             |                         | 1       | 0         | 23.45              | 25.52      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2506.02                | 20                      | 25      | 12        | 24.17              | 26.24      | < 33.01     |
|                        |                         | 1       | 1         | 24.19              | 26.26      | < 33.01     |
|                        |                         | 1       | 49        | 24.24              | 26.31      | < 33.01     |
|                        |                         | 50      | 0         | 24.17              | 26.24      | < 33.01     |
|                        |                         | 1       | 50        | 23.80              | 25.87      | < 33.01     |
|                        |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2592.99                | 20                      | 25      | 12        | 24.25              | 26.32      | < 33.01     |
|                        |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                        |                         | 1       | 49        | 24.31              | 26.38      | < 33.01     |
|                        |                         | 50      | 0         | 24.31              | 26.38      | < 33.01     |
|                        |                         | 1       | 50        | 23.80              | 25.87      | < 33.01     |
|                        |                         | 1       | 0         | 23.88              | 25.95      | < 33.01     |
| 2679.99                | 20                      | 25      | 12        | 24.62              | 26.69      | < 33.01     |
|                        |                         | 1       | 1         | 24.60              | 26.67      | < 33.01     |
|                        |                         | 1       | 49        | 24.60              | 26.67      | < 33.01     |
|                        |                         | 50      | 0         | 24.60              | 26.67      | < 33.01     |
|                        |                         | 1       | 50        | 24.08              | 26.15      | < 33.01     |
|                        |                         | 1       | 0         | 24.06              | 26.13      | < 33.01     |
| 2511.00                | 30                      | 36      | 78        | 24.31              | 26.38      | < 33.01     |
|                        |                         | 1       | 1         | 24.26              | 26.33      | < 33.01     |
|                        |                         | 1       | 76        | 24.33              | 26.40      | < 33.01     |
|                        |                         | 75      | 0         | 24.29              | 26.36      | < 33.01     |
|                        |                         | 1       | 77        | 23.84              | 25.91      | < 33.01     |
|                        |                         | 1       | 0         | 23.82              | 25.89      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2592.99                | 30                      | 36      | 78        | 24.32              | 26.39      | < 33.01     |
|                        |                         | 1       | 1         | 24.46              | 26.53      | < 33.01     |
|                        |                         | 1       | 76        | 24.27              | 26.34      | < 33.01     |
|                        |                         | 75      | 0         | 24.35              | 26.42      | < 33.01     |
|                        |                         | 1       | 77        | 23.85              | 25.92      | < 33.01     |
|                        |                         | 1       | 0         | 23.92              | 25.99      | < 33.01     |
| 2674.98                | 30                      | 36      | 78        | 24.62              | 26.69      | < 33.01     |
|                        |                         | 1       | 1         | 24.49              | 26.56      | < 33.01     |
|                        |                         | 1       | 76        | 24.73              | 26.80      | < 33.01     |
|                        |                         | 75      | 0         | 24.71              | 26.78      | < 33.01     |
|                        |                         | 1       | 77        | 24.30              | 26.37      | < 33.01     |
|                        |                         | 1       | 0         | 23.98              | 26.05      | < 33.01     |
| 2516.01                | 40                      | 50      | 25        | 24.29              | 26.36      | < 33.01     |
|                        |                         | 1       | 1         | 24.39              | 26.46      | < 33.01     |
|                        |                         | 1       | 104       | 24.44              | 26.51      | < 33.01     |
|                        |                         | 100     | 0         | 24.30              | 26.37      | < 33.01     |
|                        |                         | 1       | 105       | 23.93              | 26.00      | < 33.01     |
|                        |                         | 1       | 0         | 23.86              | 25.93      | < 33.01     |
| 2592.99                | 40                      | 50      | 25        | 24.38              | 26.45      | < 33.01     |
|                        |                         | 1       | 1         | 24.55              | 26.62      | < 33.01     |
|                        |                         | 1       | 104       | 24.48              | 26.55      | < 33.01     |
|                        |                         | 100     | 0         | 24.39              | 26.46      | < 33.01     |
|                        |                         | 1       | 105       | 23.95              | 26.02      | < 33.01     |
|                        |                         | 1       | 0         | 24.03              | 26.10      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2670.00                | 40                      | 50      | 25        | 24.53              | 26.60      | < 33.01     |
|                        |                         | 1       | 1         | 24.47              | 26.54      | < 33.01     |
|                        |                         | 1       | 104       | 24.84              | 26.91      | < 33.01     |
|                        |                         | 100     | 0         | 24.61              | 26.68      | < 33.01     |
|                        |                         | 1       | 105       | 24.31              | 26.38      | < 33.01     |
|                        |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2521.02                | 50                      | 64      | 32        | 24.20              | 26.27      | < 33.01     |
|                        |                         | 1       | 1         | 24.21              | 26.28      | < 33.01     |
|                        |                         | 1       | 131       | 24.29              | 26.36      | < 33.01     |
|                        |                         | 128     | 0         | 24.32              | 26.39      | < 33.01     |
|                        |                         | 1       | 132       | 23.72              | 25.79      | < 33.01     |
|                        |                         | 1       | 0         | 23.71              | 25.78      | < 33.01     |
| 2592.99                | 50                      | 64      | 32        | 24.34              | 26.41      | < 33.01     |
|                        |                         | 1       | 1         | 24.41              | 26.48      | < 33.01     |
|                        |                         | 1       | 131       | 24.22              | 26.29      | < 33.01     |
|                        |                         | 128     | 0         | 24.40              | 26.47      | < 33.01     |
|                        |                         | 1       | 132       | 23.83              | 25.90      | < 33.01     |
|                        |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2664.99                | 50                      | 64      | 32        | 24.44              | 26.51      | < 33.01     |
|                        |                         | 1       | 1         | 24.24              | 26.31      | < 33.01     |
|                        |                         | 1       | 131       | 24.61              | 26.68      | < 33.01     |
|                        |                         | 128     | 0         | 24.37              | 26.44      | < 33.01     |
|                        |                         | 1       | 132       | 24.20              | 26.27      | < 33.01     |
|                        |                         | 1       | 0         | 23.61              | 25.68      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM QPSK  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 24.26              | 26.33      | < 33.01     |
|  |                         | 1       | 1         | 24.16              | 26.23      | < 33.01     |
|  |                         | 1       | 160       | 24.09              | 26.16      | < 33.01     |
|  |                         | 162     | 0         | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 161       | 23.58              | 25.65      | < 33.01     |
|  |                         | 1       | 0         | 23.58              | 25.65      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 24.36              | 26.43      | < 33.01     |
|  |                         | 1       | 1         | 24.51              | 26.58      | < 33.01     |
|  |                         | 1       | 160       | 24.26              | 26.33      | < 33.01     |
|  |                         | 162     | 0         | 24.38              | 26.45      | < 33.01     |
|  |                         | 1       | 161       | 23.69              | 25.76      | < 33.01     |
|  |                         | 1       | 0         | 23.98              | 26.05      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 160       | 24.61              | 26.68      | < 33.01     |
|  |                         | 162     | 0         | 24.33              | 26.40      | < 33.01     |
|  |                         | 1       | 161       | 24.09              | 26.16      | < 33.01     |
|  |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 23.40              | 25.47      | < 33.01     |
|  |                         | 1       | 1         | 23.71              | 25.78      | < 33.01     |
|  |                         | 1       | 187       | 23.10              | 25.17      | < 33.01     |
|  |                         | 180     | 0         | 23.52              | 25.59      | < 33.01     |
|  |                         | 1       | 188       | 22.90              | 24.97      | < 33.01     |
|  |                         | 1       | 0         | 22.66              | 24.73      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2592.99                | 70                      | 90      | 45        | 23.62              | 25.69      | < 33.01     |
|                        |                         | 1       | 1         | 23.80              | 25.87      | < 33.01     |
|                        |                         | 1       | 187       | 23.69              | 25.76      | < 33.01     |
|                        |                         | 180     | 0         | 23.61              | 25.68      | < 33.01     |
|                        |                         | 1       | 188       | 23.48              | 25.55      | < 33.01     |
|                        |                         | 1       | 0         | 22.80              | 24.87      | < 33.01     |
| 2655.00                | 70                      | 90      | 45        | 23.70              | 25.77      | < 33.01     |
|                        |                         | 1       | 1         | 22.18              | 24.25      | < 33.01     |
|                        |                         | 1       | 187       | 23.44              | 25.51      | < 33.01     |
|                        |                         | 180     | 0         | 23.80              | 25.87      | < 33.01     |
|                        |                         | 1       | 188       | 22.77              | 24.84      | < 33.01     |
|                        |                         | 1       | 0         | 23.63              | 25.70      | < 33.01     |
| 2536.02                | 80                      | 108     | 54        | 24.02              | 26.09      | < 33.01     |
|                        |                         | 1       | 1         | 24.06              | 26.13      | < 33.01     |
|                        |                         | 1       | 215       | 23.96              | 26.03      | < 33.01     |
|                        |                         | 216     | 0         | 24.00              | 26.07      | < 33.01     |
|                        |                         | 1       | 216       | 23.43              | 25.50      | < 33.01     |
|                        |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2592.99                | 80                      | 108     | 54        | 24.17              | 26.24      | < 33.01     |
|                        |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                        |                         | 1       | 215       | 24.09              | 26.16      | < 33.01     |
|                        |                         | 216     | 0         | 24.14              | 26.21      | < 33.01     |
|                        |                         | 1       | 216       | 23.37              | 25.44      | < 33.01     |
|                        |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2649.99                | 80                      | 108     | 54        | 24.24              | 26.31      | < 33.01     |
|                        |                         | 1       | 1         | 23.97              | 26.04      | < 33.01     |
|                        |                         | 1       | 215       | 24.43              | 26.50      | < 33.01     |
|                        |                         | 216     | 0         | 24.18              | 26.25      | < 33.01     |
|                        |                         | 1       | 216       | 23.99              | 26.06      | < 33.01     |
|                        |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| 2541.00                | 90                      | 120     | 60        | 24.03              | 26.10      | < 33.01     |
|                        |                         | 1       | 1         | 24.08              | 26.15      | < 33.01     |
|                        |                         | 1       | 243       | 23.83              | 25.90      | < 33.01     |
|                        |                         | 243     | 0         | 23.98              | 26.05      | < 33.01     |
|                        |                         | 1       | 244       | 23.30              | 25.37      | < 33.01     |
|                        |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |
| 2592.99                | 90                      | 120     | 60        | 24.18              | 26.25      | < 33.01     |
|                        |                         | 1       | 1         | 24.21              | 26.28      | < 33.01     |
|                        |                         | 1       | 243       | 24.04              | 26.11      | < 33.01     |
|                        |                         | 243     | 0         | 24.17              | 26.24      | < 33.01     |
|                        |                         | 1       | 244       | 23.50              | 25.57      | < 33.01     |
|                        |                         | 1       | 0         | 23.67              | 25.74      | < 33.01     |
| 2644.98                | 90                      | 120     | 60        | 24.17              | 26.24      | < 33.01     |
|                        |                         | 1       | 1         | 24.14              | 26.21      | < 33.01     |
|                        |                         | 1       | 243       | 24.49              | 26.56      | < 33.01     |
|                        |                         | 243     | 0         | 24.24              | 26.31      | < 33.01     |
|                        |                         | 1       | 244       | 23.86              | 25.93      | < 33.01     |
|                        |                         | 1       | 0         | 23.51              | 25.58      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2546.01                | 100                     | 135     | 67        | 24.15              | 26.22      | < 33.01     |
|                        |                         | 1       | 1         | 24.04              | 26.11      | < 33.01     |
|                        |                         | 1       | 271       | 23.80              | 25.87      | < 33.01     |
|                        |                         | 270     | 0         | 24.00              | 26.07      | < 33.01     |
|                        |                         | 1       | 272       | 23.04              | 25.11      | < 33.01     |
|                        |                         | 1       | 0         | 23.33              | 25.40      | < 33.01     |
| 2592.99                | 100                     | 135     | 67        | 24.18              | 26.25      | < 33.01     |
|                        |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                        |                         | 1       | 271       | 24.08              | 26.15      | < 33.01     |
|                        |                         | 270     | 0         | 24.21              | 26.28      | < 33.01     |
|                        |                         | 1       | 272       | 23.38              | 25.45      | < 33.01     |
|                        |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| 2640.00                | 100                     | 135     | 67        | 24.16              | 26.23      | < 33.01     |
|                        |                         | 1       | 1         | 24.09              | 26.16      | < 33.01     |
|                        |                         | 1       | 271       | 24.49              | 26.56      | < 33.01     |
|                        |                         | 270     | 0         | 24.20              | 26.27      | < 33.01     |
|                        |                         | 1       | 272       | 23.78              | 25.85      | < 33.01     |
|                        |                         | 1       | 0         | 23.59              | 25.66      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2506.02                 | 20                      | 25      | 12        | 24.21              | 26.28      | < 33.01     |
|                         |                         | 1       | 1         | 24.18              | 26.25      | < 33.01     |
|                         |                         | 1       | 49        | 24.18              | 26.25      | < 33.01     |
|                         |                         | 50      | 0         | 24.16              | 26.23      | < 33.01     |
|                         |                         | 1       | 50        | 23.83              | 25.90      | < 33.01     |
|                         |                         | 1       | 0         | 23.97              | 26.04      | < 33.01     |
| 2592.99                 | 20                      | 25      | 12        | 24.22              | 26.29      | < 33.01     |
|                         |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|                         |                         | 1       | 49        | 24.32              | 26.39      | < 33.01     |
|                         |                         | 50      | 0         | 24.23              | 26.30      | < 33.01     |
|                         |                         | 1       | 50        | 23.80              | 25.87      | < 33.01     |
|                         |                         | 1       | 0         | 23.97              | 26.04      | < 33.01     |
| 2679.99                 | 20                      | 25      | 12        | 24.54              | 26.61      | < 33.01     |
|                         |                         | 1       | 1         | 24.47              | 26.54      | < 33.01     |
|                         |                         | 1       | 49        | 24.59              | 26.66      | < 33.01     |
|                         |                         | 50      | 0         | 24.53              | 26.60      | < 33.01     |
|                         |                         | 1       | 50        | 24.25              | 26.32      | < 33.01     |
|                         |                         | 1       | 0         | 24.23              | 26.30      | < 33.01     |
| 2511.00                 | 30                      | 36      | 78        | 24.27              | 26.34      | < 33.01     |
|                         |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 76        | 24.45              | 26.52      | < 33.01     |
|                         |                         | 75      | 0         | 24.24              | 26.31      | < 33.01     |
|                         |                         | 1       | 77        | 23.91              | 25.98      | < 33.01     |
|                         |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2592.99                 | 30                      | 36      | 78        | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 1         | 24.47              | 26.54      | < 33.01     |
|                         |                         | 1       | 76        | 24.36              | 26.43      | < 33.01     |
|                         |                         | 75      | 0         | 24.29              | 26.36      | < 33.01     |
|                         |                         | 1       | 77        | 24.00              | 26.07      | < 33.01     |
|                         |                         | 1       | 0         | 24.00              | 26.07      | < 33.01     |
| 2674.98                 | 30                      | 36      | 78        | 24.66              | 26.73      | < 33.01     |
|                         |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 76        | 24.74              | 26.81      | < 33.01     |
|                         |                         | 75      | 0         | 24.69              | 26.76      | < 33.01     |
|                         |                         | 1       | 77        | 24.31              | 26.38      | < 33.01     |
|                         |                         | 1       | 0         | 24.01              | 26.08      | < 33.01     |
| 2516.01                 | 40                      | 50      | 25        | 24.21              | 26.28      | < 33.01     |
|                         |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                         |                         | 1       | 104       | 24.42              | 26.49      | < 33.01     |
|                         |                         | 100     | 0         | 24.41              | 26.48      | < 33.01     |
|                         |                         | 1       | 105       | 24.08              | 26.15      | < 33.01     |
|                         |                         | 1       | 0         | 24.03              | 26.10      | < 33.01     |
| 2592.99                 | 40                      | 50      | 25        | 24.33              | 26.40      | < 33.01     |
|                         |                         | 1       | 1         | 24.57              | 26.64      | < 33.01     |
|                         |                         | 1       | 104       | 24.47              | 26.54      | < 33.01     |
|                         |                         | 100     | 0         | 24.42              | 26.49      | < 33.01     |
|                         |                         | 1       | 105       | 24.11              | 26.18      | < 33.01     |
|                         |                         | 1       | 0         | 24.22              | 26.29      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.56              | 26.63      | < 33.01     |
|  |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|  |                         | 1       | 104       | 24.82              | 26.89      | < 33.01     |
|  |                         | 100     | 0         | 24.62              | 26.69      | < 33.01     |
|  |                         | 1       | 105       | 24.47              | 26.54      | < 33.01     |
|  |                         | 1       | 0         | 24.15              | 26.22      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 24.22              | 26.29      | < 33.01     |
|  |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|  |                         | 1       | 131       | 24.39              | 26.46      | < 33.01     |
|  |                         | 128     | 0         | 24.25              | 26.32      | < 33.01     |
|  |                         | 1       | 132       | 23.81              | 25.88      | < 33.01     |
|  |                         | 1       | 0         | 23.91              | 25.98      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 24.38              | 26.45      | < 33.01     |
|  |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|  |                         | 1       | 131       | 24.32              | 26.39      | < 33.01     |
|  |                         | 128     | 0         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 132       | 23.97              | 26.04      | < 33.01     |
|  |                         | 1       | 0         | 24.06              | 26.13      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 24.31              | 26.38      | < 33.01     |
|  |                         | 1       | 1         | 24.15              | 26.22      | < 33.01     |
|  |                         | 1       | 131       | 24.52              | 26.59      | < 33.01     |
|  |                         | 128     | 0         | 24.36              | 26.43      | < 33.01     |
|  |                         | 1       | 132       | 24.14              | 26.21      | < 33.01     |
|  |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 24.23              | 26.30      | < 33.01     |
|  |                         | 1       | 1         | 24.15              | 26.22      | < 33.01     |
|  |                         | 1       | 160       | 24.18              | 26.25      | < 33.01     |
|  |                         | 162     | 0         | 24.34              | 26.41      | < 33.01     |
|  |                         | 1       | 161       | 23.82              | 25.89      | < 33.01     |
|  |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 24.28              | 26.35      | < 33.01     |
|  |                         | 1       | 1         | 24.44              | 26.51      | < 33.01     |
|  |                         | 1       | 160       | 24.24              | 26.31      | < 33.01     |
|  |                         | 162     | 0         | 24.36              | 26.43      | < 33.01     |
|  |                         | 1       | 161       | 23.99              | 26.06      | < 33.01     |
|  |                         | 1       | 0         | 24.06              | 26.13      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 24.32              | 26.39      | < 33.01     |
|  |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 160       | 24.52              | 26.59      | < 33.01     |
|  |                         | 162     | 0         | 24.38              | 26.45      | < 33.01     |
|  |                         | 1       | 161       | 24.02              | 26.09      | < 33.01     |
|  |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 23.51              | 25.58      | < 33.01     |
|  |                         | 1       | 1         | 24.25              | 26.32      | < 33.01     |
|  |                         | 1       | 187       | 23.58              | 25.65      | < 33.01     |
|  |                         | 180     | 0         | 23.60              | 25.67      | < 33.01     |
|  |                         | 1       | 188       | 24.70              | 26.77      | < 33.01     |
|  |                         | 1       | 0         | 25.01              | 27.08      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2592.99                 | 70                      | 90      | 45        | 23.56              | 25.63      | < 33.01     |
|                         |                         | 1       | 1         | 23.66              | 25.73      | < 33.01     |
|                         |                         | 1       | 187       | 24.26              | 26.33      | < 33.01     |
|                         |                         | 180     | 0         | 23.64              | 25.71      | < 33.01     |
|                         |                         | 1       | 188       | 23.81              | 25.88      | < 33.01     |
|                         |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |
| 2655.00                 | 70                      | 90      | 45        | 23.78              | 25.85      | < 33.01     |
|                         |                         | 1       | 1         | 24.39              | 26.46      | < 33.01     |
|                         |                         | 1       | 187       | 24.28              | 26.35      | < 33.01     |
|                         |                         | 180     | 0         | 23.65              | 25.72      | < 33.01     |
|                         |                         | 1       | 188       | 24.44              | 26.51      | < 33.01     |
|                         |                         | 1       | 0         | 23.73              | 25.80      | < 33.01     |
| 2536.02                 | 80                      | 108     | 54        | 24.07              | 26.14      | < 33.01     |
|                         |                         | 1       | 1         | 24.06              | 26.13      | < 33.01     |
|                         |                         | 1       | 215       | 23.96              | 26.03      | < 33.01     |
|                         |                         | 216     | 0         | 24.07              | 26.14      | < 33.01     |
|                         |                         | 1       | 216       | 23.55              | 25.62      | < 33.01     |
|                         |                         | 1       | 0         | 23.73              | 25.80      | < 33.01     |
| 2592.99                 | 80                      | 108     | 54        | 24.24              | 26.31      | < 33.01     |
|                         |                         | 1       | 1         | 24.35              | 26.42      | < 33.01     |
|                         |                         | 1       | 215       | 24.09              | 26.16      | < 33.01     |
|                         |                         | 216     | 0         | 24.10              | 26.17      | < 33.01     |
|                         |                         | 1       | 216       | 23.47              | 25.54      | < 33.01     |
|                         |                         | 1       | 0         | 23.80              | 25.87      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2649.99          | 80                      | 108     | 54        | 24.23              | 26.30      | < 33.01     |
|                  |                         | 1       | 1         | 24.03              | 26.10      | < 33.01     |
|                  |                         | 1       | 215       | 24.40              | 26.47      | < 33.01     |
|                  |                         | 216     | 0         | 24.14              | 26.21      | < 33.01     |
|                  |                         | 1       | 216       | 24.03              | 26.10      | < 33.01     |
|                  |                         | 1       | 0         | 23.72              | 25.79      | < 33.01     |
| 2541.00          | 90                      | 120     | 60        | 24.01              | 26.08      | < 33.01     |
|                  |                         | 1       | 1         | 24.08              | 26.15      | < 33.01     |
|                  |                         | 1       | 243       | 23.89              | 25.96      | < 33.01     |
|                  |                         | 243     | 0         | 24.02              | 26.09      | < 33.01     |
|                  |                         | 1       | 244       | 23.46              | 25.53      | < 33.01     |
|                  |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2592.99          | 90                      | 120     | 60        | 24.16              | 26.23      | < 33.01     |
|                  |                         | 1       | 1         | 24.44              | 26.51      | < 33.01     |
|                  |                         | 1       | 243       | 24.24              | 26.31      | < 33.01     |
|                  |                         | 243     | 0         | 24.19              | 26.26      | < 33.01     |
|                  |                         | 1       | 244       | 23.60              | 25.67      | < 33.01     |
|                  |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |
| 2644.98          | 90                      | 120     | 60        | 24.15              | 26.22      | < 33.01     |
|                  |                         | 1       | 1         | 24.04              | 26.11      | < 33.01     |
|                  |                         | 1       | 243       | 24.51              | 26.58      | < 33.01     |
|                  |                         | 243     | 0         | 24.22              | 26.29      | < 33.01     |
|                  |                         | 1       | 244       | 24.13              | 26.20      | < 33.01     |
|                  |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2546.01                 | 100                     | 135     | 67        | 24.19              | 26.26      | < 33.01     |
|                         |                         | 1       | 1         | 24.19              | 26.26      | < 33.01     |
|                         |                         | 1       | 271       | 23.92              | 25.99      | < 33.01     |
|                         |                         | 270     | 0         | 23.96              | 26.03      | < 33.01     |
|                         |                         | 1       | 272       | 23.13              | 25.20      | < 33.01     |
|                         |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2592.99                 | 100                     | 135     | 67        | 24.17              | 26.24      | < 33.01     |
|                         |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                         |                         | 1       | 271       | 24.11              | 26.18      | < 33.01     |
|                         |                         | 270     | 0         | 24.20              | 26.27      | < 33.01     |
|                         |                         | 1       | 272       | 23.68              | 25.75      | < 33.01     |
|                         |                         | 1       | 0         | 23.83              | 25.90      | < 33.01     |
| 2640.00                 | 100                     | 135     | 67        | 24.13              | 26.20      | < 33.01     |
|                         |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                         |                         | 1       | 271       | 24.58              | 26.65      | < 33.01     |
|                         |                         | 270     | 0         | 24.26              | 26.33      | < 33.01     |
|                         |                         | 1       | 272       | 24.07              | 26.14      | < 33.01     |
|                         |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2506.02                 | 20                      | 25      | 12        | 24.23              | 26.30      | < 33.01     |
|                         |                         | 1       | 1         | 24.24              | 26.31      | < 33.01     |
|                         |                         | 1       | 49        | 24.42              | 26.49      | < 33.01     |
|                         |                         | 50      | 0         | 24.21              | 26.28      | < 33.01     |
|                         |                         | 1       | 50        | 23.95              | 26.02      | < 33.01     |
|                         |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2592.99                 | 20                      | 25      | 12        | 24.29              | 26.36      | < 33.01     |
|                         |                         | 1       | 1         | 24.52              | 26.59      | < 33.01     |
|                         |                         | 1       | 49        | 24.33              | 26.40      | < 33.01     |
|                         |                         | 50      | 0         | 24.29              | 26.36      | < 33.01     |
|                         |                         | 1       | 50        | 23.77              | 25.84      | < 33.01     |
|                         |                         | 1       | 0         | 24.05              | 26.12      | < 33.01     |
| 2679.99                 | 20                      | 25      | 12        | 24.69              | 26.76      | < 33.01     |
|                         |                         | 1       | 1         | 24.53              | 26.60      | < 33.01     |
|                         |                         | 1       | 49        | 24.64              | 26.71      | < 33.01     |
|                         |                         | 50      | 0         | 24.58              | 26.65      | < 33.01     |
|                         |                         | 1       | 50        | 23.91              | 25.98      | < 33.01     |
|                         |                         | 1       | 0         | 24.00              | 26.07      | < 33.01     |
| 2511.00                 | 30                      | 36      | 78        | 24.28              | 26.35      | < 33.01     |
|                         |                         | 1       | 1         | 24.41              | 26.48      | < 33.01     |
|                         |                         | 1       | 76        | 24.44              | 26.51      | < 33.01     |
|                         |                         | 75      | 0         | 24.36              | 26.43      | < 33.01     |
|                         |                         | 1       | 77        | 24.11              | 26.18      | < 33.01     |
|                         |                         | 1       | 0         | 24.02              | 26.09      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2592.99                 | 30                      | 36      | 78        | 24.41              | 26.48      | < 33.01     |
|                         |                         | 1       | 1         | 24.56              | 26.63      | < 33.01     |
|                         |                         | 1       | 76        | 24.42              | 26.49      | < 33.01     |
|                         |                         | 75      | 0         | 24.43              | 26.50      | < 33.01     |
|                         |                         | 1       | 77        | 23.97              | 26.04      | < 33.01     |
|                         |                         | 1       | 0         | 24.00              | 26.07      | < 33.01     |
| 2674.98                 | 30                      | 36      | 78        | 24.68              | 26.75      | < 33.01     |
|                         |                         | 1       | 1         | 24.56              | 26.63      | < 33.01     |
|                         |                         | 1       | 76        | 24.85              | 26.92      | < 33.01     |
|                         |                         | 75      | 0         | 24.68              | 26.75      | < 33.01     |
|                         |                         | 1       | 77        | 24.50              | 26.57      | < 33.01     |
|                         |                         | 1       | 0         | 24.21              | 26.28      | < 33.01     |
| 2516.01                 | 40                      | 50      | 25        | 24.35              | 26.42      | < 33.01     |
|                         |                         | 1       | 1         | 24.46              | 26.53      | < 33.01     |
|                         |                         | 1       | 104       | 24.58              | 26.65      | < 33.01     |
|                         |                         | 100     | 0         | 24.37              | 26.44      | < 33.01     |
|                         |                         | 1       | 105       | 24.11              | 26.18      | < 33.01     |
|                         |                         | 1       | 0         | 24.04              | 26.11      | < 33.01     |
| 2592.99                 | 40                      | 50      | 25        | 24.39              | 26.46      | < 33.01     |
|                         |                         | 1       | 1         | 24.55              | 26.62      | < 33.01     |
|                         |                         | 1       | 104       | 24.52              | 26.59      | < 33.01     |
|                         |                         | 100     | 0         | 24.47              | 26.54      | < 33.01     |
|                         |                         | 1       | 105       | 24.10              | 26.17      | < 33.01     |
|                         |                         | 1       | 0         | 24.23              | 26.30      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM   |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.62              | 26.69      | < 33.01     |
|  |                         | 1       | 1         | 24.50              | 26.57      | < 33.01     |
|  |                         | 1       | 104       | 25.06              | 27.13      | < 33.01     |
|  |                         | 100     | 0         | 24.60              | 26.67      | < 33.01     |
|  |                         | 1       | 105       | 24.39              | 26.46      | < 33.01     |
|  |                         | 1       | 0         | 24.19              | 26.26      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 24.26              | 26.33      | < 33.01     |
|  |                         | 1       | 1         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 131       | 24.44              | 26.51      | < 33.01     |
|  |                         | 128     | 0         | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 132       | 24.01              | 26.08      | < 33.01     |
|  |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 24.44              | 26.51      | < 33.01     |
|  |                         | 1       | 1         | 24.51              | 26.58      | < 33.01     |
|  |                         | 1       | 131       | 24.49              | 26.56      | < 33.01     |
|  |                         | 128     | 0         | 24.40              | 26.47      | < 33.01     |
|  |                         | 1       | 132       | 24.09              | 26.16      | < 33.01     |
|  |                         | 1       | 0         | 24.09              | 26.16      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 24.34              | 26.41      | < 33.01     |
|  |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 131       | 24.87              | 26.94      | < 33.01     |
|  |                         | 128     | 0         | 24.39              | 26.46      | < 33.01     |
|  |                         | 1       | 132       | 24.53              | 26.60      | < 33.01     |
|  |                         | 1       | 0         | 23.92              | 25.99      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2526.00                 | 60                      | 81      | 40        | 24.25              | 26.32      | < 33.01     |
|                         |                         | 1       | 1         | 24.24              | 26.31      | < 33.01     |
|                         |                         | 1       | 160       | 24.25              | 26.32      | < 33.01     |
|                         |                         | 162     | 0         | 24.34              | 26.41      | < 33.01     |
|                         |                         | 1       | 161       | 23.82              | 25.89      | < 33.01     |
|                         |                         | 1       | 0         | 23.80              | 25.87      | < 33.01     |
| 2592.99                 | 60                      | 81      | 40        | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 1         | 24.44              | 26.51      | < 33.01     |
|                         |                         | 1       | 160       | 24.30              | 26.37      | < 33.01     |
|                         |                         | 162     | 0         | 24.36              | 26.43      | < 33.01     |
|                         |                         | 1       | 161       | 23.87              | 25.94      | < 33.01     |
|                         |                         | 1       | 0         | 24.10              | 26.17      | < 33.01     |
| 2659.98                 | 60                      | 81      | 40        | 24.28              | 26.35      | < 33.01     |
|                         |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                         |                         | 1       | 160       | 24.72              | 26.79      | < 33.01     |
|                         |                         | 162     | 0         | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 161       | 24.16              | 26.23      | < 33.01     |
|                         |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |
| 2531.01                 | 70                      | 90      | 45        | 23.62              | 25.69      | < 33.01     |
|                         |                         | 1       | 1         | 22.15              | 24.22      | < 33.01     |
|                         |                         | 1       | 187       | 23.72              | 25.79      | < 33.01     |
|                         |                         | 180     | 0         | 23.65              | 25.72      | < 33.01     |
|                         |                         | 1       | 188       | 19.30              | 21.37      | < 33.01     |
|                         |                         | 1       | 0         | 22.13              | 24.20      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2592.99                 | 70                      | 90      | 45        | 23.25              | 25.32      | < 33.01     |
|                         |                         | 1       | 1         | 23.00              | 25.07      | < 33.01     |
|                         |                         | 1       | 187       | 24.06              | 26.13      | < 33.01     |
|                         |                         | 180     | 0         | 23.77              | 25.84      | < 33.01     |
|                         |                         | 1       | 188       | 23.58              | 25.65      | < 33.01     |
|                         |                         | 1       | 0         | 23.15              | 25.22      | < 33.01     |
| 2655.00                 | 70                      | 90      | 45        | 23.40              | 25.47      | < 33.01     |
|                         |                         | 1       | 1         | 24.47              | 26.54      | < 33.01     |
|                         |                         | 1       | 187       | 24.18              | 26.25      | < 33.01     |
|                         |                         | 180     | 0         | 23.80              | 25.87      | < 33.01     |
|                         |                         | 1       | 188       | 23.37              | 25.44      | < 33.01     |
|                         |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| 2536.02                 | 80                      | 108     | 54        | 24.15              | 26.22      | < 33.01     |
|                         |                         | 1       | 1         | 24.14              | 26.21      | < 33.01     |
|                         |                         | 1       | 215       | 24.12              | 26.19      | < 33.01     |
|                         |                         | 216     | 0         | 24.06              | 26.13      | < 33.01     |
|                         |                         | 1       | 216       | 23.58              | 25.65      | < 33.01     |
|                         |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |
| 2592.99                 | 80                      | 108     | 54        | 24.22              | 26.29      | < 33.01     |
|                         |                         | 1       | 1         | 24.43              | 26.50      | < 33.01     |
|                         |                         | 1       | 215       | 24.07              | 26.14      | < 33.01     |
|                         |                         | 216     | 0         | 24.20              | 26.27      | < 33.01     |
|                         |                         | 1       | 216       | 23.70              | 25.77      | < 33.01     |
|                         |                         | 1       | 0         | 23.90              | 25.97      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 2649.99          | 80                      | 108     | 54        | 24.20              | 26.27      | < 33.01     |
|                  |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                  |                         | 1       | 215       | 24.48              | 26.55      | < 33.01     |
|                  |                         | 216     | 0         | 24.16              | 26.23      | < 33.01     |
|                  |                         | 1       | 216       | 24.14              | 26.21      | < 33.01     |
|                  |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |
| 2541.00          | 90                      | 120     | 60        | 23.99              | 26.06      | < 33.01     |
|                  |                         | 1       | 1         | 24.19              | 26.26      | < 33.01     |
|                  |                         | 1       | 243       | 24.09              | 26.16      | < 33.01     |
|                  |                         | 243     | 0         | 24.04              | 26.11      | < 33.01     |
|                  |                         | 1       | 244       | 23.49              | 25.56      | < 33.01     |
|                  |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |
| 2592.99          | 90                      | 120     | 60        | 24.20              | 26.27      | < 33.01     |
|                  |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                  |                         | 1       | 243       | 24.36              | 26.43      | < 33.01     |
|                  |                         | 243     | 0         | 24.20              | 26.27      | < 33.01     |
|                  |                         | 1       | 244       | 23.81              | 25.88      | < 33.01     |
|                  |                         | 1       | 0         | 23.90              | 25.97      | < 33.01     |
| 2644.98          | 90                      | 120     | 60        | 24.14              | 26.21      | < 33.01     |
|                  |                         | 1       | 1         | 24.24              | 26.31      | < 33.01     |
|                  |                         | 1       | 243       | 24.55              | 26.62      | < 33.01     |
|                  |                         | 243     | 0         | 24.23              | 26.30      | < 33.01     |
|                  |                         | 1       | 244       | 24.06              | 26.13      | < 33.01     |
|                  |                         | 1       | 0         | 23.71              | 25.78      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2546.01                 | 100                     | 135     | 67        | 24.12              | 26.19      | < 33.01     |
|                         |                         | 1       | 1         | 24.13              | 26.20      | < 33.01     |
|                         |                         | 1       | 271       | 23.90              | 25.97      | < 33.01     |
|                         |                         | 270     | 0         | 24.01              | 26.08      | < 33.01     |
|                         |                         | 1       | 272       | 23.30              | 25.37      | < 33.01     |
|                         |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| 2592.99                 | 100                     | 135     | 67        | 24.21              | 26.28      | < 33.01     |
|                         |                         | 1       | 1         | 24.39              | 26.46      | < 33.01     |
|                         |                         | 1       | 271       | 24.19              | 26.26      | < 33.01     |
|                         |                         | 270     | 0         | 24.17              | 26.24      | < 33.01     |
|                         |                         | 1       | 272       | 23.34              | 25.41      | < 33.01     |
|                         |                         | 1       | 0         | 23.52              | 25.59      | < 33.01     |
| 2640.00                 | 100                     | 135     | 67        | 24.23              | 26.30      | < 33.01     |
|                         |                         | 1       | 1         | 24.21              | 26.28      | < 33.01     |
|                         |                         | 1       | 271       | 24.54              | 26.61      | < 33.01     |
|                         |                         | 270     | 0         | 24.22              | 26.29      | < 33.01     |
|                         |                         | 1       | 272       | 23.96              | 26.03      | < 33.01     |
|                         |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2506.02                  | 20                      | 25      | 12        | 22.63              | 24.70      | < 33.01     |
|                          |                         | 1       | 1         | 22.36              | 24.43      | < 33.01     |
|                          |                         | 1       | 49        | 22.44              | 24.51      | < 33.01     |
|                          |                         | 50      | 0         | 22.65              | 24.72      | < 33.01     |
|                          |                         | 1       | 50        | 22.43              | 24.50      | < 33.01     |
|                          |                         | 1       | 0         | 22.37              | 24.44      | < 33.01     |
| 2592.99                  | 20                      | 25      | 12        | 22.75              | 24.82      | < 33.01     |
|                          |                         | 1       | 1         | 22.56              | 24.63      | < 33.01     |
|                          |                         | 1       | 49        | 22.44              | 24.51      | < 33.01     |
|                          |                         | 50      | 0         | 22.70              | 24.77      | < 33.01     |
|                          |                         | 1       | 50        | 22.45              | 24.52      | < 33.01     |
|                          |                         | 1       | 0         | 22.54              | 24.61      | < 33.01     |
| 2679.99                  | 20                      | 25      | 12        | 23.06              | 25.13      | < 33.01     |
|                          |                         | 1       | 1         | 22.74              | 24.81      | < 33.01     |
|                          |                         | 1       | 49        | 22.82              | 24.89      | < 33.01     |
|                          |                         | 50      | 0         | 23.10              | 25.17      | < 33.01     |
|                          |                         | 1       | 50        | 22.81              | 24.88      | < 33.01     |
|                          |                         | 1       | 0         | 22.72              | 24.79      | < 33.01     |
| 2511.00                  | 30                      | 36      | 78        | 22.72              | 24.79      | < 33.01     |
|                          |                         | 1       | 1         | 22.59              | 24.66      | < 33.01     |
|                          |                         | 1       | 76        | 22.53              | 24.60      | < 33.01     |
|                          |                         | 75      | 0         | 22.81              | 24.88      | < 33.01     |
|                          |                         | 1       | 77        | 22.61              | 24.68      | < 33.01     |
|                          |                         | 1       | 0         | 22.54              | 24.61      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 2592.99           | 30                      | 36      | 78        | 22.79              | 24.86      | < 33.01     |
|                   |                         | 1       | 1         | 22.71              | 24.78      | < 33.01     |
|                   |                         | 1       | 76        | 22.58              | 24.65      | < 33.01     |
|                   |                         | 75      | 0         | 22.85              | 24.92      | < 33.01     |
|                   |                         | 1       | 77        | 22.57              | 24.64      | < 33.01     |
|                   |                         | 1       | 0         | 22.59              | 24.66      | < 33.01     |
| 2674.98           | 30                      | 36      | 78        | 23.12              | 25.19      | < 33.01     |
|                   |                         | 1       | 1         | 22.71              | 24.78      | < 33.01     |
|                   |                         | 1       | 76        | 23.10              | 25.17      | < 33.01     |
|                   |                         | 75      | 0         | 23.15              | 25.22      | < 33.01     |
|                   |                         | 1       | 77        | 23.08              | 25.15      | < 33.01     |
|                   |                         | 1       | 0         | 22.79              | 24.86      | < 33.01     |
| 2516.01           | 40                      | 50      | 25        | 22.79              | 24.86      | < 33.01     |
|                   |                         | 1       | 1         | 22.61              | 24.68      | < 33.01     |
|                   |                         | 1       | 104       | 22.69              | 24.76      | < 33.01     |
|                   |                         | 100     | 0         | 22.85              | 24.92      | < 33.01     |
|                   |                         | 1       | 105       | 22.70              | 24.77      | < 33.01     |
|                   |                         | 1       | 0         | 22.56              | 24.63      | < 33.01     |
| 2592.99           | 40                      | 50      | 25        | 22.79              | 24.86      | < 33.01     |
|                   |                         | 1       | 1         | 22.69              | 24.76      | < 33.01     |
|                   |                         | 1       | 104       | 22.78              | 24.85      | < 33.01     |
|                   |                         | 100     | 0         | 22.91              | 24.98      | < 33.01     |
|                   |                         | 1       | 105       | 22.68              | 24.75      | < 33.01     |
|                   |                         | 1       | 0         | 22.79              | 24.86      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 23.06              | 25.13      | < 33.01     |
|  |                         | 1       | 1         | 22.66              | 24.73      | < 33.01     |
|  |                         | 1       | 104       | 23.06              | 25.13      | < 33.01     |
|  |                         | 100     | 0         | 23.06              | 25.13      | < 33.01     |
|  |                         | 1       | 105       | 23.05              | 25.12      | < 33.01     |
|  |                         | 1       | 0         | 22.66              | 24.73      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 22.72              | 24.79      | < 33.01     |
|  |                         | 1       | 1         | 22.77              | 24.84      | < 33.01     |
|  |                         | 1       | 131       | 22.49              | 24.56      | < 33.01     |
|  |                         | 128     | 0         | 22.85              | 24.92      | < 33.01     |
|  |                         | 1       | 132       | 22.57              | 24.64      | < 33.01     |
|  |                         | 1       | 0         | 22.49              | 24.56      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 22.88              | 24.95      | < 33.01     |
|  |                         | 1       | 1         | 22.67              | 24.74      | < 33.01     |
|  |                         | 1       | 131       | 22.55              | 24.62      | < 33.01     |
|  |                         | 128     | 0         | 22.83              | 24.90      | < 33.01     |
|  |                         | 1       | 132       | 22.54              | 24.61      | < 33.01     |
|  |                         | 1       | 0         | 22.67              | 24.74      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 22.90              | 24.97      | < 33.01     |
|  |                         | 1       | 1         | 22.39              | 24.46      | < 33.01     |
|  |                         | 1       | 131       | 22.94              | 25.01      | < 33.01     |
|  |                         | 128     | 0         | 22.82              | 24.89      | < 33.01     |
|  |                         | 1       | 132       | 22.79              | 24.86      | < 33.01     |
|  |                         | 1       | 0         | 22.37              | 24.44      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 22.83              | 24.90      | < 33.01     |
|  |                         | 1       | 1         | 22.37              | 24.44      | < 33.01     |
|  |                         | 1       | 160       | 22.33              | 24.40      | < 33.01     |
|  |                         | 162     | 0         | 22.86              | 24.93      | < 33.01     |
|  |                         | 1       | 161       | 22.30              | 24.37      | < 33.01     |
|  |                         | 1       | 0         | 22.38              | 24.45      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 22.81              | 24.88      | < 33.01     |
|  |                         | 1       | 1         | 22.60              | 24.67      | < 33.01     |
|  |                         | 1       | 160       | 22.56              | 24.63      | < 33.01     |
|  |                         | 162     | 0         | 22.95              | 25.02      | < 33.01     |
|  |                         | 1       | 161       | 22.52              | 24.59      | < 33.01     |
|  |                         | 1       | 0         | 22.65              | 24.72      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 22.85              | 24.92      | < 33.01     |
|  |                         | 1       | 1         | 22.36              | 24.43      | < 33.01     |
|  |                         | 1       | 160       | 22.80              | 24.87      | < 33.01     |
|  |                         | 162     | 0         | 22.87              | 24.94      | < 33.01     |
|  |                         | 1       | 161       | 22.67              | 24.74      | < 33.01     |
|  |                         | 1       | 0         | 22.33              | 24.40      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 21.85              | 23.92      | < 33.01     |
|  |                         | 1       | 1         | 23.08              | 25.15      | < 33.01     |
|  |                         | 1       | 187       | 22.77              | 24.84      | < 33.01     |
|  |                         | 180     | 0         | 22.04              | 24.11      | < 33.01     |
|  |                         | 1       | 188       | 19.08              | 21.15      | < 33.01     |
|  |                         | 1       | 0         | 22.01              | 24.08      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2592.99                  | 70                      | 90      | 45        | 22.24              | 24.31      | < 33.01     |
|                          |                         | 1       | 1         | 23.01              | 25.08      | < 33.01     |
|                          |                         | 1       | 187       | 24.04              | 26.11      | < 33.01     |
|                          |                         | 180     | 0         | 22.13              | 24.20      | < 33.01     |
|                          |                         | 1       | 188       | 24.07              | 26.14      | < 33.01     |
|                          |                         | 1       | 0         | 22.24              | 24.31      | < 33.01     |
| 2655.00                  | 70                      | 90      | 45        | 22.22              | 24.29      | < 33.01     |
|                          |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                          |                         | 1       | 187       | 24.04              | 26.11      | < 33.01     |
|                          |                         | 180     | 0         | 22.20              | 24.27      | < 33.01     |
|                          |                         | 1       | 188       | 22.22              | 24.29      | < 33.01     |
|                          |                         | 1       | 0         | 22.17              | 24.24      | < 33.01     |
| 2536.02                  | 80                      | 108     | 54        | 22.52              | 24.59      | < 33.01     |
|                          |                         | 1       | 1         | 22.26              | 24.33      | < 33.01     |
|                          |                         | 1       | 215       | 22.07              | 24.14      | < 33.01     |
|                          |                         | 216     | 0         | 22.53              | 24.60      | < 33.01     |
|                          |                         | 1       | 216       | 22.13              | 24.20      | < 33.01     |
|                          |                         | 1       | 0         | 22.25              | 24.32      | < 33.01     |
| 2592.99                  | 80                      | 108     | 54        | 22.67              | 24.74      | < 33.01     |
|                          |                         | 1       | 1         | 22.55              | 24.62      | < 33.01     |
|                          |                         | 1       | 215       | 22.29              | 24.36      | < 33.01     |
|                          |                         | 216     | 0         | 22.65              | 24.72      | < 33.01     |
|                          |                         | 1       | 216       | 22.34              | 24.41      | < 33.01     |
|                          |                         | 1       | 0         | 22.48              | 24.55      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 2649.99  | 80                      | 108     | 54        | 22.76              | 24.83      | < 33.01     |
|  |                         | 1       | 1         | 22.27              | 24.34      | < 33.01     |
|  |                         | 1       | 215       | 22.73              | 24.80      | < 33.01     |
|  |                         | 216     | 0         | 22.61              | 24.68      | < 33.01     |
|  |                         | 1       | 216       | 22.61              | 24.68      | < 33.01     |
|  |                         | 1       | 0         | 22.22              | 24.29      | < 33.01     |
| 2541.00  | 90                      | 120     | 60        | 22.56              | 24.63      | < 33.01     |
|  |                         | 1       | 1         | 22.27              | 24.34      | < 33.01     |
|  |                         | 1       | 243       | 22.14              | 24.21      | < 33.01     |
|  |                         | 243     | 0         | 22.49              | 24.56      | < 33.01     |
|  |                         | 1       | 244       | 22.02              | 24.09      | < 33.01     |
|  |                         | 1       | 0         | 22.20              | 24.27      | < 33.01     |
| 2592.99  | 90                      | 120     | 60        | 22.75              | 24.82      | < 33.01     |
|  |                         | 1       | 1         | 22.59              | 24.66      | < 33.01     |
|  |                         | 1       | 243       | 22.36              | 24.43      | < 33.01     |
|  |                         | 243     | 0         | 22.67              | 24.74      | < 33.01     |
|  |                         | 1       | 244       | 22.47              | 24.54      | < 33.01     |
|  |                         | 1       | 0         | 22.79              | 24.86      | < 33.01     |
| 2644.98  | 90                      | 120     | 60        | 22.66              | 24.73      | < 33.01     |
|  |                         | 1       | 1         | 22.28              | 24.35      | < 33.01     |
|  |                         | 1       | 243       | 22.92              | 24.99      | < 33.01     |
|  |                         | 243     | 0         | 22.68              | 24.75      | < 33.01     |
|  |                         | 1       | 244       | 22.62              | 24.69      | < 33.01     |
|  |                         | 1       | 0         | 22.25              | 24.32      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2546.01                  | 100                     | 135     | 67        | 22.63              | 24.70      | < 33.01     |
|                          |                         | 1       | 1         | 22.34              | 24.41      | < 33.01     |
|                          |                         | 1       | 271       | 22.06              | 24.13      | < 33.01     |
|                          |                         | 270     | 0         | 22.57              | 24.64      | < 33.01     |
|                          |                         | 1       | 272       | 21.90              | 23.97      | < 33.01     |
|                          |                         | 1       | 0         | 22.08              | 24.15      | < 33.01     |
| 2592.99                  | 100                     | 135     | 67        | 22.77              | 24.84      | < 33.01     |
|                          |                         | 1       | 1         | 22.56              | 24.63      | < 33.01     |
|                          |                         | 1       | 271       | 22.31              | 24.38      | < 33.01     |
|                          |                         | 270     | 0         | 22.67              | 24.74      | < 33.01     |
|                          |                         | 1       | 272       | 22.26              | 24.33      | < 33.01     |
|                          |                         | 1       | 0         | 22.34              | 24.41      | < 33.01     |
| 2640.00                  | 100                     | 135     | 67        | 22.73              | 24.80      | < 33.01     |
|                          |                         | 1       | 1         | 22.35              | 24.42      | < 33.01     |
|                          |                         | 1       | 271       | 22.82              | 24.89      | < 33.01     |
|                          |                         | 270     | 0         | 22.73              | 24.80      | < 33.01     |
|                          |                         | 1       | 272       | 22.52              | 24.59      | < 33.01     |
|                          |                         | 1       | 0         | 22.21              | 24.28      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2506.02         | 20                      | 25      | 12        | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 49        | 24.15              | 26.22      | < 33.01     |
|                 |                         | 50      | 0         | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 50        | 23.66              | 25.73      | < 33.01     |
|                 |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |
| 2592.99         | 20                      | 25      | 12        | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|                 |                         | 1       | 49        | 24.22              | 26.29      | < 33.01     |
|                 |                         | 50      | 0         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 50        | 23.74              | 25.81      | < 33.01     |
|                 |                         | 1       | 0         | 23.95              | 26.02      | < 33.01     |
| 2679.99         | 20                      | 25      | 12        | 24.60              | 26.67      | < 33.01     |
|                 |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                 |                         | 1       | 49        | 24.70              | 26.77      | < 33.01     |
|                 |                         | 50      | 0         | 24.54              | 26.61      | < 33.01     |
|                 |                         | 1       | 50        | 24.04              | 26.11      | < 33.01     |
|                 |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2511.00         | 30                      | 36      | 78        | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 76        | 24.16              | 26.23      | < 33.01     |
|                 |                         | 75      | 0         | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 77        | 23.77              | 25.84      | < 33.01     |
|                 |                         | 1       | 0         | 23.76              | 25.83      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2592.99         | 30                      | 36      | 78        | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 1         | 24.58              | 26.65      | < 33.01     |
|                 |                         | 1       | 76        | 24.37              | 26.44      | < 33.01     |
|                 |                         | 75      | 0         | 24.42              | 26.49      | < 33.01     |
|                 |                         | 1       | 77        | 23.85              | 25.92      | < 33.01     |
|                 |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2674.98         | 30                      | 36      | 78        | 24.68              | 26.75      | < 33.01     |
|                 |                         | 1       | 1         | 24.36              | 26.43      | < 33.01     |
|                 |                         | 1       | 76        | 24.75              | 26.82      | < 33.01     |
|                 |                         | 75      | 0         | 24.72              | 26.79      | < 33.01     |
|                 |                         | 1       | 77        | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 0         | 23.94              | 26.01      | < 33.01     |
| 2516.01         | 40                      | 50      | 25        | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 1         | 24.31              | 26.38      | < 33.01     |
|                 |                         | 1       | 104       | 24.39              | 26.46      | < 33.01     |
|                 |                         | 100     | 0         | 24.34              | 26.41      | < 33.01     |
|                 |                         | 1       | 105       | 23.94              | 26.01      | < 33.01     |
|                 |                         | 1       | 0         | 23.85              | 25.92      | < 33.01     |
| 2592.99         | 40                      | 50      | 25        | 24.42              | 26.49      | < 33.01     |
|                 |                         | 1       | 1         | 24.43              | 26.50      | < 33.01     |
|                 |                         | 1       | 104       | 24.37              | 26.44      | < 33.01     |
|                 |                         | 100     | 0         | 24.49              | 26.56      | < 33.01     |
|                 |                         | 1       | 105       | 23.79              | 25.86      | < 33.01     |
|                 |                         | 1       | 0         | 23.94              | 26.01      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.58              | 26.65      | < 33.01     |
|  |                         | 1       | 1         | 24.52              | 26.59      | < 33.01     |
|  |                         | 1       | 104       | 24.71              | 26.78      | < 33.01     |
|  |                         | 100     | 0         | 24.56              | 26.63      | < 33.01     |
|  |                         | 1       | 105       | 24.31              | 26.38      | < 33.01     |
|  |                         | 1       | 0         | 23.83              | 25.90      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|  |                         | 1       | 131       | 24.47              | 26.54      | < 33.01     |
|  |                         | 128     | 0         | 24.31              | 26.38      | < 33.01     |
|  |                         | 1       | 132       | 23.72              | 25.79      | < 33.01     |
|  |                         | 1       | 0         | 23.72              | 25.79      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 24.36              | 26.43      | < 33.01     |
|  |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|  |                         | 1       | 131       | 24.26              | 26.33      | < 33.01     |
|  |                         | 128     | 0         | 24.41              | 26.48      | < 33.01     |
|  |                         | 1       | 132       | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 0         | 23.88              | 25.95      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 24.38              | 26.45      | < 33.01     |
|  |                         | 1       | 1         | 24.23              | 26.30      | < 33.01     |
|  |                         | 1       | 131       | 24.55              | 26.62      | < 33.01     |
|  |                         | 128     | 0         | 24.36              | 26.43      | < 33.01     |
|  |                         | 1       | 132       | 24.09              | 26.16      | < 33.01     |
|  |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 24.28              | 26.35      | < 33.01     |
|  |                         | 1       | 1         | 24.07              | 26.14      | < 33.01     |
|  |                         | 1       | 160       | 24.11              | 26.18      | < 33.01     |
|  |                         | 162     | 0         | 24.27              | 26.34      | < 33.01     |
|  |                         | 1       | 161       | 23.62              | 25.69      | < 33.01     |
|  |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 24.35              | 26.42      | < 33.01     |
|  |                         | 1       | 1         | 24.34              | 26.41      | < 33.01     |
|  |                         | 1       | 160       | 24.22              | 26.29      | < 33.01     |
|  |                         | 162     | 0         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 161       | 23.66              | 25.73      | < 33.01     |
|  |                         | 1       | 0         | 23.81              | 25.88      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 24.36              | 26.43      | < 33.01     |
|  |                         | 1       | 1         | 24.10              | 26.17      | < 33.01     |
|  |                         | 1       | 160       | 24.62              | 26.69      | < 33.01     |
|  |                         | 162     | 0         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 161       | 24.10              | 26.17      | < 33.01     |
|  |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 23.73              | 25.80      | < 33.01     |
|  |                         | 1       | 1         | 24.43              | 26.50      | < 33.01     |
|  |                         | 1       | 187       | 24.47              | 26.54      | < 33.01     |
|  |                         | 180     | 0         | 23.61              | 25.68      | < 33.01     |
|  |                         | 1       | 188       | 24.45              | 26.52      | < 33.01     |
|  |                         | 1       | 0         | 24.51              | 26.58      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 23.44              | 25.51      | < 33.01     |
|                 |                         | 1       | 1         | 22.46              | 24.53      | < 33.01     |
|                 |                         | 1       | 187       | 25.24              | 27.31      | < 33.01     |
|                 |                         | 180     | 0         | 23.73              | 25.80      | < 33.01     |
|                 |                         | 1       | 188       | 24.86              | 26.93      | < 33.01     |
|                 |                         | 1       | 0         | 24.46              | 26.53      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 23.23              | 25.30      | < 33.01     |
|                 |                         | 1       | 1         | 22.83              | 24.90      | < 33.01     |
|                 |                         | 1       | 187       | 25.32              | 27.39      | < 33.01     |
|                 |                         | 180     | 0         | 23.64              | 25.71      | < 33.01     |
|                 |                         | 1       | 188       | 22.00              | 24.07      | < 33.01     |
|                 |                         | 1       | 0         | 23.21              | 25.28      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 24.09              | 26.16      | < 33.01     |
|                 |                         | 1       | 1         | 24.09              | 26.16      | < 33.01     |
|                 |                         | 1       | 215       | 23.96              | 26.03      | < 33.01     |
|                 |                         | 216     | 0         | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 216       | 23.38              | 25.45      | < 33.01     |
|                 |                         | 1       | 0         | 23.49              | 25.56      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 1         | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 215       | 23.97              | 26.04      | < 33.01     |
|                 |                         | 216     | 0         | 24.15              | 26.22      | < 33.01     |
|                 |                         | 1       | 216       | 23.51              | 25.58      | < 33.01     |
|                 |                         | 1       | 0         | 23.71              | 25.78      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2649.99         | 80                      | 108     | 54        | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 1         | 23.96              | 26.03      | < 33.01     |
|                 |                         | 1       | 215       | 24.67              | 26.74      | < 33.01     |
|                 |                         | 216     | 0         | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 216       | 23.89              | 25.96      | < 33.01     |
|                 |                         | 1       | 0         | 23.42              | 25.49      | < 33.01     |
| 2541.00         | 90                      | 120     | 60        | 23.95              | 26.02      | < 33.01     |
|                 |                         | 1       | 1         | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 243       | 23.91              | 25.98      | < 33.01     |
|                 |                         | 243     | 0         | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 244       | 23.26              | 25.33      | < 33.01     |
|                 |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2592.99         | 90                      | 120     | 60        | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|                 |                         | 1       | 243       | 24.23              | 26.30      | < 33.01     |
|                 |                         | 243     | 0         | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 244       | 23.51              | 25.58      | < 33.01     |
|                 |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |
| 2644.98         | 90                      | 120     | 60        | 24.15              | 26.22      | < 33.01     |
|                 |                         | 1       | 1         | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 243       | 24.59              | 26.66      | < 33.01     |
|                 |                         | 243     | 0         | 24.21              | 26.28      | < 33.01     |
|                 |                         | 1       | 244       | 23.86              | 25.93      | < 33.01     |
|                 |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 20.59              | 22.66      | < 33.01     |
|                 |                         | 1       | 1         | 20.32              | 22.39      | < 33.01     |
|                 |                         | 1       | 271       | 20.83              | 22.90      | < 33.01     |
|                 |                         | 270     | 0         | 20.71              | 22.78      | < 33.01     |
|                 |                         | 1       | 272       | 20.54              | 22.61      | < 33.01     |
|                 |                         | 1       | 0         | 20.19              | 22.26      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 24.16              | 26.23      | < 33.01     |
|                 |                         | 1       | 1         | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 271       | 23.95              | 26.02      | < 33.01     |
|                 |                         | 270     | 0         | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 272       | 23.42              | 25.49      | < 33.01     |
|                 |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 1         | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 271       | 24.50              | 26.57      | < 33.01     |
|                 |                         | 270     | 0         | 24.25              | 26.32      | < 33.01     |
|                 |                         | 1       | 272       | 23.85              | 25.92      | < 33.01     |
|                 |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2506.02         | 20                      | 25      | 12        | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 49        | 24.32              | 26.39      | < 33.01     |
|                 |                         | 50      | 0         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 50        | 23.87              | 25.94      | < 33.01     |
|                 |                         | 1       | 0         | 23.76              | 25.83      | < 33.01     |
| 2592.99         | 20                      | 25      | 12        | 24.31              | 26.38      | < 33.01     |
|                 |                         | 1       | 1         | 24.75              | 26.82      | < 33.01     |
|                 |                         | 1       | 49        | 24.52              | 26.59      | < 33.01     |
|                 |                         | 50      | 0         | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 50        | 23.83              | 25.90      | < 33.01     |
|                 |                         | 1       | 0         | 23.90              | 25.97      | < 33.01     |
| 2679.99         | 20                      | 25      | 12        | 24.64              | 26.71      | < 33.01     |
|                 |                         | 1       | 1         | 24.64              | 26.71      | < 33.01     |
|                 |                         | 1       | 49        | 24.70              | 26.77      | < 33.01     |
|                 |                         | 50      | 0         | 24.61              | 26.68      | < 33.01     |
|                 |                         | 1       | 50        | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 0         | 24.28              | 26.35      | < 33.01     |
| 2511.00         | 30                      | 36      | 78        | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 76        | 24.45              | 26.52      | < 33.01     |
|                 |                         | 75      | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 77        | 23.93              | 26.00      | < 33.01     |
|                 |                         | 1       | 0         | 23.97              | 26.04      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2592.99         | 30                      | 36      | 78        | 24.28              | 26.35      | < 33.01     |
|                 |                         | 1       | 1         | 24.64              | 26.71      | < 33.01     |
|                 |                         | 1       | 76        | 24.35              | 26.42      | < 33.01     |
|                 |                         | 75      | 0         | 24.48              | 26.55      | < 33.01     |
|                 |                         | 1       | 77        | 24.01              | 26.08      | < 33.01     |
|                 |                         | 1       | 0         | 23.98              | 26.05      | < 33.01     |
| 2674.98         | 30                      | 36      | 78        | 24.70              | 26.77      | < 33.01     |
|                 |                         | 1       | 1         | 24.63              | 26.70      | < 33.01     |
|                 |                         | 1       | 76        | 24.83              | 26.90      | < 33.01     |
|                 |                         | 75      | 0         | 24.68              | 26.75      | < 33.01     |
|                 |                         | 1       | 77        | 24.43              | 26.50      | < 33.01     |
|                 |                         | 1       | 0         | 24.14              | 26.21      | < 33.01     |
| 2516.01         | 40                      | 50      | 25        | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 1         | 24.44              | 26.51      | < 33.01     |
|                 |                         | 1       | 104       | 24.55              | 26.62      | < 33.01     |
|                 |                         | 100     | 0         | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 105       | 24.08              | 26.15      | < 33.01     |
|                 |                         | 1       | 0         | 23.91              | 25.98      | < 33.01     |
| 2592.99         | 40                      | 50      | 25        | 24.31              | 26.38      | < 33.01     |
|                 |                         | 1       | 1         | 24.50              | 26.57      | < 33.01     |
|                 |                         | 1       | 104       | 24.65              | 26.72      | < 33.01     |
|                 |                         | 100     | 0         | 24.47              | 26.54      | < 33.01     |
|                 |                         | 1       | 105       | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 0         | 24.02              | 26.09      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.57              | 26.64      | < 33.01     |
|  |                         | 1       | 1         | 24.63              | 26.70      | < 33.01     |
|  |                         | 1       | 104       | 25.05              | 27.12      | < 33.01     |
|  |                         | 100     | 0         | 24.60              | 26.67      | < 33.01     |
|  |                         | 1       | 105       | 24.46              | 26.53      | < 33.01     |
|  |                         | 1       | 0         | 24.13              | 26.20      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 24.39              | 26.46      | < 33.01     |
|  |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|  |                         | 1       | 131       | 24.34              | 26.41      | < 33.01     |
|  |                         | 128     | 0         | 24.39              | 26.46      | < 33.01     |
|  |                         | 1       | 132       | 23.82              | 25.89      | < 33.01     |
|  |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 1         | 24.52              | 26.59      | < 33.01     |
|  |                         | 1       | 131       | 24.37              | 26.44      | < 33.01     |
|  |                         | 128     | 0         | 24.42              | 26.49      | < 33.01     |
|  |                         | 1       | 132       | 23.97              | 26.04      | < 33.01     |
|  |                         | 1       | 0         | 24.08              | 26.15      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 24.41              | 26.48      | < 33.01     |
|  |                         | 1       | 1         | 24.60              | 26.67      | < 33.01     |
|  |                         | 1       | 131       | 25.03              | 27.10      | < 33.01     |
|  |                         | 128     | 0         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 132       | 24.25              | 26.32      | < 33.01     |
|  |                         | 1       | 0         | 23.83              | 25.90      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 24.32              | 26.39      | < 33.01     |
|  |                         | 1       | 1         | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 160       | 24.28              | 26.35      | < 33.01     |
|  |                         | 162     | 0         | 24.33              | 26.40      | < 33.01     |
|  |                         | 1       | 161       | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 0         | 23.83              | 25.90      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 24.35              | 26.42      | < 33.01     |
|  |                         | 1       | 1         | 24.58              | 26.65      | < 33.01     |
|  |                         | 1       | 160       | 24.43              | 26.50      | < 33.01     |
|  |                         | 162     | 0         | 24.38              | 26.45      | < 33.01     |
|  |                         | 1       | 161       | 23.76              | 25.83      | < 33.01     |
|  |                         | 1       | 0         | 24.11              | 26.18      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 24.30              | 26.37      | < 33.01     |
|  |                         | 1       | 1         | 24.61              | 26.68      | < 33.01     |
|  |                         | 1       | 160       | 24.87              | 26.94      | < 33.01     |
|  |                         | 162     | 0         | 24.35              | 26.42      | < 33.01     |
|  |                         | 1       | 161       | 24.08              | 26.15      | < 33.01     |
|  |                         | 1       | 0         | 23.78              | 25.85      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 23.68              | 25.75      | < 33.01     |
|  |                         | 1       | 1         | 21.55              | 23.62      | < 33.01     |
|  |                         | 1       | 187       | 21.26              | 23.33      | < 33.01     |
|  |                         | 180     | 0         | 23.82              | 25.89      | < 33.01     |
|  |                         | 1       | 188       | 21.29              | 23.36      | < 33.01     |
|  |                         | 1       | 0         | 21.05              | 23.12      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 23.41              | 25.48      | < 33.01     |
|                 |                         | 1       | 1         | 22.72              | 24.79      | < 33.01     |
|                 |                         | 1       | 187       | 22.71              | 24.78      | < 33.01     |
|                 |                         | 180     | 0         | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 188       | 22.87              | 24.94      | < 33.01     |
|                 |                         | 1       | 0         | 21.31              | 23.38      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 1         | 21.10              | 23.17      | < 33.01     |
|                 |                         | 1       | 187       | 22.89              | 24.96      | < 33.01     |
|                 |                         | 180     | 0         | 23.88              | 25.95      | < 33.01     |
|                 |                         | 1       | 188       | 23.91              | 25.98      | < 33.01     |
|                 |                         | 1       | 0         | 23.20              | 25.27      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 24.11              | 26.18      | < 33.01     |
|                 |                         | 1       | 1         | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 215       | 24.04              | 26.11      | < 33.01     |
|                 |                         | 216     | 0         | 24.06              | 26.13      | < 33.01     |
|                 |                         | 1       | 216       | 23.35              | 25.42      | < 33.01     |
|                 |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 24.16              | 26.23      | < 33.01     |
|                 |                         | 1       | 1         | 24.32              | 26.39      | < 33.01     |
|                 |                         | 1       | 215       | 23.88              | 25.95      | < 33.01     |
|                 |                         | 216     | 0         | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 216       | 23.54              | 25.61      | < 33.01     |
|                 |                         | 1       | 0         | 23.91              | 25.98      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2649.99         | 80                      | 108     | 54        | 24.27              | 26.34      | < 33.01     |
|                 |                         | 1       | 1         | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 215       | 24.57              | 26.64      | < 33.01     |
|                 |                         | 216     | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 216       | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| 2541.00         | 90                      | 120     | 60        | 24.08              | 26.15      | < 33.01     |
|                 |                         | 1       | 1         | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 243       | 24.01              | 26.08      | < 33.01     |
|                 |                         | 243     | 0         | 24.13              | 26.20      | < 33.01     |
|                 |                         | 1       | 244       | 23.43              | 25.50      | < 33.01     |
|                 |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |
| 2592.99         | 90                      | 120     | 60        | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 1         | 24.56              | 26.63      | < 33.01     |
|                 |                         | 1       | 243       | 24.25              | 26.32      | < 33.01     |
|                 |                         | 243     | 0         | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 244       | 23.64              | 25.71      | < 33.01     |
|                 |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2644.98         | 90                      | 120     | 60        | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                 |                         | 1       | 243       | 24.53              | 26.60      | < 33.01     |
|                 |                         | 243     | 0         | 24.18              | 26.25      | < 33.01     |
|                 |                         | 1       | 244       | 24.02              | 26.09      | < 33.01     |
|                 |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 24.12              | 26.19      | < 33.01     |
|                 |                         | 1       | 1         | 24.11              | 26.18      | < 33.01     |
|                 |                         | 1       | 271       | 23.92              | 25.99      | < 33.01     |
|                 |                         | 270     | 0         | 23.95              | 26.02      | < 33.01     |
|                 |                         | 1       | 272       | 23.22              | 25.29      | < 33.01     |
|                 |                         | 1       | 0         | 23.45              | 25.52      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 24.16              | 26.23      | < 33.01     |
|                 |                         | 1       | 1         | 24.43              | 26.50      | < 33.01     |
|                 |                         | 1       | 271       | 24.04              | 26.11      | < 33.01     |
|                 |                         | 270     | 0         | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 272       | 23.50              | 25.57      | < 33.01     |
|                 |                         | 1       | 0         | 23.63              | 25.70      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 24.17              | 26.24      | < 33.01     |
|                 |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 271       | 24.50              | 26.57      | < 33.01     |
|                 |                         | 270     | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 272       | 23.88              | 25.95      | < 33.01     |
|                 |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2506.02  | 20                      | 25      | 12        | 23.73              | 25.80      | < 33.01     |
|  |                         | 1       | 1         | 23.63              | 25.70      | < 33.01     |
|  |                         | 1       | 49        | 23.56              | 25.63      | < 33.01     |
|  |                         | 50      | 0         | 23.69              | 25.76      | < 33.01     |
|  |                         | 1       | 50        | 23.65              | 25.72      | < 33.01     |
|  |                         | 1       | 0         | 23.61              | 25.68      | < 33.01     |
| 2592.99  | 20                      | 25      | 12        | 23.84              | 25.91      | < 33.01     |
|  |                         | 1       | 1         | 23.87              | 25.94      | < 33.01     |
|  |                         | 1       | 49        | 23.74              | 25.81      | < 33.01     |
|  |                         | 50      | 0         | 23.79              | 25.86      | < 33.01     |
|  |                         | 1       | 50        | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 0         | 23.95              | 26.02      | < 33.01     |
| 2679.99  | 20                      | 25      | 12        | 24.12              | 26.19      | < 33.01     |
|  |                         | 1       | 1         | 24.40              | 26.47      | < 33.01     |
|  |                         | 1       | 49        | 24.15              | 26.22      | < 33.01     |
|  |                         | 50      | 0         | 24.16              | 26.23      | < 33.01     |
|  |                         | 1       | 50        | 24.02              | 26.09      | < 33.01     |
|  |                         | 1       | 0         | 24.29              | 26.36      | < 33.01     |
| 2511.00  | 30                      | 36      | 78        | 23.86              | 25.93      | < 33.01     |
|  |                         | 1       | 1         | 23.66              | 25.73      | < 33.01     |
|  |                         | 1       | 76        | 23.75              | 25.82      | < 33.01     |
|  |                         | 75      | 0         | 23.75              | 25.82      | < 33.01     |
|  |                         | 1       | 77        | 23.64              | 25.71      | < 33.01     |
|  |                         | 1       | 0         | 23.73              | 25.80      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2592.99         | 30                      | 36      | 78        | 23.86              | 25.93      | < 33.01     |
|                 |                         | 1       | 1         | 23.72              | 25.79      | < 33.01     |
|                 |                         | 1       | 76        | 23.66              | 25.73      | < 33.01     |
|                 |                         | 75      | 0         | 23.91              | 25.98      | < 33.01     |
|                 |                         | 1       | 77        | 23.65              | 25.72      | < 33.01     |
|                 |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |
| 2674.98         | 30                      | 36      | 78        | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 1         | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 76        | 24.37              | 26.44      | < 33.01     |
|                 |                         | 75      | 0         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 77        | 24.33              | 26.40      | < 33.01     |
|                 |                         | 1       | 0         | 24.06              | 26.13      | < 33.01     |
| 2516.01         | 40                      | 50      | 25        | 23.77              | 25.84      | < 33.01     |
|                 |                         | 1       | 1         | 23.79              | 25.86      | < 33.01     |
|                 |                         | 1       | 104       | 23.75              | 25.82      | < 33.01     |
|                 |                         | 100     | 0         | 23.81              | 25.88      | < 33.01     |
|                 |                         | 1       | 105       | 23.78              | 25.85      | < 33.01     |
|                 |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| 2592.99         | 40                      | 50      | 25        | 23.93              | 26.00      | < 33.01     |
|                 |                         | 1       | 1         | 23.93              | 26.00      | < 33.01     |
|                 |                         | 1       | 104       | 23.98              | 26.05      | < 33.01     |
|                 |                         | 100     | 0         | 24.03              | 26.10      | < 33.01     |
|                 |                         | 1       | 105       | 23.87              | 25.94      | < 33.01     |
|                 |                         | 1       | 0         | 24.03              | 26.10      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.08              | 26.15      | < 33.01     |
|  |                         | 1       | 1         | 24.06              | 26.13      | < 33.01     |
|  |                         | 1       | 104       | 24.52              | 26.59      | < 33.01     |
|  |                         | 100     | 0         | 24.08              | 26.15      | < 33.01     |
|  |                         | 1       | 105       | 24.28              | 26.35      | < 33.01     |
|  |                         | 1       | 0         | 23.98              | 26.05      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 23.90              | 25.97      | < 33.01     |
|  |                         | 1       | 1         | 23.62              | 25.69      | < 33.01     |
|  |                         | 1       | 131       | 23.63              | 25.70      | < 33.01     |
|  |                         | 128     | 0         | 23.80              | 25.87      | < 33.01     |
|  |                         | 1       | 132       | 23.62              | 25.69      | < 33.01     |
|  |                         | 1       | 0         | 23.57              | 25.64      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 23.93              | 26.00      | < 33.01     |
|  |                         | 1       | 1         | 23.68              | 25.75      | < 33.01     |
|  |                         | 1       | 131       | 23.67              | 25.74      | < 33.01     |
|  |                         | 128     | 0         | 23.94              | 26.01      | < 33.01     |
|  |                         | 1       | 132       | 23.69              | 25.76      | < 33.01     |
|  |                         | 1       | 0         | 23.74              | 25.81      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 23.96              | 26.03      | < 33.01     |
|  |                         | 1       | 1         | 23.69              | 25.76      | < 33.01     |
|  |                         | 1       | 131       | 24.19              | 26.26      | < 33.01     |
|  |                         | 128     | 0         | 23.79              | 25.86      | < 33.01     |
|  |                         | 1       | 132       | 24.13              | 26.20      | < 33.01     |
|  |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 23.78              | 25.85      | < 33.01     |
|  |                         | 1       | 1         | 23.58              | 25.65      | < 33.01     |
|  |                         | 1       | 160       | 23.64              | 25.71      | < 33.01     |
|  |                         | 162     | 0         | 23.85              | 25.92      | < 33.01     |
|  |                         | 1       | 161       | 23.57              | 25.64      | < 33.01     |
|  |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 23.85              | 25.92      | < 33.01     |
|  |                         | 1       | 1         | 23.92              | 25.99      | < 33.01     |
|  |                         | 1       | 160       | 24.16              | 26.23      | < 33.01     |
|  |                         | 162     | 0         | 23.88              | 25.95      | < 33.01     |
|  |                         | 1       | 161       | 23.55              | 25.62      | < 33.01     |
|  |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 23.75              | 25.82      | < 33.01     |
|  |                         | 1       | 1         | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 160       | 24.02              | 26.09      | < 33.01     |
|  |                         | 162     | 0         | 23.88              | 25.95      | < 33.01     |
|  |                         | 1       | 161       | 24.08              | 26.15      | < 33.01     |
|  |                         | 1       | 0         | 23.64              | 25.71      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 22.85              | 24.92      | < 33.01     |
|  |                         | 1       | 1         | 23.00              | 25.07      | < 33.01     |
|  |                         | 1       | 187       | 22.66              | 24.73      | < 33.01     |
|  |                         | 180     | 0         | 23.13              | 25.20      | < 33.01     |
|  |                         | 1       | 188       | 22.66              | 24.73      | < 33.01     |
|  |                         | 1       | 0         | 22.95              | 25.02      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 22.80              | 24.87      | < 33.01     |
|                 |                         | 1       | 1         | 23.59              | 25.66      | < 33.01     |
|                 |                         | 1       | 187       | 22.72              | 24.79      | < 33.01     |
|                 |                         | 180     | 0         | 23.35              | 25.42      | < 33.01     |
|                 |                         | 1       | 188       | 22.70              | 24.77      | < 33.01     |
|                 |                         | 1       | 0         | 22.48              | 24.55      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 22.72              | 24.79      | < 33.01     |
|                 |                         | 1       | 1         | 23.89              | 25.96      | < 33.01     |
|                 |                         | 1       | 187       | 23.88              | 25.95      | < 33.01     |
|                 |                         | 180     | 0         | 23.31              | 25.38      | < 33.01     |
|                 |                         | 1       | 188       | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 0         | 23.38              | 25.45      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 23.51              | 25.58      | < 33.01     |
|                 |                         | 1       | 1         | 23.46              | 25.53      | < 33.01     |
|                 |                         | 1       | 215       | 23.23              | 25.30      | < 33.01     |
|                 |                         | 216     | 0         | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 216       | 23.27              | 25.34      | < 33.01     |
|                 |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 23.71              | 25.78      | < 33.01     |
|                 |                         | 1       | 1         | 23.94              | 26.01      | < 33.01     |
|                 |                         | 1       | 215       | 23.49              | 25.56      | < 33.01     |
|                 |                         | 216     | 0         | 23.63              | 25.70      | < 33.01     |
|                 |                         | 1       | 216       | 23.47              | 25.54      | < 33.01     |
|                 |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2649.99  | 80                      | 108     | 54        | 23.60              | 25.67      | < 33.01     |
|  |                         | 1       | 1         | 23.51              | 25.58      | < 33.01     |
|  |                         | 1       | 215       | 23.91              | 25.98      | < 33.01     |
|  |                         | 216     | 0         | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 216       | 23.85              | 25.92      | < 33.01     |
|  |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2541.00  | 90                      | 120     | 60        | 23.59              | 25.66      | < 33.01     |
|  |                         | 1       | 1         | 23.61              | 25.68      | < 33.01     |
|  |                         | 1       | 243       | 23.35              | 25.42      | < 33.01     |
|  |                         | 243     | 0         | 23.50              | 25.57      | < 33.01     |
|  |                         | 1       | 244       | 23.32              | 25.39      | < 33.01     |
|  |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2592.99  | 90                      | 120     | 60        | 23.71              | 25.78      | < 33.01     |
|  |                         | 1       | 1         | 23.71              | 25.78      | < 33.01     |
|  |                         | 1       | 243       | 23.68              | 25.75      | < 33.01     |
|  |                         | 243     | 0         | 23.60              | 25.67      | < 33.01     |
|  |                         | 1       | 244       | 23.65              | 25.72      | < 33.01     |
|  |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |
| 2644.98  | 90                      | 120     | 60        | 23.73              | 25.80      | < 33.01     |
|  |                         | 1       | 1         | 23.56              | 25.63      | < 33.01     |
|  |                         | 1       | 243       | 23.90              | 25.97      | < 33.01     |
|  |                         | 243     | 0         | 23.70              | 25.77      | < 33.01     |
|  |                         | 1       | 244       | 23.76              | 25.83      | < 33.01     |
|  |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 23.64              | 25.71      | < 33.01     |
|                 |                         | 1       | 1         | 23.41              | 25.48      | < 33.01     |
|                 |                         | 1       | 271       | 23.13              | 25.20      | < 33.01     |
|                 |                         | 270     | 0         | 23.50              | 25.57      | < 33.01     |
|                 |                         | 1       | 272       | 22.94              | 25.01      | < 33.01     |
|                 |                         | 1       | 0         | 23.21              | 25.28      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 23.66              | 25.73      | < 33.01     |
|                 |                         | 1       | 1         | 23.63              | 25.70      | < 33.01     |
|                 |                         | 1       | 271       | 23.38              | 25.45      | < 33.01     |
|                 |                         | 270     | 0         | 23.67              | 25.74      | < 33.01     |
|                 |                         | 1       | 272       | 23.49              | 25.56      | < 33.01     |
|                 |                         | 1       | 0         | 23.51              | 25.58      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 23.65              | 25.72      | < 33.01     |
|                 |                         | 1       | 1         | 23.65              | 25.72      | < 33.01     |
|                 |                         | 1       | 271       | 23.83              | 25.90      | < 33.01     |
|                 |                         | 270     | 0         | 23.78              | 25.85      | < 33.01     |
|                 |                         | 1       | 272       | 23.63              | 25.70      | < 33.01     |
|                 |                         | 1       | 0         | 23.35              | 25.42      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 2506.02  | 20                      | 25      | 12        | 20.74              | 22.81      | < 33.01     |
|  |                         | 1       | 1         | 20.46              | 22.53      | < 33.01     |
|  |                         | 1       | 49        | 20.59              | 22.66      | < 33.01     |
|  |                         | 50      | 0         | 20.68              | 22.75      | < 33.01     |
|  |                         | 1       | 50        | 20.43              | 22.50      | < 33.01     |
|  |                         | 1       | 0         | 20.41              | 22.48      | < 33.01     |
| 2592.99  | 20                      | 25      | 12        | 20.74              | 22.81      | < 33.01     |
|  |                         | 1       | 1         | 20.73              | 22.80      | < 33.01     |
|  |                         | 1       | 49        | 20.63              | 22.70      | < 33.01     |
|  |                         | 50      | 0         | 20.70              | 22.77      | < 33.01     |
|  |                         | 1       | 50        | 20.70              | 22.77      | < 33.01     |
|  |                         | 1       | 0         | 20.71              | 22.78      | < 33.01     |
| 2679.99  | 20                      | 25      | 12        | 21.08              | 23.15      | < 33.01     |
|  |                         | 1       | 1         | 20.89              | 22.96      | < 33.01     |
|  |                         | 1       | 49        | 20.99              | 23.06      | < 33.01     |
|  |                         | 50      | 0         | 21.07              | 23.14      | < 33.01     |
|  |                         | 1       | 50        | 20.97              | 23.04      | < 33.01     |
|  |                         | 1       | 0         | 20.85              | 22.92      | < 33.01     |
| 2511.00  | 30                      | 36      | 78        | 20.78              | 22.85      | < 33.01     |
|  |                         | 1       | 1         | 20.61              | 22.68      | < 33.01     |
|  |                         | 1       | 76        | 20.58              | 22.65      | < 33.01     |
|  |                         | 75      | 0         | 20.80              | 22.87      | < 33.01     |
|  |                         | 1       | 77        | 20.54              | 22.61      | < 33.01     |
|  |                         | 1       | 0         | 20.52              | 22.59      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 2592.99  | 30                      | 36      | 78        | 20.92              | 22.99      | < 33.01     |
|  |                         | 1       | 1         | 21.02              | 23.09      | < 33.01     |
|  |                         | 1       | 76        | 20.51              | 22.58      | < 33.01     |
|  |                         | 75      | 0         | 20.99              | 23.06      | < 33.01     |
|  |                         | 1       | 77        | 20.51              | 22.58      | < 33.01     |
|  |                         | 1       | 0         | 20.61              | 22.68      | < 33.01     |
| 2674.98  | 30                      | 36      | 78        | 21.21              | 23.28      | < 33.01     |
|  |                         | 1       | 1         | 20.75              | 22.82      | < 33.01     |
|  |                         | 1       | 76        | 21.02              | 23.09      | < 33.01     |
|  |                         | 75      | 0         | 21.18              | 23.25      | < 33.01     |
|  |                         | 1       | 77        | 21.11              | 23.18      | < 33.01     |
|  |                         | 1       | 0         | 20.80              | 22.87      | < 33.01     |
| 2516.01  | 40                      | 50      | 25        | 20.82              | 22.89      | < 33.01     |
|  |                         | 1       | 1         | 20.65              | 22.72      | < 33.01     |
|  |                         | 1       | 104       | 20.73              | 22.80      | < 33.01     |
|  |                         | 100     | 0         | 20.87              | 22.94      | < 33.01     |
|  |                         | 1       | 105       | 20.72              | 22.79      | < 33.01     |
|  |                         | 1       | 0         | 20.69              | 22.76      | < 33.01     |
| 2592.99  | 40                      | 50      | 25        | 20.80              | 22.87      | < 33.01     |
|  |                         | 1       | 1         | 20.46              | 22.53      | < 33.01     |
|  |                         | 1       | 104       | 20.75              | 22.82      | < 33.01     |
|  |                         | 100     | 0         | 20.95              | 23.02      | < 33.01     |
|  |                         | 1       | 105       | 20.73              | 22.80      | < 33.01     |
|  |                         | 1       | 0         | 20.55              | 22.62      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 21.05              | 23.12      | < 33.01     |
|  |                         | 1       | 1         | 20.79              | 22.86      | < 33.01     |
|  |                         | 1       | 104       | 21.11              | 23.18      | < 33.01     |
|  |                         | 100     | 0         | 21.19              | 23.26      | < 33.01     |
|  |                         | 1       | 105       | 21.08              | 23.15      | < 33.01     |
|  |                         | 1       | 0         | 20.75              | 22.82      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 20.87              | 22.94      | < 33.01     |
|  |                         | 1       | 1         | 20.16              | 22.23      | < 33.01     |
|  |                         | 1       | 131       | 20.55              | 22.62      | < 33.01     |
|  |                         | 128     | 0         | 20.85              | 22.92      | < 33.01     |
|  |                         | 1       | 132       | 20.43              | 22.50      | < 33.01     |
|  |                         | 1       | 0         | 20.19              | 22.26      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 20.93              | 23.00      | < 33.01     |
|  |                         | 1       | 1         | 20.73              | 22.80      | < 33.01     |
|  |                         | 1       | 131       | 20.70              | 22.77      | < 33.01     |
|  |                         | 128     | 0         | 20.95              | 23.02      | < 33.01     |
|  |                         | 1       | 132       | 20.67              | 22.74      | < 33.01     |
|  |                         | 1       | 0         | 20.72              | 22.79      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 20.91              | 22.98      | < 33.01     |
|  |                         | 1       | 1         | 20.57              | 22.64      | < 33.01     |
|  |                         | 1       | 131       | 20.93              | 23.00      | < 33.01     |
|  |                         | 128     | 0         | 20.94              | 23.01      | < 33.01     |
|  |                         | 1       | 132       | 20.94              | 23.01      | < 33.01     |
|  |                         | 1       | 0         | 20.46              | 22.53      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2526.00         | 60                      | 81      | 40        | 20.78              | 22.85      | < 33.01     |
|                 |                         | 1       | 1         | 20.42              | 22.49      | < 33.01     |
|                 |                         | 1       | 160       | 20.46              | 22.53      | < 33.01     |
|                 |                         | 162     | 0         | 20.80              | 22.87      | < 33.01     |
|                 |                         | 1       | 161       | 20.42              | 22.49      | < 33.01     |
|                 |                         | 1       | 0         | 20.45              | 22.52      | < 33.01     |
| 2592.99         | 60                      | 81      | 40        | 20.94              | 23.01      | < 33.01     |
|                 |                         | 1       | 1         | 20.65              | 22.72      | < 33.01     |
|                 |                         | 1       | 160       | 20.47              | 22.54      | < 33.01     |
|                 |                         | 162     | 0         | 20.88              | 22.95      | < 33.01     |
|                 |                         | 1       | 161       | 20.44              | 22.51      | < 33.01     |
|                 |                         | 1       | 0         | 20.61              | 22.68      | < 33.01     |
| 2659.98         | 60                      | 81      | 40        | 20.88              | 22.95      | < 33.01     |
|                 |                         | 1       | 1         | 20.45              | 22.52      | < 33.01     |
|                 |                         | 1       | 160       | 20.97              | 23.04      | < 33.01     |
|                 |                         | 162     | 0         | 20.89              | 22.96      | < 33.01     |
|                 |                         | 1       | 161       | 20.84              | 22.91      | < 33.01     |
|                 |                         | 1       | 0         | 20.42              | 22.49      | < 33.01     |
| 2531.01         | 70                      | 90      | 45        | 20.03              | 22.10      | < 33.01     |
|                 |                         | 1       | 1         | 21.75              | 23.82      | < 33.01     |
|                 |                         | 1       | 187       | 21.61              | 23.68      | < 33.01     |
|                 |                         | 180     | 0         | 19.80              | 21.87      | < 33.01     |
|                 |                         | 1       | 188       | 21.57              | 23.64      | < 33.01     |
|                 |                         | 1       | 0         | 21.72              | 23.79      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 19.93              | 22.00      | < 33.01     |
|                 |                         | 1       | 1         | 20.43              | 22.50      | < 33.01     |
|                 |                         | 1       | 187       | 20.61              | 22.68      | < 33.01     |
|                 |                         | 180     | 0         | 20.09              | 22.16      | < 33.01     |
|                 |                         | 1       | 188       | 21.65              | 23.72      | < 33.01     |
|                 |                         | 1       | 0         | 21.53              | 23.60      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 19.74              | 21.81      | < 33.01     |
|                 |                         | 1       | 1         | 22.94              | 25.01      | < 33.01     |
|                 |                         | 1       | 187       | 22.85              | 24.92      | < 33.01     |
|                 |                         | 180     | 0         | 19.78              | 21.85      | < 33.01     |
|                 |                         | 1       | 188       | 20.30              | 22.37      | < 33.01     |
|                 |                         | 1       | 0         | 20.43              | 22.50      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 20.50              | 22.57      | < 33.01     |
|                 |                         | 1       | 1         | 20.14              | 22.21      | < 33.01     |
|                 |                         | 1       | 215       | 20.31              | 22.38      | < 33.01     |
|                 |                         | 216     | 0         | 20.56              | 22.63      | < 33.01     |
|                 |                         | 1       | 216       | 20.26              | 22.33      | < 33.01     |
|                 |                         | 1       | 0         | 20.02              | 22.09      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 20.65              | 22.72      | < 33.01     |
|                 |                         | 1       | 1         | 20.50              | 22.57      | < 33.01     |
|                 |                         | 1       | 215       | 20.22              | 22.29      | < 33.01     |
|                 |                         | 216     | 0         | 20.62              | 22.69      | < 33.01     |
|                 |                         | 1       | 216       | 20.17              | 22.24      | < 33.01     |
|                 |                         | 1       | 0         | 20.46              | 22.53      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2649.99         | 80                      | 108     | 54        | 20.74              | 22.81      | < 33.01     |
|                 |                         | 1       | 1         | 20.22              | 22.29      | < 33.01     |
|                 |                         | 1       | 215       | 20.69              | 22.76      | < 33.01     |
|                 |                         | 216     | 0         | 20.85              | 22.92      | < 33.01     |
|                 |                         | 1       | 216       | 20.74              | 22.81      | < 33.01     |
|                 |                         | 1       | 0         | 20.16              | 22.23      | < 33.01     |
| 2541.00         | 90                      | 120     | 60        | 20.60              | 22.67      | < 33.01     |
|                 |                         | 1       | 1         | 20.05              | 22.12      | < 33.01     |
|                 |                         | 1       | 243       | 20.18              | 22.25      | < 33.01     |
|                 |                         | 243     | 0         | 20.54              | 22.61      | < 33.01     |
|                 |                         | 1       | 244       | 20.13              | 22.20      | < 33.01     |
|                 |                         | 1       | 0         | 20.26              | 22.33      | < 33.01     |
| 2592.99         | 90                      | 120     | 60        | 20.64              | 22.71      | < 33.01     |
|                 |                         | 1       | 1         | 20.93              | 23.00      | < 33.01     |
|                 |                         | 1       | 243       | 20.41              | 22.48      | < 33.01     |
|                 |                         | 243     | 0         | 20.68              | 22.75      | < 33.01     |
|                 |                         | 1       | 244       | 20.24              | 22.31      | < 33.01     |
|                 |                         | 1       | 0         | 20.42              | 22.49      | < 33.01     |
| 2644.98         | 90                      | 120     | 60        | 20.59              | 22.66      | < 33.01     |
|                 |                         | 1       | 1         | 20.32              | 22.39      | < 33.01     |
|                 |                         | 1       | 243       | 20.83              | 22.90      | < 33.01     |
|                 |                         | 243     | 0         | 20.71              | 22.78      | < 33.01     |
|                 |                         | 1       | 244       | 20.54              | 22.61      | < 33.01     |
|                 |                         | 1       | 0         | 20.19              | 22.26      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 20.60              | 22.67      | < 33.01     |
|                 |                         | 1       | 1         | 20.29              | 22.36      | < 33.01     |
|                 |                         | 1       | 271       | 19.96              | 22.03      | < 33.01     |
|                 |                         | 270     | 0         | 20.50              | 22.57      | < 33.01     |
|                 |                         | 1       | 272       | 19.86              | 21.93      | < 33.01     |
|                 |                         | 1       | 0         | 20.16              | 22.23      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 20.73              | 22.80      | < 33.01     |
|                 |                         | 1       | 1         | 20.58              | 22.65      | < 33.01     |
|                 |                         | 1       | 271       | 20.30              | 22.37      | < 33.01     |
|                 |                         | 270     | 0         | 20.68              | 22.75      | < 33.01     |
|                 |                         | 1       | 272       | 20.23              | 22.30      | < 33.01     |
|                 |                         | 1       | 0         | 20.49              | 22.56      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 20.69              | 22.76      | < 33.01     |
|                 |                         | 1       | 1         | 20.37              | 22.44      | < 33.01     |
|                 |                         | 1       | 271       | 20.75              | 22.82      | < 33.01     |
|                 |                         | 270     | 0         | 20.78              | 22.85      | < 33.01     |
|                 |                         | 1       | 272       | 20.45              | 22.52      | < 33.01     |
|                 |                         | 1       | 0         | 20.26              | 22.33      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

|           |                         |               |             |
|-----------|-------------------------|---------------|-------------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo   |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | HPUE n41_SA |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2506.02                     | 20                      | 25      | 12        | 27.18              | 29.25      | < 33.01     |
|                             |                         | 1       | 1         | 27.19              | 29.26      | < 33.01     |
|                             |                         | 1       | 49        | 27.14              | 29.21      | < 33.01     |
|                             |                         | 50      | 0         | 26.71              | 28.78      | < 33.01     |
|                             |                         | 1       | 50        | 23.60              | 25.67      | < 33.01     |
|                             |                         | 1       | 0         | 23.71              | 25.78      | < 33.01     |
| 2592.99                     | 20                      | 25      | 12        | 27.24              | 29.31      | < 33.01     |
|                             |                         | 1       | 1         | 27.32              | 29.39      | < 33.01     |
|                             |                         | 1       | 49        | 27.23              | 29.30      | < 33.01     |
|                             |                         | 50      | 0         | 26.73              | 28.80      | < 33.01     |
|                             |                         | 1       | 50        | 23.63              | 25.70      | < 33.01     |
|                             |                         | 1       | 0         | 23.81              | 25.88      | < 33.01     |
| 2679.99                     | 20                      | 25      | 12        | 27.58              | 29.65      | < 33.01     |
|                             |                         | 1       | 1         | 27.45              | 29.52      | < 33.01     |
|                             |                         | 1       | 49        | 27.60              | 29.67      | < 33.01     |
|                             |                         | 50      | 0         | 27.04              | 29.11      | < 33.01     |
|                             |                         | 1       | 50        | 24.00              | 26.07      | < 33.01     |
|                             |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2511.00                     | 30                      | 36      | 78        | 27.25              | 29.32      | < 33.01     |
|                             |                         | 1       | 1         | 27.16              | 29.23      | < 33.01     |
|                             |                         | 1       | 76        | 27.18              | 29.25      | < 33.01     |
|                             |                         | 75      | 0         | 26.76              | 28.83      | < 33.01     |
|                             |                         | 1       | 77        | 23.70              | 25.77      | < 33.01     |
|                             |                         | 1       | 0         | 23.74              | 25.81      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2592.99                     | 30                      | 36      | 78        | 27.29              | 29.36      | < 33.01     |
|                             |                         | 1       | 1         | 27.26              | 29.33      | < 33.01     |
|                             |                         | 1       | 76        | 27.21              | 29.28      | < 33.01     |
|                             |                         | 75      | 0         | 26.81              | 28.88      | < 33.01     |
|                             |                         | 1       | 77        | 23.73              | 25.80      | < 33.01     |
|                             |                         | 1       | 0         | 23.73              | 25.80      | < 33.01     |
| 2674.98                     | 30                      | 36      | 78        | 27.60              | 29.67      | < 33.01     |
|                             |                         | 1       | 1         | 27.38              | 29.45      | < 33.01     |
|                             |                         | 1       | 76        | 27.65              | 29.72      | < 33.01     |
|                             |                         | 75      | 0         | 27.07              | 29.14      | < 33.01     |
|                             |                         | 1       | 77        | 24.18              | 26.25      | < 33.01     |
|                             |                         | 1       | 0         | 23.85              | 25.92      | < 33.01     |
| 2516.01                     | 40                      | 50      | 25        | 27.26              | 29.33      | < 33.01     |
|                             |                         | 1       | 1         | 27.31              | 29.38      | < 33.01     |
|                             |                         | 1       | 104       | 27.38              | 29.45      | < 33.01     |
|                             |                         | 100     | 0         | 26.78              | 28.85      | < 33.01     |
|                             |                         | 1       | 105       | 23.82              | 25.89      | < 33.01     |
|                             |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| 2592.99                     | 40                      | 50      | 25        | 27.35              | 29.42      | < 33.01     |
|                             |                         | 1       | 1         | 27.41              | 29.48      | < 33.01     |
|                             |                         | 1       | 104       | 27.35              | 29.42      | < 33.01     |
|                             |                         | 100     | 0         | 26.84              | 28.91      | < 33.01     |
|                             |                         | 1       | 105       | 23.80              | 25.87      | < 33.01     |
|                             |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 27.48              | 29.55      | < 33.01     |
|  |                         | 1       | 1         | 27.23              | 29.30      | < 33.01     |
|  |                         | 1       | 104       | 27.74              | 29.81      | < 33.01     |
|  |                         | 100     | 0         | 27.01              | 29.08      | < 33.01     |
|  |                         | 1       | 105       | 24.17              | 26.24      | < 33.01     |
|  |                         | 1       | 0         | 23.74              | 25.81      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 27.12              | 29.19      | < 33.01     |
|  |                         | 1       | 1         | 27.18              | 29.25      | < 33.01     |
|  |                         | 1       | 131       | 27.17              | 29.24      | < 33.01     |
|  |                         | 128     | 0         | 26.72              | 28.79      | < 33.01     |
|  |                         | 1       | 132       | 23.64              | 25.71      | < 33.01     |
|  |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 27.35              | 29.42      | < 33.01     |
|  |                         | 1       | 1         | 27.22              | 29.29      | < 33.01     |
|  |                         | 1       | 131       | 27.15              | 29.22      | < 33.01     |
|  |                         | 128     | 0         | 26.84              | 28.91      | < 33.01     |
|  |                         | 1       | 132       | 23.69              | 25.76      | < 33.01     |
|  |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 27.27              | 29.34      | < 33.01     |
|  |                         | 1       | 1         | 27.15              | 29.22      | < 33.01     |
|  |                         | 1       | 131       | 27.51              | 29.58      | < 33.01     |
|  |                         | 128     | 0         | 26.77              | 28.84      | < 33.01     |
|  |                         | 1       | 132       | 23.92              | 25.99      | < 33.01     |
|  |                         | 1       | 0         | 23.52              | 25.59      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 27.15              | 29.22      | < 33.01     |
|  |                         | 1       | 1         | 27.07              | 29.14      | < 33.01     |
|  |                         | 1       | 160       | 27.01              | 29.08      | < 33.01     |
|  |                         | 162     | 0         | 26.71              | 28.78      | < 33.01     |
|  |                         | 1       | 161       | 23.48              | 25.55      | < 33.01     |
|  |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 27.29              | 29.36      | < 33.01     |
|  |                         | 1       | 1         | 27.31              | 29.38      | < 33.01     |
|  |                         | 1       | 160       | 27.13              | 29.20      | < 33.01     |
|  |                         | 162     | 0         | 26.81              | 28.88      | < 33.01     |
|  |                         | 1       | 161       | 23.65              | 25.72      | < 33.01     |
|  |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 27.17              | 29.24      | < 33.01     |
|  |                         | 1       | 1         | 27.14              | 29.21      | < 33.01     |
|  |                         | 1       | 160       | 27.37              | 29.44      | < 33.01     |
|  |                         | 162     | 0         | 26.74              | 28.81      | < 33.01     |
|  |                         | 1       | 161       | 23.90              | 25.97      | < 33.01     |
|  |                         | 1       | 0         | 23.71              | 25.78      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 26.72              | 28.79      | < 33.01     |
|  |                         | 1       | 1         | 26.95              | 29.02      | < 33.01     |
|  |                         | 1       | 187       | 26.62              | 28.69      | < 33.01     |
|  |                         | 180     | 0         | 24.55              | 26.62      | < 33.01     |
|  |                         | 1       | 188       | 22.46              | 24.53      | < 33.01     |
|  |                         | 1       | 0         | 23.01              | 25.08      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2592.99                     | 70                      | 90      | 45        | 26.89              | 28.96      | < 33.01     |
|                             |                         | 1       | 1         | 27.19              | 29.26      | < 33.01     |
|                             |                         | 1       | 187       | 26.84              | 28.91      | < 33.01     |
|                             |                         | 180     | 0         | 26.42              | 28.49      | < 33.01     |
|                             |                         | 1       | 188       | 23.11              | 25.18      | < 33.01     |
|                             |                         | 1       | 0         | 23.51              | 25.58      | < 33.01     |
| 2655.00                     | 70                      | 90      | 45        | 26.82              | 28.89      | < 33.01     |
|                             |                         | 1       | 1         | 27.05              | 29.12      | < 33.01     |
|                             |                         | 1       | 187       | 26.68              | 28.75      | < 33.01     |
|                             |                         | 180     | 0         | 26.40              | 28.47      | < 33.01     |
|                             |                         | 1       | 188       | 23.28              | 25.35      | < 33.01     |
|                             |                         | 1       | 0         | 23.17              | 25.24      | < 33.01     |
| 2536.02                     | 80                      | 108     | 54        | 26.94              | 29.01      | < 33.01     |
|                             |                         | 1       | 1         | 26.92              | 28.99      | < 33.01     |
|                             |                         | 1       | 215       | 26.80              | 28.87      | < 33.01     |
|                             |                         | 216     | 0         | 26.50              | 28.57      | < 33.01     |
|                             |                         | 1       | 216       | 23.33              | 25.40      | < 33.01     |
|                             |                         | 1       | 0         | 23.38              | 25.45      | < 33.01     |
| 2592.99                     | 80                      | 108     | 54        | 27.13              | 29.20      | < 33.01     |
|                             |                         | 1       | 1         | 27.18              | 29.25      | < 33.01     |
|                             |                         | 1       | 215       | 26.93              | 29.00      | < 33.01     |
|                             |                         | 216     | 0         | 26.57              | 28.64      | < 33.01     |
|                             |                         | 1       | 216       | 23.29              | 25.36      | < 33.01     |
|                             |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2649.99                     | 80                      | 108     | 54        | 27.08              | 29.15      | < 33.01     |
|                             |                         | 1       | 1         | 26.91              | 28.98      | < 33.01     |
|                             |                         | 1       | 215       | 27.29              | 29.36      | < 33.01     |
|                             |                         | 216     | 0         | 26.58              | 28.65      | < 33.01     |
|                             |                         | 1       | 216       | 23.70              | 25.77      | < 33.01     |
|                             |                         | 1       | 0         | 23.31              | 25.38      | < 33.01     |
| 2541.00                     | 90                      | 120     | 60        | 26.97              | 29.04      | < 33.01     |
|                             |                         | 1       | 1         | 26.92              | 28.99      | < 33.01     |
|                             |                         | 1       | 243       | 26.84              | 28.91      | < 33.01     |
|                             |                         | 243     | 0         | 26.46              | 28.53      | < 33.01     |
|                             |                         | 1       | 244       | 23.21              | 25.28      | < 33.01     |
|                             |                         | 1       | 0         | 23.23              | 25.30      | < 33.01     |
| 2592.99                     | 90                      | 120     | 60        | 27.14              | 29.21      | < 33.01     |
|                             |                         | 1       | 1         | 27.21              | 29.28      | < 33.01     |
|                             |                         | 1       | 243       | 27.07              | 29.14      | < 33.01     |
|                             |                         | 243     | 0         | 26.56              | 28.63      | < 33.01     |
|                             |                         | 1       | 244       | 23.37              | 25.44      | < 33.01     |
|                             |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| 2644.98                     | 90                      | 120     | 60        | 27.06              | 29.13      | < 33.01     |
|                             |                         | 1       | 1         | 26.95              | 29.02      | < 33.01     |
|                             |                         | 1       | 243       | 27.39              | 29.46      | < 33.01     |
|                             |                         | 243     | 0         | 26.60              | 28.67      | < 33.01     |
|                             |                         | 1       | 244       | 23.78              | 25.85      | < 33.01     |
|                             |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 2546.01                     | 100                     | 135     | 67        | 27.05              | 29.12      | < 33.01     |
|                             |                         | 1       | 1         | 26.87              | 28.94      | < 33.01     |
|                             |                         | 1       | 271       | 26.67              | 28.74      | < 33.01     |
|                             |                         | 270     | 0         | 26.41              | 28.48      | < 33.01     |
|                             |                         | 1       | 272       | 22.94              | 25.01      | < 33.01     |
|                             |                         | 1       | 0         | 23.29              | 25.36      | < 33.01     |
| 2592.99                     | 100                     | 135     | 67        | 27.17              | 29.24      | < 33.01     |
|                             |                         | 1       | 1         | 27.17              | 29.24      | < 33.01     |
|                             |                         | 1       | 271       | 26.93              | 29.00      | < 33.01     |
|                             |                         | 270     | 0         | 26.63              | 28.70      | < 33.01     |
|                             |                         | 1       | 272       | 23.46              | 25.53      | < 33.01     |
|                             |                         | 1       | 0         | 23.42              | 25.49      | < 33.01     |
| 2640.00                     | 100                     | 135     | 67        | 27.08              | 29.15      | < 33.01     |
|                             |                         | 1       | 1         | 27.10              | 29.17      | < 33.01     |
|                             |                         | 1       | 271       | 27.36              | 29.43      | < 33.01     |
|                             |                         | 270     | 0         | 26.68              | 28.75      | < 33.01     |
|                             |                         | 1       | 272       | 23.65              | 25.72      | < 33.01     |
|                             |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2506.02                | 20                      | 25      | 12        | 27.22              | 29.29      | < 33.01     |
|                        |                         | 1       | 1         | 27.14              | 29.21      | < 33.01     |
|                        |                         | 1       | 49        | 27.25              | 29.32      | < 33.01     |
|                        |                         | 50      | 0         | 26.24              | 28.31      | < 33.01     |
|                        |                         | 1       | 50        | 23.65              | 25.72      | < 33.01     |
|                        |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2592.99                | 20                      | 25      | 12        | 27.26              | 29.33      | < 33.01     |
|                        |                         | 1       | 1         | 27.40              | 29.47      | < 33.01     |
|                        |                         | 1       | 49        | 27.27              | 29.34      | < 33.01     |
|                        |                         | 50      | 0         | 26.30              | 28.37      | < 33.01     |
|                        |                         | 1       | 50        | 23.77              | 25.84      | < 33.01     |
|                        |                         | 1       | 0         | 23.90              | 25.97      | < 33.01     |
| 2679.99                | 20                      | 25      | 12        | 27.53              | 29.60      | < 33.01     |
|                        |                         | 1       | 1         | 27.44              | 29.51      | < 33.01     |
|                        |                         | 1       | 49        | 27.52              | 29.59      | < 33.01     |
|                        |                         | 50      | 0         | 26.57              | 28.64      | < 33.01     |
|                        |                         | 1       | 50        | 24.12              | 26.19      | < 33.01     |
|                        |                         | 1       | 0         | 23.88              | 25.95      | < 33.01     |
| 2511.00                | 30                      | 36      | 78        | 27.23              | 29.30      | < 33.01     |
|                        |                         | 1       | 1         | 27.30              | 29.37      | < 33.01     |
|                        |                         | 1       | 76        | 27.25              | 29.32      | < 33.01     |
|                        |                         | 75      | 0         | 26.30              | 28.37      | < 33.01     |
|                        |                         | 1       | 77        | 23.75              | 25.82      | < 33.01     |
|                        |                         | 1       | 0         | 23.75              | 25.82      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2592.99                | 30                      | 36      | 78        | 27.30              | 29.37      | < 33.01     |
|                        |                         | 1       | 1         | 27.30              | 29.37      | < 33.01     |
|                        |                         | 1       | 76        | 27.20              | 29.27      | < 33.01     |
|                        |                         | 75      | 0         | 26.26              | 28.33      | < 33.01     |
|                        |                         | 1       | 77        | 23.72              | 25.79      | < 33.01     |
|                        |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |
| 2674.98                | 30                      | 36      | 78        | 27.54              | 29.61      | < 33.01     |
|                        |                         | 1       | 1         | 27.40              | 29.47      | < 33.01     |
|                        |                         | 1       | 76        | 27.82              | 29.89      | < 33.01     |
|                        |                         | 75      | 0         | 26.61              | 28.68      | < 33.01     |
|                        |                         | 1       | 77        | 24.18              | 26.25      | < 33.01     |
|                        |                         | 1       | 0         | 23.85              | 25.92      | < 33.01     |
| 2516.01                | 40                      | 50      | 25        | 27.19              | 29.26      | < 33.01     |
|                        |                         | 1       | 1         | 27.27              | 29.34      | < 33.01     |
|                        |                         | 1       | 104       | 27.41              | 29.48      | < 33.01     |
|                        |                         | 100     | 0         | 26.21              | 28.28      | < 33.01     |
|                        |                         | 1       | 105       | 23.79              | 25.86      | < 33.01     |
|                        |                         | 1       | 0         | 23.84              | 25.91      | < 33.01     |
| 2592.99                | 40                      | 50      | 25        | 27.22              | 29.29      | < 33.01     |
|                        |                         | 1       | 1         | 27.40              | 29.47      | < 33.01     |
|                        |                         | 1       | 104       | 27.41              | 29.48      | < 33.01     |
|                        |                         | 100     | 0         | 26.36              | 28.43      | < 33.01     |
|                        |                         | 1       | 105       | 23.92              | 25.99      | < 33.01     |
|                        |                         | 1       | 0         | 23.92              | 25.99      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 27.43              | 29.50      | < 33.01     |
|  |                         | 1       | 1         | 27.37              | 29.44      | < 33.01     |
|  |                         | 1       | 104       | 27.83              | 29.90      | < 33.01     |
|  |                         | 100     | 0         | 26.53              | 28.60      | < 33.01     |
|  |                         | 1       | 105       | 24.29              | 26.36      | < 33.01     |
|  |                         | 1       | 0         | 23.84              | 25.91      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 27.09              | 29.16      | < 33.01     |
|  |                         | 1       | 1         | 27.18              | 29.25      | < 33.01     |
|  |                         | 1       | 131       | 27.17              | 29.24      | < 33.01     |
|  |                         | 128     | 0         | 26.28              | 28.35      | < 33.01     |
|  |                         | 1       | 132       | 23.63              | 25.70      | < 33.01     |
|  |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 27.28              | 29.35      | < 33.01     |
|  |                         | 1       | 1         | 27.17              | 29.24      | < 33.01     |
|  |                         | 1       | 131       | 27.15              | 29.22      | < 33.01     |
|  |                         | 128     | 0         | 26.31              | 28.38      | < 33.01     |
|  |                         | 1       | 132       | 23.69              | 25.76      | < 33.01     |
|  |                         | 1       | 0         | 23.78              | 25.85      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 27.27              | 29.34      | < 33.01     |
|  |                         | 1       | 1         | 27.14              | 29.21      | < 33.01     |
|  |                         | 1       | 131       | 27.46              | 29.53      | < 33.01     |
|  |                         | 128     | 0         | 26.34              | 28.41      | < 33.01     |
|  |                         | 1       | 132       | 23.89              | 25.96      | < 33.01     |
|  |                         | 1       | 0         | 23.52              | 25.59      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2526.00                | 60                      | 81      | 40        | 27.23              | 29.30      | < 33.01     |
|                        |                         | 1       | 1         | 27.07              | 29.14      | < 33.01     |
|                        |                         | 1       | 160       | 27.01              | 29.08      | < 33.01     |
|                        |                         | 162     | 0         | 26.14              | 28.21      | < 33.01     |
|                        |                         | 1       | 161       | 23.43              | 25.50      | < 33.01     |
|                        |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| 2592.99                | 60                      | 81      | 40        | 27.20              | 29.27      | < 33.01     |
|                        |                         | 1       | 1         | 27.29              | 29.36      | < 33.01     |
|                        |                         | 1       | 160       | 27.20              | 29.27      | < 33.01     |
|                        |                         | 162     | 0         | 26.29              | 28.36      | < 33.01     |
|                        |                         | 1       | 161       | 23.59              | 25.66      | < 33.01     |
|                        |                         | 1       | 0         | 23.78              | 25.85      | < 33.01     |
| 2659.98                | 60                      | 81      | 40        | 27.15              | 29.22      | < 33.01     |
|                        |                         | 1       | 1         | 27.21              | 29.28      | < 33.01     |
|                        |                         | 1       | 160       | 27.41              | 29.48      | < 33.01     |
|                        |                         | 162     | 0         | 26.29              | 28.36      | < 33.01     |
|                        |                         | 1       | 161       | 23.92              | 25.99      | < 33.01     |
|                        |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| 2531.01                | 70                      | 90      | 45        | 26.67              | 28.74      | < 33.01     |
|                        |                         | 1       | 1         | 26.76              | 28.83      | < 33.01     |
|                        |                         | 1       | 187       | 26.92              | 28.99      | < 33.01     |
|                        |                         | 180     | 0         | 25.74              | 27.81      | < 33.01     |
|                        |                         | 1       | 188       | 22.44              | 24.51      | < 33.01     |
|                        |                         | 1       | 0         | 22.42              | 24.49      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2592.99                | 70                      | 90      | 45        | 26.91              | 28.98      | < 33.01     |
|                        |                         | 1       | 1         | 27.20              | 29.27      | < 33.01     |
|                        |                         | 1       | 187       | 26.92              | 28.99      | < 33.01     |
|                        |                         | 180     | 0         | 25.80              | 27.87      | < 33.01     |
|                        |                         | 1       | 188       | 22.82              | 24.89      | < 33.01     |
|                        |                         | 1       | 0         | 22.87              | 24.94      | < 33.01     |
| 2655.00                | 70                      | 90      | 45        | 26.86              | 28.93      | < 33.01     |
|                        |                         | 1       | 1         | 27.14              | 29.21      | < 33.01     |
|                        |                         | 1       | 187       | 27.00              | 29.07      | < 33.01     |
|                        |                         | 180     | 0         | 25.92              | 27.99      | < 33.01     |
|                        |                         | 1       | 188       | 23.41              | 25.48      | < 33.01     |
|                        |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| 2536.02                | 80                      | 108     | 54        | 26.95              | 29.02      | < 33.01     |
|                        |                         | 1       | 1         | 26.83              | 28.90      | < 33.01     |
|                        |                         | 1       | 215       | 26.92              | 28.99      | < 33.01     |
|                        |                         | 216     | 0         | 26.07              | 28.14      | < 33.01     |
|                        |                         | 1       | 216       | 23.19              | 25.26      | < 33.01     |
|                        |                         | 1       | 0         | 23.26              | 25.33      | < 33.01     |
| 2592.99                | 80                      | 108     | 54        | 27.04              | 29.11      | < 33.01     |
|                        |                         | 1       | 1         | 27.14              | 29.21      | < 33.01     |
|                        |                         | 1       | 215       | 26.97              | 29.04      | < 33.01     |
|                        |                         | 216     | 0         | 26.04              | 28.11      | < 33.01     |
|                        |                         | 1       | 216       | 23.40              | 25.47      | < 33.01     |
|                        |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM QPSK |                         |         |           |                    |            |             |
| 2649.99         | 80                      | 108     | 54        | 27.04              | 29.11      | < 33.01     |
|                 |                         | 1       | 1         | 26.92              | 28.99      | < 33.01     |
|                 |                         | 1       | 215       | 27.34              | 29.41      | < 33.01     |
|                 |                         | 216     | 0         | 26.14              | 28.21      | < 33.01     |
|                 |                         | 1       | 216       | 23.81              | 25.88      | < 33.01     |
|                 |                         | 1       | 0         | 23.31              | 25.38      | < 33.01     |
| 2541.00         | 90                      | 120     | 60        | 26.99              | 29.06      | < 33.01     |
|                 |                         | 1       | 1         | 26.94              | 29.01      | < 33.01     |
|                 |                         | 1       | 243       | 26.78              | 28.85      | < 33.01     |
|                 |                         | 243     | 0         | 25.92              | 27.99      | < 33.01     |
|                 |                         | 1       | 244       | 23.23              | 25.30      | < 33.01     |
|                 |                         | 1       | 0         | 23.31              | 25.38      | < 33.01     |
| 2592.99         | 90                      | 120     | 60        | 27.03              | 29.10      | < 33.01     |
|                 |                         | 1       | 1         | 27.18              | 29.25      | < 33.01     |
|                 |                         | 1       | 243       | 27.12              | 29.19      | < 33.01     |
|                 |                         | 243     | 0         | 26.04              | 28.11      | < 33.01     |
|                 |                         | 1       | 244       | 23.46              | 25.53      | < 33.01     |
|                 |                         | 1       | 0         | 23.56              | 25.63      | < 33.01     |
| 2644.98         | 90                      | 120     | 60        | 27.04              | 29.11      | < 33.01     |
|                 |                         | 1       | 1         | 26.98              | 29.05      | < 33.01     |
|                 |                         | 1       | 243       | 27.35              | 29.42      | < 33.01     |
|                 |                         | 243     | 0         | 26.07              | 28.14      | < 33.01     |
|                 |                         | 1       | 244       | 23.78              | 25.85      | < 33.01     |
|                 |                         | 1       | 0         | 23.40              | 25.47      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 2546.01                | 100                     | 135     | 67        | 27.06              | 29.13      | < 33.01     |
|                        |                         | 1       | 1         | 26.84              | 28.91      | < 33.01     |
|                        |                         | 1       | 271       | 26.62              | 28.69      | < 33.01     |
|                        |                         | 270     | 0         | 25.88              | 27.95      | < 33.01     |
|                        |                         | 1       | 272       | 22.94              | 25.01      | < 33.01     |
|                        |                         | 1       | 0         | 23.20              | 25.27      | < 33.01     |
| 2592.99                | 100                     | 135     | 67        | 27.08              | 29.15      | < 33.01     |
|                        |                         | 1       | 1         | 27.21              | 29.28      | < 33.01     |
|                        |                         | 1       | 271       | 26.99              | 29.06      | < 33.01     |
|                        |                         | 270     | 0         | 26.01              | 28.08      | < 33.01     |
|                        |                         | 1       | 272       | 23.24              | 25.31      | < 33.01     |
|                        |                         | 1       | 0         | 23.52              | 25.59      | < 33.01     |
| 2640.00                | 100                     | 135     | 67        | 27.06              | 29.13      | < 33.01     |
|                        |                         | 1       | 1         | 27.16              | 29.23      | < 33.01     |
|                        |                         | 1       | 271       | 27.49              | 29.56      | < 33.01     |
|                        |                         | 270     | 0         | 26.14              | 28.21      | < 33.01     |
|                        |                         | 1       | 272       | 23.68              | 25.75      | < 33.01     |
|                        |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2506.02          | 20                      | 25      | 12        | 26.17              | 28.24      | < 33.01     |
|                  |                         | 1       | 1         | 26.29              | 28.36      | < 33.01     |
|                  |                         | 1       | 49        | 26.41              | 28.48      | < 33.01     |
|                  |                         | 50      | 0         | 25.18              | 27.25      | < 33.01     |
|                  |                         | 1       | 50        | 23.71              | 25.78      | < 33.01     |
|                  |                         | 1       | 0         | 23.78              | 25.85      | < 33.01     |
| 2592.99          | 20                      | 25      | 12        | 26.31              | 28.38      | < 33.01     |
|                  |                         | 1       | 1         | 26.33              | 28.40      | < 33.01     |
|                  |                         | 1       | 49        | 26.31              | 28.38      | < 33.01     |
|                  |                         | 50      | 0         | 25.23              | 27.30      | < 33.01     |
|                  |                         | 1       | 50        | 23.81              | 25.88      | < 33.01     |
|                  |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2679.99          | 20                      | 25      | 12        | 26.55              | 28.62      | < 33.01     |
|                  |                         | 1       | 1         | 26.40              | 28.47      | < 33.01     |
|                  |                         | 1       | 49        | 26.54              | 28.61      | < 33.01     |
|                  |                         | 50      | 0         | 25.52              | 27.59      | < 33.01     |
|                  |                         | 1       | 50        | 24.09              | 26.16      | < 33.01     |
|                  |                         | 1       | 0         | 23.97              | 26.04      | < 33.01     |
| 2511.00          | 30                      | 36      | 78        | 26.20              | 28.27      | < 33.01     |
|                  |                         | 1       | 1         | 26.30              | 28.37      | < 33.01     |
|                  |                         | 1       | 76        | 26.39              | 28.46      | < 33.01     |
|                  |                         | 75      | 0         | 25.23              | 27.30      | < 33.01     |
|                  |                         | 1       | 77        | 23.79              | 25.86      | < 33.01     |
|                  |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2592.99          | 30                      | 36      | 78        | 26.26              | 28.33      | < 33.01     |
|                  |                         | 1       | 1         | 26.20              | 28.27      | < 33.01     |
|                  |                         | 1       | 76        | 26.22              | 28.29      | < 33.01     |
|                  |                         | 75      | 0         | 25.22              | 27.29      | < 33.01     |
|                  |                         | 1       | 77        | 23.66              | 25.73      | < 33.01     |
|                  |                         | 1       | 0         | 23.67              | 25.74      | < 33.01     |
| 2674.98          | 30                      | 36      | 78        | 26.54              | 28.61      | < 33.01     |
|                  |                         | 1       | 1         | 26.38              | 28.45      | < 33.01     |
|                  |                         | 1       | 76        | 26.75              | 28.82      | < 33.01     |
|                  |                         | 75      | 0         | 25.55              | 27.62      | < 33.01     |
|                  |                         | 1       | 77        | 23.97              | 26.04      | < 33.01     |
|                  |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |
| 2516.01          | 40                      | 50      | 25        | 26.16              | 28.23      | < 33.01     |
|                  |                         | 1       | 1         | 26.22              | 28.29      | < 33.01     |
|                  |                         | 1       | 104       | 26.34              | 28.41      | < 33.01     |
|                  |                         | 100     | 0         | 25.24              | 27.31      | < 33.01     |
|                  |                         | 1       | 105       | 23.98              | 26.05      | < 33.01     |
|                  |                         | 1       | 0         | 23.84              | 25.91      | < 33.01     |
| 2592.99          | 40                      | 50      | 25        | 26.27              | 28.34      | < 33.01     |
|                  |                         | 1       | 1         | 26.42              | 28.49      | < 33.01     |
|                  |                         | 1       | 104       | 26.36              | 28.43      | < 33.01     |
|                  |                         | 100     | 0         | 25.30              | 27.37      | < 33.01     |
|                  |                         | 1       | 105       | 23.97              | 26.04      | < 33.01     |
|                  |                         | 1       | 0         | 24.00              | 26.07      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 26.39              | 28.46      | < 33.01     |
|  |                         | 1       | 1         | 26.32              | 28.39      | < 33.01     |
|  |                         | 1       | 104       | 26.71              | 28.78      | < 33.01     |
|  |                         | 100     | 0         | 25.55              | 27.62      | < 33.01     |
|  |                         | 1       | 105       | 24.35              | 26.42      | < 33.01     |
|  |                         | 1       | 0         | 23.92              | 25.99      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 26.17              | 28.24      | < 33.01     |
|  |                         | 1       | 1         | 26.12              | 28.19      | < 33.01     |
|  |                         | 1       | 131       | 26.21              | 28.28      | < 33.01     |
|  |                         | 128     | 0         | 25.15              | 27.22      | < 33.01     |
|  |                         | 1       | 132       | 23.83              | 25.90      | < 33.01     |
|  |                         | 1       | 0         | 23.73              | 25.80      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 26.18              | 28.25      | < 33.01     |
|  |                         | 1       | 1         | 26.25              | 28.32      | < 33.01     |
|  |                         | 1       | 131       | 26.18              | 28.25      | < 33.01     |
|  |                         | 128     | 0         | 25.28              | 27.35      | < 33.01     |
|  |                         | 1       | 132       | 23.64              | 25.71      | < 33.01     |
|  |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 26.19              | 28.26      | < 33.01     |
|  |                         | 1       | 1         | 26.07              | 28.14      | < 33.01     |
|  |                         | 1       | 131       | 26.41              | 28.48      | < 33.01     |
|  |                         | 128     | 0         | 25.21              | 27.28      | < 33.01     |
|  |                         | 1       | 132       | 23.95              | 26.02      | < 33.01     |
|  |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 26.19              | 28.26      | < 33.01     |
|  |                         | 1       | 1         | 26.15              | 28.22      | < 33.01     |
|  |                         | 1       | 160       | 26.15              | 28.22      | < 33.01     |
|  |                         | 162     | 0         | 25.13              | 27.20      | < 33.01     |
|  |                         | 1       | 161       | 23.55              | 25.62      | < 33.01     |
|  |                         | 1       | 0         | 23.61              | 25.68      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 26.22              | 28.29      | < 33.01     |
|  |                         | 1       | 1         | 26.34              | 28.41      | < 33.01     |
|  |                         | 1       | 160       | 26.24              | 28.31      | < 33.01     |
|  |                         | 162     | 0         | 25.25              | 27.32      | < 33.01     |
|  |                         | 1       | 161       | 23.73              | 25.80      | < 33.01     |
|  |                         | 1       | 0         | 23.86              | 25.93      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 26.20              | 28.27      | < 33.01     |
|  |                         | 1       | 1         | 26.12              | 28.19      | < 33.01     |
|  |                         | 1       | 160       | 26.45              | 28.52      | < 33.01     |
|  |                         | 162     | 0         | 25.26              | 27.33      | < 33.01     |
|  |                         | 1       | 161       | 24.04              | 26.11      | < 33.01     |
|  |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 25.30              | 27.37      | < 33.01     |
|  |                         | 1       | 1         | 24.33              | 26.40      | < 33.01     |
|  |                         | 1       | 187       | 25.66              | 27.73      | < 33.01     |
|  |                         | 180     | 0         | 24.74              | 26.81      | < 33.01     |
|  |                         | 1       | 188       | 23.54              | 25.61      | < 33.01     |
|  |                         | 1       | 0         | 23.72              | 25.79      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 2592.99                 | 70                      | 90      | 45        | 25.87              | 27.94      | < 33.01     |
|                         |                         | 1       | 1         | 24.29              | 26.36      | < 33.01     |
|                         |                         | 1       | 187       | 24.78              | 26.85      | < 33.01     |
|                         |                         | 180     | 0         | 24.84              | 26.91      | < 33.01     |
|                         |                         | 1       | 188       | 24.11              | 26.18      | < 33.01     |
|                         |                         | 1       | 0         | 24.36              | 26.43      | < 33.01     |
| 2655.00                 | 70                      | 90      | 45        | 25.83              | 27.90      | < 33.01     |
|                         |                         | 1       | 1         | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 187       | 26.24              | 28.31      | < 33.01     |
|                         |                         | 180     | 0         | 24.83              | 26.90      | < 33.01     |
|                         |                         | 1       | 188       | 24.70              | 26.77      | < 33.01     |
|                         |                         | 1       | 0         | 23.40              | 25.47      | < 33.01     |
| 2536.02                 | 80                      | 108     | 54        | 26.00              | 28.07      | < 33.01     |
|                         |                         | 1       | 1         | 25.99              | 28.06      | < 33.01     |
|                         |                         | 1       | 215       | 25.98              | 28.05      | < 33.01     |
|                         |                         | 216     | 0         | 24.96              | 27.03      | < 33.01     |
|                         |                         | 1       | 216       | 23.33              | 25.40      | < 33.01     |
|                         |                         | 1       | 0         | 23.40              | 25.47      | < 33.01     |
| 2592.99                 | 80                      | 108     | 54        | 26.12              | 28.19      | < 33.01     |
|                         |                         | 1       | 1         | 26.17              | 28.24      | < 33.01     |
|                         |                         | 1       | 215       | 25.89              | 27.96      | < 33.01     |
|                         |                         | 216     | 0         | 25.12              | 27.19      | < 33.01     |
|                         |                         | 1       | 216       | 23.49              | 25.56      | < 33.01     |
|                         |                         | 1       | 0         | 23.72              | 25.79      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM   |                         |         |           |                    |            |             |
| 2649.99  | 80                      | 108     | 54        | 26.06              | 28.13      | < 33.01     |
|  |                         | 1       | 1         | 25.93              | 28.00      | < 33.01     |
|  |                         | 1       | 215       | 26.29              | 28.36      | < 33.01     |
|  |                         | 216     | 0         | 25.13              | 27.20      | < 33.01     |
|  |                         | 1       | 216       | 23.75              | 25.82      | < 33.01     |
|  |                         | 1       | 0         | 23.38              | 25.45      | < 33.01     |
| 2541.00  | 90                      | 120     | 60        | 25.95              | 28.02      | < 33.01     |
|  |                         | 1       | 1         | 25.88              | 27.95      | < 33.01     |
|  |                         | 1       | 243       | 25.78              | 27.85      | < 33.01     |
|  |                         | 243     | 0         | 24.88              | 26.95      | < 33.01     |
|  |                         | 1       | 244       | 23.25              | 25.32      | < 33.01     |
|  |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2592.99  | 90                      | 120     | 60        | 26.09              | 28.16      | < 33.01     |
|  |                         | 1       | 1         | 26.24              | 28.31      | < 33.01     |
|  |                         | 1       | 243       | 26.10              | 28.17      | < 33.01     |
|  |                         | 243     | 0         | 25.09              | 27.16      | < 33.01     |
|  |                         | 1       | 244       | 23.29              | 25.36      | < 33.01     |
|  |                         | 1       | 0         | 23.39              | 25.46      | < 33.01     |
| 2644.98  | 90                      | 120     | 60        | 26.04              | 28.11      | < 33.01     |
|  |                         | 1       | 1         | 25.90              | 27.97      | < 33.01     |
|  |                         | 1       | 243       | 26.40              | 28.47      | < 33.01     |
|  |                         | 243     | 0         | 25.12              | 27.19      | < 33.01     |
|  |                         | 1       | 244       | 23.72              | 25.79      | < 33.01     |
|  |                         | 1       | 0         | 23.26              | 25.33      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 2546.01          | 100                     | 135     | 67        | 26.05              | 28.12      | < 33.01     |
|                  |                         | 1       | 1         | 25.88              | 27.95      | < 33.01     |
|                  |                         | 1       | 271       | 25.65              | 27.72      | < 33.01     |
|                  |                         | 270     | 0         | 24.86              | 26.93      | < 33.01     |
|                  |                         | 1       | 272       | 23.12              | 25.19      | < 33.01     |
|                  |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |
| 2592.99          | 100                     | 135     | 67        | 26.17              | 28.24      | < 33.01     |
|                  |                         | 1       | 1         | 26.18              | 28.25      | < 33.01     |
|                  |                         | 1       | 271       | 26.05              | 28.12      | < 33.01     |
|                  |                         | 270     | 0         | 25.09              | 27.16      | < 33.01     |
|                  |                         | 1       | 272       | 23.16              | 25.23      | < 33.01     |
|                  |                         | 1       | 0         | 23.25              | 25.32      | < 33.01     |
| 2640.00          | 100                     | 135     | 67        | 26.15              | 28.22      | < 33.01     |
|                  |                         | 1       | 1         | 26.09              | 28.16      | < 33.01     |
|                  |                         | 1       | 271       | 26.43              | 28.50      | < 33.01     |
|                  |                         | 270     | 0         | 25.10              | 27.17      | < 33.01     |
|                  |                         | 1       | 272       | 23.83              | 25.90      | < 33.01     |
|                  |                         | 1       | 0         | 23.46              | 25.53      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2506.02                 | 20                      | 25      | 12        | 24.77              | 26.84      | < 33.01     |
|                         |                         | 1       | 1         | 24.83              | 26.90      | < 33.01     |
|                         |                         | 1       | 49        | 24.81              | 26.88      | < 33.01     |
|                         |                         | 50      | 0         | 24.74              | 26.81      | < 33.01     |
|                         |                         | 1       | 50        | 23.72              | 25.79      | < 33.01     |
|                         |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |
| 2592.99                 | 20                      | 25      | 12        | 24.88              | 26.95      | < 33.01     |
|                         |                         | 1       | 1         | 25.03              | 27.10      | < 33.01     |
|                         |                         | 1       | 49        | 25.01              | 27.08      | < 33.01     |
|                         |                         | 50      | 0         | 24.78              | 26.85      | < 33.01     |
|                         |                         | 1       | 50        | 23.95              | 26.02      | < 33.01     |
|                         |                         | 1       | 0         | 24.04              | 26.11      | < 33.01     |
| 2679.99                 | 20                      | 25      | 12        | 25.11              | 27.18      | < 33.01     |
|                         |                         | 1       | 1         | 25.27              | 27.34      | < 33.01     |
|                         |                         | 1       | 49        | 25.22              | 27.29      | < 33.01     |
|                         |                         | 50      | 0         | 25.10              | 27.17      | < 33.01     |
|                         |                         | 1       | 50        | 24.16              | 26.23      | < 33.01     |
|                         |                         | 1       | 0         | 24.05              | 26.12      | < 33.01     |
| 2511.00                 | 30                      | 36      | 78        | 24.76              | 26.83      | < 33.01     |
|                         |                         | 1       | 1         | 24.89              | 26.96      | < 33.01     |
|                         |                         | 1       | 76        | 24.97              | 27.04      | < 33.01     |
|                         |                         | 75      | 0         | 24.77              | 26.84      | < 33.01     |
|                         |                         | 1       | 77        | 23.76              | 25.83      | < 33.01     |
|                         |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2592.99                 | 30                      | 36      | 78        | 24.73              | 26.80      | < 33.01     |
|                         |                         | 1       | 1         | 24.97              | 27.04      | < 33.01     |
|                         |                         | 1       | 76        | 25.12              | 27.19      | < 33.01     |
|                         |                         | 75      | 0         | 24.84              | 26.91      | < 33.01     |
|                         |                         | 1       | 77        | 23.95              | 26.02      | < 33.01     |
|                         |                         | 1       | 0         | 23.99              | 26.06      | < 33.01     |
| 2674.98                 | 30                      | 36      | 78        | 25.09              | 27.16      | < 33.01     |
|                         |                         | 1       | 1         | 25.06              | 27.13      | < 33.01     |
|                         |                         | 1       | 76        | 25.43              | 27.50      | < 33.01     |
|                         |                         | 75      | 0         | 25.11              | 27.18      | < 33.01     |
|                         |                         | 1       | 77        | 24.31              | 26.38      | < 33.01     |
|                         |                         | 1       | 0         | 24.32              | 26.39      | < 33.01     |
| 2516.01                 | 40                      | 50      | 25        | 24.73              | 26.80      | < 33.01     |
|                         |                         | 1       | 1         | 24.94              | 27.01      | < 33.01     |
|                         |                         | 1       | 104       | 24.90              | 26.97      | < 33.01     |
|                         |                         | 100     | 0         | 24.73              | 26.80      | < 33.01     |
|                         |                         | 1       | 105       | 24.03              | 26.10      | < 33.01     |
|                         |                         | 1       | 0         | 23.91              | 25.98      | < 33.01     |
| 2592.99                 | 40                      | 50      | 25        | 24.80              | 26.87      | < 33.01     |
|                         |                         | 1       | 1         | 25.01              | 27.08      | < 33.01     |
|                         |                         | 1       | 104       | 25.08              | 27.15      | < 33.01     |
|                         |                         | 100     | 0         | 24.85              | 26.92      | < 33.01     |
|                         |                         | 1       | 105       | 24.09              | 26.16      | < 33.01     |
|                         |                         | 1       | 0         | 24.04              | 26.11      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM   |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.98              | 27.05      | < 33.01     |
|  |                         | 1       | 1         | 24.86              | 26.93      | < 33.01     |
|  |                         | 1       | 104       | 25.43              | 27.50      | < 33.01     |
|  |                         | 100     | 0         | 25.02              | 27.09      | < 33.01     |
|  |                         | 1       | 105       | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 0         | 23.96              | 26.03      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 24.66              | 26.73      | < 33.01     |
|  |                         | 1       | 1         | 24.90              | 26.97      | < 33.01     |
|  |                         | 1       | 131       | 24.74              | 26.81      | < 33.01     |
|  |                         | 128     | 0         | 24.70              | 26.77      | < 33.01     |
|  |                         | 1       | 132       | 23.89              | 25.96      | < 33.01     |
|  |                         | 1       | 0         | 23.69              | 25.76      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 24.87              | 26.94      | < 33.01     |
|  |                         | 1       | 1         | 25.05              | 27.12      | < 33.01     |
|  |                         | 1       | 131       | 24.87              | 26.94      | < 33.01     |
|  |                         | 128     | 0         | 24.80              | 26.87      | < 33.01     |
|  |                         | 1       | 132       | 24.02              | 26.09      | < 33.01     |
|  |                         | 1       | 0         | 24.05              | 26.12      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 24.81              | 26.88      | < 33.01     |
|  |                         | 1       | 1         | 24.78              | 26.85      | < 33.01     |
|  |                         | 1       | 131       | 25.17              | 27.24      | < 33.01     |
|  |                         | 128     | 0         | 24.76              | 26.83      | < 33.01     |
|  |                         | 1       | 132       | 24.23              | 26.30      | < 33.01     |
|  |                         | 1       | 0         | 23.80              | 25.87      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2526.00                 | 60                      | 81      | 40        | 24.61              | 26.68      | < 33.01     |
|                         |                         | 1       | 1         | 24.92              | 26.99      | < 33.01     |
|                         |                         | 1       | 160       | 24.68              | 26.75      | < 33.01     |
|                         |                         | 162     | 0         | 24.74              | 26.81      | < 33.01     |
|                         |                         | 1       | 161       | 23.44              | 25.51      | < 33.01     |
|                         |                         | 1       | 0         | 23.52              | 25.59      | < 33.01     |
| 2592.99                 | 60                      | 81      | 40        | 24.77              | 26.84      | < 33.01     |
|                         |                         | 1       | 1         | 24.92              | 26.99      | < 33.01     |
|                         |                         | 1       | 160       | 24.84              | 26.91      | < 33.01     |
|                         |                         | 162     | 0         | 24.76              | 26.83      | < 33.01     |
|                         |                         | 1       | 161       | 23.84              | 25.91      | < 33.01     |
|                         |                         | 1       | 0         | 23.89              | 25.96      | < 33.01     |
| 2659.98                 | 60                      | 81      | 40        | 24.70              | 26.77      | < 33.01     |
|                         |                         | 1       | 1         | 24.55              | 26.62      | < 33.01     |
|                         |                         | 1       | 160       | 25.12              | 27.19      | < 33.01     |
|                         |                         | 162     | 0         | 24.75              | 26.82      | < 33.01     |
|                         |                         | 1       | 161       | 24.15              | 26.22      | < 33.01     |
|                         |                         | 1       | 0         | 23.83              | 25.90      | < 33.01     |
| 2531.01                 | 70                      | 90      | 45        | 23.80              | 25.87      | < 33.01     |
|                         |                         | 1       | 1         | 23.25              | 25.32      | < 33.01     |
|                         |                         | 1       | 187       | 23.13              | 25.20      | < 33.01     |
|                         |                         | 180     | 0         | 24.46              | 26.53      | < 33.01     |
|                         |                         | 1       | 188       | 22.05              | 24.12      | < 33.01     |
|                         |                         | 1       | 0         | 22.31              | 24.38      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2592.99                 | 70                      | 90      | 45        | 24.18              | 26.25      | < 33.01     |
|                         |                         | 1       | 1         | 25.66              | 27.73      | < 33.01     |
|                         |                         | 1       | 187       | 25.61              | 27.68      | < 33.01     |
|                         |                         | 180     | 0         | 24.38              | 26.45      | < 33.01     |
|                         |                         | 1       | 188       | 23.49              | 25.56      | < 33.01     |
|                         |                         | 1       | 0         | 23.24              | 25.31      | < 33.01     |
| 2655.00                 | 70                      | 90      | 45        | 24.04              | 26.11      | < 33.01     |
|                         |                         | 1       | 1         | 21.55              | 23.62      | < 33.01     |
|                         |                         | 1       | 187       | 21.51              | 23.58      | < 33.01     |
|                         |                         | 180     | 0         | 24.29              | 26.36      | < 33.01     |
|                         |                         | 1       | 188       | 23.55              | 25.62      | < 33.01     |
|                         |                         | 1       | 0         | 23.53              | 25.60      | < 33.01     |
| 2536.02                 | 80                      | 108     | 54        | 24.53              | 26.60      | < 33.01     |
|                         |                         | 1       | 1         | 24.58              | 26.65      | < 33.01     |
|                         |                         | 1       | 215       | 24.48              | 26.55      | < 33.01     |
|                         |                         | 216     | 0         | 24.46              | 26.53      | < 33.01     |
|                         |                         | 1       | 216       | 23.30              | 25.37      | < 33.01     |
|                         |                         | 1       | 0         | 23.31              | 25.38      | < 33.01     |
| 2592.99                 | 80                      | 108     | 54        | 24.65              | 26.72      | < 33.01     |
|                         |                         | 1       | 1         | 24.74              | 26.81      | < 33.01     |
|                         |                         | 1       | 215       | 24.28              | 26.35      | < 33.01     |
|                         |                         | 216     | 0         | 24.62              | 26.69      | < 33.01     |
|                         |                         | 1       | 216       | 23.72              | 25.79      | < 33.01     |
|                         |                         | 1       | 0         | 23.79              | 25.86      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 2649.99          | 80                      | 108     | 54        | 24.59              | 26.66      | < 33.01     |
|                  |                         | 1       | 1         | 24.59              | 26.66      | < 33.01     |
|                  |                         | 1       | 215       | 25.04              | 27.11      | < 33.01     |
|                  |                         | 216     | 0         | 24.63              | 26.70      | < 33.01     |
|                  |                         | 1       | 216       | 23.95              | 26.02      | < 33.01     |
|                  |                         | 1       | 0         | 23.67              | 25.74      | < 33.01     |
| 2541.00          | 90                      | 120     | 60        | 24.43              | 26.50      | < 33.01     |
|                  |                         | 1       | 1         | 24.56              | 26.63      | < 33.01     |
|                  |                         | 1       | 243       | 24.49              | 26.56      | < 33.01     |
|                  |                         | 243     | 0         | 24.58              | 26.65      | < 33.01     |
|                  |                         | 1       | 244       | 23.43              | 25.50      | < 33.01     |
|                  |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |
| 2592.99          | 90                      | 120     | 60        | 24.62              | 26.69      | < 33.01     |
|                  |                         | 1       | 1         | 25.03              | 27.10      | < 33.01     |
|                  |                         | 1       | 243       | 24.90              | 26.97      | < 33.01     |
|                  |                         | 243     | 0         | 24.60              | 26.67      | < 33.01     |
|                  |                         | 1       | 244       | 23.64              | 25.71      | < 33.01     |
|                  |                         | 1       | 0         | 23.85              | 25.92      | < 33.01     |
| 2644.98          | 90                      | 120     | 60        | 24.53              | 26.60      | < 33.01     |
|                  |                         | 1       | 1         | 24.68              | 26.75      | < 33.01     |
|                  |                         | 1       | 243       | 25.02              | 27.09      | < 33.01     |
|                  |                         | 243     | 0         | 24.61              | 26.68      | < 33.01     |
|                  |                         | 1       | 244       | 24.00              | 26.07      | < 33.01     |
|                  |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 2546.01                 | 100                     | 135     | 67        | 24.56              | 26.63      | < 33.01     |
|                         |                         | 1       | 1         | 24.19              | 26.26      | < 33.01     |
|                         |                         | 1       | 271       | 24.20              | 26.27      | < 33.01     |
|                         |                         | 270     | 0         | 24.40              | 26.47      | < 33.01     |
|                         |                         | 1       | 272       | 23.06              | 25.13      | < 33.01     |
|                         |                         | 1       | 0         | 23.44              | 25.51      | < 33.01     |
| 2592.99                 | 100                     | 135     | 67        | 24.68              | 26.75      | < 33.01     |
|                         |                         | 1       | 1         | 24.98              | 27.05      | < 33.01     |
|                         |                         | 1       | 271       | 24.72              | 26.79      | < 33.01     |
|                         |                         | 270     | 0         | 24.58              | 26.65      | < 33.01     |
|                         |                         | 1       | 272       | 23.61              | 25.68      | < 33.01     |
|                         |                         | 1       | 0         | 23.82              | 25.89      | < 33.01     |
| 2640.00                 | 100                     | 135     | 67        | 24.59              | 26.66      | < 33.01     |
|                         |                         | 1       | 1         | 24.70              | 26.77      | < 33.01     |
|                         |                         | 1       | 271       | 24.98              | 27.05      | < 33.01     |
|                         |                         | 270     | 0         | 24.61              | 26.68      | < 33.01     |
|                         |                         | 1       | 272       | 23.96              | 26.03      | < 33.01     |
|                         |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2506.02                  | 20                      | 25      | 12        | 22.59              | 24.66      | < 33.01     |
|                          |                         | 1       | 1         | 22.44              | 24.51      | < 33.01     |
|                          |                         | 1       | 49        | 22.50              | 24.57      | < 33.01     |
|                          |                         | 50      | 0         | 22.74              | 24.81      | < 33.01     |
|                          |                         | 1       | 50        | 22.49              | 24.56      | < 33.01     |
|                          |                         | 1       | 0         | 22.48              | 24.55      | < 33.01     |
| 2592.99                  | 20                      | 25      | 12        | 22.77              | 24.84      | < 33.01     |
|                          |                         | 1       | 1         | 22.47              | 24.54      | < 33.01     |
|                          |                         | 1       | 49        | 22.45              | 24.52      | < 33.01     |
|                          |                         | 50      | 0         | 22.70              | 24.77      | < 33.01     |
|                          |                         | 1       | 50        | 22.44              | 24.51      | < 33.01     |
|                          |                         | 1       | 0         | 22.75              | 24.82      | < 33.01     |
| 2679.99                  | 20                      | 25      | 12        | 22.96              | 25.03      | < 33.01     |
|                          |                         | 1       | 1         | 22.72              | 24.79      | < 33.01     |
|                          |                         | 1       | 49        | 22.80              | 24.87      | < 33.01     |
|                          |                         | 50      | 0         | 22.98              | 25.05      | < 33.01     |
|                          |                         | 1       | 50        | 22.76              | 24.83      | < 33.01     |
|                          |                         | 1       | 0         | 22.68              | 24.75      | < 33.01     |
| 2511.00                  | 30                      | 36      | 78        | 22.69              | 24.76      | < 33.01     |
|                          |                         | 1       | 1         | 22.47              | 24.54      | < 33.01     |
|                          |                         | 1       | 76        | 22.40              | 24.47      | < 33.01     |
|                          |                         | 75      | 0         | 22.70              | 24.77      | < 33.01     |
|                          |                         | 1       | 77        | 22.48              | 24.55      | < 33.01     |
|                          |                         | 1       | 0         | 22.41              | 24.48      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 2592.99           | 30                      | 36      | 78        | 22.72              | 24.79      | < 33.01     |
|                   |                         | 1       | 1         | 22.51              | 24.58      | < 33.01     |
|                   |                         | 1       | 76        | 22.46              | 24.53      | < 33.01     |
|                   |                         | 75      | 0         | 22.78              | 24.85      | < 33.01     |
|                   |                         | 1       | 77        | 22.43              | 24.50      | < 33.01     |
|                   |                         | 1       | 0         | 22.47              | 24.54      | < 33.01     |
| 2674.98           | 30                      | 36      | 78        | 23.00              | 25.07      | < 33.01     |
|                   |                         | 1       | 1         | 22.62              | 24.69      | < 33.01     |
|                   |                         | 1       | 76        | 22.89              | 24.96      | < 33.01     |
|                   |                         | 75      | 0         | 23.03              | 25.10      | < 33.01     |
|                   |                         | 1       | 77        | 22.98              | 25.05      | < 33.01     |
|                   |                         | 1       | 0         | 22.60              | 24.67      | < 33.01     |
| 2516.01           | 40                      | 50      | 25        | 22.71              | 24.78      | < 33.01     |
|                   |                         | 1       | 1         | 22.52              | 24.59      | < 33.01     |
|                   |                         | 1       | 104       | 22.61              | 24.68      | < 33.01     |
|                   |                         | 100     | 0         | 22.75              | 24.82      | < 33.01     |
|                   |                         | 1       | 105       | 22.60              | 24.67      | < 33.01     |
|                   |                         | 1       | 0         | 22.58              | 24.65      | < 33.01     |
| 2592.99           | 40                      | 50      | 25        | 22.82              | 24.89      | < 33.01     |
|                   |                         | 1       | 1         | 22.57              | 24.64      | < 33.01     |
|                   |                         | 1       | 104       | 22.53              | 24.60      | < 33.01     |
|                   |                         | 100     | 0         | 22.73              | 24.80      | < 33.01     |
|                   |                         | 1       | 105       | 22.30              | 24.37      | < 33.01     |
|                   |                         | 1       | 0         | 22.57              | 24.64      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 22.95              | 25.02      | < 33.01     |
|  |                         | 1       | 1         | 22.52              | 24.59      | < 33.01     |
|  |                         | 1       | 104       | 22.92              | 24.99      | < 33.01     |
|  |                         | 100     | 0         | 22.95              | 25.02      | < 33.01     |
|  |                         | 1       | 105       | 22.89              | 24.96      | < 33.01     |
|  |                         | 1       | 0         | 22.49              | 24.56      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 22.58              | 24.65      | < 33.01     |
|  |                         | 1       | 1         | 22.31              | 24.38      | < 33.01     |
|  |                         | 1       | 131       | 22.44              | 24.51      | < 33.01     |
|  |                         | 128     | 0         | 22.69              | 24.76      | < 33.01     |
|  |                         | 1       | 132       | 22.41              | 24.48      | < 33.01     |
|  |                         | 1       | 0         | 22.36              | 24.43      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 22.39              | 24.46      | < 33.01     |
|  |                         | 1       | 1         | 22.15              | 24.22      | < 33.01     |
|  |                         | 1       | 131       | 22.41              | 24.48      | < 33.01     |
|  |                         | 128     | 0         | 22.77              | 24.84      | < 33.01     |
|  |                         | 1       | 132       | 22.46              | 24.53      | < 33.01     |
|  |                         | 1       | 0         | 22.44              | 24.51      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 22.69              | 24.76      | < 33.01     |
|  |                         | 1       | 1         | 22.30              | 24.37      | < 33.01     |
|  |                         | 1       | 131       | 22.64              | 24.71      | < 33.01     |
|  |                         | 128     | 0         | 22.71              | 24.78      | < 33.01     |
|  |                         | 1       | 132       | 22.60              | 24.67      | < 33.01     |
|  |                         | 1       | 0         | 22.28              | 24.35      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 22.67              | 24.74      | < 33.01     |
|  |                         | 1       | 1         | 22.32              | 24.39      | < 33.01     |
|  |                         | 1       | 160       | 22.27              | 24.34      | < 33.01     |
|  |                         | 162     | 0         | 22.88              | 24.95      | < 33.01     |
|  |                         | 1       | 161       | 22.23              | 24.30      | < 33.01     |
|  |                         | 1       | 0         | 22.33              | 24.40      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 22.74              | 24.81      | < 33.01     |
|  |                         | 1       | 1         | 22.46              | 24.53      | < 33.01     |
|  |                         | 1       | 160       | 22.28              | 24.35      | < 33.01     |
|  |                         | 162     | 0         | 22.85              | 24.92      | < 33.01     |
|  |                         | 1       | 161       | 22.36              | 24.43      | < 33.01     |
|  |                         | 1       | 0         | 22.76              | 24.83      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 22.76              | 24.83      | < 33.01     |
|  |                         | 1       | 1         | 22.28              | 24.35      | < 33.01     |
|  |                         | 1       | 160       | 22.60              | 24.67      | < 33.01     |
|  |                         | 162     | 0         | 22.78              | 24.85      | < 33.01     |
|  |                         | 1       | 161       | 22.59              | 24.66      | < 33.01     |
|  |                         | 1       | 0         | 22.25              | 24.32      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 22.09              | 24.16      | < 33.01     |
|  |                         | 1       | 1         | 22.74              | 24.81      | < 33.01     |
|  |                         | 1       | 187       | 21.56              | 23.63      | < 33.01     |
|  |                         | 180     | 0         | 22.38              | 24.45      | < 33.01     |
|  |                         | 1       | 188       | 21.86              | 23.93      | < 33.01     |
|  |                         | 1       | 0         | 21.99              | 24.06      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2592.99                  | 70                      | 90      | 45        | 22.34              | 24.41      | < 33.01     |
|                          |                         | 1       | 1         | 22.42              | 24.49      | < 33.01     |
|                          |                         | 1       | 187       | 21.98              | 24.05      | < 33.01     |
|                          |                         | 180     | 0         | 22.17              | 24.24      | < 33.01     |
|                          |                         | 1       | 188       | 21.87              | 23.94      | < 33.01     |
|                          |                         | 1       | 0         | 20.86              | 22.93      | < 33.01     |
| 2655.00                  | 70                      | 90      | 45        | 22.21              | 24.28      | < 33.01     |
|                          |                         | 1       | 1         | 20.30              | 22.37      | < 33.01     |
|                          |                         | 1       | 187       | 20.45              | 22.52      | < 33.01     |
|                          |                         | 180     | 0         | 22.16              | 24.23      | < 33.01     |
|                          |                         | 1       | 188       | 21.18              | 23.25      | < 33.01     |
|                          |                         | 1       | 0         | 22.20              | 24.27      | < 33.01     |
| 2536.02                  | 80                      | 108     | 54        | 22.37              | 24.44      | < 33.01     |
|                          |                         | 1       | 1         | 22.20              | 24.27      | < 33.01     |
|                          |                         | 1       | 215       | 22.15              | 24.22      | < 33.01     |
|                          |                         | 216     | 0         | 22.38              | 24.45      | < 33.01     |
|                          |                         | 1       | 216       | 22.09              | 24.16      | < 33.01     |
|                          |                         | 1       | 0         | 22.10              | 24.17      | < 33.01     |
| 2592.99                  | 80                      | 108     | 54        | 22.49              | 24.56      | < 33.01     |
|                          |                         | 1       | 1         | 22.39              | 24.46      | < 33.01     |
|                          |                         | 1       | 215       | 22.19              | 24.26      | < 33.01     |
|                          |                         | 216     | 0         | 22.57              | 24.64      | < 33.01     |
|                          |                         | 1       | 216       | 22.14              | 24.21      | < 33.01     |
|                          |                         | 1       | 0         | 22.32              | 24.39      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 2649.99  | 80                      | 108     | 54        | 22.55              | 24.62      | < 33.01     |
|  |                         | 1       | 1         | 22.12              | 24.19      | < 33.01     |
|  |                         | 1       | 215       | 22.46              | 24.53      | < 33.01     |
|  |                         | 216     | 0         | 22.59              | 24.66      | < 33.01     |
|  |                         | 1       | 216       | 22.42              | 24.49      | < 33.01     |
|  |                         | 1       | 0         | 22.05              | 24.12      | < 33.01     |
| 2541.00  | 90                      | 120     | 60        | 22.46              | 24.53      | < 33.01     |
|  |                         | 1       | 1         | 22.20              | 24.27      | < 33.01     |
|  |                         | 1       | 243       | 22.13              | 24.20      | < 33.01     |
|  |                         | 243     | 0         | 22.53              | 24.60      | < 33.01     |
|  |                         | 1       | 244       | 22.02              | 24.09      | < 33.01     |
|  |                         | 1       | 0         | 22.14              | 24.21      | < 33.01     |
| 2592.99  | 90                      | 120     | 60        | 22.63              | 24.70      | < 33.01     |
|  |                         | 1       | 1         | 22.41              | 24.48      | < 33.01     |
|  |                         | 1       | 243       | 22.25              | 24.32      | < 33.01     |
|  |                         | 243     | 0         | 22.55              | 24.62      | < 33.01     |
|  |                         | 1       | 244       | 22.26              | 24.33      | < 33.01     |
|  |                         | 1       | 0         | 22.32              | 24.39      | < 33.01     |
| 2644.98  | 90                      | 120     | 60        | 22.59              | 24.66      | < 33.01     |
|  |                         | 1       | 1         | 22.18              | 24.25      | < 33.01     |
|  |                         | 1       | 243       | 22.60              | 24.67      | < 33.01     |
|  |                         | 243     | 0         | 22.62              | 24.69      | < 33.01     |
|  |                         | 1       | 244       | 22.48              | 24.55      | < 33.01     |
|  |                         | 1       | 0         | 22.04              | 24.11      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 2546.01                  | 100                     | 135     | 67        | 22.55              | 24.62      | < 33.01     |
|                          |                         | 1       | 1         | 22.15              | 24.22      | < 33.01     |
|                          |                         | 1       | 271       | 21.87              | 23.94      | < 33.01     |
|                          |                         | 270     | 0         | 22.38              | 24.45      | < 33.01     |
|                          |                         | 1       | 272       | 21.71              | 23.78      | < 33.01     |
|                          |                         | 1       | 0         | 22.02              | 24.09      | < 33.01     |
| 2592.99                  | 100                     | 135     | 67        | 22.59              | 24.66      | < 33.01     |
|                          |                         | 1       | 1         | 22.49              | 24.56      | < 33.01     |
|                          |                         | 1       | 271       | 22.21              | 24.28      | < 33.01     |
|                          |                         | 270     | 0         | 22.57              | 24.64      | < 33.01     |
|                          |                         | 1       | 272       | 22.05              | 24.12      | < 33.01     |
|                          |                         | 1       | 0         | 22.25              | 24.32      | < 33.01     |
| 2640.00                  | 100                     | 135     | 67        | 22.53              | 24.60      | < 33.01     |
|                          |                         | 1       | 1         | 22.32              | 24.39      | < 33.01     |
|                          |                         | 1       | 271       | 22.56              | 24.63      | < 33.01     |
|                          |                         | 270     | 0         | 22.63              | 24.70      | < 33.01     |
|                          |                         | 1       | 272       | 22.38              | 24.45      | < 33.01     |
|                          |                         | 1       | 0         | 22.08              | 24.15      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2506.02         | 20                      | 25      | 12        | 25.69              | 27.76      | < 33.01     |
|                 |                         | 1       | 1         | 25.59              | 27.66      | < 33.01     |
|                 |                         | 1       | 49        | 25.64              | 27.71      | < 33.01     |
|                 |                         | 50      | 0         | 24.23              | 26.30      | < 33.01     |
|                 |                         | 1       | 50        | 23.67              | 25.74      | < 33.01     |
|                 |                         | 1       | 0         | 23.67              | 25.74      | < 33.01     |
| 2592.99         | 20                      | 25      | 12        | 25.73              | 27.80      | < 33.01     |
|                 |                         | 1       | 1         | 25.80              | 27.87      | < 33.01     |
|                 |                         | 1       | 49        | 25.80              | 27.87      | < 33.01     |
|                 |                         | 50      | 0         | 24.31              | 26.38      | < 33.01     |
|                 |                         | 1       | 50        | 23.79              | 25.86      | < 33.01     |
|                 |                         | 1       | 0         | 23.80              | 25.87      | < 33.01     |
| 2679.99         | 20                      | 25      | 12        | 26.04              | 28.11      | < 33.01     |
|                 |                         | 1       | 1         | 25.83              | 27.90      | < 33.01     |
|                 |                         | 1       | 49        | 26.01              | 28.08      | < 33.01     |
|                 |                         | 50      | 0         | 24.59              | 26.66      | < 33.01     |
|                 |                         | 1       | 50        | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 0         | 23.91              | 25.98      | < 33.01     |
| 2511.00         | 30                      | 36      | 78        | 25.69              | 27.76      | < 33.01     |
|                 |                         | 1       | 1         | 25.75              | 27.82      | < 33.01     |
|                 |                         | 1       | 76        | 25.73              | 27.80      | < 33.01     |
|                 |                         | 75      | 0         | 24.26              | 26.33      | < 33.01     |
|                 |                         | 1       | 77        | 23.71              | 25.78      | < 33.01     |
|                 |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 2592.99  | 30                      | 36      | 78        | 25.78              | 27.85      | < 33.01     |
|  |                         | 1       | 1         | 25.71              | 27.78      | < 33.01     |
|  |                         | 1       | 76        | 25.75              | 27.82      | < 33.01     |
|  |                         | 75      | 0         | 24.25              | 26.32      | < 33.01     |
|  |                         | 1       | 77        | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2674.98  | 30                      | 36      | 78        | 25.99              | 28.06      | < 33.01     |
|  |                         | 1       | 1         | 25.76              | 27.83      | < 33.01     |
|  |                         | 1       | 76        | 26.22              | 28.29      | < 33.01     |
|  |                         | 75      | 0         | 24.58              | 26.65      | < 33.01     |
|  |                         | 1       | 77        | 23.89              | 25.96      | < 33.01     |
|  |                         | 1       | 0         | 23.72              | 25.79      | < 33.01     |
| 2516.01  | 40                      | 50      | 25        | 25.73              | 27.80      | < 33.01     |
|  |                         | 1       | 1         | 25.79              | 27.86      | < 33.01     |
|  |                         | 1       | 104       | 25.74              | 27.81      | < 33.01     |
|  |                         | 100     | 0         | 24.24              | 26.31      | < 33.01     |
|  |                         | 1       | 105       | 23.84              | 25.91      | < 33.01     |
|  |                         | 1       | 0         | 23.76              | 25.83      | < 33.01     |
| 2592.99  | 40                      | 50      | 25        | 25.82              | 27.89      | < 33.01     |
|  |                         | 1       | 1         | 25.93              | 28.00      | < 33.01     |
|  |                         | 1       | 104       | 25.74              | 27.81      | < 33.01     |
|  |                         | 100     | 0         | 24.33              | 26.40      | < 33.01     |
|  |                         | 1       | 105       | 23.86              | 25.93      | < 33.01     |
|  |                         | 1       | 0         | 23.83              | 25.90      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2670.00         | 40                      | 50      | 25        | 26.03              | 28.10      | < 33.01     |
|                 |                         | 1       | 1         | 25.90              | 27.97      | < 33.01     |
|                 |                         | 1       | 104       | 26.28              | 28.35      | < 33.01     |
|                 |                         | 100     | 0         | 24.53              | 26.60      | < 33.01     |
|                 |                         | 1       | 105       | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 0         | 23.81              | 25.88      | < 33.01     |
| 2521.02         | 50                      | 64      | 32        | 25.79              | 27.86      | < 33.01     |
|                 |                         | 1       | 1         | 25.52              | 27.59      | < 33.01     |
|                 |                         | 1       | 131       | 25.52              | 27.59      | < 33.01     |
|                 |                         | 128     | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 132       | 23.61              | 25.68      | < 33.01     |
|                 |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |
| 2592.99         | 50                      | 64      | 32        | 25.77              | 27.84      | < 33.01     |
|                 |                         | 1       | 1         | 25.83              | 27.90      | < 33.01     |
|                 |                         | 1       | 131       | 25.71              | 27.78      | < 33.01     |
|                 |                         | 128     | 0         | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 132       | 23.75              | 25.82      | < 33.01     |
|                 |                         | 1       | 0         | 23.84              | 25.91      | < 33.01     |
| 2664.99         | 50                      | 64      | 32        | 25.75              | 27.82      | < 33.01     |
|                 |                         | 1       | 1         | 25.71              | 27.78      | < 33.01     |
|                 |                         | 1       | 131       | 25.97              | 28.04      | < 33.01     |
|                 |                         | 128     | 0         | 24.24              | 26.31      | < 33.01     |
|                 |                         | 1       | 132       | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 0         | 23.68              | 25.75      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 25.69              | 27.76      | < 33.01     |
|  |                         | 1       | 1         | 25.57              | 27.64      | < 33.01     |
|  |                         | 1       | 160       | 25.49              | 27.56      | < 33.01     |
|  |                         | 162     | 0         | 24.15              | 26.22      | < 33.01     |
|  |                         | 1       | 161       | 23.43              | 25.50      | < 33.01     |
|  |                         | 1       | 0         | 23.48              | 25.55      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 25.78              | 27.85      | < 33.01     |
|  |                         | 1       | 1         | 25.82              | 27.89      | < 33.01     |
|  |                         | 1       | 160       | 25.59              | 27.66      | < 33.01     |
|  |                         | 162     | 0         | 24.17              | 26.24      | < 33.01     |
|  |                         | 1       | 161       | 23.70              | 25.77      | < 33.01     |
|  |                         | 1       | 0         | 23.80              | 25.87      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 25.75              | 27.82      | < 33.01     |
|  |                         | 1       | 1         | 25.66              | 27.73      | < 33.01     |
|  |                         | 1       | 160       | 25.82              | 27.89      | < 33.01     |
|  |                         | 162     | 0         | 24.28              | 26.35      | < 33.01     |
|  |                         | 1       | 161       | 23.87              | 25.94      | < 33.01     |
|  |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 25.19              | 27.26      | < 33.01     |
|  |                         | 1       | 1         | 26.62              | 28.69      | < 33.01     |
|  |                         | 1       | 187       | 25.83              | 27.90      | < 33.01     |
|  |                         | 180     | 0         | 23.60              | 25.67      | < 33.01     |
|  |                         | 1       | 188       | 24.37              | 26.44      | < 33.01     |
|  |                         | 1       | 0         | 24.64              | 26.71      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 25.18              | 27.25      | < 33.01     |
|                 |                         | 1       | 1         | 26.22              | 28.29      | < 33.01     |
|                 |                         | 1       | 187       | 26.44              | 28.51      | < 33.01     |
|                 |                         | 180     | 0         | 23.81              | 25.88      | < 33.01     |
|                 |                         | 1       | 188       | 24.89              | 26.96      | < 33.01     |
|                 |                         | 1       | 0         | 24.35              | 26.42      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 25.41              | 27.48      | < 33.01     |
|                 |                         | 1       | 1         | 26.55              | 28.62      | < 33.01     |
|                 |                         | 1       | 187       | 26.16              | 28.23      | < 33.01     |
|                 |                         | 180     | 0         | 23.78              | 25.85      | < 33.01     |
|                 |                         | 1       | 188       | 24.70              | 26.77      | < 33.01     |
|                 |                         | 1       | 0         | 24.95              | 27.02      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 25.50              | 27.57      | < 33.01     |
|                 |                         | 1       | 1         | 25.36              | 27.43      | < 33.01     |
|                 |                         | 1       | 215       | 25.38              | 27.45      | < 33.01     |
|                 |                         | 216     | 0         | 23.92              | 25.99      | < 33.01     |
|                 |                         | 1       | 216       | 23.28              | 25.35      | < 33.01     |
|                 |                         | 1       | 0         | 23.37              | 25.44      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 25.63              | 27.70      | < 33.01     |
|                 |                         | 1       | 1         | 25.57              | 27.64      | < 33.01     |
|                 |                         | 1       | 215       | 25.44              | 27.51      | < 33.01     |
|                 |                         | 216     | 0         | 24.06              | 26.13      | < 33.01     |
|                 |                         | 1       | 216       | 23.44              | 25.51      | < 33.01     |
|                 |                         | 1       | 0         | 23.61              | 25.68      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 2649.99  | 80                      | 108     | 54        | 25.53              | 27.60      | < 33.01     |
|  |                         | 1       | 1         | 25.50              | 27.57      | < 33.01     |
|  |                         | 1       | 215       | 25.93              | 28.00      | < 33.01     |
|  |                         | 216     | 0         | 24.07              | 26.14      | < 33.01     |
|  |                         | 1       | 216       | 23.72              | 25.79      | < 33.01     |
|  |                         | 1       | 0         | 23.37              | 25.44      | < 33.01     |
| 2541.00  | 90                      | 120     | 60        | 25.48              | 27.55      | < 33.01     |
|  |                         | 1       | 1         | 25.39              | 27.46      | < 33.01     |
|  |                         | 1       | 243       | 25.22              | 27.29      | < 33.01     |
|  |                         | 243     | 0         | 23.95              | 26.02      | < 33.01     |
|  |                         | 1       | 244       | 23.19              | 25.26      | < 33.01     |
|  |                         | 1       | 0         | 23.34              | 25.41      | < 33.01     |
| 2592.99  | 90                      | 120     | 60        | 25.64              | 27.71      | < 33.01     |
|  |                         | 1       | 1         | 25.74              | 27.81      | < 33.01     |
|  |                         | 1       | 243       | 25.49              | 27.56      | < 33.01     |
|  |                         | 243     | 0         | 24.04              | 26.11      | < 33.01     |
|  |                         | 1       | 244       | 23.51              | 25.58      | < 33.01     |
|  |                         | 1       | 0         | 23.62              | 25.69      | < 33.01     |
| 2644.98  | 90                      | 120     | 60        | 25.59              | 27.66      | < 33.01     |
|  |                         | 1       | 1         | 25.57              | 27.64      | < 33.01     |
|  |                         | 1       | 243       | 25.87              | 27.94      | < 33.01     |
|  |                         | 243     | 0         | 24.13              | 26.20      | < 33.01     |
|  |                         | 1       | 244       | 23.82              | 25.89      | < 33.01     |
|  |                         | 1       | 0         | 23.32              | 25.39      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 25.51              | 27.58      | < 33.01     |
|                 |                         | 1       | 1         | 25.44              | 27.51      | < 33.01     |
|                 |                         | 1       | 271       | 25.13              | 27.20      | < 33.01     |
|                 |                         | 270     | 0         | 24.01              | 26.08      | < 33.01     |
|                 |                         | 1       | 272       | 22.91              | 24.98      | < 33.01     |
|                 |                         | 1       | 0         | 23.15              | 25.22      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 25.57              | 27.64      | < 33.01     |
|                 |                         | 1       | 1         | 25.73              | 27.80      | < 33.01     |
|                 |                         | 1       | 271       | 25.45              | 27.52      | < 33.01     |
|                 |                         | 270     | 0         | 24.11              | 26.18      | < 33.01     |
|                 |                         | 1       | 272       | 23.27              | 25.34      | < 33.01     |
|                 |                         | 1       | 0         | 23.47              | 25.54      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 25.59              | 27.66      | < 33.01     |
|                 |                         | 1       | 1         | 25.55              | 27.62      | < 33.01     |
|                 |                         | 1       | 271       | 25.80              | 27.87      | < 33.01     |
|                 |                         | 270     | 0         | 24.14              | 26.21      | < 33.01     |
|                 |                         | 1       | 272       | 23.70              | 25.77      | < 33.01     |
|                 |                         | 1       | 0         | 23.41              | 25.48      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2506.02         | 20                      | 25      | 12        | 25.20              | 27.27      | < 33.01     |
|                 |                         | 1       | 1         | 25.20              | 27.27      | < 33.01     |
|                 |                         | 1       | 49        | 25.20              | 27.27      | < 33.01     |
|                 |                         | 50      | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 50        | 23.86              | 25.93      | < 33.01     |
|                 |                         | 1       | 0         | 23.83              | 25.90      | < 33.01     |
| 2592.99         | 20                      | 25      | 12        | 25.27              | 27.34      | < 33.01     |
|                 |                         | 1       | 1         | 25.45              | 27.52      | < 33.01     |
|                 |                         | 1       | 49        | 25.38              | 27.45      | < 33.01     |
|                 |                         | 50      | 0         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 50        | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 0         | 24.26              | 26.33      | < 33.01     |
| 2679.99         | 20                      | 25      | 12        | 25.57              | 27.64      | < 33.01     |
|                 |                         | 1       | 1         | 25.54              | 27.61      | < 33.01     |
|                 |                         | 1       | 49        | 25.62              | 27.69      | < 33.01     |
|                 |                         | 50      | 0         | 24.55              | 26.62      | < 33.01     |
|                 |                         | 1       | 50        | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 0         | 24.04              | 26.11      | < 33.01     |
| 2511.00         | 30                      | 36      | 78        | 25.16              | 27.23      | < 33.01     |
|                 |                         | 1       | 1         | 25.26              | 27.33      | < 33.01     |
|                 |                         | 1       | 76        | 25.27              | 27.34      | < 33.01     |
|                 |                         | 75      | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 77        | 23.86              | 25.93      | < 33.01     |
|                 |                         | 1       | 0         | 23.76              | 25.83      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2592.99         | 30                      | 36      | 78        | 25.22              | 27.29      | < 33.01     |
|                 |                         | 1       | 1         | 25.23              | 27.30      | < 33.01     |
|                 |                         | 1       | 76        | 25.22              | 27.29      | < 33.01     |
|                 |                         | 75      | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 77        | 24.44              | 26.51      | < 33.01     |
|                 |                         | 1       | 0         | 24.13              | 26.20      | < 33.01     |
| 2674.98         | 30                      | 36      | 78        | 25.59              | 27.66      | < 33.01     |
|                 |                         | 1       | 1         | 25.48              | 27.55      | < 33.01     |
|                 |                         | 1       | 76        | 25.72              | 27.79      | < 33.01     |
|                 |                         | 75      | 0         | 24.54              | 26.61      | < 33.01     |
|                 |                         | 1       | 77        | 24.39              | 26.46      | < 33.01     |
|                 |                         | 1       | 0         | 24.13              | 26.20      | < 33.01     |
| 2516.01         | 40                      | 50      | 25        | 25.18              | 27.25      | < 33.01     |
|                 |                         | 1       | 1         | 25.46              | 27.53      | < 33.01     |
|                 |                         | 1       | 104       | 25.33              | 27.40      | < 33.01     |
|                 |                         | 100     | 0         | 24.22              | 26.29      | < 33.01     |
|                 |                         | 1       | 105       | 23.98              | 26.05      | < 33.01     |
|                 |                         | 1       | 0         | 23.90              | 25.97      | < 33.01     |
| 2592.99         | 40                      | 50      | 25        | 25.26              | 27.33      | < 33.01     |
|                 |                         | 1       | 1         | 25.38              | 27.45      | < 33.01     |
|                 |                         | 1       | 104       | 25.41              | 27.48      | < 33.01     |
|                 |                         | 100     | 0         | 24.29              | 26.36      | < 33.01     |
|                 |                         | 1       | 105       | 24.13              | 26.20      | < 33.01     |
|                 |                         | 1       | 0         | 24.12              | 26.19      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 25.54              | 27.61      | < 33.01     |
|  |                         | 1       | 1         | 25.23              | 27.30      | < 33.01     |
|  |                         | 1       | 104       | 25.76              | 27.83      | < 33.01     |
|  |                         | 100     | 0         | 24.48              | 26.55      | < 33.01     |
|  |                         | 1       | 105       | 24.48              | 26.55      | < 33.01     |
|  |                         | 1       | 0         | 24.09              | 26.16      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 25.23              | 27.30      | < 33.01     |
|  |                         | 1       | 1         | 25.09              | 27.16      | < 33.01     |
|  |                         | 1       | 131       | 25.08              | 27.15      | < 33.01     |
|  |                         | 128     | 0         | 24.22              | 26.29      | < 33.01     |
|  |                         | 1       | 132       | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 0         | 23.76              | 25.83      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 25.33              | 27.40      | < 33.01     |
|  |                         | 1       | 1         | 25.37              | 27.44      | < 33.01     |
|  |                         | 1       | 131       | 25.20              | 27.27      | < 33.01     |
|  |                         | 128     | 0         | 24.30              | 26.37      | < 33.01     |
|  |                         | 1       | 132       | 23.96              | 26.03      | < 33.01     |
|  |                         | 1       | 0         | 24.10              | 26.17      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 25.29              | 27.36      | < 33.01     |
|  |                         | 1       | 1         | 24.95              | 27.02      | < 33.01     |
|  |                         | 1       | 131       | 25.54              | 27.61      | < 33.01     |
|  |                         | 128     | 0         | 24.34              | 26.41      | < 33.01     |
|  |                         | 1       | 132       | 24.18              | 26.25      | < 33.01     |
|  |                         | 1       | 0         | 23.84              | 25.91      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 25.15              | 27.22      | < 33.01     |
|  |                         | 1       | 1         | 24.99              | 27.06      | < 33.01     |
|  |                         | 1       | 160       | 24.92              | 26.99      | < 33.01     |
|  |                         | 162     | 0         | 24.25              | 26.32      | < 33.01     |
|  |                         | 1       | 161       | 23.66              | 25.73      | < 33.01     |
|  |                         | 1       | 0         | 23.65              | 25.72      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 25.28              | 27.35      | < 33.01     |
|  |                         | 1       | 1         | 25.35              | 27.42      | < 33.01     |
|  |                         | 1       | 160       | 25.22              | 27.29      | < 33.01     |
|  |                         | 162     | 0         | 24.32              | 26.39      | < 33.01     |
|  |                         | 1       | 161       | 23.98              | 26.05      | < 33.01     |
|  |                         | 1       | 0         | 23.95              | 26.02      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 25.27              | 27.34      | < 33.01     |
|  |                         | 1       | 1         | 25.09              | 27.16      | < 33.01     |
|  |                         | 1       | 160       | 25.40              | 27.47      | < 33.01     |
|  |                         | 162     | 0         | 24.34              | 26.41      | < 33.01     |
|  |                         | 1       | 161       | 24.07              | 26.14      | < 33.01     |
|  |                         | 1       | 0         | 23.92              | 25.99      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 24.90              | 26.97      | < 33.01     |
|  |                         | 1       | 1         | 24.05              | 26.12      | < 33.01     |
|  |                         | 1       | 187       | 23.78              | 25.85      | < 33.01     |
|  |                         | 180     | 0         | 23.80              | 25.87      | < 33.01     |
|  |                         | 1       | 188       | 22.52              | 24.59      | < 33.01     |
|  |                         | 1       | 0         | 22.27              | 24.34      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 24.82              | 26.89      | < 33.01     |
|                 |                         | 1       | 1         | 23.94              | 26.01      | < 33.01     |
|                 |                         | 1       | 187       | 24.20              | 26.27      | < 33.01     |
|                 |                         | 180     | 0         | 24.02              | 26.09      | < 33.01     |
|                 |                         | 1       | 188       | 24.07              | 26.14      | < 33.01     |
|                 |                         | 1       | 0         | 23.87              | 25.94      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 24.80              | 26.87      | < 33.01     |
|                 |                         | 1       | 1         | 24.30              | 26.37      | < 33.01     |
|                 |                         | 1       | 187       | 24.15              | 26.22      | < 33.01     |
|                 |                         | 180     | 0         | 23.88              | 25.95      | < 33.01     |
|                 |                         | 1       | 188       | 21.31              | 23.38      | < 33.01     |
|                 |                         | 1       | 0         | 21.38              | 23.45      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 24.98              | 27.05      | < 33.01     |
|                 |                         | 1       | 1         | 24.98              | 27.05      | < 33.01     |
|                 |                         | 1       | 215       | 24.85              | 26.92      | < 33.01     |
|                 |                         | 216     | 0         | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 216       | 23.44              | 25.51      | < 33.01     |
|                 |                         | 1       | 0         | 23.45              | 25.52      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 25.04              | 27.11      | < 33.01     |
|                 |                         | 1       | 1         | 25.22              | 27.29      | < 33.01     |
|                 |                         | 1       | 215       | 25.14              | 27.21      | < 33.01     |
|                 |                         | 216     | 0         | 24.11              | 26.18      | < 33.01     |
|                 |                         | 1       | 216       | 23.45              | 25.52      | < 33.01     |
|                 |                         | 1       | 0         | 23.79              | 25.86      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 2649.99  | 80                      | 108     | 54        | 25.03              | 27.10      | < 33.01     |
|  |                         | 1       | 1         | 24.89              | 26.96      | < 33.01     |
|  |                         | 1       | 215       | 25.41              | 27.48      | < 33.01     |
|  |                         | 216     | 0         | 24.09              | 26.16      | < 33.01     |
|  |                         | 1       | 216       | 24.09              | 26.16      | < 33.01     |
|  |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |
| 2541.00  | 90                      | 120     | 60        | 25.03              | 27.10      | < 33.01     |
|  |                         | 1       | 1         | 25.25              | 27.32      | < 33.01     |
|  |                         | 1       | 243       | 24.97              | 27.04      | < 33.01     |
|  |                         | 243     | 0         | 23.92              | 25.99      | < 33.01     |
|  |                         | 1       | 244       | 23.17              | 25.24      | < 33.01     |
|  |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |
| 2592.99  | 90                      | 120     | 60        | 25.09              | 27.16      | < 33.01     |
|  |                         | 1       | 1         | 25.35              | 27.42      | < 33.01     |
|  |                         | 1       | 243       | 25.11              | 27.18      | < 33.01     |
|  |                         | 243     | 0         | 24.10              | 26.17      | < 33.01     |
|  |                         | 1       | 244       | 23.75              | 25.82      | < 33.01     |
|  |                         | 1       | 0         | 23.97              | 26.04      | < 33.01     |
| 2644.98  | 90                      | 120     | 60        | 25.07              | 27.14      | < 33.01     |
|  |                         | 1       | 1         | 25.16              | 27.23      | < 33.01     |
|  |                         | 1       | 243       | 25.41              | 27.48      | < 33.01     |
|  |                         | 243     | 0         | 24.11              | 26.18      | < 33.01     |
|  |                         | 1       | 244       | 24.00              | 26.07      | < 33.01     |
|  |                         | 1       | 0         | 23.73              | 25.80      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 25.09              | 27.16      | < 33.01     |
|                 |                         | 1       | 1         | 24.98              | 27.05      | < 33.01     |
|                 |                         | 1       | 271       | 24.78              | 26.85      | < 33.01     |
|                 |                         | 270     | 0         | 23.85              | 25.92      | < 33.01     |
|                 |                         | 1       | 272       | 23.09              | 25.16      | < 33.01     |
|                 |                         | 1       | 0         | 23.34              | 25.41      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 25.12              | 27.19      | < 33.01     |
|                 |                         | 1       | 1         | 25.28              | 27.35      | < 33.01     |
|                 |                         | 1       | 271       | 25.07              | 27.14      | < 33.01     |
|                 |                         | 270     | 0         | 24.03              | 26.10      | < 33.01     |
|                 |                         | 1       | 272       | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 0         | 23.84              | 25.91      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 25.05              | 27.12      | < 33.01     |
|                 |                         | 1       | 1         | 25.05              | 27.12      | < 33.01     |
|                 |                         | 1       | 271       | 25.39              | 27.46      | < 33.01     |
|                 |                         | 270     | 0         | 24.09              | 26.16      | < 33.01     |
|                 |                         | 1       | 272       | 24.05              | 26.12      | < 33.01     |
|                 |                         | 1       | 0         | 23.61              | 25.68      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2506.02         | 20                      | 25      | 12        | 23.70              | 25.77      | < 33.01     |
|                 |                         | 1       | 1         | 23.74              | 25.81      | < 33.01     |
|                 |                         | 1       | 49        | 23.74              | 25.81      | < 33.01     |
|                 |                         | 50      | 0         | 23.74              | 25.81      | < 33.01     |
|                 |                         | 1       | 50        | 23.65              | 25.72      | < 33.01     |
|                 |                         | 1       | 0         | 23.70              | 25.77      | < 33.01     |
| 2592.99         | 20                      | 25      | 12        | 23.73              | 25.80      | < 33.01     |
|                 |                         | 1       | 1         | 23.96              | 26.03      | < 33.01     |
|                 |                         | 1       | 49        | 23.81              | 25.88      | < 33.01     |
|                 |                         | 50      | 0         | 23.78              | 25.85      | < 33.01     |
|                 |                         | 1       | 50        | 23.81              | 25.88      | < 33.01     |
|                 |                         | 1       | 0         | 23.94              | 26.01      | < 33.01     |
| 2679.99         | 20                      | 25      | 12        | 23.99              | 26.06      | < 33.01     |
|                 |                         | 1       | 1         | 24.19              | 26.26      | < 33.01     |
|                 |                         | 1       | 49        | 23.89              | 25.96      | < 33.01     |
|                 |                         | 50      | 0         | 24.09              | 26.16      | < 33.01     |
|                 |                         | 1       | 50        | 23.93              | 26.00      | < 33.01     |
|                 |                         | 1       | 0         | 24.11              | 26.18      | < 33.01     |
| 2511.00         | 30                      | 36      | 78        | 23.73              | 25.80      | < 33.01     |
|                 |                         | 1       | 1         | 23.64              | 25.71      | < 33.01     |
|                 |                         | 1       | 76        | 23.61              | 25.68      | < 33.01     |
|                 |                         | 75      | 0         | 23.75              | 25.82      | < 33.01     |
|                 |                         | 1       | 77        | 23.58              | 25.65      | < 33.01     |
|                 |                         | 1       | 0         | 23.59              | 25.66      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2592.99  | 30                      | 36      | 78        | 23.78              | 25.85      | < 33.01     |
|  |                         | 1       | 1         | 23.88              | 25.95      | < 33.01     |
|  |                         | 1       | 76        | 23.89              | 25.96      | < 33.01     |
|  |                         | 75      | 0         | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 77        | 23.87              | 25.94      | < 33.01     |
|  |                         | 1       | 0         | 23.77              | 25.84      | < 33.01     |
| 2674.98  | 30                      | 36      | 78        | 24.11              | 26.18      | < 33.01     |
|  |                         | 1       | 1         | 24.13              | 26.20      | < 33.01     |
|  |                         | 1       | 76        | 24.25              | 26.32      | < 33.01     |
|  |                         | 75      | 0         | 24.07              | 26.14      | < 33.01     |
|  |                         | 1       | 77        | 24.20              | 26.27      | < 33.01     |
|  |                         | 1       | 0         | 24.03              | 26.10      | < 33.01     |
| 2516.01  | 40                      | 50      | 25        | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 1         | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 104       | 23.74              | 25.81      | < 33.01     |
|  |                         | 100     | 0         | 23.79              | 25.86      | < 33.01     |
|  |                         | 1       | 105       | 23.68              | 25.75      | < 33.01     |
|  |                         | 1       | 0         | 23.66              | 25.73      | < 33.01     |
| 2592.99  | 40                      | 50      | 25        | 23.83              | 25.90      | < 33.01     |
|  |                         | 1       | 1         | 24.03              | 26.10      | < 33.01     |
|  |                         | 1       | 104       | 23.95              | 26.02      | < 33.01     |
|  |                         | 100     | 0         | 23.82              | 25.89      | < 33.01     |
|  |                         | 1       | 105       | 23.94              | 26.01      | < 33.01     |
|  |                         | 1       | 0         | 24.22              | 26.29      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 24.04              | 26.11      | < 33.01     |
|  |                         | 1       | 1         | 23.88              | 25.95      | < 33.01     |
|  |                         | 1       | 104       | 24.13              | 26.20      | < 33.01     |
|  |                         | 100     | 0         | 24.07              | 26.14      | < 33.01     |
|  |                         | 1       | 105       | 24.18              | 26.25      | < 33.01     |
|  |                         | 1       | 0         | 23.79              | 25.86      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 1         | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 131       | 23.78              | 25.85      | < 33.01     |
|  |                         | 128     | 0         | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 132       | 23.67              | 25.74      | < 33.01     |
|  |                         | 1       | 0         | 23.55              | 25.62      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 23.84              | 25.91      | < 33.01     |
|  |                         | 1       | 1         | 23.93              | 26.00      | < 33.01     |
|  |                         | 1       | 131       | 23.78              | 25.85      | < 33.01     |
|  |                         | 128     | 0         | 23.84              | 25.91      | < 33.01     |
|  |                         | 1       | 132       | 23.73              | 25.80      | < 33.01     |
|  |                         | 1       | 0         | 23.92              | 25.99      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 23.76              | 25.83      | < 33.01     |
|  |                         | 1       | 1         | 23.50              | 25.57      | < 33.01     |
|  |                         | 1       | 131       | 23.99              | 26.06      | < 33.01     |
|  |                         | 128     | 0         | 23.78              | 25.85      | < 33.01     |
|  |                         | 1       | 132       | 23.96              | 26.03      | < 33.01     |
|  |                         | 1       | 0         | 23.60              | 25.67      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 23.71              | 25.78      | < 33.01     |
|  |                         | 1       | 1         | 23.56              | 25.63      | < 33.01     |
|  |                         | 1       | 160       | 23.55              | 25.62      | < 33.01     |
|  |                         | 162     | 0         | 23.68              | 25.75      | < 33.01     |
|  |                         | 1       | 161       | 23.50              | 25.57      | < 33.01     |
|  |                         | 1       | 0         | 23.54              | 25.61      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 23.73              | 25.80      | < 33.01     |
|  |                         | 1       | 1         | 23.93              | 26.00      | < 33.01     |
|  |                         | 1       | 160       | 23.85              | 25.92      | < 33.01     |
|  |                         | 162     | 0         | 23.78              | 25.85      | < 33.01     |
|  |                         | 1       | 161       | 23.80              | 25.87      | < 33.01     |
|  |                         | 1       | 0         | 23.90              | 25.97      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 23.74              | 25.81      | < 33.01     |
|  |                         | 1       | 1         | 23.57              | 25.64      | < 33.01     |
|  |                         | 1       | 160       | 23.92              | 25.99      | < 33.01     |
|  |                         | 162     | 0         | 23.79              | 25.86      | < 33.01     |
|  |                         | 1       | 161       | 23.90              | 25.97      | < 33.01     |
|  |                         | 1       | 0         | 24.04              | 26.11      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 22.85              | 24.92      | < 33.01     |
|  |                         | 1       | 1         | 22.92              | 24.99      | < 33.01     |
|  |                         | 1       | 187       | 21.54              | 23.61      | < 33.01     |
|  |                         | 180     | 0         | 23.22              | 25.29      | < 33.01     |
|  |                         | 1       | 188       | 21.54              | 23.61      | < 33.01     |
|  |                         | 1       | 0         | 21.72              | 23.79      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 23.07              | 25.14      | < 33.01     |
|                 |                         | 1       | 1         | 22.65              | 24.72      | < 33.01     |
|                 |                         | 1       | 187       | 22.80              | 24.87      | < 33.01     |
|                 |                         | 180     | 0         | 23.41              | 25.48      | < 33.01     |
|                 |                         | 1       | 188       | 22.83              | 24.90      | < 33.01     |
|                 |                         | 1       | 0         | 22.47              | 24.54      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 22.93              | 25.00      | < 33.01     |
|                 |                         | 1       | 1         | 22.85              | 24.92      | < 33.01     |
|                 |                         | 1       | 187       | 22.76              | 24.83      | < 33.01     |
|                 |                         | 180     | 0         | 23.34              | 25.41      | < 33.01     |
|                 |                         | 1       | 188       | 22.84              | 24.91      | < 33.01     |
|                 |                         | 1       | 0         | 22.78              | 24.85      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 23.44              | 25.51      | < 33.01     |
|                 |                         | 1       | 1         | 23.43              | 25.50      | < 33.01     |
|                 |                         | 1       | 215       | 23.41              | 25.48      | < 33.01     |
|                 |                         | 216     | 0         | 23.40              | 25.47      | < 33.01     |
|                 |                         | 1       | 216       | 23.25              | 25.32      | < 33.01     |
|                 |                         | 1       | 0         | 23.36              | 25.43      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 1         | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 215       | 22.96              | 25.03      | < 33.01     |
|                 |                         | 216     | 0         | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 216       | 23.50              | 25.57      | < 33.01     |
|                 |                         | 1       | 0         | 23.50              | 25.57      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 2649.99  | 80                      | 108     | 54        | 23.50              | 25.57      | < 33.01     |
|  |                         | 1       | 1         | 23.04              | 25.11      | < 33.01     |
|  |                         | 1       | 215       | 23.73              | 25.80      | < 33.01     |
|  |                         | 216     | 0         | 23.64              | 25.71      | < 33.01     |
|  |                         | 1       | 216       | 23.65              | 25.72      | < 33.01     |
|  |                         | 1       | 0         | 23.28              | 25.35      | < 33.01     |
| 2541.00  | 90                      | 120     | 60        | 23.44              | 25.51      | < 33.01     |
|  |                         | 1       | 1         | 23.37              | 25.44      | < 33.01     |
|  |                         | 1       | 243       | 23.21              | 25.28      | < 33.01     |
|  |                         | 243     | 0         | 23.52              | 25.59      | < 33.01     |
|  |                         | 1       | 244       | 23.01              | 25.08      | < 33.01     |
|  |                         | 1       | 0         | 23.23              | 25.30      | < 33.01     |
| 2592.99  | 90                      | 120     | 60        | 23.62              | 25.69      | < 33.01     |
|  |                         | 1       | 1         | 23.73              | 25.80      | < 33.01     |
|  |                         | 1       | 243       | 23.59              | 25.66      | < 33.01     |
|  |                         | 243     | 0         | 23.52              | 25.59      | < 33.01     |
|  |                         | 1       | 244       | 23.46              | 25.53      | < 33.01     |
|  |                         | 1       | 0         | 23.72              | 25.79      | < 33.01     |
| 2644.98  | 90                      | 120     | 60        | 23.64              | 25.71      | < 33.01     |
|  |                         | 1       | 1         | 24.04              | 26.11      | < 33.01     |
|  |                         | 1       | 243       | 23.95              | 26.02      | < 33.01     |
|  |                         | 243     | 0         | 23.61              | 25.68      | < 33.01     |
|  |                         | 1       | 244       | 23.82              | 25.89      | < 33.01     |
|  |                         | 1       | 0         | 23.43              | 25.50      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 23.56              | 25.63      | < 33.01     |
|                 |                         | 1       | 1         | 23.35              | 25.42      | < 33.01     |
|                 |                         | 1       | 271       | 23.09              | 25.16      | < 33.01     |
|                 |                         | 270     | 0         | 23.43              | 25.50      | < 33.01     |
|                 |                         | 1       | 272       | 22.88              | 24.95      | < 33.01     |
|                 |                         | 1       | 0         | 23.35              | 25.42      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 23.56              | 25.63      | < 33.01     |
|                 |                         | 1       | 1         | 23.78              | 25.85      | < 33.01     |
|                 |                         | 1       | 271       | 23.59              | 25.66      | < 33.01     |
|                 |                         | 270     | 0         | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 272       | 23.31              | 25.38      | < 33.01     |
|                 |                         | 1       | 0         | 23.57              | 25.64      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 23.55              | 25.62      | < 33.01     |
|                 |                         | 1       | 1         | 23.89              | 25.96      | < 33.01     |
|                 |                         | 1       | 271       | 23.98              | 26.05      | < 33.01     |
|                 |                         | 270     | 0         | 23.67              | 25.74      | < 33.01     |
|                 |                         | 1       | 272       | 23.75              | 25.82      | < 33.01     |
|                 |                         | 1       | 0         | 23.46              | 25.53      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2506.02         | 20                      | 25      | 12        | 20.71              | 22.78      | < 33.01     |
|                 |                         | 1       | 1         | 20.43              | 22.50      | < 33.01     |
|                 |                         | 1       | 49        | 20.49              | 22.56      | < 33.01     |
|                 |                         | 50      | 0         | 20.75              | 22.82      | < 33.01     |
|                 |                         | 1       | 50        | 20.40              | 22.47      | < 33.01     |
|                 |                         | 1       | 0         | 20.36              | 22.43      | < 33.01     |
| 2592.99         | 20                      | 25      | 12        | 20.77              | 22.84      | < 33.01     |
|                 |                         | 1       | 1         | 20.45              | 22.52      | < 33.01     |
|                 |                         | 1       | 49        | 20.63              | 22.70      | < 33.01     |
|                 |                         | 50      | 0         | 20.81              | 22.88      | < 33.01     |
|                 |                         | 1       | 50        | 20.59              | 22.66      | < 33.01     |
|                 |                         | 1       | 0         | 20.50              | 22.57      | < 33.01     |
| 2679.99         | 20                      | 25      | 12        | 20.97              | 23.04      | < 33.01     |
|                 |                         | 1       | 1         | 20.76              | 22.83      | < 33.01     |
|                 |                         | 1       | 49        | 20.86              | 22.93      | < 33.01     |
|                 |                         | 50      | 0         | 21.02              | 23.09      | < 33.01     |
|                 |                         | 1       | 50        | 20.94              | 23.01      | < 33.01     |
|                 |                         | 1       | 0         | 20.73              | 22.80      | < 33.01     |
| 2511.00         | 30                      | 36      | 78        | 20.74              | 22.81      | < 33.01     |
|                 |                         | 1       | 1         | 20.56              | 22.63      | < 33.01     |
|                 |                         | 1       | 76        | 20.41              | 22.48      | < 33.01     |
|                 |                         | 75      | 0         | 20.76              | 22.83      | < 33.01     |
|                 |                         | 1       | 77        | 20.56              | 22.63      | < 33.01     |
|                 |                         | 1       | 0         | 20.57              | 22.64      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2592.99         | 30                      | 36      | 78        | 20.73              | 22.80      | < 33.01     |
|                 |                         | 1       | 1         | 20.42              | 22.49      | < 33.01     |
|                 |                         | 1       | 76        | 20.54              | 22.61      | < 33.01     |
|                 |                         | 75      | 0         | 20.82              | 22.89      | < 33.01     |
|                 |                         | 1       | 77        | 20.51              | 22.58      | < 33.01     |
|                 |                         | 1       | 0         | 20.39              | 22.46      | < 33.01     |
| 2674.98         | 30                      | 36      | 78        | 21.08              | 23.15      | < 33.01     |
|                 |                         | 1       | 1         | 20.63              | 22.70      | < 33.01     |
|                 |                         | 1       | 76        | 20.81              | 22.88      | < 33.01     |
|                 |                         | 75      | 0         | 21.05              | 23.12      | < 33.01     |
|                 |                         | 1       | 77        | 20.79              | 22.86      | < 33.01     |
|                 |                         | 1       | 0         | 20.69              | 22.76      | < 33.01     |
| 2516.01         | 40                      | 50      | 25        | 20.65              | 22.72      | < 33.01     |
|                 |                         | 1       | 1         | 20.59              | 22.66      | < 33.01     |
|                 |                         | 1       | 104       | 20.65              | 22.72      | < 33.01     |
|                 |                         | 100     | 0         | 20.71              | 22.78      | < 33.01     |
|                 |                         | 1       | 105       | 20.64              | 22.71      | < 33.01     |
|                 |                         | 1       | 0         | 20.53              | 22.60      | < 33.01     |
| 2592.99         | 40                      | 50      | 25        | 20.72              | 22.79      | < 33.01     |
|                 |                         | 1       | 1         | 20.79              | 22.86      | < 33.01     |
|                 |                         | 1       | 104       | 20.52              | 22.59      | < 33.01     |
|                 |                         | 100     | 0         | 20.75              | 22.82      | < 33.01     |
|                 |                         | 1       | 105       | 20.50              | 22.57      | < 33.01     |
|                 |                         | 1       | 0         | 20.77              | 22.84      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 2670.00  | 40                      | 50      | 25        | 20.96              | 23.03      | < 33.01     |
|  |                         | 1       | 1         | 20.71              | 22.78      | < 33.01     |
|  |                         | 1       | 104       | 20.83              | 22.90      | < 33.01     |
|  |                         | 100     | 0         | 20.98              | 23.05      | < 33.01     |
|  |                         | 1       | 105       | 21.18              | 23.25      | < 33.01     |
|  |                         | 1       | 0         | 20.68              | 22.75      | < 33.01     |
| 2521.02  | 50                      | 64      | 32        | 20.72              | 22.79      | < 33.01     |
|  |                         | 1       | 1         | 20.19              | 22.26      | < 33.01     |
|  |                         | 1       | 131       | 20.47              | 22.54      | < 33.01     |
|  |                         | 128     | 0         | 20.71              | 22.78      | < 33.01     |
|  |                         | 1       | 132       | 20.44              | 22.51      | < 33.01     |
|  |                         | 1       | 0         | 20.48              | 22.55      | < 33.01     |
| 2592.99  | 50                      | 64      | 32        | 20.73              | 22.80      | < 33.01     |
|  |                         | 1       | 1         | 20.36              | 22.43      | < 33.01     |
|  |                         | 1       | 131       | 20.53              | 22.60      | < 33.01     |
|  |                         | 128     | 0         | 20.77              | 22.84      | < 33.01     |
|  |                         | 1       | 132       | 20.58              | 22.65      | < 33.01     |
|  |                         | 1       | 0         | 20.67              | 22.74      | < 33.01     |
| 2664.99  | 50                      | 64      | 32        | 20.82              | 22.89      | < 33.01     |
|  |                         | 1       | 1         | 20.44              | 22.51      | < 33.01     |
|  |                         | 1       | 131       | 20.90              | 22.97      | < 33.01     |
|  |                         | 128     | 0         | 20.73              | 22.80      | < 33.01     |
|  |                         | 1       | 132       | 20.89              | 22.96      | < 33.01     |
|  |                         | 1       | 0         | 20.52              | 22.59      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 2526.00  | 60                      | 81      | 40        | 20.67              | 22.74      | < 33.01     |
|  |                         | 1       | 1         | 20.29              | 22.36      | < 33.01     |
|  |                         | 1       | 160       | 20.33              | 22.40      | < 33.01     |
|  |                         | 162     | 0         | 20.70              | 22.77      | < 33.01     |
|  |                         | 1       | 161       | 20.29              | 22.36      | < 33.01     |
|  |                         | 1       | 0         | 20.30              | 22.37      | < 33.01     |
| 2592.99  | 60                      | 81      | 40        | 20.76              | 22.83      | < 33.01     |
|  |                         | 1       | 1         | 20.38              | 22.45      | < 33.01     |
|  |                         | 1       | 160       | 20.47              | 22.54      | < 33.01     |
|  |                         | 162     | 0         | 20.77              | 22.84      | < 33.01     |
|  |                         | 1       | 161       | 20.43              | 22.50      | < 33.01     |
|  |                         | 1       | 0         | 20.34              | 22.41      | < 33.01     |
| 2659.98  | 60                      | 81      | 40        | 20.69              | 22.76      | < 33.01     |
|  |                         | 1       | 1         | 20.37              | 22.44      | < 33.01     |
|  |                         | 1       | 160       | 20.79              | 22.86      | < 33.01     |
|  |                         | 162     | 0         | 20.81              | 22.88      | < 33.01     |
|  |                         | 1       | 161       | 20.67              | 22.74      | < 33.01     |
|  |                         | 1       | 0         | 20.44              | 22.51      | < 33.01     |
| 2531.01  | 70                      | 90      | 45        | 19.97              | 22.04      | < 33.01     |
|  |                         | 1       | 1         | 22.28              | 24.35      | < 33.01     |
|  |                         | 1       | 187       | 21.38              | 23.45      | < 33.01     |
|  |                         | 180     | 0         | 19.92              | 21.99      | < 33.01     |
|  |                         | 1       | 188       | 21.38              | 23.45      | < 33.01     |
|  |                         | 1       | 0         | 21.60              | 23.67      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2592.99         | 70                      | 90      | 45        | 20.60              | 22.67      | < 33.01     |
|                 |                         | 1       | 1         | 21.46              | 23.53      | < 33.01     |
|                 |                         | 1       | 187       | 21.60              | 23.67      | < 33.01     |
|                 |                         | 180     | 0         | 20.18              | 22.25      | < 33.01     |
|                 |                         | 1       | 188       | 21.69              | 23.76      | < 33.01     |
|                 |                         | 1       | 0         | 21.57              | 23.64      | < 33.01     |
| 2655.00         | 70                      | 90      | 45        | 20.27              | 22.34      | < 33.01     |
|                 |                         | 1       | 1         | 21.74              | 23.81      | < 33.01     |
|                 |                         | 1       | 187       | 21.63              | 23.70      | < 33.01     |
|                 |                         | 180     | 0         | 20.15              | 22.22      | < 33.01     |
|                 |                         | 1       | 188       | 21.66              | 23.73      | < 33.01     |
|                 |                         | 1       | 0         | 21.71              | 23.78      | < 33.01     |
| 2536.02         | 80                      | 108     | 54        | 20.46              | 22.53      | < 33.01     |
|                 |                         | 1       | 1         | 20.21              | 22.28      | < 33.01     |
|                 |                         | 1       | 215       | 20.22              | 22.29      | < 33.01     |
|                 |                         | 216     | 0         | 20.42              | 22.49      | < 33.01     |
|                 |                         | 1       | 216       | 20.15              | 22.22      | < 33.01     |
|                 |                         | 1       | 0         | 20.10              | 22.17      | < 33.01     |
| 2592.99         | 80                      | 108     | 54        | 20.58              | 22.65      | < 33.01     |
|                 |                         | 1       | 1         | 20.10              | 22.17      | < 33.01     |
|                 |                         | 1       | 215       | 20.22              | 22.29      | < 33.01     |
|                 |                         | 216     | 0         | 20.64              | 22.71      | < 33.01     |
|                 |                         | 1       | 216       | 20.16              | 22.23      | < 33.01     |
|                 |                         | 1       | 0         | 20.14              | 22.21      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2649.99         | 80                      | 108     | 54        | 20.53              | 22.60      | < 33.01     |
|                 |                         | 1       | 1         | 20.37              | 22.44      | < 33.01     |
|                 |                         | 1       | 215       | 20.74              | 22.81      | < 33.01     |
|                 |                         | 216     | 0         | 20.54              | 22.61      | < 33.01     |
|                 |                         | 1       | 216       | 20.69              | 22.76      | < 33.01     |
|                 |                         | 1       | 0         | 20.20              | 22.27      | < 33.01     |
| 2541.00         | 90                      | 120     | 60        | 20.53              | 22.60      | < 33.01     |
|                 |                         | 1       | 1         | 20.21              | 22.28      | < 33.01     |
|                 |                         | 1       | 243       | 20.04              | 22.11      | < 33.01     |
|                 |                         | 243     | 0         | 20.37              | 22.44      | < 33.01     |
|                 |                         | 1       | 244       | 20.00              | 22.07      | < 33.01     |
|                 |                         | 1       | 0         | 20.13              | 22.20      | < 33.01     |
| 2592.99         | 90                      | 120     | 60        | 20.59              | 22.66      | < 33.01     |
|                 |                         | 1       | 1         | 20.81              | 22.88      | < 33.01     |
|                 |                         | 1       | 243       | 20.35              | 22.42      | < 33.01     |
|                 |                         | 243     | 0         | 20.62              | 22.69      | < 33.01     |
|                 |                         | 1       | 244       | 20.19              | 22.26      | < 33.01     |
|                 |                         | 1       | 0         | 20.37              | 22.44      | < 33.01     |
| 2644.98         | 90                      | 120     | 60        | 20.55              | 22.62      | < 33.01     |
|                 |                         | 1       | 1         | 20.31              | 22.38      | < 33.01     |
|                 |                         | 1       | 243       | 20.80              | 22.87      | < 33.01     |
|                 |                         | 243     | 0         | 20.61              | 22.68      | < 33.01     |
|                 |                         | 1       | 244       | 20.71              | 22.78      | < 33.01     |
|                 |                         | 1       | 0         | 20.16              | 22.23      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 2546.01         | 100                     | 135     | 67        | 20.55              | 22.62      | < 33.01     |
|                 |                         | 1       | 1         | 20.15              | 22.22      | < 33.01     |
|                 |                         | 1       | 271       | 20.02              | 22.09      | < 33.01     |
|                 |                         | 270     | 0         | 20.33              | 22.40      | < 33.01     |
|                 |                         | 1       | 272       | 19.68              | 21.75      | < 33.01     |
|                 |                         | 1       | 0         | 20.01              | 22.08      | < 33.01     |
| 2592.99         | 100                     | 135     | 67        | 20.65              | 22.72      | < 33.01     |
|                 |                         | 1       | 1         | 20.43              | 22.50      | < 33.01     |
|                 |                         | 1       | 271       | 20.23              | 22.30      | < 33.01     |
|                 |                         | 270     | 0         | 20.59              | 22.66      | < 33.01     |
|                 |                         | 1       | 272       | 20.03              | 22.10      | < 33.01     |
|                 |                         | 1       | 0         | 20.36              | 22.43      | < 33.01     |
| 2640.00         | 100                     | 135     | 67        | 20.47              | 22.54      | < 33.01     |
|                 |                         | 1       | 1         | 20.04              | 22.11      | < 33.01     |
|                 |                         | 1       | 271       | 20.56              | 22.63      | < 33.01     |
|                 |                         | 270     | 0         | 20.65              | 22.72      | < 33.01     |
|                 |                         | 1       | 272       | 20.49              | 22.56      | < 33.01     |
|                 |                         | 1       | 0         | 20.65              | 22.72      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

|           |                         |               |                          |
|-----------|-------------------------|---------------|--------------------------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo                |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n77/n78_SA (3450 ~ 3550) |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3455.01                     | 10                      | 12      | 6         | 23.83              | 24.41      | < 30.00     |
|                             |                         | 1       | 1         | 23.78              | 24.36      | < 30.00     |
|                             |                         | 1       | 22        | 23.84              | 24.42      | < 30.00     |
|                             |                         | 24      | 0         | 23.95              | 24.53      | < 30.00     |
|                             |                         | 1       | 23        | 23.32              | 23.90      | < 30.00     |
|                             |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3500.01                     | 10                      | 12      | 6         | 23.55              | 24.13      | < 30.00     |
|                             |                         | 1       | 1         | 23.47              | 24.05      | < 30.00     |
|                             |                         | 1       | 22        | 23.39              | 23.97      | < 30.00     |
|                             |                         | 24      | 0         | 23.56              | 24.14      | < 30.00     |
|                             |                         | 1       | 23        | 22.93              | 23.51      | < 30.00     |
|                             |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3544.98                     | 10                      | 12      | 6         | 23.46              | 24.04      | < 30.00     |
|                             |                         | 1       | 1         | 23.33              | 23.91      | < 30.00     |
|                             |                         | 1       | 22        | 23.42              | 24.00      | < 30.00     |
|                             |                         | 24      | 0         | 23.54              | 24.12      | < 30.00     |
|                             |                         | 1       | 23        | 22.77              | 23.35      | < 30.00     |
|                             |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3457.50                     | 15                      | 18      | 9         | 24.19              | 24.77      | < 30.00     |
|                             |                         | 1       | 1         | 23.90              | 24.48      | < 30.00     |
|                             |                         | 1       | 36        | 24.08              | 24.66      | < 30.00     |
|                             |                         | 36      | 0         | 24.21              | 24.79      | < 30.00     |
|                             |                         | 1       | 37        | 23.62              | 24.20      | < 30.00     |
|                             |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3500.01                     | 15                      | 18      | 9         | 23.84              | 24.42      | < 30.00     |
|                             |                         | 1       | 1         | 23.80              | 24.38      | < 30.00     |
|                             |                         | 1       | 36        | 23.55              | 24.13      | < 30.00     |
|                             |                         | 36      | 0         | 23.69              | 24.27      | < 30.00     |
|                             |                         | 1       | 37        | 23.07              | 23.65      | < 30.00     |
|                             |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3542.49                     | 15                      | 18      | 9         | 23.66              | 24.24      | < 30.00     |
|                             |                         | 1       | 1         | 23.77              | 24.35      | < 30.00     |
|                             |                         | 1       | 36        | 23.75              | 24.33      | < 30.00     |
|                             |                         | 36      | 0         | 23.73              | 24.31      | < 30.00     |
|                             |                         | 1       | 37        | 23.08              | 23.66      | < 30.00     |
|                             |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3460.02                     | 20                      | 25      | 12        | 24.04              | 24.62      | < 30.00     |
|                             |                         | 1       | 1         | 23.88              | 24.46      | < 30.00     |
|                             |                         | 1       | 49        | 23.94              | 24.52      | < 30.00     |
|                             |                         | 50      | 0         | 23.98              | 24.56      | < 30.00     |
|                             |                         | 1       | 50        | 23.49              | 24.07      | < 30.00     |
|                             |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3500.01                     | 20                      | 25      | 12        | 23.62              | 24.20      | < 30.00     |
|                             |                         | 1       | 1         | 23.72              | 24.30      | < 30.00     |
|                             |                         | 1       | 49        | 23.35              | 23.93      | < 30.00     |
|                             |                         | 50      | 0         | 23.70              | 24.28      | < 30.00     |
|                             |                         | 1       | 50        | 22.89              | 23.47      | < 30.00     |
|                             |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3540.00                     | 20                      | 25      | 12        | 23.54              | 24.12      | < 30.00     |
|                             |                         | 1       | 1         | 23.53              | 24.11      | < 30.00     |
|                             |                         | 1       | 49        | 23.50              | 24.08      | < 30.00     |
|                             |                         | 50      | 0         | 23.64              | 24.22      | < 30.00     |
|                             |                         | 1       | 50        | 22.94              | 23.52      | < 30.00     |
|                             |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3464.00                     | 30                      | 36      | 78        | 24.12              | 24.70      | < 30.00     |
|                             |                         | 1       | 1         | 23.83              | 24.41      | < 30.00     |
|                             |                         | 1       | 76        | 24.05              | 24.63      | < 30.00     |
|                             |                         | 75      | 0         | 24.04              | 24.62      | < 30.00     |
|                             |                         | 1       | 77        | 23.47              | 24.05      | < 30.00     |
|                             |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3500.01                     | 30                      | 36      | 78        | 23.81              | 24.39      | < 30.00     |
|                             |                         | 1       | 1         | 23.93              | 24.51      | < 30.00     |
|                             |                         | 1       | 76        | 23.52              | 24.10      | < 30.00     |
|                             |                         | 75      | 0         | 23.70              | 24.28      | < 30.00     |
|                             |                         | 1       | 77        | 22.96              | 23.54      | < 30.00     |
|                             |                         | 1       | 0         | 23.56              | 24.14      | < 30.00     |
| 3534.99                     | 30                      | 36      | 78        | 23.72              | 24.30      | < 30.00     |
|                             |                         | 1       | 1         | 23.59              | 24.17      | < 30.00     |
|                             |                         | 1       | 76        | 23.52              | 24.10      | < 30.00     |
|                             |                         | 75      | 0         | 23.66              | 24.24      | < 30.00     |
|                             |                         | 1       | 77        | 23.07              | 23.65      | < 30.00     |
|                             |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3470.01                     | 40                      | 50      | 25        | 24.10              | 24.68      | < 30.00     |
|                             |                         | 1       | 1         | 23.97              | 24.55      | < 30.00     |
|                             |                         | 1       | 104       | 23.91              | 24.49      | < 30.00     |
|                             |                         | 100     | 0         | 23.96              | 24.54      | < 30.00     |
|                             |                         | 1       | 105       | 23.42              | 24.00      | < 30.00     |
|                             |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3500.01                     | 40                      | 50      | 25        | 23.85              | 24.43      | < 30.00     |
|                             |                         | 1       | 1         | 24.06              | 24.64      | < 30.00     |
|                             |                         | 1       | 104       | 23.56              | 24.14      | < 30.00     |
|                             |                         | 100     | 0         | 23.81              | 24.39      | < 30.00     |
|                             |                         | 1       | 105       | 23.39              | 23.97      | < 30.00     |
|                             |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3529.98                     | 40                      | 50      | 25        | 23.59              | 24.17      | < 30.00     |
|                             |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|                             |                         | 1       | 104       | 23.73              | 24.31      | < 30.00     |
|                             |                         | 100     | 0         | 23.61              | 24.19      | < 30.00     |
|                             |                         | 1       | 105       | 23.11              | 23.69      | < 30.00     |
|                             |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3475.02                     | 50                      | 64      | 32        | 23.84              | 24.42      | < 30.00     |
|                             |                         | 1       | 1         | 23.76              | 24.34      | < 30.00     |
|                             |                         | 1       | 131       | 23.48              | 24.06      | < 30.00     |
|                             |                         | 128     | 0         | 23.79              | 24.37      | < 30.00     |
|                             |                         | 1       | 132       | 22.89              | 23.47      | < 30.00     |
|                             |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3500.01                     | 50                      | 64      | 32        | 23.49              | 24.07      | < 30.00     |
|                             |                         | 1       | 1         | 24.06              | 24.64      | < 30.00     |
|                             |                         | 1       | 131       | 23.43              | 24.01      | < 30.00     |
|                             |                         | 128     | 0         | 23.55              | 24.13      | < 30.00     |
|                             |                         | 1       | 132       | 22.88              | 23.46      | < 30.00     |
|                             |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3525.00                     | 50                      | 64      | 32        | 23.39              | 23.97      | < 30.00     |
|                             |                         | 1       | 1         | 23.47              | 24.05      | < 30.00     |
|                             |                         | 1       | 131       | 23.50              | 24.08      | < 30.00     |
|                             |                         | 128     | 0         | 23.42              | 24.00      | < 30.00     |
|                             |                         | 1       | 132       | 22.87              | 23.45      | < 30.00     |
|                             |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3480.00                     | 60                      | 81      | 40        | 24.08              | 24.66      | < 30.00     |
|                             |                         | 1       | 1         | 23.91              | 24.49      | < 30.00     |
|                             |                         | 1       | 160       | 23.44              | 24.02      | < 30.00     |
|                             |                         | 162     | 0         | 23.79              | 24.37      | < 30.00     |
|                             |                         | 1       | 161       | 22.77              | 23.35      | < 30.00     |
|                             |                         | 1       | 0         | 23.36              | 23.94      | < 30.00     |
| 3500.01                     | 60                      | 81      | 40        | 23.68              | 24.26      | < 30.00     |
|                             |                         | 1       | 1         | 23.93              | 24.51      | < 30.00     |
|                             |                         | 1       | 160       | 23.39              | 23.97      | < 30.00     |
|                             |                         | 162     | 0         | 23.66              | 24.24      | < 30.00     |
|                             |                         | 1       | 161       | 23.15              | 23.73      | < 30.00     |
|                             |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 160       | 23.51              | 24.09      | < 30.00     |
|  |                         | 162     | 0         | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 161       | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 1         | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 187       | 23.24              | 23.82      | < 30.00     |
|  |                         | 180     | 0         | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 188       | 22.70              | 23.28      | < 30.00     |
|  |                         | 1       | 0         | 22.79              | 23.37      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 1         | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 187       | 23.37              | 23.95      | < 30.00     |
|  |                         | 180     | 0         | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 188       | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 23.43              | 24.01      | < 30.00     |
|  |                         | 1       | 1         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 187       | 23.35              | 23.93      | < 30.00     |
|  |                         | 180     | 0         | 23.38              | 23.96      | < 30.00     |
|  |                         | 1       | 188       | 22.69              | 23.27      | < 30.00     |
|  |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3490.02                     | 80                      | 108     | 54        | 23.49              | 24.07      | < 30.00     |
|                             |                         | 1       | 1         | 23.53              | 24.11      | < 30.00     |
|                             |                         | 1       | 215       | 23.23              | 23.81      | < 30.00     |
|                             |                         | 216     | 0         | 23.47              | 24.05      | < 30.00     |
|                             |                         | 1       | 216       | 22.66              | 23.24      | < 30.00     |
|                             |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| 3500.01                     | 80                      | 108     | 54        | 23.40              | 23.98      | < 30.00     |
|                             |                         | 1       | 1         | 23.72              | 24.30      | < 30.00     |
|                             |                         | 1       | 215       | 23.25              | 23.83      | < 30.00     |
|                             |                         | 216     | 0         | 23.55              | 24.13      | < 30.00     |
|                             |                         | 1       | 216       | 22.68              | 23.26      | < 30.00     |
|                             |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3510.00                     | 80                      | 108     | 54        | 23.47              | 24.05      | < 30.00     |
|                             |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|                             |                         | 1       | 215       | 23.18              | 23.76      | < 30.00     |
|                             |                         | 216     | 0         | 23.58              | 24.16      | < 30.00     |
|                             |                         | 1       | 216       | 22.81              | 23.39      | < 30.00     |
|                             |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3495.00                     | 90                      | 120     | 60        | 23.45              | 24.03      | < 30.00     |
|                             |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|                             |                         | 1       | 243       | 23.29              | 23.87      | < 30.00     |
|                             |                         | 243     | 0         | 23.44              | 24.02      | < 30.00     |
|                             |                         | 1       | 244       | 22.75              | 23.33      | < 30.00     |
|                             |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3500.01                     | 90                      | 120     | 60        | 23.61              | 24.19      | < 30.00     |
|                             |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|                             |                         | 1       | 243       | 23.35              | 23.93      | < 30.00     |
|                             |                         | 243     | 0         | 23.52              | 24.10      | < 30.00     |
|                             |                         | 1       | 244       | 22.71              | 23.29      | < 30.00     |
|                             |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3504.99                     | 90                      | 120     | 60        | 23.40              | 23.98      | < 30.00     |
|                             |                         | 1       | 1         | 23.68              | 24.26      | < 30.00     |
|                             |                         | 1       | 243       | 23.35              | 23.93      | < 30.00     |
|                             |                         | 243     | 0         | 23.44              | 24.02      | < 30.00     |
|                             |                         | 1       | 244       | 22.67              | 23.25      | < 30.00     |
|                             |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |
| 3500.01                     | 100                     | 135     | 67        | 23.45              | 24.03      | < 30.00     |
|                             |                         | 1       | 1         | 23.63              | 24.21      | < 30.00     |
|                             |                         | 1       | 271       | 23.38              | 23.96      | < 30.00     |
|                             |                         | 270     | 0         | 23.57              | 24.15      | < 30.00     |
|                             |                         | 1       | 272       | 22.64              | 23.22      | < 30.00     |
|                             |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3455.01                | 10                      | 12      | 6         | 23.84              | 24.42      | < 30.00     |
|                        |                         | 1       | 1         | 23.67              | 24.25      | < 30.00     |
|                        |                         | 1       | 22        | 23.81              | 24.39      | < 30.00     |
|                        |                         | 24      | 0         | 23.90              | 24.48      | < 30.00     |
|                        |                         | 1       | 23        | 23.41              | 23.99      | < 30.00     |
|                        |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3500.01                | 10                      | 12      | 6         | 23.56              | 24.14      | < 30.00     |
|                        |                         | 1       | 1         | 23.62              | 24.20      | < 30.00     |
|                        |                         | 1       | 22        | 23.32              | 23.90      | < 30.00     |
|                        |                         | 24      | 0         | 23.59              | 24.17      | < 30.00     |
|                        |                         | 1       | 23        | 22.82              | 23.40      | < 30.00     |
|                        |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3544.98                | 10                      | 12      | 6         | 23.54              | 24.12      | < 30.00     |
|                        |                         | 1       | 1         | 23.39              | 23.97      | < 30.00     |
|                        |                         | 1       | 22        | 23.37              | 23.95      | < 30.00     |
|                        |                         | 24      | 0         | 23.38              | 23.96      | < 30.00     |
|                        |                         | 1       | 23        | 22.92              | 23.50      | < 30.00     |
|                        |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3457.50                | 15                      | 18      | 9         | 24.07              | 24.65      | < 30.00     |
|                        |                         | 1       | 1         | 24.16              | 24.74      | < 30.00     |
|                        |                         | 1       | 36        | 24.14              | 24.72      | < 30.00     |
|                        |                         | 36      | 0         | 24.03              | 24.61      | < 30.00     |
|                        |                         | 1       | 37        | 23.56              | 24.14      | < 30.00     |
|                        |                         | 1       | 0         | 23.44              | 24.02      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3500.01                | 15                      | 18      | 9         | 23.71              | 24.29      | < 30.00     |
|                        |                         | 1       | 1         | 23.85              | 24.43      | < 30.00     |
|                        |                         | 1       | 36        | 23.74              | 24.32      | < 30.00     |
|                        |                         | 36      | 0         | 23.73              | 24.31      | < 30.00     |
|                        |                         | 1       | 37        | 23.03              | 23.61      | < 30.00     |
|                        |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3542.49                | 15                      | 18      | 9         | 23.81              | 24.39      | < 30.00     |
|                        |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|                        |                         | 1       | 36        | 23.70              | 24.28      | < 30.00     |
|                        |                         | 36      | 0         | 23.68              | 24.26      | < 30.00     |
|                        |                         | 1       | 37        | 23.14              | 23.72      | < 30.00     |
|                        |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3460.02                | 20                      | 25      | 12        | 24.05              | 24.63      | < 30.00     |
|                        |                         | 1       | 1         | 23.88              | 24.46      | < 30.00     |
|                        |                         | 1       | 49        | 23.97              | 24.55      | < 30.00     |
|                        |                         | 50      | 0         | 23.91              | 24.49      | < 30.00     |
|                        |                         | 1       | 50        | 23.65              | 24.23      | < 30.00     |
|                        |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3500.01                | 20                      | 25      | 12        | 23.65              | 24.23      | < 30.00     |
|                        |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|                        |                         | 1       | 49        | 23.62              | 24.20      | < 30.00     |
|                        |                         | 50      | 0         | 23.66              | 24.24      | < 30.00     |
|                        |                         | 1       | 50        | 23.19              | 23.77      | < 30.00     |
|                        |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3540.00                | 20                      | 25      | 12        | 23.61              | 24.19      | < 30.00     |
|                        |                         | 1       | 1         | 23.46              | 24.04      | < 30.00     |
|                        |                         | 1       | 49        | 23.44              | 24.02      | < 30.00     |
|                        |                         | 50      | 0         | 23.58              | 24.16      | < 30.00     |
|                        |                         | 1       | 50        | 22.99              | 23.57      | < 30.00     |
|                        |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3464.00                | 30                      | 36      | 78        | 23.96              | 24.54      | < 30.00     |
|                        |                         | 1       | 1         | 23.74              | 24.32      | < 30.00     |
|                        |                         | 1       | 76        | 24.25              | 24.83      | < 30.00     |
|                        |                         | 75      | 0         | 23.96              | 24.54      | < 30.00     |
|                        |                         | 1       | 77        | 23.63              | 24.21      | < 30.00     |
|                        |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| 3500.01                | 30                      | 36      | 78        | 23.68              | 24.26      | < 30.00     |
|                        |                         | 1       | 1         | 24.07              | 24.65      | < 30.00     |
|                        |                         | 1       | 76        | 23.45              | 24.03      | < 30.00     |
|                        |                         | 75      | 0         | 23.72              | 24.30      | < 30.00     |
|                        |                         | 1       | 77        | 22.92              | 23.50      | < 30.00     |
|                        |                         | 1       | 0         | 23.36              | 23.94      | < 30.00     |
| 3534.99                | 30                      | 36      | 78        | 23.69              | 24.27      | < 30.00     |
|                        |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|                        |                         | 1       | 76        | 23.57              | 24.15      | < 30.00     |
|                        |                         | 75      | 0         | 23.59              | 24.17      | < 30.00     |
|                        |                         | 1       | 77        | 23.04              | 23.62      | < 30.00     |
|                        |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 23.99              | 24.57      | < 30.00     |
|  |                         | 1       | 1         | 24.03              | 24.61      | < 30.00     |
|  |                         | 1       | 104       | 24.05              | 24.63      | < 30.00     |
|  |                         | 100     | 0         | 23.98              | 24.56      | < 30.00     |
|  |                         | 1       | 105       | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 1         | 24.09              | 24.67      | < 30.00     |
|  |                         | 1       | 104       | 23.61              | 24.19      | < 30.00     |
|  |                         | 100     | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 105       | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 1         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 104       | 23.68              | 24.26      | < 30.00     |
|  |                         | 100     | 0         | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 105       | 23.19              | 23.77      | < 30.00     |
|  |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 1         | 23.86              | 24.44      | < 30.00     |
|  |                         | 1       | 131       | 23.42              | 24.00      | < 30.00     |
|  |                         | 128     | 0         | 23.93              | 24.51      | < 30.00     |
|  |                         | 1       | 132       | 22.95              | 23.53      | < 30.00     |
|  |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3500.01                | 50                      | 64      | 32        | 23.57              | 24.15      | < 30.00     |
|                        |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|                        |                         | 1       | 131       | 23.57              | 24.15      | < 30.00     |
|                        |                         | 128     | 0         | 23.68              | 24.26      | < 30.00     |
|                        |                         | 1       | 132       | 23.08              | 23.66      | < 30.00     |
|                        |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3525.00                | 50                      | 64      | 32        | 23.37              | 23.95      | < 30.00     |
|                        |                         | 1       | 1         | 23.51              | 24.09      | < 30.00     |
|                        |                         | 1       | 131       | 23.35              | 23.93      | < 30.00     |
|                        |                         | 128     | 0         | 23.56              | 24.14      | < 30.00     |
|                        |                         | 1       | 132       | 22.80              | 23.38      | < 30.00     |
|                        |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3480.00                | 60                      | 81      | 40        | 24.03              | 24.61      | < 30.00     |
|                        |                         | 1       | 1         | 23.74              | 24.32      | < 30.00     |
|                        |                         | 1       | 160       | 23.29              | 23.87      | < 30.00     |
|                        |                         | 162     | 0         | 24.03              | 24.61      | < 30.00     |
|                        |                         | 1       | 161       | 22.92              | 23.50      | < 30.00     |
|                        |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3500.01                | 60                      | 81      | 40        | 23.74              | 24.32      | < 30.00     |
|                        |                         | 1       | 1         | 23.99              | 24.57      | < 30.00     |
|                        |                         | 1       | 160       | 23.46              | 24.04      | < 30.00     |
|                        |                         | 162     | 0         | 23.69              | 24.27      | < 30.00     |
|                        |                         | 1       | 161       | 22.93              | 23.51      | < 30.00     |
|                        |                         | 1       | 0         | 23.49              | 24.07      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 1         | 23.88              | 24.46      | < 30.00     |
|  |                         | 1       | 160       | 23.57              | 24.15      | < 30.00     |
|  |                         | 162     | 0         | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 161       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 1         | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 187       | 23.22              | 23.80      | < 30.00     |
|  |                         | 180     | 0         | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 188       | 22.72              | 23.30      | < 30.00     |
|  |                         | 1       | 0         | 22.77              | 23.35      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 1         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 187       | 23.34              | 23.92      | < 30.00     |
|  |                         | 180     | 0         | 23.56              | 24.14      | < 30.00     |
|  |                         | 1       | 188       | 22.71              | 23.29      | < 30.00     |
|  |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 23.55              | 24.13      | < 30.00     |
|  |                         | 1       | 1         | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 187       | 23.20              | 23.78      | < 30.00     |
|  |                         | 180     | 0         | 23.53              | 24.11      | < 30.00     |
|  |                         | 1       | 188       | 22.69              | 23.27      | < 30.00     |
|  |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3490.02                | 80                      | 108     | 54        | 23.50              | 24.08      | < 30.00     |
|                        |                         | 1       | 1         | 23.53              | 24.11      | < 30.00     |
|                        |                         | 1       | 215       | 23.28              | 23.86      | < 30.00     |
|                        |                         | 216     | 0         | 23.50              | 24.08      | < 30.00     |
|                        |                         | 1       | 216       | 22.71              | 23.29      | < 30.00     |
|                        |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3500.01                | 80                      | 108     | 54        | 23.49              | 24.07      | < 30.00     |
|                        |                         | 1       | 1         | 23.88              | 24.46      | < 30.00     |
|                        |                         | 1       | 215       | 23.41              | 23.99      | < 30.00     |
|                        |                         | 216     | 0         | 23.40              | 23.98      | < 30.00     |
|                        |                         | 1       | 216       | 22.74              | 23.32      | < 30.00     |
|                        |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3510.00                | 80                      | 108     | 54        | 23.32              | 23.90      | < 30.00     |
|                        |                         | 1       | 1         | 23.79              | 24.37      | < 30.00     |
|                        |                         | 1       | 215       | 23.26              | 23.84      | < 30.00     |
|                        |                         | 216     | 0         | 23.53              | 24.11      | < 30.00     |
|                        |                         | 1       | 216       | 22.78              | 23.36      | < 30.00     |
|                        |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3495.00                | 90                      | 120     | 60        | 23.46              | 24.04      | < 30.00     |
|                        |                         | 1       | 1         | 23.63              | 24.21      | < 30.00     |
|                        |                         | 1       | 243       | 23.36              | 23.94      | < 30.00     |
|                        |                         | 243     | 0         | 23.47              | 24.05      | < 30.00     |
|                        |                         | 1       | 244       | 22.70              | 23.28      | < 30.00     |
|                        |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3500.01                | 90                      | 120     | 60        | 23.52              | 24.10      | < 30.00     |
|                        |                         | 1       | 1         | 23.82              | 24.40      | < 30.00     |
|                        |                         | 1       | 243       | 23.54              | 24.12      | < 30.00     |
|                        |                         | 243     | 0         | 23.57              | 24.15      | < 30.00     |
|                        |                         | 1       | 244       | 22.92              | 23.50      | < 30.00     |
|                        |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3504.99                | 90                      | 120     | 60        | 23.47              | 24.05      | < 30.00     |
|                        |                         | 1       | 1         | 23.96              | 24.54      | < 30.00     |
|                        |                         | 1       | 243       | 23.30              | 23.88      | < 30.00     |
|                        |                         | 243     | 0         | 23.55              | 24.13      | < 30.00     |
|                        |                         | 1       | 244       | 22.68              | 23.26      | < 30.00     |
|                        |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3500.01                | 100                     | 135     | 67        | 23.46              | 24.04      | < 30.00     |
|                        |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|                        |                         | 1       | 271       | 23.44              | 24.02      | < 30.00     |
|                        |                         | 270     | 0         | 23.63              | 24.21      | < 30.00     |
|                        |                         | 1       | 272       | 22.64              | 23.22      | < 30.00     |
|                        |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3455.01  | 10                      | 12      | 6         | 23.85              | 24.43      | < 30.00     |
|  |                         | 1       | 1         | 23.82              | 24.40      | < 30.00     |
|  |                         | 1       | 22        | 23.90              | 24.48      | < 30.00     |
|  |                         | 24      | 0         | 23.90              | 24.48      | < 30.00     |
|  |                         | 1       | 23        | 23.36              | 23.94      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3500.01  | 10                      | 12      | 6         | 23.55              | 24.13      | < 30.00     |
|  |                         | 1       | 1         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 22        | 23.44              | 24.02      | < 30.00     |
|  |                         | 24      | 0         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 23        | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3544.98  | 10                      | 12      | 6         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 1         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 22        | 23.11              | 23.69      | < 30.00     |
|  |                         | 24      | 0         | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 23        | 22.64              | 23.22      | < 30.00     |
|  |                         | 1       | 0         | 22.62              | 23.20      | < 30.00     |
| 3457.50  | 15                      | 18      | 9         | 24.21              | 24.79      | < 30.00     |
|  |                         | 1       | 1         | 23.78              | 24.36      | < 30.00     |
|  |                         | 1       | 36        | 23.84              | 24.42      | < 30.00     |
|  |                         | 36      | 0         | 24.09              | 24.67      | < 30.00     |
|  |                         | 1       | 37        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 15                      | 18      | 9         | 23.78              | 24.36      | < 30.00     |
|                         |                         | 1       | 1         | 23.81              | 24.39      | < 30.00     |
|                         |                         | 1       | 36        | 23.73              | 24.31      | < 30.00     |
|                         |                         | 36      | 0         | 23.83              | 24.41      | < 30.00     |
|                         |                         | 1       | 37        | 23.12              | 23.70      | < 30.00     |
|                         |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3542.49                 | 15                      | 18      | 9         | 23.90              | 24.48      | < 30.00     |
|                         |                         | 1       | 1         | 23.43              | 24.01      | < 30.00     |
|                         |                         | 1       | 36        | 23.42              | 24.00      | < 30.00     |
|                         |                         | 36      | 0         | 23.77              | 24.35      | < 30.00     |
|                         |                         | 1       | 37        | 23.01              | 23.59      | < 30.00     |
|                         |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| 3460.02                 | 20                      | 25      | 12        | 24.03              | 24.61      | < 30.00     |
|                         |                         | 1       | 1         | 23.59              | 24.17      | < 30.00     |
|                         |                         | 1       | 49        | 23.89              | 24.47      | < 30.00     |
|                         |                         | 50      | 0         | 24.01              | 24.59      | < 30.00     |
|                         |                         | 1       | 50        | 23.32              | 23.90      | < 30.00     |
|                         |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3500.01                 | 20                      | 25      | 12        | 23.71              | 24.29      | < 30.00     |
|                         |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|                         |                         | 1       | 49        | 23.35              | 23.93      | < 30.00     |
|                         |                         | 50      | 0         | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 50        | 22.57              | 23.15      | < 30.00     |
|                         |                         | 1       | 0         | 23.03              | 23.61      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3540.00                 | 20                      | 25      | 12        | 23.53              | 24.11      | < 30.00     |
|                         |                         | 1       | 1         | 23.19              | 23.77      | < 30.00     |
|                         |                         | 1       | 49        | 23.28              | 23.86      | < 30.00     |
|                         |                         | 50      | 0         | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 50        | 22.70              | 23.28      | < 30.00     |
|                         |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3464.00                 | 30                      | 36      | 78        | 23.89              | 24.47      | < 30.00     |
|                         |                         | 1       | 1         | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 76        | 23.88              | 24.46      | < 30.00     |
|                         |                         | 75      | 0         | 24.05              | 24.63      | < 30.00     |
|                         |                         | 1       | 77        | 23.25              | 23.83      | < 30.00     |
|                         |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3500.01                 | 30                      | 36      | 78        | 23.66              | 24.24      | < 30.00     |
|                         |                         | 1       | 1         | 24.01              | 24.59      | < 30.00     |
|                         |                         | 1       | 76        | 23.63              | 24.21      | < 30.00     |
|                         |                         | 75      | 0         | 23.71              | 24.29      | < 30.00     |
|                         |                         | 1       | 77        | 23.21              | 23.79      | < 30.00     |
|                         |                         | 1       | 0         | 23.42              | 24.00      | < 30.00     |
| 3534.99                 | 30                      | 36      | 78        | 23.59              | 24.17      | < 30.00     |
|                         |                         | 1       | 1         | 23.26              | 23.84      | < 30.00     |
|                         |                         | 1       | 76        | 23.21              | 23.79      | < 30.00     |
|                         |                         | 75      | 0         | 23.77              | 24.35      | < 30.00     |
|                         |                         | 1       | 77        | 23.23              | 23.81      | < 30.00     |
|                         |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3470.01                 | 40                      | 50      | 25        | 24.12              | 24.70      | < 30.00     |
|                         |                         | 1       | 1         | 23.91              | 24.49      | < 30.00     |
|                         |                         | 1       | 104       | 23.81              | 24.39      | < 30.00     |
|                         |                         | 100     | 0         | 24.04              | 24.62      | < 30.00     |
|                         |                         | 1       | 105       | 23.07              | 23.65      | < 30.00     |
|                         |                         | 1       | 0         | 23.18              | 23.76      | < 30.00     |
| 3500.01                 | 40                      | 50      | 25        | 23.81              | 24.39      | < 30.00     |
|                         |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|                         |                         | 1       | 104       | 23.53              | 24.11      | < 30.00     |
|                         |                         | 100     | 0         | 23.80              | 24.38      | < 30.00     |
|                         |                         | 1       | 105       | 23.25              | 23.83      | < 30.00     |
|                         |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3529.98                 | 40                      | 50      | 25        | 23.74              | 24.32      | < 30.00     |
|                         |                         | 1       | 1         | 23.32              | 23.90      | < 30.00     |
|                         |                         | 1       | 104       | 23.40              | 23.98      | < 30.00     |
|                         |                         | 100     | 0         | 23.67              | 24.25      | < 30.00     |
|                         |                         | 1       | 105       | 22.94              | 23.52      | < 30.00     |
|                         |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3475.02                 | 50                      | 64      | 32        | 23.99              | 24.57      | < 30.00     |
|                         |                         | 1       | 1         | 23.51              | 24.09      | < 30.00     |
|                         |                         | 1       | 131       | 23.23              | 23.81      | < 30.00     |
|                         |                         | 128     | 0         | 23.98              | 24.56      | < 30.00     |
|                         |                         | 1       | 132       | 22.85              | 23.43      | < 30.00     |
|                         |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 64      | 32        | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 131       | 23.30              | 23.88      | < 30.00     |
|  |                         | 128     | 0         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 132       | 22.64              | 23.22      | < 30.00     |
|  |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3525.00  | 50                      | 64      | 32        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 1         | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 131       | 23.28              | 23.86      | < 30.00     |
|  |                         | 128     | 0         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 132       | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.77              | 23.35      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 24.09              | 24.67      | < 30.00     |
|  |                         | 1       | 1         | 23.78              | 24.36      | < 30.00     |
|  |                         | 1       | 160       | 23.43              | 24.01      | < 30.00     |
|  |                         | 162     | 0         | 23.90              | 24.48      | < 30.00     |
|  |                         | 1       | 161       | 23.00              | 23.58      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 1         | 24.02              | 24.60      | < 30.00     |
|  |                         | 1       | 160       | 23.51              | 24.09      | < 30.00     |
|  |                         | 162     | 0         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 161       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.60              | 24.18      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 1         | 23.81              | 24.39      | < 30.00     |
|  |                         | 1       | 160       | 23.53              | 24.11      | < 30.00     |
|  |                         | 162     | 0         | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 161       | 22.89              | 23.47      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 1         | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 187       | 23.20              | 23.78      | < 30.00     |
|  |                         | 180     | 0         | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 188       | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.76              | 23.34      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 23.42              | 24.00      | < 30.00     |
|  |                         | 1       | 1         | 23.43              | 24.01      | < 30.00     |
|  |                         | 1       | 187       | 23.00              | 23.58      | < 30.00     |
|  |                         | 180     | 0         | 23.43              | 24.01      | < 30.00     |
|  |                         | 1       | 188       | 22.81              | 23.39      | < 30.00     |
|  |                         | 1       | 0         | 22.98              | 23.56      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 187       | 23.01              | 23.59      | < 30.00     |
|  |                         | 180     | 0         | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 188       | 22.61              | 23.19      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3490.02                 | 80                      | 108     | 54        | 23.41              | 23.99      | < 30.00     |
|                         |                         | 1       | 1         | 23.49              | 24.07      | < 30.00     |
|                         |                         | 1       | 215       | 23.00              | 23.58      | < 30.00     |
|                         |                         | 216     | 0         | 23.65              | 24.23      | < 30.00     |
|                         |                         | 1       | 216       | 22.51              | 23.09      | < 30.00     |
|                         |                         | 1       | 0         | 22.67              | 23.25      | < 30.00     |
| 3500.01                 | 80                      | 108     | 54        | 23.37              | 23.95      | < 30.00     |
|                         |                         | 1       | 1         | 23.64              | 24.22      | < 30.00     |
|                         |                         | 1       | 215       | 23.13              | 23.71      | < 30.00     |
|                         |                         | 216     | 0         | 23.47              | 24.05      | < 30.00     |
|                         |                         | 1       | 216       | 22.54              | 23.12      | < 30.00     |
|                         |                         | 1       | 0         | 22.99              | 23.57      | < 30.00     |
| 3510.00                 | 80                      | 108     | 54        | 23.32              | 23.90      | < 30.00     |
|                         |                         | 1       | 1         | 23.64              | 24.22      | < 30.00     |
|                         |                         | 1       | 215       | 23.14              | 23.72      | < 30.00     |
|                         |                         | 216     | 0         | 23.39              | 23.97      | < 30.00     |
|                         |                         | 1       | 216       | 22.47              | 23.05      | < 30.00     |
|                         |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3495.00                 | 90                      | 120     | 60        | 23.50              | 24.08      | < 30.00     |
|                         |                         | 1       | 1         | 23.45              | 24.03      | < 30.00     |
|                         |                         | 1       | 243       | 23.06              | 23.64      | < 30.00     |
|                         |                         | 243     | 0         | 23.61              | 24.19      | < 30.00     |
|                         |                         | 1       | 244       | 22.60              | 23.18      | < 30.00     |
|                         |                         | 1       | 0         | 22.69              | 23.27      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 90                      | 120     | 60        | 23.55              | 24.13      | < 30.00     |
|                         |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|                         |                         | 1       | 243       | 23.29              | 23.87      | < 30.00     |
|                         |                         | 243     | 0         | 23.55              | 24.13      | < 30.00     |
|                         |                         | 1       | 244       | 22.49              | 23.07      | < 30.00     |
|                         |                         | 1       | 0         | 22.85              | 23.43      | < 30.00     |
| 3504.99                 | 90                      | 120     | 60        | 23.47              | 24.05      | < 30.00     |
|                         |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|                         |                         | 1       | 243       | 23.13              | 23.71      | < 30.00     |
|                         |                         | 243     | 0         | 23.45              | 24.03      | < 30.00     |
|                         |                         | 1       | 244       | 22.58              | 23.16      | < 30.00     |
|                         |                         | 1       | 0         | 22.91              | 23.49      | < 30.00     |
| 3500.01                 | 100                     | 135     | 67        | 23.42              | 24.00      | < 30.00     |
|                         |                         | 1       | 1         | 23.28              | 23.86      | < 30.00     |
|                         |                         | 1       | 271       | 23.23              | 23.81      | < 30.00     |
|                         |                         | 270     | 0         | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 272       | 22.41              | 22.99      | < 30.00     |
|                         |                         | 1       | 0         | 22.63              | 23.21      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3455.01                 | 10                      | 12      | 6         | 23.82              | 24.40      | < 30.00     |
|                         |                         | 1       | 1         | 23.78              | 24.36      | < 30.00     |
|                         |                         | 1       | 22        | 23.79              | 24.37      | < 30.00     |
|                         |                         | 24      | 0         | 23.93              | 24.51      | < 30.00     |
|                         |                         | 1       | 23        | 23.36              | 23.94      | < 30.00     |
|                         |                         | 1       | 0         | 23.51              | 24.09      | < 30.00     |
| 3500.01                 | 10                      | 12      | 6         | 23.39              | 23.97      | < 30.00     |
|                         |                         | 1       | 1         | 23.46              | 24.04      | < 30.00     |
|                         |                         | 1       | 22        | 23.53              | 24.11      | < 30.00     |
|                         |                         | 24      | 0         | 23.52              | 24.10      | < 30.00     |
|                         |                         | 1       | 23        | 22.77              | 23.35      | < 30.00     |
|                         |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3544.98                 | 10                      | 12      | 6         | 23.44              | 24.02      | < 30.00     |
|                         |                         | 1       | 1         | 23.48              | 24.06      | < 30.00     |
|                         |                         | 1       | 22        | 23.35              | 23.93      | < 30.00     |
|                         |                         | 24      | 0         | 23.46              | 24.04      | < 30.00     |
|                         |                         | 1       | 23        | 23.01              | 23.59      | < 30.00     |
|                         |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3457.50                 | 15                      | 18      | 9         | 24.15              | 24.73      | < 30.00     |
|                         |                         | 1       | 1         | 24.14              | 24.72      | < 30.00     |
|                         |                         | 1       | 36        | 24.33              | 24.91      | < 30.00     |
|                         |                         | 36      | 0         | 24.06              | 24.64      | < 30.00     |
|                         |                         | 1       | 37        | 23.80              | 24.38      | < 30.00     |
|                         |                         | 1       | 0         | 23.70              | 24.28      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 15                      | 18      | 9         | 23.76              | 24.34      | < 30.00     |
|                         |                         | 1       | 1         | 23.92              | 24.50      | < 30.00     |
|                         |                         | 1       | 36        | 23.59              | 24.17      | < 30.00     |
|                         |                         | 36      | 0         | 23.68              | 24.26      | < 30.00     |
|                         |                         | 1       | 37        | 23.05              | 23.63      | < 30.00     |
|                         |                         | 1       | 0         | 23.63              | 24.21      | < 30.00     |
| 3542.49                 | 15                      | 18      | 9         | 23.71              | 24.29      | < 30.00     |
|                         |                         | 1       | 1         | 23.85              | 24.43      | < 30.00     |
|                         |                         | 1       | 36        | 23.95              | 24.53      | < 30.00     |
|                         |                         | 36      | 0         | 23.74              | 24.32      | < 30.00     |
|                         |                         | 1       | 37        | 23.41              | 23.99      | < 30.00     |
|                         |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3460.02                 | 20                      | 25      | 12        | 24.07              | 24.65      | < 30.00     |
|                         |                         | 1       | 1         | 23.82              | 24.40      | < 30.00     |
|                         |                         | 1       | 49        | 24.15              | 24.73      | < 30.00     |
|                         |                         | 50      | 0         | 24.07              | 24.65      | < 30.00     |
|                         |                         | 1       | 50        | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| 3500.01                 | 20                      | 25      | 12        | 23.66              | 24.24      | < 30.00     |
|                         |                         | 1       | 1         | 23.76              | 24.34      | < 30.00     |
|                         |                         | 1       | 49        | 23.64              | 24.22      | < 30.00     |
|                         |                         | 50      | 0         | 23.65              | 24.23      | < 30.00     |
|                         |                         | 1       | 50        | 22.95              | 23.53      | < 30.00     |
|                         |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3540.00  | 20                      | 25      | 12        | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 49        | 23.49              | 24.07      | < 30.00     |
|  |                         | 50      | 0         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 50        | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3464.00  | 30                      | 36      | 78        | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|  |                         | 1       | 76        | 23.90              | 24.48      | < 30.00     |
|  |                         | 75      | 0         | 23.91              | 24.49      | < 30.00     |
|  |                         | 1       | 77        | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3500.01  | 30                      | 36      | 78        | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 1         | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 76        | 23.80              | 24.38      | < 30.00     |
|  |                         | 75      | 0         | 23.89              | 24.47      | < 30.00     |
|  |                         | 1       | 77        | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| 3534.99  | 30                      | 36      | 78        | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 1         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 76        | 23.62              | 24.20      | < 30.00     |
|  |                         | 75      | 0         | 23.81              | 24.39      | < 30.00     |
|  |                         | 1       | 77        | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 24.02              | 24.60      | < 30.00     |
|  |                         | 1       | 1         | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 104       | 23.79              | 24.37      | < 30.00     |
|  |                         | 100     | 0         | 23.95              | 24.53      | < 30.00     |
|  |                         | 1       | 105       | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 1         | 24.25              | 24.83      | < 30.00     |
|  |                         | 1       | 104       | 23.79              | 24.37      | < 30.00     |
|  |                         | 100     | 0         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 105       | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 1         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 104       | 24.00              | 24.58      | < 30.00     |
|  |                         | 100     | 0         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 105       | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 23.89              | 24.47      | < 30.00     |
|  |                         | 1       | 1         | 24.26              | 24.84      | < 30.00     |
|  |                         | 1       | 131       | 23.70              | 24.28      | < 30.00     |
|  |                         | 128     | 0         | 23.89              | 24.47      | < 30.00     |
|  |                         | 1       | 132       | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 0         | 23.60              | 24.18      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 3500.01          | 50                      | 64      | 32        | 23.54              | 24.12      | < 30.00     |
|                  |                         | 1       | 1         | 24.16              | 24.74      | < 30.00     |
|                  |                         | 1       | 131       | 23.68              | 24.26      | < 30.00     |
|                  |                         | 128     | 0         | 23.56              | 24.14      | < 30.00     |
|                  |                         | 1       | 132       | 22.94              | 23.52      | < 30.00     |
|                  |                         | 1       | 0         | 23.69              | 24.27      | < 30.00     |
| 3525.00          | 50                      | 64      | 32        | 23.45              | 24.03      | < 30.00     |
|                  |                         | 1       | 1         | 23.86              | 24.44      | < 30.00     |
|                  |                         | 1       | 131       | 23.63              | 24.21      | < 30.00     |
|                  |                         | 128     | 0         | 23.54              | 24.12      | < 30.00     |
|                  |                         | 1       | 132       | 23.36              | 23.94      | < 30.00     |
|                  |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3480.00          | 60                      | 81      | 40        | 23.99              | 24.57      | < 30.00     |
|                  |                         | 1       | 1         | 24.19              | 24.77      | < 30.00     |
|                  |                         | 1       | 160       | 23.66              | 24.24      | < 30.00     |
|                  |                         | 162     | 0         | 23.97              | 24.55      | < 30.00     |
|                  |                         | 1       | 161       | 23.12              | 23.70      | < 30.00     |
|                  |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3500.01          | 60                      | 81      | 40        | 23.72              | 24.30      | < 30.00     |
|                  |                         | 1       | 1         | 24.23              | 24.81      | < 30.00     |
|                  |                         | 1       | 160       | 23.50              | 24.08      | < 30.00     |
|                  |                         | 162     | 0         | 23.85              | 24.43      | < 30.00     |
|                  |                         | 1       | 161       | 23.16              | 23.74      | < 30.00     |
|                  |                         | 1       | 0         | 23.72              | 24.30      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 23.55              | 24.13      | < 30.00     |
|  |                         | 1       | 1         | 23.80              | 24.38      | < 30.00     |
|  |                         | 1       | 160       | 23.61              | 24.19      | < 30.00     |
|  |                         | 162     | 0         | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 161       | 23.31              | 23.89      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 23.14              | 23.72      | < 30.00     |
|  |                         | 1       | 1         | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 187       | 23.47              | 24.05      | < 30.00     |
|  |                         | 180     | 0         | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 188       | 22.86              | 23.44      | < 30.00     |
|  |                         | 1       | 0         | 22.93              | 23.51      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 1         | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 187       | 23.37              | 23.95      | < 30.00     |
|  |                         | 180     | 0         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 188       | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 1         | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 187       | 23.46              | 24.04      | < 30.00     |
|  |                         | 180     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 188       | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3490.02                 | 80                      | 108     | 54        | 23.51              | 24.09      | < 30.00     |
|                         |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|                         |                         | 1       | 215       | 23.73              | 24.31      | < 30.00     |
|                         |                         | 216     | 0         | 23.54              | 24.12      | < 30.00     |
|                         |                         | 1       | 216       | 22.89              | 23.47      | < 30.00     |
|                         |                         | 1       | 0         | 22.83              | 23.41      | < 30.00     |
| 3500.01                 | 80                      | 108     | 54        | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|                         |                         | 1       | 215       | 23.38              | 23.96      | < 30.00     |
|                         |                         | 216     | 0         | 23.46              | 24.04      | < 30.00     |
|                         |                         | 1       | 216       | 22.73              | 23.31      | < 30.00     |
|                         |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3510.00                 | 80                      | 108     | 54        | 23.32              | 23.90      | < 30.00     |
|                         |                         | 1       | 1         | 23.83              | 24.41      | < 30.00     |
|                         |                         | 1       | 215       | 23.32              | 23.90      | < 30.00     |
|                         |                         | 216     | 0         | 23.38              | 23.96      | < 30.00     |
|                         |                         | 1       | 216       | 22.65              | 23.23      | < 30.00     |
|                         |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3495.00                 | 90                      | 120     | 60        | 23.49              | 24.07      | < 30.00     |
|                         |                         | 1       | 1         | 23.65              | 24.23      | < 30.00     |
|                         |                         | 1       | 243       | 23.68              | 24.26      | < 30.00     |
|                         |                         | 243     | 0         | 23.59              | 24.17      | < 30.00     |
|                         |                         | 1       | 244       | 22.73              | 23.31      | < 30.00     |
|                         |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 90                      | 120     | 60        | 23.55              | 24.13      | < 30.00     |
|                         |                         | 1       | 1         | 23.92              | 24.50      | < 30.00     |
|                         |                         | 1       | 243       | 23.59              | 24.17      | < 30.00     |
|                         |                         | 243     | 0         | 23.63              | 24.21      | < 30.00     |
|                         |                         | 1       | 244       | 22.74              | 23.32      | < 30.00     |
|                         |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3504.99                 | 90                      | 120     | 60        | 23.44              | 24.02      | < 30.00     |
|                         |                         | 1       | 1         | 23.96              | 24.54      | < 30.00     |
|                         |                         | 1       | 243       | 23.46              | 24.04      | < 30.00     |
|                         |                         | 243     | 0         | 23.63              | 24.21      | < 30.00     |
|                         |                         | 1       | 244       | 22.73              | 23.31      | < 30.00     |
|                         |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3500.01                 | 100                     | 135     | 67        | 23.42              | 24.00      | < 30.00     |
|                         |                         | 1       | 1         | 23.48              | 24.06      | < 30.00     |
|                         |                         | 1       | 271       | 23.39              | 23.97      | < 30.00     |
|                         |                         | 270     | 0         | 23.46              | 24.04      | < 30.00     |
|                         |                         | 1       | 272       | 22.69              | 23.27      | < 30.00     |
|                         |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 3455.01           | 10                      | 12      | 6         | 22.40              | 22.98      | < 30.00     |
|                   |                         | 1       | 1         | 22.30              | 22.88      | < 30.00     |
|                   |                         | 1       | 22        | 22.28              | 22.86      | < 30.00     |
|                   |                         | 24      | 0         | 22.41              | 22.99      | < 30.00     |
|                   |                         | 1       | 23        | 22.49              | 23.07      | < 30.00     |
|                   |                         | 1       | 0         | 22.41              | 22.99      | < 30.00     |
| 3500.01           | 10                      | 12      | 6         | 22.00              | 22.58      | < 30.00     |
|                   |                         | 1       | 1         | 22.08              | 22.66      | < 30.00     |
|                   |                         | 1       | 22        | 21.89              | 22.47      | < 30.00     |
|                   |                         | 24      | 0         | 22.02              | 22.60      | < 30.00     |
|                   |                         | 1       | 23        | 21.76              | 22.34      | < 30.00     |
|                   |                         | 1       | 0         | 21.85              | 22.43      | < 30.00     |
| 3544.98           | 10                      | 12      | 6         | 21.95              | 22.53      | < 30.00     |
|                   |                         | 1       | 1         | 21.92              | 22.50      | < 30.00     |
|                   |                         | 1       | 22        | 21.79              | 22.37      | < 30.00     |
|                   |                         | 24      | 0         | 22.11              | 22.69      | < 30.00     |
|                   |                         | 1       | 23        | 21.90              | 22.48      | < 30.00     |
|                   |                         | 1       | 0         | 22.01              | 22.59      | < 30.00     |
| 3457.50           | 15                      | 18      | 9         | 22.59              | 23.17      | < 30.00     |
|                   |                         | 1       | 1         | 22.45              | 23.03      | < 30.00     |
|                   |                         | 1       | 36        | 22.47              | 23.05      | < 30.00     |
|                   |                         | 36      | 0         | 22.56              | 23.14      | < 30.00     |
|                   |                         | 1       | 37        | 22.59              | 23.17      | < 30.00     |
|                   |                         | 1       | 0         | 22.52              | 23.10      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3500.01                  | 15                      | 18      | 9         | 22.33              | 22.91      | < 30.00     |
|                          |                         | 1       | 1         | 22.48              | 23.06      | < 30.00     |
|                          |                         | 1       | 36        | 22.04              | 22.62      | < 30.00     |
|                          |                         | 36      | 0         | 22.20              | 22.78      | < 30.00     |
|                          |                         | 1       | 37        | 22.11              | 22.69      | < 30.00     |
|                          |                         | 1       | 0         | 22.13              | 22.71      | < 30.00     |
| 3542.49                  | 15                      | 18      | 9         | 22.34              | 22.92      | < 30.00     |
|                          |                         | 1       | 1         | 22.32              | 22.90      | < 30.00     |
|                          |                         | 1       | 36        | 22.24              | 22.82      | < 30.00     |
|                          |                         | 36      | 0         | 22.30              | 22.88      | < 30.00     |
|                          |                         | 1       | 37        | 22.20              | 22.78      | < 30.00     |
|                          |                         | 1       | 0         | 21.99              | 22.57      | < 30.00     |
| 3460.02                  | 20                      | 25      | 12        | 22.52              | 23.10      | < 30.00     |
|                          |                         | 1       | 1         | 22.42              | 23.00      | < 30.00     |
|                          |                         | 1       | 49        | 22.64              | 23.22      | < 30.00     |
|                          |                         | 50      | 0         | 22.46              | 23.04      | < 30.00     |
|                          |                         | 1       | 50        | 22.47              | 23.05      | < 30.00     |
|                          |                         | 1       | 0         | 22.40              | 22.98      | < 30.00     |
| 3500.01                  | 20                      | 25      | 12        | 22.14              | 22.72      | < 30.00     |
|                          |                         | 1       | 1         | 22.06              | 22.64      | < 30.00     |
|                          |                         | 1       | 49        | 21.98              | 22.56      | < 30.00     |
|                          |                         | 50      | 0         | 22.15              | 22.73      | < 30.00     |
|                          |                         | 1       | 50        | 22.22              | 22.80      | < 30.00     |
|                          |                         | 1       | 0         | 22.32              | 22.90      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3540.00                  | 20                      | 25      | 12        | 22.04              | 22.62      | < 30.00     |
|                          |                         | 1       | 1         | 21.94              | 22.52      | < 30.00     |
|                          |                         | 1       | 49        | 21.84              | 22.42      | < 30.00     |
|                          |                         | 50      | 0         | 22.08              | 22.66      | < 30.00     |
|                          |                         | 1       | 50        | 22.06              | 22.64      | < 30.00     |
|                          |                         | 1       | 0         | 21.51              | 22.09      | < 30.00     |
| 3464.00                  | 30                      | 36      | 78        | 22.52              | 23.10      | < 30.00     |
|                          |                         | 1       | 1         | 22.13              | 22.71      | < 30.00     |
|                          |                         | 1       | 76        | 22.44              | 23.02      | < 30.00     |
|                          |                         | 75      | 0         | 22.34              | 22.92      | < 30.00     |
|                          |                         | 1       | 77        | 22.52              | 23.10      | < 30.00     |
|                          |                         | 1       | 0         | 22.22              | 22.80      | < 30.00     |
| 3500.01                  | 30                      | 36      | 78        | 22.22              | 22.80      | < 30.00     |
|                          |                         | 1       | 1         | 22.38              | 22.96      | < 30.00     |
|                          |                         | 1       | 76        | 22.56              | 23.14      | < 30.00     |
|                          |                         | 75      | 0         | 22.36              | 22.94      | < 30.00     |
|                          |                         | 1       | 77        | 21.58              | 22.16      | < 30.00     |
|                          |                         | 1       | 0         | 22.41              | 22.99      | < 30.00     |
| 3534.99                  | 30                      | 36      | 78        | 22.09              | 22.67      | < 30.00     |
|                          |                         | 1       | 1         | 22.12              | 22.70      | < 30.00     |
|                          |                         | 1       | 76        | 22.07              | 22.65      | < 30.00     |
|                          |                         | 75      | 0         | 22.06              | 22.64      | < 30.00     |
|                          |                         | 1       | 77        | 22.21              | 22.79      | < 30.00     |
|                          |                         | 1       | 0         | 21.81              | 22.39      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 3470.01           | 40                      | 50      | 25        | 22.48              | 23.06      | < 30.00     |
|                   |                         | 1       | 1         | 22.47              | 23.05      | < 30.00     |
|                   |                         | 1       | 104       | 22.26              | 22.84      | < 30.00     |
|                   |                         | 100     | 0         | 22.42              | 23.00      | < 30.00     |
|                   |                         | 1       | 105       | 22.45              | 23.03      | < 30.00     |
|                   |                         | 1       | 0         | 22.21              | 22.79      | < 30.00     |
| 3500.01           | 40                      | 50      | 25        | 22.06              | 22.64      | < 30.00     |
|                   |                         | 1       | 1         | 22.42              | 23.00      | < 30.00     |
|                   |                         | 1       | 104       | 21.93              | 22.51      | < 30.00     |
|                   |                         | 100     | 0         | 22.12              | 22.70      | < 30.00     |
|                   |                         | 1       | 105       | 22.53              | 23.11      | < 30.00     |
|                   |                         | 1       | 0         | 21.93              | 22.51      | < 30.00     |
| 3529.98           | 40                      | 50      | 25        | 22.16              | 22.74      | < 30.00     |
|                   |                         | 1       | 1         | 21.93              | 22.51      | < 30.00     |
|                   |                         | 1       | 104       | 22.30              | 22.88      | < 30.00     |
|                   |                         | 100     | 0         | 22.15              | 22.73      | < 30.00     |
|                   |                         | 1       | 105       | 22.15              | 22.73      | < 30.00     |
|                   |                         | 1       | 0         | 22.21              | 22.79      | < 30.00     |
| 3475.02           | 50                      | 64      | 32        | 22.26              | 22.84      | < 30.00     |
|                   |                         | 1       | 1         | 22.27              | 22.85      | < 30.00     |
|                   |                         | 1       | 131       | 21.84              | 22.42      | < 30.00     |
|                   |                         | 128     | 0         | 22.48              | 23.06      | < 30.00     |
|                   |                         | 1       | 132       | 22.06              | 22.64      | < 30.00     |
|                   |                         | 1       | 0         | 22.04              | 22.62      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 3500.01           | 50                      | 64      | 32        | 22.03              | 22.61      | < 30.00     |
|                   |                         | 1       | 1         | 22.53              | 23.11      | < 30.00     |
|                   |                         | 1       | 131       | 21.73              | 22.31      | < 30.00     |
|                   |                         | 128     | 0         | 22.06              | 22.64      | < 30.00     |
|                   |                         | 1       | 132       | 21.80              | 22.38      | < 30.00     |
|                   |                         | 1       | 0         | 22.30              | 22.88      | < 30.00     |
| 3525.00           | 50                      | 64      | 32        | 21.95              | 22.53      | < 30.00     |
|                   |                         | 1       | 1         | 22.05              | 22.63      | < 30.00     |
|                   |                         | 1       | 131       | 21.89              | 22.47      | < 30.00     |
|                   |                         | 128     | 0         | 21.91              | 22.49      | < 30.00     |
|                   |                         | 1       | 132       | 21.77              | 22.35      | < 30.00     |
|                   |                         | 1       | 0         | 22.05              | 22.63      | < 30.00     |
| 3480.00           | 60                      | 81      | 40        | 22.47              | 23.05      | < 30.00     |
|                   |                         | 1       | 1         | 22.10              | 22.68      | < 30.00     |
|                   |                         | 1       | 160       | 22.06              | 22.64      | < 30.00     |
|                   |                         | 162     | 0         | 22.47              | 23.05      | < 30.00     |
|                   |                         | 1       | 161       | 21.69              | 22.27      | < 30.00     |
|                   |                         | 1       | 0         | 22.27              | 22.85      | < 30.00     |
| 3500.01           | 60                      | 81      | 40        | 22.08              | 22.66      | < 30.00     |
|                   |                         | 1       | 1         | 22.41              | 22.99      | < 30.00     |
|                   |                         | 1       | 160       | 21.99              | 22.57      | < 30.00     |
|                   |                         | 162     | 0         | 22.13              | 22.71      | < 30.00     |
|                   |                         | 1       | 161       | 21.84              | 22.42      | < 30.00     |
|                   |                         | 1       | 0         | 22.52              | 23.10      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 3519.99           | 60                      | 81      | 40        | 21.98              | 22.56      | < 30.00     |
|                   |                         | 1       | 1         | 22.30              | 22.88      | < 30.00     |
|                   |                         | 1       | 160       | 21.93              | 22.51      | < 30.00     |
|                   |                         | 162     | 0         | 22.06              | 22.64      | < 30.00     |
|                   |                         | 1       | 161       | 21.87              | 22.45      | < 30.00     |
|                   |                         | 1       | 0         | 22.11              | 22.69      | < 30.00     |
| 3485.01           | 70                      | 90      | 45        | 21.56              | 22.14      | < 30.00     |
|                   |                         | 1       | 1         | 21.58              | 22.16      | < 30.00     |
|                   |                         | 1       | 187       | 21.52              | 22.10      | < 30.00     |
|                   |                         | 180     | 0         | 21.68              | 22.26      | < 30.00     |
|                   |                         | 1       | 188       | 21.56              | 22.14      | < 30.00     |
|                   |                         | 1       | 0         | 21.68              | 22.26      | < 30.00     |
| 3500.01           | 70                      | 90      | 45        | 22.03              | 22.61      | < 30.00     |
|                   |                         | 1       | 1         | 21.90              | 22.48      | < 30.00     |
|                   |                         | 1       | 187       | 21.65              | 22.23      | < 30.00     |
|                   |                         | 180     | 0         | 21.94              | 22.52      | < 30.00     |
|                   |                         | 1       | 188       | 21.64              | 22.22      | < 30.00     |
|                   |                         | 1       | 0         | 21.94              | 22.52      | < 30.00     |
| 3514.98           | 70                      | 90      | 45        | 22.03              | 22.61      | < 30.00     |
|                   |                         | 1       | 1         | 21.79              | 22.37      | < 30.00     |
|                   |                         | 1       | 187       | 21.60              | 22.18      | < 30.00     |
|                   |                         | 180     | 0         | 21.96              | 22.54      | < 30.00     |
|                   |                         | 1       | 188       | 21.59              | 22.17      | < 30.00     |
|                   |                         | 1       | 0         | 21.83              | 22.41      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3490.02                  | 80                      | 108     | 54        | 21.97              | 22.55      | < 30.00     |
|                          |                         | 1       | 1         | 22.11              | 22.69      | < 30.00     |
|                          |                         | 1       | 215       | 22.00              | 22.58      | < 30.00     |
|                          |                         | 216     | 0         | 22.06              | 22.64      | < 30.00     |
|                          |                         | 1       | 216       | 21.75              | 22.33      | < 30.00     |
|                          |                         | 1       | 0         | 21.95              | 22.53      | < 30.00     |
| 3500.01                  | 80                      | 108     | 54        | 21.86              | 22.44      | < 30.00     |
|                          |                         | 1       | 1         | 22.10              | 22.68      | < 30.00     |
|                          |                         | 1       | 215       | 21.74              | 22.32      | < 30.00     |
|                          |                         | 216     | 0         | 22.06              | 22.64      | < 30.00     |
|                          |                         | 1       | 216       | 21.70              | 22.28      | < 30.00     |
|                          |                         | 1       | 0         | 22.05              | 22.63      | < 30.00     |
| 3510.00                  | 80                      | 108     | 54        | 21.89              | 22.47      | < 30.00     |
|                          |                         | 1       | 1         | 22.11              | 22.69      | < 30.00     |
|                          |                         | 1       | 215       | 21.77              | 22.35      | < 30.00     |
|                          |                         | 216     | 0         | 21.89              | 22.47      | < 30.00     |
|                          |                         | 1       | 216       | 21.73              | 22.31      | < 30.00     |
|                          |                         | 1       | 0         | 22.29              | 22.87      | < 30.00     |
| 3495.00                  | 90                      | 120     | 60        | 22.13              | 22.71      | < 30.00     |
|                          |                         | 1       | 1         | 22.03              | 22.61      | < 30.00     |
|                          |                         | 1       | 243       | 21.97              | 22.55      | < 30.00     |
|                          |                         | 243     | 0         | 21.99              | 22.57      | < 30.00     |
|                          |                         | 1       | 244       | 21.79              | 22.37      | < 30.00     |
|                          |                         | 1       | 0         | 22.05              | 22.63      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 3500.01           | 90                      | 120     | 60        | 21.87              | 22.45      | < 30.00     |
|                   |                         | 1       | 1         | 22.14              | 22.72      | < 30.00     |
|                   |                         | 1       | 243       | 21.89              | 22.47      | < 30.00     |
|                   |                         | 243     | 0         | 22.14              | 22.72      | < 30.00     |
|                   |                         | 1       | 244       | 21.81              | 22.39      | < 30.00     |
|                   |                         | 1       | 0         | 21.99              | 22.57      | < 30.00     |
| 3504.99           | 90                      | 120     | 60        | 21.90              | 22.48      | < 30.00     |
|                   |                         | 1       | 1         | 22.16              | 22.74      | < 30.00     |
|                   |                         | 1       | 243       | 21.76              | 22.34      | < 30.00     |
|                   |                         | 243     | 0         | 22.13              | 22.71      | < 30.00     |
|                   |                         | 1       | 244       | 21.77              | 22.35      | < 30.00     |
|                   |                         | 1       | 0         | 22.16              | 22.74      | < 30.00     |
| 3500.01           | 100                     | 135     | 67        | 21.91              | 22.49      | < 30.00     |
|                   |                         | 1       | 1         | 22.09              | 22.67      | < 30.00     |
|                   |                         | 1       | 271       | 21.85              | 22.43      | < 30.00     |
|                   |                         | 270     | 0         | 21.94              | 22.52      | < 30.00     |
|                   |                         | 1       | 272       | 21.65              | 22.23      | < 30.00     |
|                   |                         | 1       | 0         | 21.99              | 22.57      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3455.01         | 10                      | 12      | 6         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 1         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 22        | 23.78              | 24.36      | < 30.00     |
|                 |                         | 24      | 0         | 23.81              | 24.39      | < 30.00     |
|                 |                         | 1       | 23        | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3500.01         | 10                      | 12      | 6         | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 1         | 23.57              | 24.15      | < 30.00     |
|                 |                         | 1       | 22        | 23.42              | 24.00      | < 30.00     |
|                 |                         | 24      | 0         | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 23        | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 0         | 22.78              | 23.36      | < 30.00     |
| 3544.98         | 10                      | 12      | 6         | 23.45              | 24.03      | < 30.00     |
|                 |                         | 1       | 1         | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 22        | 23.34              | 23.92      | < 30.00     |
|                 |                         | 24      | 0         | 23.40              | 23.98      | < 30.00     |
|                 |                         | 1       | 23        | 22.92              | 23.50      | < 30.00     |
|                 |                         | 1       | 0         | 22.92              | 23.50      | < 30.00     |
| 3457.50         | 15                      | 18      | 9         | 24.17              | 24.75      | < 30.00     |
|                 |                         | 1       | 1         | 24.07              | 24.65      | < 30.00     |
|                 |                         | 1       | 36        | 24.19              | 24.77      | < 30.00     |
|                 |                         | 36      | 0         | 24.11              | 24.69      | < 30.00     |
|                 |                         | 1       | 37        | 23.89              | 24.47      | < 30.00     |
|                 |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3500.01         | 15                      | 18      | 9         | 23.76              | 24.34      | < 30.00     |
|                 |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|                 |                         | 1       | 36        | 23.46              | 24.04      | < 30.00     |
|                 |                         | 36      | 0         | 23.75              | 24.33      | < 30.00     |
|                 |                         | 1       | 37        | 23.19              | 23.77      | < 30.00     |
|                 |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3542.49         | 15                      | 18      | 9         | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 1         | 23.65              | 24.23      | < 30.00     |
|                 |                         | 1       | 36        | 23.48              | 24.06      | < 30.00     |
|                 |                         | 36      | 0         | 23.70              | 24.28      | < 30.00     |
|                 |                         | 1       | 37        | 23.08              | 23.66      | < 30.00     |
|                 |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3460.02         | 20                      | 25      | 12        | 24.01              | 24.59      | < 30.00     |
|                 |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|                 |                         | 1       | 49        | 24.06              | 24.64      | < 30.00     |
|                 |                         | 50      | 0         | 23.94              | 24.52      | < 30.00     |
|                 |                         | 1       | 50        | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3500.01         | 20                      | 25      | 12        | 23.70              | 24.28      | < 30.00     |
|                 |                         | 1       | 1         | 23.64              | 24.22      | < 30.00     |
|                 |                         | 1       | 49        | 23.55              | 24.13      | < 30.00     |
|                 |                         | 50      | 0         | 23.64              | 24.22      | < 30.00     |
|                 |                         | 1       | 50        | 23.28              | 23.86      | < 30.00     |
|                 |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3540.00         | 20                      | 25      | 12        | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 1         | 23.59              | 24.17      | < 30.00     |
|                 |                         | 1       | 49        | 23.37              | 23.95      | < 30.00     |
|                 |                         | 50      | 0         | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 50        | 23.08              | 23.66      | < 30.00     |
|                 |                         | 1       | 0         | 22.65              | 23.23      | < 30.00     |
| 3464.00         | 30                      | 36      | 78        | 23.94              | 24.52      | < 30.00     |
|                 |                         | 1       | 1         | 23.82              | 24.40      | < 30.00     |
|                 |                         | 1       | 76        | 23.98              | 24.56      | < 30.00     |
|                 |                         | 75      | 0         | 23.96              | 24.54      | < 30.00     |
|                 |                         | 1       | 77        | 23.51              | 24.09      | < 30.00     |
|                 |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3500.01         | 30                      | 36      | 78        | 23.80              | 24.38      | < 30.00     |
|                 |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|                 |                         | 1       | 76        | 23.50              | 24.08      | < 30.00     |
|                 |                         | 75      | 0         | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 77        | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3534.99         | 30                      | 36      | 78        | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 76        | 23.67              | 24.25      | < 30.00     |
|                 |                         | 75      | 0         | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 77        | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 24.05              | 24.63      | < 30.00     |
|  |                         | 1       | 1         | 23.97              | 24.55      | < 30.00     |
|  |                         | 1       | 104       | 23.83              | 24.41      | < 30.00     |
|  |                         | 100     | 0         | 24.05              | 24.63      | < 30.00     |
|  |                         | 1       | 105       | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 0         | 23.42              | 24.00      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 1         | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 104       | 23.65              | 24.23      | < 30.00     |
|  |                         | 100     | 0         | 23.66              | 24.24      | < 30.00     |
|  |                         | 1       | 105       | 23.06              | 23.64      | < 30.00     |
|  |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|  |                         | 1       | 104       | 23.66              | 24.24      | < 30.00     |
|  |                         | 100     | 0         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 105       | 22.92              | 23.50      | < 30.00     |
|  |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 23.93              | 24.51      | < 30.00     |
|  |                         | 1       | 1         | 23.78              | 24.36      | < 30.00     |
|  |                         | 1       | 131       | 23.43              | 24.01      | < 30.00     |
|  |                         | 128     | 0         | 23.82              | 24.40      | < 30.00     |
|  |                         | 1       | 132       | 23.06              | 23.64      | < 30.00     |
|  |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 64      | 32        | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 1         | 23.91              | 24.49      | < 30.00     |
|  |                         | 1       | 131       | 23.47              | 24.05      | < 30.00     |
|  |                         | 128     | 0         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 132       | 22.86              | 23.44      | < 30.00     |
|  |                         | 1       | 0         | 23.48              | 24.06      | < 30.00     |
| 3525.00  | 50                      | 64      | 32        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 1         | 23.56              | 24.14      | < 30.00     |
|  |                         | 1       | 131       | 23.29              | 23.87      | < 30.00     |
|  |                         | 128     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 132       | 22.89              | 23.47      | < 30.00     |
|  |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 23.96              | 24.54      | < 30.00     |
|  |                         | 1       | 1         | 23.85              | 24.43      | < 30.00     |
|  |                         | 1       | 160       | 23.34              | 23.92      | < 30.00     |
|  |                         | 162     | 0         | 23.86              | 24.44      | < 30.00     |
|  |                         | 1       | 161       | 22.88              | 23.46      | < 30.00     |
|  |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 23.74              | 24.32      | < 30.00     |
|  |                         | 1       | 1         | 24.09              | 24.67      | < 30.00     |
|  |                         | 1       | 160       | 23.47              | 24.05      | < 30.00     |
|  |                         | 162     | 0         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 161       | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 0         | 23.49              | 24.07      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 1         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 160       | 23.33              | 23.91      | < 30.00     |
|  |                         | 162     | 0         | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 161       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 23.03              | 23.61      | < 30.00     |
|  |                         | 1       | 1         | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 187       | 23.32              | 23.90      | < 30.00     |
|  |                         | 180     | 0         | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 188       | 22.82              | 23.40      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 1         | 23.74              | 24.32      | < 30.00     |
|  |                         | 1       | 187       | 23.45              | 24.03      | < 30.00     |
|  |                         | 180     | 0         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 188       | 22.46              | 23.04      | < 30.00     |
|  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 187       | 23.51              | 24.09      | < 30.00     |
|  |                         | 180     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 188       | 22.87              | 23.45      | < 30.00     |
|  |                         | 1       | 0         | 23.10              | 23.68      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3490.02         | 80                      | 108     | 54        | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 1         | 23.39              | 23.97      | < 30.00     |
|                 |                         | 1       | 215       | 23.11              | 23.69      | < 30.00     |
|                 |                         | 216     | 0         | 23.51              | 24.09      | < 30.00     |
|                 |                         | 1       | 216       | 22.51              | 23.09      | < 30.00     |
|                 |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| 3500.01         | 80                      | 108     | 54        | 23.42              | 24.00      | < 30.00     |
|                 |                         | 1       | 1         | 23.86              | 24.44      | < 30.00     |
|                 |                         | 1       | 215       | 23.41              | 23.99      | < 30.00     |
|                 |                         | 216     | 0         | 23.54              | 24.12      | < 30.00     |
|                 |                         | 1       | 216       | 22.76              | 23.34      | < 30.00     |
|                 |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3510.00         | 80                      | 108     | 54        | 23.31              | 23.89      | < 30.00     |
|                 |                         | 1       | 1         | 23.90              | 24.48      | < 30.00     |
|                 |                         | 1       | 215       | 23.53              | 24.11      | < 30.00     |
|                 |                         | 216     | 0         | 23.38              | 23.96      | < 30.00     |
|                 |                         | 1       | 216       | 22.69              | 23.27      | < 30.00     |
|                 |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3495.00         | 90                      | 120     | 60        | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|                 |                         | 1       | 243       | 23.29              | 23.87      | < 30.00     |
|                 |                         | 243     | 0         | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 244       | 22.76              | 23.34      | < 30.00     |
|                 |                         | 1       | 0         | 22.92              | 23.50      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 120     | 60        | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 1         | 23.79              | 24.37      | < 30.00     |
|                 |                         | 1       | 243       | 23.29              | 23.87      | < 30.00     |
|                 |                         | 243     | 0         | 23.50              | 24.08      | < 30.00     |
|                 |                         | 1       | 244       | 22.70              | 23.28      | < 30.00     |
|                 |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3504.99         | 90                      | 120     | 60        | 23.38              | 23.96      | < 30.00     |
|                 |                         | 1       | 1         | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 243       | 23.34              | 23.92      | < 30.00     |
|                 |                         | 243     | 0         | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 244       | 22.88              | 23.46      | < 30.00     |
|                 |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3500.01         | 100                     | 135     | 67        | 23.45              | 24.03      | < 30.00     |
|                 |                         | 1       | 1         | 23.35              | 23.93      | < 30.00     |
|                 |                         | 1       | 271       | 23.57              | 24.15      | < 30.00     |
|                 |                         | 270     | 0         | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 272       | 22.78              | 23.36      | < 30.00     |
|                 |                         | 1       | 0         | 22.79              | 23.37      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3455.01         | 10                      | 12      | 6         | 23.90              | 24.48      | < 30.00     |
|                 |                         | 1       | 1         | 23.92              | 24.50      | < 30.00     |
|                 |                         | 1       | 22        | 23.94              | 24.52      | < 30.00     |
|                 |                         | 24      | 0         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 23        | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3500.01         | 10                      | 12      | 6         | 23.43              | 24.01      | < 30.00     |
|                 |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 22        | 23.30              | 23.88      | < 30.00     |
|                 |                         | 24      | 0         | 23.51              | 24.09      | < 30.00     |
|                 |                         | 1       | 23        | 23.09              | 23.67      | < 30.00     |
|                 |                         | 1       | 0         | 22.65              | 23.23      | < 30.00     |
| 3544.98         | 10                      | 12      | 6         | 23.31              | 23.89      | < 30.00     |
|                 |                         | 1       | 1         | 23.55              | 24.13      | < 30.00     |
|                 |                         | 1       | 22        | 23.41              | 23.99      | < 30.00     |
|                 |                         | 24      | 0         | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 23        | 22.99              | 23.57      | < 30.00     |
|                 |                         | 1       | 0         | 22.98              | 23.56      | < 30.00     |
| 3457.50         | 15                      | 18      | 9         | 24.07              | 24.65      | < 30.00     |
|                 |                         | 1       | 1         | 24.16              | 24.74      | < 30.00     |
|                 |                         | 1       | 36        | 24.16              | 24.74      | < 30.00     |
|                 |                         | 36      | 0         | 24.16              | 24.74      | < 30.00     |
|                 |                         | 1       | 37        | 23.57              | 24.15      | < 30.00     |
|                 |                         | 1       | 0         | 23.58              | 24.16      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3500.01         | 15                      | 18      | 9         | 23.76              | 24.34      | < 30.00     |
|                 |                         | 1       | 1         | 23.96              | 24.54      | < 30.00     |
|                 |                         | 1       | 36        | 23.55              | 24.13      | < 30.00     |
|                 |                         | 36      | 0         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 37        | 23.02              | 23.60      | < 30.00     |
|                 |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3542.49         | 15                      | 18      | 9         | 23.77              | 24.35      | < 30.00     |
|                 |                         | 1       | 1         | 24.03              | 24.61      | < 30.00     |
|                 |                         | 1       | 36        | 23.79              | 24.37      | < 30.00     |
|                 |                         | 36      | 0         | 23.78              | 24.36      | < 30.00     |
|                 |                         | 1       | 37        | 23.16              | 23.74      | < 30.00     |
|                 |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3460.02         | 20                      | 25      | 12        | 24.11              | 24.69      | < 30.00     |
|                 |                         | 1       | 1         | 24.26              | 24.84      | < 30.00     |
|                 |                         | 1       | 49        | 24.18              | 24.76      | < 30.00     |
|                 |                         | 50      | 0         | 24.01              | 24.59      | < 30.00     |
|                 |                         | 1       | 50        | 23.60              | 24.18      | < 30.00     |
|                 |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |
| 3500.01         | 20                      | 25      | 12        | 23.60              | 24.18      | < 30.00     |
|                 |                         | 1       | 1         | 23.97              | 24.55      | < 30.00     |
|                 |                         | 1       | 49        | 23.68              | 24.26      | < 30.00     |
|                 |                         | 50      | 0         | 23.60              | 24.18      | < 30.00     |
|                 |                         | 1       | 50        | 22.73              | 23.31      | < 30.00     |
|                 |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3540.00  | 20                      | 25      | 12        | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 1         | 23.55              | 24.13      | < 30.00     |
|  |                         | 1       | 49        | 23.67              | 24.25      | < 30.00     |
|  |                         | 50      | 0         | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 50        | 22.99              | 23.57      | < 30.00     |
|  |                         | 1       | 0         | 22.89              | 23.47      | < 30.00     |
| 3464.00  | 30                      | 36      | 78        | 23.97              | 24.55      | < 30.00     |
|  |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|  |                         | 1       | 76        | 23.84              | 24.42      | < 30.00     |
|  |                         | 75      | 0         | 24.06              | 24.64      | < 30.00     |
|  |                         | 1       | 77        | 23.82              | 24.40      | < 30.00     |
|  |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |
| 3500.01  | 30                      | 36      | 78        | 23.66              | 24.24      | < 30.00     |
|  |                         | 1       | 1         | 23.99              | 24.57      | < 30.00     |
|  |                         | 1       | 76        | 23.57              | 24.15      | < 30.00     |
|  |                         | 75      | 0         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 77        | 22.72              | 23.30      | < 30.00     |
|  |                         | 1       | 0         | 23.61              | 24.19      | < 30.00     |
| 3534.99  | 30                      | 36      | 78        | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 76        | 23.64              | 24.22      | < 30.00     |
|  |                         | 75      | 0         | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 77        | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 1         | 23.96              | 24.54      | < 30.00     |
|  |                         | 1       | 104       | 23.87              | 24.45      | < 30.00     |
|  |                         | 100     | 0         | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 105       | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 1         | 24.19              | 24.77      | < 30.00     |
|  |                         | 1       | 104       | 23.62              | 24.20      | < 30.00     |
|  |                         | 100     | 0         | 23.79              | 24.37      | < 30.00     |
|  |                         | 1       | 105       | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 0         | 23.60              | 24.18      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 1         | 23.81              | 24.39      | < 30.00     |
|  |                         | 1       | 104       | 23.76              | 24.34      | < 30.00     |
|  |                         | 100     | 0         | 23.77              | 24.35      | < 30.00     |
|  |                         | 1       | 105       | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 23.93              | 24.51      | < 30.00     |
|  |                         | 1       | 1         | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 131       | 23.46              | 24.04      | < 30.00     |
|  |                         | 128     | 0         | 23.93              | 24.51      | < 30.00     |
|  |                         | 1       | 132       | 23.05              | 23.63      | < 30.00     |
|  |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 64      | 32        | 23.56              | 24.14      | < 30.00     |
|  |                         | 1       | 1         | 24.01              | 24.59      | < 30.00     |
|  |                         | 1       | 131       | 23.37              | 23.95      | < 30.00     |
|  |                         | 128     | 0         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 132       | 22.89              | 23.47      | < 30.00     |
|  |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3525.00  | 50                      | 64      | 32        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 1         | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 131       | 23.43              | 24.01      | < 30.00     |
|  |                         | 128     | 0         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 132       | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 24.03              | 24.61      | < 30.00     |
|  |                         | 1       | 1         | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 160       | 23.34              | 23.92      | < 30.00     |
|  |                         | 162     | 0         | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 161       | 22.68              | 23.26      | < 30.00     |
|  |                         | 1       | 0         | 22.93              | 23.51      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 1         | 24.17              | 24.75      | < 30.00     |
|  |                         | 1       | 160       | 23.43              | 24.01      | < 30.00     |
|  |                         | 162     | 0         | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 161       | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 1         | 24.03              | 24.61      | < 30.00     |
|  |                         | 1       | 160       | 23.76              | 24.34      | < 30.00     |
|  |                         | 162     | 0         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 161       | 23.03              | 23.61      | < 30.00     |
|  |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 1         | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 187       | 23.13              | 23.71      | < 30.00     |
|  |                         | 180     | 0         | 23.15              | 23.73      | < 30.00     |
|  |                         | 1       | 188       | 22.61              | 23.19      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 1         | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 187       | 23.24              | 23.82      | < 30.00     |
|  |                         | 180     | 0         | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 188       | 22.80              | 23.38      | < 30.00     |
|  |                         | 1       | 0         | 23.10              | 23.68      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 23.42              | 24.00      | < 30.00     |
|  |                         | 1       | 1         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 187       | 23.28              | 23.86      | < 30.00     |
|  |                         | 180     | 0         | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 188       | 22.86              | 23.44      | < 30.00     |
|  |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3490.02         | 80                      | 108     | 54        | 23.47              | 24.05      | < 30.00     |
|                 |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 215       | 23.17              | 23.75      | < 30.00     |
|                 |                         | 216     | 0         | 23.60              | 24.18      | < 30.00     |
|                 |                         | 1       | 216       | 22.98              | 23.56      | < 30.00     |
|                 |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3500.01         | 80                      | 108     | 54        | 23.43              | 24.01      | < 30.00     |
|                 |                         | 1       | 1         | 23.88              | 24.46      | < 30.00     |
|                 |                         | 1       | 215       | 23.21              | 23.79      | < 30.00     |
|                 |                         | 216     | 0         | 23.47              | 24.05      | < 30.00     |
|                 |                         | 1       | 216       | 22.67              | 23.25      | < 30.00     |
|                 |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |
| 3510.00         | 80                      | 108     | 54        | 23.42              | 24.00      | < 30.00     |
|                 |                         | 1       | 1         | 23.79              | 24.37      | < 30.00     |
|                 |                         | 1       | 215       | 23.33              | 23.91      | < 30.00     |
|                 |                         | 216     | 0         | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 216       | 22.59              | 23.17      | < 30.00     |
|                 |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3495.00         | 90                      | 120     | 60        | 23.59              | 24.17      | < 30.00     |
|                 |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 243       | 23.29              | 23.87      | < 30.00     |
|                 |                         | 243     | 0         | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 244       | 22.72              | 23.30      | < 30.00     |
|                 |                         | 1       | 0         | 22.82              | 23.40      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 120     | 60        | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 1         | 23.90              | 24.48      | < 30.00     |
|                 |                         | 1       | 243       | 23.46              | 24.04      | < 30.00     |
|                 |                         | 243     | 0         | 23.59              | 24.17      | < 30.00     |
|                 |                         | 1       | 244       | 22.88              | 23.46      | < 30.00     |
|                 |                         | 1       | 0         | 23.18              | 23.76      | < 30.00     |
| 3504.99         | 90                      | 120     | 60        | 23.45              | 24.03      | < 30.00     |
|                 |                         | 1       | 1         | 23.78              | 24.36      | < 30.00     |
|                 |                         | 1       | 243       | 23.30              | 23.88      | < 30.00     |
|                 |                         | 243     | 0         | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 244       | 22.69              | 23.27      | < 30.00     |
|                 |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3500.01         | 100                     | 135     | 67        | 23.44              | 24.02      | < 30.00     |
|                 |                         | 1       | 1         | 23.69              | 24.27      | < 30.00     |
|                 |                         | 1       | 271       | 23.16              | 23.74      | < 30.00     |
|                 |                         | 270     | 0         | 23.50              | 24.08      | < 30.00     |
|                 |                         | 1       | 272       | 22.74              | 23.32      | < 30.00     |
|                 |                         | 1       | 0         | 22.69              | 23.27      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3455.01  | 10                      | 12      | 6         | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 1         | 23.19              | 23.77      | < 30.00     |
|  |                         | 1       | 22        | 23.45              | 24.03      | < 30.00     |
|  |                         | 24      | 0         | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 23        | 23.35              | 23.93      | < 30.00     |
|  |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3500.01  | 10                      | 12      | 6         | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 1         | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 22        | 23.26              | 23.84      | < 30.00     |
|  |                         | 24      | 0         | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 23        | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3544.98  | 10                      | 12      | 6         | 22.95              | 23.53      | < 30.00     |
|  |                         | 1       | 1         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 22        | 23.40              | 23.98      | < 30.00     |
|  |                         | 24      | 0         | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 23        | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 0         | 23.47              | 24.05      | < 30.00     |
| 3457.50  | 15                      | 18      | 9         | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 36        | 23.62              | 24.20      | < 30.00     |
|  |                         | 36      | 0         | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 37        | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3500.01  | 15                      | 18      | 9         | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 1         | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 36        | 23.21              | 23.79      | < 30.00     |
|  |                         | 36      | 0         | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 37        | 22.78              | 23.36      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3542.49  | 15                      | 18      | 9         | 23.14              | 23.72      | < 30.00     |
|  |                         | 1       | 1         | 23.32              | 23.90      | < 30.00     |
|  |                         | 1       | 36        | 23.23              | 23.81      | < 30.00     |
|  |                         | 36      | 0         | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 37        | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| 3460.02  | 20                      | 25      | 12        | 23.55              | 24.13      | < 30.00     |
|  |                         | 1       | 1         | 23.53              | 24.11      | < 30.00     |
|  |                         | 1       | 49        | 23.78              | 24.36      | < 30.00     |
|  |                         | 50      | 0         | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 50        | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3500.01  | 20                      | 25      | 12        | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 1         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 49        | 23.08              | 23.66      | < 30.00     |
|  |                         | 50      | 0         | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 50        | 23.03              | 23.61      | < 30.00     |
|  |                         | 1       | 0         | 23.47              | 24.05      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3540.00  | 20                      | 25      | 12        | 23.22              | 23.80      | < 30.00     |
|  |                         | 1       | 1         | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 49        | 23.05              | 23.63      | < 30.00     |
|  |                         | 50      | 0         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 50        | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3464.00  | 30                      | 36      | 78        | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 76        | 23.70              | 24.28      | < 30.00     |
|  |                         | 75      | 0         | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 77        | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3500.01  | 30                      | 36      | 78        | 23.11              | 23.69      | < 30.00     |
|  |                         | 1       | 1         | 23.43              | 24.01      | < 30.00     |
|  |                         | 1       | 76        | 23.04              | 23.62      | < 30.00     |
|  |                         | 75      | 0         | 23.19              | 23.77      | < 30.00     |
|  |                         | 1       | 77        | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| 3534.99  | 30                      | 36      | 78        | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 1         | 22.73              | 23.31      | < 30.00     |
|  |                         | 1       | 76        | 23.33              | 23.91      | < 30.00     |
|  |                         | 75      | 0         | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 77        | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 104       | 23.34              | 23.92      | < 30.00     |
|  |                         | 100     | 0         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 105       | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 0         | 23.44              | 24.02      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 1         | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 104       | 22.80              | 23.38      | < 30.00     |
|  |                         | 100     | 0         | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 105       | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 0         | 23.65              | 24.23      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 1         | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 104       | 23.28              | 23.86      | < 30.00     |
|  |                         | 100     | 0         | 23.31              | 23.89      | < 30.00     |
|  |                         | 1       | 105       | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 1         | 23.32              | 23.90      | < 30.00     |
|  |                         | 1       | 131       | 23.02              | 23.60      | < 30.00     |
|  |                         | 128     | 0         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 132       | 23.00              | 23.58      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3500.01         | 50                      | 64      | 32        | 23.06              | 23.64      | < 30.00     |
|                 |                         | 1       | 1         | 23.57              | 24.15      | < 30.00     |
|                 |                         | 1       | 131       | 23.04              | 23.62      | < 30.00     |
|                 |                         | 128     | 0         | 23.07              | 23.65      | < 30.00     |
|                 |                         | 1       | 132       | 23.09              | 23.67      | < 30.00     |
|                 |                         | 1       | 0         | 23.66              | 24.24      | < 30.00     |
| 3525.00         | 50                      | 64      | 32        | 22.96              | 23.54      | < 30.00     |
|                 |                         | 1       | 1         | 23.02              | 23.60      | < 30.00     |
|                 |                         | 1       | 131       | 23.43              | 24.01      | < 30.00     |
|                 |                         | 128     | 0         | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 132       | 22.45              | 23.03      | < 30.00     |
|                 |                         | 1       | 0         | 23.03              | 23.61      | < 30.00     |
| 3480.00         | 60                      | 81      | 40        | 23.45              | 24.03      | < 30.00     |
|                 |                         | 1       | 1         | 23.39              | 23.97      | < 30.00     |
|                 |                         | 1       | 160       | 23.12              | 23.70      | < 30.00     |
|                 |                         | 162     | 0         | 23.41              | 23.99      | < 30.00     |
|                 |                         | 1       | 161       | 23.08              | 23.66      | < 30.00     |
|                 |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3500.01         | 60                      | 81      | 40        | 23.18              | 23.76      | < 30.00     |
|                 |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 160       | 22.70              | 23.28      | < 30.00     |
|                 |                         | 162     | 0         | 23.28              | 23.86      | < 30.00     |
|                 |                         | 1       | 161       | 22.67              | 23.25      | < 30.00     |
|                 |                         | 1       | 0         | 23.68              | 24.26      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3519.99         | 60                      | 81      | 40        | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 1         | 23.30              | 23.88      | < 30.00     |
|                 |                         | 1       | 160       | 23.06              | 23.64      | < 30.00     |
|                 |                         | 162     | 0         | 23.09              | 23.67      | < 30.00     |
|                 |                         | 1       | 161       | 22.98              | 23.56      | < 30.00     |
|                 |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3485.01         | 70                      | 90      | 45        | 22.49              | 23.07      | < 30.00     |
|                 |                         | 1       | 1         | 22.75              | 23.33      | < 30.00     |
|                 |                         | 1       | 187       | 22.67              | 23.25      | < 30.00     |
|                 |                         | 180     | 0         | 22.60              | 23.18      | < 30.00     |
|                 |                         | 1       | 188       | 22.64              | 23.22      | < 30.00     |
|                 |                         | 1       | 0         | 22.77              | 23.35      | < 30.00     |
| 3500.01         | 70                      | 90      | 45        | 22.97              | 23.55      | < 30.00     |
|                 |                         | 1       | 1         | 23.13              | 23.71      | < 30.00     |
|                 |                         | 1       | 187       | 22.87              | 23.45      | < 30.00     |
|                 |                         | 180     | 0         | 23.03              | 23.61      | < 30.00     |
|                 |                         | 1       | 188       | 22.73              | 23.31      | < 30.00     |
|                 |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3514.98         | 70                      | 90      | 45        | 23.03              | 23.61      | < 30.00     |
|                 |                         | 1       | 1         | 23.04              | 23.62      | < 30.00     |
|                 |                         | 1       | 187       | 22.75              | 23.33      | < 30.00     |
|                 |                         | 180     | 0         | 22.96              | 23.54      | < 30.00     |
|                 |                         | 1       | 188       | 22.73              | 23.31      | < 30.00     |
|                 |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3490.02         | 80                      | 108     | 54        | 23.02              | 23.60      | < 30.00     |
|                 |                         | 1       | 1         | 23.16              | 23.74      | < 30.00     |
|                 |                         | 1       | 215       | 22.71              | 23.29      | < 30.00     |
|                 |                         | 216     | 0         | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 216       | 22.84              | 23.42      | < 30.00     |
|                 |                         | 1       | 0         | 23.18              | 23.76      | < 30.00     |
| 3500.01         | 80                      | 108     | 54        | 22.97              | 23.55      | < 30.00     |
|                 |                         | 1       | 1         | 23.29              | 23.87      | < 30.00     |
|                 |                         | 1       | 215       | 22.88              | 23.46      | < 30.00     |
|                 |                         | 216     | 0         | 23.09              | 23.67      | < 30.00     |
|                 |                         | 1       | 216       | 22.62              | 23.20      | < 30.00     |
|                 |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3510.00         | 80                      | 108     | 54        | 22.85              | 23.43      | < 30.00     |
|                 |                         | 1       | 1         | 23.23              | 23.81      | < 30.00     |
|                 |                         | 1       | 215       | 22.80              | 23.38      | < 30.00     |
|                 |                         | 216     | 0         | 23.03              | 23.61      | < 30.00     |
|                 |                         | 1       | 216       | 22.24              | 22.82      | < 30.00     |
|                 |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3495.00         | 90                      | 120     | 60        | 23.02              | 23.60      | < 30.00     |
|                 |                         | 1       | 1         | 23.03              | 23.61      | < 30.00     |
|                 |                         | 1       | 243       | 22.31              | 22.89      | < 30.00     |
|                 |                         | 243     | 0         | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 244       | 23.33              | 23.91      | < 30.00     |
|                 |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 120     | 60        | 22.94              | 23.52      | < 30.00     |
|                 |                         | 1       | 1         | 23.13              | 23.71      | < 30.00     |
|                 |                         | 1       | 243       | 23.53              | 24.11      | < 30.00     |
|                 |                         | 243     | 0         | 23.02              | 23.60      | < 30.00     |
|                 |                         | 1       | 244       | 22.28              | 22.86      | < 30.00     |
|                 |                         | 1       | 0         | 22.99              | 23.57      | < 30.00     |
| 3504.99         | 90                      | 120     | 60        | 22.92              | 23.50      | < 30.00     |
|                 |                         | 1       | 1         | 23.15              | 23.73      | < 30.00     |
|                 |                         | 1       | 243       | 23.13              | 23.71      | < 30.00     |
|                 |                         | 243     | 0         | 23.01              | 23.59      | < 30.00     |
|                 |                         | 1       | 244       | 22.92              | 23.50      | < 30.00     |
|                 |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| 3500.01         | 100                     | 135     | 67        | 22.96              | 23.54      | < 30.00     |
|                 |                         | 1       | 1         | 23.13              | 23.71      | < 30.00     |
|                 |                         | 1       | 271       | 22.97              | 23.55      | < 30.00     |
|                 |                         | 270     | 0         | 22.94              | 23.52      | < 30.00     |
|                 |                         | 1       | 272       | 22.86              | 23.44      | < 30.00     |
|                 |                         | 1       | 0         | 22.82              | 23.40      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3455.01         | 10                      | 12      | 6         | 20.52              | 21.10      | < 30.00     |
|                 |                         | 1       | 1         | 20.70              | 21.28      | < 30.00     |
|                 |                         | 1       | 22        | 20.91              | 21.49      | < 30.00     |
|                 |                         | 24      | 0         | 20.50              | 21.08      | < 30.00     |
|                 |                         | 1       | 23        | 20.67              | 21.25      | < 30.00     |
|                 |                         | 1       | 0         | 20.53              | 21.11      | < 30.00     |
| 3500.01         | 10                      | 12      | 6         | 20.05              | 20.63      | < 30.00     |
|                 |                         | 1       | 1         | 20.45              | 21.03      | < 30.00     |
|                 |                         | 1       | 22        | 20.29              | 20.87      | < 30.00     |
|                 |                         | 24      | 0         | 20.10              | 20.68      | < 30.00     |
|                 |                         | 1       | 23        | 20.67              | 21.25      | < 30.00     |
|                 |                         | 1       | 0         | 20.29              | 20.87      | < 30.00     |
| 3544.98         | 10                      | 12      | 6         | 20.11              | 20.69      | < 30.00     |
|                 |                         | 1       | 1         | 19.97              | 20.55      | < 30.00     |
|                 |                         | 1       | 22        | 20.55              | 21.13      | < 30.00     |
|                 |                         | 24      | 0         | 20.05              | 20.63      | < 30.00     |
|                 |                         | 1       | 23        | 20.65              | 21.23      | < 30.00     |
|                 |                         | 1       | 0         | 20.46              | 21.04      | < 30.00     |
| 3457.50         | 15                      | 18      | 9         | 20.59              | 21.17      | < 30.00     |
|                 |                         | 1       | 1         | 20.89              | 21.47      | < 30.00     |
|                 |                         | 1       | 36        | 20.86              | 21.44      | < 30.00     |
|                 |                         | 36      | 0         | 20.74              | 21.32      | < 30.00     |
|                 |                         | 1       | 37        | 21.10              | 21.68      | < 30.00     |
|                 |                         | 1       | 0         | 20.89              | 21.47      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3500.01         | 15                      | 18      | 9         | 20.36              | 20.94      | < 30.00     |
|                 |                         | 1       | 1         | 20.60              | 21.18      | < 30.00     |
|                 |                         | 1       | 36        | 20.34              | 20.92      | < 30.00     |
|                 |                         | 36      | 0         | 20.43              | 21.01      | < 30.00     |
|                 |                         | 1       | 37        | 20.49              | 21.07      | < 30.00     |
|                 |                         | 1       | 0         | 20.65              | 21.23      | < 30.00     |
| 3542.49         | 15                      | 18      | 9         | 20.36              | 20.94      | < 30.00     |
|                 |                         | 1       | 1         | 20.47              | 21.05      | < 30.00     |
|                 |                         | 1       | 36        | 20.44              | 21.02      | < 30.00     |
|                 |                         | 36      | 0         | 20.37              | 20.95      | < 30.00     |
|                 |                         | 1       | 37        | 20.39              | 20.97      | < 30.00     |
|                 |                         | 1       | 0         | 20.45              | 21.03      | < 30.00     |
| 3460.02         | 20                      | 25      | 12        | 20.58              | 21.16      | < 30.00     |
|                 |                         | 1       | 1         | 20.91              | 21.49      | < 30.00     |
|                 |                         | 1       | 49        | 20.93              | 21.51      | < 30.00     |
|                 |                         | 50      | 0         | 20.67              | 21.25      | < 30.00     |
|                 |                         | 1       | 50        | 21.10              | 21.68      | < 30.00     |
|                 |                         | 1       | 0         | 20.71              | 21.29      | < 30.00     |
| 3500.01         | 20                      | 25      | 12        | 20.18              | 20.76      | < 30.00     |
|                 |                         | 1       | 1         | 20.69              | 21.27      | < 30.00     |
|                 |                         | 1       | 49        | 20.87              | 21.45      | < 30.00     |
|                 |                         | 50      | 0         | 20.35              | 20.93      | < 30.00     |
|                 |                         | 1       | 50        | 20.30              | 20.88      | < 30.00     |
|                 |                         | 1       | 0         | 20.62              | 21.20      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3540.00         | 20                      | 25      | 12        | 20.39              | 20.97      | < 30.00     |
|                 |                         | 1       | 1         | 20.40              | 20.98      | < 30.00     |
|                 |                         | 1       | 49        | 20.40              | 20.98      | < 30.00     |
|                 |                         | 50      | 0         | 20.32              | 20.90      | < 30.00     |
|                 |                         | 1       | 50        | 20.33              | 20.91      | < 30.00     |
|                 |                         | 1       | 0         | 20.61              | 21.19      | < 30.00     |
| 3464.00         | 30                      | 36      | 78        | 20.71              | 21.29      | < 30.00     |
|                 |                         | 1       | 1         | 20.98              | 21.56      | < 30.00     |
|                 |                         | 1       | 76        | 21.01              | 21.59      | < 30.00     |
|                 |                         | 75      | 0         | 20.69              | 21.27      | < 30.00     |
|                 |                         | 1       | 77        | 21.11              | 21.69      | < 30.00     |
|                 |                         | 1       | 0         | 20.59              | 21.17      | < 30.00     |
| 3500.01         | 30                      | 36      | 78        | 20.36              | 20.94      | < 30.00     |
|                 |                         | 1       | 1         | 20.86              | 21.44      | < 30.00     |
|                 |                         | 1       | 76        | 20.36              | 20.94      | < 30.00     |
|                 |                         | 75      | 0         | 20.44              | 21.02      | < 30.00     |
|                 |                         | 1       | 77        | 20.15              | 20.73      | < 30.00     |
|                 |                         | 1       | 0         | 21.13              | 21.71      | < 30.00     |
| 3534.99         | 30                      | 36      | 78        | 20.36              | 20.94      | < 30.00     |
|                 |                         | 1       | 1         | 20.43              | 21.01      | < 30.00     |
|                 |                         | 1       | 76        | 20.42              | 21.00      | < 30.00     |
|                 |                         | 75      | 0         | 20.28              | 20.86      | < 30.00     |
|                 |                         | 1       | 77        | 20.46              | 21.04      | < 30.00     |
|                 |                         | 1       | 0         | 20.44              | 21.02      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 20.95              | 21.53      | < 30.00     |
|  |                         | 1       | 1         | 21.02              | 21.60      | < 30.00     |
|  |                         | 1       | 104       | 20.98              | 21.56      | < 30.00     |
|  |                         | 100     | 0         | 20.71              | 21.29      | < 30.00     |
|  |                         | 1       | 105       | 21.02              | 21.60      | < 30.00     |
|  |                         | 1       | 0         | 21.05              | 21.63      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 20.40              | 20.98      | < 30.00     |
|  |                         | 1       | 1         | 21.03              | 21.61      | < 30.00     |
|  |                         | 1       | 104       | 20.74              | 21.32      | < 30.00     |
|  |                         | 100     | 0         | 20.36              | 20.94      | < 30.00     |
|  |                         | 1       | 105       | 20.50              | 21.08      | < 30.00     |
|  |                         | 1       | 0         | 21.10              | 21.68      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 20.29              | 20.87      | < 30.00     |
|  |                         | 1       | 1         | 20.12              | 20.70      | < 30.00     |
|  |                         | 1       | 104       | 20.55              | 21.13      | < 30.00     |
|  |                         | 100     | 0         | 20.33              | 20.91      | < 30.00     |
|  |                         | 1       | 105       | 21.11              | 21.69      | < 30.00     |
|  |                         | 1       | 0         | 20.68              | 21.26      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 20.74              | 21.32      | < 30.00     |
|  |                         | 1       | 1         | 20.86              | 21.44      | < 30.00     |
|  |                         | 1       | 131       | 20.36              | 20.94      | < 30.00     |
|  |                         | 128     | 0         | 20.49              | 21.07      | < 30.00     |
|  |                         | 1       | 132       | 20.23              | 20.81      | < 30.00     |
|  |                         | 1       | 0         | 20.81              | 21.39      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 64      | 32        | 20.18              | 20.76      | < 30.00     |
|  |                         | 1       | 1         | 20.86              | 21.44      | < 30.00     |
|  |                         | 1       | 131       | 20.52              | 21.10      | < 30.00     |
|  |                         | 128     | 0         | 20.16              | 20.74      | < 30.00     |
|  |                         | 1       | 132       | 19.95              | 20.53      | < 30.00     |
|  |                         | 1       | 0         | 20.85              | 21.43      | < 30.00     |
| 3525.00  | 50                      | 64      | 32        | 20.08              | 20.66      | < 30.00     |
|  |                         | 1       | 1         | 20.45              | 21.03      | < 30.00     |
|  |                         | 1       | 131       | 20.27              | 20.85      | < 30.00     |
|  |                         | 128     | 0         | 20.15              | 20.73      | < 30.00     |
|  |                         | 1       | 132       | 20.15              | 20.73      | < 30.00     |
|  |                         | 1       | 0         | 20.38              | 20.96      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 20.53              | 21.11      | < 30.00     |
|  |                         | 1       | 1         | 20.52              | 21.10      | < 30.00     |
|  |                         | 1       | 160       | 20.16              | 20.74      | < 30.00     |
|  |                         | 162     | 0         | 20.67              | 21.25      | < 30.00     |
|  |                         | 1       | 161       | 20.14              | 20.72      | < 30.00     |
|  |                         | 1       | 0         | 20.73              | 21.31      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 20.39              | 20.97      | < 30.00     |
|  |                         | 1       | 1         | 20.74              | 21.32      | < 30.00     |
|  |                         | 1       | 160       | 20.31              | 20.89      | < 30.00     |
|  |                         | 162     | 0         | 20.39              | 20.97      | < 30.00     |
|  |                         | 1       | 161       | 20.37              | 20.95      | < 30.00     |
|  |                         | 1       | 0         | 20.77              | 21.35      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3519.99         | 60                      | 81      | 40        | 20.17              | 20.75      | < 30.00     |
|                 |                         | 1       | 1         | 20.69              | 21.27      | < 30.00     |
|                 |                         | 1       | 160       | 20.22              | 20.80      | < 30.00     |
|                 |                         | 162     | 0         | 20.25              | 20.83      | < 30.00     |
|                 |                         | 1       | 161       | 20.46              | 21.04      | < 30.00     |
|                 |                         | 1       | 0         | 21.00              | 21.58      | < 30.00     |
| 3485.01         | 70                      | 90      | 45        | 19.48              | 20.06      | < 30.00     |
|                 |                         | 1       | 1         | 19.80              | 20.38      | < 30.00     |
|                 |                         | 1       | 187       | 19.84              | 20.42      | < 30.00     |
|                 |                         | 180     | 0         | 19.54              | 20.12      | < 30.00     |
|                 |                         | 1       | 188       | 19.63              | 20.21      | < 30.00     |
|                 |                         | 1       | 0         | 19.65              | 20.23      | < 30.00     |
| 3500.01         | 70                      | 90      | 45        | 19.96              | 20.54      | < 30.00     |
|                 |                         | 1       | 1         | 20.24              | 20.82      | < 30.00     |
|                 |                         | 1       | 187       | 19.65              | 20.23      | < 30.00     |
|                 |                         | 180     | 0         | 19.96              | 20.54      | < 30.00     |
|                 |                         | 1       | 188       | 19.68              | 20.26      | < 30.00     |
|                 |                         | 1       | 0         | 19.97              | 20.55      | < 30.00     |
| 3514.98         | 70                      | 90      | 45        | 20.04              | 20.62      | < 30.00     |
|                 |                         | 1       | 1         | 20.12              | 20.70      | < 30.00     |
|                 |                         | 1       | 187       | 19.54              | 20.12      | < 30.00     |
|                 |                         | 180     | 0         | 19.98              | 20.56      | < 30.00     |
|                 |                         | 1       | 188       | 19.81              | 20.39      | < 30.00     |
|                 |                         | 1       | 0         | 19.88              | 20.46      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3490.02         | 80                      | 108     | 54        | 20.08              | 20.66      | < 30.00     |
|                 |                         | 1       | 1         | 20.47              | 21.05      | < 30.00     |
|                 |                         | 1       | 215       | 20.09              | 20.67      | < 30.00     |
|                 |                         | 216     | 0         | 20.31              | 20.89      | < 30.00     |
|                 |                         | 1       | 216       | 20.70              | 21.28      | < 30.00     |
|                 |                         | 1       | 0         | 20.36              | 20.94      | < 30.00     |
| 3500.01         | 80                      | 108     | 54        | 20.00              | 20.58      | < 30.00     |
|                 |                         | 1       | 1         | 20.50              | 21.08      | < 30.00     |
|                 |                         | 1       | 215       | 19.85              | 20.43      | < 30.00     |
|                 |                         | 216     | 0         | 20.20              | 20.78      | < 30.00     |
|                 |                         | 1       | 216       | 19.78              | 20.36      | < 30.00     |
|                 |                         | 1       | 0         | 20.62              | 21.20      | < 30.00     |
| 3510.00         | 80                      | 108     | 54        | 19.92              | 20.50      | < 30.00     |
|                 |                         | 1       | 1         | 20.81              | 21.39      | < 30.00     |
|                 |                         | 1       | 215       | 20.36              | 20.94      | < 30.00     |
|                 |                         | 216     | 0         | 19.97              | 20.55      | < 30.00     |
|                 |                         | 1       | 216       | 19.79              | 20.37      | < 30.00     |
|                 |                         | 1       | 0         | 20.42              | 21.00      | < 30.00     |
| 3495.00         | 90                      | 120     | 60        | 20.06              | 20.64      | < 30.00     |
|                 |                         | 1       | 1         | 20.51              | 21.09      | < 30.00     |
|                 |                         | 1       | 243       | 20.15              | 20.73      | < 30.00     |
|                 |                         | 243     | 0         | 20.05              | 20.63      | < 30.00     |
|                 |                         | 1       | 244       | 20.13              | 20.71      | < 30.00     |
|                 |                         | 1       | 0         | 20.24              | 20.82      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 120     | 60        | 20.12              | 20.70      | < 30.00     |
|                 |                         | 1       | 1         | 20.84              | 21.42      | < 30.00     |
|                 |                         | 1       | 243       | 20.21              | 20.79      | < 30.00     |
|                 |                         | 243     | 0         | 20.07              | 20.65      | < 30.00     |
|                 |                         | 1       | 244       | 20.09              | 20.67      | < 30.00     |
|                 |                         | 1       | 0         | 20.55              | 21.13      | < 30.00     |
| 3504.99         | 90                      | 120     | 60        | 20.07              | 20.65      | < 30.00     |
|                 |                         | 1       | 1         | 20.49              | 21.07      | < 30.00     |
|                 |                         | 1       | 243       | 20.21              | 20.79      | < 30.00     |
|                 |                         | 243     | 0         | 20.07              | 20.65      | < 30.00     |
|                 |                         | 1       | 244       | 20.18              | 20.76      | < 30.00     |
|                 |                         | 1       | 0         | 20.69              | 21.27      | < 30.00     |
| 3500.01         | 100                     | 135     | 67        | 20.17              | 20.75      | < 30.00     |
|                 |                         | 1       | 1         | 20.59              | 21.17      | < 30.00     |
|                 |                         | 1       | 271       | 20.04              | 20.62      | < 30.00     |
|                 |                         | 270     | 0         | 20.28              | 20.86      | < 30.00     |
|                 |                         | 1       | 272       | 20.10              | 20.68      | < 30.00     |
|                 |                         | 1       | 0         | 22.80              | 23.38      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

|           |                         |               |                                  |
|-----------|-------------------------|---------------|----------------------------------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo                        |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | HPUE n77/n78_SA<br>(3450 ~ 3550) |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 3455.01              | 10                      | 12      | 6         | 26.90              | 27.48      | < 30.00     |
|                      |                         | 1       | 1         | 26.83              | 27.41      | < 30.00     |
|                      |                         | 1       | 22        | 26.99              | 27.57      | < 30.00     |
|                      |                         | 24      | 0         | 26.42              | 27.00      | < 30.00     |
|                      |                         | 1       | 23        | 23.32              | 23.90      | < 30.00     |
|                      |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3500.01              | 10                      | 12      | 6         | 26.65              | 27.23      | < 30.00     |
|                      |                         | 1       | 1         | 26.57              | 27.15      | < 30.00     |
|                      |                         | 1       | 22        | 26.49              | 27.07      | < 30.00     |
|                      |                         | 24      | 0         | 26.09              | 26.67      | < 30.00     |
|                      |                         | 1       | 23        | 22.93              | 23.51      | < 30.00     |
|                      |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3544.98              | 10                      | 12      | 6         | 26.57              | 27.15      | < 30.00     |
|                      |                         | 1       | 1         | 26.54              | 27.12      | < 30.00     |
|                      |                         | 1       | 22        | 26.52              | 27.10      | < 30.00     |
|                      |                         | 24      | 0         | 26.07              | 26.65      | < 30.00     |
|                      |                         | 1       | 23        | 23.10              | 23.68      | < 30.00     |
|                      |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3457.50              | 15                      | 18      | 9         | 27.13              | 27.71      | < 30.00     |
|                      |                         | 1       | 1         | 26.91              | 27.49      | < 30.00     |
|                      |                         | 1       | 36        | 27.11              | 27.69      | < 30.00     |
|                      |                         | 36      | 0         | 26.54              | 27.12      | < 30.00     |
|                      |                         | 1       | 37        | 23.69              | 24.27      | < 30.00     |
|                      |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3500.01                     | 15                      | 18      | 9         | 26.70              | 27.28      | < 30.00     |
|                             |                         | 1       | 1         | 26.79              | 27.37      | < 30.00     |
|                             |                         | 1       | 36        | 26.58              | 27.16      | < 30.00     |
|                             |                         | 36      | 0         | 26.22              | 26.80      | < 30.00     |
|                             |                         | 1       | 37        | 23.00              | 23.58      | < 30.00     |
|                             |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3542.49                     | 15                      | 18      | 9         | 26.69              | 27.27      | < 30.00     |
|                             |                         | 1       | 1         | 26.60              | 27.18      | < 30.00     |
|                             |                         | 1       | 36        | 26.57              | 27.15      | < 30.00     |
|                             |                         | 36      | 0         | 26.10              | 26.68      | < 30.00     |
|                             |                         | 1       | 37        | 23.04              | 23.62      | < 30.00     |
|                             |                         | 1       | 0         | 23.03              | 23.61      | < 30.00     |
| 3460.02                     | 20                      | 25      | 12        | 27.08              | 27.66      | < 30.00     |
|                             |                         | 1       | 1         | 26.91              | 27.49      | < 30.00     |
|                             |                         | 1       | 49        | 27.02              | 27.60      | < 30.00     |
|                             |                         | 50      | 0         | 26.57              | 27.15      | < 30.00     |
|                             |                         | 1       | 50        | 26.57              | 27.15      | < 30.00     |
|                             |                         | 1       | 0         | 23.49              | 24.07      | < 30.00     |
| 3500.01                     | 20                      | 25      | 12        | 26.66              | 27.24      | < 30.00     |
|                             |                         | 1       | 1         | 26.80              | 27.38      | < 30.00     |
|                             |                         | 1       | 49        | 26.50              | 27.08      | < 30.00     |
|                             |                         | 50      | 0         | 26.24              | 26.82      | < 30.00     |
|                             |                         | 1       | 50        | 22.92              | 23.50      | < 30.00     |
|                             |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3540.00                     | 20                      | 25      | 12        | 26.68              | 27.26      | < 30.00     |
|                             |                         | 1       | 1         | 26.63              | 27.21      | < 30.00     |
|                             |                         | 1       | 49        | 26.61              | 27.19      | < 30.00     |
|                             |                         | 50      | 0         | 26.27              | 26.85      | < 30.00     |
|                             |                         | 1       | 50        | 23.08              | 23.66      | < 30.00     |
|                             |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3464.00                     | 30                      | 36      | 78        | 27.18              | 27.76      | < 30.00     |
|                             |                         | 1       | 1         | 26.93              | 27.51      | < 30.00     |
|                             |                         | 1       | 76        | 27.16              | 27.74      | < 30.00     |
|                             |                         | 75      | 0         | 26.59              | 27.17      | < 30.00     |
|                             |                         | 1       | 77        | 23.65              | 24.23      | < 30.00     |
|                             |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3500.01                     | 30                      | 36      | 78        | 26.81              | 27.39      | < 30.00     |
|                             |                         | 1       | 1         | 27.02              | 27.60      | < 30.00     |
|                             |                         | 1       | 76        | 26.67              | 27.25      | < 30.00     |
|                             |                         | 75      | 0         | 26.32              | 26.90      | < 30.00     |
|                             |                         | 1       | 77        | 23.11              | 23.69      | < 30.00     |
|                             |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3534.99                     | 30                      | 36      | 78        | 26.72              | 27.30      | < 30.00     |
|                             |                         | 1       | 1         | 26.68              | 27.26      | < 30.00     |
|                             |                         | 1       | 76        | 26.69              | 27.27      | < 30.00     |
|                             |                         | 75      | 0         | 26.26              | 26.84      | < 30.00     |
|                             |                         | 1       | 77        | 23.29              | 23.87      | < 30.00     |
|                             |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 27.09              | 27.67      | < 30.00     |
|  |                         | 1       | 1         | 26.94              | 27.52      | < 30.00     |
|  |                         | 1       | 104       | 26.98              | 27.56      | < 30.00     |
|  |                         | 100     | 0         | 26.59              | 27.17      | < 30.00     |
|  |                         | 1       | 105       | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 0         | 23.44              | 24.02      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 26.89              | 27.47      | < 30.00     |
|  |                         | 1       | 1         | 27.04              | 27.62      | < 30.00     |
|  |                         | 1       | 104       | 26.71              | 27.29      | < 30.00     |
|  |                         | 100     | 0         | 26.40              | 26.98      | < 30.00     |
|  |                         | 1       | 105       | 23.19              | 23.77      | < 30.00     |
|  |                         | 1       | 0         | 23.48              | 24.06      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 26.77              | 27.35      | < 30.00     |
|  |                         | 1       | 1         | 26.70              | 27.28      | < 30.00     |
|  |                         | 1       | 104       | 26.78              | 27.36      | < 30.00     |
|  |                         | 100     | 0         | 26.29              | 26.87      | < 30.00     |
|  |                         | 1       | 105       | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 26.97              | 27.55      | < 30.00     |
|  |                         | 1       | 1         | 26.91              | 27.49      | < 30.00     |
|  |                         | 1       | 131       | 26.49              | 27.07      | < 30.00     |
|  |                         | 128     | 0         | 26.46              | 27.04      | < 30.00     |
|  |                         | 1       | 132       | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3500.01                     | 50                      | 64      | 32        | 26.67              | 27.25      | < 30.00     |
|                             |                         | 1       | 1         | 27.06              | 27.64      | < 30.00     |
|                             |                         | 1       | 131       | 26.48              | 27.06      | < 30.00     |
|                             |                         | 128     | 0         | 26.29              | 26.87      | < 30.00     |
|                             |                         | 1       | 132       | 22.92              | 23.50      | < 30.00     |
|                             |                         | 1       | 0         | 23.54              | 24.12      | < 30.00     |
| 3525.00                     | 50                      | 64      | 32        | 26.48              | 27.06      | < 30.00     |
|                             |                         | 1       | 1         | 26.60              | 27.18      | < 30.00     |
|                             |                         | 1       | 131       | 26.46              | 27.04      | < 30.00     |
|                             |                         | 128     | 0         | 26.09              | 26.67      | < 30.00     |
|                             |                         | 1       | 132       | 22.94              | 23.52      | < 30.00     |
|                             |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3480.00                     | 60                      | 81      | 40        | 27.01              | 27.59      | < 30.00     |
|                             |                         | 1       | 1         | 26.81              | 27.39      | < 30.00     |
|                             |                         | 1       | 160       | 26.38              | 26.96      | < 30.00     |
|                             |                         | 162     | 0         | 26.42              | 27.00      | < 30.00     |
|                             |                         | 1       | 161       | 22.88              | 23.46      | < 30.00     |
|                             |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3500.01                     | 60                      | 81      | 40        | 26.65              | 27.23      | < 30.00     |
|                             |                         | 1       | 1         | 26.89              | 27.47      | < 30.00     |
|                             |                         | 1       | 160       | 26.39              | 26.97      | < 30.00     |
|                             |                         | 162     | 0         | 26.22              | 26.80      | < 30.00     |
|                             |                         | 1       | 161       | 22.91              | 23.49      | < 30.00     |
|                             |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 26.51              | 27.09      | < 30.00     |
|  |                         | 1       | 1         | 26.67              | 27.25      | < 30.00     |
|  |                         | 1       | 160       | 26.42              | 27.00      | < 30.00     |
|  |                         | 162     | 0         | 26.10              | 26.68      | < 30.00     |
|  |                         | 1       | 161       | 22.99              | 23.57      | < 30.00     |
|  |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 26.14              | 26.72      | < 30.00     |
|  |                         | 1       | 1         | 26.36              | 26.94      | < 30.00     |
|  |                         | 1       | 187       | 26.28              | 26.86      | < 30.00     |
|  |                         | 180     | 0         | 25.67              | 26.25      | < 30.00     |
|  |                         | 1       | 188       | 22.72              | 23.30      | < 30.00     |
|  |                         | 1       | 0         | 22.79              | 23.37      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 26.44              | 27.02      | < 30.00     |
|  |                         | 1       | 1         | 26.65              | 27.23      | < 30.00     |
|  |                         | 1       | 187       | 26.42              | 27.00      | < 30.00     |
|  |                         | 180     | 0         | 26.03              | 26.61      | < 30.00     |
|  |                         | 1       | 188       | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 26.50              | 27.08      | < 30.00     |
|  |                         | 1       | 1         | 26.54              | 27.12      | < 30.00     |
|  |                         | 1       | 187       | 26.30              | 26.88      | < 30.00     |
|  |                         | 180     | 0         | 26.00              | 26.58      | < 30.00     |
|  |                         | 1       | 188       | 22.79              | 23.37      | < 30.00     |
|  |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3490.02                     | 80                      | 108     | 54        | 26.55              | 27.13      | < 30.00     |
|                             |                         | 1       | 1         | 26.64              | 27.22      | < 30.00     |
|                             |                         | 1       | 215       | 26.30              | 26.88      | < 30.00     |
|                             |                         | 216     | 0         | 26.08              | 26.66      | < 30.00     |
|                             |                         | 1       | 216       | 22.83              | 23.41      | < 30.00     |
|                             |                         | 1       | 0         | 23.10              | 23.68      | < 30.00     |
| 3500.01                     | 80                      | 108     | 54        | 26.43              | 27.01      | < 30.00     |
|                             |                         | 1       | 1         | 26.77              | 27.35      | < 30.00     |
|                             |                         | 1       | 215       | 26.31              | 26.89      | < 30.00     |
|                             |                         | 216     | 0         | 26.14              | 26.72      | < 30.00     |
|                             |                         | 1       | 216       | 22.86              | 23.44      | < 30.00     |
|                             |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3510.00                     | 80                      | 108     | 54        | 26.41              | 26.99      | < 30.00     |
|                             |                         | 1       | 1         | 26.82              | 27.40      | < 30.00     |
|                             |                         | 1       | 215       | 26.29              | 26.87      | < 30.00     |
|                             |                         | 216     | 0         | 25.97              | 26.55      | < 30.00     |
|                             |                         | 1       | 216       | 22.82              | 23.40      | < 30.00     |
|                             |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3495.00                     | 90                      | 120     | 60        | 26.62              | 27.20      | < 30.00     |
|                             |                         | 1       | 1         | 26.63              | 27.21      | < 30.00     |
|                             |                         | 1       | 243       | 26.41              | 26.99      | < 30.00     |
|                             |                         | 243     | 0         | 26.09              | 26.67      | < 30.00     |
|                             |                         | 1       | 244       | 22.78              | 23.36      | < 30.00     |
|                             |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3500.01                     | 90                      | 120     | 60        | 26.51              | 27.09      | < 30.00     |
|                             |                         | 1       | 1         | 26.68              | 27.26      | < 30.00     |
|                             |                         | 1       | 243       | 26.41              | 26.99      | < 30.00     |
|                             |                         | 243     | 0         | 26.08              | 26.66      | < 30.00     |
|                             |                         | 1       | 244       | 22.78              | 23.36      | < 30.00     |
|                             |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3504.99                     | 90                      | 120     | 60        | 26.48              | 27.06      | < 30.00     |
|                             |                         | 1       | 1         | 26.75              | 27.33      | < 30.00     |
|                             |                         | 1       | 243       | 26.40              | 26.98      | < 30.00     |
|                             |                         | 243     | 0         | 26.02              | 26.60      | < 30.00     |
|                             |                         | 1       | 244       | 22.91              | 23.49      | < 30.00     |
|                             |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3500.01                     | 100                     | 135     | 67        | 26.58              | 27.16      | < 30.00     |
|                             |                         | 1       | 1         | 26.52              | 27.10      | < 30.00     |
|                             |                         | 1       | 271       | 26.38              | 26.96      | < 30.00     |
|                             |                         | 270     | 0         | 26.07              | 26.65      | < 30.00     |
|                             |                         | 1       | 272       | 22.68              | 23.26      | < 30.00     |
|                             |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3455.01                | 10                      | 12      | 6         | 26.92              | 27.50      | < 30.00     |
|                        |                         | 1       | 1         | 26.79              | 27.37      | < 30.00     |
|                        |                         | 1       | 22        | 26.97              | 27.55      | < 30.00     |
|                        |                         | 24      | 0         | 25.88              | 26.46      | < 30.00     |
|                        |                         | 1       | 23        | 23.36              | 23.94      | < 30.00     |
|                        |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| 3500.01                | 10                      | 12      | 6         | 26.58              | 27.16      | < 30.00     |
|                        |                         | 1       | 1         | 26.55              | 27.13      | < 30.00     |
|                        |                         | 1       | 22        | 26.59              | 27.17      | < 30.00     |
|                        |                         | 24      | 0         | 25.64              | 26.22      | < 30.00     |
|                        |                         | 1       | 23        | 23.04              | 23.62      | < 30.00     |
|                        |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3544.98                | 10                      | 12      | 6         | 26.60              | 27.18      | < 30.00     |
|                        |                         | 1       | 1         | 26.54              | 27.12      | < 30.00     |
|                        |                         | 1       | 22        | 26.51              | 27.09      | < 30.00     |
|                        |                         | 24      | 0         | 25.52              | 26.10      | < 30.00     |
|                        |                         | 1       | 23        | 23.07              | 23.65      | < 30.00     |
|                        |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| 3457.50                | 15                      | 18      | 9         | 27.08              | 27.66      | < 30.00     |
|                        |                         | 1       | 1         | 26.96              | 27.54      | < 30.00     |
|                        |                         | 1       | 36        | 27.23              | 27.81      | < 30.00     |
|                        |                         | 36      | 0         | 25.98              | 26.56      | < 30.00     |
|                        |                         | 1       | 37        | 23.66              | 24.24      | < 30.00     |
|                        |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3500.01                | 15                      | 18      | 9         | 26.75              | 27.33      | < 30.00     |
|                        |                         | 1       | 1         | 26.94              | 27.52      | < 30.00     |
|                        |                         | 1       | 36        | 26.63              | 27.21      | < 30.00     |
|                        |                         | 36      | 0         | 25.74              | 26.32      | < 30.00     |
|                        |                         | 1       | 37        | 22.97              | 23.55      | < 30.00     |
|                        |                         | 1       | 0         | 23.41              | 23.99      | < 30.00     |
| 3542.49                | 15                      | 18      | 9         | 26.75              | 27.33      | < 30.00     |
|                        |                         | 1       | 1         | 26.64              | 27.22      | < 30.00     |
|                        |                         | 1       | 36        | 26.57              | 27.15      | < 30.00     |
|                        |                         | 36      | 0         | 25.62              | 26.20      | < 30.00     |
|                        |                         | 1       | 37        | 23.01              | 23.59      | < 30.00     |
|                        |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| 3460.02                | 20                      | 25      | 12        | 27.04              | 27.62      | < 30.00     |
|                        |                         | 1       | 1         | 26.99              | 27.57      | < 30.00     |
|                        |                         | 1       | 49        | 27.06              | 27.64      | < 30.00     |
|                        |                         | 50      | 0         | 26.10              | 26.68      | < 30.00     |
|                        |                         | 1       | 50        | 26.10              | 26.68      | < 30.00     |
|                        |                         | 1       | 0         | 23.53              | 24.11      | < 30.00     |
| 3500.01                | 20                      | 25      | 12        | 26.66              | 27.24      | < 30.00     |
|                        |                         | 1       | 1         | 26.79              | 27.37      | < 30.00     |
|                        |                         | 1       | 49        | 26.50              | 27.08      | < 30.00     |
|                        |                         | 50      | 0         | 25.69              | 26.27      | < 30.00     |
|                        |                         | 1       | 50        | 23.00              | 23.58      | < 30.00     |
|                        |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3540.00                | 20                      | 25      | 12        | 26.68              | 27.26      | < 30.00     |
|                        |                         | 1       | 1         | 26.60              | 27.18      | < 30.00     |
|                        |                         | 1       | 49        | 26.67              | 27.25      | < 30.00     |
|                        |                         | 50      | 0         | 25.60              | 26.18      | < 30.00     |
|                        |                         | 1       | 50        | 23.25              | 23.83      | < 30.00     |
|                        |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3464.00                | 30                      | 36      | 78        | 27.04              | 27.62      | < 30.00     |
|                        |                         | 1       | 1         | 27.01              | 27.59      | < 30.00     |
|                        |                         | 1       | 76        | 27.20              | 27.78      | < 30.00     |
|                        |                         | 75      | 0         | 25.99              | 26.57      | < 30.00     |
|                        |                         | 1       | 77        | 23.70              | 24.28      | < 30.00     |
|                        |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3500.01                | 30                      | 36      | 78        | 26.81              | 27.39      | < 30.00     |
|                        |                         | 1       | 1         | 26.94              | 27.52      | < 30.00     |
|                        |                         | 1       | 76        | 26.63              | 27.21      | < 30.00     |
|                        |                         | 75      | 0         | 25.85              | 26.43      | < 30.00     |
|                        |                         | 1       | 77        | 22.96              | 23.54      | < 30.00     |
|                        |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| 3534.99                | 30                      | 36      | 78        | 26.71              | 27.29      | < 30.00     |
|                        |                         | 1       | 1         | 26.64              | 27.22      | < 30.00     |
|                        |                         | 1       | 76        | 26.82              | 27.40      | < 30.00     |
|                        |                         | 75      | 0         | 25.77              | 26.35      | < 30.00     |
|                        |                         | 1       | 77        | 23.18              | 23.76      | < 30.00     |
|                        |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 27.17              | 27.75      | < 30.00     |
|  |                         | 1       | 1         | 27.04              | 27.62      | < 30.00     |
|  |                         | 1       | 104       | 27.14              | 27.72      | < 30.00     |
|  |                         | 100     | 0         | 26.10              | 26.68      | < 30.00     |
|  |                         | 1       | 105       | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 0         | 23.61              | 24.19      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 26.80              | 27.38      | < 30.00     |
|  |                         | 1       | 1         | 27.22              | 27.80      | < 30.00     |
|  |                         | 1       | 104       | 26.78              | 27.36      | < 30.00     |
|  |                         | 100     | 0         | 25.82              | 26.40      | < 30.00     |
|  |                         | 1       | 105       | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 0         | 23.67              | 24.25      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 26.76              | 27.34      | < 30.00     |
|  |                         | 1       | 1         | 26.71              | 27.29      | < 30.00     |
|  |                         | 1       | 104       | 26.84              | 27.42      | < 30.00     |
|  |                         | 100     | 0         | 25.74              | 26.32      | < 30.00     |
|  |                         | 1       | 105       | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 27.03              | 27.61      | < 30.00     |
|  |                         | 1       | 1         | 26.86              | 27.44      | < 30.00     |
|  |                         | 1       | 131       | 26.58              | 27.16      | < 30.00     |
|  |                         | 128     | 0         | 25.98              | 26.56      | < 30.00     |
|  |                         | 1       | 132       | 23.05              | 23.63      | < 30.00     |
|  |                         | 1       | 0         | 23.41              | 23.99      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3500.01                | 50                      | 64      | 32        | 26.64              | 27.22      | < 30.00     |
|                        |                         | 1       | 1         | 27.07              | 27.65      | < 30.00     |
|                        |                         | 1       | 131       | 26.49              | 27.07      | < 30.00     |
|                        |                         | 128     | 0         | 25.70              | 26.28      | < 30.00     |
|                        |                         | 1       | 132       | 22.90              | 23.48      | < 30.00     |
|                        |                         | 1       | 0         | 23.47              | 24.05      | < 30.00     |
| 3525.00                | 50                      | 64      | 32        | 26.56              | 27.14      | < 30.00     |
|                        |                         | 1       | 1         | 26.73              | 27.31      | < 30.00     |
|                        |                         | 1       | 131       | 26.51              | 27.09      | < 30.00     |
|                        |                         | 128     | 0         | 25.51              | 26.09      | < 30.00     |
|                        |                         | 1       | 132       | 23.14              | 23.72      | < 30.00     |
|                        |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3480.00                | 60                      | 81      | 40        | 26.96              | 27.54      | < 30.00     |
|                        |                         | 1       | 1         | 26.73              | 27.31      | < 30.00     |
|                        |                         | 1       | 160       | 26.52              | 27.10      | < 30.00     |
|                        |                         | 162     | 0         | 25.89              | 26.47      | < 30.00     |
|                        |                         | 1       | 161       | 22.81              | 23.39      | < 30.00     |
|                        |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3500.01                | 60                      | 81      | 40        | 26.72              | 27.30      | < 30.00     |
|                        |                         | 1       | 1         | 27.11              | 27.69      | < 30.00     |
|                        |                         | 1       | 160       | 26.47              | 27.05      | < 30.00     |
|                        |                         | 162     | 0         | 25.64              | 26.22      | < 30.00     |
|                        |                         | 1       | 161       | 22.89              | 23.47      | < 30.00     |
|                        |                         | 1       | 0         | 23.62              | 24.20      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3519.99                | 60                      | 81      | 40        | 26.52              | 27.10      | < 30.00     |
|                        |                         | 1       | 1         | 26.76              | 27.34      | < 30.00     |
|                        |                         | 1       | 160       | 26.51              | 27.09      | < 30.00     |
|                        |                         | 162     | 0         | 25.53              | 26.11      | < 30.00     |
|                        |                         | 1       | 161       | 22.87              | 23.45      | < 30.00     |
|                        |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3485.01                | 70                      | 90      | 45        | 26.13              | 26.71      | < 30.00     |
|                        |                         | 1       | 1         | 26.32              | 26.90      | < 30.00     |
|                        |                         | 1       | 187       | 26.31              | 26.89      | < 30.00     |
|                        |                         | 180     | 0         | 25.22              | 25.80      | < 30.00     |
|                        |                         | 1       | 188       | 22.76              | 23.34      | < 30.00     |
|                        |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |
| 3500.01                | 70                      | 90      | 45        | 26.46              | 27.04      | < 30.00     |
|                        |                         | 1       | 1         | 26.58              | 27.16      | < 30.00     |
|                        |                         | 1       | 187       | 26.37              | 26.95      | < 30.00     |
|                        |                         | 180     | 0         | 25.48              | 26.06      | < 30.00     |
|                        |                         | 1       | 188       | 22.90              | 23.48      | < 30.00     |
|                        |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3514.98                | 70                      | 90      | 45        | 26.52              | 27.10      | < 30.00     |
|                        |                         | 1       | 1         | 26.54              | 27.12      | < 30.00     |
|                        |                         | 1       | 187       | 26.22              | 26.80      | < 30.00     |
|                        |                         | 180     | 0         | 25.44              | 26.02      | < 30.00     |
|                        |                         | 1       | 188       | 22.77              | 23.35      | < 30.00     |
|                        |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3490.02                | 80                      | 108     | 54        | 26.57              | 27.15      | < 30.00     |
|                        |                         | 1       | 1         | 26.54              | 27.12      | < 30.00     |
|                        |                         | 1       | 215       | 26.40              | 26.98      | < 30.00     |
|                        |                         | 216     | 0         | 25.57              | 26.15      | < 30.00     |
|                        |                         | 1       | 216       | 22.99              | 23.57      | < 30.00     |
|                        |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3500.01                | 80                      | 108     | 54        | 26.42              | 27.00      | < 30.00     |
|                        |                         | 1       | 1         | 26.68              | 27.26      | < 30.00     |
|                        |                         | 1       | 215       | 26.33              | 26.91      | < 30.00     |
|                        |                         | 216     | 0         | 25.58              | 26.16      | < 30.00     |
|                        |                         | 1       | 216       | 22.74              | 23.32      | < 30.00     |
|                        |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3510.00                | 80                      | 108     | 54        | 26.40              | 26.98      | < 30.00     |
|                        |                         | 1       | 1         | 26.82              | 27.40      | < 30.00     |
|                        |                         | 1       | 215       | 26.39              | 26.97      | < 30.00     |
|                        |                         | 216     | 0         | 25.52              | 26.10      | < 30.00     |
|                        |                         | 1       | 216       | 22.72              | 23.30      | < 30.00     |
|                        |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3495.00                | 90                      | 120     | 60        | 26.57              | 27.15      | < 30.00     |
|                        |                         | 1       | 1         | 26.66              | 27.24      | < 30.00     |
|                        |                         | 1       | 243       | 26.42              | 27.00      | < 30.00     |
|                        |                         | 243     | 0         | 25.62              | 26.20      | < 30.00     |
|                        |                         | 1       | 244       | 22.95              | 23.53      | < 30.00     |
|                        |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3500.01  | 90                      | 120     | 60        | 26.57              | 27.15      | < 30.00     |
|  |                         | 1       | 1         | 26.77              | 27.35      | < 30.00     |
|  |                         | 1       | 243       | 26.43              | 27.01      | < 30.00     |
|  |                         | 243     | 0         | 25.62              | 26.20      | < 30.00     |
|  |                         | 1       | 244       | 22.97              | 23.55      | < 30.00     |
|  |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3504.99  | 90                      | 120     | 60        | 26.56              | 27.14      | < 30.00     |
|  |                         | 1       | 1         | 26.84              | 27.42      | < 30.00     |
|  |                         | 1       | 243       | 26.41              | 26.99      | < 30.00     |
|  |                         | 243     | 0         | 25.64              | 26.22      | < 30.00     |
|  |                         | 1       | 244       | 22.98              | 23.56      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3500.01  | 100                     | 135     | 67        | 26.55              | 27.13      | < 30.00     |
|  |                         | 1       | 1         | 26.63              | 27.21      | < 30.00     |
|  |                         | 1       | 271       | 26.36              | 26.94      | < 30.00     |
|  |                         | 270     | 0         | 25.60              | 26.18      | < 30.00     |
|  |                         | 1       | 272       | 22.67              | 23.25      | < 30.00     |
|  |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3455.01                 | 10                      | 12      | 6         | 26.01              | 26.59      | < 30.00     |
|                         |                         | 1       | 1         | 25.63              | 26.21      | < 30.00     |
|                         |                         | 1       | 22        | 25.77              | 26.35      | < 30.00     |
|                         |                         | 24      | 0         | 24.83              | 25.41      | < 30.00     |
|                         |                         | 1       | 23        | 22.93              | 23.51      | < 30.00     |
|                         |                         | 1       | 0         | 23.10              | 23.68      | < 30.00     |
| 3500.01                 | 10                      | 12      | 6         | 25.57              | 26.15      | < 30.00     |
|                         |                         | 1       | 1         | 25.64              | 26.22      | < 30.00     |
|                         |                         | 1       | 22        | 25.48              | 26.06      | < 30.00     |
|                         |                         | 24      | 0         | 24.67              | 25.25      | < 30.00     |
|                         |                         | 1       | 23        | 22.84              | 23.42      | < 30.00     |
|                         |                         | 1       | 0         | 23.01              | 23.59      | < 30.00     |
| 3544.98                 | 10                      | 12      | 6         | 25.64              | 26.22      | < 30.00     |
|                         |                         | 1       | 1         | 25.55              | 26.13      | < 30.00     |
|                         |                         | 1       | 22        | 25.55              | 26.13      | < 30.00     |
|                         |                         | 24      | 0         | 24.63              | 25.21      | < 30.00     |
|                         |                         | 1       | 23        | 22.78              | 23.36      | < 30.00     |
|                         |                         | 1       | 0         | 22.89              | 23.47      | < 30.00     |
| 3457.50                 | 15                      | 18      | 9         | 26.13              | 26.71      | < 30.00     |
|                         |                         | 1       | 1         | 25.72              | 26.30      | < 30.00     |
|                         |                         | 1       | 36        | 25.89              | 26.47      | < 30.00     |
|                         |                         | 36      | 0         | 25.13              | 25.71      | < 30.00     |
|                         |                         | 1       | 37        | 23.41              | 23.99      | < 30.00     |
|                         |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 15                      | 18      | 9         | 25.77              | 26.35      | < 30.00     |
|                         |                         | 1       | 1         | 25.70              | 26.28      | < 30.00     |
|                         |                         | 1       | 36        | 25.29              | 25.87      | < 30.00     |
|                         |                         | 36      | 0         | 24.66              | 25.24      | < 30.00     |
|                         |                         | 1       | 37        | 22.84              | 23.42      | < 30.00     |
|                         |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| 3542.49                 | 15                      | 18      | 9         | 25.68              | 26.26      | < 30.00     |
|                         |                         | 1       | 1         | 25.44              | 26.02      | < 30.00     |
|                         |                         | 1       | 36        | 25.38              | 25.96      | < 30.00     |
|                         |                         | 36      | 0         | 24.74              | 25.32      | < 30.00     |
|                         |                         | 1       | 37        | 22.77              | 23.35      | < 30.00     |
|                         |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| 3460.02                 | 20                      | 25      | 12        | 26.11              | 26.69      | < 30.00     |
|                         |                         | 1       | 1         | 25.75              | 26.33      | < 30.00     |
|                         |                         | 1       | 49        | 25.91              | 26.49      | < 30.00     |
|                         |                         | 50      | 0         | 25.04              | 25.62      | < 30.00     |
|                         |                         | 1       | 50        | 25.04              | 25.62      | < 30.00     |
|                         |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3500.01                 | 20                      | 25      | 12        | 25.74              | 26.32      | < 30.00     |
|                         |                         | 1       | 1         | 25.63              | 26.21      | < 30.00     |
|                         |                         | 1       | 49        | 25.31              | 25.89      | < 30.00     |
|                         |                         | 50      | 0         | 24.72              | 25.30      | < 30.00     |
|                         |                         | 1       | 50        | 22.61              | 23.19      | < 30.00     |
|                         |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3540.00                 | 20                      | 25      | 12        | 25.67              | 26.25      | < 30.00     |
|                         |                         | 1       | 1         | 25.34              | 25.92      | < 30.00     |
|                         |                         | 1       | 49        | 25.34              | 25.92      | < 30.00     |
|                         |                         | 50      | 0         | 24.77              | 25.35      | < 30.00     |
|                         |                         | 1       | 50        | 22.81              | 23.39      | < 30.00     |
|                         |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3464.00                 | 30                      | 36      | 78        | 26.01              | 26.59      | < 30.00     |
|                         |                         | 1       | 1         | 25.65              | 26.23      | < 30.00     |
|                         |                         | 1       | 76        | 25.81              | 26.39      | < 30.00     |
|                         |                         | 75      | 0         | 25.15              | 25.73      | < 30.00     |
|                         |                         | 1       | 77        | 23.42              | 24.00      | < 30.00     |
|                         |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3500.01                 | 30                      | 36      | 78        | 25.77              | 26.35      | < 30.00     |
|                         |                         | 1       | 1         | 25.72              | 26.30      | < 30.00     |
|                         |                         | 1       | 76        | 25.48              | 26.06      | < 30.00     |
|                         |                         | 75      | 0         | 24.79              | 25.37      | < 30.00     |
|                         |                         | 1       | 77        | 22.84              | 23.42      | < 30.00     |
|                         |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3534.99                 | 30                      | 36      | 78        | 25.66              | 26.24      | < 30.00     |
|                         |                         | 1       | 1         | 25.67              | 26.25      | < 30.00     |
|                         |                         | 1       | 76        | 25.69              | 26.27      | < 30.00     |
|                         |                         | 75      | 0         | 24.68              | 25.26      | < 30.00     |
|                         |                         | 1       | 77        | 23.21              | 23.79      | < 30.00     |
|                         |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 3470.01          | 40                      | 50      | 25        | 26.12              | 26.70      | < 30.00     |
|                  |                         | 1       | 1         | 25.89              | 26.47      | < 30.00     |
|                  |                         | 1       | 104       | 25.77              | 26.35      | < 30.00     |
|                  |                         | 100     | 0         | 25.01              | 25.59      | < 30.00     |
|                  |                         | 1       | 105       | 23.21              | 23.79      | < 30.00     |
|                  |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| 3500.01          | 40                      | 50      | 25        | 25.78              | 26.36      | < 30.00     |
|                  |                         | 1       | 1         | 25.88              | 26.46      | < 30.00     |
|                  |                         | 1       | 104       | 25.54              | 26.12      | < 30.00     |
|                  |                         | 100     | 0         | 24.83              | 25.41      | < 30.00     |
|                  |                         | 1       | 105       | 23.10              | 23.68      | < 30.00     |
|                  |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| 3529.98          | 40                      | 50      | 25        | 25.74              | 26.32      | < 30.00     |
|                  |                         | 1       | 1         | 25.52              | 26.10      | < 30.00     |
|                  |                         | 1       | 104       | 25.55              | 26.13      | < 30.00     |
|                  |                         | 100     | 0         | 24.73              | 25.31      | < 30.00     |
|                  |                         | 1       | 105       | 22.93              | 23.51      | < 30.00     |
|                  |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |
| 3475.02          | 50                      | 64      | 32        | 26.07              | 26.65      | < 30.00     |
|                  |                         | 1       | 1         | 25.57              | 26.15      | < 30.00     |
|                  |                         | 1       | 131       | 25.32              | 25.90      | < 30.00     |
|                  |                         | 128     | 0         | 24.98              | 25.56      | < 30.00     |
|                  |                         | 1       | 132       | 22.85              | 23.43      | < 30.00     |
|                  |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 50                      | 64      | 32        | 25.66              | 26.24      | < 30.00     |
|                         |                         | 1       | 1         | 25.78              | 26.36      | < 30.00     |
|                         |                         | 1       | 131       | 25.30              | 25.88      | < 30.00     |
|                         |                         | 128     | 0         | 24.62              | 25.20      | < 30.00     |
|                         |                         | 1       | 132       | 22.79              | 23.37      | < 30.00     |
|                         |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3525.00                 | 50                      | 64      | 32        | 25.59              | 26.17      | < 30.00     |
|                         |                         | 1       | 1         | 25.36              | 25.94      | < 30.00     |
|                         |                         | 1       | 131       | 25.26              | 25.84      | < 30.00     |
|                         |                         | 128     | 0         | 24.61              | 25.19      | < 30.00     |
|                         |                         | 1       | 132       | 22.68              | 23.26      | < 30.00     |
|                         |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |
| 3480.00                 | 60                      | 81      | 40        | 25.99              | 26.57      | < 30.00     |
|                         |                         | 1       | 1         | 25.53              | 26.11      | < 30.00     |
|                         |                         | 1       | 160       | 25.23              | 25.81      | < 30.00     |
|                         |                         | 162     | 0         | 24.82              | 25.40      | < 30.00     |
|                         |                         | 1       | 161       | 22.48              | 23.06      | < 30.00     |
|                         |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3500.01                 | 60                      | 81      | 40        | 25.66              | 26.24      | < 30.00     |
|                         |                         | 1       | 1         | 25.82              | 26.40      | < 30.00     |
|                         |                         | 1       | 160       | 25.25              | 25.83      | < 30.00     |
|                         |                         | 162     | 0         | 24.65              | 25.23      | < 30.00     |
|                         |                         | 1       | 161       | 22.69              | 23.27      | < 30.00     |
|                         |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3519.99                 | 60                      | 81      | 40        | 25.57              | 26.15      | < 30.00     |
|                         |                         | 1       | 1         | 25.49              | 26.07      | < 30.00     |
|                         |                         | 1       | 160       | 25.26              | 25.84      | < 30.00     |
|                         |                         | 162     | 0         | 24.65              | 25.23      | < 30.00     |
|                         |                         | 1       | 161       | 22.68              | 23.26      | < 30.00     |
|                         |                         | 1       | 0         | 22.80              | 23.38      | < 30.00     |
| 3485.01                 | 70                      | 90      | 45        | 25.03              | 25.61      | < 30.00     |
|                         |                         | 1       | 1         | 25.10              | 25.68      | < 30.00     |
|                         |                         | 1       | 187       | 25.03              | 25.61      | < 30.00     |
|                         |                         | 180     | 0         | 24.08              | 24.66      | < 30.00     |
|                         |                         | 1       | 188       | 22.54              | 23.12      | < 30.00     |
|                         |                         | 1       | 0         | 22.60              | 23.18      | < 30.00     |
| 3500.01                 | 70                      | 90      | 45        | 25.46              | 26.04      | < 30.00     |
|                         |                         | 1       | 1         | 25.37              | 25.95      | < 30.00     |
|                         |                         | 1       | 187       | 25.13              | 25.71      | < 30.00     |
|                         |                         | 180     | 0         | 24.48              | 25.06      | < 30.00     |
|                         |                         | 1       | 188       | 22.69              | 23.27      | < 30.00     |
|                         |                         | 1       | 0         | 22.91              | 23.49      | < 30.00     |
| 3514.98                 | 70                      | 90      | 45        | 25.46              | 26.04      | < 30.00     |
|                         |                         | 1       | 1         | 25.28              | 25.86      | < 30.00     |
|                         |                         | 1       | 187       | 25.09              | 25.67      | < 30.00     |
|                         |                         | 180     | 0         | 24.52              | 25.10      | < 30.00     |
|                         |                         | 1       | 188       | 22.43              | 23.01      | < 30.00     |
|                         |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3490.02                 | 80                      | 108     | 54        | 25.67              | 26.25      | < 30.00     |
|                         |                         | 1       | 1         | 25.51              | 26.09      | < 30.00     |
|                         |                         | 1       | 215       | 25.17              | 25.75      | < 30.00     |
|                         |                         | 216     | 0         | 24.56              | 25.14      | < 30.00     |
|                         |                         | 1       | 216       | 22.53              | 23.11      | < 30.00     |
|                         |                         | 1       | 0         | 22.69              | 23.27      | < 30.00     |
| 3500.01                 | 80                      | 108     | 54        | 25.45              | 26.03      | < 30.00     |
|                         |                         | 1       | 1         | 25.63              | 26.21      | < 30.00     |
|                         |                         | 1       | 215       | 25.23              | 25.81      | < 30.00     |
|                         |                         | 216     | 0         | 24.59              | 25.17      | < 30.00     |
|                         |                         | 1       | 216       | 22.53              | 23.11      | < 30.00     |
|                         |                         | 1       | 0         | 22.89              | 23.47      | < 30.00     |
| 3510.00                 | 80                      | 108     | 54        | 25.45              | 26.03      | < 30.00     |
|                         |                         | 1       | 1         | 25.70              | 26.28      | < 30.00     |
|                         |                         | 1       | 215       | 25.19              | 25.77      | < 30.00     |
|                         |                         | 216     | 0         | 24.53              | 25.11      | < 30.00     |
|                         |                         | 1       | 216       | 22.36              | 22.94      | < 30.00     |
|                         |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3495.00                 | 90                      | 120     | 60        | 25.62              | 26.20      | < 30.00     |
|                         |                         | 1       | 1         | 25.56              | 26.14      | < 30.00     |
|                         |                         | 1       | 243       | 25.23              | 25.81      | < 30.00     |
|                         |                         | 243     | 0         | 24.60              | 25.18      | < 30.00     |
|                         |                         | 1       | 244       | 22.74              | 23.32      | < 30.00     |
|                         |                         | 1       | 0         | 22.60              | 23.18      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 90                      | 120     | 60        | 25.62              | 26.20      | < 30.00     |
|                         |                         | 1       | 1         | 25.65              | 26.23      | < 30.00     |
|                         |                         | 1       | 243       | 25.25              | 25.83      | < 30.00     |
|                         |                         | 243     | 0         | 24.63              | 25.21      | < 30.00     |
|                         |                         | 1       | 244       | 22.66              | 23.24      | < 30.00     |
|                         |                         | 1       | 0         | 22.78              | 23.36      | < 30.00     |
| 3504.99                 | 90                      | 120     | 60        | 25.52              | 26.10      | < 30.00     |
|                         |                         | 1       | 1         | 25.47              | 26.05      | < 30.00     |
|                         |                         | 1       | 243       | 25.24              | 25.82      | < 30.00     |
|                         |                         | 243     | 0         | 24.64              | 25.22      | < 30.00     |
|                         |                         | 1       | 244       | 22.52              | 23.10      | < 30.00     |
|                         |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| 3500.01                 | 100                     | 135     | 67        | 25.57              | 26.15      | < 30.00     |
|                         |                         | 1       | 1         | 25.44              | 26.02      | < 30.00     |
|                         |                         | 1       | 271       | 25.15              | 25.73      | < 30.00     |
|                         |                         | 270     | 0         | 24.50              | 25.08      | < 30.00     |
|                         |                         | 1       | 272       | 22.53              | 23.11      | < 30.00     |
|                         |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3455.01                 | 10                      | 12      | 6         | 24.42              | 25.00      | < 30.00     |
|                         |                         | 1       | 1         | 24.08              | 24.66      | < 30.00     |
|                         |                         | 1       | 22        | 24.42              | 25.00      | < 30.00     |
|                         |                         | 24      | 0         | 24.39              | 24.97      | < 30.00     |
|                         |                         | 1       | 23        | 23.51              | 24.09      | < 30.00     |
|                         |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3500.01                 | 10                      | 12      | 6         | 24.09              | 24.67      | < 30.00     |
|                         |                         | 1       | 1         | 23.89              | 24.47      | < 30.00     |
|                         |                         | 1       | 22        | 24.36              | 24.94      | < 30.00     |
|                         |                         | 24      | 0         | 24.12              | 24.70      | < 30.00     |
|                         |                         | 1       | 23        | 22.94              | 23.52      | < 30.00     |
|                         |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3544.98                 | 10                      | 12      | 6         | 24.07              | 24.65      | < 30.00     |
|                         |                         | 1       | 1         | 23.77              | 24.35      | < 30.00     |
|                         |                         | 1       | 22        | 23.76              | 24.34      | < 30.00     |
|                         |                         | 24      | 0         | 24.07              | 24.65      | < 30.00     |
|                         |                         | 1       | 23        | 22.89              | 23.47      | < 30.00     |
|                         |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| 3457.50                 | 15                      | 18      | 9         | 24.55              | 25.13      | < 30.00     |
|                         |                         | 1       | 1         | 24.35              | 24.93      | < 30.00     |
|                         |                         | 1       | 36        | 24.48              | 25.06      | < 30.00     |
|                         |                         | 36      | 0         | 24.64              | 25.22      | < 30.00     |
|                         |                         | 1       | 37        | 23.69              | 24.27      | < 30.00     |
|                         |                         | 1       | 0         | 23.50              | 24.08      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3500.01                 | 15                      | 18      | 9         | 24.21              | 24.79      | < 30.00     |
|                         |                         | 1       | 1         | 24.44              | 25.02      | < 30.00     |
|                         |                         | 1       | 36        | 24.41              | 24.99      | < 30.00     |
|                         |                         | 36      | 0         | 24.17              | 24.75      | < 30.00     |
|                         |                         | 1       | 37        | 23.14              | 23.72      | < 30.00     |
|                         |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| 3542.49                 | 15                      | 18      | 9         | 24.27              | 24.85      | < 30.00     |
|                         |                         | 1       | 1         | 23.97              | 24.55      | < 30.00     |
|                         |                         | 1       | 36        | 23.98              | 24.56      | < 30.00     |
|                         |                         | 36      | 0         | 24.03              | 24.61      | < 30.00     |
|                         |                         | 1       | 37        | 23.69              | 24.27      | < 30.00     |
|                         |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3460.02                 | 20                      | 25      | 12        | 24.56              | 25.14      | < 30.00     |
|                         |                         | 1       | 1         | 24.50              | 25.08      | < 30.00     |
|                         |                         | 1       | 49        | 24.72              | 25.30      | < 30.00     |
|                         |                         | 50      | 0         | 24.65              | 25.23      | < 30.00     |
|                         |                         | 1       | 50        | 24.65              | 25.23      | < 30.00     |
|                         |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3500.01                 | 20                      | 25      | 12        | 24.27              | 24.85      | < 30.00     |
|                         |                         | 1       | 1         | 24.39              | 24.97      | < 30.00     |
|                         |                         | 1       | 49        | 24.12              | 24.70      | < 30.00     |
|                         |                         | 50      | 0         | 24.23              | 24.81      | < 30.00     |
|                         |                         | 1       | 50        | 23.00              | 23.58      | < 30.00     |
|                         |                         | 1       | 0         | 23.36              | 23.94      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3540.00                 | 20                      | 25      | 12        | 24.26              | 24.84      | < 30.00     |
|                         |                         | 1       | 1         | 24.34              | 24.92      | < 30.00     |
|                         |                         | 1       | 49        | 24.26              | 24.84      | < 30.00     |
|                         |                         | 50      | 0         | 24.17              | 24.75      | < 30.00     |
|                         |                         | 1       | 50        | 23.23              | 23.81      | < 30.00     |
|                         |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| 3464.00                 | 30                      | 36      | 78        | 24.58              | 25.16      | < 30.00     |
|                         |                         | 1       | 1         | 24.38              | 24.96      | < 30.00     |
|                         |                         | 1       | 76        | 24.39              | 24.97      | < 30.00     |
|                         |                         | 75      | 0         | 24.55              | 25.13      | < 30.00     |
|                         |                         | 1       | 77        | 23.70              | 24.28      | < 30.00     |
|                         |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3500.01                 | 30                      | 36      | 78        | 24.26              | 24.84      | < 30.00     |
|                         |                         | 1       | 1         | 24.59              | 25.17      | < 30.00     |
|                         |                         | 1       | 76        | 24.25              | 24.83      | < 30.00     |
|                         |                         | 75      | 0         | 24.42              | 25.00      | < 30.00     |
|                         |                         | 1       | 77        | 23.31              | 23.89      | < 30.00     |
|                         |                         | 1       | 0         | 23.66              | 24.24      | < 30.00     |
| 3534.99                 | 30                      | 36      | 78        | 24.31              | 24.89      | < 30.00     |
|                         |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|                         |                         | 1       | 76        | 24.01              | 24.59      | < 30.00     |
|                         |                         | 75      | 0         | 24.32              | 24.90      | < 30.00     |
|                         |                         | 1       | 77        | 22.99              | 23.57      | < 30.00     |
|                         |                         | 1       | 0         | 23.01              | 23.59      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 24.54              | 25.12      | < 30.00     |
|  |                         | 1       | 1         | 24.53              | 25.11      | < 30.00     |
|  |                         | 1       | 104       | 24.47              | 25.05      | < 30.00     |
|  |                         | 100     | 0         | 24.66              | 25.24      | < 30.00     |
|  |                         | 1       | 105       | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 0         | 23.84              | 24.42      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 24.30              | 24.88      | < 30.00     |
|  |                         | 1       | 1         | 24.41              | 24.99      | < 30.00     |
|  |                         | 1       | 104       | 23.79              | 24.37      | < 30.00     |
|  |                         | 100     | 0         | 24.48              | 25.06      | < 30.00     |
|  |                         | 1       | 105       | 23.86              | 24.44      | < 30.00     |
|  |                         | 1       | 0         | 23.61              | 24.19      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 24.22              | 24.80      | < 30.00     |
|  |                         | 1       | 1         | 24.66              | 25.24      | < 30.00     |
|  |                         | 1       | 104       | 24.27              | 24.85      | < 30.00     |
|  |                         | 100     | 0         | 24.26              | 24.84      | < 30.00     |
|  |                         | 1       | 105       | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 0         | 23.90              | 24.48      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 24.44              | 25.02      | < 30.00     |
|  |                         | 1       | 1         | 24.42              | 25.00      | < 30.00     |
|  |                         | 1       | 131       | 24.32              | 24.90      | < 30.00     |
|  |                         | 128     | 0         | 24.54              | 25.12      | < 30.00     |
|  |                         | 1       | 132       | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 3500.01          | 50                      | 64      | 32        | 24.13              | 24.71      | < 30.00     |
|                  |                         | 1       | 1         | 24.73              | 25.31      | < 30.00     |
|                  |                         | 1       | 131       | 24.11              | 24.69      | < 30.00     |
|                  |                         | 128     | 0         | 24.15              | 24.73      | < 30.00     |
|                  |                         | 1       | 132       | 22.92              | 23.50      | < 30.00     |
|                  |                         | 1       | 0         | 23.50              | 24.08      | < 30.00     |
| 3525.00          | 50                      | 64      | 32        | 23.95              | 24.53      | < 30.00     |
|                  |                         | 1       | 1         | 24.34              | 24.92      | < 30.00     |
|                  |                         | 1       | 131       | 24.11              | 24.69      | < 30.00     |
|                  |                         | 128     | 0         | 23.94              | 24.52      | < 30.00     |
|                  |                         | 1       | 132       | 22.90              | 23.48      | < 30.00     |
|                  |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3480.00          | 60                      | 81      | 40        | 24.47              | 25.05      | < 30.00     |
|                  |                         | 1       | 1         | 24.28              | 24.86      | < 30.00     |
|                  |                         | 1       | 160       | 23.95              | 24.53      | < 30.00     |
|                  |                         | 162     | 0         | 24.34              | 24.92      | < 30.00     |
|                  |                         | 1       | 161       | 22.84              | 23.42      | < 30.00     |
|                  |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3500.01          | 60                      | 81      | 40        | 24.14              | 24.72      | < 30.00     |
|                  |                         | 1       | 1         | 24.59              | 25.17      | < 30.00     |
|                  |                         | 1       | 160       | 24.54              | 25.12      | < 30.00     |
|                  |                         | 162     | 0         | 24.27              | 24.85      | < 30.00     |
|                  |                         | 1       | 161       | 22.93              | 23.51      | < 30.00     |
|                  |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM   |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 24.13              | 24.71      | < 30.00     |
|  |                         | 1       | 1         | 24.27              | 24.85      | < 30.00     |
|  |                         | 1       | 160       | 23.98              | 24.56      | < 30.00     |
|  |                         | 162     | 0         | 24.09              | 24.67      | < 30.00     |
|  |                         | 1       | 161       | 22.97              | 23.55      | < 30.00     |
|  |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 1         | 23.99              | 24.57      | < 30.00     |
|  |                         | 1       | 187       | 24.00              | 24.58      | < 30.00     |
|  |                         | 180     | 0         | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 188       | 23.03              | 23.61      | < 30.00     |
|  |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 23.93              | 24.51      | < 30.00     |
|  |                         | 1       | 1         | 24.33              | 24.91      | < 30.00     |
|  |                         | 1       | 187       | 23.98              | 24.56      | < 30.00     |
|  |                         | 180     | 0         | 24.01              | 24.59      | < 30.00     |
|  |                         | 1       | 188       | 22.94              | 23.52      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 24.02              | 24.60      | < 30.00     |
|  |                         | 1       | 1         | 24.21              | 24.79      | < 30.00     |
|  |                         | 1       | 187       | 23.91              | 24.49      | < 30.00     |
|  |                         | 180     | 0         | 23.98              | 24.56      | < 30.00     |
|  |                         | 1       | 188       | 22.88              | 23.46      | < 30.00     |
|  |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3490.02                 | 80                      | 108     | 54        | 24.04              | 24.62      | < 30.00     |
|                         |                         | 1       | 1         | 24.09              | 24.67      | < 30.00     |
|                         |                         | 1       | 215       | 23.95              | 24.53      | < 30.00     |
|                         |                         | 216     | 0         | 24.17              | 24.75      | < 30.00     |
|                         |                         | 1       | 216       | 23.07              | 23.65      | < 30.00     |
|                         |                         | 1       | 0         | 23.54              | 24.12      | < 30.00     |
| 3500.01                 | 80                      | 108     | 54        | 23.97              | 24.55      | < 30.00     |
|                         |                         | 1       | 1         | 24.49              | 25.07      | < 30.00     |
|                         |                         | 1       | 215       | 23.96              | 24.54      | < 30.00     |
|                         |                         | 216     | 0         | 24.03              | 24.61      | < 30.00     |
|                         |                         | 1       | 216       | 23.09              | 23.67      | < 30.00     |
|                         |                         | 1       | 0         | 23.66              | 24.24      | < 30.00     |
| 3510.00                 | 80                      | 108     | 54        | 23.93              | 24.51      | < 30.00     |
|                         |                         | 1       | 1         | 24.51              | 25.09      | < 30.00     |
|                         |                         | 1       | 215       | 24.56              | 25.14      | < 30.00     |
|                         |                         | 216     | 0         | 24.05              | 24.63      | < 30.00     |
|                         |                         | 1       | 216       | 23.03              | 23.61      | < 30.00     |
|                         |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3495.00                 | 90                      | 120     | 60        | 24.12              | 24.70      | < 30.00     |
|                         |                         | 1       | 1         | 24.27              | 24.85      | < 30.00     |
|                         |                         | 1       | 243       | 24.15              | 24.73      | < 30.00     |
|                         |                         | 243     | 0         | 24.14              | 24.72      | < 30.00     |
|                         |                         | 1       | 244       | 23.28              | 23.86      | < 30.00     |
|                         |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 3500.01          | 90                      | 120     | 60        | 24.00              | 24.58      | < 30.00     |
|                  |                         | 1       | 1         | 24.43              | 25.01      | < 30.00     |
|                  |                         | 1       | 243       | 24.07              | 24.65      | < 30.00     |
|                  |                         | 243     | 0         | 24.04              | 24.62      | < 30.00     |
|                  |                         | 1       | 244       | 23.18              | 23.76      | < 30.00     |
|                  |                         | 1       | 0         | 23.18              | 23.76      | < 30.00     |
| 3504.99          | 90                      | 120     | 60        | 24.05              | 24.63      | < 30.00     |
|                  |                         | 1       | 1         | 24.30              | 24.88      | < 30.00     |
|                  |                         | 1       | 243       | 23.95              | 24.53      | < 30.00     |
|                  |                         | 243     | 0         | 24.15              | 24.73      | < 30.00     |
|                  |                         | 1       | 244       | 22.83              | 23.41      | < 30.00     |
|                  |                         | 1       | 0         | 23.49              | 24.07      | < 30.00     |
| 3500.01          | 100                     | 135     | 67        | 24.06              | 24.64      | < 30.00     |
|                  |                         | 1       | 1         | 24.13              | 24.71      | < 30.00     |
|                  |                         | 1       | 271       | 23.93              | 24.51      | < 30.00     |
|                  |                         | 270     | 0         | 24.14              | 24.72      | < 30.00     |
|                  |                         | 1       | 272       | 23.14              | 23.72      | < 30.00     |
|                  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b>                                       |                         |         |           |                    |            |             |
| 3455.01  | 10                      | 12      | 6         | 22.39              | 22.97      | < 30.00     |
|  |                         | 1       | 1         | 22.10              | 22.68      | < 30.00     |
|  |                         | 1       | 22        | 22.53              | 23.11      | < 30.00     |
|  |                         | 24      | 0         | 22.44              | 23.02      | < 30.00     |
|  |                         | 1       | 23        | 22.28              | 22.86      | < 30.00     |
|  |                         | 1       | 0         | 22.31              | 22.89      | < 30.00     |
| 3500.01  | 10                      | 12      | 6         | 22.04              | 22.62      | < 30.00     |
|  |                         | 1       | 1         | 22.22              | 22.80      | < 30.00     |
|  |                         | 1       | 22        | 21.94              | 22.52      | < 30.00     |
|  |                         | 24      | 0         | 22.35              | 22.93      | < 30.00     |
|  |                         | 1       | 23        | 21.84              | 22.42      | < 30.00     |
|  |                         | 1       | 0         | 22.22              | 22.80      | < 30.00     |
| 3544.98  | 10                      | 12      | 6         | 22.13              | 22.71      | < 30.00     |
|  |                         | 1       | 1         | 22.21              | 22.79      | < 30.00     |
|  |                         | 1       | 22        | 22.15              | 22.73      | < 30.00     |
|  |                         | 24      | 0         | 22.06              | 22.64      | < 30.00     |
|  |                         | 1       | 23        | 22.18              | 22.76      | < 30.00     |
|  |                         | 1       | 0         | 21.85              | 22.43      | < 30.00     |
| 3457.50  | 15                      | 18      | 9         | 22.59              | 23.17      | < 30.00     |
|  |                         | 1       | 1         | 22.43              | 23.01      | < 30.00     |
|  |                         | 1       | 36        | 22.62              | 23.20      | < 30.00     |
|  |                         | 36      | 0         | 22.49              | 23.07      | < 30.00     |
|  |                         | 1       | 37        | 22.37              | 22.95      | < 30.00     |
|  |                         | 1       | 0         | 22.39              | 22.97      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3500.01                  | 15                      | 18      | 9         | 22.23              | 22.81      | < 30.00     |
|                          |                         | 1       | 1         | 22.12              | 22.70      | < 30.00     |
|                          |                         | 1       | 36        | 22.08              | 22.66      | < 30.00     |
|                          |                         | 36      | 0         | 22.23              | 22.81      | < 30.00     |
|                          |                         | 1       | 37        | 22.14              | 22.72      | < 30.00     |
|                          |                         | 1       | 0         | 22.18              | 22.76      | < 30.00     |
| 3542.49                  | 15                      | 18      | 9         | 22.29              | 22.87      | < 30.00     |
|                          |                         | 1       | 1         | 21.92              | 22.50      | < 30.00     |
|                          |                         | 1       | 36        | 21.81              | 22.39      | < 30.00     |
|                          |                         | 36      | 0         | 22.32              | 22.90      | < 30.00     |
|                          |                         | 1       | 37        | 21.79              | 22.37      | < 30.00     |
|                          |                         | 1       | 0         | 22.17              | 22.75      | < 30.00     |
| 3460.02                  | 20                      | 25      | 12        | 22.64              | 23.22      | < 30.00     |
|                          |                         | 1       | 1         | 22.45              | 23.03      | < 30.00     |
|                          |                         | 1       | 49        | 22.43              | 23.01      | < 30.00     |
|                          |                         | 50      | 0         | 22.49              | 23.07      | < 30.00     |
|                          |                         | 1       | 50        | 22.49              | 23.07      | < 30.00     |
|                          |                         | 1       | 0         | 22.29              | 22.87      | < 30.00     |
| 3500.01                  | 20                      | 25      | 12        | 22.39              | 22.97      | < 30.00     |
|                          |                         | 1       | 1         | 22.43              | 23.01      | < 30.00     |
|                          |                         | 1       | 49        | 22.06              | 22.64      | < 30.00     |
|                          |                         | 50      | 0         | 22.28              | 22.86      | < 30.00     |
|                          |                         | 1       | 50        | 22.42              | 23.00      | < 30.00     |
|                          |                         | 1       | 0         | 22.38              | 22.96      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3540.00                  | 20                      | 25      | 12        | 22.11              | 22.69      | < 30.00     |
|                          |                         | 1       | 1         | 22.18              | 22.76      | < 30.00     |
|                          |                         | 1       | 49        | 22.16              | 22.74      | < 30.00     |
|                          |                         | 50      | 0         | 22.07              | 22.65      | < 30.00     |
|                          |                         | 1       | 50        | 22.13              | 22.71      | < 30.00     |
|                          |                         | 1       | 0         | 22.25              | 22.83      | < 30.00     |
| 3464.00                  | 30                      | 36      | 78        | 22.59              | 23.17      | < 30.00     |
|                          |                         | 1       | 1         | 22.31              | 22.89      | < 30.00     |
|                          |                         | 1       | 76        | 22.41              | 22.99      | < 30.00     |
|                          |                         | 75      | 0         | 22.51              | 23.09      | < 30.00     |
|                          |                         | 1       | 77        | 22.37              | 22.95      | < 30.00     |
|                          |                         | 1       | 0         | 22.27              | 22.85      | < 30.00     |
| 3500.01                  | 30                      | 36      | 78        | 22.41              | 22.99      | < 30.00     |
|                          |                         | 1       | 1         | 22.41              | 22.99      | < 30.00     |
|                          |                         | 1       | 76        | 22.45              | 23.03      | < 30.00     |
|                          |                         | 75      | 0         | 22.20              | 22.78      | < 30.00     |
|                          |                         | 1       | 77        | 22.29              | 22.87      | < 30.00     |
|                          |                         | 1       | 0         | 22.40              | 22.98      | < 30.00     |
| 3534.99                  | 30                      | 36      | 78        | 22.25              | 22.83      | < 30.00     |
|                          |                         | 1       | 1         | 21.90              | 22.48      | < 30.00     |
|                          |                         | 1       | 76        | 22.42              | 23.00      | < 30.00     |
|                          |                         | 75      | 0         | 22.16              | 22.74      | < 30.00     |
|                          |                         | 1       | 77        | 22.29              | 22.87      | < 30.00     |
|                          |                         | 1       | 0         | 22.11              | 22.69      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 50      | 25        | 22.56              | 23.14      | < 30.00     |
|  |                         | 1       | 1         | 22.53              | 23.11      | < 30.00     |
|  |                         | 1       | 104       | 22.47              | 23.05      | < 30.00     |
|  |                         | 100     | 0         | 22.49              | 23.07      | < 30.00     |
|  |                         | 1       | 105       | 22.56              | 23.14      | < 30.00     |
|  |                         | 1       | 0         | 22.28              | 22.86      | < 30.00     |
| 3500.01  | 40                      | 50      | 25        | 22.30              | 22.88      | < 30.00     |
|  |                         | 1       | 1         | 22.61              | 23.19      | < 30.00     |
|  |                         | 1       | 104       | 22.09              | 22.67      | < 30.00     |
|  |                         | 100     | 0         | 22.37              | 22.95      | < 30.00     |
|  |                         | 1       | 105       | 22.33              | 22.91      | < 30.00     |
|  |                         | 1       | 0         | 22.49              | 23.07      | < 30.00     |
| 3529.98  | 40                      | 50      | 25        | 22.18              | 22.76      | < 30.00     |
|  |                         | 1       | 1         | 21.96              | 22.54      | < 30.00     |
|  |                         | 1       | 104       | 22.03              | 22.61      | < 30.00     |
|  |                         | 100     | 0         | 22.18              | 22.76      | < 30.00     |
|  |                         | 1       | 105       | 22.32              | 22.90      | < 30.00     |
|  |                         | 1       | 0         | 22.30              | 22.88      | < 30.00     |
| 3475.02  | 50                      | 64      | 32        | 22.49              | 23.07      | < 30.00     |
|  |                         | 1       | 1         | 22.11              | 22.69      | < 30.00     |
|  |                         | 1       | 131       | 22.16              | 22.74      | < 30.00     |
|  |                         | 128     | 0         | 22.35              | 22.93      | < 30.00     |
|  |                         | 1       | 132       | 22.04              | 22.62      | < 30.00     |
|  |                         | 1       | 0         | 22.34              | 22.92      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 64      | 32        | 22.05              | 22.63      | < 30.00     |
|  |                         | 1       | 1         | 22.34              | 22.92      | < 30.00     |
|  |                         | 1       | 131       | 21.95              | 22.53      | < 30.00     |
|  |                         | 128     | 0         | 22.18              | 22.76      | < 30.00     |
|  |                         | 1       | 132       | 21.73              | 22.31      | < 30.00     |
|  |                         | 1       | 0         | 22.57              | 23.15      | < 30.00     |
| 3525.00  | 50                      | 64      | 32        | 21.98              | 22.56      | < 30.00     |
|  |                         | 1       | 1         | 22.11              | 22.69      | < 30.00     |
|  |                         | 1       | 131       | 21.72              | 22.30      | < 30.00     |
|  |                         | 128     | 0         | 21.97              | 22.55      | < 30.00     |
|  |                         | 1       | 132       | 21.70              | 22.28      | < 30.00     |
|  |                         | 1       | 0         | 22.12              | 22.70      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 22.35              | 22.93      | < 30.00     |
|  |                         | 1       | 1         | 22.12              | 22.70      | < 30.00     |
|  |                         | 1       | 160       | 21.70              | 22.28      | < 30.00     |
|  |                         | 162     | 0         | 22.33              | 22.91      | < 30.00     |
|  |                         | 1       | 161       | 21.88              | 22.46      | < 30.00     |
|  |                         | 1       | 0         | 22.06              | 22.64      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 22.17              | 22.75      | < 30.00     |
|  |                         | 1       | 1         | 22.46              | 23.04      | < 30.00     |
|  |                         | 1       | 160       | 21.85              | 22.43      | < 30.00     |
|  |                         | 162     | 0         | 22.32              | 22.90      | < 30.00     |
|  |                         | 1       | 161       | 21.93              | 22.51      | < 30.00     |
|  |                         | 1       | 0         | 22.52              | 23.10      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 21.99              | 22.57      | < 30.00     |
|  |                         | 1       | 1         | 22.17              | 22.75      | < 30.00     |
|  |                         | 1       | 160       | 21.78              | 22.36      | < 30.00     |
|  |                         | 162     | 0         | 22.02              | 22.60      | < 30.00     |
|  |                         | 1       | 161       | 21.75              | 22.33      | < 30.00     |
|  |                         | 1       | 0         | 22.28              | 22.86      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 21.52              | 22.10      | < 30.00     |
|  |                         | 1       | 1         | 21.62              | 22.20      | < 30.00     |
|  |                         | 1       | 187       | 21.68              | 22.26      | < 30.00     |
|  |                         | 180     | 0         | 21.58              | 22.16      | < 30.00     |
|  |                         | 1       | 188       | 21.57              | 22.15      | < 30.00     |
|  |                         | 1       | 0         | 21.58              | 22.16      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 22.05              | 22.63      | < 30.00     |
|  |                         | 1       | 1         | 22.00              | 22.58      | < 30.00     |
|  |                         | 1       | 187       | 21.68              | 22.26      | < 30.00     |
|  |                         | 180     | 0         | 21.95              | 22.53      | < 30.00     |
|  |                         | 1       | 188       | 21.70              | 22.28      | < 30.00     |
|  |                         | 1       | 0         | 21.99              | 22.57      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 22.03              | 22.61      | < 30.00     |
|  |                         | 1       | 1         | 21.95              | 22.53      | < 30.00     |
|  |                         | 1       | 187       | 21.73              | 22.31      | < 30.00     |
|  |                         | 180     | 0         | 22.05              | 22.63      | < 30.00     |
|  |                         | 1       | 188       | 21.42              | 22.00      | < 30.00     |
|  |                         | 1       | 0         | 21.90              | 22.48      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3490.02                  | 80                      | 108     | 54        | 22.23              | 22.81      | < 30.00     |
|                          |                         | 1       | 1         | 22.14              | 22.72      | < 30.00     |
|                          |                         | 1       | 215       | 21.64              | 22.22      | < 30.00     |
|                          |                         | 216     | 0         | 21.97              | 22.55      | < 30.00     |
|                          |                         | 1       | 216       | 21.70              | 22.28      | < 30.00     |
|                          |                         | 1       | 0         | 22.01              | 22.59      | < 30.00     |
| 3500.01                  | 80                      | 108     | 54        | 21.88              | 22.46      | < 30.00     |
|                          |                         | 1       | 1         | 22.25              | 22.83      | < 30.00     |
|                          |                         | 1       | 215       | 21.99              | 22.57      | < 30.00     |
|                          |                         | 216     | 0         | 22.10              | 22.68      | < 30.00     |
|                          |                         | 1       | 216       | 21.81              | 22.39      | < 30.00     |
|                          |                         | 1       | 0         | 22.30              | 22.88      | < 30.00     |
| 3510.00                  | 80                      | 108     | 54        | 21.83              | 22.41      | < 30.00     |
|                          |                         | 1       | 1         | 22.28              | 22.86      | < 30.00     |
|                          |                         | 1       | 215       | 21.81              | 22.39      | < 30.00     |
|                          |                         | 216     | 0         | 22.03              | 22.61      | < 30.00     |
|                          |                         | 1       | 216       | 21.75              | 22.33      | < 30.00     |
|                          |                         | 1       | 0         | 22.24              | 22.82      | < 30.00     |
| 3495.00                  | 90                      | 120     | 60        | 22.01              | 22.59      | < 30.00     |
|                          |                         | 1       | 1         | 22.24              | 22.82      | < 30.00     |
|                          |                         | 1       | 243       | 21.91              | 22.49      | < 30.00     |
|                          |                         | 243     | 0         | 22.19              | 22.77      | < 30.00     |
|                          |                         | 1       | 244       | 21.80              | 22.38      | < 30.00     |
|                          |                         | 1       | 0         | 21.90              | 22.48      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 3500.01           | 90                      | 120     | 60        | 22.01              | 22.59      | < 30.00     |
|                   |                         | 1       | 1         | 22.31              | 22.89      | < 30.00     |
|                   |                         | 1       | 243       | 22.13              | 22.71      | < 30.00     |
|                   |                         | 243     | 0         | 22.01              | 22.59      | < 30.00     |
|                   |                         | 1       | 244       | 21.79              | 22.37      | < 30.00     |
|                   |                         | 1       | 0         | 22.20              | 22.78      | < 30.00     |
| 3504.99           | 90                      | 120     | 60        | 22.09              | 22.67      | < 30.00     |
|                   |                         | 1       | 1         | 22.25              | 22.83      | < 30.00     |
|                   |                         | 1       | 243       | 22.06              | 22.64      | < 30.00     |
|                   |                         | 243     | 0         | 22.02              | 22.60      | < 30.00     |
|                   |                         | 1       | 244       | 21.87              | 22.45      | < 30.00     |
|                   |                         | 1       | 0         | 21.94              | 22.52      | < 30.00     |
| 3500.01           | 100                     | 135     | 67        | 22.02              | 22.60      | < 30.00     |
|                   |                         | 1       | 1         | 21.94              | 22.52      | < 30.00     |
|                   |                         | 1       | 271       | 21.87              | 22.45      | < 30.00     |
|                   |                         | 270     | 0         | 22.28              | 22.86      | < 30.00     |
|                   |                         | 1       | 272       | 21.67              | 22.25      | < 30.00     |
|                   |                         | 1       | 0         | 21.86              | 22.44      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>CP OFDM QPSK</b>  |                         |         |           |                    |            |             |
| 3455.01  | 10                      | 12      | 6         | 25.52              | 26.10      | < 30.00     |
|  |                         | 1       | 1         | 25.36              | 25.94      | < 30.00     |
|  |                         | 1       | 22        | 25.52              | 26.10      | < 30.00     |
|  |                         | 24      | 0         | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 23        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3500.01  | 10                      | 12      | 6         | 25.16              | 25.74      | < 30.00     |
|  |                         | 1       | 1         | 25.08              | 25.66      | < 30.00     |
|  |                         | 1       | 22        | 24.88              | 25.46      | < 30.00     |
|  |                         | 24      | 0         | 23.53              | 24.11      | < 30.00     |
|  |                         | 1       | 23        | 22.94              | 23.52      | < 30.00     |
|  |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3544.98  | 10                      | 12      | 6         | 25.01              | 25.59      | < 30.00     |
|  |                         | 1       | 1         | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 22        | 24.96              | 25.54      | < 30.00     |
|  |                         | 24      | 0         | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 23        | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| 3457.50  | 15                      | 19      | 9         | 25.66              | 26.24      | < 30.00     |
|  |                         | 1       | 1         | 25.41              | 25.99      | < 30.00     |
|  |                         | 1       | 36        | 25.48              | 26.06      | < 30.00     |
|  |                         | 38      | 0         | 24.15              | 24.73      | < 30.00     |
|  |                         | 1       | 37        | 23.77              | 24.35      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)     | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|---------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>CP OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3500.01             | 15                      | 19      | 9         | 25.21              | 25.79      | < 30.00     |
|                     |                         | 1       | 1         | 25.39              | 25.97      | < 30.00     |
|                     |                         | 1       | 36        | 25.02              | 25.60      | < 30.00     |
|                     |                         | 38      | 0         | 23.66              | 24.24      | < 30.00     |
|                     |                         | 1       | 37        | 23.08              | 23.66      | < 30.00     |
|                     |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3542.49             | 15                      | 19      | 9         | 25.15              | 25.73      | < 30.00     |
|                     |                         | 1       | 1         | 25.26              | 25.84      | < 30.00     |
|                     |                         | 1       | 36        | 25.03              | 25.61      | < 30.00     |
|                     |                         | 38      | 0         | 23.66              | 24.24      | < 30.00     |
|                     |                         | 1       | 37        | 23.01              | 23.59      | < 30.00     |
|                     |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3460.02             | 20                      | 25      | 12        | 25.64              | 26.22      | < 30.00     |
|                     |                         | 1       | 1         | 25.44              | 26.02      | < 30.00     |
|                     |                         | 1       | 49        | 25.54              | 26.12      | < 30.00     |
|                     |                         | 51      | 0         | 24.14              | 24.72      | < 30.00     |
|                     |                         | 1       | 50        | 23.56              | 24.14      | < 30.00     |
|                     |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3500.01             | 20                      | 25      | 12        | 25.27              | 25.85      | < 30.00     |
|                     |                         | 1       | 1         | 25.52              | 26.10      | < 30.00     |
|                     |                         | 1       | 49        | 24.94              | 25.52      | < 30.00     |
|                     |                         | 51      | 0         | 23.70              | 24.28      | < 30.00     |
|                     |                         | 1       | 50        | 22.95              | 23.53      | < 30.00     |
|                     |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3540.00  | 20                      | 25      | 12        | 25.18              | 25.76      | < 30.00     |
|  |                         | 1       | 1         | 25.13              | 25.71      | < 30.00     |
|  |                         | 1       | 49        | 25.17              | 25.75      | < 30.00     |
|  |                         | 51      | 0         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 50        | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3464.00  | 30                      | 39      | 19        | 25.56              | 26.14      | < 30.00     |
|  |                         | 1       | 1         | 25.42              | 26.00      | < 30.00     |
|  |                         | 1       | 76        | 25.58              | 26.16      | < 30.00     |
|  |                         | 78      | 0         | 24.04              | 24.62      | < 30.00     |
|  |                         | 1       | 77        | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| 3500.01  | 30                      | 39      | 19        | 25.14              | 25.72      | < 30.00     |
|  |                         | 1       | 1         | 25.46              | 26.04      | < 30.00     |
|  |                         | 1       | 76        | 25.12              | 25.70      | < 30.00     |
|  |                         | 78      | 0         | 23.87              | 24.45      | < 30.00     |
|  |                         | 1       | 77        | 22.76              | 23.34      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3534.99  | 30                      | 39      | 19        | 25.20              | 25.78      | < 30.00     |
|  |                         | 1       | 1         | 25.14              | 25.72      | < 30.00     |
|  |                         | 1       | 76        | 25.13              | 25.71      | < 30.00     |
|  |                         | 78      | 0         | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 77        | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 53      | 26        | 25.58              | 26.16      | < 30.00     |
|  |                         | 1       | 1         | 25.52              | 26.10      | < 30.00     |
|  |                         | 1       | 104       | 25.36              | 25.94      | < 30.00     |
|  |                         | 106     | 0         | 24.05              | 24.63      | < 30.00     |
|  |                         | 1       | 105       | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 0         | 23.48              | 24.06      | < 30.00     |
| 3500.01  | 40                      | 53      | 26        | 25.32              | 25.90      | < 30.00     |
|  |                         | 1       | 1         | 25.76              | 26.34      | < 30.00     |
|  |                         | 1       | 104       | 25.13              | 25.71      | < 30.00     |
|  |                         | 106     | 0         | 23.86              | 24.44      | < 30.00     |
|  |                         | 1       | 105       | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 0         | 23.57              | 24.15      | < 30.00     |
| 3529.98  | 40                      | 53      | 26        | 25.22              | 25.80      | < 30.00     |
|  |                         | 1       | 1         | 25.21              | 25.79      | < 30.00     |
|  |                         | 1       | 104       | 25.20              | 25.78      | < 30.00     |
|  |                         | 106     | 0         | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 105       | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3475.02  | 50                      | 67      | 33        | 25.47              | 26.05      | < 30.00     |
|  |                         | 1       | 1         | 25.36              | 25.94      | < 30.00     |
|  |                         | 1       | 131       | 24.96              | 25.54      | < 30.00     |
|  |                         | 133     | 0         | 23.91              | 24.49      | < 30.00     |
|  |                         | 1       | 132       | 23.06              | 23.64      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 67      | 33        | 25.13              | 25.71      | < 30.00     |
|  |                         | 1       | 1         | 25.57              | 26.15      | < 30.00     |
|  |                         | 1       | 131       | 24.84              | 25.42      | < 30.00     |
|  |                         | 133     | 0         | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 132       | 22.98              | 23.56      | < 30.00     |
|  |                         | 1       | 0         | 23.50              | 24.08      | < 30.00     |
| 3525.00  | 50                      | 67      | 33        | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 1         | 25.15              | 25.73      | < 30.00     |
|  |                         | 1       | 131       | 24.79              | 25.37      | < 30.00     |
|  |                         | 133     | 0         | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 132       | 22.90              | 23.48      | < 30.00     |
|  |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 25.48              | 26.06      | < 30.00     |
|  |                         | 1       | 1         | 25.21              | 25.79      | < 30.00     |
|  |                         | 1       | 160       | 24.78              | 25.36      | < 30.00     |
|  |                         | 162     | 0         | 23.90              | 24.48      | < 30.00     |
|  |                         | 1       | 161       | 22.83              | 23.41      | < 30.00     |
|  |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 25.23              | 25.81      | < 30.00     |
|  |                         | 1       | 1         | 25.41              | 25.99      | < 30.00     |
|  |                         | 1       | 160       | 24.83              | 25.41      | < 30.00     |
|  |                         | 162     | 0         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 161       | 22.98              | 23.56      | < 30.00     |
|  |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 1         | 25.29              | 25.87      | < 30.00     |
|  |                         | 1       | 160       | 24.86              | 25.44      | < 30.00     |
|  |                         | 162     | 0         | 23.53              | 24.11      | < 30.00     |
|  |                         | 1       | 161       | 22.83              | 23.41      | < 30.00     |
|  |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3485.01  | 70                      | 90      | 45        | 24.57              | 25.15      | < 30.00     |
|  |                         | 1       | 1         | 24.94              | 25.52      | < 30.00     |
|  |                         | 1       | 187       | 24.90              | 25.48      | < 30.00     |
|  |                         | 180     | 0         | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 188       | 22.79              | 23.37      | < 30.00     |
|  |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3500.01  | 70                      | 90      | 45        | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 1         | 25.31              | 25.89      | < 30.00     |
|  |                         | 1       | 187       | 24.89              | 25.47      | < 30.00     |
|  |                         | 180     | 0         | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 188       | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3514.98  | 70                      | 90      | 45        | 25.01              | 25.59      | < 30.00     |
|  |                         | 1       | 1         | 25.17              | 25.75      | < 30.00     |
|  |                         | 1       | 187       | 24.84              | 25.42      | < 30.00     |
|  |                         | 180     | 0         | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 188       | 22.79              | 23.37      | < 30.00     |
|  |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)     | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|---------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>CP OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3490.02             | 80                      | 109     | 54        | 25.14              | 25.72      | < 30.00     |
|                     |                         | 1       | 1         | 25.12              | 25.70      | < 30.00     |
|                     |                         | 1       | 215       | 24.89              | 25.47      | < 30.00     |
|                     |                         | 217     | 0         | 23.63              | 24.21      | < 30.00     |
|                     |                         | 1       | 216       | 22.92              | 23.50      | < 30.00     |
|                     |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3500.01             | 80                      | 109     | 54        | 24.96              | 25.54      | < 30.00     |
|                     |                         | 1       | 1         | 25.41              | 25.99      | < 30.00     |
|                     |                         | 1       | 215       | 24.94              | 25.52      | < 30.00     |
|                     |                         | 217     | 0         | 23.49              | 24.07      | < 30.00     |
|                     |                         | 1       | 216       | 22.77              | 23.35      | < 30.00     |
|                     |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3510.00             | 80                      | 109     | 54        | 24.93              | 25.51      | < 30.00     |
|                     |                         | 1       | 1         | 25.38              | 25.96      | < 30.00     |
|                     |                         | 1       | 215       | 24.79              | 25.37      | < 30.00     |
|                     |                         | 217     | 0         | 23.59              | 24.17      | < 30.00     |
|                     |                         | 1       | 216       | 22.70              | 23.28      | < 30.00     |
|                     |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3495.00             | 90                      | 123     | 61        | 25.05              | 25.63      | < 30.00     |
|                     |                         | 1       | 1         | 25.09              | 25.67      | < 30.00     |
|                     |                         | 1       | 243       | 24.82              | 25.40      | < 30.00     |
|                     |                         | 245     | 0         | 23.58              | 24.16      | < 30.00     |
|                     |                         | 1       | 244       | 22.84              | 23.42      | < 30.00     |
|                     |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 123     | 61        | 24.99              | 25.57      | < 30.00     |
|                 |                         | 1       | 1         | 25.24              | 25.82      | < 30.00     |
|                 |                         | 1       | 243       | 24.78              | 25.36      | < 30.00     |
|                 |                         | 245     | 0         | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 244       | 22.77              | 23.35      | < 30.00     |
|                 |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3504.99         | 90                      | 123     | 61        | 24.98              | 25.56      | < 30.00     |
|                 |                         | 1       | 1         | 25.22              | 25.80      | < 30.00     |
|                 |                         | 1       | 243       | 24.94              | 25.52      | < 30.00     |
|                 |                         | 245     | 0         | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 244       | 22.96              | 23.54      | < 30.00     |
|                 |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3500.01         | 100                     | 137     | 68        | 25.02              | 25.60      | < 30.00     |
|                 |                         | 1       | 1         | 24.97              | 25.55      | < 30.00     |
|                 |                         | 1       | 271       | 24.88              | 25.46      | < 30.00     |
|                 |                         | 273     | 0         | 23.55              | 24.13      | < 30.00     |
|                 |                         | 1       | 272       | 22.80              | 23.38      | < 30.00     |
|                 |                         | 1       | 0         | 22.82              | 23.40      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3455.01  | 10                      | 12      | 6         | 24.79              | 25.37      | < 30.00     |
|  |                         | 1       | 1         | 24.93              | 25.51      | < 30.00     |
|  |                         | 1       | 22        | 25.00              | 25.58      | < 30.00     |
|  |                         | 24      | 0         | 24.00              | 24.58      | < 30.00     |
|  |                         | 1       | 23        | 23.35              | 23.93      | < 30.00     |
|  |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| 3500.01  | 10                      | 12      | 6         | 24.61              | 25.19      | < 30.00     |
|  |                         | 1       | 1         | 24.74              | 25.32      | < 30.00     |
|  |                         | 1       | 22        | 24.38              | 24.96      | < 30.00     |
|  |                         | 24      | 0         | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 23        | 22.90              | 23.48      | < 30.00     |
|  |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3544.98  | 10                      | 12      | 6         | 24.56              | 25.14      | < 30.00     |
|  |                         | 1       | 1         | 24.46              | 25.04      | < 30.00     |
|  |                         | 1       | 22        | 24.21              | 24.79      | < 30.00     |
|  |                         | 24      | 0         | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 23        | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3457.50  | 15                      | 19      | 9         | 25.04              | 25.62      | < 30.00     |
|  |                         | 1       | 1         | 24.89              | 25.47      | < 30.00     |
|  |                         | 1       | 36        | 24.79              | 25.37      | < 30.00     |
|  |                         | 38      | 0         | 24.19              | 24.77      | < 30.00     |
|  |                         | 1       | 37        | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3500.01         | 15                      | 19      | 9         | 24.67              | 25.25      | < 30.00     |
|                 |                         | 1       | 1         | 24.73              | 25.31      | < 30.00     |
|                 |                         | 1       | 36        | 24.24              | 24.82      | < 30.00     |
|                 |                         | 38      | 0         | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 37        | 23.19              | 23.77      | < 30.00     |
|                 |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3542.49         | 15                      | 19      | 9         | 24.67              | 25.25      | < 30.00     |
|                 |                         | 1       | 1         | 24.41              | 24.99      | < 30.00     |
|                 |                         | 1       | 36        | 24.33              | 24.91      | < 30.00     |
|                 |                         | 38      | 0         | 23.64              | 24.22      | < 30.00     |
|                 |                         | 1       | 37        | 22.94              | 23.52      | < 30.00     |
|                 |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3460.02         | 20                      | 25      | 12        | 25.15              | 25.73      | < 30.00     |
|                 |                         | 1       | 1         | 24.78              | 25.36      | < 30.00     |
|                 |                         | 1       | 49        | 24.89              | 25.47      | < 30.00     |
|                 |                         | 51      | 0         | 24.08              | 24.66      | < 30.00     |
|                 |                         | 1       | 50        | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3500.01         | 20                      | 25      | 12        | 24.73              | 25.31      | < 30.00     |
|                 |                         | 1       | 1         | 24.69              | 25.27      | < 30.00     |
|                 |                         | 1       | 49        | 24.78              | 25.36      | < 30.00     |
|                 |                         | 51      | 0         | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 50        | 22.98              | 23.56      | < 30.00     |
|                 |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3540.00         | 20                      | 25      | 12        | 24.73              | 25.31      | < 30.00     |
|                 |                         | 1       | 1         | 24.47              | 25.05      | < 30.00     |
|                 |                         | 1       | 49        | 24.66              | 25.24      | < 30.00     |
|                 |                         | 51      | 0         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 50        | 23.20              | 23.78      | < 30.00     |
|                 |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| 3464.00         | 30                      | 39      | 19        | 25.02              | 25.60      | < 30.00     |
|                 |                         | 1       | 1         | 24.63              | 25.21      | < 30.00     |
|                 |                         | 1       | 76        | 24.77              | 25.35      | < 30.00     |
|                 |                         | 78      | 0         | 24.12              | 24.70      | < 30.00     |
|                 |                         | 1       | 77        | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3500.01         | 30                      | 39      | 19        | 24.78              | 25.36      | < 30.00     |
|                 |                         | 1       | 1         | 24.98              | 25.56      | < 30.00     |
|                 |                         | 1       | 76        | 24.50              | 25.08      | < 30.00     |
|                 |                         | 78      | 0         | 23.70              | 24.28      | < 30.00     |
|                 |                         | 1       | 77        | 22.79              | 23.37      | < 30.00     |
|                 |                         | 1       | 0         | 23.58              | 24.16      | < 30.00     |
| 3534.99         | 30                      | 39      | 19        | 24.73              | 25.31      | < 30.00     |
|                 |                         | 1       | 1         | 24.86              | 25.44      | < 30.00     |
|                 |                         | 1       | 76        | 24.67              | 25.25      | < 30.00     |
|                 |                         | 78      | 0         | 23.74              | 24.32      | < 30.00     |
|                 |                         | 1       | 77        | 23.33              | 23.91      | < 30.00     |
|                 |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 53      | 26        | 25.09              | 25.67      | < 30.00     |
|  |                         | 1       | 1         | 24.99              | 25.57      | < 30.00     |
|  |                         | 1       | 104       | 24.84              | 25.42      | < 30.00     |
|  |                         | 106     | 0         | 24.10              | 24.68      | < 30.00     |
|  |                         | 1       | 105       | 23.36              | 23.94      | < 30.00     |
|  |                         | 1       | 0         | 23.61              | 24.19      | < 30.00     |
| 3500.01  | 40                      | 53      | 26        | 24.84              | 25.42      | < 30.00     |
|  |                         | 1       | 1         | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 104       | 24.68              | 25.26      | < 30.00     |
|  |                         | 106     | 0         | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 105       | 23.19              | 23.77      | < 30.00     |
|  |                         | 1       | 0         | 23.58              | 24.16      | < 30.00     |
| 3529.98  | 40                      | 53      | 26        | 24.71              | 25.29      | < 30.00     |
|  |                         | 1       | 1         | 24.49              | 25.07      | < 30.00     |
|  |                         | 1       | 104       | 24.58              | 25.16      | < 30.00     |
|  |                         | 106     | 0         | 23.83              | 24.41      | < 30.00     |
|  |                         | 1       | 105       | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3475.02  | 50                      | 67      | 33        | 25.01              | 25.59      | < 30.00     |
|  |                         | 1       | 1         | 24.88              | 25.46      | < 30.00     |
|  |                         | 1       | 131       | 24.61              | 25.19      | < 30.00     |
|  |                         | 133     | 0         | 23.92              | 24.50      | < 30.00     |
|  |                         | 1       | 132       | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 67      | 33        | 24.68              | 25.26      | < 30.00     |
|  |                         | 1       | 1         | 24.84              | 25.42      | < 30.00     |
|  |                         | 1       | 131       | 24.25              | 24.83      | < 30.00     |
|  |                         | 133     | 0         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 132       | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 0         | 23.55              | 24.13      | < 30.00     |
| 3525.00  | 50                      | 67      | 33        | 24.57              | 25.15      | < 30.00     |
|  |                         | 1       | 1         | 24.60              | 25.18      | < 30.00     |
|  |                         | 1       | 131       | 24.32              | 24.90      | < 30.00     |
|  |                         | 133     | 0         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 132       | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 1         | 24.74              | 25.32      | < 30.00     |
|  |                         | 1       | 160       | 24.52              | 25.10      | < 30.00     |
|  |                         | 162     | 0         | 23.89              | 24.47      | < 30.00     |
|  |                         | 1       | 161       | 22.81              | 23.39      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 24.72              | 25.30      | < 30.00     |
|  |                         | 1       | 1         | 24.93              | 25.51      | < 30.00     |
|  |                         | 1       | 160       | 24.65              | 25.23      | < 30.00     |
|  |                         | 162     | 0         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 161       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 24.53              | 25.11      | < 30.00     |
|  |                         | 1       | 1         | 24.58              | 25.16      | < 30.00     |
|  |                         | 1       | 160       | 24.62              | 25.20      | < 30.00     |
|  |                         | 162     | 0         | 23.53              | 24.11      | < 30.00     |
|  |                         | 1       | 161       | 22.77              | 23.35      | < 30.00     |
|  |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| 3485.01  | 70                      | 95      | 47        | 24.02              | 24.60      | < 30.00     |
|  |                         | 1       | 1         | 24.10              | 24.68      | < 30.00     |
|  |                         | 1       | 187       | 24.04              | 24.62      | < 30.00     |
|  |                         | 189     | 0         | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 188       | 22.49              | 23.07      | < 30.00     |
|  |                         | 1       | 0         | 22.76              | 23.34      | < 30.00     |
| 3500.01  | 70                      | 95      | 47        | 24.52              | 25.10      | < 30.00     |
|  |                         | 1       | 1         | 24.44              | 25.02      | < 30.00     |
|  |                         | 1       | 187       | 24.13              | 24.71      | < 30.00     |
|  |                         | 189     | 0         | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 188       | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| 3514.98  | 70                      | 95      | 47        | 24.54              | 25.12      | < 30.00     |
|  |                         | 1       | 1         | 24.42              | 25.00      | < 30.00     |
|  |                         | 1       | 187       | 24.03              | 24.61      | < 30.00     |
|  |                         | 189     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 188       | 22.48              | 23.06      | < 30.00     |
|  |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3490.02         | 80                      | 109     | 54        | 24.54              | 25.12      | < 30.00     |
|                 |                         | 1       | 1         | 24.56              | 25.14      | < 30.00     |
|                 |                         | 1       | 215       | 23.94              | 24.52      | < 30.00     |
|                 |                         | 217     | 0         | 23.55              | 24.13      | < 30.00     |
|                 |                         | 1       | 216       | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3500.01         | 80                      | 109     | 54        | 24.48              | 25.06      | < 30.00     |
|                 |                         | 1       | 1         | 24.55              | 25.13      | < 30.00     |
|                 |                         | 1       | 215       | 24.00              | 24.58      | < 30.00     |
|                 |                         | 217     | 0         | 23.51              | 24.09      | < 30.00     |
|                 |                         | 1       | 216       | 22.83              | 23.41      | < 30.00     |
|                 |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3510.00         | 80                      | 109     | 54        | 24.39              | 24.97      | < 30.00     |
|                 |                         | 1       | 1         | 24.72              | 25.30      | < 30.00     |
|                 |                         | 1       | 215       | 24.36              | 24.94      | < 30.00     |
|                 |                         | 217     | 0         | 23.42              | 24.00      | < 30.00     |
|                 |                         | 1       | 216       | 22.61              | 23.19      | < 30.00     |
|                 |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3495.00         | 90                      | 123     | 61        | 24.59              | 25.17      | < 30.00     |
|                 |                         | 1       | 1         | 24.51              | 25.09      | < 30.00     |
|                 |                         | 1       | 243       | 24.32              | 24.90      | < 30.00     |
|                 |                         | 245     | 0         | 23.65              | 24.23      | < 30.00     |
|                 |                         | 1       | 244       | 22.74              | 23.32      | < 30.00     |
|                 |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 123     | 61        | 24.56              | 25.14      | < 30.00     |
|                 |                         | 1       | 1         | 24.49              | 25.07      | < 30.00     |
|                 |                         | 1       | 243       | 24.27              | 24.85      | < 30.00     |
|                 |                         | 245     | 0         | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 244       | 23.00              | 23.58      | < 30.00     |
|                 |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3504.99         | 90                      | 123     | 61        | 24.52              | 25.10      | < 30.00     |
|                 |                         | 1       | 1         | 24.65              | 25.23      | < 30.00     |
|                 |                         | 1       | 243       | 24.15              | 24.73      | < 30.00     |
|                 |                         | 245     | 0         | 23.55              | 24.13      | < 30.00     |
|                 |                         | 1       | 244       | 22.72              | 23.30      | < 30.00     |
|                 |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| 3500.01         | 100                     | 137     | 68        | 24.56              | 25.14      | < 30.00     |
|                 |                         | 1       | 1         | 24.50              | 25.08      | < 30.00     |
|                 |                         | 1       | 271       | 24.11              | 24.69      | < 30.00     |
|                 |                         | 273     | 0         | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 272       | 22.72              | 23.30      | < 30.00     |
|                 |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3455.01  | 10                      | 12      | 6         | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 22        | 23.59              | 24.17      | < 30.00     |
|  |                         | 24      | 0         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 23        | 23.38              | 23.96      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3500.01  | 10                      | 12      | 6         | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 1         | 23.22              | 23.80      | < 30.00     |
|  |                         | 1       | 22        | 22.75              | 23.33      | < 30.00     |
|  |                         | 24      | 0         | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 23        | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3544.98  | 10                      | 12      | 6         | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 1         | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 22        | 23.17              | 23.75      | < 30.00     |
|  |                         | 24      | 0         | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 23        | 22.76              | 23.34      | < 30.00     |
|  |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3457.50  | 15                      | 19      | 9         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 36        | 23.84              | 24.42      | < 30.00     |
|  |                         | 38      | 0         | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 37        | 23.79              | 24.37      | < 30.00     |
|  |                         | 1       | 0         | 23.57              | 24.15      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3500.01  | 15                      | 19      | 9         | 23.14              | 23.72      | < 30.00     |
|  |                         | 1       | 1         | 23.36              | 23.94      | < 30.00     |
|  |                         | 1       | 36        | 23.35              | 23.93      | < 30.00     |
|  |                         | 38      | 0         | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 37        | 22.62              | 23.20      | < 30.00     |
|  |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |
| 3542.49  | 15                      | 19      | 9         | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 1         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 36        | 23.04              | 23.62      | < 30.00     |
|  |                         | 38      | 0         | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 37        | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3460.02  | 20                      | 25      | 12        | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 1         | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 49        | 23.75              | 24.33      | < 30.00     |
|  |                         | 51      | 0         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 50        | 23.79              | 24.37      | < 30.00     |
|  |                         | 1       | 0         | 23.64              | 24.22      | < 30.00     |
| 3500.01  | 20                      | 25      | 12        | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 49        | 23.07              | 23.65      | < 30.00     |
|  |                         | 51      | 0         | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 50        | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3540.00  | 20                      | 25      | 12        | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 1         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 49        | 23.17              | 23.75      | < 30.00     |
|  |                         | 51      | 0         | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 50        | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3464.00  | 30                      | 39      | 19        | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 1         | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 76        | 23.60              | 24.18      | < 30.00     |
|  |                         | 78      | 0         | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 77        | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 0         | 23.50              | 24.08      | < 30.00     |
| 3500.01  | 30                      | 39      | 19        | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 1         | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 76        | 23.10              | 23.68      | < 30.00     |
|  |                         | 78      | 0         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 77        | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3534.99  | 30                      | 39      | 19        | 23.11              | 23.69      | < 30.00     |
|  |                         | 1       | 1         | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 76        | 23.27              | 23.85      | < 30.00     |
|  |                         | 78      | 0         | 23.31              | 23.89      | < 30.00     |
|  |                         | 1       | 77        | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 0         | 22.75              | 23.33      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 53      | 26        | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 1         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 104       | 23.45              | 24.03      | < 30.00     |
|  |                         | 106     | 0         | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 105       | 23.43              | 24.01      | < 30.00     |
|  |                         | 1       | 0         | 23.51              | 24.09      | < 30.00     |
| 3500.01  | 40                      | 53      | 26        | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 1         | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 104       | 22.91              | 23.49      | < 30.00     |
|  |                         | 106     | 0         | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 105       | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 0         | 23.68              | 24.26      | < 30.00     |
| 3529.98  | 40                      | 53      | 26        | 23.22              | 23.80      | < 30.00     |
|  |                         | 1       | 1         | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 104       | 23.15              | 23.73      | < 30.00     |
|  |                         | 106     | 0         | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 105       | 23.11              | 23.69      | < 30.00     |
|  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3475.02  | 50                      | 67      | 33        | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 1         | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 131       | 23.21              | 23.79      | < 30.00     |
|  |                         | 133     | 0         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 132       | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 67      | 33        | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 131       | 22.95              | 23.53      | < 30.00     |
|  |                         | 133     | 0         | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 132       | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 0         | 23.79              | 24.37      | < 30.00     |
| 3525.00  | 50                      | 67      | 33        | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 1         | 23.31              | 23.89      | < 30.00     |
|  |                         | 1       | 131       | 22.94              | 23.52      | < 30.00     |
|  |                         | 133     | 0         | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 132       | 22.94              | 23.52      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 1         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 160       | 23.00              | 23.58      | < 30.00     |
|  |                         | 162     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 161       | 23.06              | 23.64      | < 30.00     |
|  |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|  |                         | 1       | 160       | 22.67              | 23.25      | < 30.00     |
|  |                         | 162     | 0         | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 161       | 22.64              | 23.22      | < 30.00     |
|  |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 22.98              | 23.56      | < 30.00     |
|  |                         | 1       | 1         | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 160       | 23.20              | 23.78      | < 30.00     |
|  |                         | 162     | 0         | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 161       | 22.98              | 23.56      | < 30.00     |
|  |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3485.01  | 70                      | 95      | 47        | 22.52              | 23.10      | < 30.00     |
|  |                         | 1       | 1         | 22.82              | 23.40      | < 30.00     |
|  |                         | 1       | 187       | 22.67              | 23.25      | < 30.00     |
|  |                         | 189     | 0         | 22.70              | 23.28      | < 30.00     |
|  |                         | 1       | 188       | 22.62              | 23.20      | < 30.00     |
|  |                         | 1       | 0         | 22.70              | 23.28      | < 30.00     |
| 3500.01  | 70                      | 95      | 47        | 22.99              | 23.57      | < 30.00     |
|  |                         | 1       | 1         | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 187       | 22.83              | 23.41      | < 30.00     |
|  |                         | 189     | 0         | 23.06              | 23.64      | < 30.00     |
|  |                         | 1       | 188       | 22.71              | 23.29      | < 30.00     |
|  |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3514.98  | 70                      | 95      | 47        | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 1         | 23.03              | 23.61      | < 30.00     |
|  |                         | 1       | 187       | 22.70              | 23.28      | < 30.00     |
|  |                         | 189     | 0         | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 188       | 22.73              | 23.31      | < 30.00     |
|  |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3490.02         | 80                      | 109     | 54        | 23.08              | 23.66      | < 30.00     |
|                 |                         | 1       | 1         | 23.08              | 23.66      | < 30.00     |
|                 |                         | 1       | 215       | 22.58              | 23.16      | < 30.00     |
|                 |                         | 217     | 0         | 23.19              | 23.77      | < 30.00     |
|                 |                         | 1       | 216       | 22.80              | 23.38      | < 30.00     |
|                 |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3500.01         | 80                      | 109     | 54        | 22.96              | 23.54      | < 30.00     |
|                 |                         | 1       | 1         | 23.18              | 23.76      | < 30.00     |
|                 |                         | 1       | 215       | 22.63              | 23.21      | < 30.00     |
|                 |                         | 217     | 0         | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 216       | 22.78              | 23.36      | < 30.00     |
|                 |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3510.00         | 80                      | 109     | 54        | 23.01              | 23.59      | < 30.00     |
|                 |                         | 1       | 1         | 23.17              | 23.75      | < 30.00     |
|                 |                         | 1       | 215       | 22.85              | 23.43      | < 30.00     |
|                 |                         | 217     | 0         | 23.07              | 23.65      | < 30.00     |
|                 |                         | 1       | 216       | 22.77              | 23.35      | < 30.00     |
|                 |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3495.00         | 90                      | 123     | 61        | 23.02              | 23.60      | < 30.00     |
|                 |                         | 1       | 1         | 23.10              | 23.68      | < 30.00     |
|                 |                         | 1       | 243       | 22.72              | 23.30      | < 30.00     |
|                 |                         | 245     | 0         | 23.15              | 23.73      | < 30.00     |
|                 |                         | 1       | 244       | 23.43              | 24.01      | < 30.00     |
|                 |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 123     | 61        | 23.01              | 23.59      | < 30.00     |
|                 |                         | 1       | 1         | 23.26              | 23.84      | < 30.00     |
|                 |                         | 1       | 243       | 22.30              | 22.88      | < 30.00     |
|                 |                         | 245     | 0         | 23.07              | 23.65      | < 30.00     |
|                 |                         | 1       | 244       | 22.33              | 22.91      | < 30.00     |
|                 |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| 3504.99         | 90                      | 123     | 61        | 22.90              | 23.48      | < 30.00     |
|                 |                         | 1       | 1         | 23.14              | 23.72      | < 30.00     |
|                 |                         | 1       | 243       | 22.74              | 23.32      | < 30.00     |
|                 |                         | 245     | 0         | 22.99              | 23.57      | < 30.00     |
|                 |                         | 1       | 244       | 22.88              | 23.46      | < 30.00     |
|                 |                         | 1       | 0         | 22.93              | 23.51      | < 30.00     |
| 3500.01         | 100                     | 137     | 68        | 23.01              | 23.59      | < 30.00     |
|                 |                         | 1       | 1         | 23.00              | 23.58      | < 30.00     |
|                 |                         | 1       | 271       | 22.65              | 23.23      | < 30.00     |
|                 |                         | 273     | 0         | 23.01              | 23.59      | < 30.00     |
|                 |                         | 1       | 272       | 22.82              | 23.40      | < 30.00     |
|                 |                         | 1       | 0         | 22.71              | 23.29      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3455.01         | 10                      | 12      | 6         | 20.54              | 21.12      | < 30.00     |
|                 |                         | 1       | 1         | 20.64              | 21.22      | < 30.00     |
|                 |                         | 1       | 22        | 20.91              | 21.49      | < 30.00     |
|                 |                         | 24      | 0         | 20.37              | 20.95      | < 30.00     |
|                 |                         | 1       | 23        | 20.76              | 21.34      | < 30.00     |
|                 |                         | 1       | 0         | 20.86              | 21.44      | < 30.00     |
| 3500.01         | 10                      | 12      | 6         | 20.19              | 20.77      | < 30.00     |
|                 |                         | 1       | 1         | 20.49              | 21.07      | < 30.00     |
|                 |                         | 1       | 22        | 20.40              | 20.98      | < 30.00     |
|                 |                         | 24      | 0         | 20.23              | 20.81      | < 30.00     |
|                 |                         | 1       | 23        | 20.36              | 20.94      | < 30.00     |
|                 |                         | 1       | 0         | 20.52              | 21.10      | < 30.00     |
| 3544.98         | 10                      | 12      | 6         | 20.27              | 20.85      | < 30.00     |
|                 |                         | 1       | 1         | 19.97              | 20.55      | < 30.00     |
|                 |                         | 1       | 22        | 20.77              | 21.35      | < 30.00     |
|                 |                         | 24      | 0         | 20.23              | 20.81      | < 30.00     |
|                 |                         | 1       | 23        | 20.48              | 21.06      | < 30.00     |
|                 |                         | 1       | 0         | 20.36              | 20.94      | < 30.00     |
| 3457.50         | 15                      | 19      | 9         | 20.62              | 21.20      | < 30.00     |
|                 |                         | 1       | 1         | 20.89              | 21.47      | < 30.00     |
|                 |                         | 1       | 36        | 20.90              | 21.48      | < 30.00     |
|                 |                         | 38      | 0         | 20.57              | 21.15      | < 30.00     |
|                 |                         | 1       | 37        | 21.06              | 21.64      | < 30.00     |
|                 |                         | 1       | 0         | 20.98              | 21.56      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3500.01         | 15                      | 19      | 9         | 20.38              | 20.96      | < 30.00     |
|                 |                         | 1       | 1         | 20.60              | 21.18      | < 30.00     |
|                 |                         | 1       | 36        | 20.43              | 21.01      | < 30.00     |
|                 |                         | 38      | 0         | 20.41              | 20.99      | < 30.00     |
|                 |                         | 1       | 37        | 20.34              | 20.92      | < 30.00     |
|                 |                         | 1       | 0         | 20.67              | 21.25      | < 30.00     |
| 3542.49         | 15                      | 19      | 9         | 20.24              | 20.82      | < 30.00     |
|                 |                         | 1       | 1         | 20.53              | 21.11      | < 30.00     |
|                 |                         | 1       | 36        | 20.48              | 21.06      | < 30.00     |
|                 |                         | 38      | 0         | 20.26              | 20.84      | < 30.00     |
|                 |                         | 1       | 37        | 20.46              | 21.04      | < 30.00     |
|                 |                         | 1       | 0         | 20.38              | 20.96      | < 30.00     |
| 3460.02         | 20                      | 25      | 12        | 20.54              | 21.12      | < 30.00     |
|                 |                         | 1       | 1         | 20.74              | 21.32      | < 30.00     |
|                 |                         | 1       | 49        | 21.02              | 21.60      | < 30.00     |
|                 |                         | 51      | 0         | 20.87              | 21.45      | < 30.00     |
|                 |                         | 1       | 50        | 20.92              | 21.50      | < 30.00     |
|                 |                         | 1       | 0         | 20.80              | 21.38      | < 30.00     |
| 3500.01         | 20                      | 25      | 12        | 20.18              | 20.76      | < 30.00     |
|                 |                         | 1       | 1         | 20.64              | 21.22      | < 30.00     |
|                 |                         | 1       | 49        | 20.37              | 20.95      | < 30.00     |
|                 |                         | 51      | 0         | 20.25              | 20.83      | < 30.00     |
|                 |                         | 1       | 50        | 20.30              | 20.88      | < 30.00     |
|                 |                         | 1       | 0         | 20.64              | 21.22      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3540.00         | 20                      | 25      | 12        | 20.12              | 20.70      | < 30.00     |
|                 |                         | 1       | 1         | 20.37              | 20.95      | < 30.00     |
|                 |                         | 1       | 49        | 20.44              | 21.02      | < 30.00     |
|                 |                         | 51      | 0         | 20.30              | 20.88      | < 30.00     |
|                 |                         | 1       | 50        | 20.44              | 21.02      | < 30.00     |
|                 |                         | 1       | 0         | 20.41              | 20.99      | < 30.00     |
| 3464.00         | 30                      | 39      | 19        | 20.66              | 21.24      | < 30.00     |
|                 |                         | 1       | 1         | 20.66              | 21.24      | < 30.00     |
|                 |                         | 1       | 76        | 20.90              | 21.48      | < 30.00     |
|                 |                         | 78      | 0         | 20.87              | 21.45      | < 30.00     |
|                 |                         | 1       | 77        | 21.06              | 21.64      | < 30.00     |
|                 |                         | 1       | 0         | 20.83              | 21.41      | < 30.00     |
| 3500.01         | 30                      | 39      | 19        | 20.31              | 20.89      | < 30.00     |
|                 |                         | 1       | 1         | 21.02              | 21.60      | < 30.00     |
|                 |                         | 1       | 76        | 20.37              | 20.95      | < 30.00     |
|                 |                         | 78      | 0         | 20.38              | 20.96      | < 30.00     |
|                 |                         | 1       | 77        | 19.99              | 20.57      | < 30.00     |
|                 |                         | 1       | 0         | 20.84              | 21.42      | < 30.00     |
| 3534.99         | 30                      | 39      | 19        | 20.37              | 20.95      | < 30.00     |
|                 |                         | 1       | 1         | 20.79              | 21.37      | < 30.00     |
|                 |                         | 1       | 76        | 20.66              | 21.24      | < 30.00     |
|                 |                         | 78      | 0         | 20.45              | 21.03      | < 30.00     |
|                 |                         | 1       | 77        | 20.59              | 21.17      | < 30.00     |
|                 |                         | 1       | 0         | 20.64              | 21.22      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3470.01  | 40                      | 53      | 26        | 20.66              | 21.24      | < 30.00     |
|  |                         | 1       | 1         | 21.33              | 21.91      | < 30.00     |
|  |                         | 1       | 104       | 21.07              | 21.65      | < 30.00     |
|  |                         | 106     | 0         | 20.74              | 21.32      | < 30.00     |
|  |                         | 1       | 105       | 20.81              | 21.39      | < 30.00     |
|  |                         | 1       | 0         | 21.12              | 21.70      | < 30.00     |
| 3500.01  | 40                      | 53      | 26        | 20.45              | 21.03      | < 30.00     |
|  |                         | 1       | 1         | 21.01              | 21.59      | < 30.00     |
|  |                         | 1       | 104       | 20.72              | 21.30      | < 30.00     |
|  |                         | 106     | 0         | 20.42              | 21.00      | < 30.00     |
|  |                         | 1       | 105       | 20.54              | 21.12      | < 30.00     |
|  |                         | 1       | 0         | 21.04              | 21.62      | < 30.00     |
| 3529.98  | 40                      | 53      | 26        | 20.46              | 21.04      | < 30.00     |
|  |                         | 1       | 1         | 20.54              | 21.12      | < 30.00     |
|  |                         | 1       | 104       | 21.11              | 21.69      | < 30.00     |
|  |                         | 106     | 0         | 20.27              | 20.85      | < 30.00     |
|  |                         | 1       | 105       | 21.03              | 21.61      | < 30.00     |
|  |                         | 1       | 0         | 20.77              | 21.35      | < 30.00     |
| 3475.02  | 50                      | 67      | 33        | 20.47              | 21.05      | < 30.00     |
|  |                         | 1       | 1         | 20.76              | 21.34      | < 30.00     |
|  |                         | 1       | 131       | 20.49              | 21.07      | < 30.00     |
|  |                         | 133     | 0         | 20.41              | 20.99      | < 30.00     |
|  |                         | 1       | 132       | 20.28              | 20.86      | < 30.00     |
|  |                         | 1       | 0         | 20.72              | 21.30      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3500.01  | 50                      | 67      | 33        | 20.09              | 20.67      | < 30.00     |
|  |                         | 1       | 1         | 20.93              | 21.51      | < 30.00     |
|  |                         | 1       | 131       | 20.52              | 21.10      | < 30.00     |
|  |                         | 133     | 0         | 20.39              | 20.97      | < 30.00     |
|  |                         | 1       | 132       | 20.38              | 20.96      | < 30.00     |
|  |                         | 1       | 0         | 20.80              | 21.38      | < 30.00     |
| 3525.00  | 50                      | 67      | 33        | 20.06              | 20.64      | < 30.00     |
|  |                         | 1       | 1         | 20.48              | 21.06      | < 30.00     |
|  |                         | 1       | 131       | 20.34              | 20.92      | < 30.00     |
|  |                         | 133     | 0         | 20.02              | 20.60      | < 30.00     |
|  |                         | 1       | 132       | 20.15              | 20.73      | < 30.00     |
|  |                         | 1       | 0         | 20.56              | 21.14      | < 30.00     |
| 3480.00  | 60                      | 81      | 40        | 20.51              | 21.09      | < 30.00     |
|  |                         | 1       | 1         | 20.73              | 21.31      | < 30.00     |
|  |                         | 1       | 160       | 19.91              | 20.49      | < 30.00     |
|  |                         | 162     | 0         | 20.56              | 21.14      | < 30.00     |
|  |                         | 1       | 161       | 20.20              | 20.78      | < 30.00     |
|  |                         | 1       | 0         | 20.58              | 21.16      | < 30.00     |
| 3500.01  | 60                      | 81      | 40        | 20.15              | 20.73      | < 30.00     |
|  |                         | 1       | 1         | 20.75              | 21.33      | < 30.00     |
|  |                         | 1       | 160       | 20.20              | 20.78      | < 30.00     |
|  |                         | 162     | 0         | 20.18              | 20.76      | < 30.00     |
|  |                         | 1       | 161       | 20.19              | 20.77      | < 30.00     |
|  |                         | 1       | 0         | 21.10              | 21.68      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3519.99  | 60                      | 81      | 40        | 20.16              | 20.74      | < 30.00     |
|  |                         | 1       | 1         | 20.48              | 21.06      | < 30.00     |
|  |                         | 1       | 160       | 20.51              | 21.09      | < 30.00     |
|  |                         | 162     | 0         | 20.14              | 20.72      | < 30.00     |
|  |                         | 1       | 161       | 20.20              | 20.78      | < 30.00     |
|  |                         | 1       | 0         | 20.57              | 21.15      | < 30.00     |
| 3485.01  | 70                      | 95      | 47        | 19.49              | 20.07      | < 30.00     |
|  |                         | 1       | 1         | 19.56              | 20.14      | < 30.00     |
|  |                         | 1       | 187       | 19.54              | 20.12      | < 30.00     |
|  |                         | 189     | 0         | 19.76              | 20.34      | < 30.00     |
|  |                         | 1       | 188       | 19.37              | 19.95      | < 30.00     |
|  |                         | 1       | 0         | 19.78              | 20.36      | < 30.00     |
| 3500.01  | 70                      | 95      | 47        | 20.05              | 20.63      | < 30.00     |
|  |                         | 1       | 1         | 19.97              | 20.55      | < 30.00     |
|  |                         | 1       | 187       | 19.69              | 20.27      | < 30.00     |
|  |                         | 189     | 0         | 19.96              | 20.54      | < 30.00     |
|  |                         | 1       | 188       | 19.64              | 20.22      | < 30.00     |
|  |                         | 1       | 0         | 19.97              | 20.55      | < 30.00     |
| 3514.98  | 70                      | 95      | 47        | 20.00              | 20.58      | < 30.00     |
|  |                         | 1       | 1         | 19.85              | 20.43      | < 30.00     |
|  |                         | 1       | 187       | 19.56              | 20.14      | < 30.00     |
|  |                         | 189     | 0         | 20.00              | 20.58      | < 30.00     |
|  |                         | 1       | 188       | 19.51              | 20.09      | < 30.00     |
|  |                         | 1       | 0         | 20.08              | 20.66      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3490.02         | 80                      | 109     | 54        | 20.03              | 20.61      | < 30.00     |
|                 |                         | 1       | 1         | 20.39              | 20.97      | < 30.00     |
|                 |                         | 1       | 215       | 20.15              | 20.73      | < 30.00     |
|                 |                         | 217     | 0         | 20.05              | 20.63      | < 30.00     |
|                 |                         | 1       | 216       | 19.75              | 20.33      | < 30.00     |
|                 |                         | 1       | 0         | 20.47              | 21.05      | < 30.00     |
| 3500.01         | 80                      | 109     | 54        | 19.96              | 20.54      | < 30.00     |
|                 |                         | 1       | 1         | 20.63              | 21.21      | < 30.00     |
|                 |                         | 1       | 215       | 20.16              | 20.74      | < 30.00     |
|                 |                         | 217     | 0         | 20.06              | 20.64      | < 30.00     |
|                 |                         | 1       | 216       | 20.31              | 20.89      | < 30.00     |
|                 |                         | 1       | 0         | 20.59              | 21.17      | < 30.00     |
| 3510.00         | 80                      | 109     | 54        | 20.01              | 20.59      | < 30.00     |
|                 |                         | 1       | 1         | 20.48              | 21.06      | < 30.00     |
|                 |                         | 1       | 215       | 19.79              | 20.37      | < 30.00     |
|                 |                         | 217     | 0         | 19.93              | 20.51      | < 30.00     |
|                 |                         | 1       | 216       | 20.23              | 20.81      | < 30.00     |
|                 |                         | 1       | 0         | 20.89              | 21.47      | < 30.00     |
| 3495.00         | 90                      | 123     | 61        | 19.96              | 20.54      | < 30.00     |
|                 |                         | 1       | 1         | 20.40              | 20.98      | < 30.00     |
|                 |                         | 1       | 243       | 20.27              | 20.85      | < 30.00     |
|                 |                         | 245     | 0         | 20.16              | 20.74      | < 30.00     |
|                 |                         | 1       | 244       | 20.19              | 20.77      | < 30.00     |
|                 |                         | 1       | 0         | 20.41              | 20.99      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3500.01         | 90                      | 123     | 61        | 19.94              | 20.52      | < 30.00     |
|                 |                         | 1       | 1         | 20.51              | 21.09      | < 30.00     |
|                 |                         | 1       | 243       | 20.18              | 20.76      | < 30.00     |
|                 |                         | 245     | 0         | 20.19              | 20.77      | < 30.00     |
|                 |                         | 1       | 244       | 20.03              | 20.61      | < 30.00     |
|                 |                         | 1       | 0         | 20.29              | 20.87      | < 30.00     |
| 3504.99         | 90                      | 123     | 61        | 19.97              | 20.55      | < 30.00     |
|                 |                         | 1       | 1         | 20.52              | 21.10      | < 30.00     |
|                 |                         | 1       | 243       | 20.10              | 20.68      | < 30.00     |
|                 |                         | 245     | 0         | 19.96              | 20.54      | < 30.00     |
|                 |                         | 1       | 244       | 20.23              | 20.81      | < 30.00     |
|                 |                         | 1       | 0         | 20.63              | 21.21      | < 30.00     |
| 3500.01         | 100                     | 137     | 68        | 20.01              | 20.59      | < 30.00     |
|                 |                         | 1       | 1         | 20.43              | 21.01      | < 30.00     |
|                 |                         | 1       | 271       | 20.20              | 20.78      | < 30.00     |
|                 |                         | 273     | 0         | 20.03              | 20.61      | < 30.00     |
|                 |                         | 1       | 272       | 20.08              | 20.66      | < 30.00     |
|                 |                         | 1       | 0         | 20.18              | 20.76      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

|           |                         |               |                          |
|-----------|-------------------------|---------------|--------------------------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo                |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | n77/n78_SA (3700 ~ 3980) |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3705.00                     | 10                      | 12      | 6         | 23.65              | 24.23      | < 30.00     |
|                             |                         | 1       | 1         | 23.43              | 24.01      | < 30.00     |
|                             |                         | 1       | 22        | 23.57              | 24.15      | < 30.00     |
|                             |                         | 24      | 0         | 23.65              | 24.23      | < 30.00     |
|                             |                         | 1       | 23        | 23.00              | 23.58      | < 30.00     |
|                             |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3840.00                     | 10                      | 12      | 6         | 23.93              | 24.51      | < 30.00     |
|                             |                         | 1       | 1         | 23.78              | 24.36      | < 30.00     |
|                             |                         | 1       | 22        | 23.71              | 24.29      | < 30.00     |
|                             |                         | 24      | 0         | 24.00              | 24.58      | < 30.00     |
|                             |                         | 1       | 23        | 23.25              | 23.83      | < 30.00     |
|                             |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3975.00                     | 10                      | 12      | 6         | 24.11              | 24.69      | < 30.00     |
|                             |                         | 1       | 1         | 24.04              | 24.62      | < 30.00     |
|                             |                         | 1       | 22        | 24.12              | 24.70      | < 30.00     |
|                             |                         | 24      | 0         | 24.20              | 24.78      | < 30.00     |
|                             |                         | 1       | 23        | 23.61              | 24.19      | < 30.00     |
|                             |                         | 1       | 0         | 23.59              | 24.17      | < 30.00     |
| 3707.52                     | 15                      | 18      | 9         | 23.67              | 24.25      | < 30.00     |
|                             |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|                             |                         | 1       | 36        | 23.72              | 24.30      | < 30.00     |
|                             |                         | 36      | 0         | 23.71              | 24.29      | < 30.00     |
|                             |                         | 1       | 37        | 23.10              | 23.68      | < 30.00     |
|                             |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3840.00                     | 15                      | 18      | 9         | 24.19              | 24.77      | < 30.00     |
|                             |                         | 1       | 1         | 24.03              | 24.61      | < 30.00     |
|                             |                         | 1       | 36        | 24.03              | 24.61      | < 30.00     |
|                             |                         | 36      | 0         | 24.05              | 24.63      | < 30.00     |
|                             |                         | 1       | 37        | 23.57              | 24.15      | < 30.00     |
|                             |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |
| 3972.48                     | 15                      | 18      | 9         | 24.26              | 24.84      | < 30.00     |
|                             |                         | 1       | 1         | 24.17              | 24.75      | < 30.00     |
|                             |                         | 1       | 36        | 24.28              | 24.86      | < 30.00     |
|                             |                         | 36      | 0         | 24.21              | 24.79      | < 30.00     |
|                             |                         | 1       | 37        | 23.70              | 24.28      | < 30.00     |
|                             |                         | 1       | 0         | 23.73              | 24.31      | < 30.00     |
| 3710.01                     | 20                      | 25      | 12        | 23.76              | 24.34      | < 30.00     |
|                             |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|                             |                         | 1       | 49        | 23.53              | 24.11      | < 30.00     |
|                             |                         | 50      | 0         | 23.57              | 24.15      | < 30.00     |
|                             |                         | 1       | 50        | 23.26              | 23.84      | < 30.00     |
|                             |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3840.00                     | 20                      | 25      | 12        | 24.09              | 24.67      | < 30.00     |
|                             |                         | 1       | 1         | 24.02              | 24.60      | < 30.00     |
|                             |                         | 1       | 49        | 23.97              | 24.55      | < 30.00     |
|                             |                         | 50      | 0         | 24.05              | 24.63      | < 30.00     |
|                             |                         | 1       | 50        | 23.37              | 23.95      | < 30.00     |
|                             |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3969.99                     | 20                      | 25      | 12        | 24.27              | 24.85      | < 30.00     |
|                             |                         | 1       | 1         | 24.00              | 24.58      | < 30.00     |
|                             |                         | 1       | 49        | 24.23              | 24.81      | < 30.00     |
|                             |                         | 50      | 0         | 24.23              | 24.81      | < 30.00     |
|                             |                         | 1       | 50        | 23.55              | 24.13      | < 30.00     |
|                             |                         | 1       | 0         | 23.70              | 24.28      | < 30.00     |
| 3715.02                     | 30                      | 36      | 78        | 23.68              | 24.26      | < 30.00     |
|                             |                         | 1       | 1         | 23.64              | 24.22      | < 30.00     |
|                             |                         | 1       | 76        | 23.66              | 24.24      | < 30.00     |
|                             |                         | 75      | 0         | 23.71              | 24.29      | < 30.00     |
|                             |                         | 1       | 77        | 23.19              | 23.77      | < 30.00     |
|                             |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3840.00                     | 30                      | 36      | 78        | 23.98              | 24.56      | < 30.00     |
|                             |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|                             |                         | 1       | 76        | 23.84              | 24.42      | < 30.00     |
|                             |                         | 75      | 0         | 24.07              | 24.65      | < 30.00     |
|                             |                         | 1       | 77        | 23.41              | 23.99      | < 30.00     |
|                             |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| 3964.98                     | 30                      | 36      | 78        | 24.13              | 24.71      | < 30.00     |
|                             |                         | 1       | 1         | 24.00              | 24.58      | < 30.00     |
|                             |                         | 1       | 76        | 24.21              | 24.79      | < 30.00     |
|                             |                         | 75      | 0         | 24.23              | 24.81      | < 30.00     |
|                             |                         | 1       | 77        | 23.56              | 24.14      | < 30.00     |
|                             |                         | 1       | 0         | 23.69              | 24.27      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3720.00  | 40                      | 50      | 25        | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 1         | 23.87              | 24.45      | < 30.00     |
|  |                         | 1       | 104       | 23.68              | 24.26      | < 30.00     |
|  |                         | 100     | 0         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 105       | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3840.00  | 40                      | 50      | 25        | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 1         | 24.11              | 24.69      | < 30.00     |
|  |                         | 1       | 104       | 23.79              | 24.37      | < 30.00     |
|  |                         | 100     | 0         | 24.01              | 24.59      | < 30.00     |
|  |                         | 1       | 105       | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3960.00  | 40                      | 50      | 25        | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 1         | 24.05              | 24.63      | < 30.00     |
|  |                         | 1       | 104       | 24.21              | 24.79      | < 30.00     |
|  |                         | 100     | 0         | 24.13              | 24.71      | < 30.00     |
|  |                         | 1       | 105       | 23.53              | 24.11      | < 30.00     |
|  |                         | 1       | 0         | 23.88              | 24.46      | < 30.00     |
| 3725.01  | 50                      | 64      | 32        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 1         | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 131       | 23.38              | 23.96      | < 30.00     |
|  |                         | 128     | 0         | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 132       | 22.90              | 23.48      | < 30.00     |
|  |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 64      | 32        | 23.88              | 24.46      | < 30.00     |
|  |                         | 1       | 1         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 131       | 23.67              | 24.25      | < 30.00     |
|  |                         | 128     | 0         | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 132       | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3954.99  | 50                      | 64      | 32        | 24.03              | 24.61      | < 30.00     |
|  |                         | 1       | 1         | 23.80              | 24.38      | < 30.00     |
|  |                         | 1       | 131       | 24.09              | 24.67      | < 30.00     |
|  |                         | 128     | 0         | 23.89              | 24.47      | < 30.00     |
|  |                         | 1       | 132       | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 0         | 23.58              | 24.16      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 23.42              | 24.00      | < 30.00     |
|  |                         | 1       | 1         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 160       | 23.31              | 23.89      | < 30.00     |
|  |                         | 162     | 0         | 23.36              | 23.94      | < 30.00     |
|  |                         | 1       | 161       | 22.84              | 23.42      | < 30.00     |
|  |                         | 1       | 0         | 22.78              | 23.36      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 23.95              | 24.53      | < 30.00     |
|  |                         | 1       | 1         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 160       | 23.62              | 24.20      | < 30.00     |
|  |                         | 162     | 0         | 23.95              | 24.53      | < 30.00     |
|  |                         | 1       | 161       | 23.02              | 23.60      | < 30.00     |
|  |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 1         | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 160       | 23.82              | 24.40      | < 30.00     |
|  |                         | 162     | 0         | 23.91              | 24.49      | < 30.00     |
|  |                         | 1       | 161       | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 1         | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 187       | 23.27              | 23.85      | < 30.00     |
|  |                         | 180     | 0         | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 188       | 22.64              | 23.22      | < 30.00     |
|  |                         | 1       | 0         | 22.75              | 23.33      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 187       | 23.38              | 23.96      | < 30.00     |
|  |                         | 180     | 0         | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 188       | 22.84              | 23.42      | < 30.00     |
|  |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 1         | 23.94              | 24.52      | < 30.00     |
|  |                         | 1       | 187       | 23.44              | 24.02      | < 30.00     |
|  |                         | 180     | 0         | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 188       | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3740.01  | 80                      | 108     | 54        | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 215       | 23.09              | 23.67      | < 30.00     |
|  |                         | 216     | 0         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 216       | 22.82              | 23.40      | < 30.00     |
|  |                         | 1       | 0         | 22.63              | 23.21      | < 30.00     |
| 3840.00  | 80                      | 108     | 54        | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 1         | 23.35              | 23.93      | < 30.00     |
|  |                         | 1       | 215       | 23.40              | 23.98      | < 30.00     |
|  |                         | 216     | 0         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 216       | 22.87              | 23.45      | < 30.00     |
|  |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |
| 3939.99  | 80                      | 108     | 54        | 23.55              | 24.13      | < 30.00     |
|  |                         | 1       | 1         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 215       | 23.72              | 24.30      | < 30.00     |
|  |                         | 216     | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 216       | 22.90              | 23.48      | < 30.00     |
|  |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3745.02  | 90                      | 120     | 60        | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 1         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 243       | 23.15              | 23.73      | < 30.00     |
|  |                         | 243     | 0         | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 244       | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 0         | 22.65              | 23.23      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 1         | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 243       | 23.45              | 24.03      | < 30.00     |
|  |                         | 243     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 244       | 22.90              | 23.48      | < 30.00     |
|  |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 243       | 23.86              | 24.44      | < 30.00     |
|  |                         | 243     | 0         | 23.78              | 24.36      | < 30.00     |
|  |                         | 1       | 244       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 1         | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 271       | 23.10              | 23.68      | < 30.00     |
|  |                         | 270     | 0         | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 272       | 22.62              | 23.20      | < 30.00     |
|  |                         | 1       | 0         | 22.42              | 23.00      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 1         | 23.32              | 23.90      | < 30.00     |
|  |                         | 1       | 271       | 23.40              | 23.98      | < 30.00     |
|  |                         | 270     | 0         | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 272       | 22.68              | 23.26      | < 30.00     |
|  |                         | 1       | 0         | 22.68              | 23.26      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 1         | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 271       | 23.93              | 24.51      | < 30.00     |
|  |                         | 270     | 0         | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 272       | 22.79              | 23.37      | < 30.00     |
|  |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3705.00                | 10                      | 12      | 6         | 23.56              | 24.14      | < 30.00     |
|                        |                         | 1       | 1         | 23.50              | 24.08      | < 30.00     |
|                        |                         | 1       | 22        | 23.62              | 24.20      | < 30.00     |
|                        |                         | 24      | 0         | 23.51              | 24.09      | < 30.00     |
|                        |                         | 1       | 23        | 22.94              | 23.52      | < 30.00     |
|                        |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| 3840.00                | 10                      | 12      | 6         | 23.91              | 24.49      | < 30.00     |
|                        |                         | 1       | 1         | 23.83              | 24.41      | < 30.00     |
|                        |                         | 1       | 22        | 23.92              | 24.50      | < 30.00     |
|                        |                         | 24      | 0         | 23.92              | 24.50      | < 30.00     |
|                        |                         | 1       | 23        | 23.42              | 24.00      | < 30.00     |
|                        |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| 3975.00                | 10                      | 12      | 6         | 24.21              | 24.79      | < 30.00     |
|                        |                         | 1       | 1         | 24.05              | 24.63      | < 30.00     |
|                        |                         | 1       | 22        | 24.14              | 24.72      | < 30.00     |
|                        |                         | 24      | 0         | 24.18              | 24.76      | < 30.00     |
|                        |                         | 1       | 23        | 23.57              | 24.15      | < 30.00     |
|                        |                         | 1       | 0         | 23.66              | 24.24      | < 30.00     |
| 3707.52                | 15                      | 18      | 9         | 23.69              | 24.27      | < 30.00     |
|                        |                         | 1       | 1         | 23.62              | 24.20      | < 30.00     |
|                        |                         | 1       | 36        | 23.83              | 24.41      | < 30.00     |
|                        |                         | 36      | 0         | 23.65              | 24.23      | < 30.00     |
|                        |                         | 1       | 37        | 23.16              | 23.74      | < 30.00     |
|                        |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3840.00                | 15                      | 18      | 9         | 24.09              | 24.67      | < 30.00     |
|                        |                         | 1       | 1         | 24.05              | 24.63      | < 30.00     |
|                        |                         | 1       | 36        | 23.99              | 24.57      | < 30.00     |
|                        |                         | 36      | 0         | 23.98              | 24.56      | < 30.00     |
|                        |                         | 1       | 37        | 23.42              | 24.00      | < 30.00     |
|                        |                         | 1       | 0         | 23.56              | 24.14      | < 30.00     |
| 3972.48                | 15                      | 18      | 9         | 24.19              | 24.77      | < 30.00     |
|                        |                         | 1       | 1         | 24.18              | 24.76      | < 30.00     |
|                        |                         | 1       | 36        | 24.38              | 24.96      | < 30.00     |
|                        |                         | 36      | 0         | 24.22              | 24.80      | < 30.00     |
|                        |                         | 1       | 37        | 23.68              | 24.26      | < 30.00     |
|                        |                         | 1       | 0         | 23.70              | 24.28      | < 30.00     |
| 3710.01                | 20                      | 25      | 12        | 23.63              | 24.21      | < 30.00     |
|                        |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|                        |                         | 1       | 49        | 23.73              | 24.31      | < 30.00     |
|                        |                         | 50      | 0         | 23.60              | 24.18      | < 30.00     |
|                        |                         | 1       | 50        | 23.09              | 23.67      | < 30.00     |
|                        |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3840.00                | 20                      | 25      | 12        | 23.96              | 24.54      | < 30.00     |
|                        |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|                        |                         | 1       | 49        | 23.89              | 24.47      | < 30.00     |
|                        |                         | 50      | 0         | 24.09              | 24.67      | < 30.00     |
|                        |                         | 1       | 50        | 23.56              | 24.14      | < 30.00     |
|                        |                         | 1       | 0         | 23.51              | 24.09      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3969.99                | 20                      | 25      | 12        | 24.15              | 24.73      | < 30.00     |
|                        |                         | 1       | 1         | 24.03              | 24.61      | < 30.00     |
|                        |                         | 1       | 49        | 24.36              | 24.94      | < 30.00     |
|                        |                         | 50      | 0         | 24.17              | 24.75      | < 30.00     |
|                        |                         | 1       | 50        | 23.58              | 24.16      | < 30.00     |
|                        |                         | 1       | 0         | 23.73              | 24.31      | < 30.00     |
| 3715.02                | 30                      | 36      | 78        | 23.64              | 24.22      | < 30.00     |
|                        |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|                        |                         | 1       | 76        | 23.65              | 24.23      | < 30.00     |
|                        |                         | 75      | 0         | 23.75              | 24.33      | < 30.00     |
|                        |                         | 1       | 77        | 23.22              | 23.80      | < 30.00     |
|                        |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3840.00                | 30                      | 36      | 78        | 24.04              | 24.62      | < 30.00     |
|                        |                         | 1       | 1         | 24.01              | 24.59      | < 30.00     |
|                        |                         | 1       | 76        | 24.07              | 24.65      | < 30.00     |
|                        |                         | 75      | 0         | 24.09              | 24.67      | < 30.00     |
|                        |                         | 1       | 77        | 23.50              | 24.08      | < 30.00     |
|                        |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3964.98                | 30                      | 36      | 78        | 24.09              | 24.67      | < 30.00     |
|                        |                         | 1       | 1         | 24.03              | 24.61      | < 30.00     |
|                        |                         | 1       | 76        | 24.21              | 24.79      | < 30.00     |
|                        |                         | 75      | 0         | 24.23              | 24.81      | < 30.00     |
|                        |                         | 1       | 77        | 23.51              | 24.09      | < 30.00     |
|                        |                         | 1       | 0         | 23.71              | 24.29      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3720.00                | 40                      | 50      | 25        | 23.79              | 24.37      | < 30.00     |
|                        |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|                        |                         | 1       | 104       | 23.66              | 24.24      | < 30.00     |
|                        |                         | 100     | 0         | 23.77              | 24.35      | < 30.00     |
|                        |                         | 1       | 105       | 23.27              | 23.85      | < 30.00     |
|                        |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3840.00                | 40                      | 50      | 25        | 24.09              | 24.67      | < 30.00     |
|                        |                         | 1       | 1         | 24.04              | 24.62      | < 30.00     |
|                        |                         | 1       | 104       | 23.85              | 24.43      | < 30.00     |
|                        |                         | 100     | 0         | 24.03              | 24.61      | < 30.00     |
|                        |                         | 1       | 105       | 23.65              | 24.23      | < 30.00     |
|                        |                         | 1       | 0         | 23.51              | 24.09      | < 30.00     |
| 3960.00                | 40                      | 50      | 25        | 23.99              | 24.57      | < 30.00     |
|                        |                         | 1       | 1         | 24.08              | 24.66      | < 30.00     |
|                        |                         | 1       | 104       | 24.28              | 24.86      | < 30.00     |
|                        |                         | 100     | 0         | 24.15              | 24.73      | < 30.00     |
|                        |                         | 1       | 105       | 23.65              | 24.23      | < 30.00     |
|                        |                         | 1       | 0         | 23.85              | 24.43      | < 30.00     |
| 3725.01                | 50                      | 64      | 32        | 23.41              | 23.99      | < 30.00     |
|                        |                         | 1       | 1         | 23.45              | 24.03      | < 30.00     |
|                        |                         | 1       | 131       | 23.41              | 23.99      | < 30.00     |
|                        |                         | 128     | 0         | 23.57              | 24.15      | < 30.00     |
|                        |                         | 1       | 132       | 22.99              | 23.57      | < 30.00     |
|                        |                         | 1       | 0         | 22.83              | 23.41      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3840.00                | 50                      | 64      | 32        | 23.94              | 24.52      | < 30.00     |
|                        |                         | 1       | 1         | 23.79              | 24.37      | < 30.00     |
|                        |                         | 1       | 131       | 23.74              | 24.32      | < 30.00     |
|                        |                         | 128     | 0         | 23.80              | 24.38      | < 30.00     |
|                        |                         | 1       | 132       | 23.16              | 23.74      | < 30.00     |
|                        |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3954.99                | 50                      | 64      | 32        | 23.91              | 24.49      | < 30.00     |
|                        |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|                        |                         | 1       | 131       | 24.23              | 24.81      | < 30.00     |
|                        |                         | 128     | 0         | 23.98              | 24.56      | < 30.00     |
|                        |                         | 1       | 132       | 23.17              | 23.75      | < 30.00     |
|                        |                         | 1       | 0         | 23.54              | 24.12      | < 30.00     |
| 3730.02                | 60                      | 81      | 40        | 23.36              | 23.94      | < 30.00     |
|                        |                         | 1       | 1         | 23.43              | 24.01      | < 30.00     |
|                        |                         | 1       | 160       | 23.46              | 24.04      | < 30.00     |
|                        |                         | 162     | 0         | 23.50              | 24.08      | < 30.00     |
|                        |                         | 1       | 161       | 22.90              | 23.48      | < 30.00     |
|                        |                         | 1       | 0         | 22.93              | 23.51      | < 30.00     |
| 3840.00                | 60                      | 81      | 40        | 23.83              | 24.41      | < 30.00     |
|                        |                         | 1       | 1         | 23.72              | 24.30      | < 30.00     |
|                        |                         | 1       | 160       | 23.72              | 24.30      | < 30.00     |
|                        |                         | 162     | 0         | 23.87              | 24.45      | < 30.00     |
|                        |                         | 1       | 161       | 23.00              | 23.58      | < 30.00     |
|                        |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 23.74              | 24.32      | < 30.00     |
|  |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 160       | 23.99              | 24.57      | < 30.00     |
|  |                         | 162     | 0         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 161       | 23.05              | 23.63      | < 30.00     |
|  |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 1         | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 187       | 23.20              | 23.78      | < 30.00     |
|  |                         | 180     | 0         | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 188       | 22.58              | 23.16      | < 30.00     |
|  |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 1         | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 187       | 23.38              | 23.96      | < 30.00     |
|  |                         | 180     | 0         | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 188       | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 0         | 22.91              | 23.49      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 23.74              | 24.32      | < 30.00     |
|  |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|  |                         | 1       | 187       | 23.37              | 23.95      | < 30.00     |
|  |                         | 180     | 0         | 23.84              | 24.42      | < 30.00     |
|  |                         | 1       | 188       | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3740.01                | 80                      | 108     | 54        | 23.32              | 23.90      | < 30.00     |
|                        |                         | 1       | 1         | 23.46              | 24.04      | < 30.00     |
|                        |                         | 1       | 215       | 23.14              | 23.72      | < 30.00     |
|                        |                         | 216     | 0         | 23.44              | 24.02      | < 30.00     |
|                        |                         | 1       | 216       | 22.89              | 23.47      | < 30.00     |
|                        |                         | 1       | 0         | 22.69              | 23.27      | < 30.00     |
| 3840.00                | 80                      | 108     | 54        | 23.65              | 24.23      | < 30.00     |
|                        |                         | 1       | 1         | 23.43              | 24.01      | < 30.00     |
|                        |                         | 1       | 215       | 23.57              | 24.15      | < 30.00     |
|                        |                         | 216     | 0         | 23.59              | 24.17      | < 30.00     |
|                        |                         | 1       | 216       | 22.96              | 23.54      | < 30.00     |
|                        |                         | 1       | 0         | 22.81              | 23.39      | < 30.00     |
| 3939.99                | 80                      | 108     | 54        | 23.65              | 24.23      | < 30.00     |
|                        |                         | 1       | 1         | 23.52              | 24.10      | < 30.00     |
|                        |                         | 1       | 215       | 23.70              | 24.28      | < 30.00     |
|                        |                         | 216     | 0         | 23.57              | 24.15      | < 30.00     |
|                        |                         | 1       | 216       | 22.98              | 23.56      | < 30.00     |
|                        |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3745.02                | 90                      | 120     | 60        | 23.42              | 24.00      | < 30.00     |
|                        |                         | 1       | 1         | 23.42              | 24.00      | < 30.00     |
|                        |                         | 1       | 243       | 23.20              | 23.78      | < 30.00     |
|                        |                         | 243     | 0         | 23.28              | 23.86      | < 30.00     |
|                        |                         | 1       | 244       | 22.80              | 23.38      | < 30.00     |
|                        |                         | 1       | 0         | 22.53              | 23.11      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 243       | 23.70              | 24.28      | < 30.00     |
|  |                         | 243     | 0         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 244       | 22.95              | 23.53      | < 30.00     |
|  |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 1         | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 243       | 23.86              | 24.44      | < 30.00     |
|  |                         | 243     | 0         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 244       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 1         | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 271       | 23.21              | 23.79      | < 30.00     |
|  |                         | 270     | 0         | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 272       | 22.57              | 23.15      | < 30.00     |
|  |                         | 1       | 0         | 22.61              | 23.19      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 1         | 23.36              | 23.94      | < 30.00     |
|  |                         | 1       | 271       | 23.58              | 24.16      | < 30.00     |
|  |                         | 270     | 0         | 23.46              | 24.04      | < 30.00     |
|  |                         | 1       | 272       | 22.55              | 23.13      | < 30.00     |
|  |                         | 1       | 0         | 22.78              | 23.36      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 23.77              | 24.35      | < 30.00     |
|  |                         | 1       | 1         | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 271       | 23.89              | 24.47      | < 30.00     |
|  |                         | 270     | 0         | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 272       | 22.68              | 23.26      | < 30.00     |
|  |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3705.00                 | 10                      | 12      | 6         | 23.64              | 24.22      | < 30.00     |
|                         |                         | 1       | 1         | 23.42              | 24.00      | < 30.00     |
|                         |                         | 1       | 22        | 23.36              | 23.94      | < 30.00     |
|                         |                         | 24      | 0         | 23.66              | 24.24      | < 30.00     |
|                         |                         | 1       | 23        | 22.74              | 23.32      | < 30.00     |
|                         |                         | 1       | 0         | 22.79              | 23.37      | < 30.00     |
| 3840.00                 | 10                      | 12      | 6         | 23.91              | 24.49      | < 30.00     |
|                         |                         | 1       | 1         | 23.56              | 24.14      | < 30.00     |
|                         |                         | 1       | 22        | 23.55              | 24.13      | < 30.00     |
|                         |                         | 24      | 0         | 23.96              | 24.54      | < 30.00     |
|                         |                         | 1       | 23        | 23.15              | 23.73      | < 30.00     |
|                         |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3975.00                 | 10                      | 12      | 6         | 24.19              | 24.77      | < 30.00     |
|                         |                         | 1       | 1         | 23.90              | 24.48      | < 30.00     |
|                         |                         | 1       | 22        | 23.87              | 24.45      | < 30.00     |
|                         |                         | 24      | 0         | 24.16              | 24.74      | < 30.00     |
|                         |                         | 1       | 23        | 23.35              | 23.93      | < 30.00     |
|                         |                         | 1       | 0         | 23.36              | 23.94      | < 30.00     |
| 3707.52                 | 15                      | 18      | 9         | 23.64              | 24.22      | < 30.00     |
|                         |                         | 1       | 1         | 23.41              | 23.99      | < 30.00     |
|                         |                         | 1       | 36        | 23.55              | 24.13      | < 30.00     |
|                         |                         | 36      | 0         | 23.61              | 24.19      | < 30.00     |
|                         |                         | 1       | 37        | 22.98              | 23.56      | < 30.00     |
|                         |                         | 1       | 0         | 22.99              | 23.57      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 3840.00          | 15                      | 18      | 9         | 24.09              | 24.67      | < 30.00     |
|                  |                         | 1       | 1         | 23.77              | 24.35      | < 30.00     |
|                  |                         | 1       | 36        | 23.90              | 24.48      | < 30.00     |
|                  |                         | 36      | 0         | 24.13              | 24.71      | < 30.00     |
|                  |                         | 1       | 37        | 23.33              | 23.91      | < 30.00     |
|                  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3972.48          | 15                      | 18      | 9         | 24.20              | 24.78      | < 30.00     |
|                  |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|                  |                         | 1       | 36        | 23.98              | 24.56      | < 30.00     |
|                  |                         | 36      | 0         | 24.33              | 24.91      | < 30.00     |
|                  |                         | 1       | 37        | 23.51              | 24.09      | < 30.00     |
|                  |                         | 1       | 0         | 23.51              | 24.09      | < 30.00     |
| 3710.01          | 20                      | 25      | 12        | 23.60              | 24.18      | < 30.00     |
|                  |                         | 1       | 1         | 23.35              | 23.93      | < 30.00     |
|                  |                         | 1       | 49        | 23.40              | 23.98      | < 30.00     |
|                  |                         | 50      | 0         | 23.57              | 24.15      | < 30.00     |
|                  |                         | 1       | 50        | 22.87              | 23.45      | < 30.00     |
|                  |                         | 1       | 0         | 22.83              | 23.41      | < 30.00     |
| 3840.00          | 20                      | 25      | 12        | 24.14              | 24.72      | < 30.00     |
|                  |                         | 1       | 1         | 23.85              | 24.43      | < 30.00     |
|                  |                         | 1       | 49        | 23.76              | 24.34      | < 30.00     |
|                  |                         | 50      | 0         | 24.12              | 24.70      | < 30.00     |
|                  |                         | 1       | 50        | 23.23              | 23.81      | < 30.00     |
|                  |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3969.99                 | 20                      | 25      | 12        | 24.29              | 24.87      | < 30.00     |
|                         |                         | 1       | 1         | 23.97              | 24.55      | < 30.00     |
|                         |                         | 1       | 49        | 24.16              | 24.74      | < 30.00     |
|                         |                         | 50      | 0         | 24.27              | 24.85      | < 30.00     |
|                         |                         | 1       | 50        | 23.30              | 23.88      | < 30.00     |
|                         |                         | 1       | 0         | 23.57              | 24.15      | < 30.00     |
| 3715.02                 | 30                      | 36      | 78        | 23.64              | 24.22      | < 30.00     |
|                         |                         | 1       | 1         | 23.80              | 24.38      | < 30.00     |
|                         |                         | 1       | 76        | 23.81              | 24.39      | < 30.00     |
|                         |                         | 75      | 0         | 23.74              | 24.32      | < 30.00     |
|                         |                         | 1       | 77        | 23.30              | 23.88      | < 30.00     |
|                         |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3840.00                 | 30                      | 36      | 78        | 24.10              | 24.68      | < 30.00     |
|                         |                         | 1       | 1         | 23.76              | 24.34      | < 30.00     |
|                         |                         | 1       | 76        | 23.71              | 24.29      | < 30.00     |
|                         |                         | 75      | 0         | 24.13              | 24.71      | < 30.00     |
|                         |                         | 1       | 77        | 23.35              | 23.93      | < 30.00     |
|                         |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3964.98                 | 30                      | 36      | 78        | 24.02              | 24.60      | < 30.00     |
|                         |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|                         |                         | 1       | 76        | 24.12              | 24.70      | < 30.00     |
|                         |                         | 75      | 0         | 24.21              | 24.79      | < 30.00     |
|                         |                         | 1       | 77        | 23.30              | 23.88      | < 30.00     |
|                         |                         | 1       | 0         | 23.49              | 24.07      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3720.00                 | 40                      | 50      | 25        | 23.78              | 24.36      | < 30.00     |
|                         |                         | 1       | 1         | 23.62              | 24.20      | < 30.00     |
|                         |                         | 1       | 104       | 23.72              | 24.30      | < 30.00     |
|                         |                         | 100     | 0         | 23.70              | 24.28      | < 30.00     |
|                         |                         | 1       | 105       | 23.24              | 23.82      | < 30.00     |
|                         |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| 3840.00                 | 40                      | 50      | 25        | 24.06              | 24.64      | < 30.00     |
|                         |                         | 1       | 1         | 23.96              | 24.54      | < 30.00     |
|                         |                         | 1       | 104       | 23.61              | 24.19      | < 30.00     |
|                         |                         | 100     | 0         | 24.00              | 24.58      | < 30.00     |
|                         |                         | 1       | 105       | 23.32              | 23.90      | < 30.00     |
|                         |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3960.00                 | 40                      | 50      | 25        | 24.06              | 24.64      | < 30.00     |
|                         |                         | 1       | 1         | 24.01              | 24.59      | < 30.00     |
|                         |                         | 1       | 104       | 24.27              | 24.85      | < 30.00     |
|                         |                         | 100     | 0         | 24.10              | 24.68      | < 30.00     |
|                         |                         | 1       | 105       | 23.40              | 23.98      | < 30.00     |
|                         |                         | 1       | 0         | 23.60              | 24.18      | < 30.00     |
| 3725.01                 | 50                      | 64      | 32        | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 1         | 23.47              | 24.05      | < 30.00     |
|                         |                         | 1       | 131       | 23.32              | 23.90      | < 30.00     |
|                         |                         | 128     | 0         | 23.43              | 24.01      | < 30.00     |
|                         |                         | 1       | 132       | 22.82              | 23.40      | < 30.00     |
|                         |                         | 1       | 0         | 22.60              | 23.18      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3840.00                 | 50                      | 64      | 32        | 23.88              | 24.46      | < 30.00     |
|                         |                         | 1       | 1         | 23.99              | 24.57      | < 30.00     |
|                         |                         | 1       | 131       | 23.60              | 24.18      | < 30.00     |
|                         |                         | 128     | 0         | 23.93              | 24.51      | < 30.00     |
|                         |                         | 1       | 132       | 23.34              | 23.92      | < 30.00     |
|                         |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3954.99                 | 50                      | 64      | 32        | 23.85              | 24.43      | < 30.00     |
|                         |                         | 1       | 1         | 23.67              | 24.25      | < 30.00     |
|                         |                         | 1       | 131       | 23.81              | 24.39      | < 30.00     |
|                         |                         | 128     | 0         | 23.86              | 24.44      | < 30.00     |
|                         |                         | 1       | 132       | 23.13              | 23.71      | < 30.00     |
|                         |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3730.02                 | 60                      | 81      | 40        | 23.52              | 24.10      | < 30.00     |
|                         |                         | 1       | 1         | 23.47              | 24.05      | < 30.00     |
|                         |                         | 1       | 160       | 23.39              | 23.97      | < 30.00     |
|                         |                         | 162     | 0         | 23.36              | 23.94      | < 30.00     |
|                         |                         | 1       | 161       | 22.93              | 23.51      | < 30.00     |
|                         |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |
| 3840.00                 | 60                      | 81      | 40        | 23.82              | 24.40      | < 30.00     |
|                         |                         | 1       | 1         | 23.68              | 24.26      | < 30.00     |
|                         |                         | 1       | 160       | 23.76              | 24.34      | < 30.00     |
|                         |                         | 162     | 0         | 23.78              | 24.36      | < 30.00     |
|                         |                         | 1       | 161       | 23.07              | 23.65      | < 30.00     |
|                         |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 23.90              | 24.48      | < 30.00     |
|  |                         | 1       | 1         | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 160       | 23.92              | 24.50      | < 30.00     |
|  |                         | 162     | 0         | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 161       | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 1         | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 187       | 23.10              | 23.68      | < 30.00     |
|  |                         | 180     | 0         | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 188       | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.67              | 23.25      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 1         | 23.11              | 23.69      | < 30.00     |
|  |                         | 1       | 187       | 23.28              | 23.86      | < 30.00     |
|  |                         | 180     | 0         | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 188       | 22.63              | 23.21      | < 30.00     |
|  |                         | 1       | 0         | 22.71              | 23.29      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 1         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 187       | 23.26              | 23.84      | < 30.00     |
|  |                         | 180     | 0         | 23.79              | 24.37      | < 30.00     |
|  |                         | 1       | 188       | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 0         | 22.92              | 23.50      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3740.01  | 80                      | 108     | 54        | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 1         | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 215       | 22.97              | 23.55      | < 30.00     |
|  |                         | 216     | 0         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 216       | 22.58              | 23.16      | < 30.00     |
|  |                         | 1       | 0         | 22.39              | 22.97      | < 30.00     |
| 3840.00  | 80                      | 108     | 54        | 23.78              | 24.36      | < 30.00     |
|  |                         | 1       | 1         | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 215       | 23.26              | 23.84      | < 30.00     |
|  |                         | 216     | 0         | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 216       | 22.69              | 23.27      | < 30.00     |
|  |                         | 1       | 0         | 22.65              | 23.23      | < 30.00     |
| 3939.99  | 80                      | 108     | 54        | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 1         | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 215       | 23.48              | 24.06      | < 30.00     |
|  |                         | 216     | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 216       | 22.83              | 23.41      | < 30.00     |
|  |                         | 1       | 0         | 22.99              | 23.57      | < 30.00     |
| 3745.02  | 90                      | 120     | 60        | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 1         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 243       | 22.91              | 23.49      | < 30.00     |
|  |                         | 243     | 0         | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 244       | 22.61              | 23.19      | < 30.00     |
|  |                         | 1       | 0         | 22.36              | 22.94      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 23.83              | 24.41      | < 30.00     |
|  |                         | 1       | 1         | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 243       | 23.47              | 24.05      | < 30.00     |
|  |                         | 243     | 0         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 244       | 22.59              | 23.17      | < 30.00     |
|  |                         | 1       | 0         | 22.64              | 23.22      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 1         | 23.51              | 24.09      | < 30.00     |
|  |                         | 1       | 243       | 23.77              | 24.35      | < 30.00     |
|  |                         | 243     | 0         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 244       | 22.81              | 23.39      | < 30.00     |
|  |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 1         | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 271       | 22.89              | 23.47      | < 30.00     |
|  |                         | 270     | 0         | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 272       | 22.25              | 22.83      | < 30.00     |
|  |                         | 1       | 0         | 22.27              | 22.85      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 1         | 23.05              | 23.63      | < 30.00     |
|  |                         | 1       | 271       | 23.25              | 23.83      | < 30.00     |
|  |                         | 270     | 0         | 23.55              | 24.13      | < 30.00     |
|  |                         | 1       | 272       | 22.39              | 22.97      | < 30.00     |
|  |                         | 1       | 0         | 22.71              | 23.29      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 1         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 271       | 23.80              | 24.38      | < 30.00     |
|  |                         | 270     | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 272       | 22.55              | 23.13      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3705.00                 | 10                      | 12      | 6         | 23.65              | 24.23      | < 30.00     |
|                         |                         | 1       | 1         | 23.65              | 24.23      | < 30.00     |
|                         |                         | 1       | 22        | 23.51              | 24.09      | < 30.00     |
|                         |                         | 24      | 0         | 23.63              | 24.21      | < 30.00     |
|                         |                         | 1       | 23        | 23.14              | 23.72      | < 30.00     |
|                         |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3840.00                 | 10                      | 12      | 6         | 23.80              | 24.38      | < 30.00     |
|                         |                         | 1       | 1         | 23.83              | 24.41      | < 30.00     |
|                         |                         | 1       | 22        | 23.65              | 24.23      | < 30.00     |
|                         |                         | 24      | 0         | 23.87              | 24.45      | < 30.00     |
|                         |                         | 1       | 23        | 23.55              | 24.13      | < 30.00     |
|                         |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3975.00                 | 10                      | 12      | 6         | 24.16              | 24.74      | < 30.00     |
|                         |                         | 1       | 1         | 24.10              | 24.68      | < 30.00     |
|                         |                         | 1       | 22        | 24.09              | 24.67      | < 30.00     |
|                         |                         | 24      | 0         | 24.23              | 24.81      | < 30.00     |
|                         |                         | 1       | 23        | 23.76              | 24.34      | < 30.00     |
|                         |                         | 1       | 0         | 23.94              | 24.52      | < 30.00     |
| 3707.52                 | 15                      | 18      | 9         | 23.62              | 24.20      | < 30.00     |
|                         |                         | 1       | 1         | 23.80              | 24.38      | < 30.00     |
|                         |                         | 1       | 36        | 23.92              | 24.50      | < 30.00     |
|                         |                         | 36      | 0         | 23.57              | 24.15      | < 30.00     |
|                         |                         | 1       | 37        | 23.13              | 23.71      | < 30.00     |
|                         |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3840.00                 | 15                      | 18      | 9         | 24.05              | 24.63      | < 30.00     |
|                         |                         | 1       | 1         | 24.30              | 24.88      | < 30.00     |
|                         |                         | 1       | 36        | 24.23              | 24.81      | < 30.00     |
|                         |                         | 36      | 0         | 24.10              | 24.68      | < 30.00     |
|                         |                         | 1       | 37        | 23.41              | 23.99      | < 30.00     |
|                         |                         | 1       | 0         | 23.53              | 24.11      | < 30.00     |
| 3972.48                 | 15                      | 18      | 9         | 24.31              | 24.89      | < 30.00     |
|                         |                         | 1       | 1         | 24.27              | 24.85      | < 30.00     |
|                         |                         | 1       | 36        | 24.34              | 24.92      | < 30.00     |
|                         |                         | 36      | 0         | 24.36              | 24.94      | < 30.00     |
|                         |                         | 1       | 37        | 23.85              | 24.43      | < 30.00     |
|                         |                         | 1       | 0         | 23.87              | 24.45      | < 30.00     |
| 3710.01                 | 20                      | 25      | 12        | 23.71              | 24.29      | < 30.00     |
|                         |                         | 1       | 1         | 23.86              | 24.44      | < 30.00     |
|                         |                         | 1       | 49        | 23.61              | 24.19      | < 30.00     |
|                         |                         | 50      | 0         | 23.65              | 24.23      | < 30.00     |
|                         |                         | 1       | 50        | 23.25              | 23.83      | < 30.00     |
|                         |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3840.00                 | 20                      | 25      | 12        | 24.10              | 24.68      | < 30.00     |
|                         |                         | 1       | 1         | 23.93              | 24.51      | < 30.00     |
|                         |                         | 1       | 49        | 23.89              | 24.47      | < 30.00     |
|                         |                         | 50      | 0         | 24.00              | 24.58      | < 30.00     |
|                         |                         | 1       | 50        | 23.54              | 24.12      | < 30.00     |
|                         |                         | 1       | 0         | 23.49              | 24.07      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3969.99                 | 20                      | 25      | 12        | 24.38              | 24.96      | < 30.00     |
|                         |                         | 1       | 1         | 24.14              | 24.72      | < 30.00     |
|                         |                         | 1       | 49        | 24.24              | 24.82      | < 30.00     |
|                         |                         | 50      | 0         | 24.29              | 24.87      | < 30.00     |
|                         |                         | 1       | 50        | 23.66              | 24.24      | < 30.00     |
|                         |                         | 1       | 0         | 23.73              | 24.31      | < 30.00     |
| 3715.02                 | 30                      | 36      | 78        | 23.68              | 24.26      | < 30.00     |
|                         |                         | 1       | 1         | 23.95              | 24.53      | < 30.00     |
|                         |                         | 1       | 76        | 23.56              | 24.14      | < 30.00     |
|                         |                         | 75      | 0         | 23.75              | 24.33      | < 30.00     |
|                         |                         | 1       | 77        | 23.26              | 23.84      | < 30.00     |
|                         |                         | 1       | 0         | 22.93              | 23.51      | < 30.00     |
| 3840.00                 | 30                      | 36      | 78        | 24.06              | 24.64      | < 30.00     |
|                         |                         | 1       | 1         | 23.83              | 24.41      | < 30.00     |
|                         |                         | 1       | 76        | 23.76              | 24.34      | < 30.00     |
|                         |                         | 75      | 0         | 24.17              | 24.75      | < 30.00     |
|                         |                         | 1       | 77        | 23.53              | 24.11      | < 30.00     |
|                         |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3964.98                 | 30                      | 36      | 78        | 24.09              | 24.67      | < 30.00     |
|                         |                         | 1       | 1         | 24.23              | 24.81      | < 30.00     |
|                         |                         | 1       | 76        | 24.42              | 25.00      | < 30.00     |
|                         |                         | 75      | 0         | 24.28              | 24.86      | < 30.00     |
|                         |                         | 1       | 77        | 23.70              | 24.28      | < 30.00     |
|                         |                         | 1       | 0         | 23.83              | 24.41      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3720.00                 | 40                      | 50      | 25        | 23.70              | 24.28      | < 30.00     |
|                         |                         | 1       | 1         | 23.89              | 24.47      | < 30.00     |
|                         |                         | 1       | 104       | 23.65              | 24.23      | < 30.00     |
|                         |                         | 100     | 0         | 23.77              | 24.35      | < 30.00     |
|                         |                         | 1       | 105       | 23.48              | 24.06      | < 30.00     |
|                         |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3840.00                 | 40                      | 50      | 25        | 24.20              | 24.78      | < 30.00     |
|                         |                         | 1       | 1         | 24.09              | 24.67      | < 30.00     |
|                         |                         | 1       | 104       | 23.83              | 24.41      | < 30.00     |
|                         |                         | 100     | 0         | 24.11              | 24.69      | < 30.00     |
|                         |                         | 1       | 105       | 23.45              | 24.03      | < 30.00     |
|                         |                         | 1       | 0         | 23.47              | 24.05      | < 30.00     |
| 3960.00                 | 40                      | 50      | 25        | 24.01              | 24.59      | < 30.00     |
|                         |                         | 1       | 1         | 24.09              | 24.67      | < 30.00     |
|                         |                         | 1       | 104       | 24.26              | 24.84      | < 30.00     |
|                         |                         | 100     | 0         | 24.15              | 24.73      | < 30.00     |
|                         |                         | 1       | 105       | 23.64              | 24.22      | < 30.00     |
|                         |                         | 1       | 0         | 23.88              | 24.46      | < 30.00     |
| 3725.01                 | 50                      | 64      | 32        | 23.42              | 24.00      | < 30.00     |
|                         |                         | 1       | 1         | 23.56              | 24.14      | < 30.00     |
|                         |                         | 1       | 131       | 23.35              | 23.93      | < 30.00     |
|                         |                         | 128     | 0         | 23.49              | 24.07      | < 30.00     |
|                         |                         | 1       | 132       | 23.14              | 23.72      | < 30.00     |
|                         |                         | 1       | 0         | 22.91              | 23.49      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM |                         |         |           |                    |            |             |
| 3840.00          | 50                      | 64      | 32        | 24.00              | 24.58      | < 30.00     |
|                  |                         | 1       | 1         | 23.88              | 24.46      | < 30.00     |
|                  |                         | 1       | 131       | 24.12              | 24.70      | < 30.00     |
|                  |                         | 128     | 0         | 23.82              | 24.40      | < 30.00     |
|                  |                         | 1       | 132       | 23.18              | 23.76      | < 30.00     |
|                  |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3954.99          | 50                      | 64      | 32        | 23.89              | 24.47      | < 30.00     |
|                  |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|                  |                         | 1       | 131       | 24.29              | 24.87      | < 30.00     |
|                  |                         | 128     | 0         | 24.02              | 24.60      | < 30.00     |
|                  |                         | 1       | 132       | 23.40              | 23.98      | < 30.00     |
|                  |                         | 1       | 0         | 23.78              | 24.36      | < 30.00     |
| 3730.02          | 60                      | 81      | 40        | 23.41              | 23.99      | < 30.00     |
|                  |                         | 1       | 1         | 23.70              | 24.28      | < 30.00     |
|                  |                         | 1       | 160       | 23.35              | 23.93      | < 30.00     |
|                  |                         | 162     | 0         | 23.50              | 24.08      | < 30.00     |
|                  |                         | 1       | 161       | 22.79              | 23.37      | < 30.00     |
|                  |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |
| 3840.00          | 60                      | 81      | 40        | 23.81              | 24.39      | < 30.00     |
|                  |                         | 1       | 1         | 23.85              | 24.43      | < 30.00     |
|                  |                         | 1       | 160       | 23.89              | 24.47      | < 30.00     |
|                  |                         | 162     | 0         | 23.75              | 24.33      | < 30.00     |
|                  |                         | 1       | 161       | 23.00              | 23.58      | < 30.00     |
|                  |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3949.98                 | 60                      | 81      | 40        | 23.89              | 24.47      | < 30.00     |
|                         |                         | 1       | 1         | 23.93              | 24.51      | < 30.00     |
|                         |                         | 1       | 160       | 23.79              | 24.37      | < 30.00     |
|                         |                         | 162     | 0         | 23.70              | 24.28      | < 30.00     |
|                         |                         | 1       | 161       | 23.30              | 23.88      | < 30.00     |
|                         |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3735.00                 | 70                      | 90      | 45        | 23.34              | 23.92      | < 30.00     |
|                         |                         | 1       | 1         | 23.35              | 23.93      | < 30.00     |
|                         |                         | 1       | 187       | 23.44              | 24.02      | < 30.00     |
|                         |                         | 180     | 0         | 23.34              | 23.92      | < 30.00     |
|                         |                         | 1       | 188       | 22.86              | 23.44      | < 30.00     |
|                         |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3840.00                 | 70                      | 90      | 45        | 23.50              | 24.08      | < 30.00     |
|                         |                         | 1       | 1         | 23.51              | 24.09      | < 30.00     |
|                         |                         | 1       | 187       | 23.57              | 24.15      | < 30.00     |
|                         |                         | 180     | 0         | 23.51              | 24.09      | < 30.00     |
|                         |                         | 1       | 188       | 22.89              | 23.47      | < 30.00     |
|                         |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| 3945.00                 | 70                      | 90      | 45        | 23.75              | 24.33      | < 30.00     |
|                         |                         | 1       | 1         | 24.15              | 24.73      | < 30.00     |
|                         |                         | 1       | 187       | 23.70              | 24.28      | < 30.00     |
|                         |                         | 180     | 0         | 23.70              | 24.28      | < 30.00     |
|                         |                         | 1       | 188       | 23.46              | 24.04      | < 30.00     |
|                         |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3740.01                 | 80                      | 108     | 54        | 23.39              | 23.97      | < 30.00     |
|                         |                         | 1       | 1         | 23.63              | 24.21      | < 30.00     |
|                         |                         | 1       | 215       | 23.32              | 23.90      | < 30.00     |
|                         |                         | 216     | 0         | 23.44              | 24.02      | < 30.00     |
|                         |                         | 1       | 216       | 22.91              | 23.49      | < 30.00     |
|                         |                         | 1       | 0         | 22.69              | 23.27      | < 30.00     |
| 3840.00                 | 80                      | 108     | 54        | 23.63              | 24.21      | < 30.00     |
|                         |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|                         |                         | 1       | 215       | 23.68              | 24.26      | < 30.00     |
|                         |                         | 216     | 0         | 23.59              | 24.17      | < 30.00     |
|                         |                         | 1       | 216       | 22.82              | 23.40      | < 30.00     |
|                         |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |
| 3939.99                 | 80                      | 108     | 54        | 23.75              | 24.33      | < 30.00     |
|                         |                         | 1       | 1         | 23.54              | 24.12      | < 30.00     |
|                         |                         | 1       | 215       | 23.75              | 24.33      | < 30.00     |
|                         |                         | 216     | 0         | 23.73              | 24.31      | < 30.00     |
|                         |                         | 1       | 216       | 23.26              | 23.84      | < 30.00     |
|                         |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3745.02                 | 90                      | 120     | 60        | 23.48              | 24.06      | < 30.00     |
|                         |                         | 1       | 1         | 23.41              | 23.99      | < 30.00     |
|                         |                         | 1       | 243       | 23.35              | 23.93      | < 30.00     |
|                         |                         | 243     | 0         | 23.43              | 24.01      | < 30.00     |
|                         |                         | 1       | 244       | 22.87              | 23.45      | < 30.00     |
|                         |                         | 1       | 0         | 22.59              | 23.17      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 1         | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 243       | 23.72              | 24.30      | < 30.00     |
|  |                         | 243     | 0         | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 244       | 22.97              | 23.55      | < 30.00     |
|  |                         | 1       | 0         | 22.80              | 23.38      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 1         | 23.79              | 24.37      | < 30.00     |
|  |                         | 1       | 243       | 24.10              | 24.68      | < 30.00     |
|  |                         | 243     | 0         | 23.74              | 24.32      | < 30.00     |
|  |                         | 1       | 244       | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 1         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 271       | 23.48              | 24.06      | < 30.00     |
|  |                         | 270     | 0         | 23.38              | 23.96      | < 30.00     |
|  |                         | 1       | 272       | 22.52              | 23.10      | < 30.00     |
|  |                         | 1       | 0         | 22.52              | 23.10      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 1         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 271       | 23.60              | 24.18      | < 30.00     |
|  |                         | 270     | 0         | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 272       | 22.53              | 23.11      | < 30.00     |
|  |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 1         | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 271       | 24.11              | 24.69      | < 30.00     |
|  |                         | 270     | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 272       | 22.93              | 23.51      | < 30.00     |
|  |                         | 1       | 0         | 23.24              | 23.82      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b>                                       |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 22.03              | 22.61      | < 30.00     |
|  |                         | 1       | 1         | 21.94              | 22.52      | < 30.00     |
|  |                         | 1       | 22        | 21.88              | 22.46      | < 30.00     |
|  |                         | 24      | 0         | 22.13              | 22.71      | < 30.00     |
|  |                         | 1       | 23        | 22.03              | 22.61      | < 30.00     |
|  |                         | 1       | 0         | 22.08              | 22.66      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 22.32              | 22.90      | < 30.00     |
|  |                         | 1       | 1         | 22.14              | 22.72      | < 30.00     |
|  |                         | 1       | 22        | 22.38              | 22.96      | < 30.00     |
|  |                         | 24      | 0         | 22.38              | 22.96      | < 30.00     |
|  |                         | 1       | 23        | 22.12              | 22.70      | < 30.00     |
|  |                         | 1       | 0         | 22.14              | 22.72      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 22.59              | 23.17      | < 30.00     |
|  |                         | 1       | 1         | 22.45              | 23.03      | < 30.00     |
|  |                         | 1       | 22        | 22.75              | 23.33      | < 30.00     |
|  |                         | 24      | 0         | 22.90              | 23.48      | < 30.00     |
|  |                         | 1       | 23        | 22.77              | 23.35      | < 30.00     |
|  |                         | 1       | 0         | 22.74              | 23.32      | < 30.00     |
| 3707.52  | 15                      | 18      | 9         | 22.16              | 22.74      | < 30.00     |
|  |                         | 1       | 1         | 21.93              | 22.51      | < 30.00     |
|  |                         | 1       | 36        | 22.20              | 22.78      | < 30.00     |
|  |                         | 36      | 0         | 22.11              | 22.69      | < 30.00     |
|  |                         | 1       | 37        | 21.91              | 22.49      | < 30.00     |
|  |                         | 1       | 0         | 21.94              | 22.52      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3840.00                  | 15                      | 18      | 9         | 22.59              | 23.17      | < 30.00     |
|                          |                         | 1       | 1         | 22.22              | 22.80      | < 30.00     |
|                          |                         | 1       | 36        | 22.35              | 22.93      | < 30.00     |
|                          |                         | 36      | 0         | 22.58              | 23.16      | < 30.00     |
|                          |                         | 1       | 37        | 22.43              | 23.01      | < 30.00     |
|                          |                         | 1       | 0         | 22.31              | 22.89      | < 30.00     |
| 3972.48                  | 15                      | 18      | 9         | 22.78              | 23.36      | < 30.00     |
|                          |                         | 1       | 1         | 22.42              | 23.00      | < 30.00     |
|                          |                         | 1       | 36        | 22.55              | 23.13      | < 30.00     |
|                          |                         | 36      | 0         | 22.85              | 23.43      | < 30.00     |
|                          |                         | 1       | 37        | 22.71              | 23.29      | < 30.00     |
|                          |                         | 1       | 0         | 22.76              | 23.34      | < 30.00     |
| 3710.01                  | 20                      | 25      | 12        | 22.06              | 22.64      | < 30.00     |
|                          |                         | 1       | 1         | 22.20              | 22.78      | < 30.00     |
|                          |                         | 1       | 49        | 21.98              | 22.56      | < 30.00     |
|                          |                         | 50      | 0         | 22.12              | 22.70      | < 30.00     |
|                          |                         | 1       | 50        | 22.09              | 22.67      | < 30.00     |
|                          |                         | 1       | 0         | 22.17              | 22.75      | < 30.00     |
| 3840.00                  | 20                      | 25      | 12        | 22.61              | 23.19      | < 30.00     |
|                          |                         | 1       | 1         | 22.42              | 23.00      | < 30.00     |
|                          |                         | 1       | 49        | 22.29              | 22.87      | < 30.00     |
|                          |                         | 50      | 0         | 22.65              | 23.23      | < 30.00     |
|                          |                         | 1       | 50        | 22.43              | 23.01      | < 30.00     |
|                          |                         | 1       | 0         | 22.25              | 22.83      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3969.99                  | 20                      | 25      | 12        | 22.61              | 23.19      | < 30.00     |
|                          |                         | 1       | 1         | 22.30              | 22.88      | < 30.00     |
|                          |                         | 1       | 49        | 22.54              | 23.12      | < 30.00     |
|                          |                         | 50      | 0         | 22.67              | 23.25      | < 30.00     |
|                          |                         | 1       | 50        | 22.60              | 23.18      | < 30.00     |
|                          |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3715.02                  | 30                      | 36      | 78        | 22.07              | 22.65      | < 30.00     |
|                          |                         | 1       | 1         | 22.31              | 22.89      | < 30.00     |
|                          |                         | 1       | 76        | 22.17              | 22.75      | < 30.00     |
|                          |                         | 75      | 0         | 22.10              | 22.68      | < 30.00     |
|                          |                         | 1       | 77        | 21.96              | 22.54      | < 30.00     |
|                          |                         | 1       | 0         | 22.25              | 22.83      | < 30.00     |
| 3840.00                  | 30                      | 36      | 78        | 22.50              | 23.08      | < 30.00     |
|                          |                         | 1       | 1         | 22.45              | 23.03      | < 30.00     |
|                          |                         | 1       | 76        | 22.36              | 22.94      | < 30.00     |
|                          |                         | 75      | 0         | 22.62              | 23.20      | < 30.00     |
|                          |                         | 1       | 77        | 22.55              | 23.13      | < 30.00     |
|                          |                         | 1       | 0         | 22.45              | 23.03      | < 30.00     |
| 3964.98                  | 30                      | 36      | 78        | 22.69              | 23.27      | < 30.00     |
|                          |                         | 1       | 1         | 22.47              | 23.05      | < 30.00     |
|                          |                         | 1       | 76        | 22.76              | 23.34      | < 30.00     |
|                          |                         | 75      | 0         | 22.73              | 23.31      | < 30.00     |
|                          |                         | 1       | 77        | 22.59              | 23.17      | < 30.00     |
|                          |                         | 1       | 0         | 22.85              | 23.43      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3720.00                  | 40                      | 50      | 25        | 22.09              | 22.67      | < 30.00     |
|                          |                         | 1       | 1         | 22.39              | 22.97      | < 30.00     |
|                          |                         | 1       | 104       | 22.05              | 22.63      | < 30.00     |
|                          |                         | 100     | 0         | 22.28              | 22.86      | < 30.00     |
|                          |                         | 1       | 105       | 22.40              | 22.98      | < 30.00     |
|                          |                         | 1       | 0         | 22.04              | 22.62      | < 30.00     |
| 3840.00                  | 40                      | 50      | 25        | 22.44              | 23.02      | < 30.00     |
|                          |                         | 1       | 1         | 22.46              | 23.04      | < 30.00     |
|                          |                         | 1       | 104       | 22.26              | 22.84      | < 30.00     |
|                          |                         | 100     | 0         | 22.48              | 23.06      | < 30.00     |
|                          |                         | 1       | 105       | 22.33              | 22.91      | < 30.00     |
|                          |                         | 1       | 0         | 22.26              | 22.84      | < 30.00     |
| 3960.00                  | 40                      | 50      | 25        | 22.47              | 23.05      | < 30.00     |
|                          |                         | 1       | 1         | 22.60              | 23.18      | < 30.00     |
|                          |                         | 1       | 104       | 22.74              | 23.32      | < 30.00     |
|                          |                         | 100     | 0         | 22.56              | 23.14      | < 30.00     |
|                          |                         | 1       | 105       | 22.35              | 22.93      | < 30.00     |
|                          |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| 3725.01                  | 50                      | 64      | 32        | 22.11              | 22.69      | < 30.00     |
|                          |                         | 1       | 1         | 22.05              | 22.63      | < 30.00     |
|                          |                         | 1       | 131       | 21.97              | 22.55      | < 30.00     |
|                          |                         | 128     | 0         | 22.07              | 22.65      | < 30.00     |
|                          |                         | 1       | 132       | 21.83              | 22.41      | < 30.00     |
|                          |                         | 1       | 0         | 21.84              | 22.42      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 64      | 32        | 22.45              | 23.03      | < 30.00     |
|  |                         | 1       | 1         | 22.32              | 22.90      | < 30.00     |
|  |                         | 1       | 131       | 22.29              | 22.87      | < 30.00     |
|  |                         | 128     | 0         | 22.36              | 22.94      | < 30.00     |
|  |                         | 1       | 132       | 22.06              | 22.64      | < 30.00     |
|  |                         | 1       | 0         | 22.14              | 22.72      | < 30.00     |
| 3954.99  | 50                      | 64      | 32        | 22.34              | 22.92      | < 30.00     |
|  |                         | 1       | 1         | 22.18              | 22.76      | < 30.00     |
|  |                         | 1       | 131       | 22.65              | 23.23      | < 30.00     |
|  |                         | 128     | 0         | 22.26              | 22.84      | < 30.00     |
|  |                         | 1       | 132       | 22.30              | 22.88      | < 30.00     |
|  |                         | 1       | 0         | 22.40              | 22.98      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 21.99              | 22.57      | < 30.00     |
|  |                         | 1       | 1         | 21.96              | 22.54      | < 30.00     |
|  |                         | 1       | 160       | 21.88              | 22.46      | < 30.00     |
|  |                         | 162     | 0         | 21.98              | 22.56      | < 30.00     |
|  |                         | 1       | 161       | 21.97              | 22.55      | < 30.00     |
|  |                         | 1       | 0         | 21.63              | 22.21      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 22.31              | 22.89      | < 30.00     |
|  |                         | 1       | 1         | 21.90              | 22.48      | < 30.00     |
|  |                         | 1       | 160       | 22.14              | 22.72      | < 30.00     |
|  |                         | 162     | 0         | 22.31              | 22.89      | < 30.00     |
|  |                         | 1       | 161       | 21.85              | 22.43      | < 30.00     |
|  |                         | 1       | 0         | 22.12              | 22.70      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 22.35              | 22.93      | < 30.00     |
|  |                         | 1       | 1         | 21.88              | 22.46      | < 30.00     |
|  |                         | 1       | 160       | 22.25              | 22.83      | < 30.00     |
|  |                         | 162     | 0         | 22.13              | 22.71      | < 30.00     |
|  |                         | 1       | 161       | 22.08              | 22.66      | < 30.00     |
|  |                         | 1       | 0         | 22.27              | 22.85      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 21.79              | 22.37      | < 30.00     |
|  |                         | 1       | 1         | 21.54              | 22.12      | < 30.00     |
|  |                         | 1       | 187       | 21.59              | 22.17      | < 30.00     |
|  |                         | 180     | 0         | 21.79              | 22.37      | < 30.00     |
|  |                         | 1       | 188       | 21.61              | 22.19      | < 30.00     |
|  |                         | 1       | 0         | 21.72              | 22.30      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 21.95              | 22.53      | < 30.00     |
|  |                         | 1       | 1         | 21.83              | 22.41      | < 30.00     |
|  |                         | 1       | 187       | 21.81              | 22.39      | < 30.00     |
|  |                         | 180     | 0         | 21.88              | 22.46      | < 30.00     |
|  |                         | 1       | 188       | 21.64              | 22.22      | < 30.00     |
|  |                         | 1       | 0         | 21.74              | 22.32      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 22.16              | 22.74      | < 30.00     |
|  |                         | 1       | 1         | 22.28              | 22.86      | < 30.00     |
|  |                         | 1       | 187       | 21.77              | 22.35      | < 30.00     |
|  |                         | 180     | 0         | 22.26              | 22.84      | < 30.00     |
|  |                         | 1       | 188       | 22.21              | 22.79      | < 30.00     |
|  |                         | 1       | 0         | 21.82              | 22.40      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3740.01                  | 80                      | 108     | 54        | 21.82              | 22.40      | < 30.00     |
|                          |                         | 1       | 1         | 21.71              | 22.29      | < 30.00     |
|                          |                         | 1       | 215       | 21.67              | 22.25      | < 30.00     |
|                          |                         | 216     | 0         | 21.74              | 22.32      | < 30.00     |
|                          |                         | 1       | 216       | 21.77              | 22.35      | < 30.00     |
|                          |                         | 1       | 0         | 21.60              | 22.18      | < 30.00     |
| 3840.00                  | 80                      | 108     | 54        | 22.17              | 22.75      | < 30.00     |
|                          |                         | 1       | 1         | 21.68              | 22.26      | < 30.00     |
|                          |                         | 1       | 215       | 21.83              | 22.41      | < 30.00     |
|                          |                         | 216     | 0         | 22.05              | 22.63      | < 30.00     |
|                          |                         | 1       | 216       | 21.74              | 22.32      | < 30.00     |
|                          |                         | 1       | 0         | 22.00              | 22.58      | < 30.00     |
| 3939.99                  | 80                      | 108     | 54        | 22.08              | 22.66      | < 30.00     |
|                          |                         | 1       | 1         | 22.54              | 23.12      | < 30.00     |
|                          |                         | 1       | 215       | 22.30              | 22.88      | < 30.00     |
|                          |                         | 216     | 0         | 22.23              | 22.81      | < 30.00     |
|                          |                         | 1       | 216       | 22.58              | 23.16      | < 30.00     |
|                          |                         | 1       | 0         | 22.41              | 22.99      | < 30.00     |
| 3745.02                  | 90                      | 120     | 60        | 21.86              | 22.44      | < 30.00     |
|                          |                         | 1       | 1         | 21.89              | 22.47      | < 30.00     |
|                          |                         | 1       | 243       | 21.65              | 22.23      | < 30.00     |
|                          |                         | 243     | 0         | 21.73              | 22.31      | < 30.00     |
|                          |                         | 1       | 244       | 21.79              | 22.37      | < 30.00     |
|                          |                         | 1       | 0         | 21.56              | 22.14      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b>                                       |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 22.07              | 22.65      | < 30.00     |
|  |                         | 1       | 1         | 21.86              | 22.44      | < 30.00     |
|  |                         | 1       | 243       | 21.98              | 22.56      | < 30.00     |
|  |                         | 243     | 0         | 22.02              | 22.60      | < 30.00     |
|  |                         | 1       | 244       | 21.71              | 22.29      | < 30.00     |
|  |                         | 1       | 0         | 21.74              | 22.32      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 22.09              | 22.67      | < 30.00     |
|  |                         | 1       | 1         | 22.07              | 22.65      | < 30.00     |
|  |                         | 1       | 243       | 22.38              | 22.96      | < 30.00     |
|  |                         | 243     | 0         | 22.15              | 22.73      | < 30.00     |
|  |                         | 1       | 244       | 22.09              | 22.67      | < 30.00     |
|  |                         | 1       | 0         | 22.16              | 22.74      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 21.92              | 22.50      | < 30.00     |
|  |                         | 1       | 1         | 21.77              | 22.35      | < 30.00     |
|  |                         | 1       | 271       | 21.73              | 22.31      | < 30.00     |
|  |                         | 270     | 0         | 21.87              | 22.45      | < 30.00     |
|  |                         | 1       | 272       | 21.70              | 22.28      | < 30.00     |
|  |                         | 1       | 0         | 21.54              | 22.12      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 22.09              | 22.67      | < 30.00     |
|  |                         | 1       | 1         | 21.76              | 22.34      | < 30.00     |
|  |                         | 1       | 271       | 21.92              | 22.50      | < 30.00     |
|  |                         | 270     | 0         | 22.00              | 22.58      | < 30.00     |
|  |                         | 1       | 272       | 21.57              | 22.15      | < 30.00     |
|  |                         | 1       | 0         | 21.85              | 22.43      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 22.09              | 22.67      | < 30.00     |
|  |                         | 1       | 1         | 22.12              | 22.70      | < 30.00     |
|  |                         | 1       | 271       | 22.41              | 22.99      | < 30.00     |
|  |                         | 270     | 0         | 22.19              | 22.77      | < 30.00     |
|  |                         | 1       | 272       | 21.62              | 22.20      | < 30.00     |
|  |                         | 1       | 0         | 22.01              | 22.59      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>CP OFDM QPSK</b>  |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 22        | 23.54              | 24.12      | < 30.00     |
|  |                         | 24      | 0         | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 23        | 22.99              | 23.57      | < 30.00     |
|  |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 23.99              | 24.57      | < 30.00     |
|  |                         | 1       | 1         | 23.97              | 24.55      | < 30.00     |
|  |                         | 1       | 22        | 23.83              | 24.41      | < 30.00     |
|  |                         | 24      | 0         | 23.86              | 24.44      | < 30.00     |
|  |                         | 1       | 23        | 23.36              | 23.94      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 24.17              | 24.75      | < 30.00     |
|  |                         | 1       | 1         | 24.13              | 24.71      | < 30.00     |
|  |                         | 1       | 22        | 24.32              | 24.90      | < 30.00     |
|  |                         | 24      | 0         | 24.29              | 24.87      | < 30.00     |
|  |                         | 1       | 23        | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 0         | 23.62              | 24.20      | < 30.00     |
| 3707.52  | 15                      | 19      | 9         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 1         | 23.77              | 24.35      | < 30.00     |
|  |                         | 1       | 36        | 23.63              | 24.21      | < 30.00     |
|  |                         | 38      | 0         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 37        | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3840.00         | 15                      | 19      | 9         | 24.23              | 24.81      | < 30.00     |
|                 |                         | 1       | 1         | 24.01              | 24.59      | < 30.00     |
|                 |                         | 1       | 36        | 23.85              | 24.43      | < 30.00     |
|                 |                         | 38      | 0         | 24.09              | 24.67      | < 30.00     |
|                 |                         | 1       | 37        | 23.47              | 24.05      | < 30.00     |
|                 |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |
| 3972.48         | 15                      | 19      | 9         | 24.32              | 24.90      | < 30.00     |
|                 |                         | 1       | 1         | 24.23              | 24.81      | < 30.00     |
|                 |                         | 1       | 36        | 24.27              | 24.85      | < 30.00     |
|                 |                         | 38      | 0         | 24.11              | 24.69      | < 30.00     |
|                 |                         | 1       | 37        | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 0         | 23.68              | 24.26      | < 30.00     |
| 3710.01         | 20                      | 25      | 12        | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 1         | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 49        | 23.65              | 24.23      | < 30.00     |
|                 |                         | 51      | 0         | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 50        | 23.14              | 23.72      | < 30.00     |
|                 |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3840.00         | 20                      | 25      | 12        | 24.12              | 24.70      | < 30.00     |
|                 |                         | 1       | 1         | 23.89              | 24.47      | < 30.00     |
|                 |                         | 1       | 49        | 23.95              | 24.53      | < 30.00     |
|                 |                         | 51      | 0         | 24.10              | 24.68      | < 30.00     |
|                 |                         | 1       | 50        | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 0         | 23.63              | 24.21      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3969.99         | 20                      | 25      | 12        | 24.23              | 24.81      | < 30.00     |
|                 |                         | 1       | 1         | 23.97              | 24.55      | < 30.00     |
|                 |                         | 1       | 49        | 24.07              | 24.65      | < 30.00     |
|                 |                         | 51      | 0         | 24.26              | 24.84      | < 30.00     |
|                 |                         | 1       | 50        | 23.72              | 24.30      | < 30.00     |
|                 |                         | 1       | 0         | 24.04              | 24.62      | < 30.00     |
| 3715.02         | 30                      | 39      | 19        | 23.70              | 24.28      | < 30.00     |
|                 |                         | 1       | 1         | 23.80              | 24.38      | < 30.00     |
|                 |                         | 1       | 76        | 23.72              | 24.30      | < 30.00     |
|                 |                         | 78      | 0         | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 77        | 23.36              | 23.94      | < 30.00     |
|                 |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3840.00         | 30                      | 39      | 19        | 24.17              | 24.75      | < 30.00     |
|                 |                         | 1       | 1         | 24.10              | 24.68      | < 30.00     |
|                 |                         | 1       | 76        | 23.75              | 24.33      | < 30.00     |
|                 |                         | 78      | 0         | 24.06              | 24.64      | < 30.00     |
|                 |                         | 1       | 77        | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| 3964.98         | 30                      | 39      | 19        | 24.29              | 24.87      | < 30.00     |
|                 |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|                 |                         | 1       | 76        | 24.12              | 24.70      | < 30.00     |
|                 |                         | 78      | 0         | 24.12              | 24.70      | < 30.00     |
|                 |                         | 1       | 77        | 23.65              | 24.23      | < 30.00     |
|                 |                         | 1       | 0         | 23.67              | 24.25      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3720.00         | 40                      | 53      | 26        | 23.78              | 24.36      | < 30.00     |
|                 |                         | 1       | 1         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 104       | 23.64              | 24.22      | < 30.00     |
|                 |                         | 106     | 0         | 23.80              | 24.38      | < 30.00     |
|                 |                         | 1       | 105       | 23.38              | 23.96      | < 30.00     |
|                 |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3840.00         | 40                      | 53      | 26        | 24.01              | 24.59      | < 30.00     |
|                 |                         | 1       | 1         | 24.07              | 24.65      | < 30.00     |
|                 |                         | 1       | 104       | 23.88              | 24.46      | < 30.00     |
|                 |                         | 106     | 0         | 23.96              | 24.54      | < 30.00     |
|                 |                         | 1       | 105       | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 0         | 23.41              | 23.99      | < 30.00     |
| 3960.00         | 40                      | 53      | 26        | 24.10              | 24.68      | < 30.00     |
|                 |                         | 1       | 1         | 24.02              | 24.60      | < 30.00     |
|                 |                         | 1       | 104       | 24.35              | 24.93      | < 30.00     |
|                 |                         | 106     | 0         | 24.17              | 24.75      | < 30.00     |
|                 |                         | 1       | 105       | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 0         | 23.83              | 24.41      | < 30.00     |
| 3725.01         | 50                      | 67      | 33        | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 1         | 23.63              | 24.21      | < 30.00     |
|                 |                         | 1       | 131       | 23.34              | 23.92      | < 30.00     |
|                 |                         | 133     | 0         | 23.44              | 24.02      | < 30.00     |
|                 |                         | 1       | 132       | 22.96              | 23.54      | < 30.00     |
|                 |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3840.00         | 50                      | 67      | 33        | 23.97              | 24.55      | < 30.00     |
|                 |                         | 1       | 1         | 23.72              | 24.30      | < 30.00     |
|                 |                         | 1       | 131       | 23.80              | 24.38      | < 30.00     |
|                 |                         | 133     | 0         | 23.82              | 24.40      | < 30.00     |
|                 |                         | 1       | 132       | 23.30              | 23.88      | < 30.00     |
|                 |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| 3954.99         | 50                      | 67      | 33        | 23.92              | 24.50      | < 30.00     |
|                 |                         | 1       | 1         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 131       | 23.95              | 24.53      | < 30.00     |
|                 |                         | 133     | 0         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 132       | 23.25              | 23.83      | < 30.00     |
|                 |                         | 1       | 0         | 23.50              | 24.08      | < 30.00     |
| 3730.02         | 60                      | 81      | 40        | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 1         | 23.47              | 24.05      | < 30.00     |
|                 |                         | 1       | 160       | 23.32              | 23.90      | < 30.00     |
|                 |                         | 162     | 0         | 23.44              | 24.02      | < 30.00     |
|                 |                         | 1       | 161       | 22.94              | 23.52      | < 30.00     |
|                 |                         | 1       | 0         | 22.75              | 23.33      | < 30.00     |
| 3840.00         | 60                      | 81      | 40        | 23.90              | 24.48      | < 30.00     |
|                 |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 160       | 23.60              | 24.18      | < 30.00     |
|                 |                         | 162     | 0         | 23.87              | 24.45      | < 30.00     |
|                 |                         | 1       | 161       | 23.10              | 23.68      | < 30.00     |
|                 |                         | 1       | 0         | 23.10              | 23.68      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 160       | 23.70              | 24.28      | < 30.00     |
|  |                         | 162     | 0         | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 161       | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3735.00  | 70                      | 95      | 47        | 23.31              | 23.89      | < 30.00     |
|  |                         | 1       | 1         | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 187       | 23.37              | 23.95      | < 30.00     |
|  |                         | 189     | 0         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 188       | 22.73              | 23.31      | < 30.00     |
|  |                         | 1       | 0         | 22.83              | 23.41      | < 30.00     |
| 3840.00  | 70                      | 95      | 47        | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 1         | 23.35              | 23.93      | < 30.00     |
|  |                         | 1       | 187       | 23.52              | 24.10      | < 30.00     |
|  |                         | 189     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 188       | 22.94              | 23.52      | < 30.00     |
|  |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3945.00  | 70                      | 95      | 47        | 23.79              | 24.37      | < 30.00     |
|  |                         | 1       | 1         | 23.88              | 24.46      | < 30.00     |
|  |                         | 1       | 187       | 23.50              | 24.08      | < 30.00     |
|  |                         | 189     | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 188       | 23.50              | 24.08      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3740.01         | 80                      | 109     | 54        | 23.44              | 24.02      | < 30.00     |
|                 |                         | 1       | 1         | 23.41              | 23.99      | < 30.00     |
|                 |                         | 1       | 215       | 23.15              | 23.73      | < 30.00     |
|                 |                         | 217     | 0         | 23.30              | 23.88      | < 30.00     |
|                 |                         | 1       | 216       | 22.80              | 23.38      | < 30.00     |
|                 |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |
| 3840.00         | 80                      | 109     | 54        | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 1         | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 215       | 23.55              | 24.13      | < 30.00     |
|                 |                         | 217     | 0         | 23.65              | 24.23      | < 30.00     |
|                 |                         | 1       | 216       | 22.89              | 23.47      | < 30.00     |
|                 |                         | 1       | 0         | 22.93              | 23.51      | < 30.00     |
| 3939.99         | 80                      | 109     | 54        | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|                 |                         | 1       | 215       | 23.78              | 24.36      | < 30.00     |
|                 |                         | 217     | 0         | 23.63              | 24.21      | < 30.00     |
|                 |                         | 1       | 216       | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3745.02         | 90                      | 123     | 61        | 23.35              | 23.93      | < 30.00     |
|                 |                         | 1       | 1         | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 243       | 23.36              | 23.94      | < 30.00     |
|                 |                         | 245     | 0         | 23.29              | 23.87      | < 30.00     |
|                 |                         | 1       | 244       | 22.79              | 23.37      | < 30.00     |
|                 |                         | 1       | 0         | 22.71              | 23.29      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 123     | 61        | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 1         | 23.56              | 24.14      | < 30.00     |
|  |                         | 1       | 243       | 23.59              | 24.17      | < 30.00     |
|  |                         | 245     | 0         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 244       | 22.77              | 23.35      | < 30.00     |
|  |                         | 1       | 0         | 23.03              | 23.61      | < 30.00     |
| 3934.98  | 90                      | 123     | 61        | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 243       | 23.74              | 24.32      | < 30.00     |
|  |                         | 245     | 0         | 23.72              | 24.30      | < 30.00     |
|  |                         | 1       | 244       | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3750.00  | 100                     | 137     | 68        | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 1         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 271       | 23.07              | 23.65      | < 30.00     |
|  |                         | 273     | 0         | 23.23              | 23.81      | < 30.00     |
|  |                         | 1       | 272       | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.52              | 23.10      | < 30.00     |
| 3840.00  | 100                     | 137     | 68        | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 1         | 23.38              | 23.96      | < 30.00     |
|  |                         | 1       | 271       | 23.77              | 24.35      | < 30.00     |
|  |                         | 273     | 0         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 272       | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.80              | 23.38      | < 30.00     |
| 3930.00  | 100                     | 137     | 68        | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 1         | 23.46              | 24.04      | < 30.00     |
|  |                         | 1       | 271       | 23.81              | 24.39      | < 30.00     |
|  |                         | 273     | 0         | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 272       | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 1         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 22        | 23.70              | 24.28      | < 30.00     |
|  |                         | 24      | 0         | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 23        | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 0         | 22.89              | 23.47      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 23.93              | 24.51      | < 30.00     |
|  |                         | 1       | 1         | 24.08              | 24.66      | < 30.00     |
|  |                         | 1       | 22        | 23.91              | 24.49      | < 30.00     |
|  |                         | 24      | 0         | 24.02              | 24.60      | < 30.00     |
|  |                         | 1       | 23        | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 24.13              | 24.71      | < 30.00     |
|  |                         | 1       | 1         | 24.25              | 24.83      | < 30.00     |
|  |                         | 1       | 22        | 24.23              | 24.81      | < 30.00     |
|  |                         | 24      | 0         | 24.28              | 24.86      | < 30.00     |
|  |                         | 1       | 23        | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 0         | 23.52              | 24.10      | < 30.00     |
| 3707.52  | 15                      | 19      | 9         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 1         | 23.80              | 24.38      | < 30.00     |
|  |                         | 1       | 36        | 23.64              | 24.22      | < 30.00     |
|  |                         | 38      | 0         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 37        | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3840.00         | 15                      | 19      | 9         | 24.09              | 24.67      | < 30.00     |
|                 |                         | 1       | 1         | 24.16              | 24.74      | < 30.00     |
|                 |                         | 1       | 36        | 23.84              | 24.42      | < 30.00     |
|                 |                         | 38      | 0         | 24.23              | 24.81      | < 30.00     |
|                 |                         | 1       | 37        | 23.39              | 23.97      | < 30.00     |
|                 |                         | 1       | 0         | 23.61              | 24.19      | < 30.00     |
| 3972.48         | 15                      | 19      | 9         | 24.23              | 24.81      | < 30.00     |
|                 |                         | 1       | 1         | 24.40              | 24.98      | < 30.00     |
|                 |                         | 1       | 36        | 24.31              | 24.89      | < 30.00     |
|                 |                         | 38      | 0         | 24.27              | 24.85      | < 30.00     |
|                 |                         | 1       | 37        | 23.72              | 24.30      | < 30.00     |
|                 |                         | 1       | 0         | 23.62              | 24.20      | < 30.00     |
| 3710.01         | 20                      | 25      | 12        | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 1         | 23.69              | 24.27      | < 30.00     |
|                 |                         | 1       | 49        | 23.53              | 24.11      | < 30.00     |
|                 |                         | 51      | 0         | 23.57              | 24.15      | < 30.00     |
|                 |                         | 1       | 50        | 22.94              | 23.52      | < 30.00     |
|                 |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| 3840.00         | 20                      | 25      | 12        | 24.13              | 24.71      | < 30.00     |
|                 |                         | 1       | 1         | 24.05              | 24.63      | < 30.00     |
|                 |                         | 1       | 49        | 23.99              | 24.57      | < 30.00     |
|                 |                         | 51      | 0         | 24.07              | 24.65      | < 30.00     |
|                 |                         | 1       | 50        | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3969.99         | 20                      | 25      | 12        | 24.30              | 24.88      | < 30.00     |
|                 |                         | 1       | 1         | 24.47              | 25.05      | < 30.00     |
|                 |                         | 1       | 49        | 24.36              | 24.94      | < 30.00     |
|                 |                         | 51      | 0         | 24.24              | 24.82      | < 30.00     |
|                 |                         | 1       | 50        | 23.35              | 23.93      | < 30.00     |
|                 |                         | 1       | 0         | 23.81              | 24.39      | < 30.00     |
| 3715.02         | 30                      | 39      | 19        | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 1         | 23.82              | 24.40      | < 30.00     |
|                 |                         | 1       | 76        | 23.58              | 24.16      | < 30.00     |
|                 |                         | 78      | 0         | 23.68              | 24.26      | < 30.00     |
|                 |                         | 1       | 77        | 23.36              | 23.94      | < 30.00     |
|                 |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3840.00         | 30                      | 39      | 19        | 24.04              | 24.62      | < 30.00     |
|                 |                         | 1       | 1         | 24.14              | 24.72      | < 30.00     |
|                 |                         | 1       | 76        | 23.87              | 24.45      | < 30.00     |
|                 |                         | 78      | 0         | 24.04              | 24.62      | < 30.00     |
|                 |                         | 1       | 77        | 23.48              | 24.06      | < 30.00     |
|                 |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3964.98         | 30                      | 39      | 19        | 24.06              | 24.64      | < 30.00     |
|                 |                         | 1       | 1         | 24.21              | 24.79      | < 30.00     |
|                 |                         | 1       | 76        | 24.36              | 24.94      | < 30.00     |
|                 |                         | 78      | 0         | 24.13              | 24.71      | < 30.00     |
|                 |                         | 1       | 77        | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 0         | 23.69              | 24.27      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3720.00         | 40                      | 53      | 26        | 23.83              | 24.41      | < 30.00     |
|                 |                         | 1       | 1         | 24.11              | 24.69      | < 30.00     |
|                 |                         | 1       | 104       | 23.81              | 24.39      | < 30.00     |
|                 |                         | 106     | 0         | 23.92              | 24.50      | < 30.00     |
|                 |                         | 1       | 105       | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3840.00         | 40                      | 53      | 26        | 23.96              | 24.54      | < 30.00     |
|                 |                         | 1       | 1         | 24.30              | 24.88      | < 30.00     |
|                 |                         | 1       | 104       | 24.03              | 24.61      | < 30.00     |
|                 |                         | 106     | 0         | 24.09              | 24.67      | < 30.00     |
|                 |                         | 1       | 105       | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 0         | 23.48              | 24.06      | < 30.00     |
| 3960.00         | 40                      | 53      | 26        | 24.13              | 24.71      | < 30.00     |
|                 |                         | 1       | 1         | 24.06              | 24.64      | < 30.00     |
|                 |                         | 1       | 104       | 24.28              | 24.86      | < 30.00     |
|                 |                         | 106     | 0         | 24.14              | 24.72      | < 30.00     |
|                 |                         | 1       | 105       | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 0         | 23.75              | 24.33      | < 30.00     |
| 3725.01         | 50                      | 67      | 33        | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 131       | 23.42              | 24.00      | < 30.00     |
|                 |                         | 133     | 0         | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 132       | 22.87              | 23.45      | < 30.00     |
|                 |                         | 1       | 0         | 22.89              | 23.47      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 67      | 33        | 23.95              | 24.53      | < 30.00     |
|  |                         | 1       | 1         | 24.02              | 24.60      | < 30.00     |
|  |                         | 1       | 131       | 23.72              | 24.30      | < 30.00     |
|  |                         | 133     | 0         | 23.82              | 24.40      | < 30.00     |
|  |                         | 1       | 132       | 23.15              | 23.73      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| 3954.99  | 50                      | 67      | 33        | 23.86              | 24.44      | < 30.00     |
|  |                         | 1       | 1         | 23.98              | 24.56      | < 30.00     |
|  |                         | 1       | 131       | 24.27              | 24.85      | < 30.00     |
|  |                         | 133     | 0         | 23.96              | 24.54      | < 30.00     |
|  |                         | 1       | 132       | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 0         | 23.52              | 24.10      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|  |                         | 1       | 160       | 23.65              | 24.23      | < 30.00     |
|  |                         | 162     | 0         | 23.40              | 23.98      | < 30.00     |
|  |                         | 1       | 161       | 22.69              | 23.27      | < 30.00     |
|  |                         | 1       | 0         | 22.57              | 23.15      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 23.86              | 24.44      | < 30.00     |
|  |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|  |                         | 1       | 160       | 23.86              | 24.44      | < 30.00     |
|  |                         | 162     | 0         | 23.83              | 24.41      | < 30.00     |
|  |                         | 1       | 161       | 22.93              | 23.51      | < 30.00     |
|  |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 23.66              | 24.24      | < 30.00     |
|  |                         | 1       | 1         | 24.03              | 24.61      | < 30.00     |
|  |                         | 1       | 160       | 24.14              | 24.72      | < 30.00     |
|  |                         | 162     | 0         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 161       | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 0         | 23.40              | 23.98      | < 30.00     |
| 3735.00  | 70                      | 95      | 47        | 23.32              | 23.90      | < 30.00     |
|  |                         | 1       | 1         | 23.14              | 23.72      | < 30.00     |
|  |                         | 1       | 187       | 23.18              | 23.76      | < 30.00     |
|  |                         | 189     | 0         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 188       | 22.70              | 23.28      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3840.00  | 70                      | 95      | 47        | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 1         | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 187       | 23.36              | 23.94      | < 30.00     |
|  |                         | 189     | 0         | 23.46              | 24.04      | < 30.00     |
|  |                         | 1       | 188       | 22.77              | 23.35      | < 30.00     |
|  |                         | 1       | 0         | 22.98              | 23.56      | < 30.00     |
| 3945.00  | 70                      | 95      | 47        | 23.78              | 24.36      | < 30.00     |
|  |                         | 1       | 1         | 23.84              | 24.42      | < 30.00     |
|  |                         | 1       | 187       | 23.48              | 24.06      | < 30.00     |
|  |                         | 189     | 0         | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 188       | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 0         | 23.01              | 23.59      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3740.01         | 80                      | 109     | 54        | 23.40              | 23.98      | < 30.00     |
|                 |                         | 1       | 1         | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 215       | 23.28              | 23.86      | < 30.00     |
|                 |                         | 217     | 0         | 23.30              | 23.88      | < 30.00     |
|                 |                         | 1       | 216       | 22.77              | 23.35      | < 30.00     |
|                 |                         | 1       | 0         | 22.52              | 23.10      | < 30.00     |
| 3840.00         | 80                      | 109     | 54        | 23.76              | 24.34      | < 30.00     |
|                 |                         | 1       | 1         | 23.63              | 24.21      | < 30.00     |
|                 |                         | 1       | 215       | 23.29              | 23.87      | < 30.00     |
|                 |                         | 217     | 0         | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 216       | 22.77              | 23.35      | < 30.00     |
|                 |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3939.99         | 80                      | 109     | 54        | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 1         | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 215       | 24.03              | 24.61      | < 30.00     |
|                 |                         | 217     | 0         | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 216       | 23.12              | 23.70      | < 30.00     |
|                 |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3745.02         | 90                      | 123     | 61        | 23.35              | 23.93      | < 30.00     |
|                 |                         | 1       | 1         | 23.45              | 24.03      | < 30.00     |
|                 |                         | 1       | 243       | 23.10              | 23.68      | < 30.00     |
|                 |                         | 245     | 0         | 23.25              | 23.83      | < 30.00     |
|                 |                         | 1       | 244       | 22.94              | 23.52      | < 30.00     |
|                 |                         | 1       | 0         | 22.52              | 23.10      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 123     | 61        | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 1         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 243       | 23.47              | 24.05      | < 30.00     |
|  |                         | 245     | 0         | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 244       | 22.76              | 23.34      | < 30.00     |
|  |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3934.98  | 90                      | 123     | 61        | 23.66              | 24.24      | < 30.00     |
|  |                         | 1       | 1         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 243       | 23.68              | 24.26      | < 30.00     |
|  |                         | 245     | 0         | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 244       | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| 3750.00  | 100                     | 137     | 68        | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 1         | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 271       | 23.07              | 23.65      | < 30.00     |
|  |                         | 273     | 0         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 272       | 22.59              | 23.17      | < 30.00     |
|  |                         | 1       | 0         | 22.67              | 23.25      | < 30.00     |
| 3840.00  | 100                     | 137     | 68        | 23.70              | 24.28      | < 30.00     |
|  |                         | 1       | 1         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 271       | 23.68              | 24.26      | < 30.00     |
|  |                         | 273     | 0         | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 272       | 22.67              | 23.25      | < 30.00     |
|  |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |
| 3930.00  | 100                     | 137     | 68        | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 1         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 271       | 24.10              | 24.68      | < 30.00     |
|  |                         | 273     | 0         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 272       | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 23.14              | 23.72      | < 30.00     |
|  |                         | 1       | 1         | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 22        | 23.21              | 23.79      | < 30.00     |
|  |                         | 24      | 0         | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 23        | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 1         | 23.32              | 23.90      | < 30.00     |
|  |                         | 1       | 22        | 23.35              | 23.93      | < 30.00     |
|  |                         | 24      | 0         | 23.42              | 24.00      | < 30.00     |
|  |                         | 1       | 23        | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 0         | 23.56              | 24.14      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 23.76              | 24.34      | < 30.00     |
|  |                         | 1       | 1         | 23.77              | 24.35      | < 30.00     |
|  |                         | 1       | 22        | 23.73              | 24.31      | < 30.00     |
|  |                         | 24      | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 23        | 23.84              | 24.42      | < 30.00     |
|  |                         | 1       | 0         | 23.83              | 24.41      | < 30.00     |
| 3707.52  | 15                      | 19      | 9         | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 1         | 23.09              | 23.67      | < 30.00     |
|  |                         | 1       | 36        | 23.09              | 23.67      | < 30.00     |
|  |                         | 38      | 0         | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 37        | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3840.00         | 15                      | 19      | 9         | 23.59              | 24.17      | < 30.00     |
|                 |                         | 1       | 1         | 23.50              | 24.08      | < 30.00     |
|                 |                         | 1       | 36        | 23.53              | 24.11      | < 30.00     |
|                 |                         | 38      | 0         | 23.50              | 24.08      | < 30.00     |
|                 |                         | 1       | 37        | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 0         | 23.58              | 24.16      | < 30.00     |
| 3972.48         | 15                      | 19      | 9         | 23.75              | 24.33      | < 30.00     |
|                 |                         | 1       | 1         | 23.72              | 24.30      | < 30.00     |
|                 |                         | 1       | 36        | 23.73              | 24.31      | < 30.00     |
|                 |                         | 38      | 0         | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 37        | 23.68              | 24.26      | < 30.00     |
|                 |                         | 1       | 0         | 23.78              | 24.36      | < 30.00     |
| 3710.01         | 20                      | 25      | 12        | 23.29              | 23.87      | < 30.00     |
|                 |                         | 1       | 1         | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 49        | 23.28              | 23.86      | < 30.00     |
|                 |                         | 51      | 0         | 23.22              | 23.80      | < 30.00     |
|                 |                         | 1       | 50        | 23.16              | 23.74      | < 30.00     |
|                 |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3840.00         | 20                      | 25      | 12        | 23.65              | 24.23      | < 30.00     |
|                 |                         | 1       | 1         | 23.67              | 24.25      | < 30.00     |
|                 |                         | 1       | 49        | 23.94              | 24.52      | < 30.00     |
|                 |                         | 51      | 0         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 50        | 23.64              | 24.22      | < 30.00     |
|                 |                         | 1       | 0         | 23.78              | 24.36      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3969.99         | 20                      | 25      | 12        | 23.79              | 24.37      | < 30.00     |
|                 |                         | 1       | 1         | 23.72              | 24.30      | < 30.00     |
|                 |                         | 1       | 49        | 23.89              | 24.47      | < 30.00     |
|                 |                         | 51      | 0         | 23.72              | 24.30      | < 30.00     |
|                 |                         | 1       | 50        | 23.76              | 24.34      | < 30.00     |
|                 |                         | 1       | 0         | 23.92              | 24.50      | < 30.00     |
| 3715.02         | 30                      | 39      | 19        | 23.14              | 23.72      | < 30.00     |
|                 |                         | 1       | 1         | 23.19              | 23.77      | < 30.00     |
|                 |                         | 1       | 76        | 23.32              | 23.90      | < 30.00     |
|                 |                         | 78      | 0         | 23.14              | 23.72      | < 30.00     |
|                 |                         | 1       | 77        | 23.26              | 23.84      | < 30.00     |
|                 |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3840.00         | 30                      | 39      | 19        | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 1         | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 76        | 23.47              | 24.05      | < 30.00     |
|                 |                         | 78      | 0         | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 77        | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 0         | 23.48              | 24.06      | < 30.00     |
| 3964.98         | 30                      | 39      | 19        | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 1         | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 76        | 23.92              | 24.50      | < 30.00     |
|                 |                         | 78      | 0         | 23.68              | 24.26      | < 30.00     |
|                 |                         | 1       | 77        | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 0         | 23.78              | 24.36      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3720.00         | 40                      | 53      | 26        | 23.37              | 23.95      | < 30.00     |
|                 |                         | 1       | 1         | 23.46              | 24.04      | < 30.00     |
|                 |                         | 1       | 104       | 23.37              | 23.95      | < 30.00     |
|                 |                         | 106     | 0         | 23.33              | 23.91      | < 30.00     |
|                 |                         | 1       | 105       | 23.45              | 24.03      | < 30.00     |
|                 |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| 3840.00         | 40                      | 53      | 26        | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 1         | 23.65              | 24.23      | < 30.00     |
|                 |                         | 1       | 104       | 23.09              | 23.67      | < 30.00     |
|                 |                         | 106     | 0         | 23.53              | 24.11      | < 30.00     |
|                 |                         | 1       | 105       | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3960.00         | 40                      | 53      | 26        | 23.70              | 24.28      | < 30.00     |
|                 |                         | 1       | 1         | 23.59              | 24.17      | < 30.00     |
|                 |                         | 1       | 104       | 23.85              | 24.43      | < 30.00     |
|                 |                         | 106     | 0         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 105       | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 0         | 23.85              | 24.43      | < 30.00     |
| 3725.01         | 50                      | 67      | 33        | 22.96              | 23.54      | < 30.00     |
|                 |                         | 1       | 1         | 23.12              | 23.70      | < 30.00     |
|                 |                         | 1       | 131       | 23.05              | 23.63      | < 30.00     |
|                 |                         | 133     | 0         | 22.93              | 23.51      | < 30.00     |
|                 |                         | 1       | 132       | 23.17              | 23.75      | < 30.00     |
|                 |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 67      | 33        | 23.42              | 24.00      | < 30.00     |
|  |                         | 1       | 1         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 131       | 23.67              | 24.25      | < 30.00     |
|  |                         | 133     | 0         | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 132       | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 0         | 23.65              | 24.23      | < 30.00     |
| 3954.99  | 50                      | 67      | 33        | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 1         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 131       | 23.59              | 24.17      | < 30.00     |
|  |                         | 133     | 0         | 23.43              | 24.01      | < 30.00     |
|  |                         | 1       | 132       | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 0         | 23.60              | 24.18      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 1         | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 160       | 22.85              | 23.43      | < 30.00     |
|  |                         | 162     | 0         | 22.94              | 23.52      | < 30.00     |
|  |                         | 1       | 161       | 23.11              | 23.69      | < 30.00     |
|  |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 1         | 23.10              | 23.68      | < 30.00     |
|  |                         | 1       | 160       | 23.52              | 24.10      | < 30.00     |
|  |                         | 162     | 0         | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 161       | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 23.19              | 23.77      | < 30.00     |
|  |                         | 1       | 1         | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 160       | 23.42              | 24.00      | < 30.00     |
|  |                         | 162     | 0         | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 161       | 23.31              | 23.89      | < 30.00     |
|  |                         | 1       | 0         | 23.61              | 24.19      | < 30.00     |
| 3735.00  | 70                      | 95      | 47        | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 1         | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 187       | 22.90              | 23.48      | < 30.00     |
|  |                         | 189     | 0         | 22.80              | 23.38      | < 30.00     |
|  |                         | 1       | 188       | 22.57              | 23.15      | < 30.00     |
|  |                         | 1       | 0         | 22.85              | 23.43      | < 30.00     |
| 3840.00  | 70                      | 95      | 47        | 23.05              | 23.63      | < 30.00     |
|  |                         | 1       | 1         | 22.80              | 23.38      | < 30.00     |
|  |                         | 1       | 187       | 22.90              | 23.48      | < 30.00     |
|  |                         | 189     | 0         | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 188       | 22.77              | 23.35      | < 30.00     |
|  |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3945.00  | 70                      | 95      | 47        | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 1         | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 187       | 22.91              | 23.49      | < 30.00     |
|  |                         | 189     | 0         | 23.22              | 23.80      | < 30.00     |
|  |                         | 1       | 188       | 23.42              | 24.00      | < 30.00     |
|  |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3740.01         | 80                      | 109     | 54        | 22.87              | 23.45      | < 30.00     |
|                 |                         | 1       | 1         | 22.83              | 23.41      | < 30.00     |
|                 |                         | 1       | 215       | 22.58              | 23.16      | < 30.00     |
|                 |                         | 217     | 0         | 22.83              | 23.41      | < 30.00     |
|                 |                         | 1       | 216       | 22.86              | 23.44      | < 30.00     |
|                 |                         | 1       | 0         | 22.62              | 23.20      | < 30.00     |
| 3840.00         | 80                      | 109     | 54        | 23.04              | 23.62      | < 30.00     |
|                 |                         | 1       | 1         | 22.91              | 23.49      | < 30.00     |
|                 |                         | 1       | 215       | 22.84              | 23.42      | < 30.00     |
|                 |                         | 217     | 0         | 23.12              | 23.70      | < 30.00     |
|                 |                         | 1       | 216       | 23.00              | 23.58      | < 30.00     |
|                 |                         | 1       | 0         | 22.99              | 23.57      | < 30.00     |
| 3939.99         | 80                      | 109     | 54        | 23.14              | 23.72      | < 30.00     |
|                 |                         | 1       | 1         | 23.07              | 23.65      | < 30.00     |
|                 |                         | 1       | 215       | 23.19              | 23.77      | < 30.00     |
|                 |                         | 217     | 0         | 23.17              | 23.75      | < 30.00     |
|                 |                         | 1       | 216       | 23.20              | 23.78      | < 30.00     |
|                 |                         | 1       | 0         | 23.16              | 23.74      | < 30.00     |
| 3745.02         | 90                      | 123     | 61        | 22.87              | 23.45      | < 30.00     |
|                 |                         | 1       | 1         | 22.90              | 23.48      | < 30.00     |
|                 |                         | 1       | 243       | 22.63              | 23.21      | < 30.00     |
|                 |                         | 245     | 0         | 22.89              | 23.47      | < 30.00     |
|                 |                         | 1       | 244       | 22.76              | 23.34      | < 30.00     |
|                 |                         | 1       | 0         | 22.77              | 23.35      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 123     | 61        | 23.02              | 23.60      | < 30.00     |
|  |                         | 1       | 1         | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 243       | 22.96              | 23.54      | < 30.00     |
|  |                         | 245     | 0         | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 244       | 22.61              | 23.19      | < 30.00     |
|  |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3934.98  | 90                      | 123     | 61        | 23.02              | 23.60      | < 30.00     |
|  |                         | 1       | 1         | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 243       | 23.36              | 23.94      | < 30.00     |
|  |                         | 245     | 0         | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 244       | 22.95              | 23.53      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3750.00  | 100                     | 137     | 68        | 22.84              | 23.42      | < 30.00     |
|  |                         | 1       | 1         | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 271       | 22.72              | 23.30      | < 30.00     |
|  |                         | 273     | 0         | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 272       | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 22.49              | 23.07      | < 30.00     |
| 3840.00  | 100                     | 137     | 68        | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 1         | 22.94              | 23.52      | < 30.00     |
|  |                         | 1       | 271       | 23.01              | 23.59      | < 30.00     |
|  |                         | 273     | 0         | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 272       | 22.73              | 23.31      | < 30.00     |
|  |                         | 1       | 0         | 22.76              | 23.34      | < 30.00     |
| 3930.00  | 100                     | 137     | 68        | 23.11              | 23.69      | < 30.00     |
|  |                         | 1       | 1         | 22.86              | 23.44      | < 30.00     |
|  |                         | 1       | 271       | 23.25              | 23.83      | < 30.00     |
|  |                         | 273     | 0         | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 272       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3705.00         | 10                      | 12      | 6         | 19.98              | 20.56      | < 30.00     |
|                 |                         | 1       | 1         | 20.24              | 20.82      | < 30.00     |
|                 |                         | 1       | 22        | 20.49              | 21.07      | < 30.00     |
|                 |                         | 24      | 0         | 20.07              | 20.65      | < 30.00     |
|                 |                         | 1       | 23        | 20.43              | 21.01      | < 30.00     |
|                 |                         | 1       | 0         | 20.50              | 21.08      | < 30.00     |
| 3840.00         | 10                      | 12      | 6         | 20.47              | 21.05      | < 30.00     |
|                 |                         | 1       | 1         | 20.66              | 21.24      | < 30.00     |
|                 |                         | 1       | 22        | 20.53              | 21.11      | < 30.00     |
|                 |                         | 24      | 0         | 20.45              | 21.03      | < 30.00     |
|                 |                         | 1       | 23        | 20.54              | 21.12      | < 30.00     |
|                 |                         | 1       | 0         | 20.58              | 21.16      | < 30.00     |
| 3975.00         | 10                      | 12      | 6         | 20.59              | 21.17      | < 30.00     |
|                 |                         | 1       | 1         | 20.80              | 21.38      | < 30.00     |
|                 |                         | 1       | 22        | 21.00              | 21.58      | < 30.00     |
|                 |                         | 24      | 0         | 20.66              | 21.24      | < 30.00     |
|                 |                         | 1       | 23        | 21.00              | 21.58      | < 30.00     |
|                 |                         | 1       | 0         | 20.91              | 21.49      | < 30.00     |
| 3707.52         | 15                      | 19      | 9         | 20.20              | 20.78      | < 30.00     |
|                 |                         | 1       | 1         | 20.38              | 20.96      | < 30.00     |
|                 |                         | 1       | 36        | 20.42              | 21.00      | < 30.00     |
|                 |                         | 38      | 0         | 20.05              | 20.63      | < 30.00     |
|                 |                         | 1       | 37        | 20.35              | 20.93      | < 30.00     |
|                 |                         | 1       | 0         | 20.37              | 20.95      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3840.00         | 15                      | 19      | 9         | 20.63              | 21.21      | < 30.00     |
|                 |                         | 1       | 1         | 20.83              | 21.41      | < 30.00     |
|                 |                         | 1       | 36        | 20.75              | 21.33      | < 30.00     |
|                 |                         | 38      | 0         | 20.52              | 21.10      | < 30.00     |
|                 |                         | 1       | 37        | 20.82              | 21.40      | < 30.00     |
|                 |                         | 1       | 0         | 20.86              | 21.44      | < 30.00     |
| 3972.48         | 15                      | 19      | 9         | 20.69              | 21.27      | < 30.00     |
|                 |                         | 1       | 1         | 21.06              | 21.64      | < 30.00     |
|                 |                         | 1       | 36        | 21.03              | 21.61      | < 30.00     |
|                 |                         | 38      | 0         | 20.69              | 21.27      | < 30.00     |
|                 |                         | 1       | 37        | 21.02              | 21.60      | < 30.00     |
|                 |                         | 1       | 0         | 21.10              | 21.68      | < 30.00     |
| 3710.01         | 20                      | 25      | 12        | 20.25              | 20.83      | < 30.00     |
|                 |                         | 1       | 1         | 20.42              | 21.00      | < 30.00     |
|                 |                         | 1       | 49        | 20.46              | 21.04      | < 30.00     |
|                 |                         | 51      | 0         | 20.15              | 20.73      | < 30.00     |
|                 |                         | 1       | 50        | 20.32              | 20.90      | < 30.00     |
|                 |                         | 1       | 0         | 20.35              | 20.93      | < 30.00     |
| 3840.00         | 20                      | 25      | 12        | 20.60              | 21.18      | < 30.00     |
|                 |                         | 1       | 1         | 20.89              | 21.47      | < 30.00     |
|                 |                         | 1       | 49        | 20.81              | 21.39      | < 30.00     |
|                 |                         | 51      | 0         | 20.52              | 21.10      | < 30.00     |
|                 |                         | 1       | 50        | 20.79              | 21.37      | < 30.00     |
|                 |                         | 1       | 0         | 20.86              | 21.44      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3969.99  | 20                      | 25      | 12        | 20.67              | 21.25      | < 30.00     |
|  |                         | 1       | 1         | 20.78              | 21.36      | < 30.00     |
|  |                         | 1       | 49        | 21.09              | 21.67      | < 30.00     |
|  |                         | 51      | 0         | 20.74              | 21.32      | < 30.00     |
|  |                         | 1       | 50        | 20.78              | 21.36      | < 30.00     |
|  |                         | 1       | 0         | 21.48              | 22.06      | < 30.00     |
| 3715.02  | 30                      | 39      | 19        | 20.18              | 20.76      | < 30.00     |
|  |                         | 1       | 1         | 20.53              | 21.11      | < 30.00     |
|  |                         | 1       | 76        | 20.37              | 20.95      | < 30.00     |
|  |                         | 78      | 0         | 20.26              | 20.84      | < 30.00     |
|  |                         | 1       | 77        | 20.53              | 21.11      | < 30.00     |
|  |                         | 1       | 0         | 20.40              | 20.98      | < 30.00     |
| 3840.00  | 30                      | 39      | 19        | 20.60              | 21.18      | < 30.00     |
|  |                         | 1       | 1         | 20.88              | 21.46      | < 30.00     |
|  |                         | 1       | 76        | 20.53              | 21.11      | < 30.00     |
|  |                         | 78      | 0         | 20.50              | 21.08      | < 30.00     |
|  |                         | 1       | 77        | 20.97              | 21.55      | < 30.00     |
|  |                         | 1       | 0         | 20.61              | 21.19      | < 30.00     |
| 3964.98  | 30                      | 39      | 19        | 20.66              | 21.24      | < 30.00     |
|  |                         | 1       | 1         | 20.81              | 21.39      | < 30.00     |
|  |                         | 1       | 76        | 21.03              | 21.61      | < 30.00     |
|  |                         | 78      | 0         | 20.82              | 21.40      | < 30.00     |
|  |                         | 1       | 77        | 20.66              | 21.24      | < 30.00     |
|  |                         | 1       | 0         | 21.07              | 21.65      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3720.00  | 40                      | 53      | 26        | 20.23              | 20.81      | < 30.00     |
|  |                         | 1       | 1         | 20.69              | 21.27      | < 30.00     |
|  |                         | 1       | 104       | 20.71              | 21.29      | < 30.00     |
|  |                         | 106     | 0         | 20.38              | 20.96      | < 30.00     |
|  |                         | 1       | 105       | 20.65              | 21.23      | < 30.00     |
|  |                         | 1       | 0         | 20.49              | 21.07      | < 30.00     |
| 3840.00  | 40                      | 53      | 26        | 20.56              | 21.14      | < 30.00     |
|  |                         | 1       | 1         | 20.74              | 21.32      | < 30.00     |
|  |                         | 1       | 104       | 20.74              | 21.32      | < 30.00     |
|  |                         | 106     | 0         | 20.58              | 21.16      | < 30.00     |
|  |                         | 1       | 105       | 20.86              | 21.44      | < 30.00     |
|  |                         | 1       | 0         | 20.56              | 21.14      | < 30.00     |
| 3960.00  | 40                      | 53      | 26        | 20.60              | 21.18      | < 30.00     |
|  |                         | 1       | 1         | 20.87              | 21.45      | < 30.00     |
|  |                         | 1       | 104       | 21.07              | 21.65      | < 30.00     |
|  |                         | 106     | 0         | 20.73              | 21.31      | < 30.00     |
|  |                         | 1       | 105       | 20.74              | 21.32      | < 30.00     |
|  |                         | 1       | 0         | 21.06              | 21.64      | < 30.00     |
| 3725.01  | 50                      | 67      | 33        | 19.97              | 20.55      | < 30.00     |
|  |                         | 1       | 1         | 20.28              | 20.86      | < 30.00     |
|  |                         | 1       | 131       | 20.05              | 20.63      | < 30.00     |
|  |                         | 133     | 0         | 20.15              | 20.73      | < 30.00     |
|  |                         | 1       | 132       | 20.21              | 20.79      | < 30.00     |
|  |                         | 1       | 0         | 20.08              | 20.66      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 67      | 33        | 20.37              | 20.95      | < 30.00     |
|  |                         | 1       | 1         | 20.49              | 21.07      | < 30.00     |
|  |                         | 1       | 131       | 20.45              | 21.03      | < 30.00     |
|  |                         | 133     | 0         | 20.33              | 20.91      | < 30.00     |
|  |                         | 1       | 132       | 20.53              | 21.11      | < 30.00     |
|  |                         | 1       | 0         | 20.77              | 21.35      | < 30.00     |
| 3954.99  | 50                      | 67      | 33        | 20.43              | 21.01      | < 30.00     |
|  |                         | 1       | 1         | 20.51              | 21.09      | < 30.00     |
|  |                         | 1       | 131       | 20.70              | 21.28      | < 30.00     |
|  |                         | 133     | 0         | 20.66              | 21.24      | < 30.00     |
|  |                         | 1       | 132       | 20.60              | 21.18      | < 30.00     |
|  |                         | 1       | 0         | 20.81              | 21.39      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 19.85              | 20.43      | < 30.00     |
|  |                         | 1       | 1         | 20.12              | 20.70      | < 30.00     |
|  |                         | 1       | 160       | 20.07              | 20.65      | < 30.00     |
|  |                         | 162     | 0         | 20.05              | 20.63      | < 30.00     |
|  |                         | 1       | 161       | 20.19              | 20.77      | < 30.00     |
|  |                         | 1       | 0         | 20.05              | 20.63      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 20.49              | 21.07      | < 30.00     |
|  |                         | 1       | 1         | 20.53              | 21.11      | < 30.00     |
|  |                         | 1       | 160       | 20.26              | 20.84      | < 30.00     |
|  |                         | 162     | 0         | 20.33              | 20.91      | < 30.00     |
|  |                         | 1       | 161       | 20.34              | 20.92      | < 30.00     |
|  |                         | 1       | 0         | 20.28              | 20.86      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 20.23              | 20.81      | < 30.00     |
|  |                         | 1       | 1         | 20.48              | 21.06      | < 30.00     |
|  |                         | 1       | 160       | 20.53              | 21.11      | < 30.00     |
|  |                         | 162     | 0         | 20.42              | 21.00      | < 30.00     |
|  |                         | 1       | 161       | 20.49              | 21.07      | < 30.00     |
|  |                         | 1       | 0         | 21.06              | 21.64      | < 30.00     |
| 3735.00  | 70                      | 95      | 47        | 19.82              | 20.40      | < 30.00     |
|  |                         | 1       | 1         | 19.57              | 20.15      | < 30.00     |
|  |                         | 1       | 187       | 19.68              | 20.26      | < 30.00     |
|  |                         | 189     | 0         | 19.88              | 20.46      | < 30.00     |
|  |                         | 1       | 188       | 19.58              | 20.16      | < 30.00     |
|  |                         | 1       | 0         | 19.87              | 20.45      | < 30.00     |
| 3840.00  | 70                      | 95      | 47        | 19.90              | 20.48      | < 30.00     |
|  |                         | 1       | 1         | 19.76              | 20.34      | < 30.00     |
|  |                         | 1       | 187       | 19.71              | 20.29      | < 30.00     |
|  |                         | 189     | 0         | 19.86              | 20.44      | < 30.00     |
|  |                         | 1       | 188       | 19.72              | 20.30      | < 30.00     |
|  |                         | 1       | 0         | 19.93              | 20.51      | < 30.00     |
| 3945.00  | 70                      | 95      | 47        | 20.21              | 20.79      | < 30.00     |
|  |                         | 1       | 1         | 20.29              | 20.87      | < 30.00     |
|  |                         | 1       | 187       | 19.76              | 20.34      | < 30.00     |
|  |                         | 189     | 0         | 20.31              | 20.89      | < 30.00     |
|  |                         | 1       | 188       | 20.63              | 21.21      | < 30.00     |
|  |                         | 1       | 0         | 19.89              | 20.47      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3740.01  | 80                      | 109     | 54        | 19.91              | 20.49      | < 30.00     |
|  |                         | 1       | 1         | 20.12              | 20.70      | < 30.00     |
|  |                         | 1       | 215       | 19.82              | 20.40      | < 30.00     |
|  |                         | 217     | 0         | 19.95              | 20.53      | < 30.00     |
|  |                         | 1       | 216       | 20.15              | 20.73      | < 30.00     |
|  |                         | 1       | 0         | 19.85              | 20.43      | < 30.00     |
| 3840.00  | 80                      | 109     | 54        | 20.11              | 20.69      | < 30.00     |
|  |                         | 1       | 1         | 20.23              | 20.81      | < 30.00     |
|  |                         | 1       | 215       | 20.21              | 20.79      | < 30.00     |
|  |                         | 217     | 0         | 20.03              | 20.61      | < 30.00     |
|  |                         | 1       | 216       | 20.12              | 20.70      | < 30.00     |
|  |                         | 1       | 0         | 20.10              | 20.68      | < 30.00     |
| 3939.99  | 80                      | 109     | 54        | 20.03              | 20.61      | < 30.00     |
|  |                         | 1       | 1         | 20.31              | 20.89      | < 30.00     |
|  |                         | 1       | 215       | 20.54              | 21.12      | < 30.00     |
|  |                         | 217     | 0         | 20.27              | 20.85      | < 30.00     |
|  |                         | 1       | 216       | 20.89              | 21.47      | < 30.00     |
|  |                         | 1       | 0         | 20.29              | 20.87      | < 30.00     |
| 3745.02  | 90                      | 123     | 61        | 20.04              | 20.62      | < 30.00     |
|  |                         | 1       | 1         | 20.09              | 20.67      | < 30.00     |
|  |                         | 1       | 243       | 19.94              | 20.52      | < 30.00     |
|  |                         | 245     | 0         | 20.00              | 20.58      | < 30.00     |
|  |                         | 1       | 244       | 19.94              | 20.52      | < 30.00     |
|  |                         | 1       | 0         | 19.82              | 20.40      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 123     | 61        | 20.13              | 20.71      | < 30.00     |
|  |                         | 1       | 1         | 20.36              | 20.94      | < 30.00     |
|  |                         | 1       | 243       | 20.38              | 20.96      | < 30.00     |
|  |                         | 245     | 0         | 20.21              | 20.79      | < 30.00     |
|  |                         | 1       | 244       | 20.11              | 20.69      | < 30.00     |
|  |                         | 1       | 0         | 20.28              | 20.86      | < 30.00     |
| 3934.98  | 90                      | 123     | 61        | 20.10              | 20.68      | < 30.00     |
|  |                         | 1       | 1         | 20.38              | 20.96      | < 30.00     |
|  |                         | 1       | 243       | 21.11              | 21.69      | < 30.00     |
|  |                         | 245     | 0         | 20.07              | 20.65      | < 30.00     |
|  |                         | 1       | 244       | 20.14              | 20.72      | < 30.00     |
|  |                         | 1       | 0         | 20.45              | 21.03      | < 30.00     |
| 3750.00  | 100                     | 137     | 68        | 19.91              | 20.49      | < 30.00     |
|  |                         | 1       | 1         | 20.13              | 20.71      | < 30.00     |
|  |                         | 1       | 271       | 19.76              | 20.34      | < 30.00     |
|  |                         | 273     | 0         | 19.76              | 20.34      | < 30.00     |
|  |                         | 1       | 272       | 19.90              | 20.48      | < 30.00     |
|  |                         | 1       | 0         | 19.76              | 20.34      | < 30.00     |
| 3840.00  | 100                     | 137     | 68        | 20.15              | 20.73      | < 30.00     |
|  |                         | 1       | 1         | 20.34              | 20.92      | < 30.00     |
|  |                         | 1       | 271       | 20.25              | 20.83      | < 30.00     |
|  |                         | 273     | 0         | 20.10              | 20.68      | < 30.00     |
|  |                         | 1       | 272       | 20.23              | 20.81      | < 30.00     |
|  |                         | 1       | 0         | 19.92              | 20.50      | < 30.00     |
| 3930.00  | 100                     | 137     | 68        | 20.25              | 20.83      | < 30.00     |
|  |                         | 1       | 1         | 20.30              | 20.88      | < 30.00     |
|  |                         | 1       | 271       | 20.62              | 21.20      | < 30.00     |
|  |                         | 273     | 0         | 20.12              | 20.70      | < 30.00     |
|  |                         | 1       | 272       | 20.10              | 20.68      | < 30.00     |
|  |                         | 1       | 0         | 20.37              | 20.95      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

|           |                         |               |                                  |
|-----------|-------------------------|---------------|----------------------------------|
| Test Site | SIP-SR1                 | Test Engineer | Cloud Guo                        |
| Test Date | 2022/05/03 ~ 2022/07/15 | Test Band     | HPUE n77/n78_SA<br>(3700 ~ 3980) |

| Frequency (MHz)      | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|----------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM PI/2 BPSK |                         |         |           |                    |            |             |
| 3705.00              | 10                      | 12      | 6         | 26.40              | 26.98      | < 30.00     |
|                      |                         | 1       | 1         | 26.35              | 26.93      | < 30.00     |
|                      |                         | 1       | 22        | 26.42              | 27.00      | < 30.00     |
|                      |                         | 24      | 0         | 25.90              | 26.48      | < 30.00     |
|                      |                         | 1       | 23        | 22.83              | 23.41      | < 30.00     |
|                      |                         | 1       | 0         | 22.89              | 23.47      | < 30.00     |
| 3840.00              | 10                      | 12      | 6         | 26.72              | 27.30      | < 30.00     |
|                      |                         | 1       | 1         | 26.69              | 27.27      | < 30.00     |
|                      |                         | 1       | 22        | 26.61              | 27.19      | < 30.00     |
|                      |                         | 24      | 0         | 26.25              | 26.83      | < 30.00     |
|                      |                         | 1       | 23        | 23.24              | 23.82      | < 30.00     |
|                      |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3975.00              | 10                      | 12      | 6         | 27.01              | 27.59      | < 30.00     |
|                      |                         | 1       | 1         | 26.94              | 27.52      | < 30.00     |
|                      |                         | 1       | 22        | 27.02              | 27.60      | < 30.00     |
|                      |                         | 24      | 0         | 26.56              | 27.14      | < 30.00     |
|                      |                         | 1       | 23        | 23.48              | 24.06      | < 30.00     |
|                      |                         | 1       | 0         | 23.50              | 24.08      | < 30.00     |
| 3707.52              | 15                      | 18      | 9         | 26.52              | 27.10      | < 30.00     |
|                      |                         | 1       | 1         | 26.55              | 27.13      | < 30.00     |
|                      |                         | 1       | 36        | 26.63              | 27.21      | < 30.00     |
|                      |                         | 36      | 0         | 26.03              | 26.61      | < 30.00     |
|                      |                         | 1       | 37        | 23.09              | 23.67      | < 30.00     |
|                      |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3840.00                     | 15                      | 18      | 9         | 27.00              | 27.58      | < 30.00     |
|                             |                         | 1       | 1         | 27.04              | 27.62      | < 30.00     |
|                             |                         | 1       | 36        | 26.93              | 27.51      | < 30.00     |
|                             |                         | 36      | 0         | 26.50              | 27.08      | < 30.00     |
|                             |                         | 1       | 37        | 23.47              | 24.05      | < 30.00     |
|                             |                         | 1       | 0         | 23.41              | 23.99      | < 30.00     |
| 3972.48                     | 15                      | 18      | 9         | 27.20              | 27.78      | < 30.00     |
|                             |                         | 1       | 1         | 27.11              | 27.69      | < 30.00     |
|                             |                         | 1       | 36        | 27.21              | 27.79      | < 30.00     |
|                             |                         | 36      | 0         | 26.75              | 27.33      | < 30.00     |
|                             |                         | 1       | 37        | 23.69              | 24.27      | < 30.00     |
|                             |                         | 1       | 0         | 23.67              | 24.25      | < 30.00     |
| 3710.01                     | 20                      | 25      | 12        | 26.65              | 27.23      | < 30.00     |
|                             |                         | 1       | 1         | 26.58              | 27.16      | < 30.00     |
|                             |                         | 1       | 49        | 26.56              | 27.14      | < 30.00     |
|                             |                         | 50      | 0         | 26.15              | 26.73      | < 30.00     |
|                             |                         | 1       | 50        | 23.12              | 23.70      | < 30.00     |
|                             |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3840.00                     | 20                      | 25      | 12        | 27.11              | 27.69      | < 30.00     |
|                             |                         | 1       | 1         | 27.02              | 27.60      | < 30.00     |
|                             |                         | 1       | 49        | 26.94              | 27.52      | < 30.00     |
|                             |                         | 50      | 0         | 26.49              | 27.07      | < 30.00     |
|                             |                         | 1       | 50        | 23.35              | 23.93      | < 30.00     |
|                             |                         | 1       | 0         | 23.44              | 24.02      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3969.99                     | 20                      | 25      | 12        | 27.18              | 27.76      | < 30.00     |
|                             |                         | 1       | 1         | 27.07              | 27.65      | < 30.00     |
|                             |                         | 1       | 49        | 27.16              | 27.74      | < 30.00     |
|                             |                         | 50      | 0         | 26.71              | 27.29      | < 30.00     |
|                             |                         | 1       | 50        | 23.57              | 24.15      | < 30.00     |
|                             |                         | 1       | 0         | 23.67              | 24.25      | < 30.00     |
| 3715.02                     | 30                      | 36      | 78        | 26.74              | 27.32      | < 30.00     |
|                             |                         | 1       | 1         | 26.74              | 27.32      | < 30.00     |
|                             |                         | 1       | 76        | 26.57              | 27.15      | < 30.00     |
|                             |                         | 75      | 0         | 26.18              | 26.76      | < 30.00     |
|                             |                         | 1       | 77        | 23.22              | 23.80      | < 30.00     |
|                             |                         | 1       | 0         | 23.00              | 23.58      | < 30.00     |
| 3840.00                     | 30                      | 36      | 78        | 27.01              | 27.59      | < 30.00     |
|                             |                         | 1       | 1         | 26.91              | 27.49      | < 30.00     |
|                             |                         | 1       | 76        | 26.87              | 27.45      | < 30.00     |
|                             |                         | 75      | 0         | 26.55              | 27.13      | < 30.00     |
|                             |                         | 1       | 77        | 23.36              | 23.94      | < 30.00     |
|                             |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3964.98                     | 30                      | 36      | 78        | 27.21              | 27.79      | < 30.00     |
|                             |                         | 1       | 1         | 27.08              | 27.66      | < 30.00     |
|                             |                         | 1       | 76        | 27.24              | 27.82      | < 30.00     |
|                             |                         | 75      | 0         | 26.67              | 27.25      | < 30.00     |
|                             |                         | 1       | 77        | 23.56              | 24.14      | < 30.00     |
|                             |                         | 1       | 0         | 23.66              | 24.24      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3720.00                     | 40                      | 50      | 25        | 26.84              | 27.42      | < 30.00     |
|                             |                         | 1       | 1         | 26.84              | 27.42      | < 30.00     |
|                             |                         | 1       | 104       | 26.71              | 27.29      | < 30.00     |
|                             |                         | 100     | 0         | 26.27              | 26.85      | < 30.00     |
|                             |                         | 1       | 105       | 23.24              | 23.82      | < 30.00     |
|                             |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3840.00                     | 40                      | 50      | 25        | 27.05              | 27.63      | < 30.00     |
|                             |                         | 1       | 1         | 27.01              | 27.59      | < 30.00     |
|                             |                         | 1       | 104       | 26.82              | 27.40      | < 30.00     |
|                             |                         | 100     | 0         | 26.45              | 27.03      | < 30.00     |
|                             |                         | 1       | 105       | 23.49              | 24.07      | < 30.00     |
|                             |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3960.00                     | 40                      | 50      | 25        | 27.03              | 27.61      | < 30.00     |
|                             |                         | 1       | 1         | 27.08              | 27.66      | < 30.00     |
|                             |                         | 1       | 104       | 27.28              | 27.86      | < 30.00     |
|                             |                         | 100     | 0         | 26.66              | 27.24      | < 30.00     |
|                             |                         | 1       | 105       | 23.52              | 24.10      | < 30.00     |
|                             |                         | 1       | 0         | 23.72              | 24.30      | < 30.00     |
| 3725.01                     | 50                      | 64      | 32        | 26.60              | 27.18      | < 30.00     |
|                             |                         | 1       | 1         | 26.42              | 27.00      | < 30.00     |
|                             |                         | 1       | 131       | 26.35              | 26.93      | < 30.00     |
|                             |                         | 128     | 0         | 25.89              | 26.47      | < 30.00     |
|                             |                         | 1       | 132       | 22.91              | 23.49      | < 30.00     |
|                             |                         | 1       | 0         | 22.83              | 23.41      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 64      | 32        | 26.85              | 27.43      | < 30.00     |
|  |                         | 1       | 1         | 26.69              | 27.27      | < 30.00     |
|  |                         | 1       | 131       | 26.76              | 27.34      | < 30.00     |
|  |                         | 128     | 0         | 26.27              | 26.85      | < 30.00     |
|  |                         | 1       | 132       | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| 3954.99  | 50                      | 64      | 32        | 26.83              | 27.41      | < 30.00     |
|  |                         | 1       | 1         | 26.74              | 27.32      | < 30.00     |
|  |                         | 1       | 131       | 27.04              | 27.62      | < 30.00     |
|  |                         | 128     | 0         | 26.38              | 26.96      | < 30.00     |
|  |                         | 1       | 132       | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 0         | 23.52              | 24.10      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 26.40              | 26.98      | < 30.00     |
|  |                         | 1       | 1         | 26.37              | 26.95      | < 30.00     |
|  |                         | 1       | 160       | 26.28              | 26.86      | < 30.00     |
|  |                         | 162     | 0         | 26.00              | 26.58      | < 30.00     |
|  |                         | 1       | 161       | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 0         | 22.75              | 23.33      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 26.85              | 27.43      | < 30.00     |
|  |                         | 1       | 1         | 26.60              | 27.18      | < 30.00     |
|  |                         | 1       | 160       | 26.63              | 27.21      | < 30.00     |
|  |                         | 162     | 0         | 26.35              | 26.93      | < 30.00     |
|  |                         | 1       | 161       | 22.95              | 23.53      | < 30.00     |
|  |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 26.80              | 27.38      | < 30.00     |
|  |                         | 1       | 1         | 26.58              | 27.16      | < 30.00     |
|  |                         | 1       | 160       | 26.85              | 27.43      | < 30.00     |
|  |                         | 162     | 0         | 26.28              | 26.86      | < 30.00     |
|  |                         | 1       | 161       | 23.03              | 23.61      | < 30.00     |
|  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 26.34              | 26.92      | < 30.00     |
|  |                         | 1       | 1         | 26.20              | 26.78      | < 30.00     |
|  |                         | 1       | 187       | 26.20              | 26.78      | < 30.00     |
|  |                         | 180     | 0         | 25.83              | 26.41      | < 30.00     |
|  |                         | 1       | 188       | 22.71              | 23.29      | < 30.00     |
|  |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 26.49              | 27.07      | < 30.00     |
|  |                         | 1       | 1         | 26.35              | 26.93      | < 30.00     |
|  |                         | 1       | 187       | 26.44              | 27.02      | < 30.00     |
|  |                         | 180     | 0         | 26.04              | 26.62      | < 30.00     |
|  |                         | 1       | 188       | 22.77              | 23.35      | < 30.00     |
|  |                         | 1       | 0         | 22.82              | 23.40      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 26.71              | 27.29      | < 30.00     |
|  |                         | 1       | 1         | 26.84              | 27.42      | < 30.00     |
|  |                         | 1       | 187       | 26.45              | 27.03      | < 30.00     |
|  |                         | 180     | 0         | 26.25              | 26.83      | < 30.00     |
|  |                         | 1       | 188       | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)             | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b> |                         |         |           |                    |            |             |
| 3740.01                     | 80                      | 108     | 54        | 26.43              | 27.01      | < 30.00     |
|                             |                         | 1       | 1         | 26.37              | 26.95      | < 30.00     |
|                             |                         | 1       | 215       | 26.13              | 26.71      | < 30.00     |
|                             |                         | 216     | 0         | 25.85              | 26.43      | < 30.00     |
|                             |                         | 1       | 216       | 22.75              | 23.33      | < 30.00     |
|                             |                         | 1       | 0         | 22.67              | 23.25      | < 30.00     |
| 3840.00                     | 80                      | 108     | 54        | 26.69              | 27.27      | < 30.00     |
|                             |                         | 1       | 1         | 26.43              | 27.01      | < 30.00     |
|                             |                         | 1       | 215       | 26.49              | 27.07      | < 30.00     |
|                             |                         | 216     | 0         | 26.10              | 26.68      | < 30.00     |
|                             |                         | 1       | 216       | 22.95              | 23.53      | < 30.00     |
|                             |                         | 1       | 0         | 22.93              | 23.51      | < 30.00     |
| 3939.99                     | 80                      | 108     | 54        | 26.66              | 27.24      | < 30.00     |
|                             |                         | 1       | 1         | 26.53              | 27.11      | < 30.00     |
|                             |                         | 1       | 215       | 26.68              | 27.26      | < 30.00     |
|                             |                         | 216     | 0         | 26.20              | 26.78      | < 30.00     |
|                             |                         | 1       | 216       | 23.08              | 23.66      | < 30.00     |
|                             |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3745.02                     | 90                      | 120     | 60        | 26.39              | 26.97      | < 30.00     |
|                             |                         | 1       | 1         | 26.42              | 27.00      | < 30.00     |
|                             |                         | 1       | 243       | 26.24              | 26.82      | < 30.00     |
|                             |                         | 243     | 0         | 25.77              | 26.35      | < 30.00     |
|                             |                         | 1       | 244       | 22.72              | 23.30      | < 30.00     |
|                             |                         | 1       | 0         | 22.54              | 23.12      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM PI/2 BPSK</b>                                    |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 26.69              | 27.27      | < 30.00     |
|  |                         | 1       | 1         | 26.41              | 26.99      | < 30.00     |
|  |                         | 1       | 243       | 26.53              | 27.11      | < 30.00     |
|  |                         | 243     | 0         | 25.99              | 26.57      | < 30.00     |
|  |                         | 1       | 244       | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 0         | 22.80              | 23.38      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 26.59              | 27.17      | < 30.00     |
|  |                         | 1       | 1         | 26.63              | 27.21      | < 30.00     |
|  |                         | 1       | 243       | 26.80              | 27.38      | < 30.00     |
|  |                         | 243     | 0         | 26.14              | 26.72      | < 30.00     |
|  |                         | 1       | 244       | 23.02              | 23.60      | < 30.00     |
|  |                         | 1       | 0         | 23.22              | 23.80      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 26.44              | 27.02      | < 30.00     |
|  |                         | 1       | 1         | 26.31              | 26.89      | < 30.00     |
|  |                         | 1       | 271       | 26.08              | 26.66      | < 30.00     |
|  |                         | 270     | 0         | 25.73              | 26.31      | < 30.00     |
|  |                         | 1       | 272       | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.48              | 23.06      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 26.67              | 27.25      | < 30.00     |
|  |                         | 1       | 1         | 26.30              | 26.88      | < 30.00     |
|  |                         | 1       | 271       | 26.47              | 27.05      | < 30.00     |
|  |                         | 270     | 0         | 25.95              | 26.53      | < 30.00     |
|  |                         | 1       | 272       | 22.56              | 23.14      | < 30.00     |
|  |                         | 1       | 0         | 22.68              | 23.26      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 26.61              | 27.19      | < 30.00     |
|  |                         | 1       | 1         | 26.40              | 26.98      | < 30.00     |
|  |                         | 1       | 271       | 26.76              | 27.34      | < 30.00     |
|  |                         | 270     | 0         | 26.20              | 26.78      | < 30.00     |
|  |                         | 1       | 272       | 22.67              | 23.25      | < 30.00     |
|  |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 26.44              | 27.02      | < 30.00     |
|  |                         | 1       | 1         | 26.39              | 26.97      | < 30.00     |
|  |                         | 1       | 22        | 26.52              | 27.10      | < 30.00     |
|  |                         | 24      | 0         | 25.47              | 26.05      | < 30.00     |
|  |                         | 1       | 23        | 22.82              | 23.40      | < 30.00     |
|  |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 26.79              | 27.37      | < 30.00     |
|  |                         | 1       | 1         | 26.73              | 27.31      | < 30.00     |
|  |                         | 1       | 22        | 26.61              | 27.19      | < 30.00     |
|  |                         | 24      | 0         | 25.70              | 26.28      | < 30.00     |
|  |                         | 1       | 23        | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 27.14              | 27.72      | < 30.00     |
|  |                         | 1       | 1         | 27.03              | 27.61      | < 30.00     |
|  |                         | 1       | 22        | 27.03              | 27.61      | < 30.00     |
|  |                         | 24      | 0         | 26.09              | 26.67      | < 30.00     |
|  |                         | 1       | 23        | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 0         | 23.42              | 24.00      | < 30.00     |
| 3707.52  | 15                      | 18      | 9         | 26.57              | 27.15      | < 30.00     |
|  |                         | 1       | 1         | 26.56              | 27.14      | < 30.00     |
|  |                         | 1       | 36        | 26.64              | 27.22      | < 30.00     |
|  |                         | 36      | 0         | 25.58              | 26.16      | < 30.00     |
|  |                         | 1       | 37        | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3840.00                | 15                      | 18      | 9         | 27.05              | 27.63      | < 30.00     |
|                        |                         | 1       | 1         | 27.03              | 27.61      | < 30.00     |
|                        |                         | 1       | 36        | 27.08              | 27.66      | < 30.00     |
|                        |                         | 36      | 0         | 26.06              | 26.64      | < 30.00     |
|                        |                         | 1       | 37        | 23.56              | 24.14      | < 30.00     |
|                        |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3972.48                | 15                      | 18      | 9         | 27.27              | 27.85      | < 30.00     |
|                        |                         | 1       | 1         | 27.17              | 27.75      | < 30.00     |
|                        |                         | 1       | 36        | 27.26              | 27.84      | < 30.00     |
|                        |                         | 36      | 0         | 26.19              | 26.77      | < 30.00     |
|                        |                         | 1       | 37        | 23.66              | 24.24      | < 30.00     |
|                        |                         | 1       | 0         | 23.82              | 24.40      | < 30.00     |
| 3710.01                | 20                      | 25      | 12        | 26.70              | 27.28      | < 30.00     |
|                        |                         | 1       | 1         | 26.67              | 27.25      | < 30.00     |
|                        |                         | 1       | 49        | 26.56              | 27.14      | < 30.00     |
|                        |                         | 50      | 0         | 25.63              | 26.21      | < 30.00     |
|                        |                         | 1       | 50        | 23.06              | 23.64      | < 30.00     |
|                        |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |
| 3840.00                | 20                      | 25      | 12        | 27.05              | 27.63      | < 30.00     |
|                        |                         | 1       | 1         | 26.99              | 27.57      | < 30.00     |
|                        |                         | 1       | 49        | 26.88              | 27.46      | < 30.00     |
|                        |                         | 50      | 0         | 26.05              | 26.63      | < 30.00     |
|                        |                         | 1       | 50        | 23.43              | 24.01      | < 30.00     |
|                        |                         | 1       | 0         | 23.47              | 24.05      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3969.99                | 20                      | 25      | 12        | 27.19              | 27.77      | < 30.00     |
|                        |                         | 1       | 1         | 27.15              | 27.73      | < 30.00     |
|                        |                         | 1       | 49        | 27.28              | 27.86      | < 30.00     |
|                        |                         | 50      | 0         | 26.16              | 26.74      | < 30.00     |
|                        |                         | 1       | 50        | 23.58              | 24.16      | < 30.00     |
|                        |                         | 1       | 0         | 23.80              | 24.38      | < 30.00     |
| 3715.02                | 30                      | 36      | 78        | 26.69              | 27.27      | < 30.00     |
|                        |                         | 1       | 1         | 26.82              | 27.40      | < 30.00     |
|                        |                         | 1       | 76        | 26.68              | 27.26      | < 30.00     |
|                        |                         | 75      | 0         | 25.74              | 26.32      | < 30.00     |
|                        |                         | 1       | 77        | 23.07              | 23.65      | < 30.00     |
|                        |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3840.00                | 30                      | 36      | 78        | 27.06              | 27.64      | < 30.00     |
|                        |                         | 1       | 1         | 26.99              | 27.57      | < 30.00     |
|                        |                         | 1       | 76        | 26.98              | 27.56      | < 30.00     |
|                        |                         | 75      | 0         | 26.07              | 26.65      | < 30.00     |
|                        |                         | 1       | 77        | 23.41              | 23.99      | < 30.00     |
|                        |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3964.98                | 30                      | 36      | 78        | 27.04              | 27.62      | < 30.00     |
|                        |                         | 1       | 1         | 27.06              | 27.64      | < 30.00     |
|                        |                         | 1       | 76        | 27.32              | 27.90      | < 30.00     |
|                        |                         | 75      | 0         | 26.13              | 26.71      | < 30.00     |
|                        |                         | 1       | 77        | 23.51              | 24.09      | < 30.00     |
|                        |                         | 1       | 0         | 23.73              | 24.31      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3720.00  | 40                      | 50      | 25        | 26.77              | 27.35      | < 30.00     |
|  |                         | 1       | 1         | 26.81              | 27.39      | < 30.00     |
|  |                         | 1       | 104       | 26.71              | 27.29      | < 30.00     |
|  |                         | 100     | 0         | 25.82              | 26.40      | < 30.00     |
|  |                         | 1       | 105       | 23.32              | 23.90      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3840.00  | 40                      | 50      | 25        | 27.05              | 27.63      | < 30.00     |
|  |                         | 1       | 1         | 27.07              | 27.65      | < 30.00     |
|  |                         | 1       | 104       | 26.82              | 27.40      | < 30.00     |
|  |                         | 100     | 0         | 26.07              | 26.65      | < 30.00     |
|  |                         | 1       | 105       | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 0         | 23.44              | 24.02      | < 30.00     |
| 3960.00  | 40                      | 50      | 25        | 27.03              | 27.61      | < 30.00     |
|  |                         | 1       | 1         | 27.08              | 27.66      | < 30.00     |
|  |                         | 1       | 104       | 27.27              | 27.85      | < 30.00     |
|  |                         | 100     | 0         | 26.11              | 26.69      | < 30.00     |
|  |                         | 1       | 105       | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 0         | 23.89              | 24.47      | < 30.00     |
| 3725.01  | 50                      | 64      | 32        | 26.39              | 26.97      | < 30.00     |
|  |                         | 1       | 1         | 26.49              | 27.07      | < 30.00     |
|  |                         | 1       | 131       | 26.38              | 26.96      | < 30.00     |
|  |                         | 128     | 0         | 25.52              | 26.10      | < 30.00     |
|  |                         | 1       | 132       | 22.91              | 23.49      | < 30.00     |
|  |                         | 1       | 0         | 22.97              | 23.55      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3840.00                | 50                      | 64      | 32        | 26.84              | 27.42      | < 30.00     |
|                        |                         | 1       | 1         | 26.79              | 27.37      | < 30.00     |
|                        |                         | 1       | 131       | 26.72              | 27.30      | < 30.00     |
|                        |                         | 128     | 0         | 25.83              | 26.41      | < 30.00     |
|                        |                         | 1       | 132       | 23.45              | 24.03      | < 30.00     |
|                        |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3954.99                | 50                      | 64      | 32        | 26.85              | 27.43      | < 30.00     |
|                        |                         | 1       | 1         | 26.79              | 27.37      | < 30.00     |
|                        |                         | 1       | 131       | 27.02              | 27.60      | < 30.00     |
|                        |                         | 128     | 0         | 25.85              | 26.43      | < 30.00     |
|                        |                         | 1       | 132       | 23.21              | 23.79      | < 30.00     |
|                        |                         | 1       | 0         | 23.55              | 24.13      | < 30.00     |
| 3730.02                | 60                      | 81      | 40        | 26.39              | 26.97      | < 30.00     |
|                        |                         | 1       | 1         | 26.51              | 27.09      | < 30.00     |
|                        |                         | 1       | 160       | 26.36              | 26.94      | < 30.00     |
|                        |                         | 162     | 0         | 25.45              | 26.03      | < 30.00     |
|                        |                         | 1       | 161       | 22.82              | 23.40      | < 30.00     |
|                        |                         | 1       | 0         | 22.69              | 23.27      | < 30.00     |
| 3840.00                | 60                      | 81      | 40        | 26.88              | 27.46      | < 30.00     |
|                        |                         | 1       | 1         | 26.59              | 27.17      | < 30.00     |
|                        |                         | 1       | 160       | 26.72              | 27.30      | < 30.00     |
|                        |                         | 162     | 0         | 25.69              | 26.27      | < 30.00     |
|                        |                         | 1       | 161       | 23.01              | 23.59      | < 30.00     |
|                        |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 26.65              | 27.23      | < 30.00     |
|  |                         | 1       | 1         | 26.67              | 27.25      | < 30.00     |
|  |                         | 1       | 160       | 26.89              | 27.47      | < 30.00     |
|  |                         | 162     | 0         | 25.73              | 26.31      | < 30.00     |
|  |                         | 1       | 161       | 23.02              | 23.60      | < 30.00     |
|  |                         | 1       | 0         | 23.42              | 24.00      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 26.31              | 26.89      | < 30.00     |
|  |                         | 1       | 1         | 26.18              | 26.76      | < 30.00     |
|  |                         | 1       | 187       | 26.20              | 26.78      | < 30.00     |
|  |                         | 180     | 0         | 25.19              | 25.77      | < 30.00     |
|  |                         | 1       | 188       | 22.67              | 23.25      | < 30.00     |
|  |                         | 1       | 0         | 22.61              | 23.19      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 26.51              | 27.09      | < 30.00     |
|  |                         | 1       | 1         | 26.29              | 26.87      | < 30.00     |
|  |                         | 1       | 187       | 26.40              | 26.98      | < 30.00     |
|  |                         | 180     | 0         | 25.48              | 26.06      | < 30.00     |
|  |                         | 1       | 188       | 22.66              | 23.24      | < 30.00     |
|  |                         | 1       | 0         | 22.80              | 23.38      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 26.73              | 27.31      | < 30.00     |
|  |                         | 1       | 1         | 26.79              | 27.37      | < 30.00     |
|  |                         | 1       | 187       | 26.43              | 27.01      | < 30.00     |
|  |                         | 180     | 0         | 25.66              | 26.24      | < 30.00     |
|  |                         | 1       | 188       | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 0         | 22.94              | 23.52      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)        | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b> |                         |         |           |                    |            |             |
| 3740.01                | 80                      | 108     | 54        | 26.42              | 27.00      | < 30.00     |
|                        |                         | 1       | 1         | 26.39              | 26.97      | < 30.00     |
|                        |                         | 1       | 215       | 26.16              | 26.74      | < 30.00     |
|                        |                         | 216     | 0         | 25.26              | 25.84      | < 30.00     |
|                        |                         | 1       | 216       | 22.80              | 23.38      | < 30.00     |
|                        |                         | 1       | 0         | 22.63              | 23.21      | < 30.00     |
| 3840.00                | 80                      | 108     | 54        | 26.69              | 27.27      | < 30.00     |
|                        |                         | 1       | 1         | 26.49              | 27.07      | < 30.00     |
|                        |                         | 1       | 215       | 26.42              | 27.00      | < 30.00     |
|                        |                         | 216     | 0         | 25.63              | 26.21      | < 30.00     |
|                        |                         | 1       | 216       | 22.86              | 23.44      | < 30.00     |
|                        |                         | 1       | 0         | 23.01              | 23.59      | < 30.00     |
| 3939.99                | 80                      | 108     | 54        | 26.58              | 27.16      | < 30.00     |
|                        |                         | 1       | 1         | 26.70              | 27.28      | < 30.00     |
|                        |                         | 1       | 215       | 26.81              | 27.39      | < 30.00     |
|                        |                         | 216     | 0         | 25.66              | 26.24      | < 30.00     |
|                        |                         | 1       | 216       | 23.14              | 23.72      | < 30.00     |
|                        |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3745.02                | 90                      | 120     | 60        | 26.36              | 26.94      | < 30.00     |
|                        |                         | 1       | 1         | 26.44              | 27.02      | < 30.00     |
|                        |                         | 1       | 243       | 26.28              | 26.86      | < 30.00     |
|                        |                         | 243     | 0         | 25.33              | 25.91      | < 30.00     |
|                        |                         | 1       | 244       | 22.78              | 23.36      | < 30.00     |
|                        |                         | 1       | 0         | 22.55              | 23.13      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM QPSK</b>   |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 26.69              | 27.27      | < 30.00     |
|  |                         | 1       | 1         | 26.54              | 27.12      | < 30.00     |
|  |                         | 1       | 243       | 26.53              | 27.11      | < 30.00     |
|  |                         | 243     | 0         | 25.54              | 26.12      | < 30.00     |
|  |                         | 1       | 244       | 22.83              | 23.41      | < 30.00     |
|  |                         | 1       | 0         | 22.85              | 23.43      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 26.60              | 27.18      | < 30.00     |
|  |                         | 1       | 1         | 26.72              | 27.30      | < 30.00     |
|  |                         | 1       | 243       | 26.84              | 27.42      | < 30.00     |
|  |                         | 243     | 0         | 25.69              | 26.27      | < 30.00     |
|  |                         | 1       | 244       | 22.97              | 23.55      | < 30.00     |
|  |                         | 1       | 0         | 23.31              | 23.89      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 26.39              | 26.97      | < 30.00     |
|  |                         | 1       | 1         | 26.30              | 26.88      | < 30.00     |
|  |                         | 1       | 271       | 26.25              | 26.83      | < 30.00     |
|  |                         | 270     | 0         | 25.27              | 25.85      | < 30.00     |
|  |                         | 1       | 272       | 22.78              | 23.36      | < 30.00     |
|  |                         | 1       | 0         | 22.48              | 23.06      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 26.66              | 27.24      | < 30.00     |
|  |                         | 1       | 1         | 26.33              | 26.91      | < 30.00     |
|  |                         | 1       | 271       | 26.51              | 27.09      | < 30.00     |
|  |                         | 270     | 0         | 25.52              | 26.10      | < 30.00     |
|  |                         | 1       | 272       | 22.55              | 23.13      | < 30.00     |
|  |                         | 1       | 0         | 22.81              | 23.39      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 26.64              | 27.22      | < 30.00     |
|  |                         | 1       | 1         | 26.43              | 27.01      | < 30.00     |
|  |                         | 1       | 271       | 26.77              | 27.35      | < 30.00     |
|  |                         | 270     | 0         | 25.65              | 26.23      | < 30.00     |
|  |                         | 1       | 272       | 22.65              | 23.23      | < 30.00     |
|  |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 25.51              | 26.09      | < 30.00     |
|  |                         | 1       | 1         | 25.55              | 26.13      | < 30.00     |
|  |                         | 1       | 22        | 25.40              | 25.98      | < 30.00     |
|  |                         | 24      | 0         | 24.49              | 25.07      | < 30.00     |
|  |                         | 1       | 23        | 22.78              | 23.36      | < 30.00     |
|  |                         | 1       | 0         | 22.75              | 23.33      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 25.79              | 26.37      | < 30.00     |
|  |                         | 1       | 1         | 25.52              | 26.10      | < 30.00     |
|  |                         | 1       | 22        | 25.40              | 25.98      | < 30.00     |
|  |                         | 24      | 0         | 24.72              | 25.30      | < 30.00     |
|  |                         | 1       | 23        | 22.82              | 23.40      | < 30.00     |
|  |                         | 1       | 0         | 22.73              | 23.31      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 26.04              | 26.62      | < 30.00     |
|  |                         | 1       | 1         | 26.04              | 26.62      | < 30.00     |
|  |                         | 1       | 22        | 26.03              | 26.61      | < 30.00     |
|  |                         | 24      | 0         | 25.10              | 25.68      | < 30.00     |
|  |                         | 1       | 23        | 23.36              | 23.94      | < 30.00     |
|  |                         | 1       | 0         | 23.36              | 23.94      | < 30.00     |
| 3707.52  | 15                      | 18      | 9         | 25.64              | 26.22      | < 30.00     |
|  |                         | 1       | 1         | 25.45              | 26.03      | < 30.00     |
|  |                         | 1       | 36        | 25.41              | 25.99      | < 30.00     |
|  |                         | 36      | 0         | 24.61              | 25.19      | < 30.00     |
|  |                         | 1       | 37        | 22.81              | 23.39      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3840.00                 | 15                      | 18      | 9         | 26.06              | 26.64      | < 30.00     |
|                         |                         | 1       | 1         | 25.74              | 26.32      | < 30.00     |
|                         |                         | 1       | 36        | 25.76              | 26.34      | < 30.00     |
|                         |                         | 36      | 0         | 25.00              | 25.58      | < 30.00     |
|                         |                         | 1       | 37        | 23.18              | 23.76      | < 30.00     |
|                         |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3972.48                 | 15                      | 18      | 9         | 26.26              | 26.84      | < 30.00     |
|                         |                         | 1       | 1         | 26.00              | 26.58      | < 30.00     |
|                         |                         | 1       | 36        | 26.02              | 26.60      | < 30.00     |
|                         |                         | 36      | 0         | 25.15              | 25.73      | < 30.00     |
|                         |                         | 1       | 37        | 23.51              | 24.09      | < 30.00     |
|                         |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3710.01                 | 20                      | 25      | 12        | 25.71              | 26.29      | < 30.00     |
|                         |                         | 1       | 1         | 25.39              | 25.97      | < 30.00     |
|                         |                         | 1       | 49        | 25.34              | 25.92      | < 30.00     |
|                         |                         | 50      | 0         | 24.57              | 25.15      | < 30.00     |
|                         |                         | 1       | 50        | 22.73              | 23.31      | < 30.00     |
|                         |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |
| 3840.00                 | 20                      | 25      | 12        | 26.11              | 26.69      | < 30.00     |
|                         |                         | 1       | 1         | 25.83              | 26.41      | < 30.00     |
|                         |                         | 1       | 49        | 25.68              | 26.26      | < 30.00     |
|                         |                         | 50      | 0         | 25.08              | 25.66      | < 30.00     |
|                         |                         | 1       | 50        | 23.04              | 23.62      | < 30.00     |
|                         |                         | 1       | 0         | 23.14              | 23.72      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3969.99  | 20                      | 25      | 12        | 26.22              | 26.80      | < 30.00     |
|  |                         | 1       | 1         | 25.91              | 26.49      | < 30.00     |
|  |                         | 1       | 49        | 25.93              | 26.51      | < 30.00     |
|  |                         | 50      | 0         | 25.21              | 25.79      | < 30.00     |
|  |                         | 1       | 50        | 23.45              | 24.03      | < 30.00     |
|  |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3715.02  | 30                      | 36      | 78        | 25.63              | 26.21      | < 30.00     |
|  |                         | 1       | 1         | 25.73              | 26.31      | < 30.00     |
|  |                         | 1       | 76        | 25.69              | 26.27      | < 30.00     |
|  |                         | 75      | 0         | 24.68              | 25.26      | < 30.00     |
|  |                         | 1       | 77        | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3840.00  | 30                      | 36      | 78        | 26.00              | 26.58      | < 30.00     |
|  |                         | 1       | 1         | 25.96              | 26.54      | < 30.00     |
|  |                         | 1       | 76        | 25.86              | 26.44      | < 30.00     |
|  |                         | 75      | 0         | 25.02              | 25.60      | < 30.00     |
|  |                         | 1       | 77        | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 0         | 23.45              | 24.03      | < 30.00     |
| 3964.98  | 30                      | 36      | 78        | 26.11              | 26.69      | < 30.00     |
|  |                         | 1       | 1         | 26.10              | 26.68      | < 30.00     |
|  |                         | 1       | 76        | 26.24              | 26.82      | < 30.00     |
|  |                         | 75      | 0         | 25.07              | 25.65      | < 30.00     |
|  |                         | 1       | 77        | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 0         | 23.70              | 24.28      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3720.00                 | 40                      | 50      | 25        | 25.72              | 26.30      | < 30.00     |
|                         |                         | 1       | 1         | 25.66              | 26.24      | < 30.00     |
|                         |                         | 1       | 104       | 25.45              | 26.03      | < 30.00     |
|                         |                         | 100     | 0         | 24.81              | 25.39      | < 30.00     |
|                         |                         | 1       | 105       | 23.05              | 23.63      | < 30.00     |
|                         |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| 3840.00                 | 40                      | 50      | 25        | 25.92              | 26.50      | < 30.00     |
|                         |                         | 1       | 1         | 25.82              | 26.40      | < 30.00     |
|                         |                         | 1       | 104       | 25.66              | 26.24      | < 30.00     |
|                         |                         | 100     | 0         | 24.98              | 25.56      | < 30.00     |
|                         |                         | 1       | 105       | 23.21              | 23.79      | < 30.00     |
|                         |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3960.00                 | 40                      | 50      | 25        | 26.11              | 26.69      | < 30.00     |
|                         |                         | 1       | 1         | 25.99              | 26.57      | < 30.00     |
|                         |                         | 1       | 104       | 26.14              | 26.72      | < 30.00     |
|                         |                         | 100     | 0         | 25.13              | 25.71      | < 30.00     |
|                         |                         | 1       | 105       | 23.16              | 23.74      | < 30.00     |
|                         |                         | 1       | 0         | 23.68              | 24.26      | < 30.00     |
| 3725.01                 | 50                      | 64      | 32        | 25.47              | 26.05      | < 30.00     |
|                         |                         | 1       | 1         | 25.34              | 25.92      | < 30.00     |
|                         |                         | 1       | 131       | 25.18              | 25.76      | < 30.00     |
|                         |                         | 128     | 0         | 24.49              | 25.07      | < 30.00     |
|                         |                         | 1       | 132       | 22.60              | 23.18      | < 30.00     |
|                         |                         | 1       | 0         | 22.66              | 23.24      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 16QAM |                         |         |           |                    |            |             |
| 3840.00          | 50                      | 64      | 32        | 25.91              | 26.49      | < 30.00     |
|                  |                         | 1       | 1         | 25.55              | 26.13      | < 30.00     |
|                  |                         | 1       | 131       | 25.44              | 26.02      | < 30.00     |
|                  |                         | 128     | 0         | 24.84              | 25.42      | < 30.00     |
|                  |                         | 1       | 132       | 23.08              | 23.66      | < 30.00     |
|                  |                         | 1       | 0         | 22.99              | 23.57      | < 30.00     |
| 3954.99          | 50                      | 64      | 32        | 25.81              | 26.39      | < 30.00     |
|                  |                         | 1       | 1         | 25.55              | 26.13      | < 30.00     |
|                  |                         | 1       | 131       | 25.83              | 26.41      | < 30.00     |
|                  |                         | 128     | 0         | 24.88              | 25.46      | < 30.00     |
|                  |                         | 1       | 132       | 23.01              | 23.59      | < 30.00     |
|                  |                         | 1       | 0         | 23.28              | 23.86      | < 30.00     |
| 3730.02          | 60                      | 81      | 40        | 25.41              | 25.99      | < 30.00     |
|                  |                         | 1       | 1         | 25.34              | 25.92      | < 30.00     |
|                  |                         | 1       | 160       | 25.26              | 25.84      | < 30.00     |
|                  |                         | 162     | 0         | 24.46              | 25.04      | < 30.00     |
|                  |                         | 1       | 161       | 23.15              | 23.73      | < 30.00     |
|                  |                         | 1       | 0         | 22.65              | 23.23      | < 30.00     |
| 3840.00          | 60                      | 81      | 40        | 25.94              | 26.52      | < 30.00     |
|                  |                         | 1       | 1         | 25.34              | 25.92      | < 30.00     |
|                  |                         | 1       | 160       | 25.38              | 25.96      | < 30.00     |
|                  |                         | 162     | 0         | 24.71              | 25.29      | < 30.00     |
|                  |                         | 1       | 161       | 22.62              | 23.20      | < 30.00     |
|                  |                         | 1       | 0         | 22.68              | 23.26      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 25.71              | 26.29      | < 30.00     |
|  |                         | 1       | 1         | 25.43              | 26.01      | < 30.00     |
|  |                         | 1       | 160       | 25.56              | 26.14      | < 30.00     |
|  |                         | 162     | 0         | 24.75              | 25.33      | < 30.00     |
|  |                         | 1       | 161       | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 25.25              | 25.83      | < 30.00     |
|  |                         | 1       | 1         | 24.93              | 25.51      | < 30.00     |
|  |                         | 1       | 187       | 24.99              | 25.57      | < 30.00     |
|  |                         | 180     | 0         | 24.22              | 24.80      | < 30.00     |
|  |                         | 1       | 188       | 22.43              | 23.01      | < 30.00     |
|  |                         | 1       | 0         | 22.51              | 23.09      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 25.45              | 26.03      | < 30.00     |
|  |                         | 1       | 1         | 25.24              | 25.82      | < 30.00     |
|  |                         | 1       | 187       | 25.15              | 25.73      | < 30.00     |
|  |                         | 180     | 0         | 24.45              | 25.03      | < 30.00     |
|  |                         | 1       | 188       | 22.61              | 23.19      | < 30.00     |
|  |                         | 1       | 0         | 22.69              | 23.27      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 25.71              | 26.29      | < 30.00     |
|  |                         | 1       | 1         | 25.62              | 26.20      | < 30.00     |
|  |                         | 1       | 187       | 25.22              | 25.80      | < 30.00     |
|  |                         | 180     | 0         | 24.62              | 25.20      | < 30.00     |
|  |                         | 1       | 188       | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 0         | 22.76              | 23.34      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b> |                         |         |           |                    |            |             |
| 3740.01                 | 80                      | 108     | 54        | 25.37              | 25.95      | < 30.00     |
|                         |                         | 1       | 1         | 25.27              | 25.85      | < 30.00     |
|                         |                         | 1       | 215       | 24.96              | 25.54      | < 30.00     |
|                         |                         | 216     | 0         | 24.27              | 24.85      | < 30.00     |
|                         |                         | 1       | 216       | 22.45              | 23.03      | < 30.00     |
|                         |                         | 1       | 0         | 22.30              | 22.88      | < 30.00     |
| 3840.00                 | 80                      | 108     | 54        | 25.64              | 26.22      | < 30.00     |
|                         |                         | 1       | 1         | 25.34              | 25.92      | < 30.00     |
|                         |                         | 1       | 215       | 25.31              | 25.89      | < 30.00     |
|                         |                         | 216     | 0         | 24.56              | 25.14      | < 30.00     |
|                         |                         | 1       | 216       | 22.65              | 23.23      | < 30.00     |
|                         |                         | 1       | 0         | 22.49              | 23.07      | < 30.00     |
| 3939.99                 | 80                      | 108     | 54        | 25.62              | 26.20      | < 30.00     |
|                         |                         | 1       | 1         | 25.40              | 25.98      | < 30.00     |
|                         |                         | 1       | 215       | 25.59              | 26.17      | < 30.00     |
|                         |                         | 216     | 0         | 24.57              | 25.15      | < 30.00     |
|                         |                         | 1       | 216       | 22.85              | 23.43      | < 30.00     |
|                         |                         | 1       | 0         | 23.02              | 23.60      | < 30.00     |
| 3745.02                 | 90                      | 120     | 60        | 25.42              | 26.00      | < 30.00     |
|                         |                         | 1       | 1         | 25.21              | 25.79      | < 30.00     |
|                         |                         | 1       | 243       | 25.02              | 25.60      | < 30.00     |
|                         |                         | 243     | 0         | 24.35              | 24.93      | < 30.00     |
|                         |                         | 1       | 244       | 22.48              | 23.06      | < 30.00     |
|                         |                         | 1       | 0         | 22.25              | 22.83      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 16QAM</b>  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 25.56              | 26.14      | < 30.00     |
|  |                         | 1       | 1         | 25.20              | 25.78      | < 30.00     |
|  |                         | 1       | 243       | 25.39              | 25.97      | < 30.00     |
|  |                         | 243     | 0         | 24.53              | 25.11      | < 30.00     |
|  |                         | 1       | 244       | 22.43              | 23.01      | < 30.00     |
|  |                         | 1       | 0         | 22.60              | 23.18      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 25.69              | 26.27      | < 30.00     |
|  |                         | 1       | 1         | 25.50              | 26.08      | < 30.00     |
|  |                         | 1       | 243       | 25.64              | 26.22      | < 30.00     |
|  |                         | 243     | 0         | 24.70              | 25.28      | < 30.00     |
|  |                         | 1       | 244       | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 25.44              | 26.02      | < 30.00     |
|  |                         | 1       | 1         | 25.13              | 25.71      | < 30.00     |
|  |                         | 1       | 271       | 24.92              | 25.50      | < 30.00     |
|  |                         | 270     | 0         | 24.22              | 24.80      | < 30.00     |
|  |                         | 1       | 272       | 22.42              | 23.00      | < 30.00     |
|  |                         | 1       | 0         | 22.32              | 22.90      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 25.74              | 26.32      | < 30.00     |
|  |                         | 1       | 1         | 25.12              | 25.70      | < 30.00     |
|  |                         | 1       | 271       | 25.23              | 25.81      | < 30.00     |
|  |                         | 270     | 0         | 24.45              | 25.03      | < 30.00     |
|  |                         | 1       | 272       | 22.25              | 22.83      | < 30.00     |
|  |                         | 1       | 0         | 22.48              | 23.06      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 25.61              | 26.19      | < 30.00     |
|  |                         | 1       | 1         | 25.23              | 25.81      | < 30.00     |
|  |                         | 1       | 271       | 25.52              | 26.10      | < 30.00     |
|  |                         | 270     | 0         | 24.58              | 25.16      | < 30.00     |
|  |                         | 1       | 272       | 22.40              | 22.98      | < 30.00     |
|  |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3705.00                 | 10                      | 12      | 6         | 23.87              | 24.45      | < 30.00     |
|                         |                         | 1       | 1         | 23.64              | 24.22      | < 30.00     |
|                         |                         | 1       | 22        | 23.92              | 24.50      | < 30.00     |
|                         |                         | 24      | 0         | 24.02              | 24.60      | < 30.00     |
|                         |                         | 1       | 23        | 22.64              | 23.22      | < 30.00     |
|                         |                         | 1       | 0         | 22.62              | 23.20      | < 30.00     |
| 3840.00                 | 10                      | 12      | 6         | 24.23              | 24.81      | < 30.00     |
|                         |                         | 1       | 1         | 24.45              | 25.03      | < 30.00     |
|                         |                         | 1       | 22        | 24.36              | 24.94      | < 30.00     |
|                         |                         | 24      | 0         | 24.18              | 24.76      | < 30.00     |
|                         |                         | 1       | 23        | 23.27              | 23.85      | < 30.00     |
|                         |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3975.00                 | 10                      | 12      | 6         | 24.48              | 25.06      | < 30.00     |
|                         |                         | 1       | 1         | 24.53              | 25.11      | < 30.00     |
|                         |                         | 1       | 22        | 24.38              | 24.96      | < 30.00     |
|                         |                         | 24      | 0         | 24.70              | 25.28      | < 30.00     |
|                         |                         | 1       | 23        | 23.23              | 23.81      | < 30.00     |
|                         |                         | 1       | 0         | 23.49              | 24.07      | < 30.00     |
| 3707.52                 | 15                      | 18      | 9         | 24.13              | 24.71      | < 30.00     |
|                         |                         | 1       | 1         | 23.94              | 24.52      | < 30.00     |
|                         |                         | 1       | 36        | 23.96              | 24.54      | < 30.00     |
|                         |                         | 36      | 0         | 24.01              | 24.59      | < 30.00     |
|                         |                         | 1       | 37        | 23.33              | 23.91      | < 30.00     |
|                         |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3840.00                 | 15                      | 18      | 9         | 24.56              | 25.14      | < 30.00     |
|                         |                         | 1       | 1         | 24.34              | 24.92      | < 30.00     |
|                         |                         | 1       | 36        | 24.29              | 24.87      | < 30.00     |
|                         |                         | 36      | 0         | 24.52              | 25.10      | < 30.00     |
|                         |                         | 1       | 37        | 23.48              | 24.06      | < 30.00     |
|                         |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3972.48                 | 15                      | 18      | 9         | 24.64              | 25.22      | < 30.00     |
|                         |                         | 1       | 1         | 24.56              | 25.14      | < 30.00     |
|                         |                         | 1       | 36        | 24.61              | 25.19      | < 30.00     |
|                         |                         | 36      | 0         | 24.76              | 25.34      | < 30.00     |
|                         |                         | 1       | 37        | 23.66              | 24.24      | < 30.00     |
|                         |                         | 1       | 0         | 24.04              | 24.62      | < 30.00     |
| 3710.01                 | 20                      | 25      | 12        | 24.03              | 24.61      | < 30.00     |
|                         |                         | 1       | 1         | 24.17              | 24.75      | < 30.00     |
|                         |                         | 1       | 49        | 24.14              | 24.72      | < 30.00     |
|                         |                         | 50      | 0         | 24.07              | 24.65      | < 30.00     |
|                         |                         | 1       | 50        | 23.00              | 23.58      | < 30.00     |
|                         |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3840.00                 | 20                      | 25      | 12        | 24.57              | 25.15      | < 30.00     |
|                         |                         | 1       | 1         | 24.81              | 25.39      | < 30.00     |
|                         |                         | 1       | 49        | 24.57              | 25.15      | < 30.00     |
|                         |                         | 50      | 0         | 24.57              | 25.15      | < 30.00     |
|                         |                         | 1       | 50        | 23.65              | 24.23      | < 30.00     |
|                         |                         | 1       | 0         | 23.35              | 23.93      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3969.99                 | 20                      | 25      | 12        | 24.70              | 25.28      | < 30.00     |
|                         |                         | 1       | 1         | 24.72              | 25.30      | < 30.00     |
|                         |                         | 1       | 49        | 24.88              | 25.46      | < 30.00     |
|                         |                         | 50      | 0         | 24.72              | 25.30      | < 30.00     |
|                         |                         | 1       | 50        | 23.59              | 24.17      | < 30.00     |
|                         |                         | 1       | 0         | 23.57              | 24.15      | < 30.00     |
| 3715.02                 | 30                      | 36      | 78        | 24.09              | 24.67      | < 30.00     |
|                         |                         | 1       | 1         | 24.29              | 24.87      | < 30.00     |
|                         |                         | 1       | 76        | 24.17              | 24.75      | < 30.00     |
|                         |                         | 75      | 0         | 24.08              | 24.66      | < 30.00     |
|                         |                         | 1       | 77        | 23.31              | 23.89      | < 30.00     |
|                         |                         | 1       | 0         | 23.25              | 23.83      | < 30.00     |
| 3840.00                 | 30                      | 36      | 78        | 24.54              | 25.12      | < 30.00     |
|                         |                         | 1       | 1         | 24.54              | 25.12      | < 30.00     |
|                         |                         | 1       | 76        | 24.22              | 24.80      | < 30.00     |
|                         |                         | 75      | 0         | 24.64              | 25.22      | < 30.00     |
|                         |                         | 1       | 77        | 23.50              | 24.08      | < 30.00     |
|                         |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3964.98                 | 30                      | 36      | 78        | 24.59              | 25.17      | < 30.00     |
|                         |                         | 1       | 1         | 24.58              | 25.16      | < 30.00     |
|                         |                         | 1       | 76        | 24.72              | 25.30      | < 30.00     |
|                         |                         | 75      | 0         | 24.62              | 25.20      | < 30.00     |
|                         |                         | 1       | 77        | 23.69              | 24.27      | < 30.00     |
|                         |                         | 1       | 0         | 23.83              | 24.41      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3720.00  | 40                      | 50      | 25        | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 1         | 24.28              | 24.86      | < 30.00     |
|  |                         | 1       | 104       | 24.30              | 24.88      | < 30.00     |
|  |                         | 100     | 0         | 24.16              | 24.74      | < 30.00     |
|  |                         | 1       | 105       | 23.42              | 24.00      | < 30.00     |
|  |                         | 1       | 0         | 23.54              | 24.12      | < 30.00     |
| 3840.00  | 40                      | 50      | 25        | 24.59              | 25.17      | < 30.00     |
|  |                         | 1       | 1         | 24.58              | 25.16      | < 30.00     |
|  |                         | 1       | 104       | 24.21              | 24.79      | < 30.00     |
|  |                         | 100     | 0         | 24.53              | 25.11      | < 30.00     |
|  |                         | 1       | 105       | 23.53              | 24.11      | < 30.00     |
|  |                         | 1       | 0         | 23.66              | 24.24      | < 30.00     |
| 3960.00  | 40                      | 50      | 25        | 24.53              | 25.11      | < 30.00     |
|  |                         | 1       | 1         | 24.43              | 25.01      | < 30.00     |
|  |                         | 1       | 104       | 24.70              | 25.28      | < 30.00     |
|  |                         | 100     | 0         | 24.68              | 25.26      | < 30.00     |
|  |                         | 1       | 105       | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 0         | 24.14              | 24.72      | < 30.00     |
| 3725.01  | 50                      | 64      | 32        | 23.94              | 24.52      | < 30.00     |
|  |                         | 1       | 1         | 24.19              | 24.77      | < 30.00     |
|  |                         | 1       | 131       | 23.99              | 24.57      | < 30.00     |
|  |                         | 128     | 0         | 23.93              | 24.51      | < 30.00     |
|  |                         | 1       | 132       | 22.85              | 23.43      | < 30.00     |
|  |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 64      | 32        | 24.35              | 24.93      | < 30.00     |
|  |                         | 1       | 1         | 24.23              | 24.81      | < 30.00     |
|  |                         | 1       | 131       | 24.56              | 25.14      | < 30.00     |
|  |                         | 128     | 0         | 24.28              | 24.86      | < 30.00     |
|  |                         | 1       | 132       | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3954.99  | 50                      | 64      | 32        | 24.28              | 24.86      | < 30.00     |
|  |                         | 1       | 1         | 24.38              | 24.96      | < 30.00     |
|  |                         | 1       | 131       | 24.62              | 25.20      | < 30.00     |
|  |                         | 128     | 0         | 24.32              | 24.90      | < 30.00     |
|  |                         | 1       | 132       | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 23.82              | 24.40      | < 30.00     |
|  |                         | 1       | 1         | 23.67              | 24.25      | < 30.00     |
|  |                         | 1       | 160       | 23.48              | 24.06      | < 30.00     |
|  |                         | 162     | 0         | 23.87              | 24.45      | < 30.00     |
|  |                         | 1       | 161       | 22.73              | 23.31      | < 30.00     |
|  |                         | 1       | 0         | 22.49              | 23.07      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 24.30              | 24.88      | < 30.00     |
|  |                         | 1       | 1         | 24.20              | 24.78      | < 30.00     |
|  |                         | 1       | 160       | 24.33              | 24.91      | < 30.00     |
|  |                         | 162     | 0         | 24.13              | 24.71      | < 30.00     |
|  |                         | 1       | 161       | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 0         | 23.10              | 23.68      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 64QAM   |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 24.26              | 24.84      | < 30.00     |
|  |                         | 1       | 1         | 24.27              | 24.85      | < 30.00     |
|  |                         | 1       | 160       | 24.40              | 24.98      | < 30.00     |
|  |                         | 162     | 0         | 24.16              | 24.74      | < 30.00     |
|  |                         | 1       | 161       | 23.06              | 23.64      | < 30.00     |
|  |                         | 1       | 0         | 23.26              | 23.84      | < 30.00     |
| 3735.00  | 70                      | 90      | 45        | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 1         | 23.99              | 24.57      | < 30.00     |
|  |                         | 1       | 187       | 23.73              | 24.31      | < 30.00     |
|  |                         | 180     | 0         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 188       | 22.81              | 23.39      | < 30.00     |
|  |                         | 1       | 0         | 22.86              | 23.44      | < 30.00     |
| 3840.00  | 70                      | 90      | 45        | 24.03              | 24.61      | < 30.00     |
|  |                         | 1       | 1         | 23.83              | 24.41      | < 30.00     |
|  |                         | 1       | 187       | 23.94              | 24.52      | < 30.00     |
|  |                         | 180     | 0         | 24.05              | 24.63      | < 30.00     |
|  |                         | 1       | 188       | 22.75              | 23.33      | < 30.00     |
|  |                         | 1       | 0         | 22.82              | 23.40      | < 30.00     |
| 3945.00  | 70                      | 90      | 45        | 24.20              | 24.78      | < 30.00     |
|  |                         | 1       | 1         | 24.52              | 25.10      | < 30.00     |
|  |                         | 1       | 187       | 24.21              | 24.79      | < 30.00     |
|  |                         | 180     | 0         | 24.18              | 24.76      | < 30.00     |
|  |                         | 1       | 188       | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)         | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b> |                         |         |           |                    |            |             |
| 3740.01                 | 80                      | 108     | 54        | 23.88              | 24.46      | < 30.00     |
|                         |                         | 1       | 1         | 24.10              | 24.68      | < 30.00     |
|                         |                         | 1       | 215       | 23.80              | 24.38      | < 30.00     |
|                         |                         | 216     | 0         | 23.76              | 24.34      | < 30.00     |
|                         |                         | 1       | 216       | 23.19              | 23.77      | < 30.00     |
|                         |                         | 1       | 0         | 23.01              | 23.59      | < 30.00     |
| 3840.00                 | 80                      | 108     | 54        | 24.21              | 24.79      | < 30.00     |
|                         |                         | 1       | 1         | 24.17              | 24.75      | < 30.00     |
|                         |                         | 1       | 215       | 23.94              | 24.52      | < 30.00     |
|                         |                         | 216     | 0         | 24.07              | 24.65      | < 30.00     |
|                         |                         | 1       | 216       | 23.19              | 23.77      | < 30.00     |
|                         |                         | 1       | 0         | 23.05              | 23.63      | < 30.00     |
| 3939.99                 | 80                      | 108     | 54        | 24.08              | 24.66      | < 30.00     |
|                         |                         | 1       | 1         | 24.26              | 24.84      | < 30.00     |
|                         |                         | 1       | 215       | 24.45              | 25.03      | < 30.00     |
|                         |                         | 216     | 0         | 24.09              | 24.67      | < 30.00     |
|                         |                         | 1       | 216       | 23.31              | 23.89      | < 30.00     |
|                         |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |
| 3745.02                 | 90                      | 120     | 60        | 23.75              | 24.33      | < 30.00     |
|                         |                         | 1       | 1         | 23.83              | 24.41      | < 30.00     |
|                         |                         | 1       | 243       | 23.84              | 24.42      | < 30.00     |
|                         |                         | 243     | 0         | 23.73              | 24.31      | < 30.00     |
|                         |                         | 1       | 244       | 22.78              | 23.36      | < 30.00     |
|                         |                         | 1       | 0         | 22.74              | 23.32      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 64QAM</b>  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 24.13              | 24.71      | < 30.00     |
|  |                         | 1       | 1         | 23.94              | 24.52      | < 30.00     |
|  |                         | 1       | 243       | 24.05              | 24.63      | < 30.00     |
|  |                         | 243     | 0         | 23.95              | 24.53      | < 30.00     |
|  |                         | 1       | 244       | 22.79              | 23.37      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 24.15              | 24.73      | < 30.00     |
|  |                         | 1       | 1         | 24.20              | 24.78      | < 30.00     |
|  |                         | 1       | 243       | 24.32              | 24.90      | < 30.00     |
|  |                         | 243     | 0         | 24.11              | 24.69      | < 30.00     |
|  |                         | 1       | 244       | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 0         | 23.46              | 24.04      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 23.91              | 24.49      | < 30.00     |
|  |                         | 1       | 1         | 24.05              | 24.63      | < 30.00     |
|  |                         | 1       | 271       | 23.67              | 24.25      | < 30.00     |
|  |                         | 270     | 0         | 23.74              | 24.32      | < 30.00     |
|  |                         | 1       | 272       | 22.94              | 23.52      | < 30.00     |
|  |                         | 1       | 0         | 22.55              | 23.13      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 24.03              | 24.61      | < 30.00     |
|  |                         | 1       | 1         | 23.96              | 24.54      | < 30.00     |
|  |                         | 1       | 271       | 24.04              | 24.62      | < 30.00     |
|  |                         | 270     | 0         | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 272       | 22.83              | 23.41      | < 30.00     |
|  |                         | 1       | 0         | 22.91              | 23.49      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 24.18              | 24.76      | < 30.00     |
|  |                         | 1       | 1         | 24.14              | 24.72      | < 30.00     |
|  |                         | 1       | 271       | 24.37              | 24.95      | < 30.00     |
|  |                         | 270     | 0         | 24.07              | 24.65      | < 30.00     |
|  |                         | 1       | 272       | 22.71              | 23.29      | < 30.00     |
|  |                         | 1       | 0         | 23.50              | 24.08      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b>                                       |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 21.88              | 22.46      | < 30.00     |
|  |                         | 1       | 1         | 21.83              | 22.41      | < 30.00     |
|  |                         | 1       | 22        | 21.85              | 22.43      | < 30.00     |
|  |                         | 24      | 0         | 22.08              | 22.66      | < 30.00     |
|  |                         | 1       | 23        | 21.66              | 22.24      | < 30.00     |
|  |                         | 1       | 0         | 21.95              | 22.53      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 22.26              | 22.84      | < 30.00     |
|  |                         | 1       | 1         | 21.99              | 22.57      | < 30.00     |
|  |                         | 1       | 22        | 22.24              | 22.82      | < 30.00     |
|  |                         | 24      | 0         | 22.38              | 22.96      | < 30.00     |
|  |                         | 1       | 23        | 22.21              | 22.79      | < 30.00     |
|  |                         | 1       | 0         | 22.12              | 22.70      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 22.51              | 23.09      | < 30.00     |
|  |                         | 1       | 1         | 22.37              | 22.95      | < 30.00     |
|  |                         | 1       | 22        | 22.48              | 23.06      | < 30.00     |
|  |                         | 24      | 0         | 22.57              | 23.15      | < 30.00     |
|  |                         | 1       | 23        | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.58              | 23.16      | < 30.00     |
| 3707.52  | 15                      | 18      | 9         | 22.02              | 22.60      | < 30.00     |
|  |                         | 1       | 1         | 22.12              | 22.70      | < 30.00     |
|  |                         | 1       | 36        | 22.23              | 22.81      | < 30.00     |
|  |                         | 36      | 0         | 22.05              | 22.63      | < 30.00     |
|  |                         | 1       | 37        | 21.84              | 22.42      | < 30.00     |
|  |                         | 1       | 0         | 22.22              | 22.80      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b>                                       |                         |         |           |                    |            |             |
| 3840.00  | 15                      | 18      | 9         | 22.54              | 23.12      | < 30.00     |
|  |                         | 1       | 1         | 22.49              | 23.07      | < 30.00     |
|  |                         | 1       | 36        | 22.40              | 22.98      | < 30.00     |
|  |                         | 36      | 0         | 22.42              | 23.00      | < 30.00     |
|  |                         | 1       | 37        | 22.26              | 22.84      | < 30.00     |
|  |                         | 1       | 0         | 22.14              | 22.72      | < 30.00     |
| 3972.48  | 15                      | 18      | 9         | 22.72              | 23.30      | < 30.00     |
|  |                         | 1       | 1         | 22.48              | 23.06      | < 30.00     |
|  |                         | 1       | 36        | 22.40              | 22.98      | < 30.00     |
|  |                         | 36      | 0         | 22.82              | 23.40      | < 30.00     |
|  |                         | 1       | 37        | 22.67              | 23.25      | < 30.00     |
|  |                         | 1       | 0         | 22.81              | 23.39      | < 30.00     |
| 3710.01  | 20                      | 25      | 12        | 22.09              | 22.67      | < 30.00     |
|  |                         | 1       | 1         | 21.87              | 22.45      | < 30.00     |
|  |                         | 1       | 49        | 22.03              | 22.61      | < 30.00     |
|  |                         | 50      | 0         | 22.13              | 22.71      | < 30.00     |
|  |                         | 1       | 50        | 21.90              | 22.48      | < 30.00     |
|  |                         | 1       | 0         | 21.99              | 22.57      | < 30.00     |
| 3840.00  | 20                      | 25      | 12        | 22.48              | 23.06      | < 30.00     |
|  |                         | 1       | 1         | 22.63              | 23.21      | < 30.00     |
|  |                         | 1       | 49        | 22.52              | 23.10      | < 30.00     |
|  |                         | 50      | 0         | 22.54              | 23.12      | < 30.00     |
|  |                         | 1       | 50        | 22.25              | 22.83      | < 30.00     |
|  |                         | 1       | 0         | 22.17              | 22.75      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3969.99                  | 20                      | 25      | 12        | 22.81              | 23.39      | < 30.00     |
|                          |                         | 1       | 1         | 22.67              | 23.25      | < 30.00     |
|                          |                         | 1       | 49        | 22.64              | 23.22      | < 30.00     |
|                          |                         | 50      | 0         | 22.74              | 23.32      | < 30.00     |
|                          |                         | 1       | 50        | 22.61              | 23.19      | < 30.00     |
|                          |                         | 1       | 0         | 22.43              | 23.01      | < 30.00     |
| 3715.02                  | 30                      | 36      | 78        | 22.11              | 22.69      | < 30.00     |
|                          |                         | 1       | 1         | 22.27              | 22.85      | < 30.00     |
|                          |                         | 1       | 76        | 22.07              | 22.65      | < 30.00     |
|                          |                         | 75      | 0         | 22.12              | 22.70      | < 30.00     |
|                          |                         | 1       | 77        | 22.19              | 22.77      | < 30.00     |
|                          |                         | 1       | 0         | 22.07              | 22.65      | < 30.00     |
| 3840.00                  | 30                      | 36      | 78        | 22.56              | 23.14      | < 30.00     |
|                          |                         | 1       | 1         | 22.52              | 23.10      | < 30.00     |
|                          |                         | 1       | 76        | 22.32              | 22.90      | < 30.00     |
|                          |                         | 75      | 0         | 22.45              | 23.03      | < 30.00     |
|                          |                         | 1       | 77        | 22.41              | 22.99      | < 30.00     |
|                          |                         | 1       | 0         | 22.17              | 22.75      | < 30.00     |
| 3964.98                  | 30                      | 36      | 78        | 22.57              | 23.15      | < 30.00     |
|                          |                         | 1       | 1         | 22.42              | 23.00      | < 30.00     |
|                          |                         | 1       | 76        | 22.72              | 23.30      | < 30.00     |
|                          |                         | 75      | 0         | 22.67              | 23.25      | < 30.00     |
|                          |                         | 1       | 77        | 22.40              | 22.98      | < 30.00     |
|                          |                         | 1       | 0         | 22.71              | 23.29      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 3720.00  | 40                      | 50      | 25        | 22.16              | 22.74      | < 30.00     |
|  |                         | 1       | 1         | 22.21              | 22.79      | < 30.00     |
|  |                         | 1       | 104       | 22.12              | 22.70      | < 30.00     |
|  |                         | 100     | 0         | 22.03              | 22.61      | < 30.00     |
|  |                         | 1       | 105       | 22.36              | 22.94      | < 30.00     |
|  |                         | 1       | 0         | 22.12              | 22.70      | < 30.00     |
| 3840.00  | 40                      | 50      | 25        | 22.46              | 23.04      | < 30.00     |
|  |                         | 1       | 1         | 22.30              | 22.88      | < 30.00     |
|  |                         | 1       | 104       | 22.11              | 22.69      | < 30.00     |
|  |                         | 100     | 0         | 22.63              | 23.21      | < 30.00     |
|  |                         | 1       | 105       | 22.39              | 22.97      | < 30.00     |
|  |                         | 1       | 0         | 22.32              | 22.90      | < 30.00     |
| 3960.00  | 40                      | 50      | 25        | 22.64              | 23.22      | < 30.00     |
|  |                         | 1       | 1         | 22.59              | 23.17      | < 30.00     |
|  |                         | 1       | 104       | 22.79              | 23.37      | < 30.00     |
|  |                         | 100     | 0         | 22.62              | 23.20      | < 30.00     |
|  |                         | 1       | 105       | 22.58              | 23.16      | < 30.00     |
|  |                         | 1       | 0         | 22.79              | 23.37      | < 30.00     |
| 3725.01  | 50                      | 64      | 32        | 22.05              | 22.63      | < 30.00     |
|  |                         | 1       | 1         | 21.75              | 22.33      | < 30.00     |
|  |                         | 1       | 131       | 21.93              | 22.51      | < 30.00     |
|  |                         | 128     | 0         | 22.02              | 22.60      | < 30.00     |
|  |                         | 1       | 132       | 21.87              | 22.45      | < 30.00     |
|  |                         | 1       | 0         | 21.69              | 22.27      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM  |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 64      | 32        | 22.36              | 22.94      | < 30.00     |
|  |                         | 1       | 1         | 22.06              | 22.64      | < 30.00     |
|  |                         | 1       | 131       | 22.14              | 22.72      | < 30.00     |
|  |                         | 128     | 0         | 22.26              | 22.84      | < 30.00     |
|  |                         | 1       | 132       | 22.15              | 22.73      | < 30.00     |
|  |                         | 1       | 0         | 22.27              | 22.85      | < 30.00     |
| 3954.99  | 50                      | 64      | 32        | 22.38              | 22.96      | < 30.00     |
|  |                         | 1       | 1         | 22.24              | 22.82      | < 30.00     |
|  |                         | 1       | 131       | 22.28              | 22.86      | < 30.00     |
|  |                         | 128     | 0         | 22.30              | 22.88      | < 30.00     |
|  |                         | 1       | 132       | 22.12              | 22.70      | < 30.00     |
|  |                         | 1       | 0         | 22.28              | 22.86      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 21.85              | 22.43      | < 30.00     |
|  |                         | 1       | 1         | 21.92              | 22.50      | < 30.00     |
|  |                         | 1       | 160       | 21.64              | 22.22      | < 30.00     |
|  |                         | 162     | 0         | 21.83              | 22.41      | < 30.00     |
|  |                         | 1       | 161       | 21.94              | 22.52      | < 30.00     |
|  |                         | 1       | 0         | 21.91              | 22.49      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 22.28              | 22.86      | < 30.00     |
|  |                         | 1       | 1         | 22.10              | 22.68      | < 30.00     |
|  |                         | 1       | 160       | 21.90              | 22.48      | < 30.00     |
|  |                         | 162     | 0         | 22.21              | 22.79      | < 30.00     |
|  |                         | 1       | 161       | 21.94              | 22.52      | < 30.00     |
|  |                         | 1       | 0         | 22.13              | 22.71      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)   | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| DFT-s OFDM 256QAM |                         |         |           |                    |            |             |
| 3949.98           | 60                      | 81      | 40        | 22.25              | 22.83      | < 30.00     |
|                   |                         | 1       | 1         | 22.11              | 22.69      | < 30.00     |
|                   |                         | 1       | 160       | 22.34              | 22.92      | < 30.00     |
|                   |                         | 162     | 0         | 22.27              | 22.85      | < 30.00     |
|                   |                         | 1       | 161       | 22.11              | 22.69      | < 30.00     |
|                   |                         | 1       | 0         | 22.30              | 22.88      | < 30.00     |
| 3735.00           | 70                      | 90      | 45        | 21.66              | 22.24      | < 30.00     |
|                   |                         | 1       | 1         | 21.45              | 22.03      | < 30.00     |
|                   |                         | 1       | 187       | 21.57              | 22.15      | < 30.00     |
|                   |                         | 180     | 0         | 21.74              | 22.32      | < 30.00     |
|                   |                         | 1       | 188       | 21.47              | 22.05      | < 30.00     |
|                   |                         | 1       | 0         | 21.55              | 22.13      | < 30.00     |
| 3840.00           | 70                      | 90      | 45        | 22.03              | 22.61      | < 30.00     |
|                   |                         | 1       | 1         | 21.61              | 22.19      | < 30.00     |
|                   |                         | 1       | 187       | 21.60              | 22.18      | < 30.00     |
|                   |                         | 180     | 0         | 22.05              | 22.63      | < 30.00     |
|                   |                         | 1       | 188       | 21.65              | 22.23      | < 30.00     |
|                   |                         | 1       | 0         | 21.84              | 22.42      | < 30.00     |
| 3945.00           | 70                      | 90      | 45        | 22.11              | 22.69      | < 30.00     |
|                   |                         | 1       | 1         | 22.14              | 22.72      | < 30.00     |
|                   |                         | 1       | 187       | 21.96              | 22.54      | < 30.00     |
|                   |                         | 180     | 0         | 22.11              | 22.69      | < 30.00     |
|                   |                         | 1       | 188       | 22.14              | 22.72      | < 30.00     |
|                   |                         | 1       | 0         | 21.71              | 22.29      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)          | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--------------------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b> |                         |         |           |                    |            |             |
| 3740.01                  | 80                      | 108     | 54        | 21.78              | 22.36      | < 30.00     |
|                          |                         | 1       | 1         | 21.74              | 22.32      | < 30.00     |
|                          |                         | 1       | 215       | 21.72              | 22.30      | < 30.00     |
|                          |                         | 216     | 0         | 21.79              | 22.37      | < 30.00     |
|                          |                         | 1       | 216       | 21.79              | 22.37      | < 30.00     |
|                          |                         | 1       | 0         | 21.45              | 22.03      | < 30.00     |
| 3840.00                  | 80                      | 108     | 54        | 22.06              | 22.64      | < 30.00     |
|                          |                         | 1       | 1         | 21.91              | 22.49      | < 30.00     |
|                          |                         | 1       | 215       | 21.96              | 22.54      | < 30.00     |
|                          |                         | 216     | 0         | 22.27              | 22.85      | < 30.00     |
|                          |                         | 1       | 216       | 21.76              | 22.34      | < 30.00     |
|                          |                         | 1       | 0         | 21.91              | 22.49      | < 30.00     |
| 3939.99                  | 80                      | 108     | 54        | 22.07              | 22.65      | < 30.00     |
|                          |                         | 1       | 1         | 22.14              | 22.72      | < 30.00     |
|                          |                         | 1       | 215       | 22.35              | 22.93      | < 30.00     |
|                          |                         | 216     | 0         | 22.13              | 22.71      | < 30.00     |
|                          |                         | 1       | 216       | 22.02              | 22.60      | < 30.00     |
|                          |                         | 1       | 0         | 22.23              | 22.81      | < 30.00     |
| 3745.02                  | 90                      | 120     | 60        | 21.77              | 22.35      | < 30.00     |
|                          |                         | 1       | 1         | 21.78              | 22.36      | < 30.00     |
|                          |                         | 1       | 243       | 21.73              | 22.31      | < 30.00     |
|                          |                         | 243     | 0         | 21.85              | 22.43      | < 30.00     |
|                          |                         | 1       | 244       | 21.91              | 22.49      | < 30.00     |
|                          |                         | 1       | 0         | 21.61              | 22.19      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>DFT-s OFDM 256QAM</b>                                       |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 120     | 60        | 22.12              | 22.70      | < 30.00     |
|  |                         | 1       | 1         | 21.86              | 22.44      | < 30.00     |
|  |                         | 1       | 243       | 21.89              | 22.47      | < 30.00     |
|  |                         | 243     | 0         | 21.96              | 22.54      | < 30.00     |
|  |                         | 1       | 244       | 21.76              | 22.34      | < 30.00     |
|  |                         | 1       | 0         | 21.79              | 22.37      | < 30.00     |
| 3934.98  | 90                      | 120     | 60        | 22.05              | 22.63      | < 30.00     |
|  |                         | 1       | 1         | 22.13              | 22.71      | < 30.00     |
|  |                         | 1       | 243       | 22.33              | 22.91      | < 30.00     |
|  |                         | 243     | 0         | 22.08              | 22.66      | < 30.00     |
|  |                         | 1       | 244       | 22.02              | 22.60      | < 30.00     |
|  |                         | 1       | 0         | 22.21              | 22.79      | < 30.00     |
| 3750.00  | 100                     | 135     | 67        | 21.87              | 22.45      | < 30.00     |
|  |                         | 1       | 1         | 21.80              | 22.38      | < 30.00     |
|  |                         | 1       | 271       | 21.69              | 22.27      | < 30.00     |
|  |                         | 270     | 0         | 21.72              | 22.30      | < 30.00     |
|  |                         | 1       | 272       | 21.72              | 22.30      | < 30.00     |
|  |                         | 1       | 0         | 21.29              | 21.87      | < 30.00     |
| 3840.00  | 100                     | 135     | 67        | 22.24              | 22.82      | < 30.00     |
|  |                         | 1       | 1         | 21.79              | 22.37      | < 30.00     |
|  |                         | 1       | 271       | 21.84              | 22.42      | < 30.00     |
|  |                         | 270     | 0         | 22.02              | 22.60      | < 30.00     |
|  |                         | 1       | 272       | 21.60              | 22.18      | < 30.00     |
|  |                         | 1       | 0         | 21.63              | 22.21      | < 30.00     |
| 3930.00  | 100                     | 135     | 67        | 22.10              | 22.68      | < 30.00     |
|  |                         | 1       | 1         | 21.90              | 22.48      | < 30.00     |
|  |                         | 1       | 271       | 22.08              | 22.66      | < 30.00     |
|  |                         | 270     | 0         | 22.10              | 22.68      | < 30.00     |
|  |                         | 1       | 272       | 21.52              | 22.10      | < 30.00     |
|  |                         | 1       | 0         | 21.79              | 22.37      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 24.96              | 25.54      | < 30.00     |
|  |                         | 1       | 1         | 24.95              | 25.53      | < 30.00     |
|  |                         | 1       | 22        | 24.99              | 25.57      | < 30.00     |
|  |                         | 24      | 0         | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 23        | 22.82              | 23.40      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 25.37              | 25.95      | < 30.00     |
|  |                         | 1       | 1         | 25.19              | 25.77      | < 30.00     |
|  |                         | 1       | 22        | 25.22              | 25.80      | < 30.00     |
|  |                         | 24      | 0         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 23        | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 25.59              | 26.17      | < 30.00     |
|  |                         | 1       | 1         | 25.54              | 26.12      | < 30.00     |
|  |                         | 1       | 22        | 25.51              | 26.09      | < 30.00     |
|  |                         | 24      | 0         | 24.14              | 24.72      | < 30.00     |
|  |                         | 1       | 23        | 23.56              | 24.14      | < 30.00     |
|  |                         | 1       | 0         | 23.58              | 24.16      | < 30.00     |
| 3707.52  | 15                      | 19      | 9         | 25.07              | 25.65      | < 30.00     |
|  |                         | 1       | 1         | 25.20              | 25.78      | < 30.00     |
|  |                         | 1       | 36        | 25.17              | 25.75      | < 30.00     |
|  |                         | 38      | 0         | 23.46              | 24.04      | < 30.00     |
|  |                         | 1       | 37        | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3840.00  | 15                      | 19      | 9         | 25.55              | 26.13      | < 30.00     |
|  |                         | 1       | 1         | 25.62              | 26.20      | < 30.00     |
|  |                         | 1       | 36        | 25.41              | 25.99      | < 30.00     |
|  |                         | 38      | 0         | 24.05              | 24.63      | < 30.00     |
|  |                         | 1       | 37        | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3972.48  | 15                      | 19      | 9         | 25.74              | 26.32      | < 30.00     |
|  |                         | 1       | 1         | 25.83              | 26.41      | < 30.00     |
|  |                         | 1       | 36        | 25.81              | 26.39      | < 30.00     |
|  |                         | 38      | 0         | 24.19              | 24.77      | < 30.00     |
|  |                         | 1       | 37        | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 0         | 24.14              | 24.72      | < 30.00     |
| 3710.01  | 20                      | 25      | 12        | 25.20              | 25.78      | < 30.00     |
|  |                         | 1       | 1         | 25.14              | 25.72      | < 30.00     |
|  |                         | 1       | 49        | 24.97              | 25.55      | < 30.00     |
|  |                         | 51      | 0         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 50        | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| 3840.00  | 20                      | 25      | 12        | 25.53              | 26.11      | < 30.00     |
|  |                         | 1       | 1         | 25.64              | 26.22      | < 30.00     |
|  |                         | 1       | 49        | 25.32              | 25.90      | < 30.00     |
|  |                         | 51      | 0         | 24.01              | 24.59      | < 30.00     |
|  |                         | 1       | 50        | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 0         | 23.44              | 24.02      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>CP OFDM QPSK</b>  |                         |         |           |                    |            |             |
| 3969.99  | 20                      | 25      | 12        | 25.72              | 26.30      | < 30.00     |
|  |                         | 1       | 1         | 25.75              | 26.33      | < 30.00     |
|  |                         | 1       | 49        | 25.61              | 26.19      | < 30.00     |
|  |                         | 51      | 0         | 24.22              | 24.80      | < 30.00     |
|  |                         | 1       | 50        | 23.58              | 24.16      | < 30.00     |
|  |                         | 1       | 0         | 23.72              | 24.30      | < 30.00     |
| 3715.02  | 30                      | 39      | 19        | 25.06              | 25.64      | < 30.00     |
|  |                         | 1       | 1         | 25.27              | 25.85      | < 30.00     |
|  |                         | 1       | 76        | 25.13              | 25.71      | < 30.00     |
|  |                         | 78      | 0         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 77        | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 0         | 23.20              | 23.78      | < 30.00     |
| 3840.00  | 30                      | 39      | 19        | 25.54              | 26.12      | < 30.00     |
|  |                         | 1       | 1         | 25.52              | 26.10      | < 30.00     |
|  |                         | 1       | 76        | 25.39              | 25.97      | < 30.00     |
|  |                         | 78      | 0         | 24.01              | 24.59      | < 30.00     |
|  |                         | 1       | 77        | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 0         | 23.36              | 23.94      | < 30.00     |
| 3964.98  | 30                      | 39      | 19        | 25.61              | 26.19      | < 30.00     |
|  |                         | 1       | 1         | 25.58              | 26.16      | < 30.00     |
|  |                         | 1       | 76        | 25.77              | 26.35      | < 30.00     |
|  |                         | 78      | 0         | 24.09              | 24.67      | < 30.00     |
|  |                         | 1       | 77        | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 0         | 23.56              | 24.14      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3720.00  | 40                      | 53      | 26        | 25.23              | 25.81      | < 30.00     |
|  |                         | 1       | 1         | 25.37              | 25.95      | < 30.00     |
|  |                         | 1       | 104       | 25.10              | 25.68      | < 30.00     |
|  |                         | 106     | 0         | 23.65              | 24.23      | < 30.00     |
|  |                         | 1       | 105       | 23.31              | 23.89      | < 30.00     |
|  |                         | 1       | 0         | 23.11              | 23.69      | < 30.00     |
| 3840.00  | 40                      | 53      | 26        | 25.58              | 26.16      | < 30.00     |
|  |                         | 1       | 1         | 25.84              | 26.42      | < 30.00     |
|  |                         | 1       | 104       | 25.23              | 25.81      | < 30.00     |
|  |                         | 106     | 0         | 24.00              | 24.58      | < 30.00     |
|  |                         | 1       | 105       | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 0         | 23.36              | 23.94      | < 30.00     |
| 3960.00  | 40                      | 53      | 26        | 25.62              | 26.20      | < 30.00     |
|  |                         | 1       | 1         | 25.55              | 26.13      | < 30.00     |
|  |                         | 1       | 104       | 25.70              | 26.28      | < 30.00     |
|  |                         | 106     | 0         | 24.10              | 24.68      | < 30.00     |
|  |                         | 1       | 105       | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 0         | 23.68              | 24.26      | < 30.00     |
| 3725.01  | 50                      | 67      | 33        | 24.98              | 25.56      | < 30.00     |
|  |                         | 1       | 1         | 24.98              | 25.56      | < 30.00     |
|  |                         | 1       | 131       | 24.82              | 25.40      | < 30.00     |
|  |                         | 133     | 0         | 23.48              | 24.06      | < 30.00     |
|  |                         | 1       | 132       | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 67      | 33        | 25.40              | 25.98      | < 30.00     |
|  |                         | 1       | 1         | 25.35              | 25.93      | < 30.00     |
|  |                         | 1       | 131       | 25.38              | 25.96      | < 30.00     |
|  |                         | 133     | 0         | 23.89              | 24.47      | < 30.00     |
|  |                         | 1       | 132       | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 0         | 23.29              | 23.87      | < 30.00     |
| 3954.99  | 50                      | 67      | 33        | 25.35              | 25.93      | < 30.00     |
|  |                         | 1       | 1         | 25.26              | 25.84      | < 30.00     |
|  |                         | 1       | 131       | 25.41              | 25.99      | < 30.00     |
|  |                         | 133     | 0         | 23.90              | 24.48      | < 30.00     |
|  |                         | 1       | 132       | 23.29              | 23.87      | < 30.00     |
|  |                         | 1       | 0         | 23.56              | 24.14      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 24.94              | 25.52      | < 30.00     |
|  |                         | 1       | 1         | 24.91              | 25.49      | < 30.00     |
|  |                         | 1       | 160       | 24.82              | 25.40      | < 30.00     |
|  |                         | 162     | 0         | 23.41              | 23.99      | < 30.00     |
|  |                         | 1       | 161       | 22.80              | 23.38      | < 30.00     |
|  |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 25.40              | 25.98      | < 30.00     |
|  |                         | 1       | 1         | 25.07              | 25.65      | < 30.00     |
|  |                         | 1       | 160       | 25.08              | 25.66      | < 30.00     |
|  |                         | 162     | 0         | 23.87              | 24.45      | < 30.00     |
|  |                         | 1       | 161       | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 25.19              | 25.77      | < 30.00     |
|  |                         | 1       | 1         | 25.13              | 25.71      | < 30.00     |
|  |                         | 1       | 160       | 25.28              | 25.86      | < 30.00     |
|  |                         | 162     | 0         | 23.69              | 24.27      | < 30.00     |
|  |                         | 1       | 161       | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3735.00  | 70                      | 95      | 47        | 24.75              | 25.33      | < 30.00     |
|  |                         | 1       | 1         | 24.67              | 25.25      | < 30.00     |
|  |                         | 1       | 187       | 24.76              | 25.34      | < 30.00     |
|  |                         | 189     | 0         | 23.13              | 23.71      | < 30.00     |
|  |                         | 1       | 188       | 22.78              | 23.36      | < 30.00     |
|  |                         | 1       | 0         | 22.73              | 23.31      | < 30.00     |
| 3840.00  | 70                      | 95      | 47        | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 1         | 24.84              | 25.42      | < 30.00     |
|  |                         | 1       | 187       | 24.95              | 25.53      | < 30.00     |
|  |                         | 189     | 0         | 23.46              | 24.04      | < 30.00     |
|  |                         | 1       | 188       | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |
| 3945.00  | 70                      | 95      | 47        | 25.23              | 25.81      | < 30.00     |
|  |                         | 1       | 1         | 25.37              | 25.95      | < 30.00     |
|  |                         | 1       | 187       | 25.10              | 25.68      | < 30.00     |
|  |                         | 189     | 0         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 188       | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK    |                         |         |           |                    |            |             |
| 3740.01         | 80                      | 109     | 54        | 24.91              | 25.49      | < 30.00     |
|                 |                         | 1       | 1         | 24.91              | 25.49      | < 30.00     |
|                 |                         | 1       | 215       | 24.71              | 25.29      | < 30.00     |
|                 |                         | 217     | 0         | 23.33              | 23.91      | < 30.00     |
|                 |                         | 1       | 216       | 22.80              | 23.38      | < 30.00     |
|                 |                         | 1       | 0         | 22.57              | 23.15      | < 30.00     |
| 3840.00         | 80                      | 109     | 54        | 25.20              | 25.78      | < 30.00     |
|                 |                         | 1       | 1         | 24.98              | 25.56      | < 30.00     |
|                 |                         | 1       | 215       | 25.02              | 25.60      | < 30.00     |
|                 |                         | 217     | 0         | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 216       | 22.89              | 23.47      | < 30.00     |
|                 |                         | 1       | 0         | 22.83              | 23.41      | < 30.00     |
| 3939.99         | 80                      | 109     | 54        | 25.12              | 25.70      | < 30.00     |
|                 |                         | 1       | 1         | 25.19              | 25.77      | < 30.00     |
|                 |                         | 1       | 215       | 25.34              | 25.92      | < 30.00     |
|                 |                         | 217     | 0         | 23.72              | 24.30      | < 30.00     |
|                 |                         | 1       | 216       | 22.97              | 23.55      | < 30.00     |
|                 |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3745.02         | 90                      | 123     | 61        | 24.86              | 25.44      | < 30.00     |
|                 |                         | 1       | 1         | 24.95              | 25.53      | < 30.00     |
|                 |                         | 1       | 243       | 24.70              | 25.28      | < 30.00     |
|                 |                         | 245     | 0         | 23.28              | 23.86      | < 30.00     |
|                 |                         | 1       | 244       | 22.75              | 23.33      | < 30.00     |
|                 |                         | 1       | 0         | 22.67              | 23.25      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM QPSK   |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 123     | 61        | 25.02              | 25.60      | < 30.00     |
|  |                         | 1       | 1         | 24.85              | 25.43      | < 30.00     |
|  |                         | 1       | 243       | 25.02              | 25.60      | < 30.00     |
|  |                         | 245     | 0         | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 244       | 22.80              | 23.38      | < 30.00     |
|  |                         | 1       | 0         | 22.95              | 23.53      | < 30.00     |
| 3934.98  | 90                      | 123     | 61        | 25.20              | 25.78      | < 30.00     |
|  |                         | 1       | 1         | 25.16              | 25.74      | < 30.00     |
|  |                         | 1       | 243       | 25.23              | 25.81      | < 30.00     |
|  |                         | 245     | 0         | 23.75              | 24.33      | < 30.00     |
|  |                         | 1       | 244       | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3750.00  | 100                     | 137     | 68        | 24.96              | 25.54      | < 30.00     |
|  |                         | 1       | 1         | 24.87              | 25.45      | < 30.00     |
|  |                         | 1       | 271       | 24.57              | 25.15      | < 30.00     |
|  |                         | 273     | 0         | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 272       | 22.64              | 23.22      | < 30.00     |
|  |                         | 1       | 0         | 22.57              | 23.15      | < 30.00     |
| 3840.00  | 100                     | 137     | 68        | 25.06              | 25.64      | < 30.00     |
|  |                         | 1       | 1         | 24.81              | 25.39      | < 30.00     |
|  |                         | 1       | 271       | 24.93              | 25.51      | < 30.00     |
|  |                         | 273     | 0         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 272       | 22.60              | 23.18      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3930.00  | 100                     | 137     | 68        | 25.12              | 25.70      | < 30.00     |
|  |                         | 1       | 1         | 25.00              | 25.58      | < 30.00     |
|  |                         | 1       | 271       | 25.22              | 25.80      | < 30.00     |
|  |                         | 273     | 0         | 23.71              | 24.29      | < 30.00     |
|  |                         | 1       | 272       | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 23.06              | 23.64      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3705.00         | 10                      | 12      | 6         | 24.45              | 25.03      | < 30.00     |
|                 |                         | 1       | 1         | 24.44              | 25.02      | < 30.00     |
|                 |                         | 1       | 22        | 24.50              | 25.08      | < 30.00     |
|                 |                         | 24      | 0         | 23.51              | 24.09      | < 30.00     |
|                 |                         | 1       | 23        | 22.90              | 23.48      | < 30.00     |
|                 |                         | 1       | 0         | 22.89              | 23.47      | < 30.00     |
| 3840.00         | 10                      | 12      | 6         | 24.68              | 25.26      | < 30.00     |
|                 |                         | 1       | 1         | 25.00              | 25.58      | < 30.00     |
|                 |                         | 1       | 22        | 24.72              | 25.30      | < 30.00     |
|                 |                         | 24      | 0         | 23.86              | 24.44      | < 30.00     |
|                 |                         | 1       | 23        | 23.29              | 23.87      | < 30.00     |
|                 |                         | 1       | 0         | 23.23              | 23.81      | < 30.00     |
| 3975.00         | 10                      | 12      | 6         | 25.04              | 25.62      | < 30.00     |
|                 |                         | 1       | 1         | 25.00              | 25.58      | < 30.00     |
|                 |                         | 1       | 22        | 24.96              | 25.54      | < 30.00     |
|                 |                         | 24      | 0         | 24.20              | 24.78      | < 30.00     |
|                 |                         | 1       | 23        | 23.63              | 24.21      | < 30.00     |
|                 |                         | 1       | 0         | 23.43              | 24.01      | < 30.00     |
| 3707.52         | 15                      | 19      | 9         | 24.58              | 25.16      | < 30.00     |
|                 |                         | 1       | 1         | 24.70              | 25.28      | < 30.00     |
|                 |                         | 1       | 36        | 24.30              | 24.88      | < 30.00     |
|                 |                         | 38      | 0         | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 37        | 23.11              | 23.69      | < 30.00     |
|                 |                         | 1       | 0         | 23.27              | 23.85      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3840.00         | 15                      | 19      | 9         | 24.97              | 25.55      | < 30.00     |
|                 |                         | 1       | 1         | 24.83              | 25.41      | < 30.00     |
|                 |                         | 1       | 36        | 24.69              | 25.27      | < 30.00     |
|                 |                         | 38      | 0         | 24.02              | 24.60      | < 30.00     |
|                 |                         | 1       | 37        | 23.62              | 24.20      | < 30.00     |
|                 |                         | 1       | 0         | 23.33              | 23.91      | < 30.00     |
| 3972.48         | 15                      | 19      | 9         | 25.17              | 25.75      | < 30.00     |
|                 |                         | 1       | 1         | 25.18              | 25.76      | < 30.00     |
|                 |                         | 1       | 36        | 24.97              | 25.55      | < 30.00     |
|                 |                         | 38      | 0         | 24.26              | 24.84      | < 30.00     |
|                 |                         | 1       | 37        | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 0         | 23.85              | 24.43      | < 30.00     |
| 3710.01         | 20                      | 25      | 12        | 24.66              | 25.24      | < 30.00     |
|                 |                         | 1       | 1         | 24.66              | 25.24      | < 30.00     |
|                 |                         | 1       | 49        | 24.67              | 25.25      | < 30.00     |
|                 |                         | 51      | 0         | 23.54              | 24.12      | < 30.00     |
|                 |                         | 1       | 50        | 23.07              | 23.65      | < 30.00     |
|                 |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3840.00         | 20                      | 25      | 12        | 25.08              | 25.66      | < 30.00     |
|                 |                         | 1       | 1         | 24.86              | 25.44      | < 30.00     |
|                 |                         | 1       | 49        | 24.78              | 25.36      | < 30.00     |
|                 |                         | 51      | 0         | 23.98              | 24.56      | < 30.00     |
|                 |                         | 1       | 50        | 23.30              | 23.88      | < 30.00     |
|                 |                         | 1       | 0         | 23.47              | 24.05      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3969.99         | 20                      | 25      | 12        | 25.25              | 25.83      | < 30.00     |
|                 |                         | 1       | 1         | 25.20              | 25.78      | < 30.00     |
|                 |                         | 1       | 49        | 25.27              | 25.85      | < 30.00     |
|                 |                         | 51      | 0         | 24.23              | 24.81      | < 30.00     |
|                 |                         | 1       | 50        | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 0         | 23.52              | 24.10      | < 30.00     |
| 3715.02         | 30                      | 39      | 19        | 24.62              | 25.20      | < 30.00     |
|                 |                         | 1       | 1         | 24.73              | 25.31      | < 30.00     |
|                 |                         | 1       | 76        | 24.53              | 25.11      | < 30.00     |
|                 |                         | 78      | 0         | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 77        | 23.40              | 23.98      | < 30.00     |
|                 |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3840.00         | 30                      | 39      | 19        | 25.06              | 25.64      | < 30.00     |
|                 |                         | 1       | 1         | 24.94              | 25.52      | < 30.00     |
|                 |                         | 1       | 76        | 24.75              | 25.33      | < 30.00     |
|                 |                         | 78      | 0         | 23.91              | 24.49      | < 30.00     |
|                 |                         | 1       | 77        | 23.45              | 24.03      | < 30.00     |
|                 |                         | 1       | 0         | 23.39              | 23.97      | < 30.00     |
| 3964.98         | 30                      | 39      | 19        | 25.09              | 25.67      | < 30.00     |
|                 |                         | 1       | 1         | 25.12              | 25.70      | < 30.00     |
|                 |                         | 1       | 76        | 25.30              | 25.88      | < 30.00     |
|                 |                         | 78      | 0         | 24.09              | 24.67      | < 30.00     |
|                 |                         | 1       | 77        | 23.50              | 24.08      | < 30.00     |
|                 |                         | 1       | 0         | 23.82              | 24.40      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM   |                         |         |           |                    |            |             |
| 3720.00         | 40                      | 53      | 26        | 24.70              | 25.28      | < 30.00     |
|                 |                         | 1       | 1         | 24.82              | 25.40      | < 30.00     |
|                 |                         | 1       | 104       | 24.54              | 25.12      | < 30.00     |
|                 |                         | 106     | 0         | 23.83              | 24.41      | < 30.00     |
|                 |                         | 1       | 105       | 23.44              | 24.02      | < 30.00     |
|                 |                         | 1       | 0         | 23.17              | 23.75      | < 30.00     |
| 3840.00         | 40                      | 53      | 26        | 24.97              | 25.55      | < 30.00     |
|                 |                         | 1       | 1         | 24.81              | 25.39      | < 30.00     |
|                 |                         | 1       | 104       | 24.84              | 25.42      | < 30.00     |
|                 |                         | 106     | 0         | 23.98              | 24.56      | < 30.00     |
|                 |                         | 1       | 105       | 23.44              | 24.02      | < 30.00     |
|                 |                         | 1       | 0         | 23.41              | 23.99      | < 30.00     |
| 3960.00         | 40                      | 53      | 26        | 25.06              | 25.64      | < 30.00     |
|                 |                         | 1       | 1         | 24.82              | 25.40      | < 30.00     |
|                 |                         | 1       | 104       | 25.08              | 25.66      | < 30.00     |
|                 |                         | 106     | 0         | 24.10              | 24.68      | < 30.00     |
|                 |                         | 1       | 105       | 23.73              | 24.31      | < 30.00     |
|                 |                         | 1       | 0         | 23.96              | 24.54      | < 30.00     |
| 3725.01         | 50                      | 67      | 33        | 24.51              | 25.09      | < 30.00     |
|                 |                         | 1       | 1         | 24.48              | 25.06      | < 30.00     |
|                 |                         | 1       | 131       | 24.38              | 24.96      | < 30.00     |
|                 |                         | 133     | 0         | 23.41              | 23.99      | < 30.00     |
|                 |                         | 1       | 132       | 22.71              | 23.29      | < 30.00     |
|                 |                         | 1       | 0         | 22.68              | 23.26      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 67      | 33        | 24.94              | 25.52      | < 30.00     |
|  |                         | 1       | 1         | 24.59              | 25.17      | < 30.00     |
|  |                         | 1       | 131       | 24.51              | 25.09      | < 30.00     |
|  |                         | 133     | 0         | 23.82              | 24.40      | < 30.00     |
|  |                         | 1       | 132       | 23.05              | 23.63      | < 30.00     |
|  |                         | 1       | 0         | 23.08              | 23.66      | < 30.00     |
| 3954.99  | 50                      | 67      | 33        | 24.85              | 25.43      | < 30.00     |
|  |                         | 1       | 1         | 24.80              | 25.38      | < 30.00     |
|  |                         | 1       | 131       | 24.93              | 25.51      | < 30.00     |
|  |                         | 133     | 0         | 23.83              | 24.41      | < 30.00     |
|  |                         | 1       | 132       | 23.06              | 23.64      | < 30.00     |
|  |                         | 1       | 0         | 23.51              | 24.09      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 24.43              | 25.01      | < 30.00     |
|  |                         | 1       | 1         | 24.53              | 25.11      | < 30.00     |
|  |                         | 1       | 160       | 24.55              | 25.13      | < 30.00     |
|  |                         | 162     | 0         | 23.49              | 24.07      | < 30.00     |
|  |                         | 1       | 161       | 22.84              | 23.42      | < 30.00     |
|  |                         | 1       | 0         | 22.74              | 23.32      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 24.86              | 25.44      | < 30.00     |
|  |                         | 1       | 1         | 24.71              | 25.29      | < 30.00     |
|  |                         | 1       | 160       | 24.65              | 25.23      | < 30.00     |
|  |                         | 162     | 0         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 161       | 23.24              | 23.82      | < 30.00     |
|  |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 24.61              | 25.19      | < 30.00     |
|  |                         | 1       | 1         | 24.91              | 25.49      | < 30.00     |
|  |                         | 1       | 160       | 24.80              | 25.38      | < 30.00     |
|  |                         | 162     | 0         | 23.68              | 24.26      | < 30.00     |
|  |                         | 1       | 161       | 23.15              | 23.73      | < 30.00     |
|  |                         | 1       | 0         | 23.07              | 23.65      | < 30.00     |
| 3735.00  | 70                      | 95      | 47        | 24.31              | 24.89      | < 30.00     |
|  |                         | 1       | 1         | 23.91              | 24.49      | < 30.00     |
|  |                         | 1       | 187       | 24.00              | 24.58      | < 30.00     |
|  |                         | 189     | 0         | 23.21              | 23.79      | < 30.00     |
|  |                         | 1       | 188       | 22.46              | 23.04      | < 30.00     |
|  |                         | 1       | 0         | 22.54              | 23.12      | < 30.00     |
| 3840.00  | 70                      | 95      | 47        | 24.52              | 25.10      | < 30.00     |
|  |                         | 1       | 1         | 24.00              | 24.58      | < 30.00     |
|  |                         | 1       | 187       | 24.20              | 24.78      | < 30.00     |
|  |                         | 189     | 0         | 23.46              | 24.04      | < 30.00     |
|  |                         | 1       | 188       | 22.59              | 23.17      | < 30.00     |
|  |                         | 1       | 0         | 22.78              | 23.36      | < 30.00     |
| 3945.00  | 70                      | 95      | 47        | 24.63              | 25.21      | < 30.00     |
|  |                         | 1       | 1         | 24.60              | 25.18      | < 30.00     |
|  |                         | 1       | 187       | 24.26              | 24.84      | < 30.00     |
|  |                         | 189     | 0         | 23.73              | 24.31      | < 30.00     |
|  |                         | 1       | 188       | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 0         | 22.80              | 23.38      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3740.01  | 80                      | 109     | 54        | 24.39              | 24.97      | < 30.00     |
|  |                         | 1       | 1         | 24.15              | 24.73      | < 30.00     |
|  |                         | 1       | 215       | 24.18              | 24.76      | < 30.00     |
|  |                         | 217     | 0         | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 216       | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 22.71              | 23.29      | < 30.00     |
| 3840.00  | 80                      | 109     | 54        | 24.64              | 25.22      | < 30.00     |
|  |                         | 1       | 1         | 24.44              | 25.02      | < 30.00     |
|  |                         | 1       | 215       | 24.37              | 24.95      | < 30.00     |
|  |                         | 217     | 0         | 23.56              | 24.14      | < 30.00     |
|  |                         | 1       | 216       | 22.79              | 23.37      | < 30.00     |
|  |                         | 1       | 0         | 22.99              | 23.57      | < 30.00     |
| 3939.99  | 80                      | 109     | 54        | 24.61              | 25.19      | < 30.00     |
|  |                         | 1       | 1         | 24.70              | 25.28      | < 30.00     |
|  |                         | 1       | 215       | 24.67              | 25.25      | < 30.00     |
|  |                         | 217     | 0         | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 216       | 23.15              | 23.73      | < 30.00     |
|  |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3745.02  | 90                      | 123     | 61        | 24.35              | 24.93      | < 30.00     |
|  |                         | 1       | 1         | 24.26              | 24.84      | < 30.00     |
|  |                         | 1       | 243       | 23.96              | 24.54      | < 30.00     |
|  |                         | 245     | 0         | 23.25              | 23.83      | < 30.00     |
|  |                         | 1       | 244       | 22.84              | 23.42      | < 30.00     |
|  |                         | 1       | 0         | 22.50              | 23.08      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 16QAM  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 123     | 61        | 24.75              | 25.33      | < 30.00     |
|  |                         | 1       | 1         | 24.26              | 24.84      | < 30.00     |
|  |                         | 1       | 243       | 24.44              | 25.02      | < 30.00     |
|  |                         | 245     | 0         | 23.54              | 24.12      | < 30.00     |
|  |                         | 1       | 244       | 22.97              | 23.55      | < 30.00     |
|  |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3934.98  | 90                      | 123     | 61        | 24.64              | 25.22      | < 30.00     |
|  |                         | 1       | 1         | 24.48              | 25.06      | < 30.00     |
|  |                         | 1       | 243       | 24.54              | 25.12      | < 30.00     |
|  |                         | 245     | 0         | 23.64              | 24.22      | < 30.00     |
|  |                         | 1       | 244       | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 0         | 23.37              | 23.95      | < 30.00     |
| 3750.00  | 100                     | 137     | 68        | 24.44              | 25.02      | < 30.00     |
|  |                         | 1       | 1         | 24.11              | 24.69      | < 30.00     |
|  |                         | 1       | 271       | 23.90              | 24.48      | < 30.00     |
|  |                         | 273     | 0         | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 272       | 22.81              | 23.39      | < 30.00     |
|  |                         | 1       | 0         | 22.38              | 22.96      | < 30.00     |
| 3840.00  | 100                     | 137     | 68        | 24.68              | 25.26      | < 30.00     |
|  |                         | 1       | 1         | 24.30              | 24.88      | < 30.00     |
|  |                         | 1       | 271       | 24.54              | 25.12      | < 30.00     |
|  |                         | 273     | 0         | 23.63              | 24.21      | < 30.00     |
|  |                         | 1       | 272       | 22.43              | 23.01      | < 30.00     |
|  |                         | 1       | 0         | 22.90              | 23.48      | < 30.00     |
| 3930.00  | 100                     | 137     | 68        | 24.71              | 25.29      | < 30.00     |
|  |                         | 1       | 1         | 24.35              | 24.93      | < 30.00     |
|  |                         | 1       | 271       | 24.35              | 24.93      | < 30.00     |
|  |                         | 273     | 0         | 23.61              | 24.19      | < 30.00     |
|  |                         | 1       | 272       | 22.67              | 23.25      | < 30.00     |
|  |                         | 1       | 0         | 23.21              | 23.79      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3705.00         | 10                      | 12      | 6         | 22.91              | 23.49      | < 30.00     |
|                 |                         | 1       | 1         | 22.93              | 23.51      | < 30.00     |
|                 |                         | 1       | 22        | 23.09              | 23.67      | < 30.00     |
|                 |                         | 24      | 0         | 23.03              | 23.61      | < 30.00     |
|                 |                         | 1       | 23        | 23.03              | 23.61      | < 30.00     |
|                 |                         | 1       | 0         | 22.88              | 23.46      | < 30.00     |
| 3840.00         | 10                      | 12      | 6         | 23.30              | 23.88      | < 30.00     |
|                 |                         | 1       | 1         | 23.36              | 23.94      | < 30.00     |
|                 |                         | 1       | 22        | 23.28              | 23.86      | < 30.00     |
|                 |                         | 24      | 0         | 23.35              | 23.93      | < 30.00     |
|                 |                         | 1       | 23        | 23.34              | 23.92      | < 30.00     |
|                 |                         | 1       | 0         | 23.30              | 23.88      | < 30.00     |
| 3975.00         | 10                      | 12      | 6         | 23.65              | 24.23      | < 30.00     |
|                 |                         | 1       | 1         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 22        | 23.55              | 24.13      | < 30.00     |
|                 |                         | 24      | 0         | 23.67              | 24.25      | < 30.00     |
|                 |                         | 1       | 23        | 23.52              | 24.10      | < 30.00     |
|                 |                         | 1       | 0         | 23.85              | 24.43      | < 30.00     |
| 3707.52         | 15                      | 19      | 9         | 22.99              | 23.57      | < 30.00     |
|                 |                         | 1       | 1         | 23.21              | 23.79      | < 30.00     |
|                 |                         | 1       | 36        | 23.12              | 23.70      | < 30.00     |
|                 |                         | 38      | 0         | 23.03              | 23.61      | < 30.00     |
|                 |                         | 1       | 37        | 23.05              | 23.63      | < 30.00     |
|                 |                         | 1       | 0         | 23.09              | 23.67      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3840.00         | 15                      | 19      | 9         | 23.59              | 24.17      | < 30.00     |
|                 |                         | 1       | 1         | 23.44              | 24.02      | < 30.00     |
|                 |                         | 1       | 36        | 23.57              | 24.15      | < 30.00     |
|                 |                         | 38      | 0         | 23.48              | 24.06      | < 30.00     |
|                 |                         | 1       | 37        | 23.41              | 23.99      | < 30.00     |
|                 |                         | 1       | 0         | 23.62              | 24.20      | < 30.00     |
| 3972.48         | 15                      | 19      | 9         | 23.66              | 24.24      | < 30.00     |
|                 |                         | 1       | 1         | 23.86              | 24.44      | < 30.00     |
|                 |                         | 1       | 36        | 23.91              | 24.49      | < 30.00     |
|                 |                         | 38      | 0         | 23.76              | 24.34      | < 30.00     |
|                 |                         | 1       | 37        | 23.81              | 24.39      | < 30.00     |
|                 |                         | 1       | 0         | 23.96              | 24.54      | < 30.00     |
| 3710.01         | 20                      | 25      | 12        | 23.13              | 23.71      | < 30.00     |
|                 |                         | 1       | 1         | 23.24              | 23.82      | < 30.00     |
|                 |                         | 1       | 49        | 23.37              | 23.95      | < 30.00     |
|                 |                         | 51      | 0         | 23.20              | 23.78      | < 30.00     |
|                 |                         | 1       | 50        | 23.12              | 23.70      | < 30.00     |
|                 |                         | 1       | 0         | 23.32              | 23.90      | < 30.00     |
| 3840.00         | 20                      | 25      | 12        | 23.63              | 24.21      | < 30.00     |
|                 |                         | 1       | 1         | 23.49              | 24.07      | < 30.00     |
|                 |                         | 1       | 49        | 23.29              | 23.87      | < 30.00     |
|                 |                         | 51      | 0         | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 50        | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 0         | 23.81              | 24.39      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3969.99         | 20                      | 25      | 12        | 23.74              | 24.32      | < 30.00     |
|                 |                         | 1       | 1         | 23.79              | 24.37      | < 30.00     |
|                 |                         | 1       | 49        | 23.98              | 24.56      | < 30.00     |
|                 |                         | 51      | 0         | 23.71              | 24.29      | < 30.00     |
|                 |                         | 1       | 50        | 23.67              | 24.25      | < 30.00     |
|                 |                         | 1       | 0         | 23.72              | 24.30      | < 30.00     |
| 3715.02         | 30                      | 39      | 19        | 23.10              | 23.68      | < 30.00     |
|                 |                         | 1       | 1         | 23.42              | 24.00      | < 30.00     |
|                 |                         | 1       | 76        | 23.09              | 23.67      | < 30.00     |
|                 |                         | 78      | 0         | 23.11              | 23.69      | < 30.00     |
|                 |                         | 1       | 77        | 23.28              | 23.86      | < 30.00     |
|                 |                         | 1       | 0         | 23.13              | 23.71      | < 30.00     |
| 3840.00         | 30                      | 39      | 19        | 23.54              | 24.12      | < 30.00     |
|                 |                         | 1       | 1         | 23.56              | 24.14      | < 30.00     |
|                 |                         | 1       | 76        | 23.54              | 24.12      | < 30.00     |
|                 |                         | 78      | 0         | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 77        | 23.61              | 24.19      | < 30.00     |
|                 |                         | 1       | 0         | 23.79              | 24.37      | < 30.00     |
| 3964.98         | 30                      | 39      | 19        | 23.59              | 24.17      | < 30.00     |
|                 |                         | 1       | 1         | 23.60              | 24.18      | < 30.00     |
|                 |                         | 1       | 76        | 23.71              | 24.29      | < 30.00     |
|                 |                         | 78      | 0         | 23.58              | 24.16      | < 30.00     |
|                 |                         | 1       | 77        | 23.55              | 24.13      | < 30.00     |
|                 |                         | 1       | 0         | 23.88              | 24.46      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3720.00  | 40                      | 53      | 26        | 23.18              | 23.76      | < 30.00     |
|  |                         | 1       | 1         | 23.43              | 24.01      | < 30.00     |
|  |                         | 1       | 104       | 23.16              | 23.74      | < 30.00     |
|  |                         | 106     | 0         | 23.35              | 23.93      | < 30.00     |
|  |                         | 1       | 105       | 23.14              | 23.72      | < 30.00     |
|  |                         | 1       | 0         | 23.04              | 23.62      | < 30.00     |
| 3840.00  | 40                      | 53      | 26        | 23.47              | 24.05      | < 30.00     |
|  |                         | 1       | 1         | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 104       | 22.98              | 23.56      | < 30.00     |
|  |                         | 106     | 0         | 23.59              | 24.17      | < 30.00     |
|  |                         | 1       | 105       | 23.52              | 24.10      | < 30.00     |
|  |                         | 1       | 0         | 23.34              | 23.92      | < 30.00     |
| 3960.00  | 40                      | 53      | 26        | 23.57              | 24.15      | < 30.00     |
|  |                         | 1       | 1         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 104       | 23.81              | 24.39      | < 30.00     |
|  |                         | 106     | 0         | 23.62              | 24.20      | < 30.00     |
|  |                         | 1       | 105       | 23.60              | 24.18      | < 30.00     |
|  |                         | 1       | 0         | 23.83              | 24.41      | < 30.00     |
| 3725.01  | 50                      | 67      | 33        | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 1         | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 131       | 22.94              | 23.52      | < 30.00     |
|  |                         | 133     | 0         | 22.89              | 23.47      | < 30.00     |
|  |                         | 1       | 132       | 23.14              | 23.72      | < 30.00     |
|  |                         | 1       | 0         | 22.82              | 23.40      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3840.00  | 50                      | 67      | 33        | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 1         | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 131       | 23.30              | 23.88      | < 30.00     |
|  |                         | 133     | 0         | 23.26              | 23.84      | < 30.00     |
|  |                         | 1       | 132       | 23.37              | 23.95      | < 30.00     |
|  |                         | 1       | 0         | 23.15              | 23.73      | < 30.00     |
| 3954.99  | 50                      | 67      | 33        | 23.34              | 23.92      | < 30.00     |
|  |                         | 1       | 1         | 23.44              | 24.02      | < 30.00     |
|  |                         | 1       | 131       | 23.58              | 24.16      | < 30.00     |
|  |                         | 133     | 0         | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 132       | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 0         | 23.57              | 24.15      | < 30.00     |
| 3730.02  | 60                      | 81      | 40        | 22.89              | 23.47      | < 30.00     |
|  |                         | 1       | 1         | 23.12              | 23.70      | < 30.00     |
|  |                         | 1       | 160       | 22.98              | 23.56      | < 30.00     |
|  |                         | 162     | 0         | 22.87              | 23.45      | < 30.00     |
|  |                         | 1       | 161       | 22.92              | 23.50      | < 30.00     |
|  |                         | 1       | 0         | 22.77              | 23.35      | < 30.00     |
| 3840.00  | 60                      | 81      | 40        | 23.28              | 23.86      | < 30.00     |
|  |                         | 1       | 1         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 160       | 23.33              | 23.91      | < 30.00     |
|  |                         | 162     | 0         | 23.32              | 23.90      | < 30.00     |
|  |                         | 1       | 161       | 23.27              | 23.85      | < 30.00     |
|  |                         | 1       | 0         | 23.61              | 24.19      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3949.98  | 60                      | 81      | 40        | 23.15              | 23.73      | < 30.00     |
|  |                         | 1       | 1         | 23.30              | 23.88      | < 30.00     |
|  |                         | 1       | 160       | 23.38              | 23.96      | < 30.00     |
|  |                         | 162     | 0         | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 161       | 23.17              | 23.75      | < 30.00     |
|  |                         | 1       | 0         | 23.38              | 23.96      | < 30.00     |
| 3735.00  | 70                      | 95      | 47        | 22.76              | 23.34      | < 30.00     |
|  |                         | 1       | 1         | 22.66              | 23.24      | < 30.00     |
|  |                         | 1       | 187       | 22.71              | 23.29      | < 30.00     |
|  |                         | 189     | 0         | 22.73              | 23.31      | < 30.00     |
|  |                         | 1       | 188       | 22.64              | 23.22      | < 30.00     |
|  |                         | 1       | 0         | 22.75              | 23.33      | < 30.00     |
| 3840.00  | 70                      | 95      | 47        | 23.05              | 23.63      | < 30.00     |
|  |                         | 1       | 1         | 22.96              | 23.54      | < 30.00     |
|  |                         | 1       | 187       | 22.83              | 23.41      | < 30.00     |
|  |                         | 189     | 0         | 22.99              | 23.57      | < 30.00     |
|  |                         | 1       | 188       | 22.74              | 23.32      | < 30.00     |
|  |                         | 1       | 0         | 22.92              | 23.50      | < 30.00     |
| 3945.00  | 70                      | 95      | 47        | 23.16              | 23.74      | < 30.00     |
|  |                         | 1       | 1         | 23.33              | 23.91      | < 30.00     |
|  |                         | 1       | 187       | 23.02              | 23.60      | < 30.00     |
|  |                         | 189     | 0         | 23.15              | 23.73      | < 30.00     |
|  |                         | 1       | 188       | 23.39              | 23.97      | < 30.00     |
|  |                         | 1       | 0         | 23.12              | 23.70      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM   |                         |         |           |                    |            |             |
| 3740.01         | 80                      | 109     | 54        | 22.84              | 23.42      | < 30.00     |
|                 |                         | 1       | 1         | 22.85              | 23.43      | < 30.00     |
|                 |                         | 1       | 215       | 22.77              | 23.35      | < 30.00     |
|                 |                         | 217     | 0         | 22.79              | 23.37      | < 30.00     |
|                 |                         | 1       | 216       | 22.82              | 23.40      | < 30.00     |
|                 |                         | 1       | 0         | 22.58              | 23.16      | < 30.00     |
| 3840.00         | 80                      | 109     | 54        | 23.17              | 23.75      | < 30.00     |
|                 |                         | 1       | 1         | 22.90              | 23.48      | < 30.00     |
|                 |                         | 1       | 215       | 22.89              | 23.47      | < 30.00     |
|                 |                         | 217     | 0         | 23.13              | 23.71      | < 30.00     |
|                 |                         | 1       | 216       | 22.68              | 23.26      | < 30.00     |
|                 |                         | 1       | 0         | 22.73              | 23.31      | < 30.00     |
| 3939.99         | 80                      | 109     | 54        | 23.16              | 23.74      | < 30.00     |
|                 |                         | 1       | 1         | 23.27              | 23.85      | < 30.00     |
|                 |                         | 1       | 215       | 23.23              | 23.81      | < 30.00     |
|                 |                         | 217     | 0         | 23.09              | 23.67      | < 30.00     |
|                 |                         | 1       | 216       | 23.24              | 23.82      | < 30.00     |
|                 |                         | 1       | 0         | 23.19              | 23.77      | < 30.00     |
| 3745.02         | 90                      | 123     | 61        | 22.91              | 23.49      | < 30.00     |
|                 |                         | 1       | 1         | 22.88              | 23.46      | < 30.00     |
|                 |                         | 1       | 243       | 22.74              | 23.32      | < 30.00     |
|                 |                         | 245     | 0         | 22.82              | 23.40      | < 30.00     |
|                 |                         | 1       | 244       | 22.77              | 23.35      | < 30.00     |
|                 |                         | 1       | 0         | 22.72              | 23.30      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 64QAM  |                         |         |           |                    |            |             |
| 3840.00  | 90                      | 123     | 61        | 23.08              | 23.66      | < 30.00     |
|  |                         | 1       | 1         | 22.79              | 23.37      | < 30.00     |
|  |                         | 1       | 243       | 22.93              | 23.51      | < 30.00     |
|  |                         | 245     | 0         | 23.00              | 23.58      | < 30.00     |
|  |                         | 1       | 244       | 22.58              | 23.16      | < 30.00     |
|  |                         | 1       | 0         | 22.87              | 23.45      | < 30.00     |
| 3934.98  | 90                      | 123     | 61        | 23.20              | 23.78      | < 30.00     |
|  |                         | 1       | 1         | 22.95              | 23.53      | < 30.00     |
|  |                         | 1       | 243       | 23.14              | 23.72      | < 30.00     |
|  |                         | 245     | 0         | 23.11              | 23.69      | < 30.00     |
|  |                         | 1       | 244       | 23.04              | 23.62      | < 30.00     |
|  |                         | 1       | 0         | 22.96              | 23.54      | < 30.00     |
| 3750.00  | 100                     | 137     | 68        | 22.71              | 23.29      | < 30.00     |
|  |                         | 1       | 1         | 22.70              | 23.28      | < 30.00     |
|  |                         | 1       | 271       | 22.52              | 23.10      | < 30.00     |
|  |                         | 273     | 0         | 22.83              | 23.41      | < 30.00     |
|  |                         | 1       | 272       | 22.52              | 23.10      | < 30.00     |
|  |                         | 1       | 0         | 22.59              | 23.17      | < 30.00     |
| 3840.00  | 100                     | 137     | 68        | 23.00              | 23.58      | < 30.00     |
|  |                         | 1       | 1         | 22.59              | 23.17      | < 30.00     |
|  |                         | 1       | 271       | 22.77              | 23.35      | < 30.00     |
|  |                         | 273     | 0         | 23.01              | 23.59      | < 30.00     |
|  |                         | 1       | 272       | 22.40              | 22.98      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| 3930.00  | 100                     | 137     | 68        | 23.03              | 23.61      | < 30.00     |
|  |                         | 1       | 1         | 22.70              | 23.28      | < 30.00     |
|  |                         | 1       | 271       | 23.27              | 23.85      | < 30.00     |
|  |                         | 273     | 0         | 23.07              | 23.65      | < 30.00     |
|  |                         | 1       | 272       | 22.61              | 23.19      | < 30.00     |
|  |                         | 1       | 0         | 22.84              | 23.42      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz)  | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM   |                         |         |           |                    |            |             |
| 3705.00  | 10                      | 12      | 6         | 20.03              | 20.61      | < 30.00     |
|  |                         | 1       | 1         | 20.33              | 20.91      | < 30.00     |
|  |                         | 1       | 22        | 20.30              | 20.88      | < 30.00     |
|  |                         | 24      | 0         | 20.14              | 20.72      | < 30.00     |
|  |                         | 1       | 23        | 20.39              | 20.97      | < 30.00     |
|  |                         | 1       | 0         | 20.21              | 20.79      | < 30.00     |
| 3840.00  | 10                      | 12      | 6         | 20.47              | 21.05      | < 30.00     |
|  |                         | 1       | 1         | 20.69              | 21.27      | < 30.00     |
|  |                         | 1       | 22        | 20.70              | 21.28      | < 30.00     |
|  |                         | 24      | 0         | 20.43              | 21.01      | < 30.00     |
|  |                         | 1       | 23        | 20.63              | 21.21      | < 30.00     |
|  |                         | 1       | 0         | 20.51              | 21.09      | < 30.00     |
| 3975.00  | 10                      | 12      | 6         | 20.70              | 21.28      | < 30.00     |
|  |                         | 1       | 1         | 21.07              | 21.65      | < 30.00     |
|  |                         | 1       | 22        | 21.03              | 21.61      | < 30.00     |
|  |                         | 24      | 0         | 20.77              | 21.35      | < 30.00     |
|  |                         | 1       | 23        | 20.85              | 21.43      | < 30.00     |
|  |                         | 1       | 0         | 20.70              | 21.28      | < 30.00     |
| 3707.52  | 15                      | 19      | 9         | 20.14              | 20.72      | < 30.00     |
|  |                         | 1       | 1         | 20.39              | 20.97      | < 30.00     |
|  |                         | 1       | 36        | 20.31              | 20.89      | < 30.00     |
|  |                         | 38      | 0         | 20.06              | 20.64      | < 30.00     |
|  |                         | 1       | 37        | 20.45              | 21.03      | < 30.00     |
|  |                         | 1       | 0         | 20.28              | 20.86      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                         |         |           |                    |            |             |

| Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| CP OFDM 256QAM  |                         |         |           |                    |            |             |
| 3840.00         | 15                      | 19      | 9         | 20.66              | 21.24      | < 30.00     |
|                 |                         | 1       | 1         | 20.91              | 21.49      | < 30.00     |
|                 |                         | 1       | 36        | 20.88              | 21.46      | < 30.00     |
|                 |                         | 38      | 0         | 20.64              | 21.22      | < 30.00     |
|                 |                         | 1       | 37        | 20.81              | 21.39      | < 30.00     |
|                 |                         | 1       | 0         | 20.79              | 21.37      | < 30.00     |
| 3972.48         | 15                      | 19      | 9         | 20.73              | 21.31      | < 30.00     |
|                 |                         | 1       | 1         | 21.09              | 21.67      | < 30.00     |
|                 |                         | 1       | 36        | 21.09              | 21.67      | < 30.00     |
|                 |                         | 38      | 0         | 20.84              | 21.42      | < 30.00     |
|                 |                         | 1       | 37        | 20.85              | 21.43      | < 30.00     |
|                 |                         | 1       | 0         | 21.06              | 21.64      | < 30.00     |
| 3710.01         | 20                      | 25      | 12        | 20.01              | 20.59      | < 30.00     |
|                 |                         | 1       | 1         | 20.50              | 21.08      | < 30.00     |
|                 |                         | 1       | 49        | 20.38              | 20.96      | < 30.00     |
|                 |                         | 51      | 0         | 20.12              | 20.70      | < 30.00     |
|                 |                         | 1       | 50        | 20.51              | 21.09      | < 30.00     |
|                 |                         | 1       | 0         | 20.45              | 21.03      | < 30.00     |
| 3840.00         | 20                      | 25      | 12        | 20.64              | 21.22      | < 30.00     |
|                 |                         | 1       | 1         | 20.77              | 21.35      | < 30.00     |
|                 |                         | 1       | 49        | 20.97              | 21.55      | < 30.00     |
|                 |                         | 51      | 0         | 20.60              | 21.18      | < 30.00     |
|                 |                         | 1       | 50        | 20.75              | 21.33      | < 30.00     |
|                 |                         | 1       | 0         | 20.85              | 21.43      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)