





Restrict Band NVNT ax40 2452MHz Ant1 Peak



Restrict Band NVNT ax40 2452MHz Ant1 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	2310	-48.01	5.01	52.23	Peak	74	Pass
NVNT	n20	2412	2310	-57.83	5.01	42.41	Average	54	Pass
NVNT	n20	2412	2385.231	-34.3	5.01	65.94	Peak	74	Pass
NVNT	n20	2412	2389.911	-48.5	5.01	51.74	Average	54	Pass
NVNT	n20	2412	2390	-39.16	5.01	61.08	Peak	74	Pass
NVNT	n20	2412	2390	-48.43	5.01	51.81	Average	54	Pass
NVNT	n20	2462	2483.5	-37.02	5.01	63.22	Peak	74	Pass
NVNT	n20	2462	2483.5	-48.44	5.01	51.80	Average	54	Pass
NVNT	n20	2462	2484.948	-24.44	5.01	75.80	Peak	74	Pass
NVNT	n20	2462	2483.623	-48.32	5.01	51.92	Average	54	Pass
NVNT	n20	2462	2500	-45.42	5.01	54.82	Peak	74	Pass
NVNT	n20	2462	2500	-54.48	5.01	45.76	Average	54	Pass
NVNT	n40	2422	2310	-49.11	5.01	51.13	Peak	74	Pass
NVNT	n40	2422	2310	-57.49	5.01	42.75	Average	54	Pass
NVNT	n40	2422	2389.378	-30	5.01	70.24	Peak	74	Pass
NVNT	n40	2422	2389.946	-45.62	5.01	54.62	Average	54	Pass
NVNT	n40	2422	2390	-34.69	5.01	65.55	Peak	74	Pass
NVNT	n40	2422	2390	-45.86	5.01	54.38	Average	54	Pass
NVNT	n40	2452	2483.5	-36.54	5.01	63.70	Peak	74	Pass
NVNT	n40	2452	2483.5	-46.73	5.01	53.51	Average	54	Pass
NVNT	n40	2452	2484.556	-30.04	5.01	70.20	Peak	74	Pass
NVNT	n40	2452	2484.088	-46.26	5.01	53.98	Average	54	Pass
NVNT	n40	2452	2500	-39.8	5.01	60.44	Peak	74	Pass
NVNT	n40	2452	2500	-52.63	5.01	47.61	Average	54	Pass
NVNT	ax20	2412	2310	-49.58	5.01	50.66	Peak	74	Pass
NVNT	ax20	2412	2310	-57.75	5.01	42.49	Average	54	Pass
NVNT	ax20	2412	2386.752	-26.82	5.01	73.42	Peak	74	Pass
NVNT	ax20	2412	2389.794	-49.97	5.01	50.27	Average	54	Pass
NVNT	ax20	2412	2390	-37.63	5.01	62.61	Peak	74	Pass
NVNT	ax20	2412	2390	-50.34	5.01	49.90	Average	54	Pass
NVNT	ax20	2462	2483.5	-37.88	5.01	62.36	Peak	74	Pass
NVNT	ax20	2462	2483.5	-49.88	5.01	50.36	Average	54	Pass
NVNT	ax20	2462	2494.329	-35.01	5.01	65.23	Peak	74	Pass
NVNT	ax20	2462	2483.623	-49.75	5.01	50.49	Average	54	Pass
NVNT	ax20	2462	2500	-44.09	5.01	56.15	Peak	74	Pass
NVNT	ax20	2462	2500	-53.44	5.01	46.80	Average	54	Pass
NVNT	ax40	2422	2310	-48.55	5.01	51.69	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




NVNT	ax40	2422	2310	-57.88	5.01	42.36	Average	54	Pass
NVNT	ax40	2422	2388.1	-26.14	5.01	74.10	Peak	74	Pass
NVNT	ax40	2422	2389.52	-46.8	5.01	53.44	Average	54	Pass
NVNT	ax40	2422	2390	-30.32	5.01	69.92	Peak	74	Pass
NVNT	ax40	2422	2390	-46.65	5.01	53.59	Average	54	Pass
NVNT	ax40	2452	2483.5	-43.34	5.01	56.90	Peak	74	Pass
NVNT	ax40	2452	2483.5	-54.41	5.01	45.83	Average	54	Pass
NVNT	ax40	2452	2488.3	-38.84	5.01	61.40	Peak	74	Pass
NVNT	ax40	2452	2485.18	-53.86	5.01	46.38	Average	54	Pass
NVNT	ax40	2452	2500	-47.01	5.01	53.23	Peak	74	Pass
NVNT	ax40	2452	2500	-55.01	5.01	45.23	Average	54	Pass






Restrict Band NVNT n20 2412MHz Peak




Restrict Band NVNT n20 2412MHz Average






Restrict Band NVNT n20 2462MHz Peak




Restrict Band NVNT n20 2462MHz Average






Restrict Band NVNT n40 2422MHz Peak




Restrict Band NVNT n40 2422MHz Average






Restrict Band NVNT n40 2452MHz Peak




Restrict Band NVNT n40 2452MHz Average






Restrict Band NVNT ax20 2412MHz Peak




Restrict Band NVNT ax20 2412MHz Average






Restrict Band NVNT ax20 2462MHz Peak




Restrict Band NVNT ax20 2462MHz Average






Restrict Band NVNT ax40 2422MHz Peak




Restrict Band NVNT ax40 2422MHz Average





Restrict Band NVNT ax40 2452MHz Peak



Restrict Band NVNT ax40 2452MHz Average

