


Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.84	0.56	-2.28	5.45	Complies



Date: 24.MAR.2025 00:15:50

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.86	0.56	-2.30	5.45	Complies




Date: 24.MAR.2025 00:16:20

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.65	5.45	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.64	0.50	-1.14	5.45	Complies



Date: 24.MAR.2025 20:03:56

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.54	0.50	-2.04	5.45	Complies



Date: 24.MAR.2025 20:04:27


Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.06	0.50	-1.56	5.45	Complies



Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.01	0.50	-1.51	5.45	Complies




Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	4.47	5.45	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.58	0.23	-0.35	5.45	Complies
116	5580	-0.43	0.23	-0.20	5.45	Complies
140	5700	-0.45	0.23	-0.22	5.45	Complies



Date: 23.MAR.2025 01:26:05




Date: 23.MAR.2025 01:28:39




Date: 23.MAR.2025 01:09:44

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.27	0.23	-1.04	5.45	Complies
116	5580	-1.30	0.23	-1.07	5.45	Complies
140	5700	-1.18	0.23	-0.95	5.45	Complies



Date: 23.MAR.2025 01:25:33




Date: 23.MAR.2025 01:29:10



Date: 23.MAR.2025 01:12:02


Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.64	0.23	-0.41	5.45	Complies
116	5580	-0.60	0.23	-0.37	5.45	Complies
140	5700	0.17	0.23	0.40	5.45	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.23	0.23	-1.00	5.45	Complies
116	5580	-1.53	0.23	-1.30	5.45	Complies
140	5700	-2.14	0.23	-1.91	5.45	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.33	5.45	Complies
116	5580	5.31	5.45	Complies
140	5700	5.43	5.45	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.49	0.00	-0.49	5.45	Complies
116	5580	-0.54	0.00	-0.54	5.45	Complies
140	5700	-0.43	0.00	-0.43	5.45	Complies



Date: 23.MAR.2025 01:52:56




Date: 23.MAR.2025 01:58:18




Date: 23.MAR.2025 02:03:35

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.25	0.00	-1.25	5.45	Complies
116	5580	-1.22	0.00	-1.22	5.45	Complies
140	5700	-1.20	0.00	-1.20	5.45	Complies



Date: 23.MAR.2025 01:53:33




Date: 23.MAR.2025 01:58:48



Date: 23.MAR.2025 02:04:08


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.60	0.00	-0.60	5.45	Complies
116	5580	-0.39	0.00	-0.39	5.45	Complies
140	5700	0.00	0.00	0.00	5.45	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.15	0.00	-1.15	5.45	Complies
116	5580	-0.99	0.00	-0.99	5.45	Complies
140	5700	-2.28	0.00	-2.28	5.45	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.16	5.45	Complies
116	5580	5.25	5.45	Complies
140	5700	5.13	5.45	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.55	0.13	-0.42	5.45	Complies
110	5550	-0.47	0.13	-0.34	5.45	Complies
134	5670	-0.63	0.13	-0.50	5.45	Complies



Date: 24.MAR.2025 21:21:18




Date: 24.MAR.2025 21:27:07




Date: 24.MAR.2025 21:37:12

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.36	0.13	-1.23	5.45	Complies
110	5550	-1.24	0.13	-1.11	5.45	Complies
134	5670	-1.22	0.13	-1.09	5.45	Complies



Date: 24.MAR.2025 21:20:45




Date: 24.MAR.2025 21:26:34



Date: 24.MAR.2025 21:36:39


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.76	0.13	-0.63	5.45	Complies
110	5550	-0.43	0.13	-0.30	5.45	Complies
134	5670	-0.23	0.13	-0.10	5.45	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.95	0.13	-0.82	5.45	Complies
110	5550	-0.94	0.13	-0.81	5.45	Complies
134	5670	-2.02	0.13	-1.89	5.45	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.26	5.45	Complies
110	5550	5.40	5.45	Complies
134	5670	5.18	5.45	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.93	0.32	-0.61	5.45	Complies
122	5610	-0.66	0.32	-0.34	5.45	Complies

CH106



Date: 24.MAR.2025 00:04:15

CH122




Date: 24.MAR.2025 00:06:18

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.65	0.32	-1.33	5.45	Complies
122	5610	-1.50	0.32	-1.18	5.45	Complies

CH106



Date: 24.MAR.2025 00:03:36

CH122




Date: 24.MAR.2025 00:06:51

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.94	0.32	-0.62	5.45	Complies
122	5610	-0.61	0.32	-0.29	5.45	Complies

CH106



Date: 24.MAR.2025 00:03:01

CH122




Date: 24.MAR.2025 00:07:26

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.58	0.32	-1.26	5.45	Complies
122	5610	-2.00	0.32	-1.68	5.45	Complies

CH106



Date: 24.MAR.2025 00:02:28

CH122




Date: 24.MAR.2025 00:08:04

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.08	5.45	Complies
122	5610	5.19	5.45	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.27	0.56	-1.71	5.45	Complies



Date: 24.MAR.2025 00:19:09

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.19	0.56	-2.63	5.45	Complies



Date: 24.MAR.2025 00:19:41

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.10	0.56	-1.54	5.45	Complies



Date: 24.MAR.2025 00:18:13

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.32	0.56	-2.76	5.45	Complies




Date: 24.MAR.2025 00:17:38

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.89	5.45	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.30	0.10	-0.20	5.45	Complies
116	5580	-0.29	0.10	-0.19	5.45	Complies
140	5700	-0.59	0.10	-0.49	5.45	Complies



Date: 24.MAR.2025 15:13:24




Date: 24.MAR.2025 15:13:32




Date: 24.MAR.2025 15:13:45

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.23	0.10	-1.13	5.45	Complies
116	5580	-1.06	0.10	-0.96	5.45	Complies
140	5700	-1.32	0.10	-1.22	5.45	Complies



Date: 24.MAR.2025 15:15:06




Date: 24.MAR.2025 15:13:06




Date: 24.MAR.2025 15:14:16

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.65	0.10	-0.55	5.45	Complies
116	5580	-0.45	0.10	-0.35	5.45	Complies
140	5700	-0.22	0.10	-0.12	5.45	Complies



Date: 24.MAR.2025 15:35:32




Date: 24.MAR.2025 15:37:38




Date: 24.MAR.2025 15:40:42

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.45	0.10	-1.35	5.45	Complies
116	5580	-1.47	0.10	-1.37	5.45	Complies
140	5700	-2.62	0.10	-2.52	5.45	Complies



Date: 24.MAR.2025 15:36:00



Date: 24.MAR.2025 15:37:10




Date: 24.MAR.2025 15:41:08

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.24	5.45	Complies
116	5580	5.33	5.45	Complies
140	5700	5.03	5.45	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.54	0.16	-0.38	5.45	Complies
110	5550	-0.45	0.16	-0.29	5.45	Complies
134	5670	-0.29	0.16	-0.13	5.45	Complies



Date: 24.MAR.2025 17:30:10




Date: 24.MAR.2025 17:32:41




Date: 24.MAR.2025 17:39:23

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.11	0.16	-0.95	5.45	Complies
110	5550	-1.13	0.16	-0.97	5.45	Complies
134	5670	-1.25	0.16	-1.09	5.45	Complies



Date: 24.MAR.2025 17:28:28




Date: 24.MAR.2025 17:33:14




Date: 24.MAR.2025 17:38:50

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.47	0.16	-0.31	5.45	Complies
110	5550	-0.73	0.16	-0.57	5.45	Complies
134	5670	0.01	0.16	0.17	5.45	Complies



Date: 24.MAR.2025 17:27:17




Date: 24.MAR.2025 17:33:44




Date: 24.MAR.2025 17:38:16

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.12	0.16	-0.96	5.45	Complies
110	5550	-1.18	0.16	-1.02	5.45	Complies
134	5670	-1.98	0.16	-1.82	5.45	Complies



Date: 24.MAR.2025 17:26:24



Date: 24.MAR.2025 17:35:20



Date: 24.MAR.2025 17:37:39


Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.38	5.45	Complies
110	5550	5.32	5.45	Complies
134	5670	5.38	5.45	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.47	0.30	-0.17	5.45	Complies
122	5610	-0.56	0.30	-0.26	5.45	Complies

CH106



Date: 24.MAR.2025 19:08:59

CH122




Date: 24.MAR.2025 19:48:16

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.50	0.30	-1.20	5.45	Complies
122	5610	-1.68	0.30	-1.38	5.45	Complies

CH106



Date: 24.MAR.2025 19:09:36


CH122




Date: 24.MAR.2025 19:49:09

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.66	0.30	-0.36	5.45	Complies
122	5610	-0.56	0.30	-0.26	5.45	Complies




Date: 24.MAR.2025 19:14:29




Date: 24.MAR.2025 19:49:59

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.15	0.30	-0.85	5.45	Complies
122	5610	-1.92	0.30	-1.62	5.45	Complies



Date: 24.MAR.2025 19:15:09




Date: 24.MAR.2025 19:15:18

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.40	5.45	Complies
122	5610	5.19	5.45	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.38	0.50	-0.88	5.45	Complies



Date: 24.MAR.2025 20:20:18

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.56	0.50	-2.06	5.45	Complies



Date: 24.MAR.2025 20:18:43

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.37	0.50	-0.87	5.45	Complies



Date: 24.MAR.2025 20:14:13

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.48	0.50	-1.98	5.45	Complies




Date: 24.MAR.2025 20:13:04

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	4.61	5.45	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.51	0.23	9.74	24.45	Complies
157	5785	9.90	0.23	10.13	24.45	Complies
165	5825	9.68	0.23	9.91	24.45	Complies



Date: 23.MAR.2025 01:14:16




Date: 23.MAR.2025 01:18:17




Date: 23.MAR.2025 01:19:17

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.70	0.23	8.93	24.45	Complies
157	5785	8.93	0.23	9.16	24.45	Complies
165	5825	8.86	0.23	9.09	24.45	Complies



Date: 23.MAR.2025 01:15:00




Date: 23.MAR.2025 01:18:08




Date: 23.MAR.2025 01:19:14

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.55	0.23	9.78	24.45	Complies
157	5785	9.75	0.23	9.98	24.45	Complies
165	5825	9.34	0.23	9.57	24.45	Complies



Date: 23.MAR.2025 01:15:41




Date: 23.MAR.2025 01:17:38




Date: 23.MAR.2025 01:20:28

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.39	0.23	9.62	24.45	Complies
157	5785	9.50	0.23	9.73	24.45	Complies
165	5825	9.28	0.23	9.51	24.45	Complies



Date: 23.MAR.2025 01:16:13



Date: 23.MAR.2025 01:17:04






Date: 23.MAR.2025 01:21:02

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.55	24.45	Complies
157	5785	15.78	24.45	Complies
165	5825	15.55	24.45	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.61	0.00	9.61	24.45	Complies
157	5785	9.14	0.00	9.14	24.45	Complies
165	5825	9.66	0.00	9.66	24.45	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.71	0.00	8.71	24.45	Complies
157	5785	9.82	0.00	9.82	24.45	Complies
165	5825	8.97	0.00	8.97	24.45	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.48	0.00	9.48	24.45	Complies
157	5785	9.74	0.00	9.74	24.45	Complies
165	5825	9.53	0.00	9.53	24.45	Complies



Date: 23.MAR.2025 02:06:44




Date: 23.MAR.2025 02:10:59




Date: 23.MAR.2025 02:12:53

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.39	0.00	9.39	24.45	Complies
157	5785	9.77	0.00	9.77	24.45	Complies
165	5825	9.37	0.00	9.37	24.45	Complies



Date: 23.MAR.2025 02:06:16



Date: 23.MAR.2025 02:11:33



Date: 23.MAR.2025 02:12:20


Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.33	24.45	Complies
157	5785	15.65	24.45	Complies
165	5825	15.41	24.45	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.52	0.13	7.65	24.45	Complies
159	5795	7.77	0.13	7.90	24.45	Complies

CH151



Date: 24.MAR.2025 21:39:36

CH159




Date: 24.MAR.2025 21:46:43

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.89	0.13	7.02	24.45	Complies
159	5795	7.14	0.13	7.27	24.45	Complies

CH151



Date: 24.MAR.2025 21:40:05


CH159



Date: 24.MAR.2025 21:46:15


Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.75	0.13	7.88	24.45	Complies
159	5795	7.69	0.13	7.82	24.45	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.57	0.13	7.70	24.45	Complies
159	5795	8.14	0.13	8.27	24.45	Complies




Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.60	24.45	Complies
159	5795	13.85	24.45	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.76	0.32	4.08	24.45	Complies



Date: 24.MAR.2025 00:11:23

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.16	0.32	3.48	24.45	Complies



Date: 24.MAR.2025 00:10:52

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.97	0.32	4.29	24.45	Complies



Date: 24.MAR.2025 00:10:22

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.16	0.32	4.48	24.45	Complies




Date: 24.MAR.2025 00:09:53

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	10.12	24.45	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.87	0.10	9.97	24.45	Complies
157	5785	9.92	0.10	10.02	24.45	Complies
165	5825	9.64	0.10	9.74	24.45	Complies



Date: 24.MAR.2025 15:53:11




Date: 24.MAR.2025 15:52:50




Date: 24.MAR.2025 15:52:07

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.65	0.10	8.75	24.45	Complies
157	5785	8.90	0.10	9.00	24.45	Complies
165	5825	8.85	0.10	8.95	24.45	Complies



Date: 24.MAR.2025 15:49:52




Date: 24.MAR.2025 15:50:40




Date: 24.MAR.2025 15:51:21

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.68	0.10	9.78	24.45	Complies
157	5785	9.64	0.10	9.74	24.45	Complies
165	5825	9.81	0.10	9.91	24.45	Complies



Date: 24.MAR.2025 15:49:15




Date: 24.MAR.2025 15:48:34




Date: 24.MAR.2025 15:47:51

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.58	0.10	9.68	24.45	Complies
157	5785	10.25	0.10	10.35	24.45	Complies
165	5825	9.55	0.10	9.65	24.45	Complies



Date: 24.MAR.2025 15:43:29



Date: 24.MAR.2025 15:46:33



Date: 24.MAR.2025 15:47:12


Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.59	24.45	Complies
157	5785	15.83	24.45	Complies
165	5825	15.60	24.45	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.29	0.16	6.45	24.45	Complies
159	5795	5.82	0.16	5.98	24.45	Complies

CH151



Date: 24.MAR.2025 17:42:58

CH159




Date: 24.MAR.2025 17:46:28

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.45	0.16	6.61	24.45	Complies
159	5795	6.10	0.16	6.26	24.45	Complies

CH151



Date: 24.MAR.2025 17:43:35


CH159



Date: 24.MAR.2025 17:45:57


Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.18	0.16	7.34	24.45	Complies
159	5795	6.78	0.16	6.94	24.45	Complies



Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.76	0.16	6.92	24.45	Complies
159	5795	7.00	0.16	7.16	24.45	Complies




Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.87	24.45	Complies
159	5795	12.64	24.45	Complies


Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.76	0.30	3.06	24.45	Complies




Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.83	0.30	3.13	24.45	Complies




Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.62	0.30	3.92	24.45	Complies



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.47	0.30	3.77	24.45	Complies



Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.51	24.45	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
132	5180.0199
120	5180.0199
108	5180.0400
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.7172

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0350
10	5180.0302
20	5180.0199
30	5180.0150
40	5180.0150
Maximum Deviation (MHz)	0.0350
Maximum Deviation (ppm)	6.7568

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
132	5260.0400
120	5260.0150
108	5260.0199
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.6022

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5260.0400
10	5260.0199
20	5260.0350
30	5260.0199
40	5260.0350
Maximum Deviation (MHz)	0.0350
Maximum Deviation (ppm)	6.6540

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
132	5500.0200
120	5500.0351
108	5500.0150
Maximum Deviation (MHz)	0.0351
Maximum Deviation (ppm)	6.3864

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5500.0400
10	5500.0350
20	5500.0400
30	5500.0350
40	5500.0350
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.2745

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
132	5745.0350
120	5745.0600
108	5745.0350
Maximum Deviation (MHz)	0.0600
Maximum Deviation (ppm)	10.4417

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0199
10	5745.0350
20	5745.0400
30	5745.0150
40	5745.0200
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	6.9604

End of Test Report