

SPECIFICATION FOR APPROVAL

CUSTOMER`S NAME : Shenzhen Mingjingtian Electronics Co., LTD


CUSTOMER`S P/N : _____

PRODUCT SPEC : Y. A11. 333

ISSUE DATE : Sept. 25, 2024

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Li Bei	Cheng Jie	Li Bowen	




DONGGUAN BOHONG TECHNOLOGY CO., LTD

ADD: 4F, 533 Fumin Middle Road, Dalang Town, Dongguan City

TEL: 0769-82866410

FAX: 0769-82866409

CHN TECHNOLOGY CO., LTD.
FOR APPROVAL

CUSTOMER'S P/N	
PRODUCT SPEC	
CONTROL DRAWING	

[illegible]

Red Technology Co., Ltd.
FOR APPROVAL


COMER'S P/N	工程专用章
UCT SPEC	

[illegible]

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Phyllostachys macrophylla	CUSTOMER'S P/N	
ISSUE DATE	Sept. 25, 24	PRODUCT SPEC	Y.A11.333

2.DIMENSION:



注:


1. 双面胶，带手撕位；
2. 线圈表面干净整洁，不散线，缝隙不超过线径的1/2；
3. 线圈居中贴在磁片，起绕线入槽；

ISSUE BY	Li Bei	CHECK BY	Cheng Jie	APPROVAL BY	Li Bowen
-------------	--------	-------------	-----------	----------------	----------

DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Phyllostachys macrophylla	CUSTOMER'S P/N	
ISSUE DATE	Sept. 25, 24	PRODUCT SPEC	Y. A11. 333

4.CIRCUIT DIAGRAM



“ ● ”: POLARITY/极性

5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*105P	10	/	CCW

6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.4uH ±10%	LCR1062 100KHz/1V AT 25°C±2°C

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL



CUSTOMER	Phyllostachys macrophylla	CUSTOMER'S P/N		
ISSUE DATE	Sept. 25, 24	PRODUCT SPEC	Y.A11.333	
memoire				
Serial number	content	Treatment method	signature	Day period
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				