

Model: MI-QIS14

SPECIFICATION FOR APPROVAL

CUSTOMER'S NAME: Shenzhen Mingjingtian Electronics Co., LTD

CUSTOMER'S P/N: _____

PRODUCT SPEC: Y. A11. 333

ISSUE DATE: Sept. 25, 2024

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Li Bei	Cheng Jie	Li Bowen	



DONGGUAN BOHONG TECHNOLOGY CO., LTD

ADD: 4F, 533 Fumin Middle Road, Dalang Town, Dongguan City

TEL: 0769-82866410

FAX: 0769-82866409

*Please sign this acknowledgement before the first order is placed for production of this model, otherwise you will be deemed to have consented to all contents in this acknowledgement *

CHN TECHNOLOGY CO., L
FOR APPROVAL

COMER'S P/N	
DUCT SPEC	
CONTROL DRAWING	

[illegible]

TECHNOLOGY CO., L
FOR APPROVAL

CUSTOMER'S P/N	
PRODUCT SPEC	


Y

[illegible]

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Ming jingtian	CUSTOMER'S P/N	
ISSUE DATE	Sept. 25, 2024	PRODUCT SPEC	Y.A11.333

2.DIMENSION:



infuse:


- 1.Double-sided tape with hand tear;
- 2.The coil surface is clean and tidy, does not scatter the line, and the gap does not exceed 1/2 of the line diameter;
- 3.The coil is centered on the magnetic disc, and the wire is wound into the slot; ;

ISSUE BY	Li Bei	CHECK BY	Cheng Jie	APPROVAL BY	Li Bowen
----------	--------	----------	-----------	-------------	----------

DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Ming jingtian	CUSTOMER'S P/N	
ISSUE DATE	Sept. 25, 2024	PRODUCT SPEC	Y. A11. 333

4.CIRCUIT DIAGRAM



5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*105P	10	/	CCW

6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.4uH ±10%	LCR1062 100KHz/1V AT 25°C±2°C

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL



CUSTOMER	Ming jingtian	CUSTOMER'S PN		
ISSUE DATE	Sept. 25, 2024	PRODUCT SPEC	Y.A11.333	
memoire				
No.	content	handling method	signature	Date
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				