



Report No.: FCC2003274 File Reference No.: 2020-04-09

Applicant: NINGBO LEADER PREMIUMS LTD

Product: BLUETOOTH EARPHONE

Model No.: AF0045

Brand Name: N/A

Test Standards: FCC Part 15.249

Test Result: It is herewith confirmed and found to comply with the requirements set up by ANSI C63.4&FCC Part 15 Subpart

C, Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: April 09, 2020

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

# SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: FCC2003274 Page 2 of 45

Date: 2020-04-09



# **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

# **CNAS-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

# FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

# Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

# **A2LA** (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

Date: 2020-04-09



# Test Report Conclusion Content

	Content	
1.0	General Details	4
1.1	Test Lab Details.	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration.	4
1.6	Test Uncertainty.	4
1.7	Test By	5
2.0	List of Measurement Equipment	6
3.0	Technical Details	7
4.0	EUT Modification.	7
5.0	Power Line Conducted Emission Test.	8
5.1	Schematics of the Test.	8
5.2	Test Method and Test Procedure.	8
5.3	Configuration of the EUT.	8
5.4	EUT Operating Condition.	9
5.5	Conducted Emission Limit.	9
5.6	Test Result.	9
6.0	Radiated Emission test.	12
6.1	Test Method and Test Procedure.	12
6.2	Configuration of the EUT	12
6.3	EUT Operation Condition.	12
5.4	Radiated Emission Limit.	13
6.5	Test Result.	14
7.0	Band Edge	22
7.1	Test Method and Test Procedure.	22
7.2	Radiated Test Setup.	22
7.3	Configuration of the EUT	22
7.4	EUT Operating Condition.	22
7.5	Band Edge Limit.	22
7.6	Band Edge Test Result.	23
8.0	Antenna Requirement.	27
9.0	20dB bandwidth measurement.	28
10.0	FCC ID Label	31
11.0	Photo of Test Setup and EUT View	32

Report No.: FCC2003274 Page 4 of 45

Date: 2020-04-09



#### 1.0 General Details

#### 1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 744189 For 3m Anechoic Chamber

# 1.2 Applicant Details

Applicant: NINGBO LEADER PREMIUMS LTD

Address: 9019/F., Hengfu Mansion B building, NO.858. Fuming Road, Ningbo, China

Telephone: -Fax: --

#### 1.3 Description of EUT

Product: BLUETOOTH EARPHONE

Manufacturer: NINGBO LEADER PREMIUMS LTD

Address: 9019/F., Hengfu Mansion B building, NO.858. Fuming Road, Ningbo, China

Brand Name: N/A
Model Number: AF0045
Additional Model Name N/A

Input Voltage: DC3.7V, Built-in 3.7V, 35mAh Li-ion battery

Modulation Type: GFSK (Bluetooth Low Energy)

Operation Frequency 2402-2480MHz

Channel Number: 40 Channel Separation: 2MHz

Antenna Designation Chip antenna with gain 0.58dBi Max

#### 1.4 Submitted Sample

1 Sample

#### 1.5 Test Duration

2020-03-26 to 2020-04-09

# 1.6 Test Uncertainty

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: FCC2003274 Page 5 of 45

Date: 2020-04-09



Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty = 6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Conducted Emissions Uncertainty =3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

Terry Tang

The sample tested by

Print Name: Terry Tang

Report No.: FCC2003274 Page 6 of 45

Date: 2020-04-09



Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date
ESPI Test Receiver	R&S	ESPI 3	100379	2019-06-21	2020-06-20
LISN	R&S	EZH3-Z5	100294	2019-06-21	2020-06-20
LISN	R&S	EZH3-Z5	100253	2019-06-21	2020-06-20
Ultra Broadband ANT	R&S	HL562	100157	2019-06-21	2020-06-20
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2019-06-21	2020-06-20
Loop Antenna	EMCO	6507	00078608	2018-06-25	2021-06-24
Spectrum	R&S	FSIQ26	100292	2019-06-21	2020-06-20
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2019-06-21	2021-06-20
Horn Antenna	R&S	BBHA 9120D	9120D-631	2018-07-09	2021-07-08
Power meter	Anritsu	ML2487A	6K00003613	2019-08-22	2020-08-21
Power sensor	Anritsu	MA2491A	32263	2019-08-22	2020-08-21
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2018-07-04	2021-07-03
9*6*6 Anechoic			N/A	2018-02-07	2021-02-06
EMI Test Receiver	RS	ESVB	826156/011	2019-06-21	2020-06-20
EMI Test Receiver	RS	ESH3	860904/006	2019-06-21	2020-06-20
Spectrum	HP/Agilent	ESA-L1500A	US37451154	2019-06-21	2020-06-20
Spectrum	HP/Agilent	E4407B	MY50441392	2019-06-21	2020-06-20
Spectrum	RS	FSP	1164.4391.38	2020-01-18	2021-01-17
RF Cable	Zhengdi	ZT26-NJ-NJ-8 M/FA		2019-06-21	2020-06-20
RF Cable	Zhengdi	7m		2019-06-21	2020-06-20
RF Switch	EM	EMSW18	060391	2019-06-21	2020-06-20
Pre-Amplifier	Schwarebeck	BBV9743	#218	2019-06-21	2020-06-20
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2019-06-21	2020-06-20
LISN	SCHAFFNER	NNB42	00012	2020-01-07	2021-01-06

Report No.: FCC2003274 Page 7 of 45

Date: 2020-04-09



#### 3.0 Technical Details

#### 3.1 Summary of test results

The EUT has been tested according to the following specifications:

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.207	Conducted Emission Test	PASS	Complies
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	PASS	Complies
FCC Part 15, Paragraph 15.209 and RSS-210	Radiated Emission Test	PASS	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	PASS	Complies

# 3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

# 4.0 EUT Modification

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES

Page 8 of 45


Report No.: FCC2003274

Date: 2020-04-09



#### 5. Power Line Conducted Emission Test

#### 5.1 Schematics of the test




EUT: Equipment Under Test

#### 5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15 MHz to 30MHz was investigated. The LISN used was 50 ohm/50 uH as specified by section 5.1 of ANSI C63.4-2014.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



# 5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2014. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

One channels are provided to the EUT

#### A. EUT

Device	Manufacturer	Model	FCC ID	
DI HETOOTH EADDHONE	NINGBO LEADER	A E0045	2 A DVV A E0045	
BLUETOOTH EARPHONE	PREMIUMS LTD	AF0045	2APYY-AF0045	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: FCC2003274 Page 9 of 45

Date: 2020-04-09



#### B. Internal Device

Device	Manufacturer	Model	FCC ID/SDOC
N/A			

# C. Peripherals

Device	Manufacturer	Model	Rating
Power Supply	Keyu	KA-23-0502000DEU	Input:100-240V~,
			50/60Hz,0.35A;
			Output: DC5V, 2A

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2014

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

# 5.5 Power line conducted Emission Limit according to Paragraph 15.107 and 15.207

	Class A Li	mits (dBµV)	Class B Limits (dBµV)		
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
$0.15 \sim 0.50$	79.0	66.0	66.0~56.0*	56.0~46.0*	
$0.50 \sim 5.00$	73.0	60.0	56.0	46.0	
$5.00 \sim 30.00$	73.0	60.0	60.0	50.0	

Notes:

- 1. \*Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

#### 5.6 Test Results: PASS

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Date: 2020-04-09



# A: Conducted Emission on Live Terminal (150kHz to 30MHz)

**EUT Operating Environment** 


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

**EUT set Condition: Charging and Keep Transmitting** 

**Equipment Level: Class B** 

**Results: PASS** 

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1655	25.07	9.77	34.84	65.18	-30.34	QP	Р
2	0.1655	8.50	9.77	18.27	55.18	-36.91	AVG	Р
3	0.1812	23.63	9.76	33.39	64.43	-31.04	QP	Р
4	0.1812	7.20	9.76	16.96	54.43	-37.47	AVG	Р
5	0.1968	22.03	9.75	31.78	63.74	-31.96	QP	Р
6	0.1968	6.19	9.75	15.94	53.74	-37.80	AVG	Р
7	0.4932	20.11	9.77	29.88	56.11	-26.23	QP	Р
8	0.4932	10.10	9.77	19.87	46.11	-26.24	AVG	Р

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2020-04-09



# B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

**EUT Operating Environment** 


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

**EUT set Condition: Charging and Keep Transmitting** 

**Equipment Level: Class B** 

**Results: Pass** 

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1695	25.00	9.77	34.77	64.98	-30.21	QP	Р
2	0.1695	6.13	9.77	15.90	54.98	-39.08	AVG	Р
3	0.1850	23.51	9.76	33.27	64.26	-30.99	QP	Р
4	0.1850	4.61	9.76	14.37	54.26	-39.89	AVG	Р
5	0.2007	22.25	9.75	32.00	63.58	-31.58	QP	Р
6	0.2007	3.62	9.75	13.37	53.58	-40.21	AVG	Р
7	0.2475	19.82	9.75	29.57	61.84	-32.27	QP	Р
8	0.2475	2.43	9.75	12.18	51.84	-39.66	AVG	Р
9	0.4971	22.12	9.77	31.89	56.05	-24.16	QP	Р
10	0.4971	17.94	9.77	27.71	46.05	-18.34	AVG	Р

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: FCC2003274 Page 12 of 45

Date: 2020-04-09




#### **6** Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz. Measurements were made at 3 meters.

  For fundamental frequency, RBW>=20dB BW, VBW>=RBW, PK detector is for PK value, RMS detector is for AV value.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

# **Block diagram of Test setup**



- 6.2 Configuration of The EUT
  Same as section 5.3 of this report
- 6.3 EUT Operating Condition
  Same as section 5.4 of this report.

Report No.: FCC2003274 Page 13 of 45

Date: 2020-04-09



#### 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

#### A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundar	mental Frequency	Field Strength of Fundamental (3m)			Field S	trength of Harmo	onics (3m)
	(MHz)	mV/m	dBuV/m		uV/m	dBu	V/m
2	400-2483.5	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)

Note: 1. RF Field Strength (dBuV) = 20 log RF Voltage (uV)

- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

#### B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dBμV/m)
30-88	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage (dBuV) = 20 log RF Voltage (uV)
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. For radiated emissions below 30MHz, it was the floor noise.
- 6. Full charged battery was used during tests.
- 7. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

Report No.: FCC2003274 Page 14 of 45

Date: 2020-04-09



#### 6.5 Test result

# A Fundamental & Harmonics Radiated Emission Data

Product:	BLUETOOTH EARPHONE	Test Mode:	Keep transmitting-Low Channel
Test Item:	Fundamental Radiated Emission	Temperature:	25℃
	Data		
Test Voltage:	DC3.7V	Humidity:	56%
Test Result:	Pass		

Frequency	Emission PK/AV	Horiz /	Limits PK/AV	Margin
(MHz)	(dBuV/m)	Vert	(dBuV/m)	(dB)
2402	92.29 (PK)	Н	114/94	-1.71
2402	79.37 (PK)	V	114/94	-14.63
4804	51.58 (PK)	Н	74/54	-2.42
4804	48.24 (PK)	V	74/54	-5.76
7206		H/V	74/54	
9608		H/V	74/54	
12010		H/V	74/54	
14412		H/V	74/54	
16814		H/V	74/54	
19216		H/V	74/54	
21627		H/V	74/54	
24020		H/V	74/54	

Note: (1) PK= Peak, AV= Average

- (2) Emission Level = Reading Level + Antenna Factor + Cable Loss Pre-Amplifier
- (3)Margin=Emission-Limits
- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (6) The PK emission level less than the AV limit. No necessary to record the AV emission level.

Report No.: FCC2003274 Page 15 of 45

Date: 2020-04-09



Product:	BLUETOOTH EARPHONE	Test Mode:	Keep transmitting-Middle Channel
Test Item:	Fundamental Radiated Emission	Temperature:	25℃
	Data		
Test Voltage:	DC3.7V	Humidity:	56%
Test Result:	Pass		

Frequency	Emission PK/AV	Horiz /	Limits PK/AV	Margin
(MHz)	(dBuV/m)	Vert	(dBuV/m)	(dB)
2440	92.24 (PK)	Н	114/94	-1.76
2440	77.87 (PK)	V	114/94	-16.13
4880	51.21 (PK)	Н	74/54	-2.79
4880	42.69 (PK)	V	74/54	-11.31
7320		H/V	74/54	
9760		H/V	74/54	
12200		H/V	74/54	
14640		H/V	74/54	
17080		H/V	74/54	
19520		H/V	74/54	
21960		H/V	74/54	
24400		H/V	74/54	

Note: (1) PK= Peak, AV= Average

- (2) Emission Level = Reading Level + Antenna Factor + Cable Loss Pre-Amplifier
- (3)Margin=Emission-Limits
- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (6) The PK emission level less than the AV limit. No necessary to record the AV emission level.

Report No.: FCC2003274 Page 16 of 45

Date: 2020-04-09



Product:	BLUETOOTH EARPHONE	Test Mode:	Keep transmitting-High Channel
Test Item:	Fundamental Radiated Emission	Temperature:	25℃
	Data		
Test Voltage:	DC3.7V	Humidity:	56%
Test Result:	Pass		

Frequency	Emission PK/AV	Horiz /	Limits PK/AV	Margin
(MHz)	(dBuV/m)	Vert	(dBuV/m)	(dB)
2480	92.57 (PK)	Н	114/94	-1.43
2480	81.85 (PK)	V	114/94	-12.15
4960	50.84 (PK)	Н	74/54	-3.16
4960	48.42 (PK)	V	74/54	-5.58
7440		Н	74/54	
7440		V	74/54	
9920		H/V	74/54	
12400		H/V	74/54	
14880		H/V	74/54	
17360		H/V	74/54	
19840		H/V	74/54	
22320		H/V	74/54	
24800		H/V	74/54	

Note: (1) PK= Peak, AV= Average

- (2) Emission Level = Reading Level + Antenna Factor + Cable Loss Pre-Amplifier
- (3)Margin=Emission-Limits
- (4)According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (6) The PK emission level less than the AV limit. No necessary to record the AV emission level.


Date: 2020-04-09



Please refer to the following test plots for details: Low Channel


#### **Horizontal**





#### Vertical

#### FCC\_FCC Part 15B Class B 1GHz-18GHz - 2



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Date: 2020-04-09




Please refer to the following test plots for details: Middle Channel

#### **Horizontal**





#### Vertical



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2020-04-09




Please refer to the following test plots for details: High Channel

#### **Horizontal**



#### Vertical



For emission above 18GHz, It is only the floor noise. No necessary to take down.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: FCC2003274 Page 20 of 45

Date: 2020-04-09




# B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

**Results:** Pass

Please refer to following diagram for individual

FCC\_FCC Part 15C Class B 30MHz-1GHz



No.	Frequency	Results	Factor (dB)	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)		(dBuV/m)	(dB)		(o)	(cm)		
1	289.653	23.90	-11.23	46.0	-22.10	Peak	254.00	100	Н	Pass
2	390.265	27.78	-8.87	46.0	-18.22	Peak	128.00	100	Н	Pass
3	455.966	26.13	-7.95	46.0	-19.87	Peak	160.00	100	Н	Pass
4	587.611	28.16	-5.50	46.0	-17.84	Peak	122.00	200	Н	Pass

Report No.: FCC2003274 Page 21 of 45

Date: 2020-04-09




# Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

**Results:** Pass

Please refer to following diagram for individual



No.	Frequen	Results	Factor	Limit	Over	Detector	Table (o)	Height	ANT	Verdict
	cy (MHz)	(dBuV/m	(dB)	(dBuV/m	Limit			(cm)		
		)		)	(dB)					
1	175.949	22.52	-15.62	43.5	-20.98	Peak	282.00	100	V	Pass
2	516.091	28.08	-6.77	46.0	-17.92	Peak	166.00	100	V	Pass
3	587.611	27.98	-5.50	46.0	-18.02	Peak	106.00	100	V	Pass

Date: 2020-04-09




# 7. Band Edge

#### 7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz,VBW=3MHz and Peak detector used
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

# 7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

# 7.3 Configuration of The EUT

Same as section 5.3 of this report

# 7.4 EUT Operating Condition

Same as section 5.4 of this report.

#### 7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 23 of 45

Report No.: FCC2003274 Date: 2020-04-09

#### 7.6 Test Result

Product:	BLUETOOTH EARPHONE	Polarity	Horizontal
Mode	Keeping Transmitting-Low Channel	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass		



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	2390	48.35	-3.53	74.0	-25.65	Peak	150.00	100	Н	Pass
2	2400	58.69	-3.57	74.0	-15.31	Peak	69.00	100	Н	Pass
2*	2400	34.51	-3.57	54.0	-19.49	AV	69.00	100	Н	Pass

Page 24 of 45

Report No.: FCC2003274

Date: 2020-04-09

2400

2400

3\*

53.32

32.55



	Product:	BI	LUETOC	TH EARP	HONE	Detec	tor		Vertical			
	Mode	Keepi	ng Trans	mitting-Lov	w Channel	Test Vo	ltage		DC3.7V	7		
Те	emperature		24	4 deg. C,		Humio	dity		56% RH	[		
Te	est Result:			Pass								
	Part 15B Class B 1GHz-	18GHz - 2										
1.0E	+2-											
	90-											
	50											
	80-								J <sup>IN</sup> TY <sub>A</sub>			
	70-								$\longrightarrow$			
	0											
	50-					11	Lil libri. I	كرانان		1		
	40	d in.	.   I	ul curriena	ب مناليد والأرب					A library		
			ساليسان				Maria Assessment	"		WHILE WAS		
	30-	and the second second second second second second	di maditantia a citat	energogue i gri ilgagere	այունու իայանականում իր ու որկական					feelifed		
	2360				Frequency	(MHz)						
No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict		
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)				
l	2388.930	50.39	-3.53	74.0	-23.61	Peak	108.00	100	V	Pass		
2	2390.005	45.78	-3.53	74.0	-28.22	Peak	120.00	100	V	Pass		
		1	1	1	+	<del>                                     </del>	<b>—</b>	<del>                                     </del>		1		

88.00

88.00

100

100

Pass

**Pass** 

Peak

AV

-3.57

-3.57

74.0

54.0

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

-20.68

-21.45

Page 25 of 45

Report No.: FCC2003274

Date: 2020-04-09



	Pro	oduct:	BL	UETOOTH	EARPHON.	Е	Polarity		Ho	rizontal		
	N	Mode	Keepin	g Transmitti	ng-High Ch	annel	Test Voltage	e	De	C3.7V		
Τ	em <sub>]</sub>	perature		24 deg	g. C,		Humidity		56	% RH		
]	Test	Result:		Pas	S							
	rt 15B E+2-	Class B 1GHz-18GHz	: - 2									
	90-					A CONTRACTOR OF THE CONTRACTOR						
	80-											
70-												
	60-	, Although										
	50-			Market Ma			1					
	40-				THE STATE OF THE S		1	March of the first and the second distributed and the delication of the design of the second				
	30- 246	20 	and and other states of the			Frequency (MHz)	2483.5			nation frame.	2	
No		Frequency	Results	Factor (dB)	Limit	Over Limit	Detector	Table	Height	ANT	Verdic	
		(MHz)	(dBuV/m)		(dBuV/m)	(dB)		(o)	(cm)			
		2483.554	33.56	-3.57	54.0	-20.44	AV	277.00	100	Н	Pass	
1**			1	-3.57	74.0	-17.16	Peak	277.00	100	Н	Pass	

Page 26 of 45

Report No.: FCC2003274

Date: 2020-04-09



Product:		BLUETOOTH EARPHONE			Detect	tor	Vertical			
]	Mode	Keeping Transmitting-High Channel				Test Vol	ltage		DC3.7V	
Temperature		24 deg. C,				Humid	lity	56% RH		
Tes	st Result:		P	ass						
2483.5MHz		PK (dBμV	K (dBμV/m)		Limi	it	$74\;dB\mu V/m$			
2483.5MHz		AV (dBμV	V (dBμV/m)		Limi	it	54 dBμV/m			
Part 158	B Class B 1GHz-18GHz -	2								
80-					100					
70-										
					<u> </u>					
			La property and the same of th	A A A A A A A A A A A A A A A A A A A		MI				
40-			A Proposition of	Add Address, Mary Control	Frequency (MH	2483.5				250
30- 2460	Frequency	Results	Factor	Limit	Frequency (MH	2483.5	Table (o)	Height	ANT	250 Verdic
50- 40- 30- 2460	Frequency (MHz)	Results (dBuV/m	Factor (dB)	Limit (dBuV/m	1	2483.5 z)	Table (o)	Height (cm)	ANT	1

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

2. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

Report No.: FCC2003274 Page 27 of 45

Date: 2020-04-09



# 8.0 Antenna Requirement

### **Applicable Standard**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a Chip antenna. The antenna gain is 0.58dBi Max. It fulfills the requirement of this section. Test Result: Pass


Page 28 of 45

Report No.: FCC2003274

Date: 2020-04-09



9.0 20dB Bandwidth Measurement						
Product:	BLUETOOTH EARPHONE	Test Mode:	Keep transmitting			
Mode	Keeping Transmitting	Test Voltage	DC3.7V			
Temperature	24 deg. C,	Humidity	56% RH			
Test Result:	Pass	Detector	PK			
20dB Bandwidth	1.206MHz					



Date: 9.APR.2020 15:07:19


Page 29 of 45

Report No.: FCC2003274

Date: 2020-04-09



Product:	BLUETOOTH EARPHONE	Test Mode:	Keep transmitting
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass	Detector	PK
20dB Bandwidth	1.206MHz		



Date: 9.APR.2020 15:08:08


Page 30 of 45

Report No.: FCC2003274

Date: 2020-04-09



Product:	BLUETOOTH EARPHONE	Test Mode:	Keep transmitting
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass	Detector	PK
20dB Bandwidth	1.206MHz		



Date: 9.APR.2020 15:08:54

Report No.: FCC2003274 Page 31 of 45

Date: 2020-04-09




#### 10.0 FCC ID Label

#### FCC ID: 2APYY-AF0045

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

# **Mark Location:**



Page 32 of 45


Report No.: FCC2003274

Date: 2020-04-09



# 11.0 Photo of testing

# 11.1 Conducted test View



Date: 2020-04-09



# 11.2 Radiated emission test view





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2020-04-09



# 11.3 Photographs – EUT

### Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 35 of 45

Report No.: FCC2003274

Date: 2020-04-09



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 36 of 45

Report No.: FCC2003274

Date: 2020-04-09



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 37 of 45

Report No.: FCC2003274

Date: 2020-04-09



Outside View




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2020-04-09



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 39 of 45

Report No.: FCC2003274

Date: 2020-04-09



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 40 of 45

Report No.: FCC2003274

Date: 2020-04-09



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 41 of 45

Report No.: FCC2003274

Date: 2020-04-09



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 42 of 45

Report No.: FCC2003274

Date: 2020-04-09



Inside view



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 43 of 45

Report No.: FCC2003274

Date: 2020-04-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 44 of 45

Report No.: FCC2003274

Date: 2020-04-09



Inside view



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: FCC2003274 Page 45 of 45

Date: 2020-04-09



# Inside view



-- End of the report--