

Test Report No.50323264 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50323264 001AppendixD)


Contents

Spurious Emissions, Band Edges, 2.35-2.5GHz	2
Spurious Emissions, TX Mode, 1-26.5GHz	38
Spurious Emissions, TX Mode, 30MHz-1GHz.....	56
Spurious Emissions, TX Mode, 9kHz-30MHz.....	58


Spurious Emissions, Band Edges, 2.35-2.5GHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.418	39.76	2.58	37.18	54.00	-14.24	228	142	Average	Horizontal
2 *	2412.000	88.10	50.90	37.20	54.00	34.10	228	142	Average	Horizontal
3	2803.476	41.13	3.01	38.12	54.00	-12.87	228	142	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.074	39.48	2.33	37.15	54.00	-14.52	228	209	Average	Vertical
2 *	2412.000	87.82	50.62	37.20	54.00	33.82	228	209	Average	Vertical
3	2829.200	40.99	2.89	38.10	54.00	-13.01	228	209	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2338.910	52.46	15.30	37.16	74.00	-21.54	228	142	Peak	Horizontal
2 *	2412.000	90.74	53.54	37.20	74.00	16.74	228	142	Peak	Horizontal
3	2783.888	53.75	15.64	38.11	74.00	-20.25	228	142	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2337.140	52.34	15.18	37.16	74.00	-21.66	228	209	Peak	Vertical
2 *	2412.000	90.40	53.20	37.20	74.00	16.40	228	209	Peak	Vertical
3	2793.800	54.52	16.40	38.12	74.00	-19.48	228	209	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2337.730	39.71	2.55	37.16	54.00	-14.29	238	145	Average	Horizontal
2 *	2437.000	88.24	50.91	37.33	54.00	34.24	238	145	Average	Horizontal
3	2828.256	41.09	2.99	38.10	54.00	-12.91	238	145	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2354.250	39.56	2.39	37.17	54.00	-14.44	171	209	Average	Vertical
2 *	2437.000	88.02	50.69	37.33	54.00	34.02	171	209	Average	Vertical
3	2809.140	40.95	2.83	38.12	54.00	-13.05	171	209	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2316.490	52.62	15.49	37.13	74.00	-21.38	238	145	Peak	Horizontal
2 *	2437.000	90.89	53.56	37.33	74.00	16.89	238	145	Peak	Horizontal
3	2790.732	54.00	15.89	38.11	74.00	-20.00	238	145	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2346.698	52.21	15.04	37.17	74.00	-21.79	171	209	Peak	Vertical
2 *	2437.000	90.64	53.31	37.33	74.00	16.64	171	209	Peak	Vertical
3	2766.306	54.12	16.04	38.08	74.00	-19.88	171	209	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2346.344	39.54	2.37	37.17	54.00	-14.46	198	211	Average	Horizontal
2 *	2462.000	84.81	47.35	37.46	54.00	30.81	198	211	Average	Horizontal
3	2794.390	41.00	2.88	38.12	54.00	-13.00	198	211	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2365.106	39.54	2.38	37.16	54.00	-14.46	102	279	Average	Vertical
2 *	2462.000	84.04	46.58	37.46	54.00	30.04	102	279	Average	Vertical
3	2803.476	41.05	2.93	38.12	54.00	-12.95	102	279	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2326.992	52.72	15.57	37.15	74.00	-21.28	198	211	Peak	Horizontal
2 *	2462.000	87.47	50.01	37.46	74.00	13.47	198	211	Peak	Horizontal
3	2857.638	54.21	16.13	38.08	74.00	-19.79	198	211	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2337.140	53.11	15.95	37.16	74.00	-20.89	102	279	Peak	Vertical
2 *	2462.000	86.68	49.22	37.46	74.00	12.68	102	279	Peak	Vertical
3	2628.246	54.31	16.66	37.65	74.00	-19.69	102	279	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.886	41.20	4.06	37.14	54.00	-12.80	221	204	Average	Horizontal
2 *	2412.000	87.84	50.64	37.20	54.00	33.84	221	204	Average	Horizontal
3	2486.292	40.11	2.52	37.59	54.00	-13.89	221	204	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	41.50	4.36	37.14	54.00	-12.50	117	291	Average	Vertical
2 *	2412.000	85.84	48.64	37.20	54.00	31.84	117	291	Average	Vertical
3	2491.484	40.20	2.58	37.62	54.00	-13.80	117	291	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.768	55.80	18.66	37.14	74.00	-18.20	221	204	Peak	Horizontal
2 *	2412.000	97.56	60.36	37.20	74.00	23.56	221	204	Peak	Horizontal
3	2484.168	53.70	16.12	37.58	74.00	-20.30	221	204	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.886	54.97	17.83	37.14	74.00	-19.03	117	291	Peak	Vertical
2 *	2412.000	95.06	57.86	37.20	74.00	21.06	117	291	Peak	Vertical
3	2490.068	52.51	14.90	37.61	74.00	-21.49	117	291	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2318.142	39.47	2.34	37.13	54.00	-14.53	217	202	Average	Horizontal
2 *	2437.000	89.13	51.80	37.33	54.00	35.13	217	202	Average	Horizontal
3	2487.118	40.26	2.67	37.59	54.00	-13.74	217	202	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2343.158	39.37	2.20	37.17	54.00	-14.63	172	210	Average	Vertical
2 *	2437.000	87.68	50.35	37.33	54.00	33.68	172	210	Average	Vertical
3	2495.968	40.12	2.48	37.64	54.00	-13.88	172	210	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2324.278	52.69	15.55	37.14	74.00	-21.31	217	202	Peak	Horizontal
2 *	2437.000	98.33	61.00	37.33	74.00	24.33	217	202	Peak	Horizontal
3	2487.944	52.77	15.17	37.60	74.00	-21.23	217	202	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.992	52.75	15.60	37.15	74.00	-21.25	172	210	Peak	Vertical
2 *	2437.000	96.77	59.44	37.33	74.00	22.77	172	210	Peak	Vertical
3	2485.820	53.06	15.48	37.58	74.00	-20.94	172	210	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2340.326	39.53	2.37	37.16	54.00	-14.47	197	210	Average	Horizontal
2 *	2462.000	84.67	47.21	37.46	54.00	30.67	197	210	Average	Horizontal
3	2483.500	41.17	3.60	37.57	54.00	-12.83	197	210	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.116	39.29	2.15	37.14	54.00	-14.71	102	279	Average	Vertical
2 *	2462.000	84.37	46.91	37.46	54.00	30.37	102	279	Average	Vertical
3	2483.500	41.02	3.45	37.57	54.00	-12.98	102	279	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2322.272	52.25	15.11	37.14	74.00	-21.75	197	210	Peak	Horizontal
2 *	2462.000	94.07	56.61	37.46	74.00	20.07	197	210	Peak	Horizontal
3	2484.286	54.27	16.69	37.58	74.00	-19.73	197	210	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.706	52.89	15.75	37.14	74.00	-21.11	102	279	Peak	Vertical
2 *	2462.000	93.57	56.11	37.46	74.00	19.57	102	279	Peak	Vertical
3	2483.500	54.05	16.48	37.57	74.00	-19.95	102	279	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	40.49	3.35	37.14	54.00	-13.51	221	204	Average	Horizontal
2 *	2412.000	86.75	49.55	37.20	54.00	32.75	221	204	Average	Horizontal
3	2489.124	40.05	2.44	37.61	54.00	-13.95	221	204	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.650	40.63	3.49	37.14	54.00	-13.37	117	282	Average	Vertical
2 *	2412.000	84.39	47.19	37.20	54.00	30.39	117	282	Average	Vertical
3	2499.980	40.04	2.38	37.66	54.00	-13.96	117	282	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.886	54.73	17.59	37.14	74.00	-19.27	221	204	Peak	Horizontal
2 *	2412.000	95.91	58.71	37.20	74.00	21.91	221	204	Peak	Horizontal
3	2496.086	52.83	15.19	37.64	74.00	-21.17	221	204	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.942	55.61	18.47	37.14	74.00	-18.39	117	282	Peak	Vertical
2 *	2412.000	93.57	56.37	37.20	74.00	19.57	117	282	Peak	Vertical
3	2491.602	53.04	15.42	37.62	74.00	-20.96	117	282	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2317.080	39.38	2.25	37.13	54.00	-14.62	217	202	Average	Horizontal
2 *	2437.000	88.53	51.20	37.33	54.00	34.53	217	202	Average	Horizontal
3	2497.620	40.19	2.54	37.65	54.00	-13.81	217	202	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2373.602	39.29	2.14	37.15	54.00	-14.71	172	210	Average	Vertical
2 *	2437.000	87.27	49.94	37.33	54.00	33.27	172	210	Average	Vertical
3	2493.962	40.31	2.68	37.63	54.00	-13.69	172	210	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2314.484	52.83	15.70	37.13	74.00	-21.17	217	202	Peak	Horizontal
2 *	2437.000	97.68	60.35	37.33	74.00	23.68	217	202	Peak	Horizontal
3	2491.838	53.82	16.20	37.62	74.00	-20.18	217	202	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2315.428	52.37	15.24	37.13	74.00	-21.63	172	210	Peak	Vertical
2 *	2437.000	96.55	59.22	37.33	74.00	22.55	172	210	Peak	Vertical
3	2489.714	53.09	15.48	37.61	74.00	-20.91	172	210	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2310.590	39.57	2.44	37.13	54.00	-14.43	235	201	Average	Horizontal
2 *	2462.000	84.54	47.08	37.46	54.00	30.54	235	201	Average	Horizontal
3	2483.696	41.00	3.43	37.57	54.00	-13.00	235	201	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.554	39.36	2.20	37.16	54.00	-14.64	102	279	Average	Vertical
2 *	2462.000	83.21	45.75	37.46	54.00	29.21	102	279	Average	Vertical
3	2483.696	40.77	3.20	37.57	54.00	-13.23	102	279	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2315.428	52.36	15.23	37.13	74.00	-21.64	235	201	Peak	Horizontal
2 *	2462.000	93.73	56.27	37.46	74.00	19.73	235	201	Peak	Horizontal
3	2483.500	54.85	17.28	37.57	74.00	-19.15	235	201	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2352.716	52.63	15.46	37.17	74.00	-21.37	102	279	Peak	Vertical
2 *	2462.000	92.69	55.23	37.46	74.00	18.69	102	279	Peak	Vertical
3	2483.500	53.71	16.14	37.57	74.00	-20.29	102	279	Peak	Vertical


Spurious Emissions, TX Mode, 1-26.5GHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4020.000	51.65	62.27	-10.62	54.00	-2.35	202	317	Average	horizontal
2	4020.000	54.33	64.95	-10.62	74.00	-19.67	116	323	Peak	horizontal
3	4824.000	47.92	57.30	-9.38	74.00	-26.08	122	89	Peak	horizontal
4	7236.000	45.64	52.39	-6.75	74.00	-28.36	400	239	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4020.000	51.08	61.70	-10.62	54.00	-2.92	278	260	Average	vertical
2	4020.000	54.52	65.14	-10.62	74.00	-19.48	278	260	Peak	vertical
3	4824.000	46.96	56.34	-9.38	74.00	-27.04	100	0	Peak	vertical
4	7236.000	46.36	53.11	-6.75	74.00	-27.64	200	235	Peak	vertical







	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4061.000	48.90	59.51	-10.61	54.00	-5.10	100	257	Average	vertical
2	4061.000	53.06	63.67	-10.61	74.00	-20.94	100	257	Peak	vertical
3 !	4874.000	50.69	59.99	-9.30	54.00	-3.31	258	279	Average	vertical
4	4874.000	52.84	62.14	-9.30	74.00	-21.16	258	279	Peak	vertical
5	5688.000	47.14	55.26	-8.12	74.00	-26.86	300	271	Peak	vertical
6	7310.000	47.48	54.19	-6.71	74.00	-26.52	200	206	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4104.000	50.51	61.12	-10.61	54.00	-3.49	210	353	Average	horizontal
2	4104.000	53.97	64.58	-10.61	74.00	-20.03	210	353	Peak	horizontal
3	4924.000	47.48	56.70	-9.22	74.00	-26.52	400	307	Peak	horizontal
4	7386.000	46.56	53.32	-6.76	74.00	-27.44	300	328	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4102.000	50.01	60.61	-10.60	54.00	-3.99	249	291	Average	vertical
2	4102.000	53.48	64.08	-10.60	74.00	-20.52	249	291	Peak	vertical
3	4924.000	46.28	55.50	-9.22	74.00	-27.72	300	246	Peak	vertical
4	7386.000	45.16	51.92	-6.76	74.00	-28.84	100	0	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4022.000	49.42	60.04	-10.62	54.00	-4.58	201	319	Average	horizontal
2	4022.000	59.44	70.06	-10.62	74.00	-14.56	201	319	Peak	horizontal
3	4824.000	42.81	52.19	-9.38	74.00	-31.19	100	198	Peak	horizontal
4	5629.000	38.46	46.68	-8.22	54.00	-15.54	158	229	Average	horizontal
5	5629.000	55.06	63.28	-8.22	74.00	-18.94	158	229	Peak	horizontal
6	7236.000	40.84	47.59	-6.75	54.00	-13.16	100	182	Average	horizontal
7	7236.000	55.15	61.90	-6.75	74.00	-18.85	100	182	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4017.000	47.02	57.64	-10.62	54.00	-6.98	110	259	Average	vertical
2	4017.000	56.96	67.58	-10.62	74.00	-17.04	110	259	Peak	vertical
3	4824.000	41.56	50.94	-9.38	74.00	-32.44	200	293	Peak	vertical
4	5624.000	46.30	54.53	-8.23	74.00	-27.70	300	244	Peak	vertical
5	7236.000	38.34	45.09	-6.75	54.00	-15.66	243	255	Average	vertical
6	7236.000	53.22	59.97	-6.75	74.00	-20.78	243	255	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4063.000	50.79	61.40	-10.61	54.00	-3.21	199	318	Average	horizontal
2	4063.000	60.62	71.23	-10.61	74.00	-13.38	199	318	Peak	horizontal
3	4874.000	44.98	54.28	-9.30	74.00	-29.02	300	339	Peak	horizontal
4	5685.000	43.01	51.14	-8.13	54.00	-10.99	100	161	Average	horizontal
5	5685.000	58.69	66.82	-8.13	74.00	-15.31	100	161	Peak	horizontal
6	7311.000	41.44	48.15	-6.71	54.00	-12.56	326	326	Average	horizontal
7	7311.000	54.87	61.58	-6.71	74.00	-19.13	326	326	Peak	horizontal
8	12998.000	47.32	46.22	1.10	54.00	-6.68	200	285	Average	horizontal
9	12998.000	52.29	51.19	1.10	74.00	-21.71	200	285	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4060.000	47.76	58.37	-10.61	54.00	-6.24	283	240	Average	vertical
2	4060.000	57.54	68.15	-10.61	74.00	-16.46	283	240	Peak	vertical
3	4874.000	45.58	54.88	-9.30	74.00	-28.42	100	278	Peak	vertical
4	5680.000	38.94	47.07	-8.13	54.00	-15.06	261	255	Average	vertical
5	5680.000	55.97	64.10	-8.13	74.00	-18.03	261	255	Peak	vertical
6	7311.000	43.13	49.84	-6.71	54.00	-10.87	201	243	Average	vertical
7	7311.000	57.02	63.73	-6.71	74.00	-16.98	201	243	Peak	vertical
8	12998.000	46.29	45.19	1.10	54.00	-7.71	376	321	Average	vertical
9	12998.000	52.30	51.20	1.10	74.00	-21.70	376	321	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4107.000	49.75	60.37	-10.62	54.00	-4.25	179	322	Average	horizontal
2	4107.000	59.38	70.00	-10.62	74.00	-14.62	179	322	Peak	horizontal
3	4924.000	46.01	55.23	-9.22	74.00	-27.99	100	172	Peak	horizontal
4	5750.000	42.50	50.51	-8.01	54.00	-11.50	108	161	Average	horizontal
5	5750.000	58.04	66.05	-8.01	74.00	-15.96	108	161	Peak	horizontal
6	7386.000	38.38	45.14	-6.76	54.00	-15.62	199	289	Average	horizontal
7	7386.000	53.03	59.79	-6.76	74.00	-20.97	199	289	Peak	horizontal
8	13131.000	47.64	46.56	1.08	74.00	-26.36	400	333	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4107.000	49.11	59.73	-10.62	54.00	-4.89	227	317	Average	vertical
2	4107.000	59.09	69.71	-10.62	74.00	-14.91	227	317	Peak	vertical
3	4924.000	46.53	55.75	-9.22	74.00	-27.47	300	246	Peak	vertical
4	5744.000	39.81	47.82	-8.01	54.00	-14.19	200	307	Average	vertical
5	5744.000	55.32	63.33	-8.01	74.00	-18.68	200	307	Peak	vertical
6	7386.000	47.73	54.49	-6.76	74.00	-26.27	200	243	Peak	vertical
7	13131.000	46.63	45.55	1.08	54.00	-7.37	152	305	Average	vertical
8	13131.000	52.72	51.64	1.08	74.00	-21.28	152	305	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4022.000	48.57	59.19	-10.62	54.00	-5.43	201	319	Average	horizontal
2	4022.000	58.30	68.92	-10.62	74.00	-15.70	201	319	Peak	horizontal
3	4824.000	43.24	52.62	-9.38	74.00	-30.76	200	142	Peak	horizontal
4	5641.000	47.88	56.09	-8.21	74.00	-26.12	200	180	Peak	horizontal
5	7236.000	38.49	45.24	-6.75	54.00	-15.51	100	183	Average	horizontal
6	7236.000	55.02	61.77	-6.75	74.00	-18.98	100	183	Peak	horizontal
7	12864.000	45.93	44.78	1.15	54.00	-8.07	199	289	Average	horizontal
8	12864.000	51.52	50.37	1.15	74.00	-22.48	199	289	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4019.000	46.38	57.00	-10.62	54.00	-7.62	110	259	Average	vertical
2	4019.000	56.23	66.85	-10.62	74.00	-17.77	110	259	Peak	vertical
3	5632.000	44.77	52.99	-8.22	74.00	-29.23	0	0	Peak	vertical
4	7237.000	47.86	54.61	-6.75	74.00	-26.14	200	214	Peak	vertical
5	12864.000	47.98	46.83	1.15	74.00	-26.02	200	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4061.000	50.45	61.06	-10.61	54.00	-3.55	200	318	Average	horizontal
2	4061.000	60.50	71.11	-10.61	74.00	-13.50	200	318	Peak	horizontal
3	4874.000	47.78	57.08	-9.30	74.00	-26.22	300	345	Peak	horizontal
4	5684.000	42.21	50.33	-8.12	54.00	-11.79	100	160	Average	horizontal
5	5684.000	58.39	66.51	-8.12	74.00	-15.61	100	160	Peak	horizontal
6	7311.000	41.44	48.15	-6.71	54.00	-12.56	100	182	Average	horizontal
7	7311.000	57.36	64.07	-6.71	74.00	-16.64	100	182	Peak	horizontal
8	12997.000	47.34	46.24	1.10	54.00	-6.66	200	286	Average	horizontal
9	12997.000	52.61	51.51	1.10	74.00	-21.39	200	286	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4063.000	47.26	57.87	-10.61	54.00	-6.74	283	240	Average	vertical
2	4063.000	57.88	68.49	-10.61	74.00	-16.12	283	240	Peak	vertical
3	4870.000	46.01	55.31	-9.30	74.00	-27.99	300	264	Peak	vertical
4	5685.000	41.06	49.19	-8.13	54.00	-12.94	261	255	Average	vertical
5	5685.000	56.91	65.04	-8.13	74.00	-17.09	261	255	Peak	vertical
6	7311.000	42.20	48.91	-6.71	54.00	-11.80	201	243	Average	vertical
7	7311.000	57.49	64.20	-6.71	74.00	-16.51	201	243	Peak	vertical
8	12998.000	46.52	45.42	1.10	54.00	-7.48	377	318	Average	vertical
9	12998.000	51.99	50.89	1.10	74.00	-22.01	377	318	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4101.000	48.79	59.39	-10.60	54.00	-5.21	179	322	Average	horizontal
2	4101.000	58.34	68.94	-10.60	74.00	-15.66	179	322	Peak	horizontal
3	4924.000	44.17	53.39	-9.22	74.00	-29.83	100	160	Peak	horizontal
4	5746.000	39.48	47.50	-8.02	54.00	-14.52	108	161	Average	horizontal
5	5746.000	55.82	63.84	-8.02	74.00	-18.18	108	161	Peak	horizontal
6	7386.000	36.59	43.35	-6.76	54.00	-17.41	206	293	Average	horizontal
7	7386.000	52.96	59.72	-6.76	74.00	-21.04	206	293	Peak	horizontal
8	13131.000	47.95	46.87	1.08	74.00	-26.05	400	330	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4106.000	48.29	58.91	-10.62	54.00	-5.71	227	317	Average	vertical
2	4106.000	57.69	68.31	-10.62	74.00	-16.31	227	317	Peak	vertical
3	4924.000	44.32	53.54	-9.22	74.00	-29.68	300	250	Peak	vertical
4	5749.000	36.49	44.50	-8.01	54.00	-17.51	200	307	Average	vertical
5	5749.000	52.86	60.87	-8.01	74.00	-21.14	200	307	Peak	vertical
6	7386.000	46.93	53.69	-6.76	74.00	-27.07	200	245	Peak	vertical
7	13131.000	47.90	46.82	1.08	54.00	-6.10	152	305	Average	vertical
8	13131.000	52.95	51.87	1.08	74.00	-21.05	152	305	Peak	vertical


Spurious Emissions, TX Mode, 30MHz-1GHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	38.245	23.91	30.89	-6.98	40.00	-16.09	300	134	QP	horizontal
2	96.348	25.77	37.49	-11.72	43.50	-17.73	200	0	QP	horizontal
3	380.461	26.77	30.25	-3.48	46.00	-19.23	100	142	QP	horizontal
4	471.641	28.17	30.34	-2.17	46.00	-17.83	147	360	QP	horizontal
5	583.967	29.99	30.24	-0.25	46.00	-16.01	400	350	QP	horizontal
6	805.515	33.64	30.76	2.88	46.00	-12.36	400	354	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	42.125	23.42	29.85	-6.43	40.00	-16.58	400	221	QP	vertical
2	101.683	23.09	33.84	-10.75	43.50	-20.41	100	121	QP	vertical
3	413.829	27.32	30.24	-2.92	46.00	-18.68	100	297	QP	vertical
4	580.572	29.96	30.30	-0.34	46.00	-16.04	326	360	QP	vertical
5	726.945	32.17	30.38	1.79	46.00	-13.83	200	4	QP	vertical
6	817.640	33.57	30.53	3.04	46.00	-12.43	400	78	QP	vertical


Spurious Emissions, TX Mode, 9kHz-30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.021	75.19	2.87	72.32	121.05	-45.86	100	10	QP	vertical
2	0.032	71.07	1.02	70.05	117.44	-46.37	100	302	QP	vertical
3	0.055	63.71	-0.62	64.33	112.76	-49.05	100	217	QP	vertical
4	0.093	56.97	-3.10	60.07	108.21	-51.24	100	118	QP	vertical
5	0.116	55.90	-2.42	58.32	106.30	-50.40	100	351	QP	vertical
6	0.135	53.56	-3.63	57.19	104.96	-51.40	100	318	QP	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.350	61.29	11.88	49.41	96.72	-35.43	100	268	QP	vertical
2	2.231	50.74	12.16	38.58	69.50	-18.76	100	344	QP	vertical
3	9.156	50.73	12.98	37.75	69.50	-18.77	100	35	QP	vertical
4	16.445	51.19	13.84	37.35	69.50	-18.31	100	13	QP	vertical
5	22.923	47.91	12.31	35.60	69.50	-21.59	100	278	QP	vertical
6	28.725	49.16	12.52	36.64	69.50	-20.34	100	294	QP	vertical