

## Thorward antenna commissioning report

Customer name: ADS

Project name: E306W WB800DCS module

Day period: 2024.03.07

## Project contact information

Customer contact:  
Mobile phone:  
Mail box:

Soward structure:

Mobile phone:

Tel: 0755-29985185

Mail box: yangwende@szsward.com

Soward RF: Wende Yeung

Mobile: 176 7457 9060

Tel: 0755-29985185

Mail box: yangwende@szsward.com

## Project profile


### 1. Project description

Item antenna number	Machine subtype
1	recorder
Machine shell material: plastic shell	

### 2. Antenna brief



Antenna number	name	Operating frequency band/MHZ	Material/Structure
1	WIFI	2400MHZ/2500MHZ	FPC

## Antenna layout



1代端子

天线焊接端



技术要求:

1. 打\*为重点尺寸;
2. 尺寸符合图纸要求;
3. 焊点无虚焊、假焊。要求圆润、饱满。
4. 网分测试通过（出现指定波形）。
5. 线形尺寸未注公差按照SJ/T 10628 1995 6级，公差值由上下偏差均分;

5											
4											
3						签名	年月日	量产	签名	年月日	
2	FPC		黑色	1	SF906H-1B2-A	RD	ZYA	2024.4.3	QC		
1	同轴线	1代端子	灰色	1	φ=1.13mm	RF					
序号	名称	材料	颜色	数量	描述	审核			批准		


<b>SWARD</b>				索沃德通讯技术有限公司			
				SF906H-1L11G-035-A			
阶段标记		比例		<div style="border: 1px solid black; border-radius: 50%; padding: 10px; display: inline-block;">ROHS</div>			
1	A	1 : 1					
共 1 张		第 1 张					

## WIFI antenna S11



## WIFI antenna efficiency

Passive Test For 2.4G			
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)
2400	38.35	-4.16	0.12
2410	37.48	-4.26	-0.19
2420	35.99	-4.44	-0.37
2430	38.66	-4.13	0.12
2440	40.05	-3.97	0.46
2450	41.97	-3.77	0.71
2460	43.24	-3.64	0.75
2470	39.93	-3.99	0.35
2480	37.57	-4.25	0.02
2490	38.63	-4.13	0.19
2500	39.09	-4.08	0.34




## WIFI antenna measured distance &amp; download rate

Measured effect	
Model number	1
Test environment	Soward Research and Development Center
Test equipment	Redmi K50pro
Test distance	10米 $\geq$


Download rate	
Model number	1
Test environment	Soward R&D Center -1 m
Test equipment	Redmi K50pro
Test Speed	4. 6MBps~4. 8MBps



## WIFI antenna measurement picture



## Antenna matching



Main antenna	1	2	3	4	5	6	Other
Original matching							
Change matching							

**Note: Unchanged match**

Note: 1. This report is based on the actual commissioning and testing of the commissioning prototype, including environmental treatment, antenna position and assembly position of each device

Cannot be changed at will;

2. If there is any change in the materials used by the prototype, please timely report to our company for re-verification;

3. List of sensitive devices:

TP (material, coating, wiring, etc.)

Screen (amplifier circuit, LED, wiring design, etc.)

Shell material (antenna assembly method, structural interference, shell material, antenna position height and area, etc.)

Motherboard (motherboard conduction, RF circuit matching, PA, dual power, filter, LNA, power circuit, etc.)

Camera, battery, motor, MIC, fingerprint recognition module, etc

4. Due to the small number of commissioning prototypes or only one, some probability problems can not be completely found, it is recommended to troubleshoot the problem points in small batches of trial production before mass production (such as flashing screen, loudspeaker noise, TP jump point, black screen death, signal diving, etc.)