

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 Band4_EIRP

Band: 4								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	22.40	1.03	23.43	<=30	Pass
			1732.6	22.60	1.03	23.63	<=30	Pass
			1752.6	22.68	1.03	23.71	<=30	Pass
	HSDPA	Subtest 1	1712.4	20.02	1.03	21.05	<=30	Pass
		Subtest 2	1712.4	20.02	1.03	21.05	<=30	Pass
		Subtest 3	1712.4	20.02	1.03	21.05	<=30	Pass
		Subtest 4	1712.4	20.01	1.03	21.04	<=30	Pass
		Subtest 1	1732.6	20.22	1.03	21.25	<=30	Pass
		Subtest 2	1732.6	20.24	1.03	21.27	<=30	Pass
		Subtest 3	1732.6	20.26	1.03	21.29	<=30	Pass
		Subtest 4	1732.6	20.23	1.03	21.26	<=30	Pass
		Subtest 1	1752.6	20.35	1.03	21.38	<=30	Pass
		Subtest 2	1752.6	20.36	1.03	21.39	<=30	Pass
		Subtest 3	1752.6	20.39	1.03	21.42	<=30	Pass
		Subtest 4	1752.6	20.37	1.03	21.4	<=30	Pass
	HSUPA	Subtest 1	1712.4	17.45	1.03	18.48	<=30	Pass
		Subtest 2	1712.4	17.66	1.03	18.69	<=30	Pass
		Subtest 3	1712.4	17.43	1.03	18.46	<=30	Pass
		Subtest 4	1712.4	17.87	1.03	18.9	<=30	Pass
		Subtest 5	1712.4	17.84	1.03	18.87	<=30	Pass
		Subtest 1	1732.6	18.07	1.03	19.1	<=30	Pass
		Subtest 2	1732.6	17.78	1.03	18.81	<=30	Pass
		Subtest 3	1732.6	17.59	1.03	18.62	<=30	Pass
		Subtest 4	1732.6	17.76	1.03	18.79	<=30	Pass
		Subtest 5	1732.6	18.11	1.03	19.14	<=30	Pass
		Subtest 1	1752.6	17.87	1.03	18.9	<=30	Pass
		Subtest 2	1752.6	17.84	1.03	18.87	<=30	Pass
		Subtest 3	1752.6	17.95	1.03	18.98	<=30	Pass
		Subtest 4	1752.6	18.27	1.03	19.3	<=30	Pass
		Subtest 5	1752.6	19.14	1.03	20.17	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 Band4

Band: 4							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	1712.4	20	3.27	-11.008	-0.0064	-2.5 to 2.5	Pass
			3.85	-12.496	-0.0073	-2.5 to 2.5	Pass
			4.43	-16.959	-0.0099	-2.5 to 2.5	Pass
		-30	3.85	-11.816	-0.0069	-2.5 to 2.5	Pass
		-20	3.85	-11.823	-0.0069	-2.5 to 2.5	Pass

		-10	3.85	-13.826	-0.0081	-2.5 to 2.5	Pass	
		0	3.85	-14.255	-0.0083	-2.5 to 2.5	Pass	
		10	3.85	-14.005	-0.0082	-2.5 to 2.5	Pass	
		30	3.85	-11.430	-0.0067	-2.5 to 2.5	Pass	
		40	3.85	-12.617	-0.0074	-2.5 to 2.5	Pass	
		50	3.85	-13.003	-0.0076	-2.5 to 2.5	Pass	
	1732.6	20	3.27	-16.108	-0.0093	-2.5 to 2.5	Pass	
			3.85	-10.786	-0.0062	-2.5 to 2.5	Pass	
			4.43	-14.312	-0.0083	-2.5 to 2.5	Pass	
		-30	3.85	-14.448	-0.0083	-2.5 to 2.5	Pass	
		-20	3.85	-13.239	-0.0076	-2.5 to 2.5	Pass	
		-10	3.85	-14.570	-0.0084	-2.5 to 2.5	Pass	
		0	3.85	-10.021	-0.0058	-2.5 to 2.5	Pass	
		10	3.85	-11.065	-0.0064	-2.5 to 2.5	Pass	
		30	3.85	-6.237	-0.0036	-2.5 to 2.5	Pass	
		40	3.85	-10.200	-0.0059	-2.5 to 2.5	Pass	
		50	3.85	-10.986	-0.0063	-2.5 to 2.5	Pass	
		1752.6	20	3.27	-11.308	-0.0065	-2.5 to 2.5	Pass
	3.85			-4.871	-0.0028	-2.5 to 2.5	Pass	
	4.43			-10.793	-0.0062	-2.5 to 2.5	Pass	
	-30		3.85	-7.753	-0.0044	-2.5 to 2.5	Pass	
	-20		3.85	-6.008	-0.0034	-2.5 to 2.5	Pass	
	-10		3.85	-4.456	-0.0025	-2.5 to 2.5	Pass	
	0		3.85	-8.883	-0.0051	-2.5 to 2.5	Pass	
	10		3.85	-8.261	-0.0047	-2.5 to 2.5	Pass	
	30		3.85	-10.529	-0.0060	-2.5 to 2.5	Pass	
	40		3.85	-8.576	-0.0049	-2.5 to 2.5	Pass	
	50		3.85	-10.321	-0.0059	-2.5 to 2.5	Pass	
	HSDPA		1712.4	20	3.27	-8.969	-0.0052	-2.5 to 2.5
		3.85			-11.172	-0.0065	-2.5 to 2.5	Pass
		4.43			-19.033	-0.0111	-2.5 to 2.5	Pass
		-30		3.85	-14.184	-0.0083	-2.5 to 2.5	Pass
		-20		3.85	-13.762	-0.0080	-2.5 to 2.5	Pass
-10		3.85		-13.254	-0.0077	-2.5 to 2.5	Pass	
0		3.85		-19.233	-0.0112	-2.5 to 2.5	Pass	
10		3.85		-14.713	-0.0086	-2.5 to 2.5	Pass	
30		3.85		-15.650	-0.0091	-2.5 to 2.5	Pass	
40		3.85		-15.013	-0.0088	-2.5 to 2.5	Pass	
50		3.85		-17.273	-0.0101	-2.5 to 2.5	Pass	
1732.6		20		3.27	-19.090	-0.0110	-2.5 to 2.5	Pass
			3.85	1.867	0.0011	-2.5 to 2.5	Pass	
			4.43	-9.606	-0.0055	-2.5 to 2.5	Pass	
		-30	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass	
		-20	3.85	5.887	0.0034	-2.5 to 2.5	Pass	
		-10	3.85	2.389	0.0014	-2.5 to 2.5	Pass	
		0	3.85	-2.360	-0.0014	-2.5 to 2.5	Pass	
		10	3.85	1.130	0.0007	-2.5 to 2.5	Pass	
		30	3.85	11.973	0.0069	-2.5 to 2.5	Pass	
		40	3.85	11.659	0.0067	-2.5 to 2.5	Pass	
		50	3.85	16.623	0.0096	-2.5 to 2.5	Pass	
		1752.6	20	3.27	-1.967	-0.0011	-2.5 to 2.5	Pass
3.85				10.793	0.0062	-2.5 to 2.5	Pass	
4.43				18.790	0.0107	-2.5 to 2.5	Pass	
-30			3.85	15.693	0.0090	-2.5 to 2.5	Pass	
-20			3.85	10.715	0.0061	-2.5 to 2.5	Pass	
-10			3.85	10.507	0.0060	-2.5 to 2.5	Pass	
0			3.85	13.111	0.0075	-2.5 to 2.5	Pass	
10			3.85	16.172	0.0092	-2.5 to 2.5	Pass	
30			3.85	12.095	0.0069	-2.5 to 2.5	Pass	

HSUPA	1712.4	40	3.85	4.828	0.0028	-2.5 to 2.5	Pass
		50	3.85	5.543	0.0032	-2.5 to 2.5	Pass
		20	3.27	-12.352	-0.0072	-2.5 to 2.5	Pass
			3.85	-14.405	-0.0084	-2.5 to 2.5	Pass
			4.43	-8.833	-0.0052	-2.5 to 2.5	Pass
		-30	3.85	-10.271	-0.0060	-2.5 to 2.5	Pass
		-20	3.85	-12.574	-0.0073	-2.5 to 2.5	Pass
		-10	3.85	-6.795	-0.0040	-2.5 to 2.5	Pass
		0	3.85	-12.188	-0.0071	-2.5 to 2.5	Pass
		10	3.85	-9.205	-0.0054	-2.5 to 2.5	Pass
		30	3.85	-10.908	-0.0064	-2.5 to 2.5	Pass
		40	3.85	-7.846	-0.0046	-2.5 to 2.5	Pass
		50	3.85	-5.593	-0.0033	-2.5 to 2.5	Pass
	1732.6	20	3.27	-5.443	-0.0031	-2.5 to 2.5	Pass
			3.85	-4.735	-0.0027	-2.5 to 2.5	Pass
			4.43	-10.407	-0.0060	-2.5 to 2.5	Pass
		-30	3.85	-8.240	-0.0048	-2.5 to 2.5	Pass
		-20	3.85	-13.947	-0.0080	-2.5 to 2.5	Pass
		-10	3.85	-13.189	-0.0076	-2.5 to 2.5	Pass
		0	3.85	-13.289	-0.0077	-2.5 to 2.5	Pass
		10	3.85	-12.445	-0.0072	-2.5 to 2.5	Pass
		30	3.85	-11.237	-0.0065	-2.5 to 2.5	Pass
		40	3.85	-12.052	-0.0070	-2.5 to 2.5	Pass
		50	3.85	-7.274	-0.0042	-2.5 to 2.5	Pass
	1752.6	20	3.27	-7.081	-0.0040	-2.5 to 2.5	Pass
			3.85	-6.974	-0.0040	-2.5 to 2.5	Pass
			4.43	-10.936	-0.0062	-2.5 to 2.5	Pass
		-30	3.85	-12.488	-0.0071	-2.5 to 2.5	Pass
		-20	3.85	-12.746	-0.0073	-2.5 to 2.5	Pass
		-10	3.85	-13.525	-0.0077	-2.5 to 2.5	Pass
		0	3.85	-9.806	-0.0056	-2.5 to 2.5	Pass
		10	3.85	-10.450	-0.0060	-2.5 to 2.5	Pass
		30	3.85	-8.919	-0.0051	-2.5 to 2.5	Pass
		40	3.85	-12.324	-0.0070	-2.5 to 2.5	Pass
		50	3.85	-8.190	-0.0047	-2.5 to 2.5	Pass

3. Modulation Characteristics


3.1 Test Result

3.1.1 Band4


Band: 4						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1732.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1732.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1732.6	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 Band4



Band4 HSUPA MCH 1732.6MHz Subtest 1 NTNV



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band4_OBW


Band: 4						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	4.208	/	Pass
			1732.6	4.219	/	Pass
			1752.6	4.230	/	Pass
	HSDPA	Subtest 1	1712.4	4.201	/	Pass
			1732.6	4.227	/	Pass
			1752.6	4.194	/	Pass
	HSUPA	Subtest 1	1712.4	4.213	/	Pass
			1732.6	4.230	/	Pass
			1752.6	4.249	/	Pass

4.1.2 Band4_XDB


Band: 4						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	4.806	/	Pass
			1732.6	4.820	/	Pass
			1752.6	4.844	/	Pass
	HSDPA	Subtest 1	1712.4	5.322	/	Pass
			1732.6	5.809	/	Pass
			1752.6	5.380	/	Pass
	HSUPA	Subtest 1	1712.4	4.982	/	Pass
			1732.6	6.009	/	Pass
			1752.6	6.376	/	Pass

4.2 Test Graph


4.2.1 Band4_OBW




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4 HSUPA LCH 1712.4MHz Subtest 1 NTNV



Band4 HSUPA MCH 1732.6MHz Subtest 1 NTNV




Band4 HSUPA HCH 1752.6MHz Subtest 1 NTV




4.2.2 Band4_XDB


Band4_RMC_LCH_1712.4MHz_12.2kbps RMC_NTNV




Band4_RMC_MCH_1732.6MHz_12.2kbps RMC_NTNV




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4 HSUPA LCH 1712.4MHz Subtest 1_NTNV



Band4 HSUPA MCH 1732.6MHz Subtest 1_NTNV



Band4 HSUPA HCH 1752.6MHz Subtest 1 NTV



5. Peak-Average Ratio


5.1 Test Result

5.1.1 Band4


Band: 4						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	2.10	<=13	Pass
			1732.6	2.01	<=13	Pass
			1752.6	2.04	<=13	Pass
	HSDPA	Subtest 1	1712.4	5.57	<=13	Pass
			1732.6	5.46	<=13	Pass
			1752.6	5.53	<=13	Pass
	HSUPA	Subtest 1	1712.4	6.10	<=13	Pass
			1732.6	5.86	<=13	Pass
			1752.6	5.95	<=13	Pass

5.2 Test Graph


5.2.1 Band4




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4 HSUPA LCH 1712.4MHz Subtest 1_NTNV



Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV



Band4 HSUPA HCH 1752.6MHz Subtest 1 NTNV



6. Spurious Emission


6.1 Test Result

6.1.1 Band4


Band: 4						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	Refer To Test Graph	Pass	
			1732.6	Refer To Test Graph	Pass	
			1752.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	1712.4	Refer To Test Graph	Pass	
			1732.6	Refer To Test Graph	Pass	
			1752.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	1712.4	Refer To Test Graph	Pass	
			1732.6	Refer To Test Graph	Pass	
			1752.6	Refer To Test Graph	Pass	

6.2 Test Graph


6.2.1 Band4




Band4_RMC_LCH_1712.4MHz_12.2kbps_RMC_NTNV




Band4_RMC_LCH_1712.4MHz_12.2kbps_RMC_NTNV




Band4_RMC_LCH_1712.4MHz_12.2kbps_RMC_NTNV




Band4_RMC_LCH_1712.4MHz_12.2kbps_RMC_NTNV




Band4_RMC_MCH_1732.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_MCH_1732.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_MCH_1732.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_MCH_1732.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_MCH_1732.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_RMC_HCH_1752.6MHz_12.2kbps_RMC_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4 HSDPA LCH 1712.4MHz Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4 HSDPA HCH 1752.6MHz Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSUPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4 HSUPA HCH 1752.6MHz Subtest 1_NTNV




Band4 HSUPA HCH 1752.6MHz Subtest 1_NTNV




Band4 HSUPA HCH 1752.6MHz Subtest 1_NTNV



Band4 HSUPA HCH 1752.6MHz Subtest 1_NTNV



Band4 HSUPA HCH 1752.6MHz Subtest 1 NTV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
4	3.84	1712.4	1752.6	0.1854	0.0112	ppm	4M25F9W	27L	22.68

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
4	3.84	1712.4	1752.6	0.1854	0.0112	ppm	4M25F9W	27L	22.68