



802.11ax(HEW80)_HCH_6865MHz_SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5853.000	-64.77	-27.00	35.48	Pass Peak	3	5853.000	/	-27.00	/	AVG
2	5888.000	-65.85	-27.00	36.56	Pass Peak	4	5888.000	/	-27.00	/	AVG

802.11ax(HEW80)_HCH_6865MHz_SU_Ant2_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2482.4	-47.14	-27.00	17.85	Pass Peak	7	2482.4	/	-27.00	/	AVG
2	21277.6	-59.05	-21.20	35.56	Pass Peak	8	21277.6	-70.21	-41.20	26.72	Pass AVG
3	23213.9	-58.31	-27.00	29.02	Pass Peak	9	23213.9	/	-27.00	/	AVG
4	24284.9	-56.86	-27.00	27.57	Pass Peak	10	24284.9	/	-27.00	/	AVG
5	25173.15	-56.02	-27.00	26.73	Pass Peak	11	25173.15	/	-27.00	/	AVG
6	26272.2	-57.19	-27.00	27.90	Pass Peak	12	26272.2	/	-27.00	/	AVG


802.11ax(HEW80)_HCH_6865MHz_SU_Ant2_NTNV



2023-06-02 07:44:06

No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5891.000	-65.74	-27.00	36.45	Pass Peak	3	5891.000	/	-27.00	/	/ AVG
2	5924.000	-63.38	-27.00	34.09	Pass Peak	4	5924.000	/	-27.00	/	/ AVG


802.11ax(HEW80)_HCH_6865MHz_SU_Ant2_NTNV



2023-06-02 07:44:17


No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5891.000	-65.74	-27.00	36.45	Pass Peak	3	5891.000	/	-27.00	/	/ AVG
2	5924.000	-63.38	-27.00	34.09	Pass Peak	4	5924.000	/	-27.00	/	/ AVG

802.11ax(HEW160) HCH 6825MHz SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	
1	20623.1	-60.28	-21.20	36.79	Pass Peak	7	20623.1	-70.06	-41.20	26.57	Pass AVG	
2	21824.15	-59.35	-27.00	30.06	Pass Peak	8	21824.15	/	-27.00	/	/	AVG
3	23152.7	-58.23	-27.00	28.94	Pass Peak	9	23152.7	/	-27.00	/	/	AVG
4	24103.85	-59.31	-27.00	30.02	Pass Peak	10	24103.85	/	-27.00	/	/	AVG
5	24890.1	-55.90	-27.00	26.61	Pass Peak	11	24890.1	/	-27.00	/	/	AVG
6	25750.3	-56.52	-27.00	27.23	Pass Peak	12	25750.3	/	-27.00	/	/	AVG

802.11ax(HEW160) HCH 6825MHz SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	
1	5878.500	-63.46	-27.00	34.17	Pass Peak	3	5878.500	/	-27.00	/	/	AVG
2	5923.000	-64.44	-27.00	35.15	Pass Peak	4	5923.000	/	-27.00	/	/	AVG

802.11ax(HEW160) HCH 6825MHz SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5878.500	-63.46	-27.00	34.17	Pass Peak	3	5878.500	/	-27.00	/	AVG
2	5923.000	-64.44	-27.00	35.15	Pass Peak	4	5923.000	/	-27.00	/	AVG

802.11ax(HEW160) HCH 6825MHz SU_Ant2_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2482.4	-46.81	-27.00	17.52	Pass Peak	7	2482.4	/	-27.00	/	AVG
2	5760	-56.63	-27.00	27.34	Pass Peak	8	5760	/	-27.00	/	AVG
3	23332.05	-58.50	-27.00	29.21	Pass Peak	9	23332.05	/	-27.00	/	AVG
4	24290.85	-57.66	-27.00	28.37	Pass Peak	10	24290.85	/	-27.00	/	AVG
5	25165.5	-56.44	-27.00	27.15	Pass Peak	11	25165.5	/	-27.00	/	AVG
6	26327.45	-56.95	-27.00	27.66	Pass Peak	12	26327.45	/	-27.00	/	AVG


802.11ax(HEW160) HCH 6825MHz SU_Ant2_NTNV



2023-06-02 07:47:11

No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5867.500	-63.25	-27.00	33.96	Pass Peak	3	5867.500	/	-27.00	/	AVG
2	5919.500	-62.81	-27.00	33.52	Pass Peak	4	5919.500	/	-27.00	/	AVG


802.11ax(HEW160) HCH 6825MHz SU_Ant2_NTNV



2023-06-02 07:47:23


No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5867.500	-63.25	-27.00	33.96	Pass Peak	3	5867.500	/	-27.00	/	AVG
2	5919.500	-62.81	-27.00	33.52	Pass Peak	4	5919.500	/	-27.00	/	AVG

802.11ax(HEW40)_HCH_6525MHz_SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2426.3	-50.54	-27.00	21.25	Pass Peak	7	2426.3	/	-27.00	/	AVG
2	6406.85	-58.98	-27.00	29.69	Pass Peak	8	6406.85	/	-27.00	/	AVG
3	21620.15	-59.48	-27.00	30.19	Pass Peak	9	21620.15	/	-27.00	/	AVG
4	23762.15	-58.16	-21.20	34.67	Pass Peak	10	23762.15	-68.73	-41.20	25.24	Pass AVG
5	24922.4	-56.23	-27.00	26.94	Pass Peak	11	24922.4	/	-27.00	/	AVG
6	25974.7	-56.39	-27.00	27.10	Pass Peak	12	25974.7	/	-27.00	/	AVG

802.11ax(HEW40)_HCH_6525MHz_SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5851.500	-63.82	-27.00	34.53	Pass Peak	3	5851.500	/	-27.00	/	AVG
2	5881.000	-63.18	-27.00	33.89	Pass Peak	4	5881.000	/	-27.00	/	AVG

802.11ax(HEW40)_HCH_6525MHz_SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5851.500	-63.82	-27.00	34.53	Pass Peak	3	5851.500	/	-27.00	/	AVG
2	5881.000	-63.18	-27.00	33.89	Pass Peak	4	5881.000	/	-27.00	/	AVG

802.11ax(HEW40)_HCH_6525MHz_SU_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2480.7	-47.10	-27.00	17.81	Pass Peak	7	2480.7	/	-27.00	/	AVG
2	21813.95	-48.63	-27.00	19.34	Pass Peak	8	21813.95	/	-27.00	/	AVG
3	22581.5	-49.73	-21.20	26.24	Pass Peak	9	22581.5	-60.88	-41.20	17.39	Pass AVG
4	23596.4	-47.56	-27.00	18.27	Pass Peak	10	23596.4	/	-27.00	/	AVG
5	24867.15	-46.00	-27.00	16.71	Pass Peak	11	24867.15	/	-27.00	/	AVG
6	25757.1	-46.41	-27.00	17.12	Pass Peak	12	25757.1	/	-27.00	/	AVG

802.11ax(HEW40)_HCH_6525MHz_SU_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5859.500	-56.94	-27.00	27.65	Pass Peak	3	5859.500	/	-27.00	/	AVG
2	5923.000	-56.32	-27.00	27.03	Pass Peak	4	5923.000	/	-27.00	/	AVG

802.11ax(HEW40)_HCH_6525MHz_SU_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5859.500	-56.94	-27.00	27.65	Pass Peak	3	5859.500	/	-27.00	/	AVG
2	5923.000	-56.32	-27.00	27.03	Pass Peak	4	5923.000	/	-27.00	/	AVG

802.11ax(HEW80)_HCH_6545MHz_SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2425.45	-50.63	-27.00	21.34	Pass Peak	7	2425.45	/	-27.00	/	AVG
2	21799.5	-58.89	-27.00	29.60	Pass Peak	8	21799.5	/	-27.00	/	AVG
3	23280.2	-59.41	-27.00	30.12	Pass Peak	9	23280.2	/	-27.00	/	AVG
4	24239.85	-58.11	-27.00	28.82	Pass Peak	10	24239.85	/	-27.00	/	AVG
5	25177.4	-56.73	-27.00	27.44	Pass Peak	11	25177.4	/	-27.00	/	AVG
6	26235.65	-56.77	-27.00	27.48	Pass Peak	12	26235.65	/	-27.00	/	AVG

802.11ax(HEW80)_HCH_6545MHz_SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5864.500	-65.36	-27.00	36.06	Pass Peak	3	5864.500	/	-27.00	/	AVG
2	5897.000	-66.02	-27.00	36.73	Pass Peak	4	5897.000	/	-27.00	/	AVG

802.11ax(HEW80)_HCH_6545MHz_SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5864.500	-65.36	-27.00	36.06	Pass Peak	3	5864.500	/	-27.00	/	AVG
2	5897.000	-66.02	-27.00	36.73	Pass Peak	4	5897.000	/	-27.00	/	AVG

802.11ax(HEW80)_HCH_6545MHz_SU_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2482.4	-45.90	-27.00	16.61	Pass Peak	7	2482.4	/	-27.00	/	AVG
2	21445.9	-49.55	-27.00	20.25	Pass Peak	8	21445.9	/	-27.00	/	AVG
3	23751.1	-48.03	-21.20	24.54	Pass Peak	9	23751.1	-58.59	-41.20	15.10	Pass AVG
4	24847.6	-46.22	-27.00	16.93	Pass Peak	10	24847.6	/	-27.00	/	AVG
5	25617.7	-46.77	-27.00	17.48	Pass Peak	11	25617.7	/	-27.00	/	AVG
6	26415	-48.45	-27.00	19.16	Pass Peak	12	26415	/	-27.00	/	AVG

802.11ax(HEW80)_HCH_6545MHz_SU_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5865.000	-57.53	-27.00	28.24	Pass Peak	3	5865.000	/	-27.00	/	AVG
2	5898.000	-56.91	-27.00	27.62	Pass Peak	4	5898.000	/	-27.00	/	AVG

802.11ax(HEW80)_HCH_6545MHz_SU_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5865.000	-57.53	-27.00	28.24	Pass Peak	3	5865.000	/	-27.00	/	AVG
2	5898.000	-56.91	-27.00	27.62	Pass Peak	4	5898.000	/	-27.00	/	AVG

802.11ax(HEW160) HCH 6505MHz SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2425.45	-50.35	-27.00	21.06	Pass Peak	7	2425.45	/	-27.00	/	AVG
2	6396.65	-52.26	-27.00	22.97	Pass Peak	8	6396.65	/	-27.00	/	AVG
3	23604.9	-58.39	-21.20	34.90	Pass Peak	9	23604.9	-68.89	-41.20	25.40	Pass AVG
4	24584.95	-56.89	-27.00	27.60	Pass Peak	10	24584.95	/	-27.00	/	AVG
5	25685.7	-55.28	-27.00	25.99	Pass Peak	11	25685.7	/	-27.00	/	AVG
6	26476.2	-58.38	-27.00	29.09	Pass Peak	12	26476.2	/	-27.00	/	AVG

802.11ax(HEW160) HCH 6505MHz SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5859.000	-63.16	-27.00	33.88	Pass Peak	3	5859.000	/	-27.00	/	AVG
2	5919.000	-63.84	-27.00	34.55	Pass Peak	4	5919.000	/	-27.00	/	AVG

802.11ax(HEW160) HCH 6505MHz SU_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5859.000	-63.16	-27.00	33.88	Pass Peak	3	5859.000	/	-27.00	/	AVG
2	5919.000	-63.84	-27.00	34.55	Pass Peak	4	5919.000	/	-27.00	/	AVG

802.11ax(HEW160) HCH 6505MHz SU_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2479.85	-46.67	-27.00	17.38	Pass Peak	7	2479.85	/	-27.00	/	AVG
2	21917.65	-48.62	-27.00	19.33	Pass Peak	8	21917.65	/	-27.00	/	AVG
3	23321	-47.92	-27.00	18.63	Pass Peak	9	23321	/	-27.00	/	AVG
4	24720.95	-47.33	-27.00	18.04	Pass Peak	10	24720.95	/	-27.00	/	AVG
5	25491.9	-46.55	-27.00	17.26	Pass Peak	11	25491.9	/	-27.00	/	AVG
6	26275.6	-47.27	-27.00	17.98	Pass Peak	12	26275.6	/	-27.00	/	AVG

802.11ax(HEW160) HCH 6505MHz SU_Ant2_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5858.500	-57.26	-27.00	27.97	Pass Peak	3	5858.500	/	-27.00	/	AVG
2	5899.500	-57.41	-27.00	28.12	Pass Peak	4	5899.500	/	-27.00	/	AVG

802.11ax(HEW160) HCH 6505MHz SU_Ant2_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5858.500	-57.26	-27.00	27.97	Pass Peak	3	5858.500	/	-27.00	/	AVG
2	5899.500	-57.41	-27.00	28.12	Pass Peak	4	5899.500	/	-27.00	/	AVG

5.8. FREQUENCY STABILITY

Test Result

Ant1								
ENV	Mode	Freq uency (MHz)	RU	Te mperat ure (°C)	Volta ge (VDC)	Measure d Freq uency (MHz)	Limit (MHz)	Verdi ct
NTNV	802.11ax (HEW20)	5955	SU	20	3.23	5955.020	5925 to 6425	Pass
					3.8	5954.980	5925 to 6425	Pass
					4.37	5955.020	5925 to 6425	Pass
				-10	3.8	5955.000	5925 to 6425	Pass
				0	3.8	5954.980	5925 to 6425	Pass
				10	3.8	5955.020	5925 to 6425	Pass
				30	3.8	5955.020	5925 to 6425	Pass
				40	3.8	5954.980	5925 to 6425	Pass
		6175	SU	20	3.23	6175.000	5925 to 6425	Pass
					3.8	6175.080	5925 to 6425	Pass
					4.37	6175.000	5925 to 6425	Pass
				-10	3.8	6175.000	5925 to 6425	Pass
				0	3.8	6174.960	5925 to 6425	Pass
				10	3.8	6174.980	5925 to 6425	Pass
				30	3.8	6174.980	5925 to 6425	Pass
				40	3.8	6175.000	5925 to 6425	Pass
		6415	SU	20	3.23	6415.040	5925 to 6425	Pass
					3.8	6414.940	5925 to 6425	Pass
					4.37	6415.000	5925 to 6425	Pass
				-10	3.8	6414.980	5925 to 6425	Pass
				0	3.8	6414.980	5925 to 6425	Pass
				10	3.8	6414.980	5925 to 6425	Pass
				30	3.8	6415.000	5925 to 6425	Pass

				40	3.8	6415.020	5925 to 6425	Pass
802.11ax (HEW40)	5965	SU	20	3.23	5965.040	5925 to 6425	Pass	
				3.8	5965.000	5925 to 6425	Pass	
				4.37	5965.000	5925 to 6425	Pass	
				-10	3.8	5965.040	5925 to 6425	Pass
			0	3.8	5965.080	5925 to 6425	Pass	
			10	3.8	5964.920	5925 to 6425	Pass	
			30	3.8	5964.960	5925 to 6425	Pass	
			40	3.8	5964.960	5925 to 6425	Pass	
	6165	SU	20	3.23	6165.040	5925 to 6425	Pass	
				3.8	6165.000	5925 to 6425	Pass	
				4.37	6165.040	5925 to 6425	Pass	
			-10	3.8	6164.960	5925 to 6425	Pass	
			0	3.8	6165.040	5925 to 6425	Pass	
			10	3.8	6165.080	5925 to 6425	Pass	
			30	3.8	6165.000	5925 to 6425	Pass	
			40	3.8	6165.080	5925 to 6425	Pass	
	6405	SU	20	3.23	6404.960	5925 to 6425	Pass	
				3.8	6405.000	5925 to 6425	Pass	
				4.37	6404.960	5925 to 6425	Pass	
			-10	3.8	6404.960	5925 to 6425	Pass	
			0	3.8	6405.040	5925 to 6425	Pass	
			10	3.8	6405.080	5925 to 6425	Pass	
			30	3.8	6405.040	5925 to 6425	Pass	
			40	3.8	6405.000	5925 to 6425	Pass	
802.11ax (HEW80)	5985	SU	20	3.23	5984.925	5925 to 6425	Pass	
				3.8	5985.000	5925 to 6425	Pass	
				4.37	5985.000	5925 to 6425	Pass	

				-10	3.8	5985.000	5925 to 6425	Pass
				0	3.8	5984.925	5925 to 6425	Pass
				10	3.8	5984.925	5925 to 6425	Pass
				30	3.8	5985.000	5925 to 6425	Pass
				40	3.8	5984.925	5925 to 6425	Pass
		6145	SU	20	3.23	6145.000	5925 to 6425	Pass
					3.8	6145.000	5925 to 6425	Pass
					4.37	6145.000	5925 to 6425	Pass
				-10	3.8	6145.076	5925 to 6425	Pass
				0	3.8	6145.000	5925 to 6425	Pass
				10	3.8	6145.075	5925 to 6425	Pass
				30	3.8	6145.000	5925 to 6425	Pass
				40	3.8	6145.151	5925 to 6425	Pass
		6385	SU	20	3.23	6385.000	5925 to 6425	Pass
					3.8	6385.000	5925 to 6425	Pass
					4.37	6385.076	5925 to 6425	Pass
				-10	3.8	6385.000	5925 to 6425	Pass
				0	3.8	6385.076	5925 to 6425	Pass
				10	3.8	6385.076	5925 to 6425	Pass
				30	3.8	6385.000	5925 to 6425	Pass
				40	3.8	6384.925	5925 to 6425	Pass
		802.11ax (HEW160)	6025	20	3.23	6024.925	5925 to 6425	Pass
					3.8	6025.000	5925 to 6425	Pass
					4.37	6025.000	5925 to 6425	Pass
				-10	3.8	6025.075	5925 to 6425	Pass
				0	3.8	6025.000	5925 to 6425	Pass
				10	3.8	6025.000	5925 to 6425	Pass
				30	3.8	6025.000	5925 to 6425	Pass

				40	3.8	6025.000	5925 to 6425	Pass
		6185	SU	20	3.23	6185.150	5925 to 6425	Pass
					3.8	6185.075	5925 to 6425	Pass
					4.37	6185.075	5925 to 6425	Pass
					-10	3.8	6185.075	5925 to 6425
				0	3.8	6185.000	5925 to 6425	Pass
				10	3.8	6185.000	5925 to 6425	Pass
				30	3.8	6185.000	5925 to 6425	Pass
				40	3.8	6185.075	5925 to 6425	Pass
				6345	SU	20	3.23	6345.000
		3.8	6345.075				5925 to 6425	Pass
		4.37	6345.075				5925 to 6425	Pass
		-10	3.8			6345.000	5925 to 6425	Pass
		0	3.8			6345.075	5925 to 6425	Pass
		10	3.8			6345.075	5925 to 6425	Pass
		30	3.8			6344.925	5925 to 6425	Pass
		40	3.8			6345.000	5925 to 6425	Pass

Ant2

ENV	Mode	Frequency (MHz)	RU	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	5955	SU	20	3.23	5955.000	5925 to 6425	Pass
					3.8	5955.000	5925 to 6425	Pass
					4.37	5955.020	5925 to 6425	Pass
				-10	3.8	5955.020	5925 to 6425	Pass
				0	3.8	5955.000	5925 to 6425	Pass
				10	3.8	5955.020	5925 to 6425	Pass
				30	3.8	5955.000	5925 to 6425	Pass

802.11ax (HEW40)	6175	SU	40	3.8	5955.000	5925 to 6425	Pass
			20	3.23	6175.040	5925 to 6425	Pass
				3.8	6175.000	5925 to 6425	Pass
				4.37	6175.000	5925 to 6425	Pass
				-10	3.8	6175.000	5925 to 6425
			0	3.8	6175.020	5925 to 6425	Pass
			10	3.8	6175.000	5925 to 6425	Pass
			30	3.8	6175.000	5925 to 6425	Pass
			40	3.8	6175.020	5925 to 6425	Pass
			6415	SU	20	3.23	6414.980
	3.8	6415.020				5925 to 6425	Pass
	4.37	6415.060				5925 to 6425	Pass
	-10	3.8			6415.000	5925 to 6425	Pass
	0	3.8			6415.020	5925 to 6425	Pass
	10	3.8			6415.020	5925 to 6425	Pass
	30	3.8			6415.000	5925 to 6425	Pass
	40	3.8			6415.020	5925 to 6425	Pass
	5965	SU	20	3.23	5965.040	5925 to 6425	Pass
				3.8	5965.000	5925 to 6425	Pass
				4.37	5964.960	5925 to 6425	Pass
			-10	3.8	5965.040	5925 to 6425	Pass
			0	3.8	5965.000	5925 to 6425	Pass
			10	3.8	5965.000	5925 to 6425	Pass
			30	3.8	5965.000	5925 to 6425	Pass
			40	3.8	5965.000	5925 to 6425	Pass
	6165	SU	20	3.23	6165.000	5925 to 6425	Pass
				3.8	6165.040	5925 to 6425	Pass
				4.37	6165.040	5925 to 6425	Pass

802.11ax (HEW80)	6405		-10	3.8	6165.000	5925 to 6425	Pass
			0	3.8	6164.960	5925 to 6425	Pass
			10	3.8	6164.960	5925 to 6425	Pass
			30	3.8	6165.000	5925 to 6425	Pass
			40	3.8	6165.000	5925 to 6425	Pass
		20	3.23	6405.000	5925 to 6425	Pass	
			3.8	6405.040	5925 to 6425	Pass	
			4.37	6405.040	5925 to 6425	Pass	
		SU	-10	3.8	6404.960	5925 to 6425	Pass
			0	3.8	6405.040	5925 to 6425	Pass
	10		3.8	6405.040	5925 to 6425	Pass	
	30		3.8	6404.920	5925 to 6425	Pass	
	40		3.8	6405.000	5925 to 6425	Pass	
	5985		20	3.23	5985.076	5925 to 6425	Pass
				3.8	5985.000	5925 to 6425	Pass
		4.37		5985.000	5925 to 6425	Pass	
		SU	-10	3.8	5985.076	5925 to 6425	Pass
			0	3.8	5985.076	5925 to 6425	Pass
			10	3.8	5985.076	5925 to 6425	Pass
			30	3.8	5985.000	5925 to 6425	Pass
			40	3.8	5985.000	5925 to 6425	Pass
	6145	20	3.23	6145.000	5925 to 6425	Pass	
			3.8	6145.000	5925 to 6425	Pass	
			4.37	6145.000	5925 to 6425	Pass	
		SU	-10	3.8	6145.000	5925 to 6425	Pass
			0	3.8	6145.000	5925 to 6425	Pass
			10	3.8	6145.000	5925 to 6425	Pass
			30	3.8	6145.075	5925 to 6425	Pass

802.11ax (HEW160)	6385	SU	40	3.8	6145.000	5925 to 6425	Pass		
			20	3.23	6385.151	5925 to 6425	Pass		
				3.8	6385.000	5925 to 6425	Pass		
				4.37	6385.076	5925 to 6425	Pass		
				-10	3.8	6385.076	5925 to 6425	Pass	
			0	3.8	6385.000	5925 to 6425	Pass		
			10	3.8	6385.076	5925 to 6425	Pass		
			30	3.8	6385.000	5925 to 6425	Pass		
			40	3.8	6385.000	5925 to 6425	Pass		
	6025	SU	20	3.23	6025.000	5925 to 6425	Pass		
				3.8	6025.000	5925 to 6425	Pass		
				4.37	6025.000	5925 to 6425	Pass		
			-10	3.8	6025.000	5925 to 6425	Pass		
			0	3.8	6025.000	5925 to 6425	Pass		
			10	3.8	6025.000	5925 to 6425	Pass		
			30	3.8	6025.075	5925 to 6425	Pass		
			40	3.8	6025.075	5925 to 6425	Pass		
			6185	SU	20	3.23	6185.000	5925 to 6425	Pass
						3.8	6184.925	5925 to 6425	Pass
						4.37	6184.925	5925 to 6425	Pass
					-10	3.8	6185.075	5925 to 6425	Pass
					0	3.8	6185.075	5925 to 6425	Pass
	10	3.8			6185.075	5925 to 6425	Pass		
	30	3.8			6185.000	5925 to 6425	Pass		
	40	3.8	6185.075	5925 to 6425	Pass				
	6345	SU	20	3.23	6345.150	5925 to 6425	Pass		
				3.8	6345.000	5925 to 6425	Pass		
				4.37	6345.000	5925 to 6425	Pass		

				-10	3.8	6345.150	5925 to 6425	Pass
				0	3.8	6345.075	5925 to 6425	Pass
				10	3.8	6345.075	5925 to 6425	Pass
				30	3.8	6345.075	5925 to 6425	Pass
				40	3.8	6345.075	5925 to 6425	Pass
Ant1								
ENV	Mode	Freq uency (MHz)	RU	Te mperat ure (°C)	Volta ge (VDC)	Measure d Freq uency (MHz)	Limit (MHz)	Verdi ct
NTNV	802.11ax (HEW20)	6435	SU	20	3.23	6434.960	6425 to 6525	Pass
					3.8	6434.960	6425 to 6525	Pass
					4.37	6435.040	6425 to 6525	Pass
				-10	3.8	6434.980	6425 to 6525	Pass
				0	3.8	6435.020	6425 to 6525	Pass
				10	3.8	6434.940	6425 to 6525	Pass
				30	3.8	6434.940	6425 to 6525	Pass
				40	3.8	6434.960	6425 to 6525	Pass
		6475	SU	20	3.23	6475.000	6425 to 6525	Pass
					3.8	6475.040	6425 to 6525	Pass
					4.37	6475.000	6425 to 6525	Pass
				-10	3.8	6474.980	6425 to 6525	Pass
				0	3.8	6474.960	6425 to 6525	Pass
				10	3.8	6474.980	6425 to 6525	Pass
				30	3.8	6475.000	6425 to 6525	Pass
				40	3.8	6475.020	6425 to 6525	Pass
		6515	SU	20	3.23	6514.900	6425 to 6525	Pass
					3.8	6514.980	6425 to 6525	Pass
					4.37	6515.000	6425 to 6525	Pass

				-10	3.8	6515.000	6425 to 6525	Pass
				0	3.8	6514.980	6425 to 6525	Pass
				10	3.8	6514.980	6425 to 6525	Pass
				30	3.8	6515.000	6425 to 6525	Pass
				40	3.8	6515.020	6425 to 6525	Pass
	802.11ax (HEW40)	6445	SU	20	3.23	6445.040	6425 to 6525	Pass
					3.8	6445.080	6425 to 6525	Pass
					4.37	6444.960	6425 to 6525	Pass
				-10	3.8	6445.000	6425 to 6525	Pass
				0	3.8	6444.960	6425 to 6525	Pass
				10	3.8	6445.000	6425 to 6525	Pass
				30	3.8	6444.960	6425 to 6525	Pass
		40	3.8	6445.040	6425 to 6525	Pass		
		6485	SU	20	3.23	6484.920	6425 to 6525	Pass
					3.8	6485.000	6425 to 6525	Pass
					4.37	6484.960	6425 to 6525	Pass
				-10	3.8	6485.040	6425 to 6525	Pass
				0	3.8	6484.960	6425 to 6525	Pass
				10	3.8	6485.000	6425 to 6525	Pass
	30			3.8	6485.000	6425 to 6525	Pass	
	40	3.8	6485.040	6425 to 6525	Pass			
	802.11ax (HEW80)	6465	SU	20	3.23	6465.000	6425 to 6525	Pass
					3.8	6464.850	6425 to 6525	Pass
					4.37	6465.000	6425 to 6525	Pass
-10				3.8	6464.925	6425 to 6525	Pass	
0				3.8	6465.000	6425 to 6525	Pass	
10				3.8	6465.000	6425 to 6525	Pass	
30				3.8	6465.000	6425 to 6525	Pass	

				40	3.8	6465.000	6425 to 6525	Pass
Ant2								
ENV	Mode	Frequency (MHz)	RU	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	6435	SU	20	3.23	6435.000	6425 to 6525	Pass
					3.8	6434.960	6425 to 6525	Pass
					4.37	6435.000	6425 to 6525	Pass
				-10	3.8	6434.960	6425 to 6525	Pass
				0	3.8	6434.980	6425 to 6525	Pass
				10	3.8	6435.060	6425 to 6525	Pass
				30	3.8	6435.040	6425 to 6525	Pass
				40	3.8	6435.020	6425 to 6525	Pass
		6475	SU	20	3.23	6475.040	6425 to 6525	Pass
					3.8	6474.960	6425 to 6525	Pass
					4.37	6474.980	6425 to 6525	Pass
				-10	3.8	6474.960	6425 to 6525	Pass
				0	3.8	6474.980	6425 to 6525	Pass
				10	3.8	6474.940	6425 to 6525	Pass
				30	3.8	6475.000	6425 to 6525	Pass
				40	3.8	6475.000	6425 to 6525	Pass
		6515	SU	20	3.23	6515.020	6425 to 6525	Pass
					3.8	6514.980	6425 to 6525	Pass
					4.37	6515.020	6425 to 6525	Pass
				-10	3.8	6515.020	6425 to 6525	Pass
				0	3.8	6514.980	6425 to 6525	Pass
				10	3.8	6515.020	6425 to 6525	Pass
				30	3.8	6514.960	6425 to 6525	Pass

802.11ax (HEW40)	6445	SU	40	3.8	6515.000	6425 to 6525	Pass	
			20	3.23	6445.040	6425 to 6525	Pass	
				3.8	6445.000	6425 to 6525	Pass	
				4.37	6444.960	6425 to 6525	Pass	
				-10	3.8	6445.000	6425 to 6525	Pass
			0	3.8	6445.040	6425 to 6525	Pass	
			10	3.8	6444.960	6425 to 6525	Pass	
			30	3.8	6445.000	6425 to 6525	Pass	
	40	3.8	6445.040	6425 to 6525	Pass			
	6485	SU	20	3.23	6485.040	6425 to 6525	Pass	
				3.8	6485.040	6425 to 6525	Pass	
				4.37	6485.040	6425 to 6525	Pass	
			-10	3.8	6485.080	6425 to 6525	Pass	
			0	3.8	6485.000	6425 to 6525	Pass	
			10	3.8	6484.960	6425 to 6525	Pass	
			30	3.8	6484.960	6425 to 6525	Pass	
			40	3.8	6485.000	6425 to 6525	Pass	
	6465	SU	20	3.23	6465.000	6425 to 6525	Pass	
				3.8	6464.925	6425 to 6525	Pass	
				4.37	6465.000	6425 to 6525	Pass	
			-10	3.8	6465.000	6425 to 6525	Pass	
			0	3.8	6465.000	6425 to 6525	Pass	
			10	3.8	6465.076	6425 to 6525	Pass	
			30	3.8	6465.076	6425 to 6525	Pass	
			40	3.8	6465.000	6425 to 6525	Pass	
	Ant1							

ENV	Mode	Freq uenc y (MHz)	RU	Te mp erat ure (°C)	Volta ge (VDC)	Measure d Freq uenc y (MHz)	Limit (MHz)	Verdi ct
NTNV	802.11ax (HEW20)	6535	SU	20	3.23	6535.040	6525 to 6875	Pass
					3.8	6534.960	6525 to 6875	Pass
					4.37	6534.960	6525 to 6875	Pass
				-10	3.8	6534.980	6525 to 6875	Pass
				0	3.8	6535.020	6525 to 6875	Pass
				10	3.8	6534.980	6525 to 6875	Pass
				30	3.8	6535.020	6525 to 6875	Pass
				40	3.8	6534.980	6525 to 6875	Pass
		6695	SU	20	3.23	6695.000	6525 to 6875	Pass
					3.8	6695.020	6525 to 6875	Pass
					4.37	6695.000	6525 to 6875	Pass
				-10	3.8	6695.020	6525 to 6875	Pass
				0	3.8	6695.000	6525 to 6875	Pass
				10	3.8	6695.040	6525 to 6875	Pass
				30	3.8	6695.000	6525 to 6875	Pass
				40	3.8	6694.960	6525 to 6875	Pass
		6855	SU	20	3.23	6855.060	6525 to 6875	Pass
					3.8	6854.980	6525 to 6875	Pass
					4.37	6854.960	6525 to 6875	Pass
				-10	3.8	6855.000	6525 to 6875	Pass
				0	3.8	6855.000	6525 to 6875	Pass
				10	3.8	6855.040	6525 to 6875	Pass
				30	3.8	6855.000	6525 to 6875	Pass
				40	3.8	6855.040	6525 to 6875	Pass
	802.11ax (HEW40)	6565	SU	20	3.23	6564.960	6525 to 6875	Pass

					3.8	6564.960	6525 to 6875	Pass
					4.37	6565.000	6525 to 6875	Pass
				-10	3.8	6565.040	6525 to 6875	Pass
				0	3.8	6565.000	6525 to 6875	Pass
				10	3.8	6565.000	6525 to 6875	Pass
				30	3.8	6565.000	6525 to 6875	Pass
				40	3.8	6564.960	6525 to 6875	Pass
	6685	SU	20	3.23	6685.040	6525 to 6875	Pass	
				3.8	6685.000	6525 to 6875	Pass	
				4.37	6685.080	6525 to 6875	Pass	
			-10	3.8	6685.000	6525 to 6875	Pass	
			0	3.8	6685.040	6525 to 6875	Pass	
			10	3.8	6685.000	6525 to 6875	Pass	
			30	3.8	6684.960	6525 to 6875	Pass	
	6845	SU	20	3.23	6844.960	6525 to 6875	Pass	
				3.8	6844.960	6525 to 6875	Pass	
				4.37	6845.040	6525 to 6875	Pass	
			-10	3.8	6845.000	6525 to 6875	Pass	
			0	3.8	6845.040	6525 to 6875	Pass	
			10	3.8	6845.040	6525 to 6875	Pass	
			30	3.8	6845.000	6525 to 6875	Pass	
	802.11ax (HEW80)	6625	20	3.23	6625.000	6525 to 6875	Pass	
				3.8	6625.000	6525 to 6875	Pass	
				4.37	6625.000	6525 to 6875	Pass	
-10			3.8	6625.000	6525 to 6875	Pass		
0			3.8	6625.000	6525 to 6875	Pass		

		6705	SU	10	3.8	6625.000	6525 to 6875	Pass	
				30	3.8	6625.000	6525 to 6875	Pass	
				40	3.8	6625.000	6525 to 6875	Pass	
				20	3.23	6705.000	6525 to 6875	Pass	
					3.8	6705.076	6525 to 6875	Pass	
					4.37	6705.076	6525 to 6875	Pass	
				-10	3.8	6705.075	6525 to 6875	Pass	
				0	3.8	6705.076	6525 to 6875	Pass	
				10	3.8	6705.075	6525 to 6875	Pass	
		30	3.8	6705.000	6525 to 6875	Pass			
		40	3.8	6705.000	6525 to 6875	Pass			
		6785	SU	20	3.23	6785.000	6525 to 6875	Pass	
					3.8	6785.076	6525 to 6875	Pass	
					4.37	6785.076	6525 to 6875	Pass	
				-10	3.8	6785.000	6525 to 6875	Pass	
				0	3.8	6785.076	6525 to 6875	Pass	
				10	3.8	6785.000	6525 to 6875	Pass	
				30	3.8	6785.000	6525 to 6875	Pass	
				40	3.8	6785.075	6525 to 6875	Pass	
				802.11ax (HEW160)	6665	SU	20	3.23	6665.000
		3.8	6665.000					6525 to 6875	Pass
		4.37	6665.000					6525 to 6875	Pass
		-10	3.8				6665.075	6525 to 6875	Pass
		0	3.8				6665.075	6525 to 6875	Pass
		10	3.8				6665.000	6525 to 6875	Pass
		30	3.8				6665.075	6525 to 6875	Pass
		40	3.8				6665.150	6525 to 6875	Pass
Ant2									

ENV	Mode	Freq uenc y (MHz)	RU	Te mp erat ure (°C)	Volta ge (VDC)	Measure d Freq uenc y (MHz)	Limit (MHz)	Verdi ct
NTNV	802.11ax (HEW20)	6535	SU	20	3.23	6534.980	6525 to 6875	Pass
					3.8	6535.020	6525 to 6875	Pass
					4.37	6534.980	6525 to 6875	Pass
				-10	3.8	6534.980	6525 to 6875	Pass
				0	3.8	6535.020	6525 to 6875	Pass
				10	3.8	6535.000	6525 to 6875	Pass
				30	3.8	6535.000	6525 to 6875	Pass
				40	3.8	6534.960	6525 to 6875	Pass
		6695	SU	20	3.23	6695.000	6525 to 6875	Pass
					3.8	6695.020	6525 to 6875	Pass
					4.37	6695.000	6525 to 6875	Pass
				-10	3.8	6695.000	6525 to 6875	Pass
				0	3.8	6695.000	6525 to 6875	Pass
				10	3.8	6695.040	6525 to 6875	Pass
				30	3.8	6695.020	6525 to 6875	Pass
				40	3.8	6695.000	6525 to 6875	Pass
		6855	SU	20	3.23	6855.000	6525 to 6875	Pass
					3.8	6855.000	6525 to 6875	Pass
					4.37	6855.000	6525 to 6875	Pass
				-10	3.8	6855.000	6525 to 6875	Pass
				0	3.8	6855.020	6525 to 6875	Pass
				10	3.8	6855.000	6525 to 6875	Pass
				30	3.8	6854.960	6525 to 6875	Pass
				40	3.8	6855.000	6525 to 6875	Pass
	802.11ax (HEW40)	6565	SU	20	3.23	6565.000	6525 to 6875	Pass

					3.8	6565.000	6525 to 6875	Pass
					4.37	6564.960	6525 to 6875	Pass
				-10	3.8	6565.040	6525 to 6875	Pass
				0	3.8	6565.040	6525 to 6875	Pass
				10	3.8	6565.000	6525 to 6875	Pass
				30	3.8	6565.000	6525 to 6875	Pass
				40	3.8	6564.960	6525 to 6875	Pass
	6685	SU	20	3.23	6684.960	6525 to 6875	Pass	
				3.8	6685.000	6525 to 6875	Pass	
				4.37	6685.000	6525 to 6875	Pass	
			-10	3.8	6685.040	6525 to 6875	Pass	
			0	3.8	6685.000	6525 to 6875	Pass	
			10	3.8	6685.000	6525 to 6875	Pass	
			30	3.8	6684.960	6525 to 6875	Pass	
	6845	SU	20	3.23	6845.000	6525 to 6875	Pass	
				3.8	6844.960	6525 to 6875	Pass	
				4.37	6845.040	6525 to 6875	Pass	
			-10	3.8	6845.000	6525 to 6875	Pass	
			0	3.8	6844.920	6525 to 6875	Pass	
			10	3.8	6844.960	6525 to 6875	Pass	
			30	3.8	6844.960	6525 to 6875	Pass	
	802.11ax (HEW80)	6625	SU	20	3.23	6625.000	6525 to 6875	Pass
					3.8	6625.000	6525 to 6875	Pass
					4.37	6625.076	6525 to 6875	Pass
-10				3.8	6625.000	6525 to 6875	Pass	
0				3.8	6625.000	6525 to 6875	Pass	

		6705	SU	10	3.8	6625.000	6525 to 6875	Pass	
				30	3.8	6625.000	6525 to 6875	Pass	
				40	3.8	6625.000	6525 to 6875	Pass	
				20	3.23	6705.000	6525 to 6875	Pass	
					3.8	6705.000	6525 to 6875	Pass	
					4.37	6705.076	6525 to 6875	Pass	
				-10	3.8	6705.076	6525 to 6875	Pass	
				0	3.8	6705.000	6525 to 6875	Pass	
				10	3.8	6705.000	6525 to 6875	Pass	
		30	3.8	6705.000	6525 to 6875	Pass			
		40	3.8	6705.076	6525 to 6875	Pass			
		6785	SU	20	3.23	6785.000	6525 to 6875	Pass	
					3.8	6785.075	6525 to 6875	Pass	
					4.37	6785.076	6525 to 6875	Pass	
				-10	3.8	6785.000	6525 to 6875	Pass	
				0	3.8	6785.000	6525 to 6875	Pass	
				10	3.8	6785.000	6525 to 6875	Pass	
				30	3.8	6785.000	6525 to 6875	Pass	
				40	3.8	6785.000	6525 to 6875	Pass	
		802.11ax (HEW160)	6665	SU	20	3.23	6665.000	6525 to 6875	Pass
						3.8	6665.000	6525 to 6875	Pass
						4.37	6665.000	6525 to 6875	Pass
					-10	3.8	6665.000	6525 to 6875	Pass
					0	3.8	6665.000	6525 to 6875	Pass
					10	3.8	6665.000	6525 to 6875	Pass
					30	3.8	6665.000	6525 to 6875	Pass
					40	3.8	6664.925	6525 to 6875	Pass
Ant1									

ENV	Mode	Freq uenc y (MHz)	RU	Te mp erat ure (°C)	Volta ge (VDC)	Measure d Freq uenc y (MHz)	Limit (MHz)	Verdi ct	
NTNV	802.11ax (HEW20)	6895	SU	20	3.23	6895.000	6875 to 7125	Pass	
					3.8	6895.000	6875 to 7125	Pass	
					4.37	6894.960	6875 to 7125	Pass	
				-10	3.8	6895.020	6875 to 7125	Pass	
				0	3.8	6894.980	6875 to 7125	Pass	
				10	3.8	6895.000	6875 to 7125	Pass	
				30	3.8	6895.000	6875 to 7125	Pass	
				40	3.8	6895.020	6875 to 7125	Pass	
				6995	SU	20	3.23	6995.000	6875 to 7125
		3.8	6995.020				6875 to 7125	Pass	
		4.37	6995.000				6875 to 7125	Pass	
		-10	3.8			6995.000	6875 to 7125	Pass	
		0	3.8			6995.000	6875 to 7125	Pass	
		10	3.8			6994.980	6875 to 7125	Pass	
		30	3.8			6994.940	6875 to 7125	Pass	
		40	3.8			6995.000	6875 to 7125	Pass	
		7095	SU			20	3.23	7094.980	6875 to 7125
				3.8	7094.940		6875 to 7125	Pass	
				4.37	7094.980		6875 to 7125	Pass	
				-10	3.8	7094.980	6875 to 7125	Pass	
				0	3.8	7094.980	6875 to 7125	Pass	
				10	3.8	7095.000	6875 to 7125	Pass	
				30	3.8	7095.020	6875 to 7125	Pass	
				40	3.8	7095.000	6875 to 7125	Pass	
				802.11ax (HEW40)	6925	SU	20	3.23	6925.000

					3.8	6925.040	6875 to 7125	Pass
					4.37	6925.000	6875 to 7125	Pass
				-10	3.8	6925.000	6875 to 7125	Pass
				0	3.8	6925.000	6875 to 7125	Pass
				10	3.8	6925.000	6875 to 7125	Pass
				30	3.8	6924.960	6875 to 7125	Pass
				40	3.8	6925.000	6875 to 7125	Pass
	7005	SU	20		3.23	7005.040	6875 to 7125	Pass
					3.8	7004.960	6875 to 7125	Pass
					4.37	7005.000	6875 to 7125	Pass
			-10	3.8	7005.000	6875 to 7125	Pass	
			0	3.8	7005.000	6875 to 7125	Pass	
			10	3.8	7004.960	6875 to 7125	Pass	
			30	3.8	7005.000	6875 to 7125	Pass	
			40	3.8	7005.000	6875 to 7125	Pass	
	7085	SU	20		3.23	7085.000	6875 to 7125	Pass
					3.8	7085.040	6875 to 7125	Pass
					4.37	7085.000	6875 to 7125	Pass
			-10	3.8	7084.960	6875 to 7125	Pass	
			0	3.8	7085.000	6875 to 7125	Pass	
			10	3.8	7085.040	6875 to 7125	Pass	
			30	3.8	7085.040	6875 to 7125	Pass	
			40	3.8	7085.000	6875 to 7125	Pass	
	802.11ax (HEW80)	6945	SU	20		3.23	6945.000	6875 to 7125
					3.8	6945.000	6875 to 7125	Pass
					4.37	6945.000	6875 to 7125	Pass
-10				3.8	6945.000	6875 to 7125	Pass	
0				3.8	6945.076	6875 to 7125	Pass	

	7025	SU	10	3.8	6944.925	6875 to 7125	Pass	
			30	3.8	6945.076	6875 to 7125	Pass	
			40	3.8	6945.000	6875 to 7125	Pass	
			20	3.23	7024.925	6875 to 7125	Pass	
				3.8	7025.000	6875 to 7125	Pass	
				4.37	7025.076	6875 to 7125	Pass	
			-10	3.8	7025.000	6875 to 7125	Pass	
			0	3.8	7025.000	6875 to 7125	Pass	
			10	3.8	7025.000	6875 to 7125	Pass	
	30	3.8	7025.000	6875 to 7125	Pass			
	40	3.8	7025.000	6875 to 7125	Pass			
	802.11ax (HEW160)	6985	SU	20	3.23	6984.925	6875 to 7125	Pass
					3.8	6985.000	6875 to 7125	Pass
					4.37	6985.000	6875 to 7125	Pass
				-10	3.8	6985.000	6875 to 7125	Pass
				0	3.8	6985.075	6875 to 7125	Pass
				10	3.8	6985.000	6875 to 7125	Pass
				30	3.8	6984.850	6875 to 7125	Pass
40				3.8	6985.000	6875 to 7125	Pass	

Ant2

ENV	Mode	Frequency (MHz)	RU	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11ax (HEW20)	6895	SU	20	3.23	6895.020	6875 to 7125	Pass
					3.8	6895.000	6875 to 7125	Pass
					4.37	6894.980	6875 to 7125	Pass
				-10	3.8	6895.000	6875 to 7125	Pass
				0	3.8	6895.040	6875 to 7125	Pass

				10	3.8	6895.000	6875 to 7125	Pass	
				30	3.8	6895.080	6875 to 7125	Pass	
				40	3.8	6895.020	6875 to 7125	Pass	
		6995	SU	20		3.23	6995.000	6875 to 7125	Pass
						3.8	6995.040	6875 to 7125	Pass
						4.37	6994.980	6875 to 7125	Pass
				-10	3.8	6994.940	6875 to 7125	Pass	
				0	3.8	6994.920	6875 to 7125	Pass	
				10	3.8	6995.000	6875 to 7125	Pass	
	30			3.8	6995.020	6875 to 7125	Pass		
	40			3.8	6994.980	6875 to 7125	Pass		
	7095			SU	20		3.23	7094.940	6875 to 7125
		3.8	7094.980				6875 to 7125	Pass	
		4.37	7094.980				6875 to 7125	Pass	
		-10	3.8		7095.000	6875 to 7125	Pass		
		0	3.8		7094.980	6875 to 7125	Pass		
		10	3.8		7094.920	6875 to 7125	Pass		
		30	3.8		7095.000	6875 to 7125	Pass		
		40	3.8		7094.980	6875 to 7125	Pass		
		802.11ax (HEW40)	6925		SU	20		3.23	6925.040
	3.8			6925.000				6875 to 7125	Pass
	4.37			6925.080				6875 to 7125	Pass
	-10			3.8		6925.040	6875 to 7125	Pass	
	0			3.8		6925.000	6875 to 7125	Pass	
	10			3.8		6925.000	6875 to 7125	Pass	
	30			3.8		6925.000	6875 to 7125	Pass	
	40			3.8		6925.040	6875 to 7125	Pass	
	7005			SU		20		3.23	7005.000

802.11ax (HEW80)					3.8	7005.000	6875 to 7125	Pass	
					4.37	7005.000	6875 to 7125	Pass	
				-10	3.8	7004.960	6875 to 7125	Pass	
				0	3.8	7005.000	6875 to 7125	Pass	
				10	3.8	7005.040	6875 to 7125	Pass	
				30	3.8	7005.040	6875 to 7125	Pass	
				40	3.8	7005.000	6875 to 7125	Pass	
	7085	SU			20	3.23	7085.000	6875 to 7125	Pass
						3.8	7085.000	6875 to 7125	Pass
						4.37	7085.040	6875 to 7125	Pass
					-10	3.8	7085.000	6875 to 7125	Pass
					0	3.8	7084.960	6875 to 7125	Pass
					10	3.8	7085.040	6875 to 7125	Pass
					30	3.8	7085.000	6875 to 7125	Pass
	40	3.8	7085.000	6875 to 7125	Pass				
	6945	SU			20	3.23	6945.000	6875 to 7125	Pass
						3.8	6945.076	6875 to 7125	Pass
						4.37	6945.076	6875 to 7125	Pass
					-10	3.8	6945.000	6875 to 7125	Pass
					0	3.8	6945.076	6875 to 7125	Pass
					10	3.8	6945.076	6875 to 7125	Pass
					30	3.8	6945.000	6875 to 7125	Pass
		40	3.8	6945.076	6875 to 7125	Pass			
		7025	SU			20	3.23	7024.925	6875 to 7125
3.8							7025.000	6875 to 7125	Pass
4.37							7025.000	6875 to 7125	Pass
-10						3.8	7025.000	6875 to 7125	Pass
0						3.8	7025.000	6875 to 7125	Pass

	802.11ax (HEW160)	6985	SU	10	3.8	7025.076	6875 to 7125	Pass
				30	3.8	7025.000	6875 to 7125	Pass
				40	3.8	7025.000	6875 to 7125	Pass
				20	3.23	6984.925	6875 to 7125	Pass
					3.8	6985.000	6875 to 7125	Pass
					4.37	6985.000	6875 to 7125	Pass
				-10	3.8	6984.925	6875 to 7125	Pass
				0	3.8	6984.925	6875 to 7125	Pass
				10	3.8	6985.000	6875 to 7125	Pass
				30	3.8	6984.925	6875 to 7125	Pass
40	3.8	6985.000	6875 to 7125	Pass				

Ant1

ENV	Mode	Freq uenc y (MHz)	RU	Te mp er at ure (°C)	Volta ge (VDC)	Measure d Frequenc y (MHz)	Limit (MHz)	Verdi ct
NTNV	802.11ax (HEW20)	6875	SU	20	3.23	6875.000	6525 to 7125	Pass
					3.8	6875.000	6525 to 7125	Pass
					4.37	6875.000	6525 to 7125	Pass
				-10	3.8	6875.020	6525 to 7125	Pass
				0	3.8	6875.000	6525 to 7125	Pass
				10	3.8	6874.960	6525 to 7125	Pass
				30	3.8	6875.000	6525 to 7125	Pass
				40	3.8	6875.000	6525 to 7125	Pass
	802.11ax (HEW40)	6885	SU	20	3.23	6885.040	6525 to 7125	Pass
					3.8	6885.000	6525 to 7125	Pass
					4.37	6885.000	6525 to 7125	Pass
				-10	3.8	6885.000	6525 to 7125	Pass
				0	3.8	6885.040	6525 to 7125	Pass

	802.11ax (HEW80)	6865	SU	10	3.8	6885.000	6525 to 7125	Pass
				30	3.8	6885.000	6525 to 7125	Pass
				40	3.8	6885.040	6525 to 7125	Pass
				20	3.23	6865.076	6525 to 7125	Pass
					3.8	6865.076	6525 to 7125	Pass
					4.37	6865.076	6525 to 7125	Pass
				-10	3.8	6865.000	6525 to 7125	Pass
				0	3.8	6865.076	6525 to 7125	Pass
				10	3.8	6865.076	6525 to 7125	Pass
	30	3.8	6865.000	6525 to 7125	Pass			
	40	3.8	6865.076	6525 to 7125	Pass			
	802.11ax (HEW160)	6825	SU	20	3.23	6825.000	6525 to 7125	Pass
					3.8	6825.000	6525 to 7125	Pass
					4.37	6825.075	6525 to 7125	Pass
				-10	3.8	6825.075	6525 to 7125	Pass
				0	3.8	6825.075	6525 to 7125	Pass
				10	3.8	6825.075	6525 to 7125	Pass
				30	3.8	6825.000	6525 to 7125	Pass
40				3.8	6825.150	6525 to 7125	Pass	

Ant2

ENV	Mode	Freq uenc y (MHz)	RU	Te mp er at ure (°C)	Vol ta ge (VDC)	Measure d Frequenc y (MHz)	Limit (MHz)	Verdi ct
NTNV	802.11ax (HEW20)	6875	SU	20	3.23	6875.020	6525 to 7125	Pass
					3.8	6875.020	6525 to 7125	Pass
					4.37	6875.000	6525 to 7125	Pass
				-10	3.8	6875.000	6525 to 7125	Pass
				0	3.8	6874.980	6525 to 7125	Pass


	802.11ax (HEW40)	6885	SU	10	3.8	6874.940	6525 to 7125	Pass
				30	3.8	6875.000	6525 to 7125	Pass
				40	3.8	6874.980	6525 to 7125	Pass
				20	3.23	6885.000	6525 to 7125	Pass
					3.8	6885.040	6525 to 7125	Pass
					4.37	6885.040	6525 to 7125	Pass
				-10	3.8	6885.000	6525 to 7125	Pass
				0	3.8	6885.040	6525 to 7125	Pass
				10	3.8	6885.040	6525 to 7125	Pass
	30	3.8	6885.000	6525 to 7125	Pass			
	40	3.8	6885.000	6525 to 7125	Pass			
	802.11ax (HEW80)	6865	SU	20	3.23	6865.076	6525 to 7125	Pass
					3.8	6865.000	6525 to 7125	Pass
					4.37	6865.000	6525 to 7125	Pass
				-10	3.8	6865.000	6525 to 7125	Pass
				0	3.8	6865.076	6525 to 7125	Pass
				10	3.8	6865.076	6525 to 7125	Pass
				30	3.8	6865.000	6525 to 7125	Pass
				40	3.8	6865.076	6525 to 7125	Pass
				802.11ax (HEW160)	6825	SU	20	3.23
	3.8	6825.075	6525 to 7125					Pass
	4.37	6825.000	6525 to 7125					Pass
	-10	3.8	6825.075				6525 to 7125	Pass
	0	3.8	6825.000				6525 to 7125	Pass
10	3.8	6825.000	6525 to 7125				Pass	
30	3.8	6824.925	6525 to 7125				Pass	
40	3.8	6825.000	6525 to 7125				Pass	
Ant1								

ENV	Mode	Freq uenc y (MHz)	RU	Te mp er at ure (°C)	Volta ge (VDC)	Measure d Frequenc y (MHz)	Limit (MHz)	Verdi ct	
NTNV	802.11ax (HEW40)	6525	SU	20	3.23	6525.040	6425 to 6875	Pass	
					3.8	6525.000	6425 to 6875	Pass	
					4.37	6525.000	6425 to 6875	Pass	
				-10	3.8	6525.040	6425 to 6875	Pass	
					0	6524.960	6425 to 6875	Pass	
					10	6524.960	6425 to 6875	Pass	
					30	6525.000	6425 to 6875	Pass	
					40	6525.000	6425 to 6875	Pass	
	802.11ax (HEW80)	6545	SU		20	3.23	6545.000	6425 to 6875	Pass
						3.8	6545.000	6425 to 6875	Pass
				4.37		6545.000	6425 to 6875	Pass	
				-10	3.8	6545.000	6425 to 6875	Pass	
					0	6545.000	6425 to 6875	Pass	
					10	6544.925	6425 to 6875	Pass	
	802.11ax (HEW160)	6505	SU	20	3.23	6504.925	6425 to 6875	Pass	
					3.8	6504.925	6425 to 6875	Pass	
					4.37	6504.925	6425 to 6875	Pass	
				-10	3.8	6504.925	6425 to 6875	Pass	
					0	6504.775	6425 to 6875	Pass	
				10	6504.925	6425 to 6875	Pass		
				30	6504.925	6425 to 6875	Pass		
				40	6504.925	6425 to 6875	Pass		
	Ant2								


ENV	Mode	Freq uenc y (MHz)	RU	Te mp erat ure (°C)	Volta ge (VDC)	Measure d Freq uenc y (MHz)	Limit (MHz)	Verdi ct
NTNV	802.11ax (HEW40)	6525	SU	20	3.23	6525.000	6425 to 6875	Pass
					3.8	6524.920	6425 to 6875	Pass
					4.37	6525.000	6425 to 6875	Pass
				-10	3.8	6525.000	6425 to 6875	Pass
				0	3.8	6524.920	6425 to 6875	Pass
				10	3.8	6525.000	6425 to 6875	Pass
				30	3.8	6525.000	6425 to 6875	Pass
				40	3.8	6524.960	6425 to 6875	Pass
	802.11ax (HEW80)	6545	SU	20	3.23	6544.925	6425 to 6875	Pass
					3.8	6544.925	6425 to 6875	Pass
					4.37	6544.925	6425 to 6875	Pass
				-10	3.8	6545.000	6425 to 6875	Pass
				0	3.8	6544.925	6425 to 6875	Pass
				10	3.8	6545.000	6425 to 6875	Pass
				30	3.8	6545.076	6425 to 6875	Pass
				40	3.8	6544.925	6425 to 6875	Pass
	802.11ax (HEW160)	6505	SU	20	3.23	6504.925	6425 to 6875	Pass
					3.8	6505.000	6425 to 6875	Pass
					4.37	6505.000	6425 to 6875	Pass
				-10	3.8	6504.925	6425 to 6875	Pass
				0	3.8	6504.925	6425 to 6875	Pass
				10	3.8	6504.925	6425 to 6875	Pass
				30	3.8	6505.000	6425 to 6875	Pass
				40	3.8	6504.925	6425 to 6875	Pass

Test Graph


802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW80)_HCH_6385MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160)_MCH_6185MHz_SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW160) HCH 6345MHz SU_Ant1_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_LCH_5955MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_MCH_6175MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW20)_HCH_6415MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_LCH_5965MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_MCH_6165MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW40)_HCH_6405MHz_SU_Ant2_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV




802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV



802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV



802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV



802.11ax(HEW80)_LCH_5985MHz_SU_Ant2_NTNV

