



8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)




8-DPSK Hopping BAND EDGE (HIGH)




8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

Right Earphone:

GFSK LOW CHANNEL, CARRIER LEVEL




GFSK LOW CHANNEL, BAND EDGE

GFSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHzGFSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


GFSK MIDDLE CHANNEL, CARRIER LEVEL




GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE




GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz





GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK LOW CHANNEL, CARRIER LEVEL




8-DPSK LOW CHANNEL, BAND EDGE

8-DPSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz8-DPSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


8-DPSK MIDDLE CHANNEL, CARRIER LEVEL




8-DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK HIGH CHANNEL, CARRIER LEVEL




8-DPSK HIGH CHANNEL, BAND EDGE




8-DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)



GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz



8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)



8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (240 VAC, 50 Hz) shown here.


Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

Left Earphone:

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.226	40.48	9.77	62.60	22.12	Peak	L	Pass
1**	0.226	26.31	9.77	52.60	26.29	AV	L	Pass
2	0.378	37.87	10.64	58.32	20.45	Peak	L	Pass
2**	0.378	25.78	10.64	48.32	22.54	AV	L	Pass
3	0.756	36.11	10.22	56.00	19.89	Peak	L	Pass
3**	0.756	23.86	10.22	46.00	22.14	AV	L	Pass
4	1.344	35.34	10.06	56.00	20.66	Peak	L	Pass
4**	1.344	23.92	10.06	46.00	22.08	AV	L	Pass
5	4.472	35.66	10.27	56.00	20.34	Peak	L	Pass
5**	4.472	24.45	10.27	46.00	21.55	AV	L	Pass
6	21.000	38.43	11.09	60.00	21.57	Peak	L	Pass
6**	21.000	25.97	11.09	50.00	24.03	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C




No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.184	41.20	9.78	64.30	23.10	Peak	N	Pass
1**	0.184	27.43	9.78	54.30	26.87	AV	N	Pass
2	0.240	41.57	9.77	62.10	20.53	Peak	N	Pass
2**	0.240	26.52	9.77	52.10	25.58	AV	N	Pass
3	1.880	36.80	10.52	56.00	19.20	Peak	N	Pass
3**	1.880	24.93	10.52	46.00	21.07	AV	N	Pass
4	3.270	36.79	10.19	56.00	19.21	Peak	N	Pass
4**	3.270	24.54	10.19	46.00	21.46	AV	N	Pass
5	10.082	37.00	10.58	60.00	23.00	Peak	N	Pass
5**	10.082	25.35	10.58	50.00	24.65	AV	N	Pass
6	18.374	36.98	10.96	60.00	23.02	Peak	N	Pass
6**	18.374	25.66	10.96	50.00	24.34	AV	N	Pass

Right Earphone:

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.168	42.03	9.78	65.06	23.03	Peak	L	Pass
1**	0.168	28.11	9.78	55.06	26.95	AV	L	Pass
2	0.238	39.52	9.77	62.17	22.65	Peak	L	Pass
2**	0.238	25.85	9.77	52.17	26.32	AV	L	Pass
3	0.470	37.15	10.01	56.51	19.36	Peak	L	Pass
3**	0.470	26.20	10.01	46.51	20.31	AV	L	Pass
4	0.774	37.14	10.35	56.00	18.86	Peak	L	Pass
4**	0.774	24.87	10.35	46.00	21.13	AV	L	Pass
5	1.176	36.19	10.13	56.00	19.81	Peak	L	Pass
5**	1.176	24.83	10.13	46.00	21.17	AV	L	Pass
6	24.896	38.78	10.95	60.00	21.22	Peak	L	Pass
6**	24.896	23.94	10.95	50.00	26.06	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.160	43.39	9.78	65.46	22.07	Peak	N	Pass
1**	0.160	27.74	9.78	55.46	27.72	AV	N	Pass
2	0.256	40.11	9.77	61.56	21.45	Peak	N	Pass
2**	0.256	25.39	9.77	51.56	26.17	AV	N	Pass
3	0.390	37.75	10.59	58.06	20.31	Peak	N	Pass
3**	0.390	25.34	10.59	48.06	22.72	AV	N	Pass
4	0.932	36.88	10.10	56.00	19.12	Peak	N	Pass
4**	0.932	24.19	10.10	46.00	21.81	AV	N	Pass
5	2.884	36.45	9.92	56.00	19.55	Peak	N	Pass
5**	2.884	23.94	9.92	46.00	22.06	AV	N	Pass
6	4.562	36.85	10.46	56.00	19.15	Peak	N	Pass
6**	4.562	24.81	10.46	46.00	21.19	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)


The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

Left Earphone:

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	56.911	15.27	-26.24	29.5	14.23	Peak	248.00	100	Horizontal	Pass
2	127.946	16.93	-27.49	33.0	16.07	Peak	194.00	100	Horizontal	Pass
3	150.977	14.51	-25.75	33.0	18.49	Peak	302.00	100	Horizontal	Pass
4	644.826	25.01	-15.77	35.5	10.49	Peak	0.00	100	Horizontal	Pass
5	758.288	26.81	-13.27	35.5	8.69	Peak	102.00	100	Horizontal	Pass
6	922.177	28.42	-10.75	35.5	7.08	Peak	167.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	57.638	15.79	-26.29	29.5	13.71	Peak	20.00	100	Vertical	Pass
2	128.188	17.13	-27.45	33.0	15.87	Peak	275.00	100	Vertical	Pass
3	167.948	17.86	-25.99	33.0	15.14	Peak	117.00	100	Vertical	Pass
4	482.149	21.64	-20.00	35.5	13.86	Peak	166.00	100	Vertical	Pass
5	733.317	26.28	-13.76	35.5	9.22	Peak	25.00	100	Vertical	Pass
6	930.177	28.83	-10.93	35.5	6.67	Peak	302.00	100	Vertical	Pass

Right Earphone:

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	57.153	16.25	-26.26	29.5	13.25	Peak	322.00	100	Horizontal	Pass
2	150.977	15.90	-25.75	33.0	17.10	Peak	0.00	200	Horizontal	Pass
3	166.493	16.32	-25.92	33.0	16.68	Peak	257.00	100	Horizontal	Pass
4	430.025	21.39	-21.33	35.5	14.11	Peak	143.00	200	Horizontal	Pass
5	645.311	24.96	-15.75	35.5	10.54	Peak	186.00	100	Horizontal	Pass
6	796.836	27.68	-12.86	35.5	7.82	Peak	117.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	57.396	16.48	-26.27	29.5	13.02	Peak	65.00	100	Vertical	Pass
2	140.795	17.39	-25.98	33.0	15.61	Peak	276.00	200	Vertical	Pass
3	158.008	18.98	-25.87	33.0	14.02	Peak	245.00	100	Vertical	Pass
4	287.956	17.27	-25.01	35.5	18.23	Peak	313.00	100	Vertical	Pass
5	727.983	27.01	-13.92	35.5	8.49	Peak	59.00	100	Vertical	Pass
6	910.297	29.33	-10.62	35.5	6.17	Peak	289.00	200	Vertical	Pass


Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

Left Earphone:

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.800	42.77	-17.31	74.0	31.23	Peak	248.00	100	Horizontal	Pass
1**	1594.800	32.12	-17.31	54.0	21.88	AV	248.00	100	Horizontal	Pass
2	2402.200	105.15	-9.74	74.0	-31.15	Peak	70.00	200	Horizontal	N/A
2**	2402.200	104.79	-9.74	54.0	-50.79	AV	70.00	200	Horizontal	N/A
3	4804.200	52.66	-2.83	74.0	21.34	Peak	266.00	150	Horizontal	Pass
3**	4804.200	47.49	-2.83	54.0	6.51	AV	266.00	150	Horizontal	Pass
4	6815.600	54.58	0.60	74.0	19.42	Peak	352.00	150	Horizontal	Pass
4**	6815.600	44.85	0.60	54.0	9.15	AV	352.00	150	Horizontal	Pass
5	13320.937	56.51	0.91	74.0	17.49	Peak	0.00	300	Horizontal	Pass
5**	13320.937	46.93	0.91	54.0	7.07	AV	0.00	300	Horizontal	Pass
6	15236.138	55.96	1.01	74.0	18.04	Peak	14.00	150	Horizontal	Pass
6**	15236.138	46.83	1.01	54.0	7.17	AV	14.00	150	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.600	45.29	-17.08	74.0	28.71	Peak	143.00	400	Vertical	Pass
1**	1327.600	33.27	-17.08	54.0	20.73	AV	143.00	400	Vertical	Pass
2	2402.100	101.62	-9.74	74.0	-27.62	Peak	93.00	150	Vertical	N/A
2**	2402.100	101.33	-9.74	54.0	-47.33	AV	93.00	150	Vertical	N/A
3	4804.200	49.76	-2.83	74.0	24.24	Peak	273.00	150	Vertical	Pass
3**	4804.200	46.80	-2.83	54.0	7.20	AV	273.00	150	Vertical	Pass
4	6793.400	54.95	1.11	74.0	19.05	Peak	360.00	300	Vertical	Pass
4**	6793.400	46.11	1.11	54.0	7.89	AV	360.00	300	Vertical	Pass
5	13446.674	55.79	0.58	74.0	18.21	Peak	142.00	300	Vertical	Pass
5**	13446.674	46.65	0.58	54.0	7.35	AV	142.00	300	Vertical	Pass
6	15810.224	55.60	2.16	74.0	18.40	Peak	0.00	150	Vertical	Pass
6**	15810.224	46.91	2.16	54.0	7.09	AV	0.00	150	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1299.000	46.86	-17.23	74.0	27.14	Peak	61.00	300	Horizontal	Pass
1**	1299.000	33.04	-17.23	54.0	20.96	AV	61.00	300	Horizontal	Pass
2	2441.200	103.97	-12.38	74.0	-29.97	Peak	317.00	100	Horizontal	N/A
2**	2441.200	103.70	-12.38	54.0	-49.70	AV	317.00	100	Horizontal	N/A
3	4881.800	53.03	-2.63	74.0	20.97	Peak	317.00	200	Horizontal	Pass
3**	4881.800	44.52	-2.63	54.0	9.48	AV	317.00	200	Horizontal	Pass
4	4882.400	50.45	-2.58	74.0	23.55	Peak	171.00	150	Horizontal	Pass
4**	4882.400	46.87	-2.58	54.0	7.13	AV	171.00	150	Horizontal	Pass
5	13425.412	55.72	0.40	74.0	18.28	Peak	52.00	150	Horizontal	Pass
5**	13425.412	46.08	0.40	54.0	7.92	AV	52.00	150	Horizontal	Pass
6	17432.474	56.60	3.36	74.0	17.40	Peak	323.00	400	Horizontal	Pass
6**	17432.474	46.90	3.36	54.0	7.10	AV	323.00	400	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	44.64	-17.03	74.0	29.36	Peak	149.00	200	Vertical	Pass
1**	1331.300	33.87	-17.03	54.0	20.13	AV	149.00	200	Vertical	Pass
2	2440.800	101.69	-12.38	74.0	-27.69	Peak	301.00	150	Vertical	N/A
2**	2440.800	101.02	-12.38	54.0	-47.02	AV	301.00	150	Vertical	N/A
3	4882.200	49.34	-2.60	74.0	24.66	Peak	65.00	150	Vertical	Pass
3**	4882.200	46.16	-2.60	54.0	7.84	AV	65.00	150	Vertical	Pass
4	6788.200	54.20	0.33	74.0	19.80	Peak	131.00	300	Vertical	Pass
4**	6788.200	45.25	0.33	54.0	8.75	AV	131.00	300	Vertical	Pass
5	13425.150	55.59	0.40	74.0	18.41	Peak	100.00	150	Vertical	Pass
5**	13425.150	47.34	0.40	54.0	6.66	AV	100.00	150	Vertical	Pass
6	15842.250	56.74	1.41	74.0	17.26	Peak	160.00	100	Vertical	Pass
6**	15842.250	46.62	1.41	54.0	7.38	AV	160.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	43.94	-17.09	74.0	30.06	Peak	198.00	100	Horizontal	Pass
1**	1332.000	33.18	-17.09	54.0	20.82	AV	198.00	100	Horizontal	Pass
2	2480.200	100.47	-11.29	74.0	-26.47	Peak	90.00	150	Horizontal	N/A
2**	2480.200	100.19	-11.29	54.0	-46.19	AV	90.00	150	Horizontal	N/A
3	4960.200	52.59	-2.26	74.0	21.41	Peak	265.00	150	Horizontal	Pass
3**	4960.200	46.57	-2.26	54.0	7.43	AV	265.00	150	Horizontal	Pass
4	6993.400	54.53	1.92	74.0	19.47	Peak	275.00	100	Horizontal	Pass
4**	6993.400	45.07	1.92	54.0	8.93	AV	275.00	100	Horizontal	Pass
5	13407.563	55.96	0.53	74.0	18.04	Peak	164.00	150	Horizontal	Pass
5**	13407.563	46.88	0.53	54.0	7.12	AV	164.00	150	Horizontal	Pass
6	17403.863	56.24	3.29	74.0	17.76	Peak	0.00	200	Horizontal	Pass
6**	17403.863	47.09	3.29	54.0	6.91	AV	0.00	200	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1368.700	44.91	-17.00	74.0	29.09	Peak	0.00	100	Vertical	Pass
1**	1368.700	32.89	-17.00	54.0	21.11	AV	0.00	100	Vertical	Pass
2	2480.200	98.77	-11.29	74.0	-24.77	Peak	150.00	100	Vertical	N/A
2**	2480.200	98.56	-11.29	54.0	-44.56	AV	150.00	100	Vertical	N/A
3	4960.400	52.94	-2.29	74.0	21.06	Peak	279.00	150	Vertical	Pass
3**	4960.400	48.32	-2.29	54.0	5.68	AV	279.00	150	Vertical	Pass
4	6808.600	54.93	1.64	74.0	19.07	Peak	9.00	300	Vertical	Pass
4**	6808.600	45.12	1.64	54.0	8.88	AV	9.00	300	Vertical	Pass
5	13432.500	55.28	0.41	74.0	18.72	Peak	360.00	150	Vertical	Pass
5**	13432.500	46.54	0.41	54.0	7.46	AV	360.00	150	Vertical	Pass
6	15639.075	56.15	1.39	74.0	17.85	Peak	324.00	400	Vertical	Pass
6**	15639.075	45.83	1.39	54.0	8.17	AV	324.00	400	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.300	43.39	-16.81	74.0	30.61	Peak	29.00	300	Horizontal	Pass
1**	1585.300	33.13	-16.81	54.0	20.87	AV	29.00	300	Horizontal	Pass
2	2401.900	103.23	-9.75	74.0	-29.23	Peak	310.00	150	Horizontal	N/A
2**	2401.900	101.14	-9.75	54.0	-47.14	AV	310.00	150	Horizontal	N/A
3	4804.200	51.27	-2.83	74.0	22.73	Peak	37.00	150	Horizontal	Pass
3**	4804.200	47.50	-2.83	54.0	6.50	AV	37.00	150	Horizontal	Pass
4	4804.600	52.73	-2.78	74.0	21.27	Peak	259.00	150	Horizontal	Pass
4**	4804.600	45.99	-2.78	54.0	8.01	AV	259.00	150	Horizontal	Pass
5	13422.788	56.07	0.40	74.0	17.93	Peak	151.00	400	Horizontal	Pass
5**	13422.788	47.00	0.40	54.0	7.00	AV	151.00	400	Horizontal	Pass
6	15513.338	55.91	1.41	74.0	18.09	Peak	0.00	150	Horizontal	Pass
6**	15513.338	46.36	1.41	54.0	7.64	AV	0.00	150	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	44.71	-17.04	74.0	29.29	Peak	146.00	400	Vertical	Pass
1**	1329.400	33.73	-17.04	54.0	20.27	AV	146.00	400	Vertical	Pass
2	2401.800	101.72	-9.75	74.0	-27.72	Peak	146.00	100	Vertical	N/A
2**	2401.800	98.77	-9.75	54.0	-44.77	AV	146.00	100	Vertical	N/A
3	4803.800	53.66	-2.87	74.0	20.34	Peak	80.00	200	Vertical	Pass
3**	4803.800	47.68	-2.87	54.0	6.32	AV	80.00	200	Vertical	Pass
4	4804.200	53.11	-2.83	74.0	20.89	Peak	284.00	150	Vertical	Pass
4**	4804.200	49.34	-2.83	54.0	4.66	AV	284.00	150	Vertical	Pass
5	13409.662	55.57	0.51	74.0	18.43	Peak	316.00	150	Vertical	Pass
5**	13409.662	47.30	0.51	54.0	6.70	AV	316.00	150	Vertical	Pass
6	16153.838	55.66	0.94	74.0	18.34	Peak	360.00	300	Vertical	Pass
6**	16153.838	44.59	0.94	54.0	9.41	AV	360.00	300	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1294.500	46.48	-17.07	74.0	27.52	Peak	37.00	400	Horizontal	Pass
1**	1294.500	38.23	-17.07	54.0	15.77	AV	37.00	400	Horizontal	Pass
2	2441.000	101.09	-12.38	74.0	-27.09	Peak	320.00	200	Horizontal	N/A
2**	2441.000	100.07	-12.38	54.0	-46.07	AV	320.00	200	Horizontal	N/A
3	4882.000	51.51	-2.61	74.0	22.49	Peak	41.00	150	Horizontal	Pass
3**	4882.000	48.00	-2.61	54.0	6.00	AV	41.00	150	Horizontal	Pass
4	6793.200	54.57	1.09	74.0	19.43	Peak	53.00	100	Horizontal	Pass
4**	6793.200	45.53	1.09	54.0	8.47	AV	53.00	100	Horizontal	Pass
5	13419.638	55.64	0.40	74.0	18.36	Peak	105.00	100	Horizontal	Pass
5**	13419.638	47.21	0.40	54.0	6.79	AV	105.00	100	Horizontal	Pass
6	15492.076	55.06	0.98	74.0	18.94	Peak	278.00	150	Horizontal	Pass
6**	15492.076	46.47	0.98	54.0	7.53	AV	278.00	150	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1298.600	46.43	-17.21	74.0	27.57	Peak	360.00	100	Vertical	Pass
1**	1298.600	32.99	-17.21	54.0	21.01	AV	360.00	100	Vertical	Pass
2	2441.200	99.82	-12.38	74.0	-25.82	Peak	159.00	100	Vertical	N/A
2**	2441.200	98.06	-12.38	54.0	-44.06	AV	159.00	100	Vertical	N/A
3	4882.000	53.11	-2.61	74.0	20.89	Peak	80.00	150	Vertical	Pass
3**	4882.000	48.89	-2.61	54.0	5.11	AV	80.00	150	Vertical	Pass
4	4882.400	54.83	-2.58	74.0	19.17	Peak	292.00	200	Vertical	Pass
4**	4882.400	48.84	-2.58	54.0	5.16	AV	292.00	200	Vertical	Pass
5	6808.600	54.23	1.64	74.0	19.77	Peak	92.00	100	Vertical	Pass
5**	6808.600	45.39	1.64	54.0	8.61	AV	92.00	100	Vertical	Pass
6	13427.775	56.00	0.40	74.0	18.00	Peak	0.00	150	Vertical	Pass
6**	13427.775	46.40	0.40	54.0	7.60	AV	0.00	150	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	44.05	-17.12	74.0	29.95	Peak	194.00	400	Horizontal	Pass
1**	1332.400	33.50	-17.12	54.0	20.50	AV	194.00	400	Horizontal	Pass
2	2480.100	100.46	-11.29	74.0	-26.46	Peak	92.00	150	Horizontal	N/A
2**	2480.100	100.34	-11.29	54.0	-46.34	AV	92.00	150	Horizontal	N/A
3	4960.000	50.91	-2.23	74.0	23.09	Peak	0.00	150	Horizontal	Pass
3**	4960.000	46.43	-2.23	54.0	7.57	AV	0.00	150	Horizontal	Pass
4	6621.200	54.44	0.23	74.0	19.56	Peak	198.00	100	Horizontal	Pass
4**	6621.200	44.62	0.23	54.0	9.38	AV	198.00	100	Horizontal	Pass
5	13362.413	55.51	0.79	74.0	18.49	Peak	242.00	150	Horizontal	Pass
5**	13362.413	45.79	0.79	54.0	8.21	AV	242.00	150	Horizontal	Pass
6	15848.813	56.30	1.34	74.0	17.70	Peak	124.00	200	Horizontal	Pass
6**	15848.813	47.18	1.34	54.0	6.82	AV	124.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1392.300	44.61	-17.12	74.0	29.39	Peak	10.00	400	Vertical	Pass
1**	1392.300	32.52	-17.12	54.0	21.48	AV	10.00	400	Vertical	Pass
2	2480.000	98.63	-11.30	74.0	-24.63	Peak	150.00	150	Vertical	N/A
2**	2480.000	96.80	-11.30	54.0	-42.80	AV	150.00	150	Vertical	N/A
3	4960.200	52.17	-2.26	74.0	21.83	Peak	122.00	150	Vertical	Pass
3**	4960.200	48.50	-2.26	54.0	5.50	AV	122.00	150	Vertical	Pass
4	6804.600	55.53	1.74	74.0	18.47	Peak	89.00	400	Vertical	Pass
4**	6804.600	45.74	1.74	54.0	8.26	AV	89.00	400	Vertical	Pass
5	13312.012	55.52	0.87	74.0	18.48	Peak	164.00	150	Vertical	Pass
5**	13312.012	46.05	0.87	54.0	7.95	AV	164.00	150	Vertical	Pass
6	17398.614	55.72	3.13	74.0	18.28	Peak	342.00	400	Vertical	Pass
6**	17398.614	46.00	3.13	54.0	8.00	AV	342.00	400	Vertical	Pass

Right Earphone:

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1299.800	43.49	-17.27	74.0	30.51	Peak	360.00	300	Horizontal	Pass
1**	1299.800	38.02	-17.27	54.0	15.98	AV	360.00	300	Horizontal	Pass
2	2402.200	103.81	-9.74	74.0	-29.81	Peak	11.00	150	Horizontal	N/A
2**	2402.200	103.34	-9.74	54.0	-49.34	AV	11.00	150	Horizontal	N/A
3	4804.000	53.57	-2.85	74.0	20.43	Peak	61.00	100	Horizontal	Pass
3**	4804.000	47.81	-2.85	54.0	6.19	AV	61.00	100	Horizontal	Pass
4	4804.200	52.31	-2.83	74.0	21.69	Peak	36.00	150	Horizontal	Pass
4**	4804.200	48.86	-2.83	54.0	5.14	AV	36.00	150	Horizontal	Pass
5	13246.125	56.26	0.94	74.0	17.74	Peak	342.00	150	Horizontal	Pass
5**	13246.125	44.93	0.94	54.0	9.07	AV	342.00	150	Horizontal	Pass
6	17388.374	56.47	2.83	74.0	17.53	Peak	63.00	400	Horizontal	Pass
6**	17388.374	46.48	2.83	54.0	7.52	AV	63.00	400	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	45.73	-17.08	74.0	28.27	Peak	160.00	200	Vertical	Pass
1**	1327.700	34.53	-17.08	54.0	19.47	AV	160.00	200	Vertical	Pass
2	2402.100	100.16	-9.74	74.0	-26.16	Peak	280.00	150	Vertical	N/A
2**	2402.100	99.93	-9.74	54.0	-45.93	AV	280.00	150	Vertical	N/A
3	4804.000	52.66	-2.85	74.0	21.34	Peak	226.00	150	Vertical	Pass
3**	4804.000	49.11	-2.85	54.0	4.89	AV	226.00	150	Vertical	Pass
4	4804.200	52.86	-2.83	74.0	21.14	Peak	226.00	100	Vertical	Pass
4**	4804.200	48.41	-2.83	54.0	5.59	AV	226.00	100	Vertical	Pass
5	13446.412	55.43	0.58	74.0	18.57	Peak	360.00	150	Vertical	Pass
5**	13446.412	46.03	0.58	54.0	7.97	AV	360.00	150	Vertical	Pass
6	17428.537	55.70	3.50	74.0	18.30	Peak	360.00	400	Vertical	Pass
6**	17428.537	46.06	3.50	54.0	7.94	AV	360.00	400	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	43.76	-17.02	74.0	30.24	Peak	227.00	100	Horizontal	Pass
1**	1331.100	33.42	-17.02	54.0	20.58	AV	227.00	100	Horizontal	Pass
2	2440.900	104.65	-12.38	74.0	-30.65	Peak	16.00	150	Horizontal	N/A
2**	2440.900	104.16	-12.38	54.0	-50.16	AV	16.00	150	Horizontal	N/A
3	4882.000	54.55	-2.61	74.0	19.45	Peak	291.00	150	Horizontal	Pass
3**	4882.000	50.92	-2.61	54.0	3.08	AV	291.00	150	Horizontal	Pass
4	4882.200	54.98	-2.60	74.0	19.02	Peak	304.00	200	Horizontal	Pass
4**	4882.200	50.04	-2.60	54.0	3.96	AV	304.00	200	Horizontal	Pass
5	13414.388	55.94	0.43	74.0	18.06	Peak	261.00	150	Horizontal	Pass
5**	13414.388	47.09	0.43	54.0	6.91	AV	261.00	150	Horizontal	Pass
6	16401.636	56.25	1.40	74.0	17.75	Peak	360.00	400	Horizontal	Pass
6**	16401.636	45.53	1.40	54.0	8.47	AV	360.00	400	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	45.49	-16.99	74.0	28.51	Peak	305.00	200	Vertical	Pass
1**	1330.200	34.73	-16.99	54.0	19.27	AV	305.00	200	Vertical	Pass
2	2441.100	100.86	-12.38	74.0	-26.86	Peak	291.00	100	Vertical	N/A
2**	2441.100	100.49	-12.38	54.0	-46.49	AV	291.00	100	Vertical	N/A
3	4882.000	53.19	-2.61	74.0	20.81	Peak	254.00	150	Vertical	Pass
3**	4882.000	48.87	-2.61	54.0	5.13	AV	254.00	150	Vertical	Pass
4	6519.000	54.24	0.17	74.0	19.76	Peak	308.00	100	Vertical	Pass
4**	6519.000	46.24	0.17	54.0	7.76	AV	308.00	100	Vertical	Pass
5	13444.312	56.51	0.55	74.0	17.49	Peak	20.00	150	Vertical	Pass
5**	13444.312	46.27	0.55	54.0	7.73	AV	20.00	150	Vertical	Pass
6	17444.551	56.99	2.88	74.0	17.01	Peak	154.00	200	Vertical	Pass
6**	17444.551	46.74	2.88	54.0	7.26	AV	154.00	200	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.900	43.60	-17.10	74.0	30.40	Peak	280.00	400	Horizontal	Pass
1**	1595.900	33.07	-17.10	54.0	20.93	AV	280.00	400	Horizontal	Pass
2	2480.100	105.36	-11.29	74.0	-31.36	Peak	17.00	200	Horizontal	N/A
2**	2480.100	105.18	-11.29	54.0	-51.18	AV	17.00	200	Horizontal	N/A
3	4960.000	54.85	-2.23	74.0	19.15	Peak	360.00	200	Horizontal	Pass
3**	4960.000	50.77	-2.23	54.0	3.23	AV	360.00	200	Horizontal	Pass
4	4960.200	54.78	-2.26	74.0	19.22	Peak	0.00	150	Horizontal	Pass
4**	4960.200	50.82	-2.26	54.0	3.18	AV	0.00	150	Horizontal	Pass
5	13321.987	55.34	0.91	74.0	18.66	Peak	233.00	150	Horizontal	Pass
5**	13321.987	46.48	0.91	54.0	7.52	AV	233.00	150	Horizontal	Pass
6	17430.637	56.10	3.43	74.0	17.90	Peak	317.00	100	Horizontal	Pass
6**	17430.637	47.43	3.43	54.0	6.57	AV	317.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	45.75	-17.12	74.0	28.25	Peak	316.00	100	Vertical	Pass
1**	1333.000	34.25	-17.12	54.0	19.75	AV	316.00	100	Vertical	Pass
2	2479.800	100.93	-11.33	74.0	-26.93	Peak	295.00	100	Vertical	N/A
2**	2479.800	99.50	-11.33	54.0	-45.50	AV	295.00	100	Vertical	N/A
3	4960.000	53.32	-2.23	74.0	20.68	Peak	36.00	150	Vertical	Pass
3**	4960.000	48.90	-2.23	54.0	5.10	AV	36.00	150	Vertical	Pass
4	4960.200	54.11	-2.26	74.0	19.89	Peak	13.00	150	Vertical	Pass
4**	4960.200	48.80	-2.26	54.0	5.20	AV	13.00	150	Vertical	Pass
5	6522.800	54.36	0.07	74.0	19.64	Peak	284.00	200	Vertical	Pass
5**	6522.800	45.12	0.07	54.0	8.88	AV	284.00	200	Vertical	Pass
6	13300.200	55.17	0.87	74.0	18.83	Peak	119.00	150	Vertical	Pass
6**	13300.200	46.99	0.87	54.0	7.01	AV	119.00	150	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	44.22	-17.12	74.0	29.78	Peak	205.00	100	Horizontal	Pass
1**	1333.000	33.11	-17.12	54.0	20.89	AV	205.00	100	Horizontal	Pass
2	2402.000	103.48	-9.74	74.0	-29.48	Peak	12.00	200	Horizontal	N/A
2**	2402.000	101.07	-9.74	54.0	-47.07	AV	12.00	200	Horizontal	N/A
3	4803.800	52.91	-2.87	74.0	21.09	Peak	275.00	200	Horizontal	Pass
3**	4803.800	46.26	-2.87	54.0	7.74	AV	275.00	200	Horizontal	Pass
4	4804.000	51.90	-2.85	74.0	22.10	Peak	108.00	150	Horizontal	Pass
4**	4804.000	48.28	-2.85	54.0	5.72	AV	108.00	150	Horizontal	Pass
5	13411.237	55.76	0.48	74.0	18.24	Peak	9.00	150	Horizontal	Pass
5**	13411.237	47.26	0.48	54.0	6.74	AV	9.00	150	Horizontal	Pass
6	17450.062	55.85	2.82	74.0	18.15	Peak	180.00	400	Horizontal	Pass
6**	17450.062	46.07	2.82	54.0	7.93	AV	180.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1298.000	45.67	-17.18	74.0	28.33	Peak	169.00	400	Vertical	Pass
1**	1298.000	33.00	-17.18	54.0	21.00	AV	169.00	400	Vertical	Pass
2	2402.100	99.79	-9.74	74.0	-25.79	Peak	277.00	200	Vertical	N/A
2**	2402.100	97.40	-9.74	54.0	-43.40	AV	277.00	200	Vertical	N/A
3	4803.800	53.57	-2.87	74.0	20.43	Peak	92.00	100	Vertical	Pass
3**	4803.800	47.51	-2.87	54.0	6.49	AV	92.00	100	Vertical	Pass
4	4804.000	52.26	-2.85	74.0	21.74	Peak	232.00	150	Vertical	Pass
4**	4804.000	49.00	-2.85	54.0	5.00	AV	232.00	150	Vertical	Pass
5	13359.000	55.62	0.85	74.0	18.38	Peak	35.00	150	Vertical	Pass
5**	13359.000	46.08	0.85	54.0	7.92	AV	35.00	150	Vertical	Pass
6	17483.661	55.89	2.57	74.0	18.11	Peak	318.00	400	Vertical	Pass
6**	17483.661	46.37	2.57	54.0	7.63	AV	318.00	400	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1299.800	44.40	-17.27	74.0	29.60	Peak	32.00	300	Horizontal	Pass
1**	1299.800	32.85	-17.27	54.0	21.15	AV	32.00	300	Horizontal	Pass
2	2441.100	103.41	-12.38	74.0	-29.41	Peak	20.00	100	Horizontal	N/A
2**	2441.100	103.14	-12.38	54.0	-49.14	AV	20.00	100	Horizontal	N/A
3	4882.000	53.12	-2.61	74.0	20.88	Peak	287.00	100	Horizontal	Pass
3**	4882.000	48.69	-2.61	54.0	5.31	AV	287.00	100	Horizontal	Pass
4	4882.200	52.02	-2.60	74.0	21.98	Peak	94.00	150	Horizontal	Pass
4**	4882.200	49.58	-2.60	54.0	4.42	AV	94.00	150	Horizontal	Pass
5	13436.174	56.08	0.43	74.0	17.92	Peak	1.00	150	Horizontal	Pass
5**	13436.174	46.74	0.43	54.0	7.26	AV	1.00	150	Horizontal	Pass
6	15812.325	55.90	2.12	74.0	18.10	Peak	296.00	200	Horizontal	Pass
6**	15812.325	46.99	2.12	54.0	7.01	AV	296.00	200	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	44.73	-17.12	74.0	29.27	Peak	342.00	200	Vertical	Pass
1**	1333.000	34.78	-17.12	54.0	19.22	AV	342.00	200	Vertical	Pass
2	2441.200	99.72	-12.38	74.0	-25.72	Peak	293.00	150	Vertical	N/A
2**	2441.200	99.40	-12.38	54.0	-45.40	AV	293.00	150	Vertical	N/A
3	4882.200	52.36	-2.60	74.0	21.64	Peak	241.00	150	Vertical	Pass
3**	4882.200	48.12	-2.60	54.0	5.88	AV	241.00	150	Vertical	Pass
4	6806.800	55.10	2.22	74.0	18.90	Peak	253.00	400	Vertical	Pass
4**	6806.800	46.15	2.22	54.0	7.85	AV	253.00	400	Vertical	Pass
5	13292.063	55.51	0.81	74.0	18.49	Peak	191.00	150	Vertical	Pass
5**	13292.063	47.05	0.81	54.0	6.95	AV	191.00	150	Vertical	Pass
6	17397.823	56.59	3.10	74.0	17.41	Peak	10.00	400	Vertical	Pass
6**	17397.823	46.82	3.10	54.0	7.18	AV	10.00	400	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1312.900	43.32	-16.90	74.0	30.68	Peak	121.00	100	Horizontal	Pass
1**	1312.900	32.98	-16.90	54.0	21.02	AV	121.00	100	Horizontal	Pass
2	2480.000	105.04	-11.30	74.0	-31.04	Peak	18.00	100	Horizontal	N/A
2**	2480.000	102.31	-11.30	54.0	-48.31	AV	18.00	100	Horizontal	N/A
3	4960.000	54.42	-2.23	74.0	19.58	Peak	283.00	100	Horizontal	Pass
3**	4960.000	49.05	-2.23	54.0	4.95	AV	283.00	100	Horizontal	Pass
4	4960.200	53.67	-2.26	74.0	20.33	Peak	5.00	150	Horizontal	Pass
4**	4960.200	49.67	-2.26	54.0	4.33	AV	5.00	150	Horizontal	Pass
5	13372.912	56.13	0.69	74.0	17.87	Peak	0.00	200	Horizontal	Pass
5**	13372.912	46.17	0.69	54.0	7.83	AV	0.00	200	Horizontal	Pass
6	16102.912	55.96	1.07	74.0	18.04	Peak	252.00	150	Horizontal	Pass
6**	16102.912	46.67	1.07	54.0	7.33	AV	252.00	150	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	44.89	-16.99	74.0	29.11	Peak	344.00	300	Vertical	Pass
1**	1330.200	33.88	-16.99	54.0	20.12	AV	344.00	300	Vertical	Pass
2	2479.800	98.97	-11.33	74.0	-24.97	Peak	294.00	100	Vertical	N/A
2**	2479.800	96.06	-11.33	54.0	-42.06	AV	294.00	100	Vertical	N/A
3	4960.200	52.09	-2.26	74.0	21.91	Peak	0.00	150	Vertical	Pass
3**	4960.200	47.60	-2.26	54.0	6.40	AV	0.00	150	Vertical	Pass
4	6805.000	54.14	1.87	74.0	19.86	Peak	110.00	400	Vertical	Pass
4**	6805.000	45.32	1.87	54.0	8.68	AV	110.00	400	Vertical	Pass
5	13440.113	55.74	0.47	74.0	18.26	Peak	274.00	150	Vertical	Pass
5**	13440.113	46.43	0.47	54.0	7.57	AV	274.00	150	Vertical	Pass
6	17179.426	56.03	0.66	74.0	17.97	Peak	207.00	400	Vertical	Pass
6**	17179.426	46.96	0.66	54.0	7.04	AV	207.00	400	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Test Data and Plots

Left Earphone:


GFSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2384.950	58.76	2.41	74.0	15.24	Peak	27.00	200	Horizontal	Pass
1**	2384.950	46.71	2.41	54.0	7.29	AV	27.00	200	Horizontal	Pass
2	2389.950	55.99	1.92	74.0	18.01	Peak	59.00	150	Horizontal	Pass
2**	2389.950	45.97	1.92	54.0	8.03	AV	59.00	150	Horizontal	Pass

GFSK HIGH CHANNEL


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	56.79	2.11	74.0	17.21	Peak	164.00	150	Horizontal	Pass
1**	2483.560	46.38	2.11	54.0	7.62	AV	164.00	150	Horizontal	Pass
2	2485.345	58.43	2.02	74.0	15.57	Peak	221.00	100	Horizontal	Pass
2**	2485.345	46.43	2.02	54.0	7.57	AV	221.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2320.600	58.04	1.61	74.0	15.96	Peak	280.00	100	Horizontal	Pass
1**	2320.600	46.35	1.61	54.0	7.65	AV	280.00	100	Horizontal	Pass
2	2389.950	55.58	1.92	74.0	18.42	Peak	266.00	200	Horizontal	Pass
2**	2389.950	46.03	1.92	54.0	7.97	AV	266.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL

Bandedge - ATT_FCC_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	64.75	2.11	74.0	9.25	Peak	101.00	150	Horizontal	Pass
1**	2483.560	50.94	2.11	54.0	3.06	AV	101.00	150	Horizontal	Pass
2	2483.740	63.20	2.12	74.0	10.80	Peak	328.00	200	Horizontal	Pass
2**	2483.740	50.90	2.12	54.0	3.10	AV	328.00	200	Horizontal	Pass

Right Earphone:

GFSK LOW CHANNEL


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2325.000	57.79	1.73	74.0	16.21	Peak	355.00	150	Horizontal	Pass
1**	2325.000	46.55	1.73	54.0	7.45	AV	355.00	150	Horizontal	Pass
2	2389.950	55.92	1.92	74.0	18.08	Peak	325.00	200	Horizontal	Pass
2**	2389.950	46.14	1.92	54.0	7.86	AV	325.00	200	Horizontal	Pass

GFSK HIGH CHANNEL


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	56.76	2.11	74.0	17.24	Peak	259.00	100	Horizontal	Pass
1**	2483.575	46.73	2.11	54.0	7.27	AV	259.00	100	Horizontal	Pass
2	2495.740	57.90	1.72	74.0	16.10	Peak	251.00	200	Horizontal	Pass
2**	2495.740	45.99	1.72	54.0	8.01	AV	251.00	200	Horizontal	Pass

8-DPSK LOW CHANNEL


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2379.300	58.45	2.25	74.0	15.55	Peak	158.00	100	Horizontal	Pass
1**	2379.300	46.11	2.25	54.0	7.89	AV	158.00	100	Horizontal	Pass
2	2389.950	55.37	1.92	74.0	18.63	Peak	166.00	150	Horizontal	Pass
2**	2389.950	45.91	1.92	54.0	8.09	AV	166.00	150	Horizontal	Pass

8-DPSK HIGH CHANNEL

Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.86	2.11	74.0	16.14	Peak	201.00	100	Horizontal	Pass
1**	2483.500	46.71	2.11	54.0	7.29	AV	201.00	100	Horizontal	Pass
2	2486.230	57.92	1.91	74.0	16.08	Peak	59.00	200	Horizontal	Pass
2**	2486.230	46.27	1.91	54.0	7.73	AV	59.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2441272-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2441272-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2441272-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--