



Follow us on Facebook

Note 12P

Quick Guide

[EN]






Insert the cards

Slot 1: TF Card

Slot 2: Nano SIM2

Slot 3: Nano SIM1



Note:

- 1) Do not use a hand-cut card or wrong type card in case of card slot getting damaged.
- 2) Insert the card when the phone is power off.
- 3) TF card is up to 128 GB.

Network Bands:

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

Face Unlock:

Setting>FaceUnLock

Network Connection

WiFi: Setting>Network & Internet>WiFi

Hotspot:Setting>Network & Internet>

Hotspot&tethering




Legen Sie die Karten ein

Steckplatz 1: TF Karte

Steckplatz 2: Nano SIM2

Steckplatz 3: Nano SIM1



Hinweis:

- 1) Verwenden Sie keine handgeschnittenen Karten oder Karten vom falschen Typ, falls der Kartensteckplatz beschädigt wird.
- 2) Setzen Sie die Karte ein, wenn das Telefon ausgeschaltet ist.
- 3) TF-Karte ist bis zu 128GB.

Netzwerkbander

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/
700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

Gesichts Entsperrung:

Einstellung > Face UnLock

Netzwerkverbindung

WiFi: Einstellung > Netzwerk & Internet > WiFi

Hotspot: Einstellung > Netzwerk & Internet >

Hotspot-Tethering

Prise Casque



Capteur Lumière

Caméra Frontale

Receveur

Voyant de notification à DEL



Écran



Microphone

Port Charge USB

Speaker




Insérer les cartes

Fente 1: Carte TF

Fente 2: Nano SIM2

Fente 3: Nano SIM1



Remarque:

- 1) N'utilisez pas de cartes coupées à la main ou de cartes de type incorrect si le logement de carte était endommagé.
- 2) Insérez la carte lorsque le téléphone est éteint.
- 3) La carte TF est jusqu'à 128Go.

Bandes de réseau

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/
700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

Déverrouillage du visage:

Paramétrage > Sécurité & Location >
Déverrouillage du visage

Connexion réseau

WiFi: Paramétrage > Réseau & Internet > WiFi

Hotspot: Paramétrage > Réseau et Internet >
Hotspot et modem

[ES]




Insertar tarjetas

Ranura 1: tarjetaT

Ranura 2: Nano SIM2

Ranura 3: Nano SIM1



Nota:

- 1) No utilice tarjetas cortadas a mano o malas, si la ranura de la tarjeta está dañada.
- 2) Inserte la tarjeta cuando el teléfono esté apagado.
- 3) La tarjeta TF es de hasta 128GB.

Bandas de red

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/
700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

Desbloqueo de la cara:

Configuraciones > Desbloqueo de la cara

Conexión de red

WiFi: Configuraciones > Redes e Internet > WiFi

Hotspot: Configuración > Red e Internet >

Hotspot y módem

[IT]

Spinotto degli Auricolari



Sensore Luce

Fotocamera Frontale

Ricevitore

Luce di notifica a LED



Schermo

Microphone

Porta Carica USB

Orateur






Inserire le carte

Slot 1: carta di TF

Slot 2: Nano SIM2

Slot 3: Nano SIM1



Nota:

- 1) Non utilizzare carte tagliate a mano o carte difettose se lo slot della scheda è danneggiato.
- 2) Inserire la scheda quando il telefono è spento.
- 3) La scheda TF ha una capacità massima di 128GB.

Bande di rete

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/
700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

Sbloccare la faccia:

Impostazioni > Sblocco del viso

Connessione di rete

WiFi: Impostazioni > Rete e Internet > WiFi

Hotspot: Impostazioni > Rete e Internet >

Hotspot e modem

[RU]




Вставьте карты

Слот 1: TF Card

Слот 2: Nano SIM2

Слот 3: Nano SIM1



Внимание:

- 1) Не используйте карту ручной резки или карту неправильного типа в случае повреждения слота карты.
- 2) Вставьте карту, когда телефон выключен.
- 3) TF карта до 128ГБ.

Глобальные Диапазоны:

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/
700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

Распознавание Лица:

Настройки > Распознавание Лица

Подключение к сети

WiFi: Настройки > Сети & Интернет > WiFi

Хот-спот: Настройки > Сети & Интернет >

Хот-спот&ограничение

[UA]

Роз'єм для навушників



Сенсор світла

Світлодіодний індикатор

Приймач

Світлодіодне індикаторне сповіщення



Екран

Мікрофон

Порт заряджання USB

Динамік






Вставте карти

Слот 1: TF Card

Слот 2: Nano SIM2

Слот 3: Nano SIM1



Увага:

- 1) Не використовуйте карту вирізану вручну або карту невірного типу — це може привести до пошкодження приладу.
- 2) Проводьте маніпуляції з картами тільки коли телефон вимкнено.
- 3) Підтримуються карти пам'яті до 128ГБ.

Стандарти мереж, що підтримуються:

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/
700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

Розпізнавання обличчя:

Налаштування> Розпізнавання обличчя

Підключення до мережі:

WiFi: Налаштування>Мережі та інтернет>WiFi

Хот-спот: Налаштування>Мережі та інтернет>

Хот-спот та обмежена

[JP]




カットの押入方法

スロット1: TFカード

スロット2: ナノSIM2

スロット3: マイクSIM1



注意:

- 1) カードスロットが破損した場合、ハンドカットカードや間違ったタイプのカードを使用しないでください。
- 2) スマホの電源が切れているときにカードを挿入してください。
- 3) TFカードは 128GBまで拡張できます。

ネットワーク帯域

GSM: 1900/1800/850/900 (B2/3/5/8)

WCDMA: 2100/1900/1700/850/900 (B1/2/4/5/8)

LTE-FDD: 2100/1900/1800/1700/850/2600/900/
700/700/800/800(B1/2/3/4/5/7/8/12/17/19/20)

フェイスロック解除:

設定> フェイスロック解除

ネットワーク接続

WiFi>設定>ネットワークとインターネット>WiFi

ホットスポット: 設定>ネットワークとインターネット>
ホットスポットとテザリング

Declaration of Conformity (DoC)

We, **Shenzhen Gotron Electronic CO.,LTD.**

Declare that the DoC is issued under our sole responsibility:

This device is in compliance with Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits (2.0 W/kg) specified in COUNCIL RECOMMENDATION 1999/519/EC, and had been tested in accordance with the measurement methods and procedures specified in EN 62209-1: 2016 & EN 62209-2:2010. For details, please refer to the product CE report.

The maximum power of product testing is within the standard range, which meets the requirements of EU standards. For details, please refer to the product CE report.

Use careful with the earphone maybe possible excessive sound pressure from earphones and headphones can cause hearing loss.



The product shall only be connected to a USB interface of version USB2.0 Adapter shall be installed near the equipment and shall be easily accessible. The plug considered as disconnect device of adapter.

CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS

Care for the environment! Must not be discarded with household waste!

This product can be used across EU member states, but with restriction.

The object of the declaration described above is in conformity with the essential requirements of the relevant Union harmonization legislation: Radio Equipment Directive RED (2014/53/EU).

The harmonized standards and technical specifications are as follows:

HEALTH & SAFETY (Art. 3(1)(a)):

EN 50360:2017; EN 50566:2017; EN 62209-1:2016; EN 62209-2:2010; EN 62479:2010
EN 62368-1:2014+A11:2017

EMC (Art. 3(1)(b)):

ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-3 V2.1.1 (2019-03)
(Draft) ETSI EN 301 489-17 V3.2.2 (2019-12)
ETSI EN 301 489-19 V2.1.1 (2019-04)
(Draft) ETSI EN 301 489-52 V1.1.0 (2016-11)
EN 55032:2015
EN 55035:2017
EN 61000-3-2:2014
EN 61000-3-3:2013

Radio Spectrum (Article 3.2):

ETSI EN 301 511 V12.5.1(2017-03)
ETSI EN 301 908-1 V11.1.1(2016-07)
ETSI EN 301 908-2 V11.1.2(2017-08)
ETSI EN 301 908-13 V11.1.2(2017-07)
ETSI EN 300 328 V2.1.1(2016-11)
ETSI EN 303 413 V1.1.1(2017-06)
ETSI EN 303 345-3 V1.1.0(2019-11)

The product have been applied the above standards according to the different functions supported. For details, please refer to the product CE report.

Notified Body Involved:

Notified Body: MET Laboratories, Inc.
Notified Body Number: 0980
Activity Performed: EU-Type Examination (Module B)

ulefone®
All Rights Reserved

The information contained herein is subject to change without notice. The only warranties for Ulefone products and services are set forth in the express warranty statements accompanying such products and services.

Nothing herein should be construed as constituting an additional warranty. Ulefone shall not be liable for technical or editorial errors or omissions contained herein.

Shenzhen Gotron Electronic CO., LTD.
Address: Floor 7, Building A, Block 1, Anhongji
Tianyao Plaza, Longhua District, Shenzhen City,
Guangdong Province China
Service Center
Email : service@ulefone.com



FCC Caution:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This Product meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.

FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of this Device GQ3278 (FCC ID:2AT9T-3278) has been tested against this SAR limit. SAR information on this can be viewed on-line at <http://www.fcc.gov/oet/ea/fccid/>. Please use the device FCC ID number for search. This device was tested for typical operations 10mm from the body. To maintain compliance with FCC RF exposure requirements, 10mm separation distance should be maintained to the user's bodies

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radiofrequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However,

there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.