

Specification

supplier: Dongguan Siboo Communication Co., Ltd.

Material name: WiFi antenna

Supplier part number: GXLS001W.100018.W01

KUPA Part No. :

承认书项目表

Project Table

NO.	内容 (Contents)	页数 (Number of Page)	页码 (Page Code)
1	承认书封面 (Spec Cover)	1	1
2	承认书项目表 (Spec Item)	1	2
3	产品图片 (Sample Photo)	1	3
4	工程成品图 (Drawing)	1	4
5	电性测试报告 (Test Reports)	1	5
6	S参数测试 (S Parameter)	1	6
7	增益测试 (Gain Test)	1	7
8	N/A	N/A	N/A
9	-	-	-
10	-	-	-
11	-	-	-
12	-	-	-
13	-	-	-
14	-	-	-

产品图片

Sample Photo



RoHS

Compliant

CUSTOMER

PART NO

REV.



DESCRIPTION

DATE

△

首次发行

2015.09.28



东莞市思博通讯有限公司

Dongguan SIBO Communication Co.,Ltd.

PART NAME: 2.4G Antenna

PART NO.: GXLS001W.100018.W01

DATE: 2015-09-28

APPROVED BY

CHECKED BY

DESIGNED BY



Tolerance

UNITS: mm

SCALE: 1/1

REVISION: A

X.X ±0.50

X.XX±0.15

X° ±3°

覃剑勇

2	Antenna Cap	TPE ,Color:Black	PLA100XXA.B01	1
1	SMA Male	Cu Au Plated	CON100XXA.P01	1
NO	PART NAME	DESCRIPTION	Part Number	Q.TY

1 2 3 4 5 6 7 8


电性测试报告

Test Reports



Electrical Properties	
Frequency	2400 ~ 2500 MHz
Impedance	50 Ohm Nominal
V.S.W.R	1.92 : 1 Max
Return Loss	-10 dB Max
Radiation	Omni-directional
Gain (Peak)	2 dBi
Polarization	Linear, Vertical
Admitted Power	1 W
Connector	SMA Male
Physical Properties	
Antenna Material	TPE / Cu
Cable Type	/
Operating Temp.	-10 ~ +60 °C
Storage Temp.	-10 ~ +70 °C
Cable Color	/

Antenna Performance Test

Agilent E5071B



1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



Tr3 S44 SWR 500.0m/ Ref 1.000




Trigger

- Hold
- Single
- Continuous
- Hold All Channels
- Continuous Disp Channels
- Trigger Source Internal
- Trigger Event On Sweep
- Restart
- Trigger
- Return

增益测试

Gain Test



*Antenna
Radiation
Pattern
VS
Gain*

