


THINKCAR
Intelligent Detection Tool


VENU-i Mini TPMS
Intelligent Detection Tool
Quick Start

1 Product Overview




1. Power Indicator: Green light when cell voltage is normal.
2. Communication indicator lamp: flashes red when the device is communicating with the host.
3. Fastener: The ground, fixed as required.
4. TPMS host: Main control board, PDA host.
5. TPMS line: Connects to all other TPMS controllers.

2 Equipment parameters

Product Model	VENU-i Mini
Equipment Size	108.8*49*19 (mm)
Equipment Size	108.8*49*19 (mm)
Operating Temperature	-10°C~50°C
Storage Temperature	-20°C~60°C


3 Download iVENU mobile app



1. QR code
2. Mobile app QR code (for Android phones only)

4 Setting Enter the APP setting function
5. My Car Enter the original vehicle's VIN Number
6. Select Vehicle Accessing the vehicle's data
7. History Report View historical test reports
8. Choose Car Model/Year Select Vehicle Area

4 Connecting the VENU-i Mini device



Use of the VENU-i Mini device requires that the TPMS cable on the back of the device be plugged into the cell phone charging port wire.

5 Method of use

Connect the device TPMS Cable to the phone after entering the app.

Enter iVENU Mobile App

Selecting a vehicle brand


Select model and year

Access to TPMS functions

Click Select Vehicle


6 TPMS function

1. Activates the sensor.
Enter the vehicle's TPMS function interface as follows:



Place the VENU-i Mini device next to the vehicle's tire hub (positive wheel indicator) and press the app to activate the vehicle sensor activation.

Activate the tire pressure sensors on all four tires in the order of the vehicle tire indicated in the APP interface.



2. Sensor Program

After the activation is completed, the system will automatically activate the sensor. If the system does not activate the sensor, the system will automatically activate the sensor. If the system does not activate the sensor, the system will automatically activate the sensor.

The automatic activation of the sensor is not required to be completed.


3. Manual Mode

1. If the original sensor ID is available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system.

1. If the original sensor ID is available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system.

1. If the original sensor ID is available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system.


This function queries the corresponding model by OE number, and inputs the sensor part number to query the tire data of the vehicle.



The menu provides direct access to the model's function screen.

5 History Report

Access to this feature allows you to check the historical vehicle diagnostic reports, which can be made available in the screen by clicking.



6 Warranty Terms

This warranty applies only to users who purchase the product from the manufacturer. The warranty is valid for the period of the warranty. The warranty is valid for the period of the warranty. The warranty is valid for the period of the warranty.

1. If the original sensor ID is available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system.

1. If the original sensor ID is available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system.

1. If the original sensor ID is available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system. If the original sensor ID is not available, it can be programmed into the system.

星卡科技

www.thinkcar.cn

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.