



REPORT No.: SZ24100189W04

TEST REPORT

APPLICANT : Rhino Mobility LLC

PRODUCT NAME : Hotspot

MODEL NAME : H1

BRAND NAME : RHINO

FCC ID : 2AUOUH1

STANDARD(S) : 47 CFR Part 2
47 CFR Part 96

RECEIPT DATE : 2024-10-28


TEST DATE : 2024-11-06 to 2024-12-20

ISSUE DATE : 2025-01-20

Edited by:


Zeng Xiaoying (Rapporteur)

Approved by:


Shen Junsheng (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd., the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn





DIRECTORY

1. Technical Information	3
1.1. Applicant and Manufacturer Information	3
1.2. Equipment Under Test (EUT) Description	3
1.3. Test Standards and Results	5
1.4. Environmental Conditions	6
Annex A Testing Laboratory Information	7

Change History		
Version	Date	Reason for change
1.0	2025-01-20	First edition



1. Technical Information

Note: Provide by applicant.

1.1. Applicant and Manufacturer Information

Applicant:	Rhino Mobility LLC
Applicant Address:	8 The Green, Suite A, Dover, Delaware, 19901, USA
Manufacturer:	Rhino Mobility LLC
Manufacturer Address:	8 The Green, Suite A, Dover, Delaware, 19901, USA

1.2. Equipment Under Test (EUT) Description

Product Name:	Hotspot	
Sample No.:	2#, 7#	
Hardware Version:	SD5001_V1.0	
Software Version:	H1(001)_20250109	
Modulation Type:	QPSK, 16QAM, 64QAM, 256QAM	
Operation Band:	Band 48	
Carrier Aggregation(UL):	Not Support	
Frequency Range:	LTE Band 48	Tx: 3550MHz–3700MHz
		Rx: 3550MHz–3700MHz
Channel Bandwidth	LTE Band 48	5MHz, 10MHz, 15MHz, 20MHz
Antenna Type:	PIFA Antenna	
Antenna Gain:	LTE Band 48	-0.42dBi
Accessory Information:	Battery	
	Brand Name:	RHINO
	Model No.:	SA3401
	Serial No.:	N/A
	Capacity:	4000mAh
	Rated Voltage:	3.85V
	Charge Limit:	4.4V
	Manufacturer:	Jiade Energy Technology (Zhuhai) Co., Ltd.
	AC Adapter	
	Brand Name:	RHINO
	Model No.:	XT-C15



	Serial No.:	N/A
	Rated Output:	5.0V $\pm$ 2.0A
	Rated Input:	100-240V $\sim$ 50/60Hz, 0.3A
	Manufacturer:	DONGGUAN SUMMER ELECTRONICS CO., LTD.
	USB Cable	
	Model No.:	XSD607000014A
	Manufacturer:	DOWAYE ELECTRONICS CO., LTD

Note 1: The test results of all test items please refer to the module FCC test report (Report No.:SZ24100188W04, FCC ID: 2AUOUM3501), which issued on Jan. 08, 2025. The module has been certified by Shenzhen Morlab Communications Technology Co., Ltd. on Jan. 13, 2025.

Note 2: There is no extra evaluation for RSE, because hotspot used the same host RSE sample with that of module while tesing the RSE.

Note 3: For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.



1.3. Test Standards and Results

The objective of the report is to perform testing according to Part 2 and Part 96 for the EUT FCC ID Certification:

No	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 96	CITIZENS BROADBAND RADIO SERVICE

Test detailed items/section required by FCC rules and results are as below:

Section	Description	Test Date	Test Engineer	Result	Method Determination /Remark
2.1046, 96.41(b)	Transmitter Conducted Output Power and ERP/EIRP	Dec. 31, 2024 Jan. 02, 2025	Shen Biahong Gan Jing	PASS _{Note1}	No deviation
2.1049	Occupied Bandwidth	Dec. 09, 2024	Gan Jing	PASS _{Note1}	No deviation
96.41(g)	Peak -Average Ratio	Dec. 09, 2024	Gan Jing	PASS _{Note1}	No deviation
2.1055	Frequency Stability	Dec. 31, 2024	Gan Jing	PASS _{Note1}	No deviation
2.1051, 96.41(e)	Conducted Spurious Emissions	Dec. 09, 2024	Gan Jing	PASS _{Note1}	No deviation
2.1051, 96.41(e)	Band Edge	Dec. 09, 2024	Gan Jing	PASS _{Note1}	No deviation
2.1053, 96.41(e)	Radiated Spurious Emissions	Dec. 12, 2024	Li Hanbin	PASS _{Note1}	No deviation

Note 1: The test results of all test items please refer to the module FCC test report (Report No.:SZ24100188W04, FCC ID: 2AUOUM3501), which issued on Jan. 08, 2025.

Note 2: Additions to, deviation, or exclusions from the method shall be judged in the "method determination" column of add, deviate or exclude from the specific method shall be explained in the "Remark" of the above table.

Note 3: When the test result is a critical value, we will use the measurement uncertainty give the judgment result based on the 95% confidence intervals.



1.4. Environmental Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15-35
Relative Humidity (%):	30-60
Atmospheric Pressure (kPa):	86-106



Annex A Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.

————— END OF REPORT —————