





11AX40MIMO_Ant10_6565



Date: 7.MAY.2025 14:47:53

11AX40MIMO_Ant9_6565



Date: 7.MAY.2025 14:49:02




11AX40MIMO_Ant10_6685



Date: 7.MAY.2025 14:50:26

11AX40MIMO_Ant9_6685



Date: 7.MAY.2025 14:51:35



11AX40MIMO_Ant10_6845



Date: 7.MAY.2025 14:52:57

11AX40MIMO_Ant9_6845



Date: 7.MAY.2025 14:54:05



11AX80MIMO_Ant10_5985



Date: 7.MAY.2025 14:55:56

11AX80MIMO_Ant9_5985



Date: 7.MAY.2025 14:57:24



11AX80MIMO_Ant10_6225



Date: 7.MAY.2025 15:04:49

11AX80MIMO_Ant9_6225



Date: 7.MAY.2025 15:05:58



11AX80MIMO_Ant10_6385



Date: 7.MAY.2025 15:07:09

11AX80MIMO_Ant9_6385



Date: 7.MAY.2025 15:08:17




11AX80MIMO_Ant10_6625



Date: 7.MAY.2025 15:11:41

11AX80MIMO_Ant9_6625



Date: 7.MAY.2025 15:11:56



11AX80MIMO_Ant10_6705



Date: 7.MAY.2025 15:12:45

11AX80MIMO_Ant9_6705



Date: 7.MAY.2025 15:13:54



11AX80MIMO_Ant10_6785



Date: 7.MAY.2025 15:17:05

11AX80MIMO_Ant9_6785



Date: 7.MAY.2025 15:18:14



11AX160MIMO_Ant10_6025



Date: 10.MAY.2025 02:13:55

11AX160MIMO_Ant9_6025



Date: 10.MAY.2025 02:14:10




11AX160MIMO_Ant10_6185



Date: 10.MAY.2025 02:17:58

11AX160MIMO_Ant9_6185



Date: 10.MAY.2025 02:18:26



11AX160MIMO_Ant10_6345



Date: 10.MAY.2025 02:19:54

11AX160MIMO_Ant9_6345



Date: 10.MAY.2025 02:21:03




11AX160MIMO_Ant10_6505



Date: 10.MAY.2025 02:22:14

11AX160MIMO_Ant9_6505



Date: 10.MAY.2025 02:23:22




11AX160MIMO_Ant10_6665



Date: 10.MAY.2025 02:24:54

11AX160MIMO_Ant9_6665



Date: 10.MAY.2025 02:26:03



In-Band Emissions

Test Result


TestMode	Antenna	Freq(MHz)	Result	Limit	Verdict
11A-CDD	Ant10	5955	See test graph	See test graph	PASS
	Ant9	5955	See test graph	See test graph	PASS
	Ant10	6195	See test graph	See test graph	PASS
	Ant9	6195	See test graph	See test graph	PASS
	Ant10	6415	See test graph	See test graph	PASS
	Ant9	6415	See test graph	See test graph	PASS
	Ant10	6535	See test graph	See test graph	PASS
	Ant9	6535	See test graph	See test graph	PASS
	Ant10	6695	See test graph	See test graph	PASS
	Ant9	6695	See test graph	See test graph	PASS
	Ant10	6855	See test graph	See test graph	PASS
	Ant9	6855	See test graph	See test graph	PASS
11AX20MIMO	Ant10	5955	See test graph	See test graph	PASS
	Ant9	5955	See test graph	See test graph	PASS
	Ant10	6195	See test graph	See test graph	PASS
	Ant9	6195	See test graph	See test graph	PASS
	Ant10	6415	See test graph	See test graph	PASS
	Ant9	6415	See test graph	See test graph	PASS
	Ant10	6535	See test graph	See test graph	PASS
	Ant9	6535	See test graph	See test graph	PASS
	Ant10	6695	See test graph	See test graph	PASS
	Ant9	6695	See test graph	See test graph	PASS
	Ant10	6855	See test graph	See test graph	PASS
	Ant9	6855	See test graph	See test graph	PASS
11AX40MIMO	Ant10	5965	See test graph	See test graph	PASS
	Ant9	5965	See test graph	See test graph	PASS
	Ant10	6205	See test graph	See test graph	PASS
	Ant9	6205	See test graph	See test graph	PASS
	Ant10	6405	See test graph	See test graph	PASS
	Ant9	6405	See test graph	See test graph	PASS
	Ant10	6565	See test graph	See test graph	PASS
	Ant9	6565	See test graph	See test graph	PASS
	Ant10	6685	See test graph	See test graph	PASS



	Ant9	6685	See test graph	See test graph	PASS
	Ant10	6845	See test graph	See test graph	PASS
	Ant9	6845	See test graph	See test graph	PASS
11AX80MIMO	Ant10	5985	See test graph	See test graph	PASS
	Ant9	5985	See test graph	See test graph	PASS
	Ant10	6225	See test graph	See test graph	PASS
	Ant9	6225	See test graph	See test graph	PASS
	Ant10	6385	See test graph	See test graph	PASS
	Ant9	6385	See test graph	See test graph	PASS
	Ant10	6625	See test graph	See test graph	PASS
	Ant9	6625	See test graph	See test graph	PASS
	Ant10	6705	See test graph	See test graph	PASS
	Ant9	6705	See test graph	See test graph	PASS
	Ant10	6785	See test graph	See test graph	PASS
	Ant9	6785	See test graph	See test graph	PASS
11AX160MIMO	Ant10	6025	See test graph	See test graph	PASS
	Ant9	6025	See test graph	See test graph	PASS
	Ant10	6185	See test graph	See test graph	PASS
	Ant9	6185	See test graph	See test graph	PASS
	Ant10	6345	See test graph	See test graph	PASS
	Ant9	6345	See test graph	See test graph	PASS
	Ant10	6505	See test graph	See test graph	PASS
	Ant9	6505	See test graph	See test graph	PASS
	Ant10	6665	See test graph	See test graph	PASS
	Ant9	6665	See test graph	See test graph	PASS




Test Graphs






11A-CDD_Ant10_6195



Date: 28.MAY.2025 13:31:16


11A-CDD_Ant9_6195



Date: 28.MAY.2025 14:32:39




11A-CDD_Ant10_6415



Date: 7.MAY.2025 14:06:13


11A-CDD_Ant9_6415



Date: 28.MAY.2025 13:41:57




11A-CDD_Ant10_6535



Date: 7.MAY.2025 14:08:46


11A-CDD_Ant9_6535



Date: 7.MAY.2025 14:09:56




11A-CDD_Ant10_6695



Date: 28.MAY.2025 13:43:26


11A-CDD_Ant9_6695



Date: 7.MAY.2025 14:15:35




11A-CDD_Ant10_6855



Date: 7.MAY.2025 14:17:24


11A-CDD_Ant9_6855




Date: 28.MAY.2025 14:39:35



11AX20MIMO_Ant10_5955




11AX20MIMO_Ant9_5955






11AX20MIMO_Ant10_6195



Date: 7.MAY.2025 14:23:58


11AX20MIMO_Ant9_6195



Date: 28.MAY.2025 13:51:17




11AX20MIMO_Ant10_6415



Date: 7.MAY.2025 14:26:42


11AX20MIMO_Ant9_6415



Date: 28.MAY.2025 13:50:04




11AX20MIMO_Ant10_6535



Date: 7.MAY.2025 14:29:17


11AX20MIMO_Ant9_6535



Date: 7.MAY.2025 14:30:27




11AX20MIMO_Ant10_6695



Date: 7.MAY.2025 14:31:48


11AX20MIMO_Ant9_6695



Date: 7.MAY.2025 14:32:57




11AX20MIMO_Ant10_6855



Date: 7.MAY.2025 14:34:52


11AX20MIMO_Ant9_6855



Date: 7.MAY.2025 14:36:01




11AX40MIMO_Ant10_5965



Date: 7.MAY.2025 14:37:58


11AX40MIMO_Ant9_5965



Date: 7.MAY.2025 14:39:24




11AX40MIMO_Ant10_6205



Date: 7.MAY.2025 14:43:27


11AX40MIMO_Ant9_6205



Date: 7.MAY.2025 14:44:36




11AX40MIMO_Ant10_6405



Date: 7.MAY.2025 14:46:02


11AX40MIMO_Ant9_6405



Date: 7.MAY.2025 14:47:11




11AX40MIMO_Ant10_6565



Date: 7.MAY.2025 14:48:20


11AX40MIMO_Ant9_6565



Date: 7.MAY.2025 14:49:29




11AX40MIMO_Ant10_6685



Date: 7.MAY.2025 14:50:53


11AX40MIMO_Ant9_6685



Date: 7.MAY.2025 14:52:03




11AX40MIMO_Ant10_6845



Date: 7.MAY.2025 14:53:24


11AX40MIMO_Ant9_6845



Date: 7.MAY.2025 14:54:33




11AX80MIMO_Ant10_5985



Date: 7.MAY.2025 14:56:23


11AX80MIMO_Ant9_5985



Date: 7.MAY.2025 14:57:51



11AX80MIMO_Ant10_6225



Date: 7.MAY.2025 15:05:16


11AX80MIMO_Ant9_6225



Date: 7.MAY.2025 15:06:26




11AX80MIMO_Ant10_6385



Date: 7.MAY.2025 15:07:36


11AX80MIMO_Ant9_6385



Date: 7.MAY.2025 15:08:45




11AX80MIMO_Ant10_6625



Date: 7.MAY.2025 15:09:59


11AX80MIMO_Ant9_6625



Date: 7.MAY.2025 15:11:08




11AX80MIMO_Ant10_6705



Date: 7.MAY.2025 15:13:12


11AX80MIMO_Ant9_6705



Date: 7.MAY.2025 15:14:21




11AX80MIMO_Ant10_6785



Date: 7.MAY.2025 15:17:32


11AX80MIMO_Ant9_6785



Date: 7.MAY.2025 15:18:42




11AX160MIMO_Ant10_6025



Date: 10.MAY.2025 02:08:32


11AX160MIMO_Ant9_6025



Date: 10.MAY.2025 02:09:48




11AX160MIMO_Ant10_6185



Date: 10.MAY.2025 02:15:10


11AX160MIMO_Ant9_6185



Date: 10.MAY.2025 02:16:07




11AX160MIMO_Ant10_6345



Date: 10.MAY.2025 02:20:22


11AX160MIMO_Ant9_6345



Date: 10.MAY.2025 02:21:31




11AX160MIMO_Ant10_6505



Date: 10.MAY.2025 02:22:41

11AX160MIMO_Ant9_6505



Date: 10.MAY.2025 02:23:50




11AX160MIMO_Ant10_6665



Date: 10.MAY.2025 02:25:21

11AX160MIMO_Ant9_6665



Date: 10.MAY.2025 02:26:30



<Partial RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant10	5955	26Tone	RU0	2.65	1.00	3.65	≤17.00	PASS
			52Tone	RU37	2.91	1.00	3.91	≤17.00	PASS
			106Tone	RU53	2.70	1.00	3.70	≤17.00	PASS
	Ant9	5955	26Tone	RU0	3.57	1.40	4.97	≤17.00	PASS
			52Tone	RU37	3.17	1.40	4.57	≤17.00	PASS
			106Tone	RU53	2.85	1.40	4.25	≤17.00	PASS
	total	5955	26Tone	RU0	6.14	4.21	10.35	≤17.00	PASS
			52Tone	RU37	6.05	4.21	10.26	≤17.00	PASS
			106Tone	RU53	5.79	4.21	10.00	≤17.00	PASS
	Ant10	6195	26Tone	RU0	3.65	1.00	4.65	≤17.00	PASS
			52Tone	RU37	3.61	1.00	4.61	≤17.00	PASS
			106Tone	RU53	4.02	1.00	5.02	≤17.00	PASS
	Ant9	6195	26Tone	RU0	3.86	1.40	5.26	≤17.00	PASS
			52Tone	RU37	3.67	1.40	5.07	≤17.00	PASS
			106Tone	RU53	3.80	1.40	5.20	≤17.00	PASS
	total	6195	26Tone	RU0	6.77	4.21	10.98	≤17.00	PASS
			52Tone	RU37	6.65	4.21	10.86	≤17.00	PASS
			106Tone	RU53	6.92	4.21	11.13	≤17.00	PASS
	Ant10	6415	26Tone	RU8	2.23	1.00	3.23	≤17.00	PASS
			52Tone	RU40	2.20	1.00	3.20	≤17.00	PASS
			106Tone	RU54	2.63	1.00	3.63	≤17.00	PASS
	Ant9	6415	26Tone	RU8	3.86	1.40	5.26	≤17.00	PASS
			52Tone	RU40	3.46	1.40	4.86	≤17.00	PASS
			106Tone	RU54	3.41	1.40	4.81	≤17.00	PASS
	total	6415	26Tone	RU8	6.13	4.21	10.34	≤17.00	PASS
			52Tone	RU40	5.89	4.21	10.10	≤17.00	PASS
			106Tone	RU54	6.05	4.21	10.26	≤17.00	PASS
	Ant10	6535	26Tone	RU0	2.73	0.60	3.33	≤17.00	PASS
			52Tone	RU37	3.12	0.60	3.72	≤17.00	PASS
			106Tone	RU53	2.64	0.60	3.24	≤17.00	PASS
Ant9	6535	26Tone	RU0	2.92	0.90	3.82	≤17.00	PASS	




			52Tone	RU37	3.06	0.90	3.96	≤17.00	PASS
			106Tone	RU53	2.49	0.90	3.39	≤17.00	PASS
	total	6535	26Tone	RU0	5.84	3.76	9.60	≤17.00	PASS
			52Tone	RU37	6.10	3.76	9.86	≤17.00	PASS
			106Tone	RU53	5.58	3.76	9.34	≤17.00	PASS
	Ant10	6695	26Tone	RU0	2.18	0.60	2.78	≤17.00	PASS
			52Tone	RU37	2.83	0.60	3.43	≤17.00	PASS
			106Tone	RU53	2.54	0.60	3.14	≤17.00	PASS
	Ant9	6695	26Tone	RU0	2.95	0.90	3.85	≤17.00	PASS
			52Tone	RU37	2.83	0.90	3.73	≤17.00	PASS
			106Tone	RU53	2.53	0.90	3.43	≤17.00	PASS
	total	6695	26Tone	RU0	5.59	3.76	9.35	≤17.00	PASS
			52Tone	RU37	5.84	3.76	9.60	≤17.00	PASS
			106Tone	RU53	5.55	3.76	9.31	≤17.00	PASS
	Ant10	6855	26Tone	RU8	1.64	0.60	2.24	≤17.00	PASS
			52Tone	RU40	1.99	0.60	2.59	≤17.00	PASS
			106Tone	RU54	1.08	0.60	1.68	≤17.00	PASS
	Ant9	6855	26Tone	RU8	2.41	0.90	3.31	≤17.00	PASS
			52Tone	RU40	2.60	0.90	3.50	≤17.00	PASS
			106Tone	RU54	1.52	0.90	2.42	≤17.00	PASS
	total	6855	26Tone	RU8	5.05	3.76	8.81	≤17.00	PASS
			52Tone	RU40	5.32	3.76	9.08	≤17.00	PASS
			106Tone	RU54	4.32	3.76	8.08	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant10_5955_106Tone_RU53



Date: 17.MAY.2025 20:09:23


11AX20MIMO_Ant9_5955_26Tone_RU0



Date: 17.MAY.2025 18:31:21




11AX20MIMO_Ant9_5955_52Tone_RU37



Date: 17.MAY.2025 18:34:04


11AX20MIMO_Ant9_5955_106Tone_RU53



Date: 17.MAY.2025 20:10:29




11AX20MIMO_Ant10_6195_26Tone_RU0



Date: 17.MAY.2025 20:29:28


11AX20MIMO_Ant10_6195_52Tone_RU37



Date: 17.MAY.2025 20:30:42




11AX20MIMO_Ant10_6195_106Tone_RU53



Date: 17.MAY.2025 20:34:47


11AX20MIMO_Ant9_6195_26Tone_RU0



Date: 17.MAY.2025 20:29:44



11AX20MIMO_Ant9_6195_52Tone_RU37



Date: 17.MAY.2025 20:31:24


11AX20MIMO_Ant9_6195_106Tone_RU53



Date: 17.MAY.2025 20:35:02




11AX20MIMO_Ant10_6415_26Tone_RU8



Date: 17.MAY.2025 20:36:45


11AX20MIMO_Ant10_6415_52Tone_RU40



Date: 17.MAY.2025 20:39:57




11AX20MIMO_Ant10_6415_106Tone_RU54



Date: 17.MAY.2025 20:48:28


11AX20MIMO_Ant9_6415_26Tone_RU8




Date: 17.MAY.2025 20:37:50



11AX20MIMO_Ant9_6415_52Tone_RU40




11AX20MIMO_Ant9_6415_106Tone_RU54






11AX20MIMO_Ant10_6535_26Tone_RU0



Date: 17.MAY.2025 20:52:50


11AX20MIMO_Ant10_6535_52Tone_RU37



Date: 17.MAY.2025 20:54:31




11AX20MIMO_Ant10_6535_106Tone_RU53



Date: 17.MAY.2025 21:12:34


11AX20MIMO_Ant9_6535_26Tone_RU0



Date: 17.MAY.2025 20:53:06




11AX20MIMO_Ant9_6535_52Tone_RU37



Date: 17.MAY.2025 20:55:13


11AX20MIMO_Ant9_6535_106Tone_RU53



Date: 17.MAY.2025 21:12:49




11AX20MIMO_Ant10_6695_26Tone_RU0



Date: 17.MAY.2025 21:14:11


11AX20MIMO_Ant10_6695_52Tone_RU37



Date: 17.MAY.2025 21:16:06




11AX20MIMO_Ant10_6695_106Tone_RU53



Date: 17.MAY.2025 21:18:22


11AX20MIMO_Ant9_6695_26Tone_RU0



Date: 17.MAY.2025 21:14:53



11AX20MIMO_Ant9_6695_52Tone_RU37



Date: 17.MAY.2025 21:17:44


11AX20MIMO_Ant9_6695_106Tone_RU53



Date: 17.MAY.2025 21:19:04




11AX20MIMO_Ant10_6855_26Tone_RU8



Date: 17.MAY.2025 21:21:17


11AX20MIMO_Ant10_6855_52Tone_RU40



Date: 17.MAY.2025 21:27:14




11AX20MIMO_Ant10_6855_106Tone_RU54



Date: 17.MAY.2025 21:33:44


11AX20MIMO_Ant9_6855_26Tone_RU8



Date: 17.MAY.2025 21:21:59




11AX20MIMO_Ant9_6855_52Tone_RU40



Date: 17.MAY.2025 21:27:56

11AX20MIMO_Ant9_6855_106Tone_RU54



Date: 17.MAY.2025 21:34:26





In-Band Emissions

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20MIMO	Ant10	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant10	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS




Test Graphs






11AX20MIMO_Ant10_5955_106Tone_RU53



Date: 17.MAY.2025 20:09:50


11AX20MIMO_Ant9_5955_26Tone_RU



Date: 17.MAY.2025 18:31:48




11AX20MIMO_Ant9_5955_52Tone_RU37



Date: 17.MAY.2025 18:34:32


11AX20MIMO_Ant9_5955_106Tone_RU53



Date: 17.MAY.2025 20:10:57




11AX20MIMO_Ant10_6195_26Tone_RU0



Date: 17.MAY.2025 20:28:17


11AX20MIMO_Ant10_6195_52Tone_RU37



Date: 17.MAY.2025 20:31:09




11AX20MIMO_Ant10_6195_106Tone_RU53



Date: 17.MAY.2025 20:33:09


11AX20MIMO_Ant9_6195_26Tone_RU



Date: 28.MAY.2025 14:03:17




11AX20MIMO_Ant9_6195_52Tone_RU37



Date: 28.MAY.2025 14:04:01


11AX20MIMO_Ant9_6195_106Tone_RU53



Date: 28.MAY.2025 14:05:00




11AX20MIMO_Ant10_6415_26Tone_RU8



Date: 17.MAY.2025 20:37:13


11AX20MIMO_Ant10_6415_52Tone_RU40



Date: 17.MAY.2025 20:40:25




11AX20MIMO_Ant10_6415_106Tone_RU54



Date: 17.MAY.2025 20:45:01


11AX20MIMO_Ant9_6415_26Tone_RU8



Date: 28.MAY.2025 14:05:40




11AX20MIMO_Ant9_6415_52Tone_RU40



Date: 28.MAY.2025 14:06:20


11AX20MIMO_Ant9_6415_106Tone_RU54



Date: 28.MAY.2025 14:11:36




11AX20MIMO_Ant10_6535_26Tone_RU0



Date: 17.MAY.2025 20:50:54


11AX20MIMO_Ant10_6535_52Tone_RU37



Date: 17.MAY.2025 20:54:58




11AX20MIMO_Ant10_6535_106Tone_RU53



Date: 17.MAY.2025 21:11:21


11AX20MIMO_Ant9_6535_26Tone_RU0



Date: 17.MAY.2025 20:51:36




11AX20MIMO_Ant9_6535_52Tone_RU37



Date: 17.MAY.2025 20:55:41


11AX20MIMO_Ant9_6535_106Tone_RU53



Date: 17.MAY.2025 21:12:03




11AX20MIMO_Ant10_6695_26Tone_RU0



Date: 17.MAY.2025 21:14:38


11AX20MIMO_Ant10_6695_52Tone_RU37



Date: 17.MAY.2025 21:16:33




11AX20MIMO_Ant10_6695_106Tone_RU53



Date: 17.MAY.2025 21:18:49


11AX20MIMO_Ant9_6695_26Tone_RU0



Date: 17.MAY.2025 21:15:21




11AX20MIMO_Ant9_6695_52Tone_RU37



Date: 17.MAY.2025 21:17:15


11AX20MIMO_Ant9_6695_106Tone_RU53



Date: 17.MAY.2025 21:19:32




11AX20MIMO_Ant10_6855_26Tone_RU8



Date: 17.MAY.2025 21:21:44


11AX20MIMO_Ant10_6855_52Tone_RU40



Date: 17.MAY.2025 21:27:41




11AX20MIMO_Ant10_6855_106Tone_RU54



Date: 17.MAY.2025 21:34:11


11AX20MIMO_Ant9_6855_26Tone_RU8



Date: 17.MAY.2025 21:22:26




11AX20MIMO_Ant9_6855_52Tone_RU40



Date: 17.MAY.2025 21:28:23

11AX20MIMO_Ant9_6855_106Tone_RU54




Date: 17.MAY.2025 21:34:54



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

IMEI : 355870094599898/355870094599880 #98

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.158	44.66	-20.90	65.56	34.10	0.11	10.45	QP
2	0.158	39.76	-15.80	55.56	29.20	0.11	10.45	Average
3	0.373	39.12	-19.31	58.43	28.63	0.00	10.49	QP
4	0.373	28.69	-19.74	48.43	18.20	0.00	10.49	Average
5	0.408	36.65	-21.03	57.68	26.20	-0.03	10.48	QP
6	0.408	25.95	-21.73	47.68	15.50	-0.03	10.48	Average
7	0.579	37.05	-18.95	56.00	26.80	-0.13	10.38	QP
8	0.579	24.35	-21.65	46.00	14.10	-0.13	10.38	Average
9 *	0.647	41.41	-14.59	56.00	31.20	-0.14	10.35	QP
10	0.647	28.51	-17.49	46.00	18.30	-0.14	10.35	Average
11	0.720	41.28	-14.72	56.00	31.10	-0.15	10.33	QP
12	0.720	29.38	-16.62	46.00	19.20	-0.15	10.33	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

IMEI : 355870094599898/355870094599880 #98

	Freq	Level	Over Limit	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.154	43.77	-22.01	65.78	33.20	0.12	10.45	QP
2	0.154	38.17	-17.61	55.78	27.60	0.12	10.45	Average
3	0.165	42.48	-22.73	65.21	31.91	0.12	10.45	QP
4	0.165	34.18	-21.03	55.21	23.61	0.12	10.45	Average
5	0.363	37.55	-21.10	58.65	27.19	-0.13	10.49	QP
6	0.363	27.25	-21.40	48.65	16.89	-0.13	10.49	Average
7	0.567	34.73	-21.27	56.00	24.51	-0.16	10.38	QP
8	0.567	21.73	-24.27	46.00	11.51	-0.16	10.38	Average
9 *	0.651	40.69	-15.31	56.00	30.50	-0.16	10.35	QP
10	0.651	27.09	-18.91	46.00	16.90	-0.16	10.35	Average
11	0.727	37.36	-18.64	56.00	27.20	-0.17	10.33	QP
12	0.727	24.76	-21.24	46.00	14.60	-0.17	10.33	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	MIMO	802.11a	1	5955	6Mbps	Full	-
Mode 2	U-NII-5	5.925-6.425	MIMO	802.11a	49	6195	6Mbps	Full	-
Mode 3	U-NII-5	5.925-6.425	MIMO	802.11a	93	6415	6Mbps	Full	-
Mode 4	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	1	5955	MCS0	Full	-
Mode 5	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	49	6195	MCS0	Full	-
Mode 6	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	93	6415	MCS0	Full	-
Mode 7	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 8	U-NII-5	5.925-6.425	MIMO	802.11ax HE40	3	5965	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	MIMO	802.11ax HE40	51	6205	MCS0	Full	-
Mode 10	U-NII-5	5.925-6.425	MIMO	802.11ax HE40	91	6405	MCS0	Full	-
Mode 11	U-NII-5	5.925-6.425	MIMO	802.11ax HE80	7	5985	MCS0	Full	-
Mode 12	U-NII-5	5.925-6.425	MIMO	802.11ax HE80	55	6225	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	MIMO	802.11ax HE80	87	6385	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	15	6025	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	47	6185	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	79	6345	MCS0	Full	-
Mode 29	U-NII-8	6.525-6.875	MIMO	802.11a	117	6535	6Mbps	Full	-
Mode 30	U-NII-7	6.525-6.875	MIMO	802.11a	149	6695	6Mbps	Full	-
Mode 31	U-NII-5	6.525-6.875	MIMO	802.11a	181	6855	6Mbps	Full	-
Mode 33	U-NII-8	6.525-6.875	MIMO	802.11ax HE20	117	6535	MCS0	Full	-
Mode 34	U-NII-7	6.525-6.875	MIMO	802.11ax HE20	149	6695	MCS0	Full	-
Mode 35	U-NII-5	6.525-6.875	MIMO	802.11ax HE20	181	6855	MCS0	Full	-
Mode 37	U-NII-7	6.525-6.875	MIMO	802.11ax HE40	123	6565	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	MIMO	802.11ax HE40	147	6685	MCS0	Full	-
Mode 39	U-NII-8	6.875-7.125	MIMO	802.11ax HE40	179	6845	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	MIMO	802.11ax HE80	135	6625	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	MIMO	802.11ax HE80	151	6705	MCS0	Full	-
Mode 43	U-NII-7	6.525-6.875	MIMO	802.11ax HE80	167	6785	MCS0	Full	-
Mode 45	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	143	6665	MCS0	Full	-

For Co-location:

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 63	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	15	6025	MCS0	Full	-
	2400-2483.5	2400-2483.5	SISO	Bluetooth-LE_GSKF	38	2480	2Mbps	-	-
	N77 BW=100M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	55.45	68.20	-12.75	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.42	74.00	-27.58	V	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	46.57	74.00	-27.43	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.49	88.20	-41.71	H	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5924.97	52.82	68.20	-15.38	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	46.40	74.00	-27.60	V	PEAK	Pass	Harmonic
5	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	49	12390.00	46.27	74.00	-27.73	V	PEAK	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	46.41	88.20	-41.79	H	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5923.80	40.28	68.20	-27.92	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE40	3	5924.82	55.88	68.20	-12.32	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	3	11930.00	46.37	74.00	-27.63	H	PEAK	Pass	Harmonic
9	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
9	802.11ax HE40	51	12410.00	46.63	74.00	-27.37	H	PEAK	Pass	Harmonic
10	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
10	802.11ax HE40	91	12810.00	46.16	88.20	-42.04	H	PEAK	Pass	Harmonic
11	802.11ax HE80	7	5919.56	61.29	68.20	-6.91	H	AVERAGE	Pass	Band Edge
11	802.11ax HE80	7	11970.00	45.63	74.00	-28.37	H	PEAK	Pass	Harmonic
12	802.11ax HE80	55	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE80	55	12450.00	46.42	74.00	-27.58	H	PEAK	Pass	Harmonic
13	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE80	87	12770.00	46.83	88.20	-41.37	V	PEAK	Pass	Harmonic
14	802.11ax HE160	15	5921.60	64.98	68.20	-3.22	H	AVERAGE	Pass	Band Edge
14	802.11ax HE160	15	12050.00	45.60	74.00	-28.40	H	PEAK	Pass	Harmonic
15	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE160	47	12370.00	46.21	74.00	-27.79	V	PEAK	Pass	Harmonic
16	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE160	79	12690.00	46.94	74.00	-27.06	H	PEAK	Pass	Harmonic
29	802.11a	117	-	-	-	-	-	-	-	Band Edge
29	802.11a	117	13070.00	46.45	88.20	-41.75	V	PEAK	Pass	Harmonic
30	802.11a	149	-	-	-	-	-	-	-	Band Edge
30	802.11a	149	13390.00	46.64	74.00	-27.36	H	PEAK	Pass	Harmonic







31	802.11a	181	-	-	-	-	-	-	-	Band Edge
31	802.11a	181	13710.00	45.70	88.20	-42.50	H	PEAK	Pass	Harmonic
33	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	117	13070.00	46.78	88.20	-41.42	H	PEAK	Pass	Harmonic
34	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	149	13390.00	45.85	74.00	-28.15	H	PEAK	Pass	Harmonic
35	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	181	13710.00	46.07	88.20	-42.13	H	PEAK	Pass	Harmonic
37	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	123	13130.00	46.26	88.20	-41.94	V	PEAK	Pass	Harmonic
38	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE40	147	13370.00	46.00	74.00	-28.00	H	PEAK	Pass	Harmonic
39	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	179	13690.00	45.85	88.20	-42.35	V	PEAK	Pass	Harmonic
41	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	135	13250.00	45.43	74.00	-28.57	H	PEAK	Pass	Harmonic
42	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	151	13410.00	46.25	88.20	-41.95	V	PEAK	Pass	Harmonic
43	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	167	13570.00	46.48	88.20	-41.72	H	PEAK	Pass	Harmonic
45	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE160	143	13330.00	45.39	74.00	-28.61	H	PEAK	Pass	Harmonic





For Co-location:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
63	802.11ax HE160	15	5875.00	59.67	68.20	-8.53	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	15	12050.00	43.68	74.00	-30.32	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	38	2491.84	43.03	54.00	-10.97	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	38	4960.00	39.71	74.00	-34.29	V	PEAK	Pass	Harmonic



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																							
ANT	MIMO																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.41</td> <td>66.61</td> <td>88.20</td> <td>-21.59</td> <td>57.06</td> <td>34.97</td> <td>11.40</td> <td>36.82</td> <td>0.00</td> <td>288</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.41	66.61	88.20	-21.59	57.06	34.97	11.40	36.82	0.00	288	10 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>112.40</td> <td>-----</td> <td>-----</td> <td>102.87</td> <td>35.08</td> <td>11.43</td> <td>36.98</td> <td>0.00</td> <td>288</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	112.40	-----	-----	102.87	35.08	11.43	36.98	0.00	288	10 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5923.41	66.61	88.20	-21.59	57.06	34.97	11.40	36.82	0.00	288	10 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	112.40	-----	-----	102.87	35.08	11.43	36.98	0.00	288	10 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>55.45</td> <td>68.20</td> <td>-12.75</td> <td>45.90</td> <td>34.97</td> <td>11.40</td> <td>36.82</td> <td>0.00</td> <td>288</td> <td>10 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	55.45	68.20	-12.75	45.90	34.97	11.40	36.82	0.00	288	10 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>103.84</td> <td>-----</td> <td>-----</td> <td>94.31</td> <td>35.08</td> <td>11.43</td> <td>36.98</td> <td>0.00</td> <td>288</td> <td>10 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	103.84	-----	-----	94.31	35.08	11.43	36.98	0.00	288	10 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5924.97	55.45	68.20	-12.75	45.90	34.97	11.40	36.82	0.00	288	10 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5955.00	103.84	-----	-----	94.31	35.08	11.43	36.98	0.00	288	10 AVERAGE																																																																													



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.58</td> <td>68.00</td> <td>88.20</td> <td>-20.20</td> <td>58.45</td> <td>34.97</td> <td>11.40</td> <td>36.82</td> <td>0.00</td> <td>136</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.58	68.00	88.20	-20.20	58.45	34.97	11.40	36.82	0.00	136	360	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>100.66</td> <td>-----</td> <td>-----</td> <td>99.12</td> <td>35.05</td> <td>11.43</td> <td>36.94</td> <td>0.00</td> <td>136</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	100.66	-----	-----	99.12	35.05	11.43	36.94	0.00	136	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5924.58	68.00	88.20	-20.20	58.45	34.97	11.40	36.82	0.00	136	360	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	100.66	-----	-----	99.12	35.05	11.43	36.94	0.00	136	360	PEAK																																																																														
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.32</td> <td>54.58</td> <td>68.20</td> <td>-13.62</td> <td>45.03</td> <td>34.97</td> <td>11.40</td> <td>36.82</td> <td>0.00</td> <td>136</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.32	54.58	68.20	-13.62	45.03	34.97	11.40	36.82	0.00	136	360	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>100.54</td> <td>-----</td> <td>-----</td> <td>91.00</td> <td>35.05</td> <td>11.43</td> <td>36.94</td> <td>0.00</td> <td>136</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	100.54	-----	-----	91.00	35.05	11.43	36.94	0.00	136	360	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5924.32	54.58	68.20	-13.62	45.03	34.97	11.40	36.82	0.00	136	360	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	100.54	-----	-----	91.00	35.05	11.43	36.94	0.00	136	360	AVERAGE																																																																														