



VHT20 CH1, CARRIER LEVEL




VHT20 CH1, BAND EDGE




VHT20 CH11, CARRIER LEVEL



VHT20 CH11, BAND EDGE




VHT40 CH3, CARRIER LEVEL




VHT40 CH3, BAND EDGE




VHT40 CH9, CARRIER LEVEL



VHT40 CH9, BAND EDGE




802.11ax-20 MHz(SU) CH1, CARRIER LEVEL




802.11ax-20 MHz(SU) CH1, BAND EDGE




802.11ax-20 MHz(SU) CH11, CARRIER LEVEL



802.11ax-20 MHz(SU) CH11, BAND EDGE




802.11ax-40 MHz(SU) CH3, CARRIER LEVEL




802.11ax-40 MHz(SU) CH3, BAND EDGE



802.11ax-40 MHz(SU) CH9, CARRIER LEVEL



802.11ax-40 MHz(SU) CH9, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.154	46.39	10.11	65.78	19.39	Peak	L	Pass
1**	0.154	26.77	10.11	55.78	29.01	AV	L	Pass
2	0.266	40.88	10.06	61.24	20.36	Peak	L	Pass
2**	0.266	28.48	10.06	51.24	22.76	AV	L	Pass
3	0.396	39.13	10.60	57.94	18.81	Peak	L	Pass
3**	0.396	27.54	10.60	47.94	20.40	AV	L	Pass
4	1.782	35.74	10.43	56.00	20.26	Peak	L	Pass
4**	1.782	22.90	10.43	46.00	23.10	AV	L	Pass
5	11.860	37.08	11.85	60.00	22.92	Peak	L	Pass
5**	11.860	23.78	11.85	50.00	26.22	AV	L	Pass
6	29.452	36.38	14.30	60.00	23.62	Peak	L	Pass
6**	29.452	22.22	14.30	50.00	27.78	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.152	41.40	10.11	65.89	24.49	Peak	N	Pass
1**	0.152	29.30	10.11	55.89	26.59	AV	N	Pass
2	0.266	42.49	10.06	61.24	18.75	Peak	N	Pass
2**	0.266	28.99	10.06	51.24	22.25	AV	N	Pass
3	0.490	38.42	10.39	56.17	17.75	Peak	N	Pass
3**	0.490	24.61	10.39	46.17	21.56	AV	N	Pass
4	1.310	38.06	10.52	56.00	17.94	Peak	N	Pass
4**	1.310	26.21	10.52	46.00	19.79	AV	N	Pass
5	7.960	36.43	11.20	60.00	23.57	Peak	N	Pass
5**	7.960	24.10	11.20	50.00	25.90	AV	N	Pass
6	11.836	39.34	11.72	60.00	20.66	Peak	N	Pass
6**	11.836	24.66	11.72	50.00	25.34	AV	N	Pass

A.6 Radiated Emission

Note ¹: The symbol of "--" in the table which means not application.


Note ²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	53.571	18.62	-25.57	40.0	21.38	Peak	50.00	100	Horizontal	Pass
2	89.024	21.81	-28.83	43.5	21.69	Peak	156.00	200	Horizontal	Pass
3	190.486	17.17	-27.34	43.5	26.33	Peak	220.00	200	Horizontal	Pass
4	246.359	23.67	-24.99	46.0	22.33	Peak	43.00	100	Horizontal	Pass
5	284.286	27.76	-24.07	46.0	18.24	Peak	34.00	100	Horizontal	Pass
6	303.734	28.25	-23.67	46.0	17.75	Peak	215.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.201	20.71	-28.92	40.0	19.29	Peak	242.00	100	Vertical	Pass
2	54.056	25.66	-25.55	40.0	14.34	Peak	273.00	100	Vertical	Pass
3	64.871	25.20	-27.49	40.0	14.80	Peak	142.00	100	Vertical	Pass
4	89.024	24.07	-28.83	43.5	19.43	Peak	90.00	100	Vertical	Pass
5	167.788	23.63	-29.20	43.5	19.87	Peak	246.00	100	Vertical	Pass
6	294.858	27.27	-23.79	46.0	18.73	Peak	248.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

ANT 0:

1 GHz to 18 GHz, ANT H 802.11b CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	44.91	-17.07	74.0	29.09	Peak	120.00	400	Horizontal	Pass
1**	1327.400	35.71	-17.07	54.0	18.29	AV	120.00	400	Horizontal	Pass
2	2413.200	105.56	-10.74	74.0	-31.56	Peak	68.00	100	Horizontal	N/A
2**	2413.200	102.79	-10.74	54.0	-48.79	AV	68.00	100	Horizontal	N/A
3	4983.200	51.42	-1.65	74.0	22.58	Peak	294.00	100	Horizontal	Pass
3**	4983.200	43.81	-1.65	54.0	10.19	AV	294.00	100	Horizontal	Pass
4	6417.800	54.64	-1.00	74.0	19.36	Peak	335.00	300	Horizontal	Pass
4**	6417.800	45.12	-1.00	54.0	8.88	AV	335.00	300	Horizontal	Pass
5	13322.776	56.79	0.92	74.0	17.21	Peak	360.00	400	Horizontal	Pass
5**	13322.776	46.40	0.92	54.0	7.60	AV	360.00	400	Horizontal	Pass
6	15848.025	56.36	1.35	74.0	17.64	Peak	216.00	150	Horizontal	Pass
6**	15848.025	46.87	1.35	54.0	7.13	AV	216.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.200	47.17	-17.63	74.0	26.83	Peak	47.00	300	Vertical	Pass
1**	1166.200	36.30	-17.63	54.0	17.70	AV	47.00	300	Vertical	Pass
2	2413.200	96.12	-10.74	74.0	-22.12	Peak	165.00	100	Vertical	N/A
2**	2413.200	93.21	-10.74	54.0	-39.21	AV	165.00	100	Vertical	N/A
3	4982.600	51.70	-1.63	74.0	22.30	Peak	74.00	100	Vertical	Pass
3**	4982.600	43.16	-1.63	54.0	10.84	AV	74.00	100	Vertical	Pass
4	6611.000	54.70	0.76	74.0	19.30	Peak	277.00	400	Vertical	Pass
4**	6611.000	46.16	0.76	54.0	7.84	AV	277.00	400	Vertical	Pass
5	13419.900	55.50	0.40	74.0	18.50	Peak	350.00	150	Vertical	Pass
5**	13419.900	47.02	0.40	54.0	6.98	AV	350.00	150	Vertical	Pass
6	17396.251	56.47	3.05	74.0	17.53	Peak	92.00	100	Vertical	Pass
6**	17396.251	47.15	3.05	54.0	6.85	AV	92.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.700	42.69	-17.50	74.0	31.31	Peak	177.00	100	Horizontal	Pass
1**	1229.700	32.41	-17.50	54.0	21.59	AV	177.00	100	Horizontal	Pass
2	2415.800	105.93	-11.33	74.0	-31.93	Peak	219.00	150	Horizontal	N/A
2**	2415.800	103.06	-11.33	54.0	-49.06	AV	219.00	150	Horizontal	N/A
3	4834.000	50.63	-2.73	74.0	23.37	Peak	112.00	150	Horizontal	Pass
3**	4834.000	46.01	-2.73	54.0	7.99	AV	112.00	150	Horizontal	Pass
4	6840.400	54.49	0.90	74.0	19.51	Peak	216.00	400	Horizontal	Pass
4**	6840.400	45.24	0.90	54.0	8.76	AV	216.00	400	Horizontal	Pass
5	12806.175	55.27	0.91	74.0	18.73	Peak	226.00	200	Horizontal	Pass
5**	12806.175	44.00	0.91	54.0	10.00	AV	226.00	200	Horizontal	Pass
6	16414.239	56.63	1.30	74.0	17.37	Peak	36.00	100	Horizontal	Pass
6**	16414.239	46.42	1.30	54.0	7.58	AV	36.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1376.700	42.73	-17.26	74.0	31.27	Peak	292.00	400	Vertical	Pass
1**	1376.700	32.45	-17.26	54.0	21.55	AV	292.00	400	Vertical	Pass
2	2415.700	100.06	-11.29	74.0	-26.06	Peak	172.00	100	Vertical	N/A
2**	2415.700	97.09	-11.29	54.0	-43.09	AV	172.00	100	Vertical	N/A
3	4834.200	51.22	-2.73	74.0	22.78	Peak	18.00	150	Vertical	Pass
3**	4834.200	46.55	-2.73	54.0	7.45	AV	18.00	150	Vertical	Pass
4	6619.400	54.81	0.53	74.0	19.19	Peak	140.00	100	Vertical	Pass
4**	6619.400	45.38	0.53	54.0	8.62	AV	140.00	100	Vertical	Pass
5	13257.413	55.76	0.74	74.0	18.24	Peak	70.00	150	Vertical	Pass
5**	13257.413	45.47	0.74	54.0	8.53	AV	70.00	150	Vertical	Pass
6	16278.000	55.77	1.04	74.0	18.23	Peak	52.00	400	Vertical	Pass
6**	16278.000	45.24	1.04	54.0	8.76	AV	52.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.600	42.24	-17.42	74.0	31.76	Peak	80.00	300	Horizontal	Pass
1**	1579.600	32.62	-17.42	54.0	21.38	AV	80.00	300	Horizontal	Pass
2	2420.900	105.51	-12.26	74.0	-31.51	Peak	219.00	150	Horizontal	N/A
2**	2420.900	102.71	-12.26	54.0	-48.71	AV	219.00	150	Horizontal	N/A
3	2860.000	52.49	-8.88	74.0	21.51	Peak	20.00	100	Horizontal	Pass
3**	2860.000	41.05	-8.88	54.0	12.95	AV	20.00	100	Horizontal	Pass
4	4844.200	50.29	-2.64	74.0	23.71	Peak	360.00	150	Horizontal	Pass
4**	4844.200	45.99	-2.64	54.0	8.01	AV	360.00	150	Horizontal	Pass
5	13436.701	55.61	0.43	74.0	18.39	Peak	328.00	150	Horizontal	Pass
5**	13436.701	46.12	0.43	54.0	7.88	AV	328.00	150	Horizontal	Pass
6	17456.364	55.93	2.84	74.0	18.07	Peak	191.00	400	Horizontal	Pass
6**	17456.364	47.06	2.84	54.0	6.94	AV	191.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.700	42.54	-17.08	74.0	31.46	Peak	49.00	200	Vertical	Pass
1**	1390.700	33.60	-17.08	54.0	20.40	AV	49.00	200	Vertical	Pass
2	2420.800	99.99	-12.25	74.0	-25.99	Peak	168.00	150	Vertical	N/A
2**	2420.800	97.08	-12.25	54.0	-43.08	AV	168.00	150	Vertical	N/A
3	2843.700	52.32	-8.45	74.0	21.68	Peak	132.00	150	Vertical	Pass
3**	2843.700	42.31	-8.45	54.0	11.69	AV	132.00	150	Vertical	Pass
4	4844.200	51.43	-2.64	74.0	22.57	Peak	360.00	150	Vertical	Pass
4**	4844.200	47.13	-2.64	54.0	6.87	AV	360.00	150	Vertical	Pass
5	13419.638	55.60	0.40	74.0	18.40	Peak	303.00	150	Vertical	Pass
5**	13419.638	46.95	0.40	54.0	7.05	AV	303.00	150	Vertical	Pass
6	17449.538	56.22	2.83	74.0	17.78	Peak	95.00	400	Vertical	Pass
6**	17449.538	46.86	2.83	54.0	7.14	AV	95.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	43.82	-17.09	74.0	30.18	Peak	122.00	300	Horizontal	Pass
1**	1332.000	33.92	-17.09	54.0	20.08	AV	122.00	300	Horizontal	Pass
2	2438.200	106.06	-12.20	74.0	-32.06	Peak	69.00	100	Horizontal	N/A
2**	2438.200	103.34	-12.20	54.0	-49.34	AV	69.00	100	Horizontal	N/A
3	4767.800	51.58	-2.89	74.0	22.42	Peak	104.00	150	Horizontal	Pass
3**	4767.800	43.19	-2.89	54.0	10.81	AV	104.00	150	Horizontal	Pass
4	6844.200	54.59	0.63	74.0	19.41	Peak	71.00	400	Horizontal	Pass
4**	6844.200	44.78	0.63	54.0	9.22	AV	71.00	400	Horizontal	Pass
5	13329.863	55.91	0.94	74.0	18.09	Peak	22.00	150	Horizontal	Pass
5**	13329.863	46.11	0.94	54.0	7.89	AV	22.00	150	Horizontal	Pass
6	15684.750	56.28	1.44	74.0	17.72	Peak	360.00	400	Horizontal	Pass
6**	15684.750	46.64	1.44	54.0	7.36	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.900	46.82	-17.64	74.0	27.18	Peak	96.00	200	Vertical	Pass
1**	1161.900	35.63	-17.64	54.0	18.37	AV	96.00	200	Vertical	Pass
2	2435.900	98.02	-12.14	74.0	-24.02	Peak	138.00	200	Vertical	N/A
2**	2435.900	95.15	-12.14	54.0	-41.15	AV	138.00	200	Vertical	N/A
3	2772.700	51.46	-8.79	74.0	22.54	Peak	188.00	100	Vertical	Pass
3**	2772.700	42.36	-8.79	54.0	11.64	AV	188.00	100	Vertical	Pass
4	6808.800	54.43	1.62	74.0	19.57	Peak	109.00	300	Vertical	Pass
4**	6808.800	45.30	1.62	54.0	8.70	AV	109.00	300	Vertical	Pass
5	13446.150	55.83	0.57	74.0	18.17	Peak	246.00	150	Vertical	Pass
5**	13446.150	47.16	0.57	54.0	6.84	AV	246.00	150	Vertical	Pass
6	17409.636	55.94	3.44	74.0	18.06	Peak	96.00	400	Vertical	Pass
6**	17409.636	46.92	3.44	54.0	7.08	AV	96.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1341.100	42.23	-17.10	74.0	31.77	Peak	79.00	100	Horizontal	Pass
1**	1341.100	32.10	-17.10	54.0	21.90	AV	79.00	100	Horizontal	Pass
2	2458.200	105.41	-11.96	74.0	-31.41	Peak	131.00	200	Horizontal	N/A
2**	2458.200	102.61	-11.96	54.0	-48.61	AV	131.00	200	Horizontal	N/A
3	2680.100	51.77	-9.94	74.0	22.23	Peak	149.00	200	Horizontal	Pass
3**	2680.100	41.63	-9.94	54.0	12.37	AV	149.00	200	Horizontal	Pass
4	6791.000	54.91	0.81	74.0	19.09	Peak	324.00	100	Horizontal	Pass
4**	6791.000	45.19	0.81	54.0	8.81	AV	324.00	100	Horizontal	Pass
5	13436.438	55.58	0.43	74.0	18.42	Peak	64.00	150	Horizontal	Pass
5**	13436.438	46.30	0.43	54.0	7.70	AV	64.00	150	Horizontal	Pass
6	15799.463	56.17	2.32	74.0	17.83	Peak	17.00	100	Horizontal	Pass
6**	15799.463	46.87	2.32	54.0	7.13	AV	17.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.500	42.95	-17.09	74.0	31.05	Peak	287.00	100	Vertical	Pass
1**	1566.500	32.90	-17.09	54.0	21.10	AV	287.00	100	Vertical	Pass
2	2455.900	98.20	-12.13	74.0	-24.20	Peak	307.00	100	Vertical	N/A
2**	2455.900	95.50	-12.13	54.0	-41.50	AV	307.00	100	Vertical	N/A
3	4768.000	51.59	-2.90	74.0	22.41	Peak	20.00	100	Vertical	Pass
3**	4768.000	42.69	-2.90	54.0	11.31	AV	20.00	100	Vertical	Pass
4	6789.600	54.50	0.65	74.0	19.50	Peak	360.00	200	Vertical	Pass
4**	6789.600	45.16	0.65	54.0	8.84	AV	360.00	200	Vertical	Pass
5	13431.713	55.22	0.40	74.0	18.78	Peak	322.00	150	Vertical	Pass
5**	13431.713	47.11	0.40	54.0	6.89	AV	322.00	150	Vertical	Pass
6	17428.275	56.43	3.51	74.0	17.57	Peak	118.00	200	Vertical	Pass
6**	17428.275	46.77	3.51	54.0	7.23	AV	118.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	44.69	-17.08	74.0	29.31	Peak	120.00	400	Horizontal	Pass
1**	1327.800	33.88	-17.08	54.0	20.12	AV	120.00	400	Horizontal	Pass
2	2460.800	105.49	-12.05	74.0	-31.49	Peak	69.00	150	Horizontal	N/A
2**	2460.800	102.60	-12.05	54.0	-48.60	AV	69.00	150	Horizontal	N/A
3	4954.600	52.28	-2.80	74.0	21.72	Peak	256.00	200	Horizontal	Pass
3**	4954.600	41.02	-2.80	54.0	12.98	AV	256.00	200	Horizontal	Pass
4	6826.600	54.43	0.09	74.0	19.57	Peak	220.00	300	Horizontal	Pass
4**	6826.600	44.70	0.09	54.0	9.30	AV	220.00	300	Horizontal	Pass
5	13303.612	55.51	0.87	74.0	18.49	Peak	288.00	150	Horizontal	Pass
5**	13303.612	46.13	0.87	54.0	7.87	AV	288.00	150	Horizontal	Pass
6	15817.050	56.23	1.98	74.0	17.77	Peak	239.00	100	Horizontal	Pass
6**	15817.050	46.76	1.98	54.0	7.24	AV	239.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	47.02	-17.04	74.0	26.98	Peak	44.00	200	Vertical	Pass
1**	1329.400	35.68	-17.04	54.0	18.32	AV	44.00	200	Vertical	Pass
2	2460.800	97.03	-12.05	74.0	-23.03	Peak	180.00	100	Vertical	N/A
2**	2460.800	94.10	-12.05	54.0	-40.10	AV	180.00	100	Vertical	N/A
3	2983.000	51.28	-9.24	74.0	22.72	Peak	360.00	150	Vertical	Pass
3**	2983.000	41.66	-9.24	54.0	12.34	AV	360.00	150	Vertical	Pass
4	6546.600	54.60	-0.87	74.0	19.40	Peak	187.00	100	Vertical	Pass
4**	6546.600	44.56	-0.87	54.0	9.44	AV	187.00	100	Vertical	Pass
5	13407.037	55.51	0.53	74.0	18.49	Peak	210.00	150	Vertical	Pass
5**	13407.037	46.36	0.53	54.0	7.64	AV	210.00	150	Vertical	Pass
6	17439.824	56.38	3.03	74.0	17.62	Peak	229.00	100	Vertical	Pass
6**	17439.824	46.69	3.03	54.0	7.31	AV	229.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	43.53	-17.09	74.0	30.47	Peak	2.00	200	Horizontal	Pass
1**	1328.200	33.12	-17.09	54.0	20.88	AV	2.00	200	Horizontal	Pass
2	2409.900	105.81	-10.48	74.0	-31.81	Peak	61.00	150	Horizontal	N/A
2**	2409.900	98.63	-10.48	54.0	-44.63	AV	61.00	150	Horizontal	N/A
3	4940.600	51.85	-1.93	74.0	22.15	Peak	227.00	150	Horizontal	Pass
3**	4940.600	42.76	-1.93	54.0	11.24	AV	227.00	150	Horizontal	Pass
4	6790.800	54.50	0.79	74.0	19.50	Peak	337.00	200	Horizontal	Pass
4**	6790.800	45.44	0.79	54.0	8.56	AV	337.00	200	Horizontal	Pass
5	13422.525	55.91	0.40	74.0	18.09	Peak	277.00	150	Horizontal	Pass
5**	13422.525	46.57	0.40	54.0	7.43	AV	277.00	150	Horizontal	Pass
6	15615.188	55.95	1.49	74.0	18.05	Peak	327.00	200	Horizontal	Pass
6**	15615.188	45.88	1.49	54.0	8.12	AV	327.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11nb CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.400	48.41	-17.57	74.0	25.59	Peak	38.00	400	Vertical	Pass
1**	1164.400	37.63	-17.57	54.0	16.37	AV	38.00	400	Vertical	Pass
2	2411.000	96.52	-10.58	74.0	-22.52	Peak	181.00	150	Vertical	N/A
2**	2411.000	88.90	-10.58	54.0	-34.90	AV	181.00	150	Vertical	N/A
3	4999.800	52.60	-2.38	74.0	21.40	Peak	178.00	100	Vertical	Pass
3**	4999.800	42.13	-2.38	54.0	11.87	AV	178.00	100	Vertical	Pass
4	6613.600	54.83	0.30	74.0	19.17	Peak	218.00	300	Vertical	Pass
4**	6613.600	45.09	0.30	54.0	8.91	AV	218.00	300	Vertical	Pass
5	13426.463	55.28	0.40	74.0	18.72	Peak	360.00	150	Vertical	Pass
5**	13426.463	46.75	0.40	54.0	7.25	AV	360.00	150	Vertical	Pass
6	17454.262	56.01	2.84	74.0	17.99	Peak	360.00	300	Vertical	Pass
6**	17454.262	46.18	2.84	54.0	7.82	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.500	42.40	-17.12	74.0	31.60	Peak	10.00	100	Horizontal	Pass
1**	1582.500	32.78	-17.12	54.0	21.22	AV	10.00	100	Horizontal	Pass
2	2415.200	110.45	-11.12	74.0	-36.45	Peak	118.00	200	Horizontal	N/A
2**	2415.200	103.73	-11.12	54.0	-49.73	AV	118.00	200	Horizontal	N/A
3	4866.800	51.42	-2.54	74.0	22.58	Peak	360.00	200	Horizontal	Pass
3**	4866.800	42.48	-2.54	54.0	11.52	AV	360.00	200	Horizontal	Pass
4	6508.400	54.40	-0.68	74.0	19.60	Peak	81.00	300	Horizontal	Pass
4**	6508.400	45.14	-0.68	54.0	8.86	AV	81.00	300	Horizontal	Pass
5	13437.487	55.91	0.44	74.0	18.09	Peak	219.00	150	Horizontal	Pass
5**	13437.487	46.11	0.44	54.0	7.89	AV	219.00	150	Horizontal	Pass
6	17434.837	56.49	3.27	74.0	17.51	Peak	298.00	200	Horizontal	Pass
6**	17434.837	47.26	3.27	54.0	6.74	AV	298.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.800	42.15	-16.95	74.0	31.85	Peak	100.00	100	Vertical	Pass
1**	1540.800	34.46	-16.95	54.0	19.54	AV	100.00	100	Vertical	Pass
2	2417.900	101.28	-11.80	74.0	-27.28	Peak	172.00	150	Vertical	N/A
2**	2417.900	93.75	-11.80	54.0	-39.75	AV	172.00	150	Vertical	N/A
3	4977.200	51.54	-1.75	74.0	22.46	Peak	6.00	100	Vertical	Pass
3**	4977.200	42.26	-1.75	54.0	11.74	AV	6.00	100	Vertical	Pass
4	6625.600	54.08	0.28	74.0	19.92	Peak	254.00	400	Vertical	Pass
4**	6625.600	45.44	0.28	54.0	8.56	AV	254.00	400	Vertical	Pass
5	13425.675	55.16	0.40	74.0	18.84	Peak	37.00	150	Vertical	Pass
5**	13425.675	46.61	0.40	54.0	7.39	AV	37.00	150	Vertical	Pass
6	15763.763	55.86	0.97	74.0	18.14	Peak	320.00	300	Vertical	Pass
6**	15763.763	45.33	0.97	54.0	8.67	AV	320.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.700	42.55	-17.33	74.0	31.45	Peak	16.00	100	Horizontal	Pass
1**	1594.700	32.48	-17.33	54.0	21.52	AV	16.00	100	Horizontal	Pass
2	2418.800	109.98	-11.95	74.0	-35.98	Peak	284.00	200	Horizontal	N/A
2**	2418.800	102.07	-11.95	54.0	-48.07	AV	284.00	200	Horizontal	N/A
3	4998.400	51.66	-2.49	74.0	22.34	Peak	189.00	150	Horizontal	Pass
3**	4998.400	42.10	-2.49	54.0	11.90	AV	189.00	150	Horizontal	Pass
4	6806.800	54.14	2.22	74.0	19.86	Peak	117.00	100	Horizontal	Pass
4**	6806.800	46.04	2.22	54.0	7.96	AV	117.00	100	Horizontal	Pass
5	13440.900	55.42	0.49	74.0	18.58	Peak	324.00	150	Horizontal	Pass
5**	13440.900	46.81	0.49	54.0	7.19	AV	324.00	150	Horizontal	Pass
6	17420.663	56.64	3.74	74.0	17.36	Peak	99.00	300	Horizontal	Pass
6**	17420.663	47.33	3.74	54.0	6.67	AV	99.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.900	42.49	-17.14	74.0	31.51	Peak	334.00	300	Vertical	Pass
1**	1568.900	33.01	-17.14	54.0	20.99	AV	334.00	300	Vertical	Pass
2	2420.900	100.36	-12.26	74.0	-26.36	Peak	165.00	150	Vertical	N/A
2**	2420.900	93.54	-12.26	54.0	-39.54	AV	165.00	150	Vertical	N/A
3	4976.200	51.66	-1.80	74.0	22.34	Peak	192.00	100	Vertical	Pass
3**	4976.200	42.46	-1.80	54.0	11.54	AV	192.00	100	Vertical	Pass
4	6610.800	54.23	0.74	74.0	19.77	Peak	192.00	300	Vertical	Pass
4**	6610.800	46.19	0.74	54.0	7.81	AV	192.00	300	Vertical	Pass
5	13422.000	55.66	0.40	74.0	18.34	Peak	73.00	150	Vertical	Pass
5**	13422.000	46.63	0.40	54.0	7.37	AV	73.00	150	Vertical	Pass
6	17429.062	56.07	3.48	74.0	17.93	Peak	224.00	300	Vertical	Pass
6**	17429.062	46.84	3.48	54.0	7.16	AV	224.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.200	42.11	-17.18	74.0	31.89	Peak	54.00	400	Horizontal	Pass
1**	1447.200	32.11	-17.18	54.0	21.89	AV	54.00	400	Horizontal	Pass
2	2429.200	109.91	-12.41	74.0	-35.91	Peak	85.00	200	Horizontal	N/A
2**	2429.200	102.61	-12.41	54.0	-48.61	AV	85.00	200	Horizontal	N/A
3	5051.200	52.31	-1.49	74.0	21.69	Peak	360.00	150	Horizontal	Pass
3**	5051.200	42.85	-1.49	54.0	11.15	AV	360.00	150	Horizontal	Pass
4	6806.000	54.24	2.20	74.0	19.76	Peak	330.00	200	Horizontal	Pass
4**	6806.000	46.26	2.20	54.0	7.74	AV	330.00	200	Horizontal	Pass
5	13282.088	55.46	0.73	74.0	18.54	Peak	294.00	150	Horizontal	Pass
5**	13282.088	45.62	0.73	54.0	8.38	AV	294.00	150	Horizontal	Pass
6	17473.161	56.30	2.85	74.0	17.70	Peak	335.00	200	Horizontal	Pass
6**	17473.161	46.50	2.85	54.0	7.50	AV	335.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.600	42.26	-17.25	74.0	31.74	Peak	110.00	400	Vertical	Pass
1**	1448.600	32.39	-17.25	54.0	21.61	AV	110.00	400	Vertical	Pass
2	2426.200	100.51	-12.59	74.0	-26.51	Peak	158.00	200	Vertical	N/A
2**	2426.200	93.52	-12.59	54.0	-39.52	AV	158.00	200	Vertical	N/A
3	4821.200	52.38	-2.14	74.0	21.62	Peak	82.00	150	Vertical	Pass
3**	4821.200	41.71	-2.14	54.0	12.29	AV	82.00	150	Vertical	Pass
4	6833.600	54.43	0.49	74.0	19.57	Peak	233.00	200	Vertical	Pass
4**	6833.600	45.07	0.49	54.0	8.93	AV	233.00	200	Vertical	Pass
5	13422.525	56.16	0.40	74.0	17.84	Peak	221.00	150	Vertical	Pass
5**	13422.525	46.22	0.40	54.0	7.78	AV	221.00	150	Vertical	Pass
6	17429.850	56.63	3.46	74.0	17.37	Peak	44.00	200	Vertical	Pass
6**	17429.850	47.14	3.46	54.0	6.86	AV	44.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	43.32	-17.03	74.0	30.68	Peak	165.00	300	Horizontal	Pass
1**	1331.300	34.12	-17.03	54.0	19.88	AV	165.00	300	Horizontal	Pass
2	2435.600	108.19	-12.14	74.0	-34.19	Peak	61.00	100	Horizontal	N/A
2**	2435.600	101.33	-12.14	54.0	-47.33	AV	61.00	100	Horizontal	N/A
3	4822.400	51.81	-2.10	74.0	22.19	Peak	307.00	150	Horizontal	Pass
3**	4822.400	42.55	-2.10	54.0	11.45	AV	307.00	150	Horizontal	Pass
4	6976.400	54.57	1.63	74.0	19.43	Peak	347.00	400	Horizontal	Pass
4**	6976.400	46.02	1.63	54.0	7.98	AV	347.00	400	Horizontal	Pass
5	13305.975	55.73	0.87	74.0	18.27	Peak	155.00	150	Horizontal	Pass
5**	13305.975	45.85	0.87	54.0	8.15	AV	155.00	150	Horizontal	Pass
6	17354.250	56.33	2.06	74.0	17.67	Peak	20.00	100	Horizontal	Pass
6**	17354.250	47.02	2.06	54.0	6.98	AV	20.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.200	46.90	-17.62	74.0	27.10	Peak	48.00	200	Vertical	Pass
1**	1162.200	34.45	-17.62	54.0	19.55	AV	48.00	200	Vertical	Pass
2	2436.200	99.29	-12.13	74.0	-25.29	Peak	156.00	100	Vertical	N/A
2**	2436.200	92.39	-12.13	54.0	-38.39	AV	156.00	100	Vertical	N/A
3	4980.400	51.64	-1.58	74.0	22.36	Peak	14.00	200	Vertical	Pass
3**	4980.400	42.99	-1.58	54.0	11.01	AV	14.00	200	Vertical	Pass
4	6623.000	53.94	0.17	74.0	20.06	Peak	84.00	100	Vertical	Pass
4**	6623.000	45.04	0.17	54.0	8.96	AV	84.00	100	Vertical	Pass
5	13328.812	56.41	0.93	74.0	17.59	Peak	105.00	150	Vertical	Pass
5**	13328.812	47.36	0.93	54.0	6.64	AV	105.00	150	Vertical	Pass
6	17423.550	56.46	3.66	74.0	17.54	Peak	279.00	100	Vertical	Pass
6**	17423.550	47.18	3.66	54.0	6.82	AV	279.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1285.600	43.39	-17.21	74.0	30.61	Peak	156.00	200	Horizontal	Pass
1**	1285.600	32.54	-17.21	54.0	21.46	AV	156.00	200	Horizontal	Pass
2	2459.900	110.20	-11.97	74.0	-36.20	Peak	67.00	100	Horizontal	N/A
2**	2459.900	102.84	-11.97	54.0	-48.84	AV	67.00	100	Horizontal	N/A
3	4792.000	51.57	-2.76	74.0	22.43	Peak	310.00	150	Horizontal	Pass
3**	4792.000	41.63	-2.76	54.0	12.37	AV	310.00	150	Horizontal	Pass
4	6152.600	54.64	0.31	74.0	19.36	Peak	148.00	200	Horizontal	Pass
4**	6152.600	45.70	0.31	54.0	8.30	AV	148.00	200	Horizontal	Pass
5	13295.475	55.81	0.84	74.0	18.19	Peak	201.00	200	Horizontal	Pass
5**	13295.475	46.02	0.84	54.0	7.98	AV	201.00	200	Horizontal	Pass
6	15855.112	55.81	1.19	74.0	18.19	Peak	360.00	150	Horizontal	Pass
6**	15855.112	46.69	1.19	54.0	7.31	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.100	42.69	-17.25	74.0	31.31	Peak	73.00	200	Vertical	Pass
1**	1519.100	32.61	-17.25	54.0	21.39	AV	73.00	200	Vertical	Pass
2	2455.700	99.42	-12.13	74.0	-25.42	Peak	360.00	150	Vertical	N/A
2**	2455.700	92.21	-12.13	54.0	-38.21	AV	360.00	150	Vertical	N/A
3	4922.800	51.71	-2.45	74.0	22.29	Peak	200.00	150	Vertical	Pass
3**	4922.800	42.56	-2.45	54.0	11.44	AV	200.00	150	Vertical	Pass
4	6508.800	54.36	-0.63	74.0	19.64	Peak	146.00	400	Vertical	Pass
4**	6508.800	44.26	-0.63	54.0	9.74	AV	146.00	400	Vertical	Pass
5	13312.538	55.81	0.87	74.0	18.19	Peak	336.00	150	Vertical	Pass
5**	13312.538	46.59	0.87	54.0	7.41	AV	336.00	150	Vertical	Pass
6	17352.675	55.82	2.00	74.0	18.18	Peak	0.00	200	Vertical	Pass
6**	17352.675	46.66	2.00	54.0	7.34	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	44.56	-16.99	74.0	29.44	Peak	124.00	100	Horizontal	Pass
1**	1330.700	34.23	-16.99	54.0	19.77	AV	124.00	100	Horizontal	Pass
2	2460.500	105.94	-12.02	74.0	-31.94	Peak	67.00	150	Horizontal	N/A
2**	2460.500	98.37	-12.02	54.0	-44.37	AV	67.00	150	Horizontal	N/A
3	5165.000	51.99	-1.71	74.0	22.01	Peak	299.00	150	Horizontal	Pass
3**	5165.000	43.13	-1.71	54.0	10.87	AV	299.00	150	Horizontal	Pass
4	6334.200	54.55	-0.25	74.0	19.45	Peak	9.00	300	Horizontal	Pass
4**	6334.200	45.53	-0.25	54.0	8.47	AV	9.00	300	Horizontal	Pass
5	13417.012	55.77	0.41	74.0	18.23	Peak	307.00	150	Horizontal	Pass
5**	13417.012	45.66	0.41	54.0	8.34	AV	307.00	150	Horizontal	Pass
6	17418.301	56.61	3.72	74.0	17.39	Peak	102.00	100	Horizontal	Pass
6**	17418.301	47.34	3.72	54.0	6.66	AV	102.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	48.63	-17.03	74.0	25.37	Peak	35.00	400	Vertical	Pass
1**	1329.500	36.24	-17.03	54.0	17.76	AV	35.00	400	Vertical	Pass
2	2461.100	96.77	-12.04	74.0	-22.77	Peak	176.00	100	Vertical	N/A
2**	2461.100	89.28	-12.04	54.0	-35.28	AV	176.00	100	Vertical	N/A
3	2755.600	51.35	-10.06	74.0	22.65	Peak	147.00	200	Vertical	Pass
3**	2755.600	41.27	-10.06	54.0	12.73	AV	147.00	200	Vertical	Pass
4	6806.600	54.49	2.28	74.0	19.51	Peak	339.00	300	Vertical	Pass
4**	6806.600	46.27	2.28	54.0	7.73	AV	339.00	300	Vertical	Pass
5	13421.475	55.46	0.40	74.0	18.54	Peak	298.00	150	Vertical	Pass
5**	13421.475	47.65	0.40	54.0	6.35	AV	298.00	150	Vertical	Pass
6	15679.237	55.98	1.58	74.0	18.02	Peak	84.00	300	Vertical	Pass
6**	15679.237	45.87	1.58	54.0	8.13	AV	84.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	43.11	-17.02	74.0	30.89	Peak	44.00	300	Horizontal	Pass
1**	1331.100	35.26	-17.02	54.0	18.74	AV	44.00	300	Horizontal	Pass
2	2413.300	105.00	-10.74	74.0	-31.00	Peak	67.00	100	Horizontal	N/A
2**	2413.300	97.93	-10.74	54.0	-43.93	AV	67.00	100	Horizontal	N/A
3	4975.600	52.04	-1.82	74.0	21.96	Peak	24.00	100	Horizontal	Pass
3**	4975.600	42.36	-1.82	54.0	11.64	AV	24.00	100	Horizontal	Pass
4	6604.000	54.62	-0.51	74.0	19.38	Peak	350.00	400	Horizontal	Pass
4**	6604.000	44.78	-0.51	54.0	9.22	AV	350.00	400	Horizontal	Pass
5	13409.925	55.49	0.50	74.0	18.51	Peak	255.00	150	Horizontal	Pass
5**	13409.925	46.54	0.50	54.0	7.46	AV	255.00	150	Horizontal	Pass
6	16029.412	56.06	0.71	74.0	17.94	Peak	183.00	200	Horizontal	Pass
6**	16029.412	46.13	0.71	54.0	7.87	AV	183.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.500	46.94	-17.57	74.0	27.06	Peak	71.00	300	Vertical	Pass
1**	1164.500	34.90	-17.57	54.0	19.10	AV	71.00	300	Vertical	Pass
2	2413.100	95.44	-10.73	74.0	-21.44	Peak	186.00	200	Vertical	N/A
2**	2413.100	88.19	-10.73	54.0	-34.19	AV	186.00	200	Vertical	N/A
3	2775.200	52.23	-9.11	74.0	21.77	Peak	141.00	150	Vertical	Pass
3**	2775.200	42.06	-9.11	54.0	11.94	AV	141.00	150	Vertical	Pass
4	6805.800	55.08	2.13	74.0	18.92	Peak	27.00	200	Vertical	Pass
4**	6805.800	46.02	2.13	54.0	7.98	AV	27.00	200	Vertical	Pass
5	13313.849	55.69	0.88	74.0	18.31	Peak	296.00	150	Vertical	Pass
5**	13313.849	46.20	0.88	54.0	7.80	AV	296.00	150	Vertical	Pass
6	16100.813	56.48	1.16	74.0	17.52	Peak	161.00	300	Vertical	Pass
6**	16100.813	46.41	1.16	54.0	7.59	AV	161.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1273.700	42.59	-17.26	74.0	31.41	Peak	322.00	300	Horizontal	Pass
1**	1273.700	32.33	-17.26	54.0	21.67	AV	322.00	300	Horizontal	Pass
2	2415.400	109.66	-11.19	74.0	-35.66	Peak	128.00	150	Horizontal	N/A
2**	2415.400	102.35	-11.19	54.0	-48.35	AV	128.00	150	Horizontal	N/A
3	4823.000	51.55	-2.03	74.0	22.45	Peak	253.00	150	Horizontal	Pass
3**	4823.000	43.04	-2.03	54.0	10.96	AV	253.00	150	Horizontal	Pass
4	6606.200	54.67	-0.08	74.0	19.33	Peak	286.00	200	Horizontal	Pass
4**	6606.200	45.51	-0.08	54.0	8.49	AV	286.00	200	Horizontal	Pass
5	13396.013	55.67	0.61	74.0	18.33	Peak	18.00	150	Horizontal	Pass
5**	13396.013	46.39	0.61	54.0	7.61	AV	18.00	150	Horizontal	Pass
6	15794.737	56.04	2.16	74.0	17.96	Peak	360.00	300	Horizontal	Pass
6**	15794.737	47.35	2.16	54.0	6.65	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.600	42.65	-16.96	74.0	31.35	Peak	315.00	100	Vertical	Pass
1**	1501.600	33.02	-16.96	54.0	20.98	AV	315.00	100	Vertical	Pass
2	2415.600	101.26	-11.26	74.0	-27.26	Peak	170.00	200	Vertical	N/A
2**	2415.600	93.97	-11.26	54.0	-39.97	AV	170.00	200	Vertical	N/A
3	4941.400	51.77	-2.09	74.0	22.23	Peak	298.00	200	Vertical	Pass
3**	4941.400	42.13	-2.09	54.0	11.87	AV	298.00	200	Vertical	Pass
4	6978.600	54.33	1.84	74.0	19.67	Peak	175.00	400	Vertical	Pass
4**	6978.600	45.35	1.84	54.0	8.65	AV	175.00	400	Vertical	Pass
5	13415.700	56.28	0.41	74.0	17.72	Peak	0.00	150	Vertical	Pass
5**	13415.700	46.98	0.41	54.0	7.02	AV	0.00	150	Vertical	Pass
6	17467.650	56.81	2.90	74.0	17.19	Peak	126.00	400	Vertical	Pass
6**	17467.650	47.32	2.90	54.0	6.68	AV	126.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	43.16	-16.85	74.0	30.84	Peak	4.00	200	Horizontal	Pass
1**	1495.800	32.61	-16.85	54.0	21.39	AV	4.00	200	Horizontal	Pass
2	2418.000	109.64	-11.82	74.0	-35.64	Peak	120.00	200	Horizontal	N/A
2**	2418.000	101.92	-11.82	54.0	-47.92	AV	120.00	200	Horizontal	N/A
3	4976.200	52.00	-1.80	74.0	22.00	Peak	75.00	200	Horizontal	Pass
3**	4976.200	42.89	-1.80	54.0	11.11	AV	75.00	200	Horizontal	Pass
4	6789.800	54.92	0.68	74.0	19.08	Peak	164.00	200	Horizontal	Pass
4**	6789.800	45.86	0.68	54.0	8.14	AV	164.00	200	Horizontal	Pass
5	13422.000	55.33	0.40	74.0	18.67	Peak	157.00	150	Horizontal	Pass
5**	13422.000	46.29	0.40	54.0	7.71	AV	157.00	150	Horizontal	Pass
6	17416.989	55.52	3.69	74.0	18.48	Peak	55.00	300	Horizontal	Pass
6**	17416.989	46.54	3.69	54.0	7.46	AV	55.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.000	42.52	-17.15	74.0	31.48	Peak	46.00	200	Vertical	Pass
1**	1597.000	32.81	-17.15	54.0	21.19	AV	46.00	200	Vertical	Pass
2	2420.400	100.26	-12.18	74.0	-26.26	Peak	152.00	200	Vertical	N/A
2**	2420.400	92.45	-12.18	54.0	-38.45	AV	152.00	200	Vertical	N/A
3	4961.000	52.22	-2.37	74.0	21.78	Peak	249.00	100	Vertical	Pass
3**	4961.000	42.05	-2.37	54.0	11.95	AV	249.00	100	Vertical	Pass
4	6974.400	54.83	1.31	74.0	19.17	Peak	360.00	100	Vertical	Pass
4**	6974.400	45.17	1.31	54.0	8.83	AV	360.00	100	Vertical	Pass
5	13428.825	55.52	0.40	74.0	18.48	Peak	63.00	150	Vertical	Pass
5**	13428.825	47.10	0.40	54.0	6.90	AV	63.00	150	Vertical	Pass
6	15864.563	56.21	0.83	74.0	17.79	Peak	190.00	100	Vertical	Pass
6**	15864.563	46.12	0.83	54.0	7.88	AV	190.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.900	42.69	-16.83	74.0	31.31	Peak	308.00	400	Horizontal	Pass
1**	1506.900	33.73	-16.83	54.0	20.27	AV	308.00	400	Horizontal	Pass
2	2424.400	109.43	-12.59	74.0	-35.43	Peak	121.00	200	Horizontal	N/A
2**	2424.400	101.78	-12.59	54.0	-47.78	AV	121.00	200	Horizontal	N/A
3	4601.600	50.66	-3.77	74.0	23.34	Peak	52.00	150	Horizontal	Pass
3**	4601.600	40.54	-3.77	54.0	13.46	AV	52.00	150	Horizontal	Pass
4	6618.800	54.27	0.47	74.0	19.73	Peak	41.00	200	Horizontal	Pass
4**	6618.800	44.59	0.47	54.0	9.41	AV	41.00	200	Horizontal	Pass
5	13310.175	56.06	0.86	74.0	17.94	Peak	115.00	300	Horizontal	Pass
5**	13310.175	46.50	0.86	54.0	7.50	AV	115.00	300	Horizontal	Pass
6	15854.063	55.70	1.22	74.0	18.30	Peak	272.00	150	Horizontal	Pass
6**	15854.063	46.25	1.22	54.0	7.75	AV	272.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.700	42.72	-17.18	74.0	31.28	Peak	13.00	300	Vertical	Pass
1**	1532.700	32.28	-17.18	54.0	21.72	AV	13.00	300	Vertical	Pass
2	2426.200	99.90	-12.59	74.0	-25.90	Peak	166.00	150	Vertical	N/A
2**	2426.200	92.75	-12.59	54.0	-38.75	AV	166.00	150	Vertical	N/A
3	4981.000	51.59	-1.59	74.0	22.41	Peak	75.00	150	Vertical	Pass
3**	4981.000	42.57	-1.59	54.0	11.43	AV	75.00	150	Vertical	Pass
4	6975.400	55.35	1.47	74.0	18.65	Peak	173.00	400	Vertical	Pass
4**	6975.400	46.35	1.47	54.0	7.65	AV	173.00	400	Vertical	Pass
5	13434.863	55.52	0.42	74.0	18.48	Peak	301.00	150	Vertical	Pass
5**	13434.863	45.95	0.42	54.0	8.05	AV	301.00	150	Vertical	Pass
6	17406.489	56.02	3.36	74.0	17.98	Peak	156.00	300	Vertical	Pass
6**	17406.489	46.66	3.36	54.0	7.34	AV	156.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.600	42.77	-16.95	74.0	31.23	Peak	44.00	300	Horizontal	Pass
1**	1507.600	33.32	-16.95	54.0	20.68	AV	44.00	300	Horizontal	Pass
2	2439.100	107.88	-12.32	74.0	-33.88	Peak	82.00	100	Horizontal	N/A
2**	2439.100	100.30	-12.32	54.0	-46.30	AV	82.00	100	Horizontal	N/A
3	2770.100	51.76	-8.56	74.0	22.24	Peak	113.00	150	Horizontal	Pass
3**	2770.100	42.45	-8.56	54.0	11.55	AV	113.00	150	Horizontal	Pass
4	6151.200	54.53	0.14	74.0	19.47	Peak	285.00	300	Horizontal	Pass
4**	6151.200	45.13	0.14	54.0	8.87	AV	285.00	300	Horizontal	Pass
5	13407.037	55.22	0.53	74.0	18.78	Peak	287.00	150	Horizontal	Pass
5**	13407.037	46.37	0.53	54.0	7.63	AV	287.00	150	Horizontal	Pass
6	17426.698	56.34	3.56	74.0	17.66	Peak	0.00	100	Horizontal	Pass
6**	17426.698	47.20	3.56	54.0	6.80	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	47.28	-17.08	74.0	26.72	Peak	47.00	100	Vertical	Pass
1**	1327.700	37.51	-17.08	54.0	16.49	AV	47.00	100	Vertical	Pass
2	2438.100	99.45	-12.19	74.0	-25.45	Peak	163.00	150	Vertical	N/A
2**	2438.100	92.34	-12.19	54.0	-38.34	AV	163.00	150	Vertical	N/A
3	4914.400	51.41	-2.83	74.0	22.59	Peak	172.00	200	Vertical	Pass
3**	4914.400	41.88	-2.83	54.0	12.12	AV	172.00	200	Vertical	Pass
4	6611.200	54.46	0.72	74.0	19.54	Peak	360.00	400	Vertical	Pass
4**	6611.200	45.59	0.72	54.0	8.41	AV	360.00	400	Vertical	Pass
5	13319.363	55.93	0.90	74.0	18.07	Peak	235.00	150	Vertical	Pass
5**	13319.363	46.81	0.90	54.0	7.19	AV	235.00	150	Vertical	Pass
6	17425.388	56.49	3.61	74.0	17.51	Peak	41.00	100	Vertical	Pass
6**	17425.388	47.61	3.61	54.0	6.39	AV	41.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.500	42.52	-17.13	74.0	31.48	Peak	142.00	100	Horizontal	Pass
1**	1574.500	32.42	-17.13	54.0	21.58	AV	142.00	100	Horizontal	Pass
2	2454.500	109.05	-12.14	74.0	-35.05	Peak	72.00	100	Horizontal	N/A
2**	2454.500	102.30	-12.14	54.0	-48.30	AV	72.00	100	Horizontal	N/A
3	5146.600	51.64	-1.53	74.0	22.36	Peak	58.00	150	Horizontal	Pass
3**	5146.600	43.06	-1.53	54.0	10.94	AV	58.00	150	Horizontal	Pass
4	6806.800	54.22	2.22	74.0	19.78	Peak	351.00	300	Horizontal	Pass
4**	6806.800	47.10	2.22	54.0	6.90	AV	351.00	300	Horizontal	Pass
5	13299.937	55.96	0.86	74.0	18.04	Peak	285.00	150	Horizontal	Pass
5**	13299.937	46.13	0.86	54.0	7.87	AV	285.00	150	Horizontal	Pass
6	17441.401	57.12	2.98	74.0	16.88	Peak	20.00	400	Horizontal	Pass
6**	17441.401	46.97	2.98	54.0	7.03	AV	20.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1318.700	42.79	-17.20	74.0	31.21	Peak	10.00	200	Vertical	Pass
1**	1318.700	32.26	-17.20	54.0	21.74	AV	10.00	200	Vertical	Pass
2	2458.100	100.13	-11.97	74.0	-26.13	Peak	168.00	150	Vertical	N/A
2**	2458.100	92.01	-11.97	54.0	-38.01	AV	168.00	150	Vertical	N/A
3	5508.000	52.92	-0.94	74.0	21.08	Peak	29.00	150	Vertical	Pass
3**	5508.000	43.28	-0.94	54.0	10.72	AV	29.00	150	Vertical	Pass
4	6628.800	54.37	-0.12	74.0	19.63	Peak	177.00	200	Vertical	Pass
4**	6628.800	45.06	-0.12	54.0	8.94	AV	177.00	200	Vertical	Pass
5	13315.951	55.76	0.89	74.0	18.24	Peak	198.00	150	Vertical	Pass
5**	13315.951	46.34	0.89	54.0	7.66	AV	198.00	150	Vertical	Pass
6	17436.412	56.08	3.20	74.0	17.92	Peak	278.00	400	Vertical	Pass
6**	17436.412	47.13	3.20	54.0	6.87	AV	278.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	43.26	-17.13	74.0	30.74	Peak	120.00	200	Horizontal	Pass
1**	1332.600	33.57	-17.13	54.0	20.43	AV	120.00	200	Horizontal	Pass
2	2460.300	104.90	-12.01	74.0	-30.90	Peak	82.00	200	Horizontal	N/A
2**	2460.300	97.36	-12.01	54.0	-43.36	AV	82.00	200	Horizontal	N/A
3	5140.400	52.56	-1.45	74.0	21.44	Peak	4.00	150	Horizontal	Pass
3**	5140.400	42.74	-1.45	54.0	11.26	AV	4.00	150	Horizontal	Pass
4	6807.000	54.59	2.15	74.0	19.41	Peak	93.00	400	Horizontal	Pass
4**	6807.000	46.05	2.15	54.0	7.95	AV	93.00	400	Horizontal	Pass
5	13411.237	55.37	0.48	74.0	18.63	Peak	256.00	150	Horizontal	Pass
5**	13411.237	46.01	0.48	54.0	7.99	AV	256.00	150	Horizontal	Pass
6	16086.112	56.28	1.51	74.0	17.72	Peak	256.00	300	Horizontal	Pass
6**	16086.112	47.04	1.51	54.0	6.96	AV	256.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.300	48.10	-17.58	74.0	25.90	Peak	63.00	200	Vertical	Pass
1**	1164.300	39.64	-17.58	54.0	14.36	AV	63.00	200	Vertical	Pass
2	2463.000	94.60	-11.79	74.0	-20.60	Peak	180.00	200	Vertical	N/A
2**	2463.000	87.22	-11.79	54.0	-33.22	AV	180.00	200	Vertical	N/A
3	4981.400	51.59	-1.60	74.0	22.41	Peak	242.00	150	Vertical	Pass
3**	4981.400	42.13	-1.60	54.0	11.87	AV	242.00	150	Vertical	Pass
4	6625.400	54.94	0.27	74.0	19.06	Peak	89.00	200	Vertical	Pass
4**	6625.400	45.30	0.27	54.0	8.70	AV	89.00	200	Vertical	Pass
5	13422.525	55.17	0.40	74.0	18.83	Peak	317.00	150	Vertical	Pass
5**	13422.525	46.43	0.40	54.0	7.57	AV	317.00	150	Vertical	Pass
6	15815.213	55.79	2.05	74.0	18.21	Peak	275.00	200	Vertical	Pass
6**	15815.213	46.25	2.05	54.0	7.75	AV	275.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	44.66	-17.00	74.0	29.34	Peak	132.00	100	Horizontal	Pass
1**	1330.900	33.27	-17.00	54.0	20.73	AV	132.00	100	Horizontal	Pass
2	2420.300	102.55	-12.17	74.0	-28.55	Peak	72.00	200	Horizontal	N/A
2**	2420.300	94.62	-12.17	54.0	-40.62	AV	72.00	200	Horizontal	N/A
3	2984.800	52.20	-9.08	74.0	21.80	Peak	288.00	200	Horizontal	Pass
3**	2984.800	42.03	-9.08	54.0	11.97	AV	288.00	200	Horizontal	Pass
4	6975.800	54.49	1.54	74.0	19.51	Peak	72.00	200	Horizontal	Pass
4**	6975.800	44.92	1.54	54.0	9.08	AV	72.00	200	Horizontal	Pass
5	13368.188	54.94	0.72	74.0	19.06	Peak	296.00	150	Horizontal	Pass
5**	13368.188	45.85	0.72	54.0	8.15	AV	296.00	150	Horizontal	Pass
6	17417.511	56.84	3.70	74.0	17.16	Peak	116.00	200	Horizontal	Pass
6**	17417.511	47.44	3.70	54.0	6.56	AV	116.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.100	47.64	-17.58	74.0	26.36	Peak	79.00	400	Vertical	Pass
1**	1165.100	41.54	-17.58	54.0	12.46	AV	79.00	400	Vertical	Pass
2	2418.600	92.71	-11.92	74.0	-18.71	Peak	171.00	200	Vertical	N/A
2**	2418.600	85.27	-11.92	54.0	-31.27	AV	171.00	200	Vertical	N/A
3	4997.200	51.64	-2.45	74.0	22.36	Peak	149.00	200	Vertical	Pass
3**	4997.200	42.49	-2.45	54.0	11.51	AV	149.00	200	Vertical	Pass
4	6438.000	54.50	-0.71	74.0	19.50	Peak	207.00	100	Vertical	Pass
4**	6438.000	44.39	-0.71	54.0	9.61	AV	207.00	100	Vertical	Pass
5	13444.838	55.60	0.56	74.0	18.40	Peak	55.00	150	Vertical	Pass
5**	13444.838	46.65	0.56	54.0	7.35	AV	55.00	150	Vertical	Pass
6	17355.301	56.40	2.09	74.0	17.60	Peak	217.00	100	Vertical	Pass
6**	17355.301	46.32	2.09	54.0	7.68	AV	217.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.300	42.39	-16.96	74.0	31.61	Peak	36.00	400	Horizontal	Pass
1**	1559.300	32.03	-16.96	54.0	21.97	AV	36.00	400	Horizontal	Pass
2	2423.100	107.82	-12.58	74.0	-33.82	Peak	73.00	150	Horizontal	N/A
2**	2423.100	99.83	-12.58	54.0	-45.83	AV	73.00	150	Horizontal	N/A
3	5674.200	53.29	-2.17	74.0	20.71	Peak	289.00	150	Horizontal	Pass
3**	5674.200	42.98	-2.17	54.0	11.02	AV	289.00	150	Horizontal	Pass
4	6791.400	54.91	0.86	74.0	19.09	Peak	321.00	300	Horizontal	Pass
4**	6791.400	45.74	0.86	54.0	8.26	AV	321.00	300	Horizontal	Pass
5	13314.375	55.72	0.88	74.0	18.28	Peak	360.00	150	Horizontal	Pass
5**	13314.375	46.92	0.88	54.0	7.08	AV	360.00	150	Horizontal	Pass
6	17417.775	56.22	3.70	74.0	17.78	Peak	166.00	400	Horizontal	Pass
6**	17417.775	47.19	3.70	54.0	6.81	AV	166.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1376.000	42.82	-17.22	74.0	31.18	Peak	106.00	100	Vertical	Pass
1**	1376.000	32.01	-17.22	54.0	21.99	AV	106.00	100	Vertical	Pass
2	2422.500	98.47	-12.55	74.0	-24.47	Peak	272.00	200	Vertical	N/A
2**	2422.500	90.37	-12.55	54.0	-36.37	AV	272.00	200	Vertical	N/A
3	5104.200	52.18	-1.88	74.0	21.82	Peak	268.00	150	Vertical	Pass
3**	5104.200	43.13	-1.88	54.0	10.87	AV	268.00	150	Vertical	Pass
4	6806.200	54.66	2.26	74.0	19.34	Peak	225.00	300	Vertical	Pass
4**	6806.200	46.35	2.26	54.0	7.65	AV	225.00	300	Vertical	Pass
5	13441.950	56.01	0.51	74.0	17.99	Peak	16.00	100	Vertical	Pass
5**	13441.950	46.40	0.51	54.0	7.60	AV	16.00	100	Vertical	Pass
6	15498.112	55.54	1.12	74.0	18.46	Peak	98.00	150	Vertical	Pass
6**	15498.112	46.06	1.12	54.0	7.94	AV	98.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1320.900	41.89	-16.99	74.0	32.11	Peak	261.00	100	Horizontal	Pass
1**	1320.900	32.58	-16.99	54.0	21.42	AV	261.00	100	Horizontal	Pass
2	2428.600	108.03	-12.45	74.0	-34.03	Peak	126.00	100	Horizontal	N/A
2**	2428.600	100.74	-12.45	54.0	-46.74	AV	126.00	100	Horizontal	N/A
3	5011.000	52.17	-2.76	74.0	21.83	Peak	64.00	150	Horizontal	Pass
3**	5011.000	42.34	-2.76	54.0	11.66	AV	64.00	150	Horizontal	Pass
4	6807.200	54.80	2.09	74.0	19.20	Peak	276.00	100	Horizontal	Pass
4**	6807.200	45.65	2.09	54.0	8.35	AV	276.00	100	Horizontal	Pass
5	13289.175	55.44	0.78	74.0	18.56	Peak	287.00	150	Horizontal	Pass
5**	13289.175	46.18	0.78	54.0	7.82	AV	287.00	150	Horizontal	Pass
6	15819.412	55.76	1.90	74.0	18.24	Peak	72.00	400	Horizontal	Pass
6**	15819.412	47.06	1.90	54.0	6.94	AV	72.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.200	42.73	-17.21	74.0	31.27	Peak	69.00	400	Vertical	Pass
1**	1530.200	32.41	-17.21	54.0	21.59	AV	69.00	400	Vertical	Pass
2	2430.500	97.91	-12.48	74.0	-23.91	Peak	151.00	150	Vertical	N/A
2**	2430.500	91.45	-12.48	54.0	-37.45	AV	151.00	150	Vertical	N/A
3	4999.800	51.67	-2.38	74.0	22.33	Peak	8.00	150	Vertical	Pass
3**	4999.800	42.37	-2.38	54.0	11.63	AV	8.00	150	Vertical	Pass
4	6154.600	54.81	0.27	74.0	19.19	Peak	116.00	200	Vertical	Pass
4**	6154.600	45.54	0.27	54.0	8.46	AV	116.00	200	Vertical	Pass
5	13321.201	55.72	0.91	74.0	18.28	Peak	229.00	150	Vertical	Pass
5**	13321.201	46.87	0.91	54.0	7.13	AV	229.00	150	Vertical	Pass
6	15853.799	56.18	1.23	74.0	17.82	Peak	114.00	300	Vertical	Pass
6**	15853.799	46.08	1.23	54.0	7.92	AV	114.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	44.65	-17.09	74.0	29.35	Peak	132.00	400	Horizontal	Pass
1**	1332.100	35.29	-17.09	54.0	18.71	AV	132.00	400	Horizontal	Pass
2	2438.700	106.18	-12.27	74.0	-32.18	Peak	77.00	150	Horizontal	N/A
2**	2438.700	98.18	-12.27	54.0	-44.18	AV	77.00	150	Horizontal	N/A
3	4936.800	51.77	-2.09	74.0	22.23	Peak	100.00	150	Horizontal	Pass
3**	4936.800	42.67	-2.09	54.0	11.33	AV	100.00	150	Horizontal	Pass
4	6806.400	54.93	2.33	74.0	19.07	Peak	141.00	100	Horizontal	Pass
4**	6806.400	46.40	2.33	54.0	7.60	AV	141.00	100	Horizontal	Pass
5	13327.237	55.55	0.93	74.0	18.45	Peak	99.00	150	Horizontal	Pass
5**	13327.237	47.43	0.93	54.0	6.57	AV	99.00	150	Horizontal	Pass
6	17436.676	55.86	3.18	74.0	18.14	Peak	75.00	300	Horizontal	Pass
6**	17436.676	47.93	3.18	54.0	6.07	AV	75.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.900	47.94	-17.62	74.0	26.06	Peak	60.00	100	Vertical	Pass
1**	1165.900	42.74	-17.62	54.0	11.26	AV	60.00	100	Vertical	Pass
2	2432.300	97.33	-12.39	74.0	-23.33	Peak	162.00	100	Vertical	N/A
2**	2432.300	88.93	-12.39	54.0	-34.93	AV	162.00	100	Vertical	N/A
3	5162.600	52.23	-1.53	74.0	21.77	Peak	340.00	150	Vertical	Pass
3**	5162.600	42.50	-1.53	54.0	11.50	AV	340.00	150	Vertical	Pass
4	6979.600	54.63	1.77	74.0	19.37	Peak	320.00	100	Vertical	Pass
4**	6979.600	44.99	1.77	54.0	9.01	AV	320.00	100	Vertical	Pass
5	13400.738	55.05	0.53	74.0	18.95	Peak	0.00	150	Vertical	Pass
5**	13400.738	46.22	0.53	54.0	7.78	AV	0.00	150	Vertical	Pass
6	15629.625	56.56	1.70	74.0	17.44	Peak	289.00	300	Vertical	Pass
6**	15629.625	47.19	1.70	54.0	6.81	AV	289.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.400	42.62	-17.03	74.0	31.38	Peak	0.00	300	Horizontal	Pass
1**	1443.400	32.59	-17.03	54.0	21.41	AV	0.00	300	Horizontal	Pass
2	2438.200	107.75	-12.20	74.0	-33.75	Peak	89.00	200	Horizontal	N/A
2**	2438.200	100.07	-12.20	54.0	-46.07	AV	89.00	200	Horizontal	N/A
3	5181.800	52.59	-2.62	74.0	21.41	Peak	192.00	150	Horizontal	Pass
3**	5181.800	42.32	-2.62	54.0	11.68	AV	192.00	150	Horizontal	Pass
4	6840.800	54.18	0.91	74.0	19.82	Peak	327.00	200	Horizontal	Pass
4**	6840.800	45.75	0.91	54.0	8.25	AV	327.00	200	Horizontal	Pass
5	13409.662	55.06	0.51	74.0	18.94	Peak	0.00	150	Horizontal	Pass
5**	13409.662	46.20	0.51	54.0	7.80	AV	0.00	150	Horizontal	Pass
6	15657.975	56.11	1.24	74.0	17.89	Peak	263.00	300	Horizontal	Pass
6**	15657.975	46.18	1.24	54.0	7.82	AV	263.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.300	42.78	-17.19	74.0	31.22	Peak	22.00	300	Vertical	Pass
1**	1515.300	32.56	-17.19	54.0	21.44	AV	22.00	300	Vertical	Pass
2	2443.300	98.26	-12.42	74.0	-24.26	Peak	315.00	100	Vertical	N/A
2**	2443.300	90.29	-12.42	54.0	-36.29	AV	315.00	100	Vertical	N/A
3	4548.200	50.64	-3.28	74.0	23.36	Peak	360.00	150	Vertical	Pass
3**	4548.200	40.62	-3.28	54.0	13.38	AV	360.00	150	Vertical	Pass
4	6811.200	54.54	1.33	74.0	19.46	Peak	152.00	300	Vertical	Pass
4**	6811.200	46.11	1.33	54.0	7.89	AV	152.00	300	Vertical	Pass
5	13405.200	56.23	0.55	74.0	17.77	Peak	123.00	300	Vertical	Pass
5**	13405.200	46.34	0.55	54.0	7.66	AV	123.00	300	Vertical	Pass
6	15826.237	55.98	1.60	74.0	18.02	Peak	0.00	150	Vertical	Pass
6**	15826.237	47.08	1.60	54.0	6.92	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.500	42.39	-17.11	74.0	31.61	Peak	203.00	400	Horizontal	Pass
1**	1588.500	32.71	-17.11	54.0	21.29	AV	203.00	400	Horizontal	Pass
2	2442.900	108.18	-12.41	74.0	-34.18	Peak	126.00	100	Horizontal	N/A
2**	2442.900	100.32	-12.41	54.0	-46.32	AV	126.00	100	Horizontal	N/A
3	5131.600	52.74	-1.96	74.0	21.26	Peak	0.00	150	Horizontal	Pass
3**	5131.600	42.71	-1.96	54.0	11.29	AV	0.00	150	Horizontal	Pass
4	6810.400	54.35	1.47	74.0	19.65	Peak	113.00	300	Horizontal	Pass
4**	6810.400	46.28	1.47	54.0	7.72	AV	113.00	300	Horizontal	Pass
5	13292.849	55.63	0.81	74.0	18.37	Peak	46.00	150	Horizontal	Pass
5**	13292.849	46.60	0.81	54.0	7.40	AV	46.00	150	Horizontal	Pass
6	17436.150	56.16	3.21	74.0	17.84	Peak	184.00	300	Horizontal	Pass
6**	17436.150	47.33	3.21	54.0	6.67	AV	184.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1383.300	42.72	-17.09	74.0	31.28	Peak	101.00	400	Vertical	Pass
1**	1383.300	34.12	-17.09	54.0	19.88	AV	101.00	400	Vertical	Pass
2	2448.400	97.48	-12.26	74.0	-23.48	Peak	315.00	100	Vertical	N/A
2**	2448.400	90.49	-12.26	54.0	-36.49	AV	315.00	100	Vertical	N/A
3	4810.200	52.03	-2.13	74.0	21.97	Peak	109.00	150	Vertical	Pass
3**	4810.200	42.52	-2.13	54.0	11.48	AV	109.00	150	Vertical	Pass
4	6655.000	54.45	-0.22	74.0	19.55	Peak	35.00	400	Vertical	Pass
4**	6655.000	45.50	-0.22	54.0	8.50	AV	35.00	400	Vertical	Pass
5	13416.487	56.02	0.41	74.0	17.98	Peak	21.00	150	Vertical	Pass
5**	13416.487	47.25	0.41	54.0	6.75	AV	21.00	150	Vertical	Pass
6	17419.350	56.21	3.74	74.0	17.79	Peak	293.00	200	Vertical	Pass
6**	17419.350	47.57	3.74	54.0	6.43	AV	293.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.900	44.34	-17.06	74.0	29.66	Peak	129.00	200	Horizontal	Pass
1**	1326.900	32.50	-17.06	54.0	21.50	AV	129.00	200	Horizontal	Pass
2	2450.400	100.42	-12.25	74.0	-26.42	Peak	77.00	200	Horizontal	N/A
2**	2450.400	92.23	-12.25	54.0	-38.23	AV	77.00	200	Horizontal	N/A
3	4978.600	51.58	-1.61	74.0	22.42	Peak	115.00	150	Horizontal	Pass
3**	4978.600	42.53	-1.61	54.0	11.47	AV	115.00	150	Horizontal	Pass
4	6153.600	54.54	0.39	74.0	19.46	Peak	203.00	400	Horizontal	Pass
4**	6153.600	45.00	0.39	54.0	9.00	AV	203.00	400	Horizontal	Pass
5	13291.537	55.51	0.80	74.0	18.49	Peak	275.00	150	Horizontal	Pass
5**	13291.537	46.87	0.80	54.0	7.13	AV	275.00	150	Horizontal	Pass
6	17422.762	56.15	3.68	74.0	17.85	Peak	275.00	400	Horizontal	Pass
6**	17422.762	47.49	3.68	54.0	6.51	AV	275.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.700	47.75	-17.65	74.0	26.25	Peak	71.00	300	Vertical	Pass
1**	1166.700	32.64	-17.65	54.0	21.36	AV	71.00	300	Vertical	Pass
2	2455.900	89.13	-12.13	74.0	-15.13	Peak	187.00	200	Vertical	N/A
2**	2455.900	81.23	-12.13	54.0	-27.23	AV	187.00	200	Vertical	N/A
3	4869.400	51.54	-2.57	74.0	22.46	Peak	1.00	200	Vertical	Pass
3**	4869.400	42.46	-2.57	54.0	11.54	AV	1.00	200	Vertical	Pass
4	6977.200	54.88	1.71	74.0	19.12	Peak	172.00	400	Vertical	Pass
4**	6977.200	45.06	1.71	54.0	8.94	AV	172.00	400	Vertical	Pass
5	13291.800	55.76	0.80	74.0	18.24	Peak	122.00	150	Vertical	Pass
5**	13291.800	45.73	0.80	54.0	8.27	AV	122.00	150	Vertical	Pass
6	17389.687	56.16	2.86	74.0	17.84	Peak	341.00	300	Vertical	Pass
6**	17389.687	46.49	2.86	54.0	7.51	AV	341.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	45.42	-17.02	74.0	28.58	Peak	132.00	400	Horizontal	Pass
1**	1331.100	33.64	-17.02	54.0	20.36	AV	132.00	400	Horizontal	Pass
2	2413.000	104.61	-10.73	74.0	-30.61	Peak	78.00	150	Horizontal	N/A
2**	2413.000	98.11	-10.73	54.0	-44.11	AV	78.00	150	Horizontal	N/A
3	2839.100	51.66	-8.91	74.0	22.34	Peak	280.00	100	Horizontal	Pass
3**	2839.100	42.39	-8.91	54.0	11.61	AV	280.00	100	Horizontal	Pass
4	6157.200	54.65	-0.34	74.0	19.35	Peak	101.00	200	Horizontal	Pass
4**	6157.200	44.98	-0.34	54.0	9.02	AV	101.00	200	Horizontal	Pass
5	13317.787	55.55	0.90	74.0	18.45	Peak	318.00	300	Horizontal	Pass
5**	13317.787	45.61	0.90	54.0	8.39	AV	318.00	300	Horizontal	Pass
6	15239.812	55.42	0.96	74.0	18.58	Peak	217.00	150	Horizontal	Pass
6**	15239.812	46.56	0.96	54.0	7.44	AV	217.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.900	47.61	-17.58	74.0	26.39	Peak	57.00	100	Vertical	Pass
1**	1164.900	40.07	-17.58	54.0	13.93	AV	57.00	100	Vertical	Pass
2	2410.900	95.91	-10.58	74.0	-21.91	Peak	186.00	200	Vertical	N/A
2**	2410.900	88.17	-10.58	54.0	-34.17	AV	186.00	200	Vertical	N/A
3	2890.800	52.52	-9.22	74.0	21.48	Peak	275.00	100	Vertical	Pass
3**	2890.800	41.76	-9.22	54.0	12.24	AV	275.00	100	Vertical	Pass
4	6610.800	54.88	0.74	74.0	19.12	Peak	1.00	300	Vertical	Pass
4**	6610.800	46.13	0.74	54.0	7.87	AV	1.00	300	Vertical	Pass
5	13423.313	55.80	0.40	74.0	18.20	Peak	168.00	150	Vertical	Pass
5**	13423.313	47.29	0.40	54.0	6.71	AV	168.00	150	Vertical	Pass
6	17435.625	56.51	3.23	74.0	17.49	Peak	278.00	400	Vertical	Pass
6**	17435.625	47.06	3.23	54.0	6.94	AV	278.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.700	42.40	-17.03	74.0	31.60	Peak	211.00	400	Horizontal	Pass
1**	1350.700	32.72	-17.03	54.0	21.28	AV	211.00	400	Horizontal	Pass
2	2415.600	109.28	-11.26	74.0	-35.28	Peak	112.00	100	Horizontal	N/A
2**	2415.600	101.91	-11.26	54.0	-47.91	AV	112.00	100	Horizontal	N/A
3	4977.600	51.77	-1.71	74.0	22.23	Peak	241.00	200	Horizontal	Pass
3**	4977.600	42.53	-1.71	54.0	11.47	AV	241.00	200	Horizontal	Pass
4	6925.800	54.47	0.32	74.0	19.53	Peak	143.00	400	Horizontal	Pass
4**	6925.800	45.08	0.32	54.0	8.92	AV	143.00	400	Horizontal	Pass
5	13417.538	55.70	0.41	74.0	18.30	Peak	255.00	150	Horizontal	Pass
5**	13417.538	46.67	0.41	54.0	7.33	AV	255.00	150	Horizontal	Pass
6	17420.401	56.48	3.75	74.0	17.52	Peak	360.00	400	Horizontal	Pass
6**	17420.401	47.01	3.75	54.0	6.99	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.600	42.71	-16.96	74.0	31.29	Peak	311.00	400	Vertical	Pass
1**	1503.600	33.72	-16.96	54.0	20.28	AV	311.00	400	Vertical	Pass
2	2415.600	101.10	-11.26	74.0	-27.10	Peak	174.00	150	Vertical	N/A
2**	2415.600	93.52	-11.26	54.0	-39.52	AV	174.00	150	Vertical	N/A
3	4982.800	51.96	-1.64	74.0	22.04	Peak	168.00	150	Vertical	Pass
3**	4982.800	42.46	-1.64	54.0	11.54	AV	168.00	150	Vertical	Pass
4	6805.400	54.33	2.00	74.0	19.67	Peak	264.00	400	Vertical	Pass
4**	6805.400	46.39	2.00	54.0	7.61	AV	264.00	400	Vertical	Pass
5	13329.863	56.29	0.94	74.0	17.71	Peak	317.00	150	Vertical	Pass
5**	13329.863	46.71	0.94	54.0	7.29	AV	317.00	150	Vertical	Pass
6	15236.924	56.67	1.00	74.0	17.33	Peak	280.00	400	Vertical	Pass
6**	15236.924	46.76	1.00	54.0	7.24	AV	280.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.800	42.21	-17.21	74.0	31.79	Peak	147.00	100	Horizontal	Pass
1**	1514.800	33.43	-17.21	54.0	20.57	AV	147.00	100	Horizontal	Pass
2	2420.800	108.56	-12.25	74.0	-34.56	Peak	70.00	150	Horizontal	N/A
2**	2420.800	101.92	-12.25	54.0	-47.92	AV	70.00	150	Horizontal	N/A
3	4964.000	52.09	-2.26	74.0	21.91	Peak	29.00	200	Horizontal	Pass
3**	4964.000	41.78	-2.26	54.0	12.22	AV	29.00	200	Horizontal	Pass
4	6799.800	54.58	1.38	74.0	19.42	Peak	0.00	200	Horizontal	Pass
4**	6799.800	45.07	1.38	54.0	8.93	AV	0.00	200	Horizontal	Pass
5	13438.012	56.07	0.45	74.0	17.93	Peak	141.00	150	Horizontal	Pass
5**	13438.012	45.92	0.45	54.0	8.08	AV	141.00	150	Horizontal	Pass
6	17407.537	56.26	3.38	74.0	17.74	Peak	342.00	400	Horizontal	Pass
6**	17407.537	46.94	3.38	54.0	7.06	AV	342.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.100	43.43	-17.02	74.0	30.57	Peak	209.00	400	Vertical	Pass
1**	1584.100	33.26	-17.02	54.0	20.74	AV	209.00	400	Vertical	Pass
2	2419.200	99.86	-12.01	74.0	-25.86	Peak	168.00	200	Vertical	N/A
2**	2419.200	92.59	-12.01	54.0	-38.59	AV	168.00	200	Vertical	N/A
3	2968.800	51.64	-9.04	74.0	22.36	Peak	223.00	150	Vertical	Pass
3**	2968.800	42.01	-9.04	54.0	11.99	AV	223.00	150	Vertical	Pass
4	6805.400	54.78	2.00	74.0	19.22	Peak	37.00	100	Vertical	Pass
4**	6805.400	46.60	2.00	54.0	7.40	AV	37.00	100	Vertical	Pass
5	11054.037	52.01	-0.72	74.0	21.99	Peak	140.00	150	Vertical	Pass
5**	11054.037	43.18	-0.72	54.0	10.82	AV	140.00	150	Vertical	Pass
6	13430.400	56.20	0.40	74.0	17.80	Peak	307.00	300	Vertical	Pass
6**	13430.400	46.71	0.40	54.0	7.29	AV	307.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	42.40	-16.88	74.0	31.60	Peak	29.00	200	Horizontal	Pass
1**	1493.600	32.31	-16.88	54.0	21.69	AV	29.00	200	Horizontal	Pass
2	2429.000	108.66	-12.41	74.0	-34.66	Peak	55.00	200	Horizontal	N/A
2**	2429.000	102.04	-12.41	54.0	-48.04	AV	55.00	200	Horizontal	N/A
3	4925.200	52.09	-2.40	74.0	21.91	Peak	142.00	200	Horizontal	Pass
3**	4925.200	41.88	-2.40	54.0	12.12	AV	142.00	200	Horizontal	Pass
4	6527.200	55.13	-0.45	74.0	18.87	Peak	0.00	200	Horizontal	Pass
4**	6527.200	44.54	-0.45	54.0	9.46	AV	0.00	200	Horizontal	Pass
5	13291.275	55.68	0.80	74.0	18.32	Peak	141.00	150	Horizontal	Pass
5**	13291.275	46.07	0.80	54.0	7.93	AV	141.00	150	Horizontal	Pass
6	17359.761	56.82	2.21	74.0	17.18	Peak	300.00	300	Horizontal	Pass
6**	17359.761	47.26	2.21	54.0	6.74	AV	300.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1291.000	42.18	-17.04	74.0	31.82	Peak	274.00	300	Vertical	Pass
1**	1291.000	32.23	-17.04	54.0	21.77	AV	274.00	300	Vertical	Pass
2	2428.500	98.78	-12.46	74.0	-24.78	Peak	146.00	200	Vertical	N/A
2**	2428.500	91.98	-12.46	54.0	-37.98	AV	146.00	200	Vertical	N/A
3	4982.800	51.92	-1.64	74.0	22.08	Peak	261.00	100	Vertical	Pass
3**	4982.800	44.51	-1.64	54.0	9.49	AV	261.00	100	Vertical	Pass
4	6546.600	54.56	-0.87	74.0	19.44	Peak	290.00	300	Vertical	Pass
4**	6546.600	45.44	-0.87	54.0	8.56	AV	290.00	300	Vertical	Pass
5	13323.825	55.79	0.92	74.0	18.21	Peak	177.00	150	Vertical	Pass
5**	13323.825	47.24	0.92	54.0	6.76	AV	177.00	150	Vertical	Pass
6	15830.175	56.16	1.49	74.0	17.84	Peak	334.00	300	Vertical	Pass
6**	15830.175	46.02	1.49	54.0	7.98	AV	334.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	44.65	-17.07	74.0	29.35	Peak	123.00	400	Horizontal	Pass
1**	1327.100	34.86	-17.07	54.0	19.14	AV	123.00	400	Horizontal	Pass
2	2435.700	108.28	-12.14	74.0	-34.28	Peak	70.00	200	Horizontal	N/A
2**	2435.700	101.93	-12.14	54.0	-47.93	AV	70.00	200	Horizontal	N/A
3	2849.900	51.76	-8.30	74.0	22.24	Peak	0.00	150	Horizontal	Pass
3**	2849.900	42.44	-8.30	54.0	11.56	AV	0.00	150	Horizontal	Pass
4	6792.800	54.98	1.04	74.0	19.02	Peak	251.00	100	Horizontal	Pass
4**	6792.800	45.49	1.04	54.0	8.51	AV	251.00	100	Horizontal	Pass
5	13397.588	55.42	0.58	74.0	18.58	Peak	253.00	150	Horizontal	Pass
5**	13397.588	46.26	0.58	54.0	7.74	AV	253.00	150	Horizontal	Pass
6	17437.463	55.72	3.14	74.0	18.28	Peak	115.00	100	Horizontal	Pass
6**	17437.463	47.07	3.14	54.0	6.93	AV	115.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.900	47.38	-17.58	74.0	26.62	Peak	78.00	400	Vertical	Pass
1**	1164.900	36.69	-17.58	54.0	17.31	AV	78.00	400	Vertical	Pass
2	2437.800	99.44	-12.15	74.0	-25.44	Peak	163.00	200	Vertical	N/A
2**	2437.800	91.54	-12.15	54.0	-37.54	AV	163.00	200	Vertical	N/A
3	2771.400	51.57	-8.47	74.0	22.43	Peak	228.00	150	Vertical	Pass
3**	2771.400	43.14	-8.47	54.0	10.86	AV	228.00	150	Vertical	Pass
4	6992.400	54.98	1.83	74.0	19.02	Peak	244.00	200	Vertical	Pass
4**	6992.400	44.97	1.83	54.0	9.03	AV	244.00	200	Vertical	Pass
5	13334.587	55.53	1.00	74.0	18.47	Peak	112.00	150	Vertical	Pass
5**	13334.587	46.44	1.00	54.0	7.56	AV	112.00	150	Vertical	Pass
6	17415.938	56.54	3.66	74.0	17.46	Peak	251.00	300	Vertical	Pass
6**	17415.938	47.56	3.66	54.0	6.44	AV	251.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.800	42.38	-17.07	74.0	31.62	Peak	195.00	300	Horizontal	Pass
1**	1583.800	32.52	-17.07	54.0	21.48	AV	195.00	300	Horizontal	Pass
2	2457.700	108.83	-12.02	74.0	-34.83	Peak	71.00	100	Horizontal	N/A
2**	2457.700	101.70	-12.02	54.0	-47.70	AV	71.00	100	Horizontal	N/A
3	4797.600	51.70	-2.91	74.0	22.30	Peak	185.00	150	Horizontal	Pass
3**	4797.600	42.65	-2.91	54.0	11.35	AV	185.00	150	Horizontal	Pass
4	6519.600	54.62	0.38	74.0	19.38	Peak	329.00	200	Horizontal	Pass
4**	6519.600	45.50	0.38	54.0	8.50	AV	329.00	200	Horizontal	Pass
5	13323.825	55.24	0.92	74.0	18.76	Peak	43.00	150	Horizontal	Pass
5**	13323.825	47.69	0.92	54.0	6.31	AV	43.00	150	Horizontal	Pass
6	15247.688	55.98	0.82	74.0	18.02	Peak	298.00	400	Horizontal	Pass
6**	15247.688	46.07	0.82	54.0	7.93	AV	298.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1393.000	42.57	-17.07	74.0	31.43	Peak	343.00	100	Vertical	Pass
1**	1393.000	32.75	-17.07	54.0	21.25	AV	343.00	100	Vertical	Pass
2	2455.400	98.87	-12.13	74.0	-24.87	Peak	270.00	150	Vertical	N/A
2**	2455.400	91.54	-12.13	54.0	-37.54	AV	270.00	150	Vertical	N/A
3	5197.200	53.02	-2.34	74.0	20.98	Peak	292.00	150	Vertical	Pass
3**	5197.200	43.16	-2.34	54.0	10.84	AV	292.00	150	Vertical	Pass
4	6790.200	54.22	0.72	74.0	19.78	Peak	360.00	400	Vertical	Pass
4**	6790.200	45.33	0.72	54.0	8.67	AV	360.00	400	Vertical	Pass
5	13306.762	55.36	0.87	74.0	18.64	Peak	15.00	150	Vertical	Pass
5**	13306.762	46.66	0.87	54.0	7.34	AV	15.00	150	Vertical	Pass
6	17352.151	56.00	1.98	74.0	18.00	Peak	202.00	200	Vertical	Pass
6**	17352.151	47.08	1.98	54.0	6.92	AV	202.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	47.09	-17.06	74.0	26.91	Peak	124.00	400	Horizontal	Pass
1**	1329.100	38.68	-17.06	54.0	15.32	AV	124.00	400	Horizontal	Pass
2	2459.600	104.47	-11.95	74.0	-30.47	Peak	75.00	200	Horizontal	N/A
2**	2459.600	96.17	-11.95	54.0	-42.17	AV	75.00	200	Horizontal	N/A
3	5133.600	53.07	-1.80	74.0	20.93	Peak	246.00	150	Horizontal	Pass
3**	5133.600	43.08	-1.80	54.0	10.92	AV	246.00	150	Horizontal	Pass
4	6788.800	55.08	0.48	74.0	18.92	Peak	316.00	400	Horizontal	Pass
4**	6788.800	46.32	0.48	54.0	7.68	AV	316.00	400	Horizontal	Pass
5	13301.250	55.30	0.87	74.0	18.70	Peak	193.00	150	Horizontal	Pass
5**	13301.250	45.88	0.87	54.0	8.12	AV	193.00	150	Horizontal	Pass
6	17418.037	56.05	3.71	74.0	17.95	Peak	360.00	400	Horizontal	Pass
6**	17418.037	47.12	3.71	54.0	6.88	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.400	47.41	-17.64	74.0	26.59	Peak	86.00	400	Vertical	Pass
1**	1166.400	33.64	-17.64	54.0	20.36	AV	86.00	400	Vertical	Pass
2	2460.700	94.38	-12.04	74.0	-20.38	Peak	183.00	200	Vertical	N/A
2**	2460.700	87.87	-12.04	54.0	-33.87	AV	183.00	200	Vertical	N/A
3	2855.500	51.82	-8.35	74.0	22.18	Peak	259.00	100	Vertical	Pass
3**	2855.500	42.29	-8.35	54.0	11.71	AV	259.00	100	Vertical	Pass
4	6980.000	54.71	1.74	74.0	19.29	Peak	49.00	100	Vertical	Pass
4**	6980.000	45.13	1.74	54.0	8.87	AV	49.00	100	Vertical	Pass
5	13295.737	55.72	0.84	74.0	18.28	Peak	142.00	150	Vertical	Pass
5**	13295.737	46.65	0.84	54.0	7.35	AV	142.00	150	Vertical	Pass
6	17424.337	55.90	3.64	74.0	18.10	Peak	74.00	100	Vertical	Pass
6**	17424.337	47.11	3.64	54.0	6.89	AV	74.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.300	44.79	-17.07	74.0	29.21	Peak	171.00	200	Horizontal	Pass
1**	1327.300	34.74	-17.07	54.0	19.26	AV	171.00	200	Horizontal	Pass
2	2420.500	101.44	-12.20	74.0	-27.44	Peak	291.00	100	Horizontal	N/A
2**	2420.500	93.88	-12.20	54.0	-39.88	AV	291.00	100	Horizontal	N/A
3	4994.400	52.31	-2.57	74.0	21.69	Peak	208.00	100	Horizontal	Pass
3**	4994.400	42.74	-2.57	54.0	11.26	AV	208.00	100	Horizontal	Pass
4	6795.000	54.33	0.96	74.0	19.67	Peak	208.00	300	Horizontal	Pass
4**	6795.000	45.90	0.96	54.0	8.10	AV	208.00	300	Horizontal	Pass
5	13425.937	55.77	0.40	74.0	18.23	Peak	103.00	150	Horizontal	Pass
5**	13425.937	46.93	0.40	54.0	7.07	AV	103.00	150	Horizontal	Pass
6	15630.937	56.38	1.67	74.0	17.62	Peak	51.00	200	Horizontal	Pass
6**	15630.937	45.99	1.67	54.0	8.01	AV	51.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.900	48.36	-17.58	74.0	25.64	Peak	86.00	200	Vertical	Pass
1**	1163.900	37.52	-17.58	54.0	16.48	AV	86.00	200	Vertical	Pass
2	2419.400	92.66	-12.04	74.0	-18.66	Peak	186.00	150	Vertical	N/A
2**	2419.400	84.90	-12.04	54.0	-30.90	AV	186.00	150	Vertical	N/A
3	4986.000	52.66	-2.07	74.0	21.34	Peak	240.00	200	Vertical	Pass
3**	4986.000	41.92	-2.07	54.0	12.08	AV	240.00	200	Vertical	Pass
4	6492.200	54.65	-1.37	74.0	19.35	Peak	106.00	200	Vertical	Pass
4**	6492.200	45.57	-1.37	54.0	8.43	AV	106.00	200	Vertical	Pass
5	13282.875	56.73	0.73	74.0	17.27	Peak	360.00	300	Vertical	Pass
5**	13282.875	46.45	0.73	54.0	7.55	AV	360.00	300	Vertical	Pass
6	15802.350	56.26	2.30	74.0	17.74	Peak	360.00	150	Vertical	Pass
6**	15802.350	47.49	2.30	54.0	6.51	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.500	42.75	-17.18	74.0	31.25	Peak	325.00	300	Horizontal	Pass
1**	1568.500	32.57	-17.18	54.0	21.43	AV	325.00	300	Horizontal	Pass
2	2428.100	107.25	-12.49	74.0	-33.25	Peak	78.00	200	Horizontal	N/A
2**	2428.100	99.03	-12.49	54.0	-45.03	AV	78.00	200	Horizontal	N/A
3	4645.000	50.61	-2.82	74.0	23.39	Peak	234.00	150	Horizontal	Pass
3**	4645.000	41.33	-2.82	54.0	12.67	AV	234.00	150	Horizontal	Pass
4	6023.200	54.81	-1.67	74.0	19.19	Peak	361.00	200	Horizontal	Pass
4**	6023.200	43.96	-1.67	54.0	10.04	AV	361.00	200	Horizontal	Pass
5	13304.925	55.49	0.87	74.0	18.51	Peak	63.00	150	Horizontal	Pass
5**	13304.925	47.40	0.87	54.0	6.60	AV	63.00	150	Horizontal	Pass
6	17419.614	55.93	3.75	74.0	18.07	Peak	293.00	300	Horizontal	Pass
6**	17419.614	46.67	3.75	54.0	7.33	AV	293.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.600	42.78	-17.10	74.0	31.22	Peak	325.00	300	Vertical	Pass
1**	1573.600	32.75	-17.10	54.0	21.25	AV	325.00	300	Vertical	Pass
2	2428.500	96.83	-12.46	74.0	-22.83	Peak	247.00	100	Vertical	N/A
2**	2428.500	90.11	-12.46	54.0	-36.11	AV	247.00	100	Vertical	N/A
3	5152.800	52.11	-1.43	74.0	21.89	Peak	187.00	150	Vertical	Pass
3**	5152.800	42.33	-1.43	54.0	11.67	AV	187.00	150	Vertical	Pass
4	6805.800	54.58	2.13	74.0	19.42	Peak	187.00	100	Vertical	Pass
4**	6805.800	45.45	2.13	54.0	8.55	AV	187.00	100	Vertical	Pass
5	13393.388	55.13	0.65	74.0	18.87	Peak	339.00	150	Vertical	Pass
5**	13393.388	45.70	0.65	54.0	8.30	AV	339.00	150	Vertical	Pass
6	17433.526	56.24	3.32	74.0	17.76	Peak	55.00	200	Vertical	Pass
6**	17433.526	47.39	3.32	54.0	6.61	AV	55.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.300	42.70	-17.21	74.0	31.30	Peak	175.00	200	Horizontal	Pass
1**	1595.300	32.81	-17.21	54.0	21.19	AV	175.00	200	Horizontal	Pass
2	2428.200	106.75	-12.48	74.0	-32.75	Peak	78.00	150	Horizontal	N/A
2**	2428.200	99.00	-12.48	54.0	-45.00	AV	78.00	150	Horizontal	N/A
3	4661.200	51.00	-2.32	74.0	23.00	Peak	67.00	150	Horizontal	Pass
3**	4661.200	41.21	-2.32	54.0	12.79	AV	67.00	150	Horizontal	Pass
4	6154.000	53.99	0.43	74.0	20.01	Peak	55.00	100	Horizontal	Pass
4**	6154.000	45.35	0.43	54.0	8.65	AV	55.00	100	Horizontal	Pass
5	13398.901	56.08	0.55	74.0	17.92	Peak	200.00	150	Horizontal	Pass
5**	13398.901	46.21	0.55	54.0	7.79	AV	200.00	150	Horizontal	Pass
6	15240.337	56.68	0.95	74.0	17.32	Peak	22.00	200	Horizontal	Pass
6**	15240.337	46.64	0.95	54.0	7.36	AV	22.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.100	43.08	-16.82	74.0	30.92	Peak	340.00	300	Vertical	Pass
1**	1491.100	33.70	-16.82	54.0	20.30	AV	340.00	300	Vertical	Pass
2	2430.600	96.82	-12.48	74.0	-22.82	Peak	154.00	200	Vertical	N/A
2**	2430.600	89.76	-12.48	54.0	-35.76	AV	154.00	200	Vertical	N/A
3	4843.200	51.06	-2.74	74.0	22.94	Peak	59.00	150	Vertical	Pass
3**	4843.200	41.83	-2.74	54.0	12.17	AV	59.00	150	Vertical	Pass
4	6789.400	54.75	0.63	74.0	19.25	Peak	29.00	100	Vertical	Pass
4**	6789.400	45.53	0.63	54.0	8.47	AV	29.00	100	Vertical	Pass
5	13332.225	55.51	0.97	74.0	18.49	Peak	221.00	150	Vertical	Pass
5**	13332.225	46.45	0.97	54.0	7.55	AV	221.00	150	Vertical	Pass
6	17423.286	56.08	3.67	74.0	17.92	Peak	49.00	200	Vertical	Pass
6**	17423.286	47.61	3.67	54.0	6.39	AV	49.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.400	43.85	-17.11	74.0	30.15	Peak	187.00	100	Horizontal	Pass
1**	1333.400	33.11	-17.11	54.0	20.89	AV	187.00	100	Horizontal	Pass
2	2435.800	105.75	-12.14	74.0	-31.75	Peak	72.00	150	Horizontal	N/A
2**	2435.800	98.28	-12.14	54.0	-44.28	AV	72.00	150	Horizontal	N/A
3	4807.400	51.98	-2.31	74.0	22.02	Peak	203.00	150	Horizontal	Pass
3**	4807.400	41.63	-2.31	54.0	12.37	AV	203.00	150	Horizontal	Pass
4	6657.600	54.74	-0.07	74.0	19.26	Peak	111.00	300	Horizontal	Pass
4**	6657.600	44.95	-0.07	54.0	9.05	AV	111.00	300	Horizontal	Pass
5	13321.463	56.49	0.91	74.0	17.51	Peak	179.00	150	Horizontal	Pass
5**	13321.463	46.19	0.91	54.0	7.81	AV	179.00	150	Horizontal	Pass
6	15845.662	56.54	1.36	74.0	17.46	Peak	0.00	200	Horizontal	Pass
6**	15845.662	47.14	1.36	54.0	6.86	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.900	47.53	-17.58	74.0	26.47	Peak	76.00	300	Vertical	Pass
1**	1163.900	32.88	-17.58	54.0	21.12	AV	76.00	300	Vertical	Pass
2	2435.500	96.91	-12.14	74.0	-22.91	Peak	165.00	150	Vertical	N/A
2**	2435.500	89.81	-12.14	54.0	-35.81	AV	165.00	150	Vertical	N/A
3	4972.000	51.46	-1.60	74.0	22.54	Peak	63.00	150	Vertical	Pass
3**	4972.000	42.35	-1.60	54.0	11.65	AV	63.00	150	Vertical	Pass
4	6810.400	54.34	1.47	74.0	19.66	Peak	150.00	300	Vertical	Pass
4**	6810.400	45.59	1.47	54.0	8.41	AV	150.00	300	Vertical	Pass
5	13397.325	56.13	0.58	74.0	17.87	Peak	139.00	150	Vertical	Pass
5**	13397.325	46.34	0.58	54.0	7.66	AV	139.00	150	Vertical	Pass
6	15513.075	56.36	1.41	74.0	17.64	Peak	80.00	300	Vertical	Pass
6**	15513.075	46.53	1.41	54.0	7.47	AV	80.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.600	42.65	-17.21	74.0	31.35	Peak	136.00	100	Horizontal	Pass
1**	1511.600	32.99	-17.21	54.0	21.01	AV	136.00	100	Horizontal	Pass
2	2439.900	107.00	-12.40	74.0	-33.00	Peak	74.00	100	Horizontal	N/A
2**	2439.900	99.36	-12.40	54.0	-45.36	AV	74.00	100	Horizontal	N/A
3	5159.400	52.30	-1.47	74.0	21.70	Peak	62.00	150	Horizontal	Pass
3**	5159.400	42.87	-1.47	54.0	11.13	AV	62.00	150	Horizontal	Pass
4	6934.000	54.55	0.09	74.0	19.45	Peak	127.00	300	Horizontal	Pass
4**	6934.000	45.35	0.09	54.0	8.65	AV	127.00	300	Horizontal	Pass
5	13428.300	55.34	0.40	74.0	18.66	Peak	288.00	150	Horizontal	Pass
5**	13428.300	46.77	0.40	54.0	7.23	AV	288.00	150	Horizontal	Pass
6	17426.698	57.54	3.56	74.0	16.46	Peak	76.00	200	Horizontal	Pass
6**	17426.698	46.64	3.56	54.0	7.36	AV	76.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.100	42.59	-16.95	74.0	31.41	Peak	253.00	400	Vertical	Pass
1**	1458.100	32.64	-16.95	54.0	21.36	AV	253.00	400	Vertical	Pass
2	2439.500	95.49	-12.37	74.0	-21.49	Peak	266.00	200	Vertical	N/A
2**	2439.500	87.70	-12.37	54.0	-33.70	AV	266.00	200	Vertical	N/A
3	4819.000	52.52	-2.08	74.0	21.48	Peak	217.00	150	Vertical	Pass
3**	4819.000	41.91	-2.08	54.0	12.09	AV	217.00	150	Vertical	Pass
4	6519.200	55.10	0.24	74.0	18.90	Peak	145.00	200	Vertical	Pass
4**	6519.200	45.53	0.24	54.0	8.47	AV	145.00	200	Vertical	Pass
5	13429.088	55.87	0.40	74.0	18.13	Peak	53.00	150	Vertical	Pass
5**	13429.088	46.45	0.40	54.0	7.55	AV	53.00	150	Vertical	Pass
6	17318.287	56.12	1.34	74.0	17.88	Peak	267.00	300	Vertical	Pass
6**	17318.287	45.79	1.34	54.0	8.21	AV	267.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.900	42.64	-17.11	74.0	31.36	Peak	173.00	100	Horizontal	Pass
1**	1456.900	32.37	-17.11	54.0	21.63	AV	173.00	100	Horizontal	Pass
2	2444.800	106.35	-12.53	74.0	-32.35	Peak	113.00	100	Horizontal	N/A
2**	2444.800	99.97	-12.53	54.0	-45.97	AV	113.00	100	Horizontal	N/A
3	5042.800	52.40	-2.13	74.0	21.60	Peak	177.00	150	Horizontal	Pass
3**	5042.800	42.44	-2.13	54.0	11.56	AV	177.00	150	Horizontal	Pass
4	6809.000	54.71	1.60	74.0	19.29	Peak	283.00	300	Horizontal	Pass
4**	6809.000	45.47	1.60	54.0	8.53	AV	283.00	300	Horizontal	Pass
5	13319.363	55.78	0.90	74.0	18.22	Peak	94.00	150	Horizontal	Pass
5**	13319.363	45.95	0.90	54.0	8.05	AV	94.00	150	Horizontal	Pass
6	15808.912	55.82	2.19	74.0	18.18	Peak	360.00	300	Horizontal	Pass
6**	15808.912	46.47	2.19	54.0	7.53	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.400	42.38	-17.03	74.0	31.62	Peak	251.00	200	Vertical	Pass
1**	1482.400	32.89	-17.03	54.0	21.11	AV	251.00	200	Vertical	Pass
2	2449.000	95.90	-12.25	74.0	-21.90	Peak	181.00	150	Vertical	N/A
2**	2449.000	88.90	-12.25	54.0	-34.90	AV	181.00	150	Vertical	N/A
3	4818.600	51.55	-2.11	74.0	22.45	Peak	190.00	150	Vertical	Pass
3**	4818.600	41.82	-2.11	54.0	12.18	AV	190.00	150	Vertical	Pass
4	6609.600	54.31	0.47	74.0	19.69	Peak	217.00	400	Vertical	Pass
4**	6609.600	44.92	0.47	54.0	9.08	AV	217.00	400	Vertical	Pass
5	13303.875	56.32	0.87	74.0	17.68	Peak	280.00	100	Vertical	Pass
5**	13303.875	46.41	0.87	54.0	7.59	AV	280.00	100	Vertical	Pass
6	15610.988	55.57	1.31	74.0	18.43	Peak	280.00	150	Vertical	Pass
6**	15610.988	45.68	1.31	54.0	8.32	AV	280.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	44.55	-17.05	74.0	29.45	Peak	117.00	100	Horizontal	Pass
1**	1329.200	33.90	-17.05	54.0	20.10	AV	117.00	100	Horizontal	Pass
2	2454.800	100.28	-12.13	74.0	-26.28	Peak	82.00	150	Horizontal	N/A
2**	2454.800	92.65	-12.13	54.0	-38.65	AV	82.00	150	Horizontal	N/A
3	4980.600	52.24	-1.58	74.0	21.76	Peak	300.00	150	Horizontal	Pass
3**	4980.600	42.39	-1.58	54.0	11.61	AV	300.00	150	Horizontal	Pass
4	6977.600	54.77	1.75	74.0	19.23	Peak	39.00	100	Horizontal	Pass
4**	6977.600	46.19	1.75	54.0	7.81	AV	39.00	100	Horizontal	Pass
5	13292.849	55.55	0.81	74.0	18.45	Peak	106.00	150	Horizontal	Pass
5**	13292.849	46.06	0.81	54.0	7.94	AV	106.00	150	Horizontal	Pass
6	16099.237	56.48	1.22	74.0	17.52	Peak	211.00	100	Horizontal	Pass
6**	16099.237	47.39	1.22	54.0	6.61	AV	211.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.600	47.08	-17.57	74.0	26.92	Peak	57.00	300	Vertical	Pass
1**	1164.600	32.58	-17.57	54.0	21.42	AV	57.00	300	Vertical	Pass
2	2448.500	89.39	-12.26	74.0	-15.39	Peak	190.00	200	Vertical	N/A
2**	2448.500	81.80	-12.26	54.0	-27.80	AV	190.00	200	Vertical	N/A
3	2975.200	51.96	-9.66	74.0	22.04	Peak	156.00	100	Vertical	Pass
3**	2975.200	41.95	-9.66	54.0	12.05	AV	156.00	100	Vertical	Pass
4	6332.200	54.65	-0.54	74.0	19.35	Peak	126.00	200	Vertical	Pass
4**	6332.200	45.03	-0.54	54.0	8.97	AV	126.00	200	Vertical	Pass
5	13426.463	55.34	0.40	74.0	18.66	Peak	0.00	150	Vertical	Pass
5**	13426.463	46.07	0.40	54.0	7.93	AV	0.00	150	Vertical	Pass
6	16078.763	56.36	1.62	74.0	17.64	Peak	226.00	100	Vertical	Pass
6**	16078.763	47.35	1.62	54.0	6.65	AV	226.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	45.12	-16.98	74.0	28.88	Peak	129.00	200	Horizontal	Pass
1**	1330.400	34.20	-16.98	54.0	19.80	AV	129.00	200	Horizontal	Pass
2	2414.400	107.20	-10.85	74.0	-33.20	Peak	291.00	100	Horizontal	N/A
2**	2414.400	97.26	-10.85	54.0	-43.26	AV	291.00	100	Horizontal	N/A
3	5027.800	52.37	-2.65	74.0	21.63	Peak	150.00	150	Horizontal	Pass
3**	5027.800	43.02	-2.65	54.0	10.98	AV	150.00	150	Horizontal	Pass
4	6805.600	54.68	2.07	74.0	19.32	Peak	202.00	100	Horizontal	Pass
4**	6805.600	46.14	2.07	54.0	7.86	AV	202.00	100	Horizontal	Pass
5	13409.662	55.89	0.51	74.0	18.11	Peak	129.00	150	Horizontal	Pass
5**	13409.662	46.37	0.51	54.0	7.63	AV	129.00	150	Horizontal	Pass
6	17424.075	56.70	3.65	74.0	17.30	Peak	297.00	100	Horizontal	Pass
6**	17424.075	46.77	3.65	54.0	7.23	AV	297.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.700	48.80	-17.57	74.0	25.20	Peak	77.00	300	Vertical	Pass
1**	1164.700	39.67	-17.57	54.0	14.33	AV	77.00	300	Vertical	Pass
2	2410.000	97.80	-10.49	74.0	-23.80	Peak	192.00	100	Vertical	N/A
2**	2410.000	86.84	-10.49	54.0	-32.84	AV	192.00	100	Vertical	N/A
3	4837.400	52.08	-2.71	74.0	21.92	Peak	316.00	200	Vertical	Pass
3**	4837.400	42.08	-2.71	54.0	11.92	AV	316.00	200	Vertical	Pass
4	6806.400	54.91	2.33	74.0	19.09	Peak	287.00	400	Vertical	Pass
4**	6806.400	46.67	2.33	54.0	7.33	AV	287.00	400	Vertical	Pass
5	13408.088	55.39	0.52	74.0	18.61	Peak	157.00	150	Vertical	Pass
5**	13408.088	47.02	0.52	54.0	6.98	AV	157.00	150	Vertical	Pass
6	17427.489	56.82	3.54	74.0	17.18	Peak	31.00	400	Vertical	Pass
6**	17427.489	47.48	3.54	54.0	6.52	AV	31.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1424.200	42.05	-16.93	74.0	31.95	Peak	296.00	100	Horizontal	Pass
1**	1424.200	32.70	-16.93	54.0	21.30	AV	296.00	100	Horizontal	Pass
2	2419.200	110.53	-12.01	74.0	-36.53	Peak	74.00	200	Horizontal	N/A
2**	2419.200	102.53	-12.01	54.0	-48.53	AV	74.00	200	Horizontal	N/A
3	2780.400	51.73	-9.21	74.0	22.27	Peak	308.00	150	Horizontal	Pass
3**	2780.400	41.93	-9.21	54.0	12.07	AV	308.00	150	Horizontal	Pass
4	6518.400	54.10	-0.06	74.0	19.90	Peak	102.00	100	Horizontal	Pass
4**	6518.400	44.64	-0.06	54.0	9.36	AV	102.00	100	Horizontal	Pass
5	13416.225	55.65	0.41	74.0	18.35	Peak	33.00	150	Horizontal	Pass
5**	13416.225	47.31	0.41	54.0	6.69	AV	33.00	150	Horizontal	Pass
6	17395.724	57.09	3.03	74.0	16.91	Peak	51.00	100	Horizontal	Pass
6**	17395.724	46.88	3.03	54.0	7.12	AV	51.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.000	42.60	-17.08	74.0	31.40	Peak	302.00	300	Vertical	Pass
1**	1573.000	33.36	-17.08	54.0	20.64	AV	302.00	300	Vertical	Pass
2	2418.700	99.54	-11.94	74.0	-25.54	Peak	229.00	200	Vertical	N/A
2**	2418.700	91.12	-11.94	54.0	-37.12	AV	229.00	200	Vertical	N/A
3	4857.400	51.90	-2.83	74.0	22.10	Peak	211.00	200	Vertical	Pass
3**	4857.400	42.12	-2.83	54.0	11.88	AV	211.00	200	Vertical	Pass
4	6834.200	55.25	0.58	74.0	18.75	Peak	39.00	100	Vertical	Pass
4**	6834.200	44.57	0.58	54.0	9.43	AV	39.00	100	Vertical	Pass
5	13323.037	55.26	0.92	74.0	18.74	Peak	91.00	150	Vertical	Pass
5**	13323.037	46.24	0.92	54.0	7.76	AV	91.00	150	Vertical	Pass
6	15286.799	56.11	0.77	74.0	17.89	Peak	72.00	400	Vertical	Pass
6**	15286.799	45.94	0.77	54.0	8.06	AV	72.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1402.700	42.25	-17.00	74.0	31.75	Peak	188.00	400	Horizontal	Pass
1**	1402.700	32.34	-17.00	54.0	21.66	AV	188.00	400	Horizontal	Pass
2	2423.300	109.95	-12.59	74.0	-35.95	Peak	290.00	150	Horizontal	N/A
2**	2423.300	101.38	-12.59	54.0	-47.38	AV	290.00	150	Horizontal	N/A
3	2844.400	51.93	-8.45	74.0	22.07	Peak	207.00	150	Horizontal	Pass
3**	2844.400	41.59	-8.45	54.0	12.41	AV	207.00	150	Horizontal	Pass
4	6795.000	54.42	0.96	74.0	19.58	Peak	248.00	300	Horizontal	Pass
4**	6795.000	45.44	0.96	54.0	8.56	AV	248.00	300	Horizontal	Pass
5	13320.674	55.37	0.91	74.0	18.63	Peak	299.00	150	Horizontal	Pass
5**	13320.674	46.44	0.91	54.0	7.56	AV	299.00	150	Horizontal	Pass
6	15240.600	55.83	0.94	74.0	18.17	Peak	334.00	200	Horizontal	Pass
6**	15240.600	46.37	0.94	54.0	7.63	AV	334.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.100	43.10	-16.96	74.0	30.90	Peak	81.00	400	Vertical	Pass
1**	1483.100	32.91	-16.96	54.0	21.09	AV	81.00	400	Vertical	Pass
2	2421.000	99.47	-12.28	74.0	-25.47	Peak	260.00	200	Vertical	N/A
2**	2421.000	91.62	-12.28	54.0	-37.62	AV	260.00	200	Vertical	N/A
3	2768.200	51.89	-9.01	74.0	22.11	Peak	170.00	150	Vertical	Pass
3**	2768.200	41.64	-9.01	54.0	12.36	AV	170.00	150	Vertical	Pass
4	6610.400	54.29	0.65	74.0	19.71	Peak	229.00	100	Vertical	Pass
4**	6610.400	45.45	0.65	54.0	8.55	AV	229.00	100	Vertical	Pass
5	13392.600	55.56	0.66	74.0	18.44	Peak	44.00	150	Vertical	Pass
5**	13392.600	46.02	0.66	54.0	7.98	AV	44.00	150	Vertical	Pass
6	17424.337	55.97	3.64	74.0	18.03	Peak	237.00	400	Vertical	Pass
6**	17424.337	46.87	3.64	54.0	7.13	AV	237.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1260.900	42.42	-17.19	74.0	31.58	Peak	175.00	300	Horizontal	Pass
1**	1260.900	32.59	-17.19	54.0	21.41	AV	175.00	300	Horizontal	Pass
2	2428.800	109.07	-12.43	74.0	-35.07	Peak	79.00	200	Horizontal	N/A
2**	2428.800	101.23	-12.43	54.0	-47.23	AV	79.00	200	Horizontal	N/A
3	4982.000	51.68	-1.61	74.0	22.32	Peak	361.00	150	Horizontal	Pass
3**	4982.000	42.95	-1.61	54.0	11.05	AV	361.00	150	Horizontal	Pass
4	6612.000	54.77	0.57	74.0	19.23	Peak	167.00	100	Horizontal	Pass
4**	6612.000	44.96	0.57	54.0	9.04	AV	167.00	100	Horizontal	Pass
5	13329.863	55.56	0.94	74.0	18.44	Peak	13.00	150	Horizontal	Pass
5**	13329.863	45.85	0.94	54.0	8.15	AV	13.00	150	Horizontal	Pass
6	17421.976	56.25	3.70	74.0	17.75	Peak	294.00	200	Horizontal	Pass
6**	17421.976	46.58	3.70	54.0	7.42	AV	294.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1294.600	42.56	-17.07	74.0	31.44	Peak	34.00	200	Vertical	Pass
1**	1294.600	33.26	-17.07	54.0	20.74	AV	34.00	200	Vertical	Pass
2	2427.800	100.54	-12.52	74.0	-26.54	Peak	324.00	100	Vertical	N/A
2**	2427.800	91.54	-12.52	54.0	-37.54	AV	324.00	100	Vertical	N/A
3	2848.900	51.31	-8.46	74.0	22.69	Peak	361.00	100	Vertical	Pass
3**	2848.900	42.26	-8.46	54.0	11.74	AV	361.00	100	Vertical	Pass
4	6807.600	54.68	1.96	74.0	19.32	Peak	202.00	100	Vertical	Pass
4**	6807.600	45.39	1.96	54.0	8.61	AV	202.00	100	Vertical	Pass
5	13319.888	55.38	0.90	74.0	18.62	Peak	338.00	150	Vertical	Pass
5**	13319.888	45.80	0.90	54.0	8.20	AV	338.00	150	Vertical	Pass
6	16103.437	56.09	1.05	74.0	17.91	Peak	306.00	300	Vertical	Pass
6**	16103.437	45.47	1.05	54.0	8.53	AV	306.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	44.67	-17.00	74.0	29.33	Peak	127.00	100	Horizontal	Pass
1**	1330.100	33.06	-17.00	54.0	20.94	AV	127.00	100	Horizontal	Pass
2	2436.000	109.88	-12.14	74.0	-35.88	Peak	76.00	150	Horizontal	N/A
2**	2436.000	101.49	-12.14	54.0	-47.49	AV	76.00	150	Horizontal	N/A
3	4765.600	51.01	-2.93	74.0	22.99	Peak	101.00	150	Horizontal	Pass
3**	4765.600	42.10	-2.93	54.0	11.90	AV	101.00	150	Horizontal	Pass
4	6806.600	54.55	2.28	74.0	19.45	Peak	279.00	300	Horizontal	Pass
4**	6806.600	45.98	2.28	54.0	8.02	AV	279.00	300	Horizontal	Pass
5	13325.924	56.06	0.93	74.0	17.94	Peak	220.00	150	Horizontal	Pass
5**	13325.924	46.14	0.93	54.0	7.86	AV	220.00	150	Horizontal	Pass
6	17416.724	56.72	3.68	74.0	17.28	Peak	92.00	400	Horizontal	Pass
6**	17416.724	47.65	3.68	54.0	6.35	AV	92.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.800	47.02	-17.65	74.0	26.98	Peak	76.00	100	Vertical	Pass
1**	1166.800	32.50	-17.65	54.0	21.50	AV	76.00	100	Vertical	Pass
2	2438.000	101.56	-12.18	74.0	-27.56	Peak	167.00	200	Vertical	N/A
2**	2438.000	91.39	-12.18	54.0	-37.39	AV	167.00	200	Vertical	N/A
3	4979.600	51.42	-1.58	74.0	22.58	Peak	90.00	100	Vertical	Pass
3**	4979.600	43.29	-1.58	54.0	10.71	AV	90.00	100	Vertical	Pass
4	6786.000	55.12	-0.07	74.0	18.88	Peak	215.00	400	Vertical	Pass
4**	6786.000	45.60	-0.07	54.0	8.40	AV	215.00	400	Vertical	Pass
5	13390.500	55.19	0.68	74.0	18.81	Peak	201.00	150	Vertical	Pass
5**	13390.500	45.76	0.68	54.0	8.24	AV	201.00	150	Vertical	Pass
6	17475.525	55.75	2.81	74.0	18.25	Peak	0.00	300	Vertical	Pass
6**	17475.525	46.99	2.81	54.0	7.01	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.700	42.19	-16.82	74.0	31.81	Peak	109.00	200	Horizontal	Pass
1**	1506.700	33.00	-16.82	54.0	21.00	AV	109.00	200	Horizontal	Pass
2	2443.500	108.90	-12.43	74.0	-34.90	Peak	91.00	200	Horizontal	N/A
2**	2443.500	100.12	-12.43	54.0	-46.12	AV	91.00	200	Horizontal	N/A
3	5089.000	51.54	-1.82	74.0	22.46	Peak	39.00	150	Horizontal	Pass
3**	5089.000	42.33	-1.82	54.0	11.67	AV	39.00	150	Horizontal	Pass
4	6554.800	54.67	-0.98	74.0	19.33	Peak	120.00	100	Horizontal	Pass
4**	6554.800	43.55	-0.98	54.0	10.45	AV	120.00	100	Horizontal	Pass
5	13306.762	55.82	0.87	74.0	18.18	Peak	43.00	150	Horizontal	Pass
5**	13306.762	46.05	0.87	54.0	7.95	AV	43.00	150	Horizontal	Pass
6	15844.612	56.42	1.37	74.0	17.58	Peak	360.00	200	Horizontal	Pass
6**	15844.612	46.43	1.37	54.0	7.57	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.900	42.95	-17.35	74.0	31.05	Peak	283.00	200	Vertical	Pass
1**	1438.900	32.74	-17.35	54.0	21.26	AV	283.00	200	Vertical	Pass
2	2444.600	103.03	-12.51	74.0	-29.03	Peak	46.00	100	Vertical	N/A
2**	2444.600	93.87	-12.51	54.0	-39.87	AV	46.00	100	Vertical	N/A
3	4967.400	52.35	-1.90	74.0	21.65	Peak	86.00	200	Vertical	Pass
3**	4967.400	43.31	-1.90	54.0	10.69	AV	86.00	200	Vertical	Pass
4	6807.200	55.53	2.09	74.0	18.47	Peak	22.00	300	Vertical	Pass
4**	6807.200	45.26	2.09	54.0	8.74	AV	22.00	300	Vertical	Pass
5	13253.737	55.27	0.81	74.0	18.73	Peak	280.00	200	Vertical	Pass
5**	13253.737	44.86	0.81	54.0	9.14	AV	280.00	200	Vertical	Pass
6	17425.388	56.24	3.61	74.0	17.76	Peak	71.00	400	Vertical	Pass
6**	17425.388	47.40	3.61	54.0	6.60	AV	71.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.500	42.23	-17.19	74.0	31.77	Peak	331.00	200	Horizontal	Pass
1**	1515.500	32.73	-17.19	54.0	21.27	AV	331.00	200	Horizontal	Pass
2	2450.800	109.08	-12.24	74.0	-35.08	Peak	67.00	150	Horizontal	N/A
2**	2450.800	100.31	-12.24	54.0	-46.31	AV	67.00	150	Horizontal	N/A
3	4866.000	51.26	-2.58	74.0	22.74	Peak	361.00	150	Horizontal	Pass
3**	4866.000	41.58	-2.58	54.0	12.42	AV	361.00	150	Horizontal	Pass
4	6629.400	54.61	-0.30	74.0	19.39	Peak	0.00	300	Horizontal	Pass
4**	6629.400	44.82	-0.30	54.0	9.18	AV	0.00	300	Horizontal	Pass
5	13407.563	55.08	0.53	74.0	18.92	Peak	67.00	150	Horizontal	Pass
5**	13407.563	46.90	0.53	54.0	7.10	AV	67.00	150	Horizontal	Pass
6	17352.937	55.19	2.01	74.0	18.81	Peak	72.00	100	Horizontal	Pass
6**	17352.937	46.65	2.01	54.0	7.35	AV	72.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.900	42.60	-17.11	74.0	31.40	Peak	13.00	300	Vertical	Pass
1**	1534.900	32.70	-17.11	54.0	21.30	AV	13.00	300	Vertical	Pass
2	2452.000	101.86	-12.21	74.0	-27.86	Peak	22.00	200	Vertical	N/A
2**	2452.000	93.04	-12.21	54.0	-39.04	AV	22.00	200	Vertical	N/A
3	5138.800	52.33	-1.57	74.0	21.67	Peak	61.00	150	Vertical	Pass
3**	5138.800	42.48	-1.57	54.0	11.52	AV	61.00	150	Vertical	Pass
4	6791.600	54.00	0.88	74.0	20.00	Peak	283.00	300	Vertical	Pass
4**	6791.600	45.64	0.88	54.0	8.36	AV	283.00	300	Vertical	Pass
5	13438.800	55.48	0.46	74.0	18.52	Peak	187.00	150	Vertical	Pass
5**	13438.800	46.22	0.46	54.0	7.78	AV	187.00	150	Vertical	Pass
6	17477.886	56.88	2.78	74.0	17.12	Peak	276.00	300	Vertical	Pass
6**	17477.886	46.52	2.78	54.0	7.48	AV	276.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1422.400	41.99	-16.89	74.0	32.01	Peak	190.00	400	Horizontal	Pass
1**	1422.400	32.57	-16.89	54.0	21.43	AV	190.00	400	Horizontal	Pass
2	2455.900	109.13	-12.13	74.0	-35.13	Peak	79.00	200	Horizontal	N/A
2**	2455.900	101.70	-12.13	54.0	-47.70	AV	79.00	200	Horizontal	N/A
3	4806.400	51.30	-2.47	74.0	22.70	Peak	61.00	150	Horizontal	Pass
3**	4806.400	42.16	-2.47	54.0	11.84	AV	61.00	150	Horizontal	Pass
4	6153.600	55.04	0.39	74.0	18.96	Peak	166.00	400	Horizontal	Pass
4**	6153.600	45.49	0.39	54.0	8.51	AV	166.00	400	Horizontal	Pass
5	13414.912	55.15	0.42	74.0	18.85	Peak	77.00	150	Horizontal	Pass
5**	13414.912	46.93	0.42	54.0	7.07	AV	77.00	150	Horizontal	Pass
6	16573.312	56.30	0.93	74.0	17.70	Peak	360.00	200	Horizontal	Pass
6**	16573.312	45.50	0.93	54.0	8.50	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1425.100	42.25	-16.93	74.0	31.75	Peak	43.00	400	Vertical	Pass
1**	1425.100	32.62	-16.93	54.0	21.38	AV	43.00	400	Vertical	Pass
2	2454.200	102.55	-12.15	74.0	-28.55	Peak	25.00	150	Vertical	N/A
2**	2454.200	92.65	-12.15	54.0	-38.65	AV	25.00	150	Vertical	N/A
3	4776.000	51.66	-2.60	74.0	22.34	Peak	0.00	200	Vertical	Pass
3**	4776.000	42.80	-2.60	54.0	11.20	AV	0.00	200	Vertical	Pass
4	6790.800	54.22	0.79	74.0	19.78	Peak	0.00	300	Vertical	Pass
4**	6790.800	45.00	0.79	54.0	9.00	AV	0.00	300	Vertical	Pass
5	13322.512	56.29	0.92	74.0	17.71	Peak	362.00	300	Vertical	Pass
5**	13322.512	46.69	0.92	54.0	7.31	AV	362.00	300	Vertical	Pass
6	15624.375	56.09	1.71	74.0	17.91	Peak	201.00	200	Vertical	Pass
6**	15624.375	45.98	1.71	54.0	8.02	AV	201.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	44.26	-17.06	74.0	29.74	Peak	133.00	200	Horizontal	Pass
1**	1331.700	35.01	-17.06	54.0	18.99	AV	133.00	200	Horizontal	Pass
2	2459.300	106.45	-11.92	74.0	-32.45	Peak	72.00	100	Horizontal	N/A
2**	2459.300	96.13	-11.92	54.0	-42.13	AV	72.00	100	Horizontal	N/A
3	5092.200	52.21	-1.94	74.0	21.79	Peak	77.00	150	Horizontal	Pass
3**	5092.200	43.05	-1.94	54.0	10.95	AV	77.00	150	Horizontal	Pass
4	6803.400	54.78	1.60	74.0	19.22	Peak	324.00	100	Horizontal	Pass
4**	6803.400	45.23	1.60	54.0	8.77	AV	324.00	100	Horizontal	Pass
5	13434.075	56.24	0.41	74.0	17.76	Peak	0.00	400	Horizontal	Pass
5**	13434.075	46.49	0.41	54.0	7.51	AV	0.00	400	Horizontal	Pass
6	16121.026	56.15	0.65	74.0	17.85	Peak	328.00	150	Horizontal	Pass
6**	16121.026	46.38	0.65	54.0	7.62	AV	328.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	47.98	-17.13	74.0	26.02	Peak	50.00	300	Vertical	Pass
1**	1332.900	39.40	-17.13	54.0	14.60	AV	50.00	300	Vertical	Pass
2	2462.800	97.29	-11.82	74.0	-23.29	Peak	181.00	100	Vertical	N/A
2**	2462.800	87.25	-11.82	54.0	-33.25	AV	181.00	100	Vertical	N/A
3	4791.600	51.51	-2.82	74.0	22.49	Peak	90.00	150	Vertical	Pass
3**	4791.600	41.93	-2.82	54.0	12.07	AV	90.00	150	Vertical	Pass
4	6974.600	54.62	1.34	74.0	19.38	Peak	176.00	400	Vertical	Pass
4**	6974.600	45.16	1.34	54.0	8.84	AV	176.00	400	Vertical	Pass
5	13301.250	55.59	0.87	74.0	18.41	Peak	0.00	150	Vertical	Pass
5**	13301.250	46.69	0.87	54.0	7.31	AV	0.00	150	Vertical	Pass
6	17425.388	56.59	3.61	74.0	17.41	Peak	230.00	100	Vertical	Pass
6**	17425.388	47.35	3.61	54.0	6.65	AV	230.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	46.38	-17.08	74.0	27.62	Peak	131.00	200	Horizontal	Pass
1**	1327.500	32.93	-17.08	54.0	21.07	AV	131.00	200	Horizontal	Pass
2	2420.300	101.94	-12.17	74.0	-27.94	Peak	64.00	200	Horizontal	N/A
2**	2420.300	95.04	-12.17	54.0	-41.04	AV	64.00	200	Horizontal	N/A
3	4983.200	52.30	-1.65	74.0	21.70	Peak	36.00	150	Horizontal	Pass
3**	4983.200	42.80	-1.65	54.0	11.20	AV	36.00	150	Horizontal	Pass
4	6865.200	54.58	-0.15	74.0	19.42	Peak	183.00	300	Horizontal	Pass
4**	6865.200	44.24	-0.15	54.0	9.76	AV	183.00	300	Horizontal	Pass
5	13301.775	55.60	0.87	74.0	18.40	Peak	330.00	150	Horizontal	Pass
5**	13301.775	46.26	0.87	54.0	7.74	AV	330.00	150	Horizontal	Pass
6	17359.499	56.43	2.20	74.0	17.57	Peak	297.00	300	Horizontal	Pass
6**	17359.499	46.86	2.20	54.0	7.14	AV	297.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.400	49.13	-17.60	74.0	24.87	Peak	76.00	200	Vertical	Pass
1**	1165.400	40.78	-17.60	54.0	13.22	AV	76.00	200	Vertical	Pass
2	2419.800	93.04	-12.10	74.0	-19.04	Peak	165.00	150	Vertical	N/A
2**	2419.800	83.83	-12.10	54.0	-29.83	AV	165.00	150	Vertical	N/A
3	2850.700	52.03	-8.32	74.0	21.97	Peak	16.00	100	Vertical	Pass
3**	2850.700	43.06	-8.32	54.0	10.94	AV	16.00	100	Vertical	Pass
4	6655.400	54.72	-0.17	74.0	19.28	Peak	100.00	200	Vertical	Pass
4**	6655.400	45.23	-0.17	54.0	8.77	AV	100.00	200	Vertical	Pass
5	13405.725	56.10	0.54	74.0	17.90	Peak	301.00	200	Vertical	Pass
5**	13405.725	47.09	0.54	54.0	6.91	AV	301.00	200	Vertical	Pass
6	15684.487	55.76	1.45	74.0	18.24	Peak	280.00	150	Vertical	Pass
6**	15684.487	46.47	1.45	54.0	7.53	AV	280.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.000	42.41	-17.22	74.0	31.59	Peak	148.00	400	Horizontal	Pass
1**	1545.000	31.98	-17.22	54.0	22.02	AV	148.00	400	Horizontal	Pass
2	2426.000	107.74	-12.59	74.0	-33.74	Peak	88.00	100	Horizontal	N/A
2**	2426.000	99.20	-12.59	54.0	-45.20	AV	88.00	100	Horizontal	N/A
3	5405.800	53.02	-1.50	74.0	20.98	Peak	168.00	150	Horizontal	Pass
3**	5405.800	43.23	-1.50	54.0	10.77	AV	168.00	150	Horizontal	Pass
4	6792.800	54.33	1.04	74.0	19.67	Peak	282.00	400	Horizontal	Pass
4**	6792.800	45.62	1.04	54.0	8.38	AV	282.00	400	Horizontal	Pass
5	13443.787	55.89	0.54	74.0	18.11	Peak	274.00	150	Horizontal	Pass
5**	13443.787	46.37	0.54	54.0	7.63	AV	274.00	150	Horizontal	Pass
6	17410.163	56.09	3.45	74.0	17.91	Peak	32.00	300	Horizontal	Pass
6**	17410.163	46.78	3.45	54.0	7.22	AV	32.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.300	42.84	-17.08	74.0	31.16	Peak	14.00	300	Vertical	Pass
1**	1596.300	33.12	-17.08	54.0	20.88	AV	14.00	300	Vertical	Pass
2	2428.900	97.02	-12.42	74.0	-23.02	Peak	153.00	100	Vertical	N/A
2**	2428.900	88.82	-12.42	54.0	-34.82	AV	153.00	100	Vertical	N/A
3	4787.200	51.18	-3.11	74.0	22.82	Peak	199.00	150	Vertical	Pass
3**	4787.200	41.58	-3.11	54.0	12.42	AV	199.00	150	Vertical	Pass
4	6508.000	54.81	-0.72	74.0	19.19	Peak	116.00	300	Vertical	Pass
4**	6508.000	45.42	-0.72	54.0	8.58	AV	116.00	300	Vertical	Pass
5	13307.813	56.33	0.86	74.0	17.67	Peak	360.00	400	Vertical	Pass
5**	13307.813	46.43	0.86	54.0	7.57	AV	360.00	400	Vertical	Pass
6	15821.513	55.46	1.80	74.0	18.54	Peak	129.00	150	Vertical	Pass
6**	15821.513	46.38	1.80	54.0	7.62	AV	129.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.700	42.19	-16.99	74.0	31.81	Peak	191.00	300	Horizontal	Pass
1**	1404.700	32.41	-16.99	54.0	21.59	AV	191.00	300	Horizontal	Pass
2	2430.600	107.83	-12.48	74.0	-33.83	Peak	76.00	150	Horizontal	N/A
2**	2430.600	99.14	-12.48	54.0	-45.14	AV	76.00	150	Horizontal	N/A
3	5099.200	52.46	-2.05	74.0	21.54	Peak	361.00	150	Horizontal	Pass
3**	5099.200	43.16	-2.05	54.0	10.84	AV	361.00	150	Horizontal	Pass
4	6914.000	54.47	0.45	74.0	19.53	Peak	361.00	300	Horizontal	Pass
4**	6914.000	44.02	0.45	54.0	9.98	AV	361.00	300	Horizontal	Pass
5	13371.600	55.27	0.69	74.0	18.73	Peak	303.00	150	Horizontal	Pass
5**	13371.600	45.55	0.69	54.0	8.45	AV	303.00	150	Horizontal	Pass
6	15245.587	56.10	0.86	74.0	17.90	Peak	333.00	400	Horizontal	Pass
6**	15245.587	45.91	0.86	54.0	8.09	AV	333.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.900	42.62	-16.95	74.0	31.38	Peak	0.00	300	Vertical	Pass
1**	1348.900	33.35	-16.95	54.0	20.65	AV	0.00	300	Vertical	Pass
2	2427.700	96.76	-12.53	74.0	-22.76	Peak	155.00	150	Vertical	N/A
2**	2427.700	88.31	-12.53	54.0	-34.31	AV	155.00	150	Vertical	N/A
3	4864.200	51.39	-2.66	74.0	22.61	Peak	334.00	150	Vertical	Pass
3**	4864.200	42.03	-2.66	54.0	11.97	AV	334.00	150	Vertical	Pass
4	6653.200	55.28	-0.47	74.0	18.72	Peak	81.00	100	Vertical	Pass
4**	6653.200	44.98	-0.47	54.0	9.02	AV	81.00	100	Vertical	Pass
5	10894.763	52.36	0.09	74.0	21.64	Peak	0.00	150	Vertical	Pass
5**	10894.763	42.21	0.09	54.0	11.79	AV	0.00	150	Vertical	Pass
6	13446.150	55.87	0.57	74.0	18.13	Peak	96.00	400	Vertical	Pass
6**	13446.150	46.05	0.57	54.0	7.95	AV	96.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	45.15	-17.10	74.0	28.85	Peak	178.00	400	Horizontal	Pass
1**	1328.300	37.16	-17.10	54.0	16.84	AV	178.00	400	Horizontal	Pass
2	2441.400	106.87	-12.38	74.0	-32.87	Peak	80.00	200	Horizontal	N/A
2**	2441.400	96.77	-12.38	54.0	-42.77	AV	80.00	200	Horizontal	N/A
3	4892.800	51.53	-2.86	74.0	22.47	Peak	262.00	150	Horizontal	Pass
3**	4892.800	42.05	-2.86	54.0	11.95	AV	262.00	150	Horizontal	Pass
4	6806.000	54.85	2.20	74.0	19.15	Peak	128.00	100	Horizontal	Pass
4**	6806.000	45.92	2.20	54.0	8.08	AV	128.00	100	Horizontal	Pass
5	13144.537	55.08	1.16	74.0	18.92	Peak	125.00	150	Horizontal	Pass
5**	13144.537	44.85	1.16	54.0	9.15	AV	125.00	150	Horizontal	Pass
6	15845.662	56.25	1.36	74.0	17.75	Peak	125.00	100	Horizontal	Pass
6**	15845.662	46.17	1.36	54.0	7.83	AV	125.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.500	47.39	-17.57	74.0	26.61	Peak	72.00	200	Vertical	Pass
1**	1164.500	36.23	-17.57	54.0	17.77	AV	72.00	200	Vertical	Pass
2	2434.800	98.42	-12.18	74.0	-24.42	Peak	168.00	200	Vertical	N/A
2**	2434.800	89.72	-12.18	54.0	-35.72	AV	168.00	200	Vertical	N/A
3	5092.800	52.32	-1.97	74.0	21.68	Peak	100.00	150	Vertical	Pass
3**	5092.800	42.72	-1.97	54.0	11.28	AV	100.00	150	Vertical	Pass
4	6551.200	54.53	-0.59	74.0	19.47	Peak	276.00	400	Vertical	Pass
4**	6551.200	44.57	-0.59	54.0	9.43	AV	276.00	400	Vertical	Pass
5	13393.388	56.18	0.65	74.0	17.82	Peak	360.00	150	Vertical	Pass
5**	13393.388	46.73	0.65	54.0	7.27	AV	360.00	150	Vertical	Pass
6	17439.562	56.32	3.04	74.0	17.68	Peak	0.00	100	Vertical	Pass
6**	17439.562	46.38	3.04	54.0	7.62	AV	0.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.200	42.02	-17.09	74.0	31.98	Peak	42.00	100	Horizontal	Pass
1**	1460.200	33.02	-17.09	54.0	20.98	AV	42.00	100	Horizontal	Pass
2	2437.900	107.51	-12.16	74.0	-33.51	Peak	69.00	100	Horizontal	N/A
2**	2437.900	98.90	-12.16	54.0	-44.90	AV	69.00	100	Horizontal	N/A
3	5062.200	52.12	-2.16	74.0	21.88	Peak	195.00	150	Horizontal	Pass
3**	5062.200	42.48	-2.16	54.0	11.52	AV	195.00	150	Horizontal	Pass
4	6804.400	54.35	1.68	74.0	19.65	Peak	112.00	300	Horizontal	Pass
4**	6804.400	45.47	1.68	54.0	8.53	AV	112.00	300	Horizontal	Pass
5	13443.787	55.50	0.54	74.0	18.50	Peak	38.00	150	Horizontal	Pass
5**	13443.787	46.32	0.54	54.0	7.68	AV	38.00	150	Horizontal	Pass
6	17423.286	56.27	3.67	74.0	17.73	Peak	276.00	400	Horizontal	Pass
6**	17423.286	47.42	3.67	54.0	6.58	AV	276.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1431.100	42.35	-17.09	74.0	31.65	Peak	363.00	100	Vertical	Pass
1**	1431.100	32.03	-17.09	54.0	21.97	AV	363.00	100	Vertical	Pass
2	2436.100	97.23	-12.13	74.0	-23.23	Peak	334.00	100	Vertical	N/A
2**	2436.100	87.91	-12.13	54.0	-33.91	AV	334.00	100	Vertical	N/A
3	5092.800	52.34	-1.97	74.0	21.66	Peak	181.00	150	Vertical	Pass
3**	5092.800	42.52	-1.97	54.0	11.48	AV	181.00	150	Vertical	Pass
4	6334.600	54.81	-0.20	74.0	19.19	Peak	298.00	300	Vertical	Pass
4**	6334.600	46.31	-0.20	54.0	7.69	AV	298.00	300	Vertical	Pass
5	13314.638	56.16	0.88	74.0	17.84	Peak	94.00	200	Vertical	Pass
5**	13314.638	47.04	0.88	54.0	6.96	AV	94.00	200	Vertical	Pass
6	15632.775	55.91	1.62	74.0	18.09	Peak	124.00	150	Vertical	Pass
6**	15632.775	46.22	1.62	54.0	7.78	AV	124.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1413.100	42.96	-17.13	74.0	31.04	Peak	164.00	100	Horizontal	Pass
1**	1413.100	32.31	-17.13	54.0	21.69	AV	164.00	100	Horizontal	Pass
2	2442.200	106.61	-12.38	74.0	-32.61	Peak	72.00	100	Horizontal	N/A
2**	2442.200	98.65	-12.38	54.0	-44.65	AV	72.00	100	Horizontal	N/A
3	5163.400	52.09	-1.52	74.0	21.91	Peak	246.00	150	Horizontal	Pass
3**	5163.400	43.59	-1.52	54.0	10.41	AV	246.00	150	Horizontal	Pass
4	6612.000	54.66	0.57	74.0	19.34	Peak	317.00	300	Horizontal	Pass
4**	6612.000	45.22	0.57	54.0	8.78	AV	317.00	300	Horizontal	Pass
5	13405.987	55.35	0.54	74.0	18.65	Peak	245.00	150	Horizontal	Pass
5**	13405.987	47.19	0.54	54.0	6.81	AV	245.00	150	Horizontal	Pass
6	17393.099	56.66	2.95	74.0	17.34	Peak	63.00	400	Horizontal	Pass
6**	17393.099	46.65	2.95	54.0	7.35	AV	63.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1251.200	42.72	-17.30	74.0	31.28	Peak	293.00	400	Vertical	Pass
1**	1251.200	32.32	-17.30	54.0	21.68	AV	293.00	400	Vertical	Pass
2	2442.600	96.93	-12.40	74.0	-22.93	Peak	150.00	100	Vertical	N/A
2**	2442.600	87.16	-12.40	54.0	-33.16	AV	150.00	100	Vertical	N/A
3	5199.000	52.77	-2.25	74.0	21.23	Peak	360.00	150	Vertical	Pass
3**	5199.000	42.02	-2.25	54.0	11.98	AV	360.00	150	Vertical	Pass
4	6517.600	54.77	-0.36	74.0	19.23	Peak	175.00	400	Vertical	Pass
4**	6517.600	44.61	-0.36	54.0	9.39	AV	175.00	400	Vertical	Pass
5	13318.838	55.46	0.90	74.0	18.54	Peak	135.00	150	Vertical	Pass
5**	13318.838	46.56	0.90	54.0	7.44	AV	135.00	150	Vertical	Pass
6	15506.513	55.66	1.33	74.0	18.34	Peak	308.00	100	Vertical	Pass
6**	15506.513	45.76	1.33	54.0	8.24	AV	308.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.300	44.14	-17.12	74.0	29.86	Peak	122.00	200	Horizontal	Pass
1**	1333.300	33.79	-17.12	54.0	20.21	AV	122.00	200	Horizontal	Pass
2	2449.200	101.11	-12.25	74.0	-27.11	Peak	88.00	200	Horizontal	N/A
2**	2449.200	91.78	-12.25	54.0	-37.78	AV	88.00	200	Horizontal	N/A
3	5258.800	52.53	-1.76	74.0	21.47	Peak	226.00	150	Horizontal	Pass
3**	5258.800	42.66	-1.76	54.0	11.34	AV	226.00	150	Horizontal	Pass
4	6600.800	54.98	-0.71	74.0	19.02	Peak	339.00	300	Horizontal	Pass
4**	6600.800	44.85	-0.71	54.0	9.15	AV	339.00	300	Horizontal	Pass
5	13276.313	55.43	0.70	74.0	18.57	Peak	0.00	150	Horizontal	Pass
5**	13276.313	46.40	0.70	54.0	7.60	AV	0.00	150	Horizontal	Pass
6	15851.175	56.55	1.30	74.0	17.45	Peak	112.00	200	Horizontal	Pass
6**	15851.175	46.35	1.30	54.0	7.65	AV	112.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.100	48.23	-17.63	74.0	25.77	Peak	77.00	200	Vertical	Pass
1**	1162.100	37.36	-17.63	54.0	16.64	AV	77.00	200	Vertical	Pass
2	2453.500	90.26	-12.17	74.0	-16.26	Peak	183.00	150	Vertical	N/A
2**	2453.500	80.67	-12.17	54.0	-26.67	AV	183.00	150	Vertical	N/A
3	2966.400	51.82	-9.11	74.0	22.18	Peak	221.00	150	Vertical	Pass
3**	2966.400	43.93	-9.11	54.0	10.07	AV	221.00	150	Vertical	Pass
4	6029.200	54.81	-1.86	74.0	19.19	Peak	29.00	200	Vertical	Pass
4**	6029.200	43.97	-1.86	54.0	10.03	AV	29.00	200	Vertical	Pass
5	13293.112	55.96	0.82	74.0	18.04	Peak	151.00	150	Vertical	Pass
5**	13293.112	46.75	0.82	54.0	7.25	AV	151.00	150	Vertical	Pass
6	15673.725	56.22	1.51	74.0	17.78	Peak	0.00	100	Vertical	Pass
6**	15673.725	46.31	1.51	54.0	7.69	AV	0.00	100	Vertical	Pass

ANT 1:**1 GHz to 18 GHz, ANT H 802.11b CH1**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	44.29	-17.09	74.0	29.71	Peak	116.00	300	Horizontal	Pass
1**	1332.100	33.31	-17.09	54.0	20.69	AV	116.00	300	Horizontal	Pass
2	2413.200	105.59	-10.74	74.0	-31.59	Peak	127.00	150	Horizontal	N/A
2**	2413.200	102.74	-10.74	54.0	-48.74	AV	127.00	150	Horizontal	N/A
3	4824.600	51.86	-2.16	74.0	22.14	Peak	237.00	150	Horizontal	Pass
3**	4824.600	43.90	-2.16	54.0	10.10	AV	237.00	150	Horizontal	Pass
4	6806.200	55.24	2.26	74.0	18.76	Peak	135.00	200	Horizontal	Pass
4**	6806.200	45.61	2.26	54.0	8.39	AV	135.00	200	Horizontal	Pass
5	13304.925	55.94	0.87	74.0	18.06	Peak	283.00	150	Horizontal	Pass
5**	13304.925	46.36	0.87	54.0	7.64	AV	283.00	150	Horizontal	Pass
6	17398.614	56.13	3.13	74.0	17.87	Peak	178.00	300	Horizontal	Pass
6**	17398.614	46.61	3.13	54.0	7.39	AV	178.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	47.54	-17.09	74.0	26.46	Peak	58.00	400	Vertical	Pass
1**	1328.600	34.94	-17.09	54.0	19.06	AV	58.00	400	Vertical	Pass
2	2413.200	91.48	-10.74	74.0	-17.48	Peak	113.00	150	Vertical	N/A
2**	2413.200	88.68	-10.74	54.0	-34.68	AV	113.00	150	Vertical	N/A
3	2952.000	51.38	-8.90	74.0	22.62	Peak	163.00	150	Vertical	Pass
3**	2952.000	42.28	-8.90	54.0	11.72	AV	163.00	150	Vertical	Pass
4	4824.400	49.91	-2.10	74.0	24.09	Peak	322.00	150	Vertical	Pass
4**	4824.400	46.11	-2.10	54.0	7.89	AV	322.00	150	Vertical	Pass
5	13412.287	56.12	0.46	74.0	17.88	Peak	344.00	150	Vertical	Pass
5**	13412.287	46.33	0.46	54.0	7.67	AV	344.00	150	Vertical	Pass
6	16128.375	56.41	0.95	74.0	17.59	Peak	198.00	300	Vertical	Pass
6**	16128.375	46.05	0.95	54.0	7.95	AV	198.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	42.14	-17.07	74.0	31.86	Peak	265.00	400	Horizontal	Pass
1**	1572.800	32.80	-17.07	54.0	21.20	AV	265.00	400	Horizontal	Pass
2	2415.800	106.15	-11.33	74.0	-32.15	Peak	134.00	150	Horizontal	N/A
2**	2415.800	103.27	-11.33	54.0	-49.27	AV	134.00	150	Horizontal	N/A
3	4834.200	50.90	-2.73	74.0	23.10	Peak	251.00	150	Horizontal	Pass
3**	4834.200	46.36	-2.73	54.0	7.64	AV	251.00	150	Horizontal	Pass
4	6620.400	54.33	0.37	74.0	19.67	Peak	18.00	100	Horizontal	Pass
4**	6620.400	44.69	0.37	54.0	9.31	AV	18.00	100	Horizontal	Pass
5	13296.000	55.39	0.84	74.0	18.61	Peak	249.00	150	Horizontal	Pass
5**	13296.000	46.40	0.84	54.0	7.60	AV	249.00	150	Horizontal	Pass
6	16103.437	56.36	1.05	74.0	17.64	Peak	192.00	100	Horizontal	Pass
6**	16103.437	46.03	1.05	54.0	7.97	AV	192.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1309.700	42.69	-16.96	74.0	31.31	Peak	203.00	200	Vertical	Pass
1**	1309.700	32.09	-16.96	54.0	21.91	AV	203.00	200	Vertical	Pass
2	2418.100	97.41	-11.83	74.0	-23.41	Peak	173.00	100	Vertical	N/A
2**	2418.100	94.53	-11.83	54.0	-40.53	AV	173.00	100	Vertical	N/A
3	4834.200	51.01	-2.73	74.0	22.99	Peak	21.00	150	Vertical	Pass
3**	4834.200	46.58	-2.73	54.0	7.42	AV	21.00	150	Vertical	Pass
4	6976.400	54.69	1.63	74.0	19.31	Peak	155.00	400	Vertical	Pass
4**	6976.400	44.82	1.63	54.0	9.18	AV	155.00	400	Vertical	Pass
5	13323.563	55.25	0.92	74.0	18.75	Peak	186.00	150	Vertical	Pass
5**	13323.563	46.22	0.92	54.0	7.78	AV	186.00	150	Vertical	Pass
6	16079.549	56.15	1.63	74.0	17.85	Peak	215.00	200	Vertical	Pass
6**	16079.549	46.32	1.63	54.0	7.68	AV	215.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	44.64	-17.06	74.0	29.36	Peak	181.00	400	Horizontal	Pass
1**	1329.100	33.35	-17.06	54.0	20.65	AV	181.00	400	Horizontal	Pass
2	2435.800	105.74	-12.14	74.0	-31.74	Peak	124.00	150	Horizontal	N/A
2**	2435.800	102.87	-12.14	54.0	-48.87	AV	124.00	150	Horizontal	N/A
3	4874.200	49.81	-2.66	74.0	24.19	Peak	225.00	150	Horizontal	Pass
3**	4874.200	45.22	-2.66	54.0	8.78	AV	225.00	150	Horizontal	Pass
4	6805.600	54.55	2.07	74.0	19.45	Peak	182.00	300	Horizontal	Pass
4**	6805.600	45.81	2.07	54.0	8.19	AV	182.00	300	Horizontal	Pass
5	13408.349	56.04	0.52	74.0	17.96	Peak	98.00	150	Horizontal	Pass
5**	13408.349	46.92	0.52	54.0	7.08	AV	98.00	150	Horizontal	Pass
6	17439.037	56.43	3.07	74.0	17.57	Peak	231.00	300	Horizontal	Pass
6**	17439.037	46.62	3.07	54.0	7.38	AV	231.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.200	47.09	-17.59	74.0	26.91	Peak	73.00	100	Vertical	Pass
1**	1165.200	35.07	-17.59	54.0	18.93	AV	73.00	100	Vertical	Pass
2	2435.800	96.26	-12.14	74.0	-22.26	Peak	116.00	150	Vertical	N/A
2**	2435.800	93.35	-12.14	54.0	-39.35	AV	116.00	150	Vertical	N/A
3	2889.900	51.58	-9.18	74.0	22.42	Peak	73.00	150	Vertical	Pass
3**	2889.900	41.95	-9.18	54.0	12.05	AV	73.00	150	Vertical	Pass
4	6627.400	54.07	0.18	74.0	19.93	Peak	276.00	100	Vertical	Pass
4**	6627.400	44.73	0.18	54.0	9.27	AV	276.00	100	Vertical	Pass
5	13288.912	55.30	0.78	74.0	18.70	Peak	344.00	150	Vertical	Pass
5**	13288.912	46.14	0.78	54.0	7.86	AV	344.00	150	Vertical	Pass
6	16058.812	55.54	0.90	74.0	18.46	Peak	0.00	400	Vertical	Pass
6**	16058.812	45.85	0.90	54.0	8.15	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.000	42.22	-17.24	74.0	31.78	Peak	29.00	100	Horizontal	Pass
1**	1519.000	33.28	-17.24	54.0	20.72	AV	29.00	100	Horizontal	Pass
2	2458.100	105.42	-11.97	74.0	-31.42	Peak	128.00	100	Horizontal	N/A
2**	2458.100	102.73	-11.97	54.0	-48.73	AV	128.00	100	Horizontal	N/A
3	2776.700	51.59	-9.16	74.0	22.41	Peak	0.00	200	Horizontal	Pass
3**	2776.700	42.19	-9.16	54.0	11.81	AV	0.00	200	Horizontal	Pass
4	6807.000	54.85	2.15	74.0	19.15	Peak	116.00	300	Horizontal	Pass
4**	6807.000	47.17	2.15	54.0	6.83	AV	116.00	300	Horizontal	Pass
5	13400.738	56.10	0.53	74.0	17.90	Peak	354.00	150	Horizontal	Pass
5**	13400.738	46.11	0.53	54.0	7.89	AV	354.00	150	Horizontal	Pass
6	15799.987	56.42	2.33	74.0	17.58	Peak	0.00	400	Horizontal	Pass
6**	15799.987	46.92	2.33	54.0	7.08	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	42.91	-16.98	74.0	31.09	Peak	224.00	300	Vertical	Pass
1**	1330.600	32.56	-16.98	54.0	21.44	AV	224.00	300	Vertical	Pass
2	2455.800	98.11	-12.13	74.0	-24.11	Peak	304.00	100	Vertical	N/A
2**	2455.800	95.23	-12.13	54.0	-41.23	AV	304.00	100	Vertical	N/A
3	4812.800	51.61	-2.06	74.0	22.39	Peak	113.00	100	Vertical	Pass
3**	4812.800	42.31	-2.06	54.0	11.69	AV	113.00	100	Vertical	Pass
4	6327.800	54.67	-1.15	74.0	19.33	Peak	290.00	200	Vertical	Pass
4**	6327.800	44.73	-1.15	54.0	9.27	AV	290.00	200	Vertical	Pass
5	13415.175	55.58	0.41	74.0	18.42	Peak	204.00	150	Vertical	Pass
5**	13415.175	46.54	0.41	54.0	7.46	AV	204.00	150	Vertical	Pass
6	17416.200	56.05	3.67	74.0	17.95	Peak	36.00	400	Vertical	Pass
6**	17416.200	46.47	3.67	54.0	7.53	AV	36.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	44.46	-16.98	74.0	29.54	Peak	125.00	300	Horizontal	Pass
1**	1330.600	33.40	-16.98	54.0	20.60	AV	125.00	300	Horizontal	Pass
2	2463.100	104.37	-11.78	74.0	-30.37	Peak	125.00	100	Horizontal	N/A
2**	2463.100	101.58	-11.78	54.0	-47.58	AV	125.00	100	Horizontal	N/A
3	2851.700	51.46	-8.34	74.0	22.54	Peak	66.00	200	Horizontal	Pass
3**	2851.700	42.25	-8.34	54.0	11.75	AV	66.00	200	Horizontal	Pass
4	6807.600	54.97	1.96	74.0	19.03	Peak	82.00	300	Horizontal	Pass
4**	6807.600	45.49	1.96	54.0	8.51	AV	82.00	300	Horizontal	Pass
5	13305.450	55.21	0.87	74.0	18.79	Peak	85.00	150	Horizontal	Pass
5**	13305.450	46.29	0.87	54.0	7.71	AV	85.00	150	Horizontal	Pass
6	17422.238	56.25	3.70	74.0	17.75	Peak	31.00	200	Horizontal	Pass
6**	17422.238	46.63	3.70	54.0	7.37	AV	31.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.800	47.20	-17.65	74.0	26.80	Peak	87.00	200	Vertical	Pass
1**	1166.800	32.97	-17.65	54.0	21.03	AV	87.00	200	Vertical	Pass
2	2463.100	93.09	-11.78	74.0	-19.09	Peak	117.00	200	Vertical	N/A
2**	2463.100	90.10	-11.78	54.0	-36.10	AV	117.00	200	Vertical	N/A
3	4817.800	51.48	-2.16	74.0	22.52	Peak	238.00	100	Vertical	Pass
3**	4817.800	42.23	-2.16	54.0	11.77	AV	238.00	100	Vertical	Pass
4	6996.600	54.26	1.41	74.0	19.74	Peak	107.00	200	Vertical	Pass
4**	6996.600	44.52	1.41	54.0	9.48	AV	107.00	200	Vertical	Pass
5	13431.451	56.23	0.40	74.0	17.77	Peak	308.00	400	Vertical	Pass
5**	13431.451	46.19	0.40	54.0	7.81	AV	308.00	400	Vertical	Pass
6	15244.013	56.20	0.89	74.0	17.80	Peak	216.00	150	Vertical	Pass
6**	15244.013	46.49	0.89	54.0	7.51	AV	216.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	44.63	-17.01	74.0	29.37	Peak	174.00	100	Horizontal	Pass
1**	1329.900	33.97	-17.01	54.0	20.03	AV	174.00	100	Horizontal	Pass
2	2411.000	105.86	-10.58	74.0	-31.86	Peak	131.00	100	Horizontal	N/A
2**	2411.000	98.26	-10.58	54.0	-44.26	AV	131.00	100	Horizontal	N/A
3	2770.900	51.70	-8.46	74.0	22.30	Peak	206.00	150	Horizontal	Pass
3**	2770.900	42.39	-8.46	54.0	11.61	AV	206.00	150	Horizontal	Pass
4	6800.000	54.98	1.40	74.0	19.02	Peak	296.00	100	Horizontal	Pass
4**	6800.000	45.11	1.40	54.0	8.89	AV	296.00	100	Horizontal	Pass
5	13319.888	55.74	0.90	74.0	18.26	Peak	270.00	150	Horizontal	Pass
5**	13319.888	46.14	0.90	54.0	7.86	AV	270.00	150	Horizontal	Pass
6	17318.025	56.18	1.34	74.0	17.82	Peak	8.00	200	Horizontal	Pass
6**	17318.025	45.79	1.34	54.0	8.21	AV	8.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11nb CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	47.98	-17.09	74.0	26.02	Peak	45.00	200	Vertical	Pass
1**	1328.500	40.44	-17.09	54.0	13.56	AV	45.00	200	Vertical	Pass
2	2413.100	93.28	-10.73	74.0	-19.28	Peak	111.00	200	Vertical	N/A
2**	2413.100	85.33	-10.73	54.0	-31.33	AV	111.00	200	Vertical	N/A
3	4845.800	51.90	-2.59	74.0	22.10	Peak	244.00	150	Vertical	Pass
3**	4845.800	41.87	-2.59	54.0	12.13	AV	244.00	150	Vertical	Pass
4	6790.600	54.40	0.77	74.0	19.60	Peak	299.00	200	Vertical	Pass
4**	6790.600	45.60	0.77	54.0	8.40	AV	299.00	200	Vertical	Pass
5	13383.151	55.58	0.64	74.0	18.42	Peak	360.00	150	Vertical	Pass
5**	13383.151	46.03	0.64	54.0	7.97	AV	360.00	150	Vertical	Pass
6	17342.437	56.16	1.61	74.0	17.84	Peak	360.00	100	Vertical	Pass
6**	17342.437	45.77	1.61	54.0	8.23	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.200	42.46	-17.09	74.0	31.54	Peak	313.00	100	Horizontal	Pass
1**	1588.200	32.84	-17.09	54.0	21.16	AV	313.00	100	Horizontal	Pass
2	2415.600	110.40	-11.26	74.0	-36.40	Peak	119.00	150	Horizontal	N/A
2**	2415.600	103.67	-11.26	54.0	-49.67	AV	119.00	150	Horizontal	N/A
3	4956.600	51.88	-2.57	74.0	22.12	Peak	318.00	200	Horizontal	Pass
3**	4956.600	41.94	-2.57	54.0	12.06	AV	318.00	200	Horizontal	Pass
4	6521.400	55.05	0.23	74.0	18.95	Peak	84.00	300	Horizontal	Pass
4**	6521.400	45.31	0.23	54.0	8.69	AV	84.00	300	Horizontal	Pass
5	13415.700	56.05	0.41	74.0	17.95	Peak	41.00	150	Horizontal	Pass
5**	13415.700	47.37	0.41	54.0	6.63	AV	41.00	150	Horizontal	Pass
6	15806.812	56.29	2.23	74.0	17.71	Peak	303.00	300	Horizontal	Pass
6**	15806.812	46.20	2.23	54.0	7.80	AV	303.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.000	42.43	-16.90	74.0	31.57	Peak	153.00	200	Vertical	Pass
1**	1501.000	33.26	-16.90	54.0	20.74	AV	153.00	200	Vertical	Pass
2	2417.800	100.76	-11.78	74.0	-26.76	Peak	172.00	100	Vertical	N/A
2**	2417.800	93.49	-11.78	54.0	-39.49	AV	172.00	100	Vertical	N/A
3	2998.300	51.84	-9.21	74.0	22.16	Peak	135.00	100	Vertical	Pass
3**	2998.300	42.61	-9.21	54.0	11.39	AV	135.00	100	Vertical	Pass
4	6793.600	54.38	1.14	74.0	19.62	Peak	310.00	200	Vertical	Pass
4**	6793.600	46.08	1.14	54.0	7.92	AV	310.00	200	Vertical	Pass
5	13303.612	55.77	0.87	74.0	18.23	Peak	214.00	150	Vertical	Pass
5**	13303.612	46.63	0.87	54.0	7.37	AV	214.00	150	Vertical	Pass
6	17433.786	55.94	3.31	74.0	18.06	Peak	234.00	200	Vertical	Pass
6**	17433.786	46.46	3.31	54.0	7.54	AV	234.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.700	41.88	-17.12	74.0	32.12	Peak	0.00	400	Horizontal	Pass
1**	1358.700	33.41	-17.12	54.0	20.59	AV	0.00	400	Horizontal	Pass
2	2420.300	109.96	-12.17	74.0	-35.96	Peak	115.00	100	Horizontal	N/A
2**	2420.300	103.09	-12.17	54.0	-49.09	AV	115.00	100	Horizontal	N/A
3	2999.400	51.74	-9.21	74.0	22.26	Peak	164.00	200	Horizontal	Pass
3**	2999.400	41.73	-9.21	54.0	12.27	AV	164.00	200	Horizontal	Pass
4	6787.000	54.46	0.07	74.0	19.54	Peak	120.00	400	Horizontal	Pass
4**	6787.000	45.39	0.07	54.0	8.61	AV	120.00	400	Horizontal	Pass
5	13603.651	55.81	0.98	74.0	18.19	Peak	53.00	150	Horizontal	Pass
5**	13603.651	45.39	0.98	54.0	8.61	AV	53.00	150	Horizontal	Pass
6	16080.862	56.55	1.62	74.0	17.45	Peak	332.00	100	Horizontal	Pass
6**	16080.862	46.84	1.62	54.0	7.16	AV	332.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.700	42.69	-17.23	74.0	31.31	Peak	143.00	400	Vertical	Pass
1**	1526.700	32.19	-17.23	54.0	21.81	AV	143.00	400	Vertical	Pass
2	2421.400	101.23	-12.35	74.0	-27.23	Peak	167.00	150	Vertical	N/A
2**	2421.400	94.04	-12.35	54.0	-40.04	AV	167.00	150	Vertical	N/A
3	4845.200	51.89	-2.55	74.0	22.11	Peak	175.00	150	Vertical	Pass
3**	4845.200	42.45	-2.55	54.0	11.55	AV	175.00	150	Vertical	Pass
4	6515.200	54.75	-0.33	74.0	19.25	Peak	18.00	100	Vertical	Pass
4**	6515.200	46.12	-0.33	54.0	7.88	AV	18.00	100	Vertical	Pass
5	13393.912	56.27	0.64	74.0	17.73	Peak	325.00	150	Vertical	Pass
5**	13393.912	46.30	0.64	54.0	7.70	AV	325.00	150	Vertical	Pass
6	15839.625	56.53	1.45	74.0	17.47	Peak	297.00	300	Vertical	Pass
6**	15839.625	46.73	1.45	54.0	7.27	AV	297.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.600	42.77	-17.10	74.0	31.23	Peak	173.00	100	Horizontal	Pass
1**	1583.600	33.40	-17.10	54.0	20.60	AV	173.00	100	Horizontal	Pass
2	2424.200	109.94	-12.59	74.0	-35.94	Peak	72.00	200	Horizontal	N/A
2**	2424.200	103.06	-12.59	54.0	-49.06	AV	72.00	200	Horizontal	N/A
3	4823.400	51.62	-1.99	74.0	22.38	Peak	163.00	150	Horizontal	Pass
3**	4823.400	41.89	-1.99	54.0	12.11	AV	163.00	150	Horizontal	Pass
4	6611.600	54.52	0.64	74.0	19.48	Peak	330.00	300	Horizontal	Pass
4**	6611.600	45.68	0.64	54.0	8.32	AV	330.00	300	Horizontal	Pass
5	13304.138	55.57	0.87	74.0	18.43	Peak	244.00	150	Horizontal	Pass
5**	13304.138	46.48	0.87	54.0	7.52	AV	244.00	150	Horizontal	Pass
6	16085.588	56.01	1.52	74.0	17.99	Peak	205.00	300	Horizontal	Pass
6**	16085.588	45.79	1.52	54.0	8.21	AV	205.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.700	42.83	-17.01	74.0	31.17	Peak	271.00	400	Vertical	Pass
1**	1570.700	33.17	-17.01	54.0	20.83	AV	271.00	400	Vertical	Pass
2	2425.800	100.91	-12.59	74.0	-26.91	Peak	167.00	150	Vertical	N/A
2**	2425.800	93.67	-12.59	54.0	-39.67	AV	167.00	150	Vertical	N/A
3	2839.900	51.85	-8.82	74.0	22.15	Peak	118.00	200	Vertical	Pass
3**	2839.900	42.61	-8.82	54.0	11.39	AV	118.00	200	Vertical	Pass
4	6840.400	54.90	0.90	74.0	19.10	Peak	44.00	300	Vertical	Pass
4**	6840.400	44.92	0.90	54.0	9.08	AV	44.00	300	Vertical	Pass
5	13433.287	55.58	0.41	74.0	18.42	Peak	308.00	150	Vertical	Pass
5**	13433.287	46.63	0.41	54.0	7.37	AV	308.00	150	Vertical	Pass
6	15802.350	57.01	2.30	74.0	16.99	Peak	16.00	400	Vertical	Pass
6**	15802.350	47.00	2.30	54.0	7.00	AV	16.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	44.27	-17.08	74.0	29.73	Peak	173.00	300	Horizontal	Pass
1**	1328.700	37.14	-17.08	54.0	16.86	AV	173.00	300	Horizontal	Pass
2	2435.800	107.64	-12.14	74.0	-33.64	Peak	130.00	200	Horizontal	N/A
2**	2435.800	100.16	-12.14	54.0	-46.16	AV	130.00	200	Horizontal	N/A
3	2810.100	51.64	-10.33	74.0	22.36	Peak	359.00	150	Horizontal	Pass
3**	2810.100	41.02	-10.33	54.0	12.98	AV	359.00	150	Horizontal	Pass
4	6636.400	54.16	-0.72	74.0	19.84	Peak	46.00	200	Horizontal	Pass
4**	6636.400	44.82	-0.72	54.0	9.18	AV	46.00	200	Horizontal	Pass
5	13291.275	55.22	0.80	74.0	18.78	Peak	112.00	150	Horizontal	Pass
5**	13291.275	45.99	0.80	54.0	8.01	AV	112.00	150	Horizontal	Pass
6	16083.750	56.02	1.56	74.0	17.98	Peak	219.00	400	Horizontal	Pass
6**	16083.750	46.71	1.56	54.0	7.29	AV	219.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	47.76	-17.05	74.0	26.24	Peak	39.00	200	Vertical	Pass
1**	1331.500	37.29	-17.05	54.0	16.71	AV	39.00	200	Vertical	Pass
2	2436.000	98.52	-12.14	74.0	-24.52	Peak	118.00	200	Vertical	N/A
2**	2436.000	90.61	-12.14	54.0	-36.61	AV	118.00	200	Vertical	N/A
3	2855.500	52.14	-8.35	74.0	21.86	Peak	353.00	100	Vertical	Pass
3**	2855.500	43.77	-8.35	54.0	10.23	AV	353.00	100	Vertical	Pass
4	6809.000	54.66	1.60	74.0	19.34	Peak	318.00	100	Vertical	Pass
4**	6809.000	45.30	1.60	54.0	8.70	AV	318.00	100	Vertical	Pass
5	13293.112	55.25	0.82	74.0	18.75	Peak	169.00	150	Vertical	Pass
5**	13293.112	47.27	0.82	54.0	6.73	AV	169.00	150	Vertical	Pass
6	17405.438	56.26	3.33	74.0	17.74	Peak	246.00	100	Vertical	Pass
6**	17405.438	46.56	3.33	54.0	7.44	AV	246.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.800	42.45	-16.72	74.0	31.55	Peak	82.00	400	Horizontal	Pass
1**	1489.800	33.82	-16.72	54.0	20.18	AV	82.00	400	Horizontal	Pass
2	2454.900	110.00	-12.13	74.0	-36.00	Peak	69.00	200	Horizontal	N/A
2**	2454.900	103.32	-12.13	54.0	-49.32	AV	69.00	200	Horizontal	N/A
3	4810.000	51.36	-2.12	74.0	22.64	Peak	248.00	150	Horizontal	Pass
3**	4810.000	42.04	-2.12	54.0	11.96	AV	248.00	150	Horizontal	Pass
4	6790.400	55.06	0.74	74.0	18.94	Peak	0.00	300	Horizontal	Pass
4**	6790.400	46.13	0.74	54.0	7.87	AV	0.00	300	Horizontal	Pass
5	13320.150	55.14	0.91	74.0	18.86	Peak	0.00	150	Horizontal	Pass
5**	13320.150	46.57	0.91	54.0	7.43	AV	0.00	150	Horizontal	Pass
6	15659.813	56.19	1.27	74.0	17.81	Peak	131.00	300	Horizontal	Pass
6**	15659.813	45.66	1.27	54.0	8.34	AV	131.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.000	42.56	-16.99	74.0	31.44	Peak	0.00	100	Vertical	Pass
1**	1404.000	33.39	-16.99	54.0	20.61	AV	0.00	100	Vertical	Pass
2	2455.500	99.10	-12.13	74.0	-25.10	Peak	360.00	100	Vertical	N/A
2**	2455.500	92.56	-12.13	54.0	-38.56	AV	360.00	100	Vertical	N/A
3	4796.200	51.72	-3.04	74.0	22.28	Peak	164.00	150	Vertical	Pass
3**	4796.200	41.98	-3.04	54.0	12.02	AV	164.00	150	Vertical	Pass
4	6790.000	55.37	0.70	74.0	18.63	Peak	26.00	300	Vertical	Pass
4**	6790.000	45.38	0.70	54.0	8.62	AV	26.00	300	Vertical	Pass
5	13303.612	55.84	0.87	74.0	18.16	Peak	276.00	150	Vertical	Pass
5**	13303.612	47.18	0.87	54.0	6.82	AV	276.00	150	Vertical	Pass
6	15632.513	56.27	1.63	74.0	17.73	Peak	55.00	100	Vertical	Pass
6**	15632.513	45.92	1.63	54.0	8.08	AV	55.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	44.12	-17.00	74.0	29.88	Peak	127.00	400	Horizontal	Pass
1**	1330.100	33.68	-17.00	54.0	20.32	AV	127.00	400	Horizontal	Pass
2	2460.300	104.59	-12.01	74.0	-30.59	Peak	127.00	100	Horizontal	N/A
2**	2460.300	97.33	-12.01	54.0	-43.33	AV	127.00	100	Horizontal	N/A
3	4845.800	51.26	-2.59	74.0	22.74	Peak	98.00	150	Horizontal	Pass
3**	4845.800	41.99	-2.59	54.0	12.01	AV	98.00	150	Horizontal	Pass
4	6806.200	54.41	2.26	74.0	19.59	Peak	175.00	400	Horizontal	Pass
4**	6806.200	46.75	2.26	54.0	7.25	AV	175.00	400	Horizontal	Pass
5	13295.475	55.92	0.84	74.0	18.08	Peak	0.00	150	Horizontal	Pass
5**	13295.475	46.27	0.84	54.0	7.73	AV	0.00	150	Horizontal	Pass
6	17392.050	56.21	2.92	74.0	17.79	Peak	226.00	400	Horizontal	Pass
6**	17392.050	45.86	2.92	54.0	8.14	AV	226.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.800	47.65	-17.61	74.0	26.35	Peak	62.00	100	Vertical	Pass
1**	1165.800	35.86	-17.61	54.0	18.14	AV	62.00	100	Vertical	Pass
2	2460.800	93.20	-12.05	74.0	-19.20	Peak	115.00	150	Vertical	N/A
2**	2460.800	85.37	-12.05	54.0	-31.37	AV	115.00	150	Vertical	N/A
3	4807.200	51.59	-2.34	74.0	22.41	Peak	224.00	150	Vertical	Pass
3**	4807.200	41.75	-2.34	54.0	12.25	AV	224.00	150	Vertical	Pass
4	6806.000	54.12	2.20	74.0	19.88	Peak	118.00	100	Vertical	Pass
4**	6806.000	45.53	2.20	54.0	8.47	AV	118.00	100	Vertical	Pass
5	13325.924	54.90	0.93	74.0	19.10	Peak	360.00	150	Vertical	Pass
5**	13325.924	45.80	0.93	54.0	8.20	AV	360.00	150	Vertical	Pass
6	16280.100	55.60	1.01	74.0	18.40	Peak	265.00	100	Vertical	Pass
6**	16280.100	44.75	1.01	54.0	9.25	AV	265.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	44.50	-16.98	74.0	29.50	Peak	130.00	100	Horizontal	Pass
1**	1330.400	33.74	-16.98	54.0	20.26	AV	130.00	100	Horizontal	Pass
2	2413.300	105.15	-10.74	74.0	-31.15	Peak	124.00	100	Horizontal	N/A
2**	2413.300	97.24	-10.74	54.0	-43.24	AV	124.00	100	Horizontal	N/A
3	4994.600	51.56	-2.54	74.0	22.44	Peak	34.00	150	Horizontal	Pass
3**	4994.600	41.51	-2.54	54.0	12.49	AV	34.00	150	Horizontal	Pass
4	6437.400	54.21	-0.80	74.0	19.79	Peak	45.00	200	Horizontal	Pass
4**	6437.400	44.50	-0.80	54.0	9.50	AV	45.00	200	Horizontal	Pass
5	13324.088	56.07	0.92	74.0	17.93	Peak	0.00	150	Horizontal	Pass
5**	13324.088	46.58	0.92	54.0	7.42	AV	0.00	150	Horizontal	Pass
6	17418.824	56.29	3.73	74.0	17.71	Peak	230.00	300	Horizontal	Pass
6**	17418.824	47.78	3.73	54.0	6.22	AV	230.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.600	48.34	-17.58	74.0	25.66	Peak	71.00	300	Vertical	Pass
1**	1163.600	39.17	-17.58	54.0	14.83	AV	71.00	300	Vertical	Pass
2	2413.100	90.47	-10.73	74.0	-16.47	Peak	113.00	100	Vertical	N/A
2**	2413.100	82.87	-10.73	54.0	-28.87	AV	113.00	100	Vertical	N/A
3	4824.200	51.34	-2.04	74.0	22.66	Peak	308.00	100	Vertical	Pass
3**	4824.200	42.56	-2.04	54.0	11.44	AV	308.00	100	Vertical	Pass
4	6658.000	54.86	-0.09	74.0	19.14	Peak	264.00	300	Vertical	Pass
4**	6658.000	44.57	-0.09	54.0	9.43	AV	264.00	300	Vertical	Pass
5	13323.037	55.88	0.92	74.0	18.12	Peak	206.00	150	Vertical	Pass
5**	13323.037	46.48	0.92	54.0	7.52	AV	206.00	150	Vertical	Pass
6	17419.088	56.31	3.74	74.0	17.69	Peak	0.00	400	Vertical	Pass
6**	17419.088	47.24	3.74	54.0	6.76	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1424.200	42.53	-16.93	74.0	31.47	Peak	14.00	200	Horizontal	Pass
1**	1424.200	33.88	-16.93	54.0	20.12	AV	14.00	200	Horizontal	Pass
2	2414.500	109.87	-10.88	74.0	-35.87	Peak	114.00	150	Horizontal	N/A
2**	2414.500	102.48	-10.88	54.0	-48.48	AV	114.00	150	Horizontal	N/A
3	2937.000	51.58	-9.23	74.0	22.42	Peak	144.00	200	Horizontal	Pass
3**	2937.000	40.89	-9.23	54.0	13.11	AV	144.00	200	Horizontal	Pass
4	6798.400	54.73	1.21	74.0	19.27	Peak	300.00	200	Horizontal	Pass
4**	6798.400	44.64	1.21	54.0	9.36	AV	300.00	200	Horizontal	Pass
5	13410.187	55.52	0.50	74.0	18.48	Peak	72.00	150	Horizontal	Pass
5**	13410.187	46.74	0.50	54.0	7.26	AV	72.00	150	Horizontal	Pass
6	15834.900	56.01	1.45	74.0	17.99	Peak	0.00	100	Horizontal	Pass
6**	15834.900	46.56	1.45	54.0	7.44	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.400	42.49	-17.09	74.0	31.51	Peak	175.00	200	Vertical	Pass
1**	1573.400	33.09	-17.09	54.0	20.91	AV	175.00	200	Vertical	Pass
2	2416.000	100.97	-11.40	74.0	-26.97	Peak	170.00	200	Vertical	N/A
2**	2416.000	94.16	-11.40	54.0	-40.16	AV	170.00	200	Vertical	N/A
3	4779.800	51.37	-2.76	74.0	22.63	Peak	101.00	100	Vertical	Pass
3**	4779.800	41.38	-2.76	54.0	12.62	AV	101.00	100	Vertical	Pass
4	6974.200	54.62	1.28	74.0	19.38	Peak	291.00	100	Vertical	Pass
4**	6974.200	46.95	1.28	54.0	7.05	AV	291.00	100	Vertical	Pass
5	13287.862	56.47	0.77	74.0	17.53	Peak	17.00	200	Vertical	Pass
5**	13287.862	47.45	0.77	54.0	6.55	AV	17.00	200	Vertical	Pass
6	16079.025	56.08	1.62	74.0	17.92	Peak	140.00	150	Vertical	Pass
6**	16079.025	46.68	1.62	54.0	7.32	AV	140.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.600	42.34	-16.86	74.0	31.66	Peak	269.00	100	Horizontal	Pass
1**	1504.600	33.30	-16.86	54.0	20.70	AV	269.00	100	Horizontal	Pass
2	2419.400	109.81	-12.04	74.0	-35.81	Peak	131.00	150	Horizontal	N/A
2**	2419.400	102.13	-12.04	54.0	-48.13	AV	131.00	150	Horizontal	N/A
3	2761.100	51.27	-9.74	74.0	22.73	Peak	13.00	150	Horizontal	Pass
3**	2761.100	41.45	-9.74	54.0	12.55	AV	13.00	150	Horizontal	Pass
4	6992.400	54.77	1.83	74.0	19.23	Peak	0.00	200	Horizontal	Pass
4**	6992.400	45.44	1.83	54.0	8.56	AV	0.00	200	Horizontal	Pass
5	13323.300	55.37	0.92	74.0	18.63	Peak	215.00	150	Horizontal	Pass
5**	13323.300	47.09	0.92	54.0	6.91	AV	215.00	150	Horizontal	Pass
6	17431.425	56.00	3.40	74.0	18.00	Peak	57.00	100	Horizontal	Pass
6**	17431.425	47.13	3.40	54.0	6.87	AV	57.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1293.300	42.44	-17.15	74.0	31.56	Peak	247.00	400	Vertical	Pass
1**	1293.300	32.47	-17.15	54.0	21.53	AV	247.00	400	Vertical	Pass
2	2421.000	100.65	-12.28	74.0	-26.65	Peak	158.00	100	Vertical	N/A
2**	2421.000	93.31	-12.28	54.0	-39.31	AV	158.00	100	Vertical	N/A
3	4698.200	51.87	-2.85	74.0	22.13	Peak	346.00	100	Vertical	Pass
3**	4698.200	41.63	-2.85	54.0	12.37	AV	346.00	100	Vertical	Pass
4	6806.600	54.03	2.28	74.0	19.97	Peak	106.00	200	Vertical	Pass
4**	6806.600	46.33	2.28	54.0	7.67	AV	106.00	200	Vertical	Pass
5	13434.338	55.92	0.42	74.0	18.08	Peak	96.00	150	Vertical	Pass
5**	13434.338	47.08	0.42	54.0	6.92	AV	96.00	150	Vertical	Pass
6	17419.614	56.51	3.75	74.0	17.49	Peak	360.00	100	Vertical	Pass
6**	17419.614	46.90	3.75	54.0	7.10	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.300	42.24	-16.96	74.0	31.76	Peak	308.00	200	Horizontal	Pass
1**	1379.300	32.81	-16.96	54.0	21.19	AV	308.00	200	Horizontal	Pass
2	2425.400	109.82	-12.59	74.0	-35.82	Peak	126.00	200	Horizontal	N/A
2**	2425.400	102.37	-12.59	54.0	-48.37	AV	126.00	200	Horizontal	N/A
3	4672.200	51.28	-2.78	74.0	22.72	Peak	149.00	150	Horizontal	Pass
3**	4672.200	41.47	-2.78	54.0	12.53	AV	149.00	150	Horizontal	Pass
4	6794.200	54.59	1.08	74.0	19.41	Peak	360.00	400	Horizontal	Pass
4**	6794.200	45.19	1.08	54.0	8.81	AV	360.00	400	Horizontal	Pass
5	13321.987	55.34	0.91	74.0	18.66	Peak	115.00	150	Horizontal	Pass
5**	13321.987	46.21	0.91	54.0	7.79	AV	115.00	150	Horizontal	Pass
6	15671.888	55.90	1.47	74.0	18.10	Peak	64.00	300	Horizontal	Pass
6**	15671.888	45.59	1.47	54.0	8.41	AV	64.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.900	43.13	-17.14	74.0	30.87	Peak	315.00	200	Vertical	Pass
1**	1588.900	33.01	-17.14	54.0	20.99	AV	315.00	200	Vertical	Pass
2	2426.000	100.16	-12.59	74.0	-26.16	Peak	156.00	150	Vertical	N/A
2**	2426.000	94.24	-12.59	54.0	-40.24	AV	156.00	150	Vertical	N/A
3	2770.100	52.11	-8.56	74.0	21.89	Peak	340.00	100	Vertical	Pass
3**	2770.100	42.84	-8.56	54.0	11.16	AV	340.00	100	Vertical	Pass
4	6519.600	54.39	0.38	74.0	19.61	Peak	101.00	300	Vertical	Pass
4**	6519.600	46.22	0.38	54.0	7.78	AV	101.00	300	Vertical	Pass
5	13305.713	55.32	0.87	74.0	18.68	Peak	0.00	150	Vertical	Pass
5**	13305.713	46.30	0.87	54.0	7.70	AV	0.00	150	Vertical	Pass
6	17417.775	56.23	3.70	74.0	17.77	Peak	114.00	300	Vertical	Pass
6**	17417.775	47.70	3.70	54.0	6.30	AV	114.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	43.44	-17.03	74.0	30.56	Peak	176.00	300	Horizontal	Pass
1**	1331.300	33.21	-17.03	54.0	20.79	AV	176.00	300	Horizontal	Pass
2	2438.100	107.22	-12.19	74.0	-33.22	Peak	131.00	100	Horizontal	N/A
2**	2438.100	100.28	-12.19	54.0	-46.28	AV	131.00	100	Horizontal	N/A
3	4804.000	51.81	-2.85	74.0	22.19	Peak	135.00	200	Horizontal	Pass
3**	4804.000	41.31	-2.85	54.0	12.69	AV	135.00	200	Horizontal	Pass
4	6790.800	54.72	0.79	74.0	19.28	Peak	298.00	100	Horizontal	Pass
4**	6790.800	45.33	0.79	54.0	8.67	AV	298.00	100	Horizontal	Pass
5	13299.937	55.74	0.86	74.0	18.26	Peak	190.00	150	Horizontal	Pass
5**	13299.937	46.20	0.86	54.0	7.80	AV	190.00	150	Horizontal	Pass
6	17419.088	57.18	3.74	74.0	16.82	Peak	92.00	150	Horizontal	Pass
6**	17419.088	46.60	3.74	54.0	7.40	AV	92.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.800	47.56	-17.59	74.0	26.44	Peak	87.00	200	Vertical	Pass
1**	1162.800	40.89	-17.59	54.0	13.11	AV	87.00	200	Vertical	Pass
2	2435.600	97.85	-12.14	74.0	-23.85	Peak	111.00	200	Vertical	N/A
2**	2435.600	90.78	-12.14	54.0	-36.78	AV	111.00	200	Vertical	N/A
3	2895.000	51.48	-9.20	74.0	22.52	Peak	31.00	200	Vertical	Pass
3**	2895.000	41.97	-9.20	54.0	12.03	AV	31.00	200	Vertical	Pass
4	6156.400	54.43	-0.28	74.0	19.57	Peak	15.00	100	Vertical	Pass
4**	6156.400	45.36	-0.28	54.0	8.64	AV	15.00	100	Vertical	Pass
5	13352.175	55.80	0.99	74.0	18.20	Peak	286.00	150	Vertical	Pass
5**	13352.175	45.21	0.99	54.0	8.79	AV	286.00	150	Vertical	Pass
6	17424.337	55.95	3.64	74.0	18.05	Peak	247.00	300	Vertical	Pass
6**	17424.337	46.54	3.64	54.0	7.46	AV	247.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.900	42.79	-17.03	74.0	31.21	Peak	360.00	300	Horizontal	Pass
1**	1502.900	33.18	-17.03	54.0	20.82	AV	360.00	300	Horizontal	Pass
2	2455.400	109.37	-12.13	74.0	-35.37	Peak	117.00	200	Horizontal	N/A
2**	2455.400	102.17	-12.13	54.0	-48.17	AV	117.00	200	Horizontal	N/A
3	5156.200	52.81	-1.52	74.0	21.19	Peak	37.00	150	Horizontal	Pass
3**	5156.200	42.54	-1.52	54.0	11.46	AV	37.00	150	Horizontal	Pass
4	6788.800	55.02	0.48	74.0	18.98	Peak	8.00	400	Horizontal	Pass
4**	6788.800	45.48	0.48	54.0	8.52	AV	8.00	400	Horizontal	Pass
5	13284.712	55.51	0.75	74.0	18.49	Peak	195.00	150	Horizontal	Pass
5**	13284.712	46.12	0.75	54.0	7.88	AV	195.00	150	Horizontal	Pass
6	16080.338	55.92	1.63	74.0	18.08	Peak	16.00	100	Horizontal	Pass
6**	16080.338	46.03	1.63	54.0	7.97	AV	16.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.100	42.61	-17.08	74.0	31.39	Peak	46.00	300	Vertical	Pass
1**	1365.100	33.09	-17.08	54.0	20.91	AV	46.00	300	Vertical	Pass
2	2457.900	100.18	-11.99	74.0	-26.18	Peak	168.00	200	Vertical	N/A
2**	2457.900	92.73	-11.99	54.0	-38.73	AV	168.00	200	Vertical	N/A
3	2771.400	51.79	-8.47	74.0	22.21	Peak	121.00	100	Vertical	Pass
3**	2771.400	43.25	-8.47	54.0	10.75	AV	121.00	100	Vertical	Pass
4	6148.400	55.37	-0.30	74.0	18.63	Peak	0.00	300	Vertical	Pass
4**	6148.400	44.77	-0.30	54.0	9.23	AV	0.00	300	Vertical	Pass
5	13624.388	56.13	1.02	74.0	17.87	Peak	16.00	300	Vertical	Pass
5**	13624.388	45.82	1.02	54.0	8.18	AV	16.00	300	Vertical	Pass
6	15855.901	55.61	1.15	74.0	18.39	Peak	349.00	150	Vertical	Pass
6**	15855.901	46.00	1.15	54.0	8.00	AV	349.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	44.88	-17.13	74.0	29.12	Peak	125.00	400	Horizontal	Pass
1**	1332.600	32.83	-17.13	54.0	21.17	AV	125.00	400	Horizontal	Pass
2	2464.000	103.20	-11.83	74.0	-29.20	Peak	131.00	100	Horizontal	N/A
2**	2464.000	95.52	-11.83	54.0	-41.52	AV	131.00	100	Horizontal	N/A
3	5044.000	51.88	-1.98	74.0	22.12	Peak	266.00	150	Horizontal	Pass
3**	5044.000	42.87	-1.98	54.0	11.13	AV	266.00	150	Horizontal	Pass
4	6842.000	54.25	0.96	74.0	19.75	Peak	145.00	200	Horizontal	Pass
4**	6842.000	44.81	0.96	54.0	9.19	AV	145.00	200	Horizontal	Pass
5	13325.662	56.17	0.93	74.0	17.83	Peak	57.00	200	Horizontal	Pass
5**	13325.662	46.27	0.93	54.0	7.73	AV	57.00	200	Horizontal	Pass
6	15231.938	55.31	0.94	74.0	18.69	Peak	104.00	150	Horizontal	Pass
6**	15231.938	46.27	0.94	54.0	7.73	AV	104.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.200	47.72	-17.59	74.0	26.28	Peak	74.00	200	Vertical	Pass
1**	1163.200	39.32	-17.59	54.0	14.68	AV	74.00	200	Vertical	Pass
2	2463.200	91.17	-11.79	74.0	-17.17	Peak	112.00	150	Vertical	N/A
2**	2463.200	84.44	-11.79	54.0	-30.44	AV	112.00	150	Vertical	N/A
3	2771.600	52.09	-8.52	74.0	21.91	Peak	118.00	150	Vertical	Pass
3**	2771.600	42.91	-8.52	54.0	11.09	AV	118.00	150	Vertical	Pass
4	6829.000	54.70	0.16	74.0	19.30	Peak	360.00	200	Vertical	Pass
4**	6829.000	44.62	0.16	54.0	9.38	AV	360.00	200	Vertical	Pass
5	13333.537	56.49	0.99	74.0	17.51	Peak	345.00	100	Vertical	Pass
5**	13333.537	46.58	0.99	54.0	7.42	AV	345.00	100	Vertical	Pass
6	15841.988	56.48	1.42	74.0	17.52	Peak	306.00	150	Vertical	Pass
6**	15841.988	46.76	1.42	54.0	7.24	AV	306.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	44.61	-16.97	74.0	29.39	Peak	128.00	100	Horizontal	Pass
1**	1330.500	33.89	-16.97	54.0	20.11	AV	128.00	100	Horizontal	Pass
2	2419.500	101.01	-12.05	74.0	-27.01	Peak	134.00	100	Horizontal	N/A
2**	2419.500	93.83	-12.05	54.0	-39.83	AV	134.00	100	Horizontal	N/A
3	2960.800	51.35	-8.94	74.0	22.65	Peak	340.00	100	Horizontal	Pass
3**	2960.800	41.96	-8.94	54.0	12.04	AV	340.00	100	Horizontal	Pass
4	6806.800	55.67	2.22	74.0	18.33	Peak	59.00	400	Horizontal	Pass
4**	6806.800	45.79	2.22	54.0	8.21	AV	59.00	400	Horizontal	Pass
5	13416.750	56.12	0.41	74.0	17.88	Peak	242.00	150	Horizontal	Pass
5**	13416.750	47.21	0.41	54.0	6.79	AV	242.00	150	Horizontal	Pass
6	17392.050	56.37	2.92	74.0	17.63	Peak	300.00	400	Horizontal	Pass
6**	17392.050	46.44	2.92	54.0	7.56	AV	300.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.200	47.17	-17.59	74.0	26.83	Peak	67.00	400	Vertical	Pass
1**	1165.200	36.11	-17.59	54.0	17.89	AV	67.00	400	Vertical	Pass
2	2425.900	89.11	-12.59	74.0	-15.11	Peak	113.00	150	Vertical	N/A
2**	2425.900	80.29	-12.59	54.0	-26.29	AV	113.00	150	Vertical	N/A
3	2996.200	51.64	-9.22	74.0	22.36	Peak	0.00	200	Vertical	Pass
3**	2996.200	42.44	-9.22	54.0	11.56	AV	0.00	200	Vertical	Pass
4	6831.400	54.86	0.15	74.0	19.14	Peak	269.00	400	Vertical	Pass
4**	6831.400	44.70	0.15	54.0	9.30	AV	269.00	400	Vertical	Pass
5	13322.776	55.44	0.92	74.0	18.56	Peak	255.00	150	Vertical	Pass
5**	13322.776	46.76	0.92	54.0	7.24	AV	255.00	150	Vertical	Pass
6	16044.637	56.11	0.75	74.0	17.89	Peak	60.00	200	Vertical	Pass
6**	16044.637	45.94	0.75	54.0	8.06	AV	60.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.600	42.19	-17.03	74.0	31.81	Peak	155.00	200	Horizontal	Pass
1**	1350.600	32.29	-17.03	54.0	21.71	AV	155.00	200	Horizontal	Pass
2	2423.000	107.64	-12.58	74.0	-33.64	Peak	65.00	150	Horizontal	N/A
2**	2423.000	100.31	-12.58	54.0	-46.31	AV	65.00	150	Horizontal	N/A
3	4916.200	51.75	-2.92	74.0	22.25	Peak	164.00	150	Horizontal	Pass
3**	4916.200	42.01	-2.92	54.0	11.99	AV	164.00	150	Horizontal	Pass
4	6610.200	54.11	0.61	74.0	19.89	Peak	219.00	100	Horizontal	Pass
4**	6610.200	45.45	0.61	54.0	8.55	AV	219.00	100	Horizontal	Pass
5	13311.487	55.76	0.86	74.0	18.24	Peak	316.00	150	Horizontal	Pass
5**	13311.487	46.10	0.86	54.0	7.90	AV	316.00	150	Horizontal	Pass
6	15508.875	55.92	1.40	74.0	18.08	Peak	197.00	200	Horizontal	Pass
6**	15508.875	46.13	1.40	54.0	7.87	AV	197.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.900	42.81	-17.16	74.0	31.19	Peak	25.00	400	Vertical	Pass
1**	1580.900	32.61	-17.16	54.0	21.39	AV	25.00	400	Vertical	Pass
2	2431.200	98.56	-12.52	74.0	-24.56	Peak	112.00	150	Vertical	N/A
2**	2431.200	89.74	-12.52	54.0	-35.74	AV	112.00	150	Vertical	N/A
3	4752.400	51.64	-3.26	74.0	22.36	Peak	232.00	150	Vertical	Pass
3**	4752.400	41.26	-3.26	54.0	12.74	AV	232.00	150	Vertical	Pass
4	6975.600	54.78	1.50	74.0	19.22	Peak	333.00	100	Vertical	Pass
4**	6975.600	45.33	1.50	54.0	8.67	AV	333.00	100	Vertical	Pass
5	13417.275	56.14	0.41	74.0	17.86	Peak	149.00	150	Vertical	Pass
5**	13417.275	46.64	0.41	54.0	7.36	AV	149.00	150	Vertical	Pass
6	15846.187	56.73	1.36	74.0	17.27	Peak	37.00	300	Vertical	Pass
6**	15846.187	47.49	1.36	54.0	6.51	AV	37.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.700	42.26	-17.35	74.0	31.74	Peak	25.00	300	Horizontal	Pass
1**	1525.700	32.40	-17.35	54.0	21.60	AV	25.00	300	Horizontal	Pass
2	2437.400	108.16	-12.12	74.0	-34.16	Peak	89.00	150	Horizontal	N/A
2**	2437.400	99.99	-12.12	54.0	-45.99	AV	89.00	150	Horizontal	N/A
3	4645.200	51.14	-2.77	74.0	22.86	Peak	184.00	150	Horizontal	Pass
3**	4645.200	41.65	-2.77	54.0	12.35	AV	184.00	150	Horizontal	Pass
4	6805.200	54.31	1.94	74.0	19.69	Peak	23.00	200	Horizontal	Pass
4**	6805.200	45.54	1.94	54.0	8.46	AV	23.00	200	Horizontal	Pass
5	13428.037	55.83	0.40	74.0	18.17	Peak	38.00	200	Horizontal	Pass
5**	13428.037	46.68	0.40	54.0	7.32	AV	38.00	200	Horizontal	Pass
6	16103.963	55.78	1.02	74.0	18.22	Peak	249.00	150	Horizontal	Pass
6**	16103.963	47.10	1.02	54.0	6.90	AV	249.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.300	43.28	-17.21	74.0	30.72	Peak	199.00	200	Vertical	Pass
1**	1595.300	33.27	-17.21	54.0	20.73	AV	199.00	200	Vertical	Pass
2	2429.500	98.39	-12.43	74.0	-24.39	Peak	145.00	200	Vertical	N/A
2**	2429.500	90.66	-12.43	54.0	-36.66	AV	145.00	200	Vertical	N/A
3	5140.800	52.22	-1.44	74.0	21.78	Peak	283.00	150	Vertical	Pass
3**	5140.800	42.55	-1.44	54.0	11.45	AV	283.00	150	Vertical	Pass
4	6805.800	54.71	2.13	74.0	19.29	Peak	283.00	300	Vertical	Pass
4**	6805.800	46.93	2.13	54.0	7.07	AV	283.00	300	Vertical	Pass
5	13450.875	55.69	0.61	74.0	18.31	Peak	227.00	150	Vertical	Pass
5**	13450.875	46.54	0.61	54.0	7.46	AV	227.00	150	Vertical	Pass
6	17404.649	56.70	3.31	74.0	17.30	Peak	360.00	100	Vertical	Pass
6**	17404.649	46.61	3.31	54.0	7.39	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	43.17	-16.99	74.0	30.83	Peak	171.00	200	Horizontal	Pass
1**	1330.300	33.12	-16.99	54.0	20.88	AV	171.00	200	Horizontal	Pass
2	2435.700	105.75	-12.14	74.0	-31.75	Peak	124.00	100	Horizontal	N/A
2**	2435.700	97.47	-12.14	54.0	-43.47	AV	124.00	100	Horizontal	N/A
3	4853.800	51.40	-2.73	74.0	22.60	Peak	220.00	150	Horizontal	Pass
3**	4853.800	41.67	-2.73	54.0	12.33	AV	220.00	150	Horizontal	Pass
4	6799.800	54.70	1.38	74.0	19.30	Peak	11.00	200	Horizontal	Pass
4**	6799.800	44.79	1.38	54.0	9.21	AV	11.00	200	Horizontal	Pass
5	13343.513	56.02	1.04	74.0	17.98	Peak	0.00	150	Horizontal	Pass
5**	13343.513	46.18	1.04	54.0	7.82	AV	0.00	150	Horizontal	Pass
6	16088.738	56.50	1.46	74.0	17.50	Peak	311.00	400	Horizontal	Pass
6**	16088.738	47.10	1.46	54.0	6.90	AV	311.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	47.10	-16.97	74.0	26.90	Peak	106.00	200	Vertical	Pass
1**	1330.500	38.38	-16.97	54.0	15.62	AV	106.00	200	Vertical	Pass
2	2434.400	95.38	-12.21	74.0	-21.38	Peak	112.00	200	Vertical	N/A
2**	2434.400	87.69	-12.21	54.0	-33.69	AV	112.00	200	Vertical	N/A
3	4775.000	51.49	-2.76	74.0	22.51	Peak	154.00	200	Vertical	Pass
3**	4775.000	42.07	-2.76	54.0	11.93	AV	154.00	200	Vertical	Pass
4	6792.200	54.24	0.96	74.0	19.76	Peak	78.00	300	Vertical	Pass
4**	6792.200	45.46	0.96	54.0	8.54	AV	78.00	300	Vertical	Pass
5	13423.575	55.84	0.40	74.0	18.16	Peak	283.00	150	Vertical	Pass
5**	13423.575	46.84	0.40	54.0	7.16	AV	283.00	150	Vertical	Pass
6	15845.925	56.07	1.36	74.0	17.93	Peak	283.00	100	Vertical	Pass
6**	15845.925	47.17	1.36	54.0	6.83	AV	283.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1427.100	42.24	-16.99	74.0	31.76	Peak	348.00	100	Horizontal	Pass
1**	1427.100	32.71	-16.99	54.0	21.29	AV	348.00	100	Horizontal	Pass
2	2437.400	108.01	-12.12	74.0	-34.01	Peak	83.00	100	Horizontal	N/A
2**	2437.400	100.91	-12.12	54.0	-46.91	AV	83.00	100	Horizontal	N/A
3	5401.200	53.88	-1.85	74.0	20.12	Peak	73.00	150	Horizontal	Pass
3**	5401.200	43.45	-1.85	54.0	10.55	AV	73.00	150	Horizontal	Pass
4	6617.600	54.75	0.34	74.0	19.25	Peak	122.00	300	Horizontal	Pass
4**	6617.600	44.88	0.34	54.0	9.12	AV	122.00	300	Horizontal	Pass
5	13315.162	55.55	0.89	74.0	18.45	Peak	268.00	150	Horizontal	Pass
5**	13315.162	46.83	0.89	54.0	7.17	AV	268.00	150	Horizontal	Pass
6	17461.875	56.18	2.86	74.0	17.82	Peak	123.00	200	Horizontal	Pass
6**	17461.875	47.10	2.86	54.0	6.90	AV	123.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1417.600	42.71	-17.08	74.0	31.29	Peak	303.00	300	Vertical	Pass
1**	1417.600	32.63	-17.08	54.0	21.37	AV	303.00	300	Vertical	Pass
2	2436.600	97.75	-12.13	74.0	-23.75	Peak	118.00	150	Vertical	N/A
2**	2436.600	88.72	-12.13	54.0	-34.72	AV	118.00	150	Vertical	N/A
3	4770.200	51.67	-2.86	74.0	22.33	Peak	141.00	150	Vertical	Pass
3**	4770.200	41.62	-2.86	54.0	12.38	AV	141.00	150	Vertical	Pass
4	6806.200	54.73	2.26	74.0	19.27	Peak	226.00	100	Vertical	Pass
4**	6806.200	46.28	2.26	54.0	7.72	AV	226.00	100	Vertical	Pass
5	13302.825	55.81	0.87	74.0	18.19	Peak	17.00	150	Vertical	Pass
5**	13302.825	47.05	0.87	54.0	6.95	AV	17.00	150	Vertical	Pass
6	16071.151	56.48	1.39	74.0	17.52	Peak	78.00	200	Vertical	Pass
6**	16071.151	45.94	1.39	54.0	8.06	AV	78.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1168.000	42.17	-17.57	74.0	31.83	Peak	325.00	400	Horizontal	Pass
1**	1168.000	32.19	-17.57	54.0	21.81	AV	325.00	400	Horizontal	Pass
2	2444.900	107.51	-12.54	74.0	-33.51	Peak	126.00	200	Horizontal	N/A
2**	2444.900	100.54	-12.54	54.0	-46.54	AV	126.00	200	Horizontal	N/A
3	4925.000	51.62	-2.41	74.0	22.38	Peak	331.00	150	Horizontal	Pass
3**	4925.000	41.67	-2.41	54.0	12.33	AV	331.00	150	Horizontal	Pass
4	6839.200	54.39	0.69	74.0	19.61	Peak	147.00	400	Horizontal	Pass
4**	6839.200	44.30	0.69	54.0	9.70	AV	147.00	400	Horizontal	Pass
5	13320.412	55.55	0.91	74.0	18.45	Peak	268.00	150	Horizontal	Pass
5**	13320.412	46.47	0.91	54.0	7.53	AV	268.00	150	Horizontal	Pass
6	16112.625	56.01	0.72	74.0	17.99	Peak	246.00	100	Horizontal	Pass
6**	16112.625	46.42	0.72	54.0	7.58	AV	246.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1424.400	42.68	-16.93	74.0	31.32	Peak	228.00	300	Vertical	Pass
1**	1424.400	33.98	-16.93	54.0	20.02	AV	228.00	300	Vertical	Pass
2	2449.300	97.37	-12.25	74.0	-23.37	Peak	315.00	200	Vertical	N/A
2**	2449.300	89.63	-12.25	54.0	-35.63	AV	315.00	200	Vertical	N/A
3	5088.800	51.98	-1.82	74.0	22.02	Peak	87.00	150	Vertical	Pass
3**	5088.800	43.38	-1.82	54.0	10.62	AV	87.00	150	Vertical	Pass
4	6806.200	55.03	2.26	74.0	18.97	Peak	178.00	100	Vertical	Pass
4**	6806.200	47.01	2.26	54.0	6.99	AV	178.00	100	Vertical	Pass
5	13420.951	55.19	0.40	74.0	18.81	Peak	43.00	150	Vertical	Pass
5**	13420.951	46.32	0.40	54.0	7.68	AV	43.00	150	Vertical	Pass
6	17466.864	56.50	2.90	74.0	17.50	Peak	324.00	300	Vertical	Pass
6**	17466.864	46.49	2.90	54.0	7.51	AV	324.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	44.39	-17.09	74.0	29.61	Peak	128.00	200	Horizontal	Pass
1**	1328.600	36.84	-17.09	54.0	17.16	AV	128.00	200	Horizontal	Pass
2	2449.000	98.87	-12.25	74.0	-24.87	Peak	123.00	150	Horizontal	N/A
2**	2449.000	91.15	-12.25	54.0	-37.15	AV	123.00	150	Horizontal	N/A
3	4924.000	52.28	-2.42	74.0	21.72	Peak	21.00	150	Horizontal	Pass
3**	4924.000	41.53	-2.42	54.0	12.47	AV	21.00	150	Horizontal	Pass
4	6506.600	54.32	-0.92	74.0	19.68	Peak	87.00	200	Horizontal	Pass
4**	6506.600	45.28	-0.92	54.0	8.72	AV	87.00	200	Horizontal	Pass
5	13382.887	55.40	0.64	74.0	18.60	Peak	220.00	150	Horizontal	Pass
5**	13382.887	45.14	0.64	54.0	8.86	AV	220.00	150	Horizontal	Pass
6	17421.713	55.97	3.71	74.0	18.03	Peak	324.00	200	Horizontal	Pass
6**	17421.713	47.55	3.71	54.0	6.45	AV	324.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.900	48.37	-17.64	74.0	25.63	Peak	84.00	100	Vertical	Pass
1**	1161.900	38.23	-17.64	54.0	15.77	AV	84.00	100	Vertical	Pass
2	2449.800	87.31	-12.25	74.0	-13.31	Peak	114.00	200	Vertical	N/A
2**	2449.800	79.51	-12.25	54.0	-25.51	AV	114.00	200	Vertical	N/A
3	4987.800	51.70	-2.25	74.0	22.30	Peak	283.00	200	Vertical	Pass
3**	4987.800	41.20	-2.25	54.0	12.80	AV	283.00	200	Vertical	Pass
4	6822.000	54.36	0.32	74.0	19.64	Peak	98.00	400	Vertical	Pass
4**	6822.000	45.04	0.32	54.0	8.96	AV	98.00	400	Vertical	Pass
5	13420.425	55.89	0.40	74.0	18.11	Peak	360.00	150	Vertical	Pass
5**	13420.425	47.07	0.40	54.0	6.93	AV	360.00	150	Vertical	Pass
6	17413.050	56.37	3.56	74.0	17.63	Peak	87.00	200	Vertical	Pass
6**	17413.050	46.16	3.56	54.0	7.84	AV	87.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	44.52	-17.00	74.0	29.48	Peak	185.00	200	Horizontal	Pass
1**	1330.100	34.46	-17.00	54.0	19.54	AV	185.00	200	Horizontal	Pass
2	2410.800	104.73	-10.57	74.0	-30.73	Peak	130.00	150	Horizontal	N/A
2**	2410.800	97.15	-10.57	54.0	-43.15	AV	130.00	150	Horizontal	N/A
3	2843.200	51.71	-8.48	74.0	22.29	Peak	50.00	200	Horizontal	Pass
3**	2843.200	42.00	-8.48	54.0	12.00	AV	50.00	200	Horizontal	Pass
4	6639.800	54.81	-0.94	74.0	19.19	Peak	311.00	300	Horizontal	Pass
4**	6639.800	45.23	-0.94	54.0	8.77	AV	311.00	300	Horizontal	Pass
5	13406.775	55.65	0.53	74.0	18.35	Peak	360.00	150	Horizontal	Pass
5**	13406.775	47.59	0.53	54.0	6.41	AV	360.00	150	Horizontal	Pass
6	17424.599	56.22	3.63	74.0	17.78	Peak	0.00	400	Horizontal	Pass
6**	17424.599	46.97	3.63	54.0	7.03	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.600	49.49	-17.60	74.0	24.51	Peak	68.00	100	Vertical	Pass
1**	1165.600	34.65	-17.60	54.0	19.35	AV	68.00	100	Vertical	Pass
2	2414.300	90.00	-10.81	74.0	-16.00	Peak	117.00	200	Vertical	N/A
2**	2414.300	82.61	-10.81	54.0	-28.61	AV	117.00	200	Vertical	N/A
3	2666.100	53.03	-10.72	74.0	20.97	Peak	62.00	150	Vertical	Pass
3**	2666.100	44.19	-10.72	54.0	9.81	AV	62.00	150	Vertical	Pass
4	6612.800	54.58	0.41	74.0	19.42	Peak	360.00	300	Vertical	Pass
4**	6612.800	45.52	0.41	54.0	8.48	AV	360.00	300	Vertical	Pass
5	13408.874	55.55	0.51	74.0	18.45	Peak	117.00	150	Vertical	Pass
5**	13408.874	46.65	0.51	54.0	7.35	AV	117.00	150	Vertical	Pass
6	16039.125	56.01	0.79	74.0	17.99	Peak	0.00	200	Vertical	Pass
6**	16039.125	46.32	0.79	54.0	7.68	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.500	43.30	-17.07	74.0	30.70	Peak	277.00	400	Horizontal	Pass
1**	1390.500	32.71	-17.07	54.0	21.29	AV	277.00	400	Horizontal	Pass
2	2416.000	109.59	-11.40	74.0	-35.59	Peak	123.00	200	Horizontal	N/A
2**	2416.000	101.88	-11.40	54.0	-47.88	AV	123.00	200	Horizontal	N/A
3	4983.000	51.29	-1.64	74.0	22.71	Peak	176.00	100	Horizontal	Pass
3**	4983.000	42.59	-1.64	54.0	11.41	AV	176.00	100	Horizontal	Pass
4	6650.200	54.79	-1.13	74.0	19.21	Peak	187.00	100	Horizontal	Pass
4**	6650.200	44.84	-1.13	54.0	9.16	AV	187.00	100	Horizontal	Pass
5	13425.937	55.42	0.40	74.0	18.58	Peak	301.00	150	Horizontal	Pass
5**	13425.937	46.21	0.40	54.0	7.79	AV	301.00	150	Horizontal	Pass
6	17427.751	56.03	3.53	74.0	17.97	Peak	37.00	200	Horizontal	Pass
6**	17427.751	47.32	3.53	54.0	6.68	AV	37.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1428.900	42.85	-17.05	74.0	31.15	Peak	216.00	400	Vertical	Pass
1**	1428.900	32.50	-17.05	54.0	21.50	AV	216.00	400	Vertical	Pass
2	2416.300	100.39	-11.50	74.0	-26.39	Peak	174.00	100	Vertical	N/A
2**	2416.300	93.15	-11.50	54.0	-39.15	AV	174.00	100	Vertical	N/A
3	2771.700	51.70	-8.55	74.0	22.30	Peak	0.00	200	Vertical	Pass
3**	2771.700	42.61	-8.55	54.0	11.39	AV	0.00	200	Vertical	Pass
4	6801.200	54.86	1.47	74.0	19.14	Peak	71.00	300	Vertical	Pass
4**	6801.200	45.81	1.47	54.0	8.19	AV	71.00	300	Vertical	Pass
5	13295.475	55.27	0.84	74.0	18.73	Peak	355.00	150	Vertical	Pass
5**	13295.475	46.81	0.84	54.0	7.19	AV	355.00	150	Vertical	Pass
6	15789.750	55.81	2.00	74.0	18.19	Peak	60.00	100	Vertical	Pass
6**	15789.750	46.57	2.00	54.0	7.43	AV	60.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1311.900	42.29	-16.98	74.0	31.71	Peak	302.00	100	Horizontal	Pass
1**	1311.900	34.46	-16.98	54.0	19.54	AV	302.00	100	Horizontal	Pass
2	2420.900	109.33	-12.26	74.0	-35.33	Peak	72.00	200	Horizontal	N/A
2**	2420.900	102.89	-12.26	54.0	-48.89	AV	72.00	200	Horizontal	N/A
3	4867.600	51.53	-2.50	74.0	22.47	Peak	133.00	150	Horizontal	Pass
3**	4867.600	43.08	-2.50	54.0	10.92	AV	133.00	150	Horizontal	Pass
4	6813.000	55.06	0.94	74.0	18.94	Peak	0.00	100	Horizontal	Pass
4**	6813.000	45.36	0.94	54.0	8.64	AV	0.00	100	Horizontal	Pass
5	13326.975	55.55	0.93	74.0	18.45	Peak	322.00	150	Horizontal	Pass
5**	13326.975	46.83	0.93	54.0	7.17	AV	322.00	150	Horizontal	Pass
6	15515.700	55.98	1.40	74.0	18.02	Peak	26.00	300	Horizontal	Pass
6**	15515.700	45.76	1.40	54.0	8.24	AV	26.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1382.300	42.51	-17.20	74.0	31.49	Peak	267.00	400	Vertical	Pass
1**	1382.300	32.23	-17.20	54.0	21.77	AV	267.00	400	Vertical	Pass
2	2419.000	99.85	-11.98	74.0	-25.85	Peak	172.00	100	Vertical	N/A
2**	2419.000	91.77	-11.98	54.0	-37.77	AV	172.00	100	Vertical	N/A
3	2843.100	52.13	-8.49	74.0	21.87	Peak	53.00	100	Vertical	Pass
3**	2843.100	43.25	-8.49	54.0	10.75	AV	53.00	100	Vertical	Pass
4	6977.800	54.66	1.77	74.0	19.34	Peak	245.00	300	Vertical	Pass
4**	6977.800	45.08	1.77	54.0	8.92	AV	245.00	300	Vertical	Pass
5	13415.175	55.59	0.41	74.0	18.41	Peak	293.00	150	Vertical	Pass
5**	13415.175	46.41	0.41	54.0	7.59	AV	293.00	150	Vertical	Pass
6	17460.562	56.14	2.84	74.0	17.86	Peak	146.00	200	Vertical	Pass
6**	17460.562	46.50	2.84	54.0	7.50	AV	146.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	45.01	-17.04	74.0	28.99	Peak	126.00	200	Horizontal	Pass
1**	1331.400	34.82	-17.04	54.0	19.18	AV	126.00	200	Horizontal	Pass
2	2435.900	108.17	-12.14	74.0	-34.17	Peak	126.00	200	Horizontal	N/A
2**	2435.900	100.48	-12.14	54.0	-46.48	AV	126.00	200	Horizontal	N/A
3	4983.400	51.95	-1.68	74.0	22.05	Peak	18.00	150	Horizontal	Pass
3**	4983.400	41.75	-1.68	54.0	12.25	AV	18.00	150	Horizontal	Pass
4	6609.600	54.23	0.47	74.0	19.77	Peak	106.00	400	Horizontal	Pass
4**	6609.600	45.70	0.47	54.0	8.30	AV	106.00	400	Horizontal	Pass
5	13320.150	56.84	0.91	74.0	17.16	Peak	169.00	300	Horizontal	Pass
5**	13320.150	46.38	0.91	54.0	7.62	AV	169.00	300	Horizontal	Pass
6	15507.826	56.10	1.37	74.0	17.90	Peak	294.00	150	Horizontal	Pass
6**	15507.826	46.73	1.37	54.0	7.27	AV	294.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	47.83	-16.98	74.0	26.17	Peak	58.00	100	Vertical	Pass
1**	1330.400	40.00	-16.98	54.0	14.00	AV	58.00	100	Vertical	Pass
2	2435.700	98.04	-12.14	74.0	-24.04	Peak	109.00	150	Vertical	N/A
2**	2435.700	89.62	-12.14	54.0	-35.62	AV	109.00	150	Vertical	N/A
3	2654.000	51.43	-11.02	74.0	22.57	Peak	58.00	200	Vertical	Pass
3**	2654.000	40.86	-11.02	54.0	13.14	AV	58.00	200	Vertical	Pass
4	6791.200	54.96	0.84	74.0	19.04	Peak	330.00	300	Vertical	Pass
4**	6791.200	45.74	0.84	54.0	8.26	AV	330.00	300	Vertical	Pass
5	13412.287	56.36	0.46	74.0	17.64	Peak	3.00	200	Vertical	Pass
5**	13412.287	47.38	0.46	54.0	6.62	AV	3.00	200	Vertical	Pass
6	15800.513	56.21	2.33	74.0	17.79	Peak	88.00	150	Vertical	Pass
6**	15800.513	47.11	2.33	54.0	6.89	AV	88.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.600	42.44	-17.18	74.0	31.56	Peak	263.00	300	Horizontal	Pass
1**	1532.600	32.77	-17.18	54.0	21.23	AV	263.00	300	Horizontal	Pass
2	2455.400	109.26	-12.13	74.0	-35.26	Peak	128.00	100	Horizontal	N/A
2**	2455.400	101.30	-12.13	54.0	-47.30	AV	128.00	100	Horizontal	N/A
3	5966.400	53.12	0.07	74.0	20.88	Peak	132.00	100	Horizontal	Pass
3**	5966.400	44.45	0.07	54.0	9.55	AV	132.00	100	Horizontal	Pass
4	6992.400	54.66	1.83	74.0	19.34	Peak	162.00	200	Horizontal	Pass
4**	6992.400	45.15	1.83	54.0	8.85	AV	162.00	200	Horizontal	Pass
5	9615.963	50.95	0.03	74.0	23.05	Peak	360.00	400	Horizontal	Pass
5**	9615.963	41.73	0.03	54.0	12.27	AV	360.00	400	Horizontal	Pass
6	13303.612	55.80	0.87	74.0	18.20	Peak	275.00	150	Horizontal	Pass
6**	13303.612	45.68	0.87	54.0	8.32	AV	275.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1420.500	42.37	-16.89	74.0	31.63	Peak	164.00	400	Vertical	Pass
1**	1420.500	32.54	-16.89	54.0	21.46	AV	164.00	400	Vertical	Pass
2	2458.900	98.44	-11.89	74.0	-24.44	Peak	150.00	150	Vertical	N/A
2**	2458.900	91.50	-11.89	54.0	-37.50	AV	150.00	150	Vertical	N/A
3	2849.600	51.51	-8.34	74.0	22.49	Peak	73.00	100	Vertical	Pass
3**	2849.600	42.79	-8.34	54.0	11.21	AV	73.00	100	Vertical	Pass
4	6152.800	54.74	0.33	74.0	19.26	Peak	352.00	300	Vertical	Pass
4**	6152.800	45.40	0.33	54.0	8.60	AV	352.00	300	Vertical	Pass
5	13298.362	55.46	0.86	74.0	18.54	Peak	360.00	150	Vertical	Pass
5**	13298.362	45.97	0.86	54.0	8.03	AV	360.00	150	Vertical	Pass
6	17423.286	56.44	3.67	74.0	17.56	Peak	334.00	300	Vertical	Pass
6**	17423.286	46.99	3.67	54.0	7.01	AV	334.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	45.72	-17.12	74.0	28.28	Peak	124.00	200	Horizontal	Pass
1**	1333.000	33.22	-17.12	54.0	20.78	AV	124.00	200	Horizontal	Pass
2	2460.800	103.32	-12.05	74.0	-29.32	Peak	124.00	100	Horizontal	N/A
2**	2460.800	95.65	-12.05	54.0	-41.65	AV	124.00	100	Horizontal	N/A
3	5091.600	51.78	-1.91	74.0	22.22	Peak	210.00	150	Horizontal	Pass
3**	5091.600	43.41	-1.91	54.0	10.59	AV	210.00	150	Horizontal	Pass
4	6652.800	54.68	-0.55	74.0	19.32	Peak	360.00	100	Horizontal	Pass
4**	6652.800	44.46	-0.55	54.0	9.54	AV	360.00	100	Horizontal	Pass
5	13418.325	55.40	0.40	74.0	18.60	Peak	0.00	150	Horizontal	Pass
5**	13418.325	46.46	0.40	54.0	7.54	AV	0.00	150	Horizontal	Pass
6	15501.525	56.32	1.20	74.0	17.68	Peak	360.00	200	Horizontal	Pass
6**	15501.525	46.82	1.20	54.0	7.18	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.800	48.00	-17.61	74.0	26.00	Peak	65.00	200	Vertical	Pass
1**	1165.800	35.92	-17.61	54.0	18.08	AV	65.00	200	Vertical	Pass
2	2460.700	91.80	-12.04	74.0	-17.80	Peak	110.00	200	Vertical	N/A
2**	2460.700	83.59	-12.04	54.0	-29.59	AV	110.00	200	Vertical	N/A
3	2847.700	51.42	-8.68	74.0	22.58	Peak	39.00	100	Vertical	Pass
3**	2847.700	42.29	-8.68	54.0	11.71	AV	39.00	100	Vertical	Pass
4	6790.000	54.21	0.70	74.0	19.79	Peak	64.00	300	Vertical	Pass
4**	6790.000	45.19	0.70	54.0	8.81	AV	64.00	300	Vertical	Pass
5	13292.588	55.23	0.81	74.0	18.77	Peak	81.00	150	Vertical	Pass
5**	13292.588	46.29	0.81	54.0	7.71	AV	81.00	150	Vertical	Pass
6	17177.588	56.08	0.59	74.0	17.92	Peak	167.00	200	Vertical	Pass
6**	17177.588	47.00	0.59	54.0	7.00	AV	167.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.800	45.57	-17.01	74.0	28.43	Peak	122.00	200	Horizontal	Pass
1**	1329.800	33.08	-17.01	54.0	20.92	AV	122.00	200	Horizontal	Pass
2	2417.500	100.92	-11.72	74.0	-26.92	Peak	122.00	200	Horizontal	N/A
2**	2417.500	93.65	-11.72	54.0	-39.65	AV	122.00	200	Horizontal	N/A
3	2988.600	51.87	-9.18	74.0	22.13	Peak	32.00	200	Horizontal	Pass
3**	2988.600	42.35	-9.18	54.0	11.65	AV	32.00	200	Horizontal	Pass
4	6797.600	54.43	1.11	74.0	19.57	Peak	67.00	400	Horizontal	Pass
4**	6797.600	45.83	1.11	54.0	8.17	AV	67.00	400	Horizontal	Pass
5	13412.550	55.35	0.46	74.0	18.65	Peak	343.00	150	Horizontal	Pass
5**	13412.550	46.54	0.46	54.0	7.46	AV	343.00	150	Horizontal	Pass
6	15664.800	56.28	1.34	74.0	17.72	Peak	263.00	100	Horizontal	Pass
6**	15664.800	46.03	1.34	54.0	7.97	AV	263.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.400	47.69	-17.59	74.0	26.31	Peak	58.00	200	Vertical	Pass
1**	1163.400	38.59	-17.59	54.0	15.41	AV	58.00	200	Vertical	Pass
2	2424.200	89.02	-12.59	74.0	-15.02	Peak	117.00	150	Vertical	N/A
2**	2424.200	80.75	-12.59	54.0	-26.75	AV	117.00	150	Vertical	N/A
3	2854.100	51.37	-8.36	74.0	22.63	Peak	122.00	100	Vertical	Pass
3**	2854.100	42.19	-8.36	54.0	11.81	AV	122.00	100	Vertical	Pass
4	6931.200	54.66	0.06	74.0	19.34	Peak	61.00	200	Vertical	Pass
4**	6931.200	45.10	0.06	54.0	8.90	AV	61.00	200	Vertical	Pass
5	13446.412	55.74	0.58	74.0	18.26	Peak	6.00	150	Vertical	Pass
5**	13446.412	46.61	0.58	54.0	7.39	AV	6.00	150	Vertical	Pass
6	17439.562	55.78	3.04	74.0	18.22	Peak	127.00	100	Vertical	Pass
6**	17439.562	46.56	3.04	54.0	7.44	AV	127.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.700	42.97	-17.17	74.0	31.03	Peak	207.00	100	Horizontal	Pass
1**	1533.700	32.75	-17.17	54.0	21.25	AV	207.00	100	Horizontal	Pass
2	2425.500	107.22	-12.59	74.0	-33.22	Peak	82.00	100	Horizontal	N/A
2**	2425.500	99.25	-12.59	54.0	-45.25	AV	82.00	100	Horizontal	N/A
3	4846.200	51.79	-2.62	74.0	22.21	Peak	36.00	150	Horizontal	Pass
3**	4846.200	41.60	-2.62	54.0	12.40	AV	36.00	150	Horizontal	Pass
4	6795.600	54.89	0.87	74.0	19.11	Peak	350.00	200	Horizontal	Pass
4**	6795.600	44.75	0.87	54.0	9.25	AV	350.00	200	Horizontal	Pass
5	13329.338	55.23	0.93	74.0	18.77	Peak	361.00	150	Horizontal	Pass
5**	13329.338	46.57	0.93	54.0	7.43	AV	361.00	150	Horizontal	Pass
6	15244.537	56.16	0.88	74.0	17.84	Peak	361.00	200	Horizontal	Pass
6**	15244.537	46.07	0.88	54.0	7.93	AV	361.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1405.400	42.89	-16.98	74.0	31.11	Peak	233.00	400	Vertical	Pass
1**	1405.400	33.14	-16.98	54.0	20.86	AV	233.00	400	Vertical	Pass
2	2425.000	96.35	-12.59	74.0	-22.35	Peak	158.00	100	Vertical	N/A
2**	2425.000	88.73	-12.59	54.0	-34.73	AV	158.00	100	Vertical	N/A
3	4863.800	51.61	-2.70	74.0	22.39	Peak	168.00	150	Vertical	Pass
3**	4863.800	43.28	-2.70	54.0	10.72	AV	168.00	150	Vertical	Pass
4	6808.000	54.52	1.82	74.0	19.48	Peak	13.00	100	Vertical	Pass
4**	6808.000	45.21	1.82	54.0	8.79	AV	13.00	100	Vertical	Pass
5	13416.487	55.52	0.41	74.0	18.48	Peak	41.00	150	Vertical	Pass
5**	13416.487	46.99	0.41	54.0	7.01	AV	41.00	150	Vertical	Pass
6	16444.950	55.77	1.00	74.0	18.23	Peak	63.00	400	Vertical	Pass
6**	16444.950	46.04	1.00	54.0	7.96	AV	63.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.300	42.48	-16.85	74.0	31.52	Peak	331.00	400	Horizontal	Pass
1**	1496.300	32.67	-16.85	54.0	21.33	AV	331.00	400	Horizontal	Pass
2	2428.400	106.85	-12.47	74.0	-32.85	Peak	125.00	150	Horizontal	N/A
2**	2428.400	99.53	-12.47	54.0	-45.53	AV	125.00	150	Horizontal	N/A
3	4982.000	52.06	-1.61	74.0	21.94	Peak	174.00	150	Horizontal	Pass
3**	4982.000	43.57	-1.61	54.0	10.43	AV	174.00	150	Horizontal	Pass
4	6646.200	54.58	-0.86	74.0	19.42	Peak	88.00	300	Horizontal	Pass
4**	6646.200	44.57	-0.86	54.0	9.43	AV	88.00	300	Horizontal	Pass
5	13439.325	55.53	0.46	74.0	18.47	Peak	81.00	150	Horizontal	Pass
5**	13439.325	47.20	0.46	54.0	6.80	AV	81.00	150	Horizontal	Pass
6	15847.238	55.83	1.35	74.0	18.17	Peak	174.00	200	Horizontal	Pass
6**	15847.238	47.39	1.35	54.0	6.61	AV	174.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.000	42.29	-17.15	74.0	31.71	Peak	216.00	100	Vertical	Pass
1**	1553.000	32.86	-17.15	54.0	21.14	AV	216.00	100	Vertical	Pass
2	2433.300	97.23	-12.28	74.0	-23.23	Peak	270.00	100	Vertical	N/A
2**	2433.300	89.32	-12.28	54.0	-35.32	AV	270.00	100	Vertical	N/A
3	4816.400	51.76	-2.28	74.0	22.24	Peak	297.00	150	Vertical	Pass
3**	4816.400	41.67	-2.28	54.0	12.33	AV	297.00	150	Vertical	Pass
4	6806.800	54.37	2.22	74.0	19.63	Peak	51.00	300	Vertical	Pass
4**	6806.800	45.34	2.22	54.0	8.66	AV	51.00	300	Vertical	Pass
5	13300.463	55.56	0.87	74.0	18.44	Peak	168.00	150	Vertical	Pass
5**	13300.463	46.46	0.87	54.0	7.54	AV	168.00	150	Vertical	Pass
6	15855.901	56.11	1.15	74.0	17.89	Peak	95.00	300	Vertical	Pass
6**	15855.901	45.91	1.15	54.0	8.09	AV	95.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	44.96	-17.09	74.0	29.04	Peak	128.00	400	Horizontal	Pass
1**	1328.100	33.20	-17.09	54.0	20.80	AV	128.00	400	Horizontal	Pass
2	2435.700	105.61	-12.14	74.0	-31.61	Peak	128.00	100	Horizontal	N/A
2**	2435.700	98.09	-12.14	54.0	-44.09	AV	128.00	100	Horizontal	N/A
3	4849.200	51.26	-2.73	74.0	22.74	Peak	276.00	150	Horizontal	Pass
3**	4849.200	41.95	-2.73	54.0	12.05	AV	276.00	150	Horizontal	Pass
4	6807.200	54.37	2.09	74.0	19.63	Peak	234.00	400	Horizontal	Pass
4**	6807.200	45.84	2.09	54.0	8.16	AV	234.00	400	Horizontal	Pass
5	13320.937	55.32	0.91	74.0	18.68	Peak	245.00	150	Horizontal	Pass
5**	13320.937	46.15	0.91	54.0	7.85	AV	245.00	150	Horizontal	Pass
6	17421.449	56.38	3.72	74.0	17.62	Peak	0.00	200	Horizontal	Pass
6**	17421.449	47.72	3.72	54.0	6.28	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.800	48.06	-17.58	74.0	25.94	Peak	63.00	300	Vertical	Pass
1**	1163.800	35.69	-17.58	54.0	18.31	AV	63.00	300	Vertical	Pass
2	2434.300	94.94	-12.21	74.0	-20.94	Peak	116.00	150	Vertical	N/A
2**	2434.300	87.07	-12.21	54.0	-33.07	AV	116.00	150	Vertical	N/A
3	2852.400	51.79	-8.35	74.0	22.21	Peak	223.00	150	Vertical	Pass
3**	2852.400	42.24	-8.35	54.0	11.76	AV	223.00	150	Vertical	Pass
4	6804.600	54.11	1.74	74.0	19.89	Peak	109.00	200	Vertical	Pass
4**	6804.600	45.06	1.74	54.0	8.94	AV	109.00	200	Vertical	Pass
5	13430.400	55.72	0.40	74.0	18.28	Peak	234.00	150	Vertical	Pass
5**	13430.400	47.37	0.40	54.0	6.63	AV	234.00	150	Vertical	Pass
6	17409.636	56.56	3.44	74.0	17.44	Peak	26.00	200	Vertical	Pass
6**	17409.636	47.13	3.44	54.0	6.87	AV	26.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.600	42.04	-17.43	74.0	31.96	Peak	318.00	100	Horizontal	Pass
1**	1471.600	31.65	-17.43	54.0	22.35	AV	318.00	100	Horizontal	Pass
2	2443.300	106.46	-12.42	74.0	-32.46	Peak	67.00	150	Horizontal	N/A
2**	2443.300	99.62	-12.42	54.0	-45.62	AV	67.00	150	Horizontal	N/A
3	4811.400	51.25	-2.14	74.0	22.75	Peak	339.00	150	Horizontal	Pass
3**	4811.400	42.46	-2.14	54.0	11.54	AV	339.00	150	Horizontal	Pass
4	5965.400	54.96	-0.05	74.0	19.04	Peak	107.00	400	Horizontal	Pass
4**	5965.400	44.59	-0.05	54.0	9.41	AV	107.00	400	Horizontal	Pass
5	13328.026	55.35	0.93	74.0	18.65	Peak	0.00	150	Horizontal	Pass
5**	13328.026	46.31	0.93	54.0	7.69	AV	0.00	150	Horizontal	Pass
6	17424.863	56.47	3.62	74.0	17.53	Peak	200.00	200	Horizontal	Pass
6**	17424.863	47.09	3.62	54.0	6.91	AV	200.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1393.500	42.60	-17.04	74.0	31.40	Peak	107.00	200	Vertical	Pass
1**	1393.500	32.75	-17.04	54.0	21.25	AV	107.00	200	Vertical	Pass
2	2439.700	95.79	-12.40	74.0	-21.79	Peak	265.00	150	Vertical	N/A
2**	2439.700	88.62	-12.40	54.0	-34.62	AV	265.00	150	Vertical	N/A
3	5491.600	52.54	-1.94	74.0	21.46	Peak	278.00	150	Vertical	Pass
3**	5491.600	43.17	-1.94	54.0	10.83	AV	278.00	150	Vertical	Pass
4	6806.400	54.30	2.33	74.0	19.70	Peak	17.00	200	Vertical	Pass
4**	6806.400	46.44	2.33	54.0	7.56	AV	17.00	200	Vertical	Pass
5	13324.349	56.24	0.92	74.0	17.76	Peak	256.00	150	Vertical	Pass
5**	13324.349	46.56	0.92	54.0	7.44	AV	256.00	150	Vertical	Pass
6	16133.888	56.78	1.06	74.0	17.22	Peak	36.00	300	Vertical	Pass
6**	16133.888	45.68	1.06	54.0	8.32	AV	36.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1353.600	42.51	-17.04	74.0	31.49	Peak	0.00	300	Horizontal	Pass
1**	1353.600	32.07	-17.04	54.0	21.93	AV	0.00	300	Horizontal	Pass
2	2445.700	106.38	-12.62	74.0	-32.38	Peak	56.00	150	Horizontal	N/A
2**	2445.700	98.69	-12.62	54.0	-44.69	AV	56.00	150	Horizontal	N/A
3	5115.800	52.07	-2.13	74.0	21.93	Peak	74.00	150	Horizontal	Pass
3**	5115.800	42.38	-2.13	54.0	11.62	AV	74.00	150	Horizontal	Pass
4	6789.600	54.73	0.65	74.0	19.27	Peak	284.00	400	Horizontal	Pass
4**	6789.600	45.42	0.65	54.0	8.58	AV	284.00	400	Horizontal	Pass
5	13409.401	55.41	0.51	74.0	18.59	Peak	208.00	150	Horizontal	Pass
5**	13409.401	46.19	0.51	54.0	7.81	AV	208.00	150	Horizontal	Pass
6	17424.075	55.73	3.65	74.0	18.27	Peak	360.00	300	Horizontal	Pass
6**	17424.075	46.52	3.65	54.0	7.48	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1287.200	42.85	-17.20	74.0	31.15	Peak	291.00	400	Vertical	Pass
1**	1287.200	34.27	-17.20	54.0	19.73	AV	291.00	400	Vertical	Pass
2	2449.500	96.73	-12.25	74.0	-22.73	Peak	170.00	150	Vertical	N/A
2**	2449.500	88.40	-12.25	54.0	-34.40	AV	170.00	150	Vertical	N/A
3	4848.800	51.55	-2.72	74.0	22.45	Peak	7.00	150	Vertical	Pass
3**	4848.800	41.33	-2.72	54.0	12.67	AV	7.00	150	Vertical	Pass
4	6805.800	54.35	2.13	74.0	19.65	Peak	360.00	200	Vertical	Pass
4**	6805.800	45.95	2.13	54.0	8.05	AV	360.00	200	Vertical	Pass
5	13410.450	55.40	0.49	74.0	18.60	Peak	155.00	150	Vertical	Pass
5**	13410.450	47.27	0.49	54.0	6.73	AV	155.00	150	Vertical	Pass
6	15840.938	56.55	1.43	74.0	17.45	Peak	136.00	100	Vertical	Pass
6**	15840.938	46.89	1.43	54.0	7.11	AV	136.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.700	44.57	-17.08	74.0	29.43	Peak	178.00	200	Horizontal	Pass
1**	1327.700	38.69	-17.08	54.0	15.31	AV	178.00	200	Horizontal	Pass
2	2448.000	98.64	-12.30	74.0	-24.64	Peak	122.00	150	Horizontal	N/A
2**	2448.000	90.99	-12.30	54.0	-36.99	AV	122.00	150	Horizontal	N/A
3	4777.600	51.87	-2.48	74.0	22.13	Peak	28.00	150	Horizontal	Pass
3**	4777.600	42.19	-2.48	54.0	11.81	AV	28.00	150	Horizontal	Pass
4	6153.800	54.06	0.41	74.0	19.94	Peak	275.00	400	Horizontal	Pass
4**	6153.800	45.14	0.41	54.0	8.86	AV	275.00	400	Horizontal	Pass
5	13325.138	55.69	0.93	74.0	18.31	Peak	360.00	150	Horizontal	Pass
5**	13325.138	46.55	0.93	54.0	7.45	AV	360.00	150	Horizontal	Pass
6	16468.312	56.49	1.01	74.0	17.51	Peak	339.00	300	Horizontal	Pass
6**	16468.312	45.33	1.01	54.0	8.67	AV	339.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.800	48.13	-17.59	74.0	25.87	Peak	84.00	400	Vertical	Pass
1**	1162.800	41.07	-17.59	54.0	12.93	AV	84.00	400	Vertical	Pass
2	2454.100	88.12	-12.15	74.0	-14.12	Peak	111.00	200	Vertical	N/A
2**	2454.100	79.95	-12.15	54.0	-25.95	AV	111.00	200	Vertical	N/A
3	4862.400	51.41	-2.84	74.0	22.59	Peak	94.00	100	Vertical	Pass
3**	4862.400	42.09	-2.84	54.0	11.91	AV	94.00	100	Vertical	Pass
4	6804.600	54.31	1.74	74.0	19.69	Peak	285.00	100	Vertical	Pass
4**	6804.600	45.89	1.74	54.0	8.11	AV	285.00	100	Vertical	Pass
5	13420.162	56.38	0.40	74.0	17.62	Peak	261.00	150	Vertical	Pass
5**	13420.162	46.98	0.40	54.0	7.02	AV	261.00	150	Vertical	Pass
6	15832.800	56.00	1.47	74.0	18.00	Peak	193.00	150	Vertical	Pass
6**	15832.800	46.16	1.47	54.0	7.84	AV	193.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.900	44.75	-17.07	74.0	29.25	Peak	131.00	300	Horizontal	Pass
1**	1328.900	33.95	-17.07	54.0	20.05	AV	131.00	300	Horizontal	Pass
2	2415.000	105.77	-11.05	74.0	-31.77	Peak	125.00	100	Horizontal	N/A
2**	2415.000	95.82	-11.05	54.0	-41.82	AV	125.00	100	Horizontal	N/A
3	4971.600	51.78	-1.61	74.0	22.22	Peak	323.00	150	Horizontal	Pass
3**	4971.600	42.90	-1.61	54.0	11.10	AV	323.00	150	Horizontal	Pass
4	6993.400	53.91	1.92	74.0	20.09	Peak	360.00	200	Horizontal	Pass
4**	6993.400	45.36	1.92	54.0	8.64	AV	360.00	200	Horizontal	Pass
5	13416.225	55.45	0.41	74.0	18.55	Peak	343.00	150	Horizontal	Pass
5**	13416.225	46.84	0.41	54.0	7.16	AV	343.00	150	Horizontal	Pass
6	17414.363	56.13	3.61	74.0	17.87	Peak	120.00	100	Horizontal	Pass
6**	17414.363	47.04	3.61	54.0	6.96	AV	120.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.800	48.15	-17.61	74.0	25.85	Peak	77.00	300	Vertical	Pass
1**	1165.800	37.27	-17.61	54.0	16.73	AV	77.00	300	Vertical	Pass
2	2413.400	91.80	-10.75	74.0	-17.80	Peak	118.00	200	Vertical	N/A
2**	2413.400	81.52	-10.75	54.0	-27.52	AV	118.00	200	Vertical	N/A
3	2842.000	51.82	-8.60	74.0	22.18	Peak	88.00	150	Vertical	Pass
3**	2842.000	42.33	-8.60	54.0	11.67	AV	88.00	150	Vertical	Pass
4	6521.800	55.08	0.19	74.0	18.92	Peak	3.00	300	Vertical	Pass
4**	6521.800	44.46	0.19	54.0	9.54	AV	3.00	300	Vertical	Pass
5	13407.300	55.62	0.53	74.0	18.38	Peak	177.00	150	Vertical	Pass
5**	13407.300	46.54	0.53	54.0	7.46	AV	177.00	150	Vertical	Pass
6	17421.449	57.02	3.72	74.0	16.98	Peak	158.00	200	Vertical	Pass
6**	17421.449	47.43	3.72	54.0	6.57	AV	158.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.700	41.96	-16.78	74.0	32.04	Peak	239.00	300	Horizontal	Pass
1**	1561.700	32.67	-16.78	54.0	21.33	AV	239.00	300	Horizontal	Pass
2	2415.900	109.99	-11.36	74.0	-35.99	Peak	66.00	100	Horizontal	N/A
2**	2415.900	101.40	-11.36	54.0	-47.40	AV	66.00	100	Horizontal	N/A
3	4880.000	51.36	-2.70	74.0	22.64	Peak	259.00	150	Horizontal	Pass
3**	4880.000	41.79	-2.70	54.0	12.21	AV	259.00	150	Horizontal	Pass
4	6610.000	54.30	0.56	74.0	19.70	Peak	242.00	200	Horizontal	Pass
4**	6610.000	45.50	0.56	54.0	8.50	AV	242.00	200	Horizontal	Pass
5	13406.250	55.33	0.54	74.0	18.67	Peak	127.00	150	Horizontal	Pass
5**	13406.250	45.38	0.54	54.0	8.62	AV	127.00	150	Horizontal	Pass
6	17355.037	55.18	2.08	74.0	18.82	Peak	0.00	200	Horizontal	Pass
6**	17355.037	45.59	2.08	54.0	8.41	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.900	43.20	-16.87	74.0	30.80	Peak	357.00	300	Vertical	Pass
1**	1483.900	33.56	-16.87	54.0	20.44	AV	357.00	300	Vertical	Pass
2	2417.200	99.77	-11.67	74.0	-25.77	Peak	165.00	150	Vertical	N/A
2**	2417.200	91.00	-11.67	54.0	-37.00	AV	165.00	150	Vertical	N/A
3	4973.000	51.59	-1.64	74.0	22.41	Peak	314.00	150	Vertical	Pass
3**	4973.000	42.08	-1.64	54.0	11.92	AV	314.00	150	Vertical	Pass
4	6797.000	54.22	1.02	74.0	19.78	Peak	259.00	100	Vertical	Pass
4**	6797.000	45.03	1.02	54.0	8.97	AV	259.00	100	Vertical	Pass
5	13303.088	54.86	0.87	74.0	19.14	Peak	259.00	150	Vertical	Pass
5**	13303.088	46.51	0.87	54.0	7.49	AV	242.00	150	Vertical	Pass
6	16163.287	56.52	1.00	74.0	17.48	Peak	242.00	100	Vertical	Pass
6**	16163.287	44.88	1.00	54.0	9.12	AV	127.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.400	42.31	-17.01	74.0	31.69	Peak	262.00	100	Horizontal	Pass
1**	1587.400	33.09	-17.01	54.0	20.91	AV	262.00	100	Horizontal	Pass
2	2419.200	109.33	-12.01	74.0	-35.33	Peak	82.00	100	Horizontal	N/A
2**	2419.200	100.54	-12.01	54.0	-46.54	AV	82.00	100	Horizontal	N/A
3	4665.600	51.17	-2.48	74.0	22.83	Peak	125.00	150	Horizontal	Pass
3**	4665.600	41.52	-2.48	54.0	12.48	AV	125.00	150	Horizontal	Pass
4	6787.200	54.82	0.09	74.0	19.18	Peak	225.00	200	Horizontal	Pass
4**	6787.200	45.47	0.09	54.0	8.53	AV	225.00	200	Horizontal	Pass
5	13420.162	55.49	0.40	74.0	18.51	Peak	361.00	150	Horizontal	Pass
5**	13420.162	47.24	0.40	54.0	6.76	AV	361.00	150	Horizontal	Pass
6	16501.125	55.41	0.81	74.0	18.59	Peak	362.00	100	Horizontal	Pass
6**	16501.125	44.57	0.81	54.0	9.43	AV	362.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.600	43.18	-17.17	74.0	30.82	Peak	189.00	400	Vertical	Pass
1**	1554.600	32.91	-17.17	54.0	21.09	AV	189.00	400	Vertical	Pass
2	2425.100	99.98	-12.59	74.0	-25.98	Peak	161.00	100	Vertical	N/A
2**	2425.100	91.06	-12.59	54.0	-37.06	AV	161.00	100	Vertical	N/A
3	2990.100	51.47	-9.31	74.0	22.53	Peak	362.00	150	Vertical	Pass
3**	2990.100	42.44	-9.31	54.0	11.56	AV	362.00	150	Vertical	Pass
4	6788.800	54.47	0.48	74.0	19.53	Peak	63.00	300	Vertical	Pass
4**	6788.800	45.42	0.48	54.0	8.58	AV	63.00	300	Vertical	Pass
5	13289.962	55.57	0.78	74.0	18.43	Peak	244.00	150	Vertical	Pass
5**	13289.962	45.72	0.78	54.0	8.28	AV	244.00	150	Vertical	Pass
6	17443.238	55.15	2.92	74.0	18.85	Peak	360.00	300	Vertical	Pass
6**	17443.238	44.46	2.92	54.0	9.54	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1428.800	42.42	-17.05	74.0	31.58	Peak	45.00	300	Horizontal	Pass
1**	1428.800	31.76	-17.05	54.0	22.24	AV	45.00	300	Horizontal	Pass
2	2429.000	109.52	-12.41	74.0	-35.52	Peak	76.00	100	Horizontal	N/A
2**	2429.000	100.55	-12.41	54.0	-46.55	AV	76.00	100	Horizontal	N/A
3	2954.500	51.36	-9.02	74.0	22.64	Peak	361.00	150	Horizontal	Pass
3**	2954.500	41.40	-9.02	54.0	12.60	AV	361.00	150	Horizontal	Pass
4	6150.600	54.42	0.04	74.0	19.58	Peak	117.00	300	Horizontal	Pass
4**	6150.600	45.17	0.04	54.0	8.83	AV	117.00	300	Horizontal	Pass
5	13432.500	55.13	0.41	74.0	18.87	Peak	201.00	150	Horizontal	Pass
5**	13432.500	45.55	0.41	54.0	8.45	AV	201.00	150	Horizontal	Pass
6	16182.974	56.51	1.52	74.0	17.49	Peak	305.00	150	Horizontal	Pass
6**	16182.974	45.12	1.52	54.0	8.88	AV	305.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	42.52	-17.10	74.0	31.48	Peak	361.00	100	Vertical	Pass
1**	1596.500	32.93	-17.10	54.0	21.07	AV	361.00	100	Vertical	Pass
2	2428.500	99.63	-12.46	74.0	-25.63	Peak	321.00	100	Vertical	N/A
2**	2428.500	91.50	-12.46	54.0	-37.50	AV	321.00	100	Vertical	N/A
3	4935.600	51.66	-2.10	74.0	22.34	Peak	20.00	200	Vertical	Pass
3**	4935.600	41.90	-2.10	54.0	12.10	AV	20.00	200	Vertical	Pass
4	6796.600	54.76	0.96	74.0	19.24	Peak	71.00	100	Vertical	Pass
4**	6796.600	46.25	0.96	54.0	7.75	AV	71.00	100	Vertical	Pass
5	13411.500	56.75	0.48	74.0	17.25	Peak	269.00	400	Vertical	Pass
5**	13411.500	47.95	0.48	54.0	6.05	AV	269.00	400	Vertical	Pass
6	15243.487	56.02	0.90	74.0	17.98	Peak	33.00	150	Vertical	Pass
6**	15243.487	46.48	0.90	54.0	7.52	AV	33.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.300	42.60	-16.88	74.0	31.40	Peak	106.00	300	Horizontal	Pass
1**	1586.300	33.55	-16.88	54.0	20.45	AV	106.00	300	Horizontal	Pass
2	2434.100	104.90	-12.23	74.0	-30.90	Peak	31.00	200	Horizontal	N/A
2**	2434.100	96.24	-12.23	54.0	-42.24	AV	31.00	200	Horizontal	N/A
3	2889.600	51.44	-9.17	74.0	22.56	Peak	143.00	100	Horizontal	Pass
3**	2889.600	40.95	-9.17	54.0	13.05	AV	143.00	100	Horizontal	Pass
4	6515.200	54.04	-0.33	74.0	19.96	Peak	329.00	300	Horizontal	Pass
4**	6515.200	44.69	-0.33	54.0	9.31	AV	329.00	300	Horizontal	Pass
5	13419.112	55.22	0.40	74.0	18.78	Peak	360.00	100	Horizontal	Pass
5**	13419.112	47.10	0.40	54.0	6.90	AV	360.00	100	Horizontal	Pass
6	17444.286	55.85	2.89	74.0	18.15	Peak	334.00	400	Horizontal	Pass
6**	17444.286	46.28	2.89	54.0	7.72	AV	334.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1418.000	43.01	-17.05	74.0	30.99	Peak	33.00	100	Vertical	Pass
1**	1418.000	32.23	-17.05	54.0	21.77	AV	33.00	100	Vertical	Pass
2	2430.200	101.67	-12.46	74.0	-27.67	Peak	169.00	150	Vertical	N/A
2**	2430.200	92.07	-12.46	54.0	-38.07	AV	169.00	150	Vertical	N/A
3	2855.100	51.41	-8.35	74.0	22.59	Peak	71.00	100	Vertical	Pass
3**	2855.100	41.83	-8.35	54.0	12.17	AV	71.00	100	Vertical	Pass
4	6525.600	54.30	-0.22	74.0	19.70	Peak	360.00	400	Vertical	Pass
4**	6525.600	44.28	-0.22	54.0	9.72	AV	360.00	400	Vertical	Pass
5	13312.012	56.43	0.87	74.0	17.57	Peak	61.00	400	Vertical	Pass
5**	13312.012	46.43	0.87	54.0	7.57	AV	61.00	400	Vertical	Pass
6	16607.176	56.08	0.59	74.0	17.92	Peak	338.00	150	Vertical	Pass
6**	16607.176	46.53	0.59	54.0	7.47	AV	338.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	44.23	-17.08	74.0	29.77	Peak	173.00	200	Horizontal	Pass
1**	1327.800	32.78	-17.08	54.0	21.22	AV	173.00	200	Horizontal	Pass
2	2435.900	108.96	-12.14	74.0	-34.96	Peak	145.00	200	Horizontal	N/A
2**	2435.900	99.86	-12.14	54.0	-45.86	AV	145.00	200	Horizontal	N/A
3	4996.800	51.72	-2.42	74.0	22.28	Peak	235.00	100	Horizontal	Pass
3**	4996.800	42.52	-2.42	54.0	11.48	AV	235.00	100	Horizontal	Pass
4	6806.400	54.85	2.33	74.0	19.15	Peak	0.00	300	Horizontal	Pass
4**	6806.400	46.41	2.33	54.0	7.59	AV	0.00	300	Horizontal	Pass
5	13391.025	55.91	0.68	74.0	18.09	Peak	118.00	150	Horizontal	Pass
5**	13391.025	45.42	0.68	54.0	8.58	AV	118.00	150	Horizontal	Pass
6	17399.400	56.80	3.16	74.0	17.20	Peak	118.00	300	Horizontal	Pass
6**	17399.400	46.89	3.16	54.0	7.11	AV	118.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.600	47.29	-17.60	74.0	26.71	Peak	63.00	300	Vertical	Pass
1**	1162.600	40.55	-17.60	54.0	13.45	AV	63.00	300	Vertical	Pass
2	2436.700	99.33	-12.13	74.0	-25.33	Peak	114.00	200	Vertical	N/A
2**	2436.700	88.76	-12.13	54.0	-34.76	AV	114.00	200	Vertical	N/A
3	4682.400	51.56	-2.78	74.0	22.44	Peak	309.00	200	Vertical	Pass
3**	4682.400	41.10	-2.78	54.0	12.90	AV	309.00	200	Vertical	Pass
4	6153.200	54.45	0.36	74.0	19.55	Peak	1.00	300	Vertical	Pass
4**	6153.200	45.16	0.36	54.0	8.84	AV	1.00	300	Vertical	Pass
5	13434.338	55.02	0.42	74.0	18.98	Peak	299.00	150	Vertical	Pass
5**	13434.338	46.64	0.42	54.0	7.36	AV	299.00	150	Vertical	Pass
6	15792.900	55.89	2.10	74.0	18.11	Peak	198.00	300	Vertical	Pass
6**	15792.900	47.08	2.10	54.0	6.92	AV	198.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1371.500	42.37	-17.15	74.0	31.63	Peak	362.00	100	Horizontal	Pass
1**	1371.500	32.57	-17.15	54.0	21.43	AV	362.00	100	Horizontal	Pass
2	2458.300	109.20	-11.95	74.0	-35.20	Peak	116.00	100	Horizontal	N/A
2**	2458.300	101.74	-11.95	54.0	-47.74	AV	116.00	100	Horizontal	N/A
3	5139.800	52.39	-1.49	74.0	21.61	Peak	225.00	150	Horizontal	Pass
3**	5139.800	45.10	-1.49	54.0	8.90	AV	225.00	150	Horizontal	Pass
4	6791.800	54.54	0.91	74.0	19.46	Peak	157.00	100	Horizontal	Pass
4**	6791.800	45.32	0.91	54.0	8.68	AV	157.00	100	Horizontal	Pass
5	13321.463	55.84	0.91	74.0	18.16	Peak	61.00	150	Horizontal	Pass
5**	13321.463	46.67	0.91	54.0	7.33	AV	61.00	150	Horizontal	Pass
6	17411.475	56.09	3.50	74.0	17.91	Peak	212.00	300	Horizontal	Pass
6**	17411.475	47.12	3.50	54.0	6.88	AV	212.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1313.300	42.64	-16.87	74.0	31.36	Peak	360.00	400	Vertical	Pass
1**	1313.300	32.53	-16.87	54.0	21.47	AV	360.00	400	Vertical	Pass
2	2458.400	103.08	-11.94	74.0	-29.08	Peak	31.00	200	Vertical	N/A
2**	2458.400	94.93	-11.94	54.0	-40.93	AV	31.00	200	Vertical	N/A
3	5277.000	52.55	-2.53	74.0	21.45	Peak	98.00	200	Vertical	Pass
3**	5277.000	43.71	-2.53	54.0	10.29	AV	98.00	200	Vertical	Pass
4	6807.200	54.81	2.09	74.0	19.19	Peak	28.00	200	Vertical	Pass
4**	6807.200	45.92	2.09	54.0	8.08	AV	28.00	200	Vertical	Pass
5	13316.213	55.86	0.89	74.0	18.14	Peak	156.00	200	Vertical	Pass
5**	13316.213	46.56	0.89	54.0	7.44	AV	156.00	200	Vertical	Pass
6	17411.738	55.87	3.51	74.0	18.13	Peak	126.00	100	Vertical	Pass
6**	17411.738	46.48	3.51	54.0	7.52	AV	126.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	44.53	-17.08	74.0	29.47	Peak	176.00	200	Horizontal	Pass
1**	1327.500	37.68	-17.08	54.0	16.32	AV	176.00	200	Horizontal	Pass
2	2463.000	106.02	-11.79	74.0	-32.02	Peak	129.00	200	Horizontal	N/A
2**	2463.000	96.07	-11.79	54.0	-42.07	AV	129.00	200	Horizontal	N/A
3	5081.000	52.42	-2.03	74.0	21.58	Peak	237.00	150	Horizontal	Pass
3**	5081.000	42.77	-2.03	54.0	11.23	AV	237.00	150	Horizontal	Pass
4	6626.600	54.19	0.24	74.0	19.81	Peak	237.00	300	Horizontal	Pass
4**	6626.600	44.60	0.24	54.0	9.40	AV	237.00	300	Horizontal	Pass
5	13410.187	56.62	0.50	74.0	17.38	Peak	0.00	300	Horizontal	Pass
5**	13410.187	46.97	0.50	54.0	7.03	AV	0.00	300	Horizontal	Pass
6	15489.188	55.57	0.93	74.0	18.43	Peak	103.00	150	Horizontal	Pass
6**	15489.188	45.35	0.93	54.0	8.65	AV	103.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.200	46.87	-17.59	74.0	27.13	Peak	61.00	200	Vertical	Pass
1**	1165.200	33.43	-17.59	54.0	20.57	AV	61.00	200	Vertical	Pass
2	2464.300	93.25	-11.84	74.0	-19.25	Peak	116.00	100	Vertical	N/A
2**	2464.300	83.53	-11.84	54.0	-29.53	AV	116.00	100	Vertical	N/A
3	2661.700	51.97	-10.98	74.0	22.03	Peak	102.00	100	Vertical	Pass
3**	2661.700	41.37	-10.98	54.0	12.63	AV	102.00	100	Vertical	Pass
4	6805.600	54.72	2.07	74.0	19.28	Peak	91.00	400	Vertical	Pass
4**	6805.600	46.18	2.07	54.0	7.82	AV	91.00	400	Vertical	Pass
5	13322.250	55.74	0.91	74.0	18.26	Peak	161.00	150	Vertical	Pass
5**	13322.250	46.68	0.91	54.0	7.32	AV	161.00	150	Vertical	Pass
6	17472.375	56.33	2.87	74.0	17.67	Peak	65.00	400	Vertical	Pass
6**	17472.375	47.04	2.87	54.0	6.96	AV	65.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	45.08	-17.05	74.0	28.92	Peak	136.00	100	Horizontal	Pass
1**	1331.500	33.43	-17.05	54.0	20.57	AV	136.00	100	Horizontal	Pass
2	2424.600	100.58	-12.59	74.0	-26.58	Peak	123.00	200	Horizontal	N/A
2**	2424.600	93.00	-12.59	54.0	-39.00	AV	123.00	200	Horizontal	N/A
3	4997.200	51.14	-2.45	74.0	22.86	Peak	46.00	150	Horizontal	Pass
3**	4997.200	42.45	-2.45	54.0	11.55	AV	46.00	150	Horizontal	Pass
4	6609.600	54.50	0.47	74.0	19.50	Peak	175.00	100	Horizontal	Pass
4**	6609.600	45.23	0.47	54.0	8.77	AV	175.00	100	Horizontal	Pass
5	13292.325	55.67	0.81	74.0	18.33	Peak	64.00	150	Horizontal	Pass
5**	13292.325	46.93	0.81	54.0	7.07	AV	64.00	150	Horizontal	Pass
6	17470.276	56.99	2.90	74.0	17.01	Peak	108.00	300	Horizontal	Pass
6**	17470.276	47.31	2.90	54.0	6.69	AV	108.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.300	48.81	-17.62	74.0	25.19	Peak	79.00	400	Vertical	Pass
1**	1162.300	33.03	-17.62	54.0	20.97	AV	79.00	400	Vertical	Pass
2	2420.700	88.37	-12.23	74.0	-14.37	Peak	113.00	100	Vertical	N/A
2**	2420.700	79.80	-12.23	54.0	-25.80	AV	113.00	100	Vertical	N/A
3	2659.100	53.30	-11.09	74.0	20.70	Peak	60.00	100	Vertical	Pass
3**	2659.100	41.89	-11.09	54.0	12.11	AV	60.00	100	Vertical	Pass
4	6610.200	54.72	0.61	74.0	19.28	Peak	20.00	400	Vertical	Pass
4**	6610.200	45.58	0.61	54.0	8.42	AV	20.00	400	Vertical	Pass
5	13345.087	56.16	1.03	74.0	17.84	Peak	324.00	150	Vertical	Pass
5**	13345.087	46.43	1.03	54.0	7.57	AV	324.00	150	Vertical	Pass
6	17412.262	56.22	3.53	74.0	17.78	Peak	95.00	100	Vertical	Pass
6**	17412.262	47.05	3.53	54.0	6.95	AV	95.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.800	42.21	-16.83	74.0	31.79	Peak	363.00	400	Horizontal	Pass
1**	1487.800	32.47	-16.83	54.0	21.53	AV	363.00	400	Horizontal	Pass
2	2425.500	107.98	-12.59	74.0	-33.98	Peak	88.00	200	Horizontal	N/A
2**	2425.500	98.47	-12.59	54.0	-44.47	AV	88.00	200	Horizontal	N/A
3	4940.400	52.26	-1.96	74.0	21.74	Peak	291.00	150	Horizontal	Pass
3**	4940.400	42.17	-1.96	54.0	11.83	AV	291.00	150	Horizontal	Pass
4	6807.000	54.59	2.15	74.0	19.41	Peak	350.00	300	Horizontal	Pass
4**	6807.000	45.47	2.15	54.0	8.53	AV	350.00	300	Horizontal	Pass
5	13459.537	54.94	0.70	74.0	19.06	Peak	197.00	150	Horizontal	Pass
5**	13459.537	45.47	0.70	54.0	8.53	AV	197.00	150	Horizontal	Pass
6	15863.775	56.18	0.84	74.0	17.82	Peak	328.00	400	Horizontal	Pass
6**	15863.775	45.31	0.84	54.0	8.69	AV	328.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.900	42.55	-17.10	74.0	31.45	Peak	158.00	100	Vertical	Pass
1**	1581.900	33.50	-17.10	54.0	20.50	AV	158.00	100	Vertical	Pass
2	2429.100	99.01	-12.41	74.0	-25.01	Peak	177.00	150	Vertical	N/A
2**	2429.100	89.16	-12.41	54.0	-35.16	AV	177.00	150	Vertical	N/A
3	2770.100	52.01	-8.56	74.0	21.99	Peak	196.00	100	Vertical	Pass
3**	2770.100	42.43	-8.56	54.0	11.57	AV	196.00	100	Vertical	Pass
4	6972.800	54.17	1.05	74.0	19.83	Peak	35.00	200	Vertical	Pass
4**	6972.800	45.53	1.05	54.0	8.47	AV	35.00	200	Vertical	Pass
5	13422.525	55.84	0.40	74.0	18.16	Peak	242.00	150	Vertical	Pass
5**	13422.525	47.46	0.40	54.0	6.54	AV	242.00	150	Vertical	Pass
6	17420.401	55.97	3.75	74.0	18.03	Peak	360.00	100	Vertical	Pass
6**	17420.401	47.12	3.75	54.0	6.88	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.200	42.06	-17.09	74.0	31.94	Peak	362.00	200	Horizontal	Pass
1**	1552.200	32.69	-17.09	54.0	21.31	AV	362.00	200	Horizontal	Pass
2	2433.300	107.16	-12.28	74.0	-33.16	Peak	13.00	200	Horizontal	N/A
2**	2433.300	99.64	-12.28	54.0	-45.64	AV	13.00	200	Horizontal	N/A
3	5419.200	52.98	-1.59	74.0	21.02	Peak	327.00	150	Horizontal	Pass
3**	5419.200	43.57	-1.59	54.0	10.43	AV	327.00	150	Horizontal	Pass
4	6806.400	54.89	2.33	74.0	19.11	Peak	141.00	200	Horizontal	Pass
4**	6806.400	46.03	2.33	54.0	7.97	AV	141.00	200	Horizontal	Pass
5	13435.650	55.51	0.42	74.0	18.49	Peak	223.00	150	Horizontal	Pass
5**	13435.650	45.93	0.42	54.0	8.07	AV	223.00	150	Horizontal	Pass
6	16244.662	55.39	1.35	74.0	18.61	Peak	335.00	200	Horizontal	Pass
6**	16244.662	45.04	1.35	54.0	8.96	AV	335.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.500	42.24	-16.78	74.0	31.76	Peak	361.00	200	Vertical	Pass
1**	1585.500	33.62	-16.78	54.0	20.38	AV	361.00	200	Vertical	Pass
2	2428.900	97.89	-12.42	74.0	-23.89	Peak	173.00	200	Vertical	N/A
2**	2428.900	88.56	-12.42	54.0	-34.56	AV	173.00	200	Vertical	N/A
3	4555.600	50.28	-3.65	74.0	23.72	Peak	259.00	150	Vertical	Pass
3**	4555.600	40.36	-3.65	54.0	13.64	AV	259.00	150	Vertical	Pass
4	6094.800	54.58	-1.13	74.0	19.42	Peak	223.00	100	Vertical	Pass
4**	6094.800	43.87	-1.13	54.0	10.13	AV	223.00	100	Vertical	Pass
5	13319.363	56.71	0.90	74.0	17.29	Peak	246.00	200	Vertical	Pass
5**	13319.363	46.83	0.90	54.0	7.17	AV	246.00	200	Vertical	Pass
6	15812.325	55.70	2.12	74.0	18.30	Peak	68.00	150	Vertical	Pass
6**	15812.325	46.40	2.12	54.0	7.60	AV	68.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	43.89	-17.10	74.0	30.11	Peak	183.00	100	Horizontal	Pass
1**	1332.200	37.41	-17.10	54.0	16.59	AV	183.00	100	Horizontal	Pass
2	2435.400	105.63	-12.14	74.0	-31.63	Peak	129.00	100	Horizontal	N/A
2**	2435.400	97.74	-12.14	54.0	-43.74	AV	129.00	100	Horizontal	N/A
3	4807.000	51.71	-2.36	74.0	22.29	Peak	252.00	150	Horizontal	Pass
3**	4807.000	42.40	-2.36	54.0	11.60	AV	252.00	150	Horizontal	Pass
4	6806.600	54.86	2.28	74.0	19.14	Peak	39.00	400	Horizontal	Pass
4**	6806.600	46.37	2.28	54.0	7.63	AV	39.00	400	Horizontal	Pass
5	13314.113	55.32	0.88	74.0	18.68	Peak	360.00	150	Horizontal	Pass
5**	13314.113	46.88	0.88	54.0	7.12	AV	360.00	150	Horizontal	Pass
6	17405.962	56.68	3.34	74.0	17.32	Peak	98.00	400	Horizontal	Pass
6**	17405.962	47.26	3.34	54.0	6.74	AV	98.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	47.72	-17.08	74.0	26.28	Peak	54.00	200	Vertical	Pass
1**	1327.800	34.66	-17.08	54.0	19.34	AV	54.00	200	Vertical	Pass
2	2432.300	95.54	-12.39	74.0	-21.54	Peak	120.00	150	Vertical	N/A
2**	2432.300	85.95	-12.39	54.0	-31.95	AV	120.00	150	Vertical	N/A
3	4971.800	52.34	-1.61	74.0	21.66	Peak	259.00	100	Vertical	Pass
3**	4971.800	42.70	-1.61	54.0	11.30	AV	259.00	100	Vertical	Pass
4	6152.800	53.88	0.33	74.0	20.12	Peak	74.00	300	Vertical	Pass
4**	6152.800	46.19	0.33	54.0	7.81	AV	74.00	300	Vertical	Pass
5	13329.075	56.19	0.93	74.0	17.81	Peak	360.00	150	Vertical	Pass
5**	13329.075	45.87	0.93	54.0	8.13	AV	360.00	150	Vertical	Pass
6	17420.663	56.21	3.74	74.0	17.79	Peak	177.00	200	Vertical	Pass
6**	17420.663	47.46	3.74	54.0	6.54	AV	177.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.500	42.40	-16.80	74.0	31.60	Peak	145.00	300	Horizontal	Pass
1**	1561.500	32.92	-16.80	54.0	21.08	AV	145.00	300	Horizontal	Pass
2	2441.000	107.34	-12.38	74.0	-33.34	Peak	127.00	150	Horizontal	N/A
2**	2441.000	99.41	-12.38	54.0	-45.41	AV	127.00	150	Horizontal	N/A
3	5005.600	52.72	-2.57	74.0	21.28	Peak	135.00	150	Horizontal	Pass
3**	5005.600	42.08	-2.57	54.0	11.92	AV	135.00	150	Horizontal	Pass
4	6609.600	54.55	0.47	74.0	19.45	Peak	169.00	400	Horizontal	Pass
4**	6609.600	45.76	0.47	54.0	8.24	AV	169.00	400	Horizontal	Pass
5	13403.625	55.92	0.54	74.0	18.08	Peak	336.00	150	Horizontal	Pass
5**	13403.625	45.83	0.54	54.0	8.17	AV	336.00	150	Horizontal	Pass
6	17467.650	56.17	2.90	74.0	17.83	Peak	218.00	200	Horizontal	Pass
6**	17467.650	47.82	2.90	54.0	6.18	AV	218.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.600	42.64	-16.79	74.0	31.36	Peak	192.00	300	Vertical	Pass
1**	1488.600	33.50	-16.79	54.0	20.50	AV	192.00	300	Vertical	Pass
2	2436.600	98.57	-12.13	74.0	-24.57	Peak	154.00	200	Vertical	N/A
2**	2436.600	87.99	-12.13	54.0	-33.99	AV	154.00	200	Vertical	N/A
3	4773.400	52.01	-2.86	74.0	21.99	Peak	360.00	150	Vertical	Pass
3**	4773.400	41.08	-2.86	54.0	12.92	AV	360.00	150	Vertical	Pass
4	6308.200	55.23	-1.45	74.0	18.77	Peak	284.00	100	Vertical	Pass
4**	6308.200	44.07	-1.45	54.0	9.93	AV	284.00	100	Vertical	Pass
5	13447.200	56.14	0.58	74.0	17.86	Peak	188.00	150	Vertical	Pass
5**	13447.200	46.31	0.58	54.0	7.69	AV	188.00	150	Vertical	Pass
6	16056.713	56.50	0.84	74.0	17.50	Peak	188.00	400	Vertical	Pass
6**	16056.713	46.26	0.84	54.0	7.74	AV	188.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.100	42.14	-17.02	74.0	31.86	Peak	0.00	200	Horizontal	Pass
1**	1584.100	33.21	-17.02	54.0	20.79	AV	0.00	200	Horizontal	Pass
2	2449.200	106.27	-12.25	74.0	-32.27	Peak	13.00	150	Horizontal	N/A
2**	2449.200	98.71	-12.25	54.0	-44.71	AV	13.00	150	Horizontal	N/A
3	4685.600	51.79	-2.69	74.0	22.21	Peak	150.00	150	Horizontal	Pass
3**	4685.600	41.56	-2.69	54.0	12.44	AV	150.00	150	Horizontal	Pass
4	6533.600	54.41	-0.45	74.0	19.59	Peak	150.00	100	Horizontal	Pass
4**	6533.600	44.63	-0.45	54.0	9.37	AV	150.00	100	Horizontal	Pass
5	13323.037	55.05	0.92	74.0	18.95	Peak	336.00	150	Horizontal	Pass
5**	13323.037	46.20	0.92	54.0	7.80	AV	336.00	150	Horizontal	Pass
6	17418.301	55.64	3.72	74.0	18.36	Peak	360.00	300	Horizontal	Pass
6**	17418.301	46.19	3.72	54.0	7.81	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.500	42.73	-16.84	74.0	31.27	Peak	143.00	300	Vertical	Pass
1**	1562.500	33.23	-16.84	54.0	20.77	AV	143.00	300	Vertical	Pass
2	2447.900	96.45	-12.32	74.0	-22.45	Peak	0.00	150	Vertical	N/A
2**	2447.900	88.40	-12.32	54.0	-34.40	AV	0.00	150	Vertical	N/A
3	4864.000	51.63	-2.68	74.0	22.37	Peak	361.00	150	Vertical	Pass
3**	4864.000	42.46	-2.68	54.0	11.54	AV	361.00	150	Vertical	Pass
4	6977.200	55.28	1.71	74.0	18.72	Peak	117.00	100	Vertical	Pass
4**	6977.200	45.45	1.71	54.0	8.55	AV	117.00	100	Vertical	Pass
5	13406.775	55.94	0.53	74.0	18.06	Peak	335.00	400	Vertical	Pass
5**	13406.775	46.65	0.53	54.0	7.35	AV	335.00	400	Vertical	Pass
6	15630.151	55.83	1.70	74.0	18.17	Peak	305.00	150	Vertical	Pass
6**	15630.151	46.91	1.70	54.0	7.09	AV	305.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	44.18	-17.00	74.0	29.82	Peak	134.00	400	Horizontal	Pass
1**	1330.100	34.16	-17.00	54.0	19.84	AV	134.00	400	Horizontal	Pass
2	2448.500	99.76	-12.26	74.0	-25.76	Peak	78.00	150	Horizontal	N/A
2**	2448.500	91.67	-12.26	54.0	-37.67	AV	78.00	150	Horizontal	N/A
3	5097.600	51.97	-2.23	74.0	22.03	Peak	102.00	150	Horizontal	Pass
3**	5097.600	42.16	-2.23	54.0	11.84	AV	102.00	150	Horizontal	Pass
4	6805.200	55.22	1.94	74.0	18.78	Peak	199.00	200	Horizontal	Pass
4**	6805.200	45.72	1.94	54.0	8.28	AV	199.00	200	Horizontal	Pass
5	13415.700	55.66	0.41	74.0	18.34	Peak	13.00	150	Horizontal	Pass
5**	13415.700	46.52	0.41	54.0	7.48	AV	13.00	150	Horizontal	Pass
6	17415.412	56.23	3.65	74.0	17.77	Peak	128.00	300	Horizontal	Pass
6**	17415.412	46.82	3.65	54.0	7.18	AV	128.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.600	46.98	-17.72	74.0	27.02	Peak	81.00	100	Vertical	Pass
1**	1160.600	34.27	-17.72	54.0	19.73	AV	81.00	100	Vertical	Pass
2	2453.000	87.95	-12.19	74.0	-13.95	Peak	113.00	150	Vertical	N/A
2**	2453.000	78.91	-12.19	54.0	-24.91	AV	113.00	150	Vertical	N/A
3	4996.000	52.34	-2.36	74.0	21.66	Peak	123.00	150	Vertical	Pass
3**	4996.000	41.63	-2.36	54.0	12.37	AV	123.00	150	Vertical	Pass
4	6804.800	54.87	1.81	74.0	19.13	Peak	112.00	300	Vertical	Pass
4**	6804.800	45.40	1.81	54.0	8.60	AV	112.00	300	Vertical	Pass
5	13408.088	55.61	0.52	74.0	18.39	Peak	360.00	150	Vertical	Pass
5**	13408.088	46.14	0.52	54.0	7.86	AV	360.00	150	Vertical	Pass
6	17434.837	56.47	3.27	74.0	17.53	Peak	277.00	100	Vertical	Pass
6**	17434.837	46.86	3.27	54.0	7.14	AV	277.00	100	Vertical	Pass

MIMO:**1 GHz to 18 GHz, ANT H 802.11b CH1**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	43.01	-17.09	74.0	30.99	Peak	183.00	100	Horizontal	Pass
1**	1332.100	35.78	-17.09	54.0	18.22	AV	183.00	100	Horizontal	Pass
2	2413.100	105.76	-10.73	74.0	-31.76	Peak	244.00	200	Horizontal	N/A
2**	2413.100	102.95	-10.73	54.0	-48.95	AV	244.00	200	Horizontal	N/A
3	4982.600	52.11	-1.63	74.0	21.89	Peak	348.00	200	Horizontal	Pass
3**	4982.600	42.73	-1.63	54.0	11.27	AV	348.00	200	Horizontal	Pass
4	6806.600	54.39	2.28	74.0	19.61	Peak	263.00	100	Horizontal	Pass
4**	6806.600	46.31	2.28	54.0	7.69	AV	263.00	100	Horizontal	Pass
5	13426.201	56.12	0.40	74.0	17.88	Peak	172.00	150	Horizontal	Pass
5**	13426.201	46.73	0.40	54.0	7.27	AV	172.00	150	Horizontal	Pass
6	17438.511	56.13	3.09	74.0	17.87	Peak	280.00	400	Horizontal	Pass
6**	17438.511	46.93	3.09	54.0	7.07	AV	280.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.800	46.79	-17.65	74.0	27.21	Peak	49.00	200	Vertical	Pass
1**	1161.800	36.25	-17.65	54.0	17.75	AV	49.00	200	Vertical	Pass
2	2410.800	98.96	-10.57	74.0	-24.96	Peak	189.00	200	Vertical	N/A
2**	2410.800	96.04	-10.57	54.0	-42.04	AV	189.00	200	Vertical	N/A
3	4824.200	51.37	-2.04	74.0	22.63	Peak	156.00	150	Vertical	Pass
3**	4824.200	46.89	-2.04	54.0	7.11	AV	156.00	150	Vertical	Pass
4	6789.800	54.52	0.68	74.0	19.48	Peak	111.00	300	Vertical	Pass
4**	6789.800	45.35	0.68	54.0	8.65	AV	111.00	300	Vertical	Pass
5	13433.026	54.75	0.41	74.0	19.25	Peak	360.00	150	Vertical	Pass
5**	13433.026	47.08	0.41	54.0	6.92	AV	360.00	150	Vertical	Pass
6	17418.301	56.88	3.72	74.0	17.12	Peak	302.00	200	Vertical	Pass
6**	17418.301	46.32	3.72	54.0	7.68	AV	302.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.700	42.36	-16.83	74.0	31.64	Peak	201.00	400	Horizontal	Pass
1**	1505.700	33.65	-16.83	54.0	20.35	AV	201.00	400	Horizontal	Pass
2	2415.800	105.89	-11.33	74.0	-31.89	Peak	219.00	200	Horizontal	N/A
2**	2415.800	103.02	-11.33	54.0	-49.02	AV	219.00	200	Horizontal	N/A
3	2770.800	51.98	-8.47	74.0	22.02	Peak	357.00	150	Horizontal	Pass
3**	2770.800	42.87	-8.47	54.0	11.13	AV	357.00	150	Horizontal	Pass
4	4834.200	50.87	-2.73	74.0	23.13	Peak	87.00	150	Horizontal	Pass
4**	4834.200	45.24	-2.73	54.0	8.76	AV	87.00	150	Horizontal	Pass
5	13422.000	55.96	0.40	74.0	18.04	Peak	310.00	150	Horizontal	Pass
5**	13422.000	45.85	0.40	54.0	8.15	AV	310.00	150	Horizontal	Pass
6	17399.663	56.24	3.17	74.0	17.76	Peak	291.00	400	Horizontal	Pass
6**	17399.663	46.15	3.17	54.0	7.85	AV	291.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.000	42.54	-16.99	74.0	31.46	Peak	67.00	200	Vertical	Pass
1**	1558.000	33.46	-16.99	54.0	20.54	AV	67.00	200	Vertical	Pass
2	2415.700	100.32	-11.29	74.0	-26.32	Peak	170.00	200	Vertical	N/A
2**	2415.700	97.39	-11.29	54.0	-43.39	AV	170.00	200	Vertical	N/A
3	4834.200	52.32	-2.73	74.0	21.68	Peak	176.00	200	Vertical	Pass
3**	4834.200	46.41	-2.73	54.0	7.59	AV	176.00	200	Vertical	Pass
4	4834.400	50.50	-2.73	74.0	23.50	Peak	198.00	150	Vertical	Pass
4**	4834.400	46.87	-2.73	54.0	7.13	AV	198.00	150	Vertical	Pass
5	13425.150	55.51	0.40	74.0	18.49	Peak	0.00	150	Vertical	Pass
5**	13425.150	46.68	0.40	54.0	7.32	AV	0.00	150	Vertical	Pass
6	17418.301	56.25	3.72	74.0	17.75	Peak	201.00	200	Vertical	Pass
6**	17418.301	47.01	3.72	54.0	6.99	AV	201.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	42.85	-17.10	74.0	31.15	Peak	171.00	100	Horizontal	Pass
1**	1328.300	34.91	-17.10	54.0	19.09	AV	171.00	100	Horizontal	Pass
2	2435.800	106.11	-12.14	74.0	-32.11	Peak	132.00	150	Horizontal	N/A
2**	2435.800	103.23	-12.14	54.0	-49.23	AV	132.00	150	Horizontal	N/A
3	4978.800	51.53	-1.59	74.0	22.47	Peak	42.00	100	Horizontal	Pass
3**	4978.800	42.30	-1.59	54.0	11.70	AV	42.00	100	Horizontal	Pass
4	6992.400	54.66	1.83	74.0	19.34	Peak	360.00	300	Horizontal	Pass
4**	6992.400	45.41	1.83	54.0	8.59	AV	360.00	300	Horizontal	Pass
5	13430.138	56.54	0.40	74.0	17.46	Peak	38.00	150	Horizontal	Pass
5**	13430.138	46.51	0.40	54.0	7.49	AV	38.00	150	Horizontal	Pass
6	15853.275	56.71	1.24	74.0	17.29	Peak	173.00	300	Horizontal	Pass
6**	15853.275	46.43	1.24	54.0	7.57	AV	173.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.800	47.91	-17.61	74.0	26.09	Peak	70.00	300	Vertical	Pass
1**	1165.800	34.85	-17.61	54.0	19.15	AV	70.00	300	Vertical	Pass
2	2435.900	99.86	-12.14	74.0	-25.86	Peak	163.00	150	Vertical	N/A
2**	2435.900	96.95	-12.14	54.0	-42.95	AV	163.00	150	Vertical	N/A
3	4818.600	51.68	-2.11	74.0	22.32	Peak	281.00	200	Vertical	Pass
3**	4818.600	41.34	-2.11	54.0	12.66	AV	281.00	200	Vertical	Pass
4	6854.200	54.33	-0.27	74.0	19.67	Peak	293.00	200	Vertical	Pass
4**	6854.200	44.30	-0.27	54.0	9.70	AV	293.00	200	Vertical	Pass
5	13392.862	56.47	0.66	74.0	17.53	Peak	214.00	100	Vertical	Pass
5**	13392.862	45.76	0.66	54.0	8.24	AV	214.00	100	Vertical	Pass
6	15807.337	55.88	2.22	74.0	18.12	Peak	276.00	150	Vertical	Pass
6**	15807.337	47.12	2.22	54.0	6.88	AV	276.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.900	42.08	-17.03	74.0	31.92	Peak	188.00	200	Horizontal	Pass
1**	1351.900	32.67	-17.03	54.0	21.33	AV	188.00	200	Horizontal	Pass
2	2458.200	105.48	-11.96	74.0	-31.48	Peak	127.00	200	Horizontal	N/A
2**	2458.200	102.67	-11.96	54.0	-48.67	AV	127.00	200	Horizontal	N/A
3	4941.200	51.95	-2.04	74.0	22.05	Peak	209.00	150	Horizontal	Pass
3**	4941.200	42.65	-2.04	54.0	11.35	AV	209.00	150	Horizontal	Pass
4	6522.000	55.00	0.17	74.0	19.00	Peak	209.00	400	Horizontal	Pass
4**	6522.000	45.30	0.17	54.0	8.70	AV	209.00	400	Horizontal	Pass
5	13423.575	56.26	0.40	74.0	17.74	Peak	0.00	400	Horizontal	Pass
5**	13423.575	46.32	0.40	54.0	7.68	AV	0.00	400	Horizontal	Pass
6	15833.850	55.63	1.46	74.0	18.37	Peak	360.00	150	Horizontal	Pass
6**	15833.850	47.09	1.46	54.0	6.91	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.600	43.02	-17.29	74.0	30.98	Peak	225.00	400	Vertical	Pass
1**	1543.600	34.14	-17.29	54.0	19.86	AV	225.00	400	Vertical	Pass
2	2458.200	98.26	-11.96	74.0	-24.26	Peak	168.00	150	Vertical	N/A
2**	2458.200	95.46	-11.96	54.0	-41.46	AV	168.00	150	Vertical	N/A
3	2904.200	51.87	-8.95	74.0	22.13	Peak	225.00	200	Vertical	Pass
3**	2904.200	41.76	-8.95	54.0	12.24	AV	225.00	200	Vertical	Pass
4	6518.600	54.61	0.02	74.0	19.39	Peak	249.00	200	Vertical	Pass
4**	6518.600	44.97	0.02	54.0	9.03	AV	249.00	200	Vertical	Pass
5	11209.000	52.69	-0.23	74.0	21.31	Peak	60.00	150	Vertical	Pass
5**	11209.000	42.98	-0.23	54.0	11.02	AV	60.00	150	Vertical	Pass
6	13416.225	56.05	0.41	74.0	17.95	Peak	312.00	300	Vertical	Pass
6**	13416.225	47.14	0.41	54.0	6.86	AV	312.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.200	42.86	-17.16	74.0	31.14	Peak	37.00	200	Horizontal	Pass
1**	1480.200	33.18	-17.16	54.0	20.82	AV	37.00	200	Horizontal	Pass
2	2460.800	105.39	-12.05	74.0	-31.39	Peak	126.00	150	Horizontal	N/A
2**	2460.800	102.49	-12.05	54.0	-48.49	AV	126.00	150	Horizontal	N/A
3	4980.200	52.02	-1.58	74.0	21.98	Peak	86.00	200	Horizontal	Pass
3**	4980.200	42.90	-1.58	54.0	11.10	AV	86.00	200	Horizontal	Pass
4	6806.400	54.55	2.33	74.0	19.45	Peak	38.00	200	Horizontal	Pass
4**	6806.400	45.88	2.33	54.0	8.12	AV	38.00	200	Horizontal	Pass
5	13316.475	56.15	0.89	74.0	17.85	Peak	49.00	150	Horizontal	Pass
5**	13316.475	46.60	0.89	54.0	7.40	AV	49.00	150	Horizontal	Pass
6	15235.350	55.54	1.02	74.0	18.46	Peak	0.00	150	Horizontal	Pass
6**	15235.350	46.79	1.02	54.0	7.21	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.500	47.19	-17.57	74.0	26.81	Peak	77.00	300	Vertical	Pass
1**	1164.500	37.98	-17.57	54.0	16.02	AV	77.00	300	Vertical	Pass
2	2460.700	97.84	-12.04	74.0	-23.84	Peak	187.00	150	Vertical	N/A
2**	2460.700	94.86	-12.04	54.0	-40.86	AV	187.00	150	Vertical	N/A
3	4982.000	51.64	-1.61	74.0	22.36	Peak	203.00	200	Vertical	Pass
3**	4982.000	42.92	-1.61	54.0	11.08	AV	203.00	200	Vertical	Pass
4	6609.800	54.26	0.52	74.0	19.74	Peak	41.00	400	Vertical	Pass
4**	6609.800	45.67	0.52	54.0	8.33	AV	41.00	400	Vertical	Pass
5	13423.575	55.31	0.40	74.0	18.69	Peak	270.00	150	Vertical	Pass
5**	13423.575	46.59	0.40	54.0	7.41	AV	270.00	150	Vertical	Pass
6	16083.488	56.31	1.56	74.0	17.69	Peak	301.00	100	Vertical	Pass
6**	16083.488	46.07	1.56	54.0	7.93	AV	301.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	43.09	-17.04	74.0	30.91	Peak	122.00	300	Horizontal	Pass
1**	1329.300	35.63	-17.04	54.0	18.37	AV	122.00	300	Horizontal	Pass
2	2410.300	108.58	-10.52	74.0	-34.58	Peak	122.00	100	Horizontal	N/A
2**	2410.300	101.61	-10.52	54.0	-47.61	AV	122.00	100	Horizontal	N/A
3	2885.900	52.08	-9.16	74.0	21.92	Peak	112.00	150	Horizontal	Pass
3**	2885.900	41.88	-9.16	54.0	12.12	AV	112.00	150	Horizontal	Pass
4	6807.400	54.39	2.02	74.0	19.61	Peak	360.00	300	Horizontal	Pass
4**	6807.400	46.07	2.02	54.0	7.93	AV	360.00	300	Horizontal	Pass
5	13303.088	55.31	0.87	74.0	18.69	Peak	19.00	150	Horizontal	Pass
5**	13303.088	46.37	0.87	54.0	7.63	AV	19.00	150	Horizontal	Pass
6	15796.312	56.07	2.21	74.0	17.93	Peak	284.00	300	Horizontal	Pass
6**	15796.312	46.72	2.21	54.0	7.28	AV	284.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11nb CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.900	47.63	-17.66	74.0	26.37	Peak	54.00	300	Vertical	Pass
1**	1166.900	35.96	-17.66	54.0	18.04	AV	54.00	300	Vertical	Pass
2	2412.400	98.53	-10.70	74.0	-24.53	Peak	190.00	100	Vertical	N/A
2**	2412.400	90.73	-10.70	54.0	-36.73	AV	190.00	100	Vertical	N/A
3	2785.800	51.69	-9.58	74.0	22.31	Peak	6.00	100	Vertical	Pass
3**	2785.800	41.69	-9.58	54.0	12.31	AV	6.00	100	Vertical	Pass
4	6843.400	54.50	0.80	74.0	19.50	Peak	236.00	300	Vertical	Pass
4**	6843.400	44.74	0.80	54.0	9.26	AV	236.00	300	Vertical	Pass
5	13301.512	55.63	0.87	74.0	18.37	Peak	318.00	150	Vertical	Pass
5**	13301.512	46.28	0.87	54.0	7.72	AV	318.00	150	Vertical	Pass
6	17420.663	55.91	3.74	74.0	18.09	Peak	360.00	100	Vertical	Pass
6**	17420.663	47.27	3.74	54.0	6.73	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.600	42.64	-16.82	74.0	31.36	Peak	174.00	400	Horizontal	Pass
1**	1487.600	32.48	-16.82	54.0	21.52	AV	174.00	400	Horizontal	Pass
2	2414.900	110.48	-11.02	74.0	-36.48	Peak	115.00	200	Horizontal	N/A
2**	2414.900	103.74	-11.02	54.0	-49.74	AV	115.00	200	Horizontal	N/A
3	4972.400	52.20	-1.60	74.0	21.80	Peak	17.00	100	Horizontal	Pass
3**	4972.400	42.56	-1.60	54.0	11.44	AV	17.00	100	Horizontal	Pass
4	6155.200	54.08	0.07	74.0	19.92	Peak	313.00	300	Horizontal	Pass
4**	6155.200	45.27	0.07	54.0	8.73	AV	313.00	300	Horizontal	Pass
5	13410.975	56.46	0.49	74.0	17.54	Peak	205.00	300	Horizontal	Pass
5**	13410.975	47.51	0.49	54.0	6.49	AV	205.00	300	Horizontal	Pass
6	15815.737	55.66	2.03	74.0	18.34	Peak	224.00	150	Horizontal	Pass
6**	15815.737	46.91	2.03	54.0	7.09	AV	224.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.600	42.65	-17.07	74.0	31.35	Peak	37.00	300	Vertical	Pass
1**	1390.600	34.32	-17.07	54.0	19.68	AV	37.00	300	Vertical	Pass
2	2418.000	100.78	-11.82	74.0	-26.78	Peak	177.00	200	Vertical	N/A
2**	2418.000	94.25	-11.82	54.0	-40.25	AV	177.00	200	Vertical	N/A
3	2854.300	51.94	-8.35	74.0	22.06	Peak	12.00	200	Vertical	Pass
3**	2854.300	41.83	-8.35	54.0	12.17	AV	12.00	200	Vertical	Pass
4	6790.600	54.55	0.77	74.0	19.45	Peak	263.00	400	Vertical	Pass
4**	6790.600	45.58	0.77	54.0	8.42	AV	263.00	400	Vertical	Pass
5	13407.037	55.38	0.53	74.0	18.62	Peak	271.00	150	Vertical	Pass
5**	13407.037	47.23	0.53	54.0	6.77	AV	271.00	150	Vertical	Pass
6	17472.113	56.06	2.87	74.0	17.94	Peak	191.00	200	Vertical	Pass
6**	17472.113	46.81	2.87	54.0	7.19	AV	191.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.000	42.73	-17.03	74.0	31.27	Peak	206.00	400	Horizontal	Pass
1**	1584.000	32.85	-17.03	54.0	21.15	AV	206.00	400	Horizontal	Pass
2	2420.200	110.41	-12.15	74.0	-36.41	Peak	116.00	150	Horizontal	N/A
2**	2420.200	103.65	-12.15	54.0	-49.65	AV	116.00	150	Horizontal	N/A
3	2772.500	51.59	-8.74	74.0	22.41	Peak	151.00	200	Horizontal	Pass
3**	2772.500	43.02	-8.74	54.0	10.98	AV	151.00	200	Horizontal	Pass
4	6794.000	54.58	1.10	74.0	19.42	Peak	0.00	300	Horizontal	Pass
4**	6794.000	45.44	1.10	54.0	8.56	AV	0.00	300	Horizontal	Pass
5	13287.338	55.46	0.77	74.0	18.54	Peak	202.00	150	Horizontal	Pass
5**	13287.338	45.86	0.77	54.0	8.14	AV	202.00	150	Horizontal	Pass
6	15228.000	56.14	0.83	74.0	17.86	Peak	56.00	300	Horizontal	Pass
6**	15228.000	45.85	0.83	54.0	8.15	AV	56.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1307.900	42.24	-17.03	74.0	31.76	Peak	356.00	100	Vertical	Pass
1**	1307.900	33.01	-17.03	54.0	20.99	AV	356.00	100	Vertical	Pass
2	2420.800	100.63	-12.25	74.0	-26.63	Peak	168.00	200	Vertical	N/A
2**	2420.800	93.51	-12.25	54.0	-39.51	AV	168.00	200	Vertical	N/A
3	2954.000	52.07	-9.04	74.0	21.93	Peak	144.00	150	Vertical	Pass
3**	2954.000	41.49	-9.04	54.0	12.51	AV	144.00	150	Vertical	Pass
4	6606.200	54.39	-0.08	74.0	19.61	Peak	304.00	400	Vertical	Pass
4**	6606.200	44.88	-0.08	54.0	9.12	AV	304.00	400	Vertical	Pass
5	13433.813	55.32	0.41	74.0	18.68	Peak	156.00	150	Vertical	Pass
5**	13433.813	46.27	0.41	54.0	7.73	AV	156.00	150	Vertical	Pass
6	17352.411	55.96	1.99	74.0	18.04	Peak	214.00	300	Vertical	Pass
6**	17352.411	47.36	1.99	54.0	6.64	AV	214.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.100	42.49	-16.99	74.0	31.51	Peak	177.00	300	Horizontal	Pass
1**	1379.100	32.79	-16.99	54.0	21.21	AV	177.00	300	Horizontal	Pass
2	2424.300	109.57	-12.59	74.0	-35.57	Peak	78.00	200	Horizontal	N/A
2**	2424.300	102.69	-12.59	54.0	-48.69	AV	78.00	200	Horizontal	N/A
3	4973.800	51.19	-1.74	74.0	22.81	Peak	292.00	150	Horizontal	Pass
3**	4973.800	42.59	-1.74	54.0	11.41	AV	292.00	150	Horizontal	Pass
4	6788.200	54.52	0.33	74.0	19.48	Peak	292.00	400	Horizontal	Pass
4**	6788.200	44.96	0.33	54.0	9.04	AV	292.00	400	Horizontal	Pass
5	13372.387	55.93	0.69	74.0	18.07	Peak	183.00	150	Horizontal	Pass
5**	13372.387	45.35	0.69	54.0	8.65	AV	183.00	150	Horizontal	Pass
6	17430.374	55.94	3.44	74.0	18.06	Peak	240.00	200	Horizontal	Pass
6**	17430.374	46.65	3.44	54.0	7.35	AV	240.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.600	42.62	-17.12	74.0	31.38	Peak	192.00	400	Vertical	Pass
1**	1508.600	32.64	-17.12	54.0	21.36	AV	192.00	400	Vertical	Pass
2	2426.200	100.54	-12.59	74.0	-26.54	Peak	168.00	200	Vertical	N/A
2**	2426.200	94.70	-12.59	54.0	-40.70	AV	168.00	200	Vertical	N/A
3	5204.400	54.02	-2.26	74.0	19.98	Peak	113.00	150	Vertical	Pass
3**	5204.400	47.82	-2.26	54.0	6.18	AV	113.00	150	Vertical	Pass
4	6628.800	54.93	-0.12	74.0	19.07	Peak	145.00	400	Vertical	Pass
4**	6628.800	45.30	-0.12	54.0	8.70	AV	145.00	400	Vertical	Pass
5	13229.062	56.00	1.20	74.0	18.00	Peak	190.00	150	Vertical	Pass
5**	13229.062	44.54	1.20	54.0	9.46	AV	190.00	150	Vertical	Pass
6	17433.786	56.96	3.31	74.0	17.04	Peak	347.00	200	Vertical	Pass
6**	17433.786	47.66	3.31	54.0	6.34	AV	347.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	43.67	-17.04	74.0	30.33	Peak	179.00	300	Horizontal	Pass
1**	1329.400	36.72	-17.04	54.0	17.28	AV	179.00	300	Horizontal	Pass
2	2435.100	110.17	-12.16	74.0	-36.17	Peak	79.00	200	Horizontal	N/A
2**	2435.100	102.96	-12.16	54.0	-48.96	AV	79.00	200	Horizontal	N/A
3	4822.600	51.93	-2.08	74.0	22.07	Peak	360.00	150	Horizontal	Pass
3**	4822.600	41.77	-2.08	54.0	12.23	AV	360.00	150	Horizontal	Pass
4	6835.400	54.92	0.53	74.0	19.08	Peak	255.00	400	Horizontal	Pass
4**	6835.400	45.21	0.53	54.0	8.79	AV	255.00	400	Horizontal	Pass
5	13443.787	55.72	0.54	74.0	18.28	Peak	64.00	150	Horizontal	Pass
5**	13443.787	47.16	0.54	54.0	6.84	AV	64.00	150	Horizontal	Pass
6	15346.388	56.05	0.74	74.0	17.95	Peak	274.00	100	Horizontal	Pass
6**	15346.388	46.10	0.74	54.0	7.90	AV	274.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.000	47.52	-17.63	74.0	26.48	Peak	72.00	100	Vertical	Pass
1**	1162.000	39.52	-17.63	54.0	14.48	AV	72.00	100	Vertical	Pass
2	2439.400	101.05	-12.36	74.0	-27.05	Peak	117.00	200	Vertical	N/A
2**	2439.400	92.60	-12.36	54.0	-38.60	AV	117.00	200	Vertical	N/A
3	4934.000	52.37	-2.14	74.0	21.63	Peak	209.00	150	Vertical	Pass
3**	4934.000	42.49	-2.14	54.0	11.51	AV	209.00	150	Vertical	Pass
4	6532.200	54.45	-0.41	74.0	19.55	Peak	1.00	300	Vertical	Pass
4**	6532.200	44.56	-0.41	54.0	9.44	AV	1.00	300	Vertical	Pass
5	13414.125	55.49	0.43	74.0	18.51	Peak	275.00	150	Vertical	Pass
5**	13414.125	46.07	0.43	54.0	7.93	AV	275.00	150	Vertical	Pass
6	17426.438	56.67	3.57	74.0	17.33	Peak	249.00	100	Vertical	Pass
6**	17426.438	47.42	3.57	54.0	6.58	AV	249.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1207.600	42.36	-17.71	74.0	31.64	Peak	36.00	200	Horizontal	Pass
1**	1207.600	31.65	-17.71	54.0	22.35	AV	36.00	200	Horizontal	Pass
2	2449.000	110.21	-12.25	74.0	-36.21	Peak	80.00	100	Horizontal	N/A
2**	2449.000	102.62	-12.25	54.0	-48.62	AV	80.00	100	Horizontal	N/A
3	5088.200	52.81	-1.81	74.0	21.19	Peak	127.00	150	Horizontal	Pass
3**	5088.200	43.00	-1.81	54.0	11.00	AV	127.00	150	Horizontal	Pass
4	6865.800	54.37	-0.11	74.0	19.63	Peak	195.00	400	Horizontal	Pass
4**	6865.800	44.36	-0.11	54.0	9.64	AV	195.00	400	Horizontal	Pass
5	13330.912	55.78	0.95	74.0	18.22	Peak	164.00	150	Horizontal	Pass
5**	13330.912	47.00	0.95	54.0	7.00	AV	164.00	150	Horizontal	Pass
6	16128.113	56.24	0.94	74.0	17.76	Peak	55.00	300	Horizontal	Pass
6**	16128.113	46.10	0.94	54.0	7.90	AV	55.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.900	42.33	-17.11	74.0	31.67	Peak	142.00	300	Vertical	Pass
1**	1358.900	32.77	-17.11	54.0	21.23	AV	142.00	300	Vertical	Pass
2	2450.300	99.05	-12.25	74.0	-25.05	Peak	357.00	100	Vertical	N/A
2**	2450.300	91.98	-12.25	54.0	-37.98	AV	357.00	100	Vertical	N/A
3	4973.400	52.65	-1.69	74.0	21.35	Peak	98.00	150	Vertical	Pass
3**	4973.400	43.24	-1.69	54.0	10.76	AV	98.00	150	Vertical	Pass
4	6978.400	54.62	1.83	74.0	19.38	Peak	337.00	400	Vertical	Pass
4**	6978.400	44.97	1.83	54.0	9.03	AV	337.00	400	Vertical	Pass
5	13241.138	56.00	1.01	74.0	18.00	Peak	95.00	150	Vertical	Pass
5**	13241.138	46.45	1.01	54.0	7.55	AV	95.00	150	Vertical	Pass
6	16154.625	56.06	0.93	74.0	17.94	Peak	20.00	100	Vertical	Pass
6**	16154.625	44.78	0.93	54.0	9.22	AV	20.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.300	43.02	-17.18	74.0	30.98	Peak	170.00	100	Horizontal	Pass
1**	1597.300	32.48	-17.18	54.0	21.52	AV	170.00	100	Horizontal	Pass
2	2459.900	110.18	-11.97	74.0	-36.18	Peak	73.00	100	Horizontal	N/A
2**	2459.900	102.94	-11.97	54.0	-48.94	AV	73.00	100	Horizontal	N/A
3	5159.600	52.15	-1.46	74.0	21.85	Peak	360.00	150	Horizontal	Pass
3**	5159.600	42.41	-1.46	54.0	11.59	AV	360.00	150	Horizontal	Pass
4	6608.600	54.70	0.27	74.0	19.30	Peak	251.00	300	Horizontal	Pass
4**	6608.600	45.63	0.27	54.0	8.37	AV	251.00	300	Horizontal	Pass
5	13399.425	55.88	0.54	74.0	18.12	Peak	320.00	150	Horizontal	Pass
5**	13399.425	46.26	0.54	54.0	7.74	AV	320.00	150	Horizontal	Pass
6	17411.213	56.01	3.49	74.0	17.99	Peak	76.00	200	Horizontal	Pass
6**	17411.213	47.39	3.49	54.0	6.61	AV	76.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.900	43.34	-17.19	74.0	30.66	Peak	149.00	300	Vertical	Pass
1**	1531.900	32.64	-17.19	54.0	21.36	AV	149.00	300	Vertical	Pass
2	2455.600	99.79	-12.13	74.0	-25.79	Peak	360.00	150	Vertical	N/A
2**	2455.600	92.32	-12.13	54.0	-38.32	AV	360.00	150	Vertical	N/A
3	4645.200	51.49	-2.77	74.0	22.51	Peak	141.00	150	Vertical	Pass
3**	4645.200	41.84	-2.77	54.0	12.16	AV	141.00	150	Vertical	Pass
4	6792.400	54.98	0.98	74.0	19.02	Peak	208.00	300	Vertical	Pass
4**	6792.400	45.65	0.98	54.0	8.35	AV	208.00	300	Vertical	Pass
5	13420.162	55.36	0.40	74.0	18.64	Peak	78.00	150	Vertical	Pass
5**	13420.162	46.18	0.40	54.0	7.82	AV	78.00	150	Vertical	Pass
6	15843.299	56.97	1.39	74.0	17.03	Peak	0.00	100	Vertical	Pass
6**	15843.299	46.65	1.39	54.0	7.35	AV	0.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	43.67	-17.09	74.0	30.33	Peak	171.00	200	Horizontal	Pass
1**	1327.900	37.40	-17.09	54.0	16.60	AV	171.00	200	Horizontal	Pass
2	2460.200	108.55	-12.00	74.0	-34.55	Peak	77.00	200	Horizontal	N/A
2**	2460.200	101.19	-12.00	54.0	-47.19	AV	77.00	200	Horizontal	N/A
3	5197.800	52.05	-2.32	74.0	21.95	Peak	7.00	150	Horizontal	Pass
3**	5197.800	42.26	-2.32	54.0	11.74	AV	7.00	150	Horizontal	Pass
4	6626.400	54.45	0.25	74.0	19.55	Peak	244.00	200	Horizontal	Pass
4**	6626.400	45.33	0.25	54.0	8.67	AV	244.00	200	Horizontal	Pass
5	13327.762	55.75	0.93	74.0	18.25	Peak	42.00	150	Horizontal	Pass
5**	13327.762	46.68	0.93	54.0	7.32	AV	42.00	150	Horizontal	Pass
6	17419.088	56.63	3.74	74.0	17.37	Peak	360.00	200	Horizontal	Pass
6**	17419.088	47.53	3.74	54.0	6.47	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	47.90	-17.03	74.0	26.10	Peak	54.00	400	Vertical	Pass
1**	1329.500	36.17	-17.03	54.0	17.83	AV	54.00	400	Vertical	Pass
2	2461.600	97.27	-11.98	74.0	-23.27	Peak	161.00	200	Vertical	N/A
2**	2461.600	89.98	-11.98	54.0	-35.98	AV	161.00	200	Vertical	N/A
3	2899.500	51.64	-9.06	74.0	22.36	Peak	78.00	200	Vertical	Pass
3**	2899.500	41.72	-9.06	54.0	12.28	AV	78.00	200	Vertical	Pass
4	6993.600	54.44	1.90	74.0	19.56	Peak	81.00	100	Vertical	Pass
4**	6993.600	44.67	1.90	54.0	9.33	AV	81.00	100	Vertical	Pass
5	13324.875	55.03	0.92	74.0	18.97	Peak	266.00	150	Vertical	Pass
5**	13324.875	46.77	0.92	54.0	7.23	AV	266.00	150	Vertical	Pass
6	17424.599	55.75	3.63	74.0	18.25	Peak	209.00	200	Vertical	Pass
6**	17424.599	46.99	3.63	54.0	7.01	AV	209.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	46.86	-17.00	74.0	27.14	Peak	122.00	300	Horizontal	Pass
1**	1330.900	34.38	-17.00	54.0	19.62	AV	122.00	300	Horizontal	Pass
2	2410.200	107.79	-10.51	74.0	-33.79	Peak	128.00	200	Horizontal	N/A
2**	2410.200	100.00	-10.51	54.0	-46.00	AV	128.00	200	Horizontal	N/A
3	2771.500	52.17	-8.50	74.0	21.83	Peak	3.00	150	Horizontal	Pass
3**	2771.500	43.21	-8.50	54.0	10.79	AV	3.00	150	Horizontal	Pass
4	6800.200	54.46	1.42	74.0	19.54	Peak	220.00	300	Horizontal	Pass
4**	6800.200	44.84	1.42	54.0	9.16	AV	220.00	300	Horizontal	Pass
5	13307.288	55.71	0.87	74.0	18.29	Peak	88.00	150	Horizontal	Pass
5**	13307.288	46.41	0.87	54.0	7.59	AV	88.00	150	Horizontal	Pass
6	17430.114	56.37	3.45	74.0	17.63	Peak	324.00	200	Horizontal	Pass
6**	17430.114	47.26	3.45	54.0	6.74	AV	324.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.100	47.71	-17.63	74.0	26.29	Peak	86.00	200	Vertical	Pass
1**	1162.100	34.81	-17.63	54.0	19.19	AV	86.00	200	Vertical	Pass
2	2410.700	97.82	-10.56	74.0	-23.82	Peak	185.00	200	Vertical	N/A
2**	2410.700	89.95	-10.56	54.0	-35.95	AV	185.00	200	Vertical	N/A
3	4971.600	52.14	-1.61	74.0	21.86	Peak	0.00	200	Vertical	Pass
3**	4971.600	42.42	-1.61	54.0	11.58	AV	0.00	200	Vertical	Pass
4	6995.800	54.30	1.59	74.0	19.70	Peak	215.00	200	Vertical	Pass
4**	6995.800	44.75	1.59	54.0	9.25	AV	215.00	200	Vertical	Pass
5	13435.125	55.73	0.42	74.0	18.27	Peak	141.00	150	Vertical	Pass
5**	13435.125	46.42	0.42	54.0	7.58	AV	141.00	150	Vertical	Pass
6	17397.037	57.48	3.07	74.0	16.52	Peak	0.00	300	Vertical	Pass
6**	17397.037	46.97	3.07	54.0	7.03	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.800	42.43	-17.07	74.0	31.57	Peak	352.00	400	Horizontal	Pass
1**	1556.800	32.59	-17.07	54.0	21.41	AV	352.00	400	Horizontal	Pass
2	2415.000	109.92	-11.05	74.0	-35.92	Peak	127.00	100	Horizontal	N/A
2**	2415.000	102.31	-11.05	54.0	-48.31	AV	127.00	100	Horizontal	N/A
3	4844.600	52.13	-2.60	74.0	21.87	Peak	241.00	150	Horizontal	Pass
3**	4844.600	41.73	-2.60	54.0	12.27	AV	241.00	150	Horizontal	Pass
4	6609.400	55.15	0.43	74.0	18.85	Peak	196.00	300	Horizontal	Pass
4**	6609.400	45.17	0.43	54.0	8.83	AV	196.00	300	Horizontal	Pass
5	13413.075	55.72	0.45	74.0	18.28	Peak	360.00	150	Horizontal	Pass
5**	13413.075	46.14	0.45	54.0	7.86	AV	360.00	150	Horizontal	Pass
6	15499.425	55.80	1.15	74.0	18.20	Peak	254.00	200	Horizontal	Pass
6**	15499.425	46.90	1.15	54.0	7.10	AV	254.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1431.000	42.59	-17.08	74.0	31.41	Peak	28.00	300	Vertical	Pass
1**	1431.000	34.00	-17.08	54.0	20.00	AV	28.00	300	Vertical	Pass
2	2415.800	101.36	-11.33	74.0	-27.36	Peak	168.00	150	Vertical	N/A
2**	2415.800	94.31	-11.33	54.0	-40.31	AV	168.00	150	Vertical	N/A
3	2765.700	52.00	-9.37	74.0	22.00	Peak	175.00	150	Vertical	Pass
3**	2765.700	43.21	-9.37	54.0	10.79	AV	175.00	150	Vertical	Pass
4	6791.000	54.63	0.81	74.0	19.37	Peak	328.00	200	Vertical	Pass
4**	6791.000	45.37	0.81	54.0	8.63	AV	328.00	200	Vertical	Pass
5	13423.575	55.16	0.40	74.0	18.84	Peak	157.00	150	Vertical	Pass
5**	13423.575	46.16	0.40	54.0	7.84	AV	157.00	150	Vertical	Pass
6	17423.550	55.66	3.66	74.0	18.34	Peak	98.00	200	Vertical	Pass
6**	17423.550	46.05	3.66	54.0	7.95	AV	98.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1265.500	42.24	-17.03	74.0	31.76	Peak	303.00	300	Horizontal	Pass
1**	1265.500	32.59	-17.03	54.0	21.41	AV	303.00	300	Horizontal	Pass
2	2418.900	109.44	-11.97	74.0	-35.44	Peak	114.00	200	Horizontal	N/A
2**	2418.900	101.98	-11.97	54.0	-47.98	AV	114.00	200	Horizontal	N/A
3	4979.800	51.94	-1.58	74.0	22.06	Peak	299.00	100	Horizontal	Pass
3**	4979.800	43.82	-1.58	54.0	10.18	AV	299.00	100	Horizontal	Pass
4	6790.200	55.58	0.72	74.0	18.42	Peak	133.00	400	Horizontal	Pass
4**	6790.200	45.48	0.72	54.0	8.52	AV	133.00	400	Horizontal	Pass
5	13410.975	55.67	0.49	74.0	18.33	Peak	326.00	150	Horizontal	Pass
5**	13410.975	46.45	0.49	54.0	7.55	AV	326.00	150	Horizontal	Pass
6	15809.438	56.54	2.18	74.0	17.46	Peak	183.00	400	Horizontal	Pass
6**	15809.438	46.34	2.18	54.0	7.66	AV	183.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.600	43.42	-17.15	74.0	30.58	Peak	100.00	100	Vertical	Pass
1**	1534.600	33.03	-17.15	54.0	20.97	AV	100.00	100	Vertical	Pass
2	2420.700	99.91	-12.23	74.0	-25.91	Peak	154.00	100	Vertical	N/A
2**	2420.700	93.11	-12.23	54.0	-39.11	AV	154.00	100	Vertical	N/A
3	4941.200	52.28	-2.04	74.0	21.72	Peak	135.00	200	Vertical	Pass
3**	4941.200	42.20	-2.04	54.0	11.80	AV	135.00	200	Vertical	Pass
4	6520.600	54.50	0.29	74.0	19.50	Peak	264.00	400	Vertical	Pass
4**	6520.600	45.61	0.29	54.0	8.39	AV	264.00	400	Vertical	Pass
5	13427.512	55.83	0.40	74.0	18.17	Peak	99.00	150	Vertical	Pass
5**	13427.512	46.62	0.40	54.0	7.38	AV	99.00	150	Vertical	Pass
6	17385.224	56.16	2.75	74.0	17.84	Peak	312.00	100	Vertical	Pass
6**	17385.224	46.16	2.75	54.0	7.84	AV	312.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	42.38	-16.97	74.0	31.62	Peak	268.00	400	Horizontal	Pass
1**	1499.800	33.26	-16.97	54.0	20.74	AV	268.00	400	Horizontal	Pass
2	2424.400	109.44	-12.59	74.0	-35.44	Peak	119.00	150	Horizontal	N/A
2**	2424.400	102.24	-12.59	54.0	-48.24	AV	119.00	150	Horizontal	N/A
3	5172.200	52.56	-2.05	74.0	21.44	Peak	30.00	150	Horizontal	Pass
3**	5172.200	43.87	-2.05	54.0	10.13	AV	30.00	150	Horizontal	Pass
4	6979.000	54.30	1.81	74.0	19.70	Peak	324.00	400	Horizontal	Pass
4**	6979.000	44.82	1.81	54.0	9.18	AV	324.00	400	Horizontal	Pass
5	13287.599	55.98	0.77	74.0	18.02	Peak	77.00	150	Horizontal	Pass
5**	13287.599	46.78	0.77	54.0	7.22	AV	77.00	150	Horizontal	Pass
6	17468.176	56.57	2.90	74.0	17.43	Peak	96.00	400	Horizontal	Pass
6**	17468.176	46.55	2.90	54.0	7.45	AV	96.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.000	42.21	-17.20	74.0	31.79	Peak	155.00	200	Vertical	Pass
1**	1531.000	32.87	-17.20	54.0	21.13	AV	155.00	200	Vertical	Pass
2	2426.100	100.02	-12.59	74.0	-26.02	Peak	155.00	200	Vertical	N/A
2**	2426.100	93.70	-12.59	54.0	-39.70	AV	155.00	200	Vertical	N/A
3	2771.900	51.72	-8.60	74.0	22.28	Peak	82.00	200	Vertical	Pass
3**	2771.900	42.81	-8.60	54.0	11.19	AV	82.00	200	Vertical	Pass
4	6806.000	54.31	2.20	74.0	19.69	Peak	231.00	100	Vertical	Pass
4**	6806.000	46.44	2.20	54.0	7.56	AV	231.00	100	Vertical	Pass
5	13386.299	56.00	0.65	74.0	18.00	Peak	185.00	150	Vertical	Pass
5**	13386.299	46.08	0.65	54.0	7.92	AV	185.00	150	Vertical	Pass
6	17438.251	56.23	3.10	74.0	17.77	Peak	325.00	100	Vertical	Pass
6**	17438.251	46.91	3.10	54.0	7.09	AV	325.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	43.92	-17.07	74.0	30.08	Peak	170.00	300	Horizontal	Pass
1**	1328.800	35.98	-17.07	54.0	18.02	AV	170.00	300	Horizontal	Pass
2	2435.600	109.83	-12.14	74.0	-35.83	Peak	126.00	200	Horizontal	N/A
2**	2435.600	102.61	-12.14	54.0	-48.61	AV	126.00	200	Horizontal	N/A
3	5499.600	53.15	-1.73	74.0	20.85	Peak	31.00	150	Horizontal	Pass
3**	5499.600	43.18	-1.73	54.0	10.82	AV	31.00	150	Horizontal	Pass
4	6796.400	54.63	0.93	74.0	19.37	Peak	206.00	200	Horizontal	Pass
4**	6796.400	45.96	0.93	54.0	8.04	AV	206.00	200	Horizontal	Pass
5	13325.662	55.33	0.93	74.0	18.67	Peak	0.00	150	Horizontal	Pass
5**	13325.662	46.27	0.93	54.0	7.73	AV	0.00	150	Horizontal	Pass
6	17392.839	56.03	2.94	74.0	17.97	Peak	360.00	300	Horizontal	Pass
6**	17392.839	46.54	2.94	54.0	7.46	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.500	47.85	-17.60	74.0	26.15	Peak	79.00	400	Vertical	Pass
1**	1162.500	34.34	-17.60	54.0	19.66	AV	79.00	400	Vertical	Pass
2	2435.400	101.23	-12.14	74.0	-27.23	Peak	163.00	100	Vertical	N/A
2**	2435.400	93.64	-12.14	54.0	-39.64	AV	163.00	100	Vertical	N/A
3	2855.400	51.72	-8.35	74.0	22.28	Peak	352.00	150	Vertical	Pass
3**	2855.400	42.12	-8.35	54.0	11.88	AV	352.00	150	Vertical	Pass
4	6789.400	54.49	0.63	74.0	19.51	Peak	189.00	400	Vertical	Pass
4**	6789.400	45.48	0.63	54.0	8.52	AV	189.00	400	Vertical	Pass
5	13286.550	55.83	0.76	74.0	18.17	Peak	360.00	150	Vertical	Pass
5**	13286.550	45.67	0.76	54.0	8.33	AV	360.00	150	Vertical	Pass
6	17404.649	56.78	3.31	74.0	17.22	Peak	18.00	400	Vertical	Pass
6**	17404.649	47.08	3.31	54.0	6.92	AV	18.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.700	42.39	-17.40	74.0	31.61	Peak	207.00	300	Horizontal	Pass
1**	1222.700	32.00	-17.40	54.0	22.00	AV	207.00	300	Horizontal	Pass
2	2448.000	109.62	-12.30	74.0	-35.62	Peak	81.00	150	Horizontal	N/A
2**	2448.000	101.91	-12.30	54.0	-47.91	AV	81.00	150	Horizontal	N/A
3	5504.400	54.01	-1.27	74.0	19.99	Peak	51.00	150	Horizontal	Pass
3**	5504.400	43.80	-1.27	54.0	10.20	AV	51.00	150	Horizontal	Pass
4	6792.400	54.49	0.98	74.0	19.51	Peak	225.00	400	Horizontal	Pass
4**	6792.400	45.84	0.98	54.0	8.16	AV	225.00	400	Horizontal	Pass
5	13426.987	55.62	0.40	74.0	18.38	Peak	329.00	150	Horizontal	Pass
5**	13426.987	46.15	0.40	54.0	7.85	AV	329.00	150	Horizontal	Pass
6	17424.075	56.46	3.65	74.0	17.54	Peak	231.00	200	Horizontal	Pass
6**	17424.075	47.05	3.65	54.0	6.95	AV	231.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.700	42.91	-17.10	74.0	31.09	Peak	197.00	400	Vertical	Pass
1**	1340.700	33.52	-17.10	54.0	20.48	AV	197.00	400	Vertical	Pass
2	2450.600	99.07	-12.24	74.0	-25.07	Peak	332.00	150	Vertical	N/A
2**	2450.600	91.50	-12.24	54.0	-37.50	AV	332.00	150	Vertical	N/A
3	2770.800	51.62	-8.47	74.0	22.38	Peak	111.00	200	Vertical	Pass
3**	2770.800	42.95	-8.47	54.0	11.05	AV	111.00	200	Vertical	Pass
4	6787.600	54.24	0.18	74.0	19.76	Peak	52.00	400	Vertical	Pass
4**	6787.600	45.35	0.18	54.0	8.65	AV	52.00	400	Vertical	Pass
5	13319.625	55.83	0.90	74.0	18.17	Peak	312.00	150	Vertical	Pass
5**	13319.625	46.59	0.90	54.0	7.41	AV	312.00	150	Vertical	Pass
6	17423.026	55.96	3.67	74.0	18.04	Peak	334.00	400	Vertical	Pass
6**	17423.026	47.36	3.67	54.0	6.64	AV	334.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1420.900	42.85	-16.89	74.0	31.15	Peak	40.00	100	Horizontal	Pass
1**	1420.900	32.11	-16.89	54.0	21.89	AV	40.00	100	Horizontal	Pass
2	2458.600	109.02	-11.91	74.0	-35.02	Peak	246.00	100	Horizontal	N/A
2**	2458.600	101.31	-11.91	54.0	-47.31	AV	246.00	100	Horizontal	N/A
3	4663.000	50.81	-2.35	74.0	23.19	Peak	302.00	150	Horizontal	Pass
3**	4663.000	40.96	-2.35	54.0	13.04	AV	302.00	150	Horizontal	Pass
4	6610.200	54.51	0.61	74.0	19.49	Peak	264.00	300	Horizontal	Pass
4**	6610.200	45.63	0.61	54.0	8.37	AV	264.00	300	Horizontal	Pass
5	13305.713	55.67	0.87	74.0	18.33	Peak	20.00	150	Horizontal	Pass
5**	13305.713	46.01	0.87	54.0	7.99	AV	20.00	150	Horizontal	Pass
6	17448.489	56.18	2.84	74.0	17.82	Peak	350.00	300	Horizontal	Pass
6**	17448.489	46.30	2.84	54.0	7.70	AV	350.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1203.900	42.27	-17.68	74.0	31.73	Peak	85.00	300	Vertical	Pass
1**	1203.900	32.58	-17.68	54.0	21.42	AV	85.00	300	Vertical	Pass
2	2455.100	99.13	-12.13	74.0	-25.13	Peak	360.00	100	Vertical	N/A
2**	2455.100	91.97	-12.13	54.0	-37.97	AV	360.00	100	Vertical	N/A
3	4763.000	50.81	-2.87	74.0	23.19	Peak	50.00	150	Vertical	Pass
3**	4763.000	41.68	-2.87	54.0	12.32	AV	50.00	150	Vertical	Pass
4	6810.400	54.56	1.47	74.0	19.44	Peak	136.00	100	Vertical	Pass
4**	6810.400	44.94	1.47	54.0	9.06	AV	136.00	100	Vertical	Pass
5	13312.538	55.57	0.87	74.0	18.43	Peak	199.00	150	Vertical	Pass
5**	13312.538	47.08	0.87	54.0	6.92	AV	199.00	150	Vertical	Pass
6	17415.412	55.94	3.65	74.0	18.06	Peak	360.00	200	Vertical	Pass
6**	17415.412	47.07	3.65	54.0	6.93	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	44.79	-17.00	74.0	29.21	Peak	123.00	200	Horizontal	Pass
1**	1330.800	34.01	-17.00	54.0	19.99	AV	123.00	200	Horizontal	Pass
2	2458.300	107.58	-11.95	74.0	-33.58	Peak	78.00	200	Horizontal	N/A
2**	2458.300	99.64	-11.95	54.0	-45.64	AV	78.00	200	Horizontal	N/A
3	5377.000	52.82	-1.96	74.0	21.18	Peak	89.00	150	Horizontal	Pass
3**	5377.000	42.78	-1.96	54.0	11.22	AV	89.00	150	Horizontal	Pass
4	6653.400	54.52	-0.42	74.0	19.48	Peak	205.00	100	Horizontal	Pass
4**	6653.400	44.47	-0.42	54.0	9.53	AV	205.00	100	Horizontal	Pass
5	13319.363	55.58	0.90	74.0	18.42	Peak	245.00	150	Horizontal	Pass
5**	13319.363	46.58	0.90	54.0	7.42	AV	245.00	150	Horizontal	Pass
6	15805.237	56.60	2.27	74.0	17.40	Peak	0.00	100	Horizontal	Pass
6**	15805.237	47.56	2.27	54.0	6.44	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.500	48.10	-17.59	74.0	25.90	Peak	48.00	200	Vertical	Pass
1**	1163.500	35.08	-17.59	54.0	18.92	AV	48.00	200	Vertical	Pass
2	2460.700	96.20	-12.04	74.0	-22.20	Peak	158.00	200	Vertical	N/A
2**	2460.700	89.08	-12.04	54.0	-35.08	AV	158.00	200	Vertical	N/A
3	2665.500	51.94	-10.82	74.0	22.06	Peak	104.00	150	Vertical	Pass
3**	2665.500	40.96	-10.82	54.0	13.04	AV	104.00	150	Vertical	Pass
4	6334.400	54.42	-0.23	74.0	19.58	Peak	41.00	200	Vertical	Pass
4**	6334.400	45.15	-0.23	54.0	8.85	AV	41.00	200	Vertical	Pass
5	13380.263	55.85	0.65	74.0	18.15	Peak	360.00	150	Vertical	Pass
5**	13380.263	46.10	0.65	54.0	7.90	AV	360.00	150	Vertical	Pass
6	17395.988	56.02	3.04	74.0	17.98	Peak	267.00	200	Vertical	Pass
6**	17395.988	46.27	3.04	54.0	7.73	AV	267.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	44.64	-17.09	74.0	29.36	Peak	114.00	200	Horizontal	Pass
1**	1328.600	33.46	-17.09	54.0	20.54	AV	114.00	200	Horizontal	Pass
2	2417.400	104.05	-11.71	74.0	-30.05	Peak	79.00	100	Horizontal	N/A
2**	2417.400	96.58	-11.71	54.0	-42.58	AV	79.00	100	Horizontal	N/A
3	2771.200	51.80	-8.42	74.0	22.20	Peak	105.00	100	Horizontal	Pass
3**	2771.200	42.34	-8.42	54.0	11.66	AV	105.00	100	Horizontal	Pass
4	6973.800	54.62	1.21	74.0	19.38	Peak	64.00	200	Horizontal	Pass
4**	6973.800	44.62	1.21	54.0	9.38	AV	64.00	200	Horizontal	Pass
5	13304.662	55.44	0.87	74.0	18.56	Peak	100.00	150	Horizontal	Pass
5**	13304.662	46.58	0.87	54.0	7.42	AV	100.00	150	Horizontal	Pass
6	17414.099	55.50	3.60	74.0	18.50	Peak	0.00	300	Horizontal	Pass
6**	17414.099	46.09	3.60	54.0	7.91	AV	0.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.200	49.71	-17.59	74.0	24.29	Peak	77.00	100	Vertical	Pass
1**	1163.200	36.90	-17.59	54.0	17.10	AV	77.00	100	Vertical	Pass
2	2420.300	94.28	-12.17	74.0	-20.28	Peak	159.00	200	Vertical	N/A
2**	2420.300	85.87	-12.17	54.0	-31.87	AV	159.00	200	Vertical	N/A
3	4985.000	51.45	-1.95	74.0	22.55	Peak	317.00	100	Vertical	Pass
3**	4985.000	42.23	-1.95	54.0	11.77	AV	317.00	100	Vertical	Pass
4	6973.000	54.22	1.08	74.0	19.78	Peak	360.00	300	Vertical	Pass
4**	6973.000	45.13	1.08	54.0	8.87	AV	360.00	300	Vertical	Pass
5	13292.849	55.70	0.81	74.0	18.30	Peak	149.00	150	Vertical	Pass
5**	13292.849	46.44	0.81	54.0	7.56	AV	149.00	150	Vertical	Pass
6	17348.999	56.64	1.86	74.0	17.36	Peak	360.00	200	Vertical	Pass
6**	17348.999	46.41	1.86	54.0	7.59	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.800	42.97	-17.00	74.0	31.03	Peak	200.00	100	Horizontal	Pass
1**	1535.800	32.40	-17.00	54.0	21.60	AV	200.00	100	Horizontal	Pass
2	2420.800	108.06	-12.25	74.0	-34.06	Peak	280.00	150	Horizontal	N/A
2**	2420.800	99.37	-12.25	54.0	-45.37	AV	280.00	150	Horizontal	N/A
3	4967.400	52.13	-1.90	74.0	21.87	Peak	189.00	150	Horizontal	Pass
3**	4967.400	41.69	-1.90	54.0	12.31	AV	189.00	150	Horizontal	Pass
4	6649.000	54.55	-1.32	74.0	19.45	Peak	222.00	400	Horizontal	Pass
4**	6649.000	44.42	-1.32	54.0	9.58	AV	222.00	400	Horizontal	Pass
5	13318.050	55.43	0.90	74.0	18.57	Peak	20.00	150	Horizontal	Pass
5**	13318.050	46.68	0.90	54.0	7.32	AV	20.00	150	Horizontal	Pass
6	16019.438	56.17	0.51	74.0	17.83	Peak	337.00	200	Horizontal	Pass
6**	16019.438	46.15	0.51	54.0	7.85	AV	337.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.700	42.61	-16.93	74.0	31.39	Peak	281.00	300	Vertical	Pass
1**	1586.700	34.11	-16.93	54.0	19.89	AV	281.00	300	Vertical	Pass
2	2432.200	98.39	-12.40	74.0	-24.39	Peak	118.00	100	Vertical	N/A
2**	2432.200	90.44	-12.40	54.0	-36.44	AV	118.00	100	Vertical	N/A
3	4871.800	51.28	-2.68	74.0	22.72	Peak	97.00	150	Vertical	Pass
3**	4871.800	42.53	-2.68	54.0	11.47	AV	97.00	150	Vertical	Pass
4	6854.800	54.57	-0.33	74.0	19.43	Peak	74.00	400	Vertical	Pass
4**	6854.800	44.56	-0.33	54.0	9.44	AV	74.00	400	Vertical	Pass
5	13404.151	55.95	0.55	74.0	18.05	Peak	180.00	150	Vertical	Pass
5**	13404.151	46.59	0.55	54.0	7.41	AV	180.00	150	Vertical	Pass
6	17414.099	56.68	3.60	74.0	17.32	Peak	343.00	100	Vertical	Pass
6**	17414.099	46.65	3.60	54.0	7.35	AV	343.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.600	42.11	-16.88	74.0	31.89	Peak	205.00	100	Horizontal	Pass
1**	1492.600	33.04	-16.88	54.0	20.96	AV	205.00	100	Horizontal	Pass
2	2435.800	108.14	-12.14	74.0	-34.14	Peak	96.00	100	Horizontal	N/A
2**	2435.800	99.94	-12.14	54.0	-45.94	AV	96.00	100	Horizontal	N/A
3	4805.600	51.20	-2.61	74.0	22.80	Peak	316.00	150	Horizontal	Pass
3**	4805.600	42.70	-2.61	54.0	11.30	AV	316.00	150	Horizontal	Pass
4	6805.200	54.25	1.94	74.0	19.75	Peak	305.00	100	Horizontal	Pass
4**	6805.200	46.32	1.94	54.0	7.68	AV	305.00	100	Horizontal	Pass
5	13313.325	55.17	0.88	74.0	18.83	Peak	0.00	150	Horizontal	Pass
5**	13313.325	46.37	0.88	54.0	7.63	AV	0.00	150	Horizontal	Pass
6	17470.011	55.78	2.91	74.0	18.22	Peak	24.00	100	Horizontal	Pass
6**	17470.011	46.57	2.91	54.0	7.43	AV	24.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1402.800	42.46	-16.99	74.0	31.54	Peak	26.00	150	Vertical	Pass
1**	1402.800	32.95	-16.99	54.0	21.05	AV	26.00	150	Vertical	Pass
2	2433.500	97.78	-12.27	74.0	-23.78	Peak	315.00	150	Vertical	N/A
2**	2433.500	91.20	-12.27	54.0	-37.20	AV	315.00	150	Vertical	N/A
3	5103.000	52.61	-1.98	74.0	21.39	Peak	6.00	150	Vertical	Pass
3**	5103.000	42.50	-1.98	54.0	11.50	AV	6.00	150	Vertical	Pass
4	6988.000	54.44	1.79	74.0	19.56	Peak	271.00	200	Vertical	Pass
4**	6988.000	44.50	1.79	54.0	9.50	AV	271.00	200	Vertical	Pass
5	13417.538	55.36	0.41	74.0	18.64	Peak	334.00	150	Vertical	Pass
5**	13417.538	46.00	0.41	54.0	8.00	AV	334.00	150	Vertical	Pass
6	17418.824	56.07	3.73	74.0	17.93	Peak	296.00	300	Vertical	Pass
6**	17418.824	47.59	3.73	54.0	6.41	AV	296.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	44.44	-17.07	74.0	29.56	Peak	168.00	200	Horizontal	Pass
1**	1327.400	35.10	-17.07	54.0	18.90	AV	168.00	200	Horizontal	Pass
2	2435.000	108.21	-12.17	74.0	-34.21	Peak	126.00	200	Horizontal	N/A
2**	2435.000	100.75	-12.17	54.0	-46.75	AV	126.00	200	Horizontal	N/A
3	5105.400	52.28	-2.14	74.0	21.72	Peak	353.00	150	Horizontal	Pass
3**	5105.400	42.47	-2.14	54.0	11.53	AV	353.00	150	Horizontal	Pass
4	6807.200	54.22	2.09	74.0	19.78	Peak	353.00	400	Horizontal	Pass
4**	6807.200	45.70	2.09	54.0	8.30	AV	353.00	400	Horizontal	Pass
5	13314.900	55.69	0.88	74.0	18.31	Peak	113.00	150	Horizontal	Pass
5**	13314.900	46.41	0.88	54.0	7.59	AV	113.00	150	Horizontal	Pass
6	15809.700	56.22	2.17	74.0	17.78	Peak	313.00	300	Horizontal	Pass
6**	15809.700	47.04	2.17	54.0	6.96	AV	313.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.300	47.16	-17.63	74.0	26.84	Peak	81.00	100	Vertical	Pass
1**	1166.300	40.97	-17.63	54.0	13.03	AV	81.00	100	Vertical	Pass
2	2435.700	99.47	-12.14	74.0	-25.47	Peak	160.00	150	Vertical	N/A
2**	2435.700	90.51	-12.14	54.0	-36.51	AV	160.00	150	Vertical	N/A
3	5000.200	51.56	-2.35	74.0	22.44	Peak	313.00	150	Vertical	Pass
3**	5000.200	42.47	-2.35	54.0	11.53	AV	313.00	150	Vertical	Pass
4	6807.600	53.99	1.96	74.0	20.01	Peak	70.00	300	Vertical	Pass
4**	6807.600	45.66	1.96	54.0	8.34	AV	70.00	300	Vertical	Pass
5	13328.287	55.18	0.93	74.0	18.82	Peak	317.00	150	Vertical	Pass
5**	13328.287	46.82	0.93	54.0	7.18	AV	317.00	150	Vertical	Pass
6	17424.075	56.11	3.65	74.0	17.89	Peak	157.00	100	Vertical	Pass
6**	17424.075	47.18	3.65	54.0	6.82	AV	157.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.500	42.40	-17.03	74.0	31.60	Peak	34.00	300	Horizontal	Pass
1**	1351.500	32.56	-17.03	54.0	21.44	AV	34.00	300	Horizontal	Pass
2	2438.600	107.83	-12.25	74.0	-33.83	Peak	96.00	100	Horizontal	N/A
2**	2438.600	100.44	-12.25	54.0	-46.44	AV	96.00	100	Horizontal	N/A
3	5167.600	52.54	-1.99	74.0	21.46	Peak	244.00	150	Horizontal	Pass
3**	5167.600	42.49	-1.99	54.0	11.51	AV	244.00	150	Horizontal	Pass
4	6628.200	54.94	0.06	74.0	19.06	Peak	9.00	300	Horizontal	Pass
4**	6628.200	45.23	0.06	54.0	8.77	AV	9.00	300	Horizontal	Pass
5	13432.762	56.04	0.41	74.0	17.96	Peak	191.00	150	Horizontal	Pass
5**	13432.762	46.92	0.41	54.0	7.08	AV	191.00	150	Horizontal	Pass
6	17438.251	56.06	3.10	74.0	17.94	Peak	268.00	300	Horizontal	Pass
6**	17438.251	46.83	3.10	54.0	7.17	AV	268.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1433.000	42.35	-17.28	74.0	31.65	Peak	88.00	300	Vertical	Pass
1**	1433.000	32.63	-17.28	54.0	21.37	AV	88.00	300	Vertical	Pass
2	2443.000	97.16	-12.41	74.0	-23.16	Peak	314.00	200	Vertical	N/A
2**	2443.000	89.82	-12.41	54.0	-35.82	AV	314.00	200	Vertical	N/A
3	4661.000	51.04	-2.33	74.0	22.96	Peak	156.00	150	Vertical	Pass
3**	4661.000	41.60	-2.33	54.0	12.40	AV	156.00	150	Vertical	Pass
4	6154.200	54.57	0.40	74.0	19.43	Peak	292.00	200	Vertical	Pass
4**	6154.200	46.08	0.40	54.0	7.92	AV	292.00	200	Vertical	Pass
5	13294.687	55.63	0.83	74.0	18.37	Peak	155.00	150	Vertical	Pass
5**	13294.687	45.90	0.83	54.0	8.10	AV	155.00	150	Vertical	Pass
6	17411.213	56.58	3.49	74.0	17.42	Peak	337.00	400	Vertical	Pass
6**	17411.213	46.97	3.49	54.0	7.03	AV	337.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.900	42.66	-17.19	74.0	31.34	Peak	5.00	200	Horizontal	Pass
1**	1509.900	32.05	-17.19	54.0	21.95	AV	5.00	200	Horizontal	Pass
2	2444.700	107.96	-12.52	74.0	-33.96	Peak	125.00	200	Horizontal	N/A
2**	2444.700	100.65	-12.52	54.0	-46.65	AV	125.00	200	Horizontal	N/A
3	5091.200	52.11	-1.90	74.0	21.89	Peak	327.00	150	Horizontal	Pass
3**	5091.200	42.55	-1.90	54.0	11.45	AV	327.00	150	Horizontal	Pass
4	6735.600	54.53	-0.57	74.0	19.47	Peak	360.00	200	Horizontal	Pass
4**	6735.600	44.89	-0.57	54.0	9.11	AV	360.00	200	Horizontal	Pass
5	13419.638	55.54	0.40	74.0	18.46	Peak	265.00	150	Horizontal	Pass
5**	13419.638	46.29	0.40	54.0	7.71	AV	265.00	150	Horizontal	Pass
6	16989.637	56.12	1.83	74.0	17.88	Peak	152.00	200	Horizontal	Pass
6**	16989.637	45.90	1.83	54.0	8.10	AV	152.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.500	42.72	-17.10	74.0	31.28	Peak	62.00	100	Vertical	Pass
1**	1508.500	32.53	-17.10	54.0	21.47	AV	62.00	100	Vertical	Pass
2	2449.000	97.51	-12.25	74.0	-23.51	Peak	314.00	200	Vertical	N/A
2**	2449.000	90.23	-12.25	54.0	-36.23	AV	314.00	200	Vertical	N/A
3	5049.600	52.78	-1.59	74.0	21.22	Peak	184.00	150	Vertical	Pass
3**	5049.600	42.98	-1.59	54.0	11.02	AV	184.00	150	Vertical	Pass
4	6522.800	54.50	0.07	74.0	19.50	Peak	337.00	200	Vertical	Pass
4**	6522.800	46.81	0.07	54.0	7.19	AV	337.00	200	Vertical	Pass
5	13440.375	55.75	0.48	74.0	18.25	Peak	123.00	150	Vertical	Pass
5**	13440.375	46.48	0.48	54.0	7.52	AV	123.00	150	Vertical	Pass
6	17430.114	55.32	3.45	74.0	18.68	Peak	0.00	400	Vertical	Pass
6**	17430.114	46.63	3.45	54.0	7.37	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	44.59	-17.03	74.0	29.41	Peak	124.00	200	Horizontal	Pass
1**	1331.300	38.02	-17.03	54.0	15.98	AV	124.00	200	Horizontal	Pass
2	2457.400	103.52	-12.05	74.0	-29.52	Peak	70.00	200	Horizontal	N/A
2**	2457.400	95.28	-12.05	54.0	-41.28	AV	70.00	200	Horizontal	N/A
3	5105.600	51.75	-2.19	74.0	22.25	Peak	0.00	150	Horizontal	Pass
3**	5105.600	42.94	-2.19	54.0	11.06	AV	0.00	150	Horizontal	Pass
4	6608.000	54.82	0.19	74.0	19.18	Peak	360.00	200	Horizontal	Pass
4**	6608.000	44.79	0.19	54.0	9.21	AV	360.00	200	Horizontal	Pass
5	13443.526	55.57	0.54	74.0	18.43	Peak	78.00	150	Horizontal	Pass
5**	13443.526	46.03	0.54	54.0	7.97	AV	78.00	150	Horizontal	Pass
6	17435.888	56.59	3.22	74.0	17.41	Peak	57.00	400	Horizontal	Pass
6**	17435.888	47.88	3.22	54.0	6.12	AV	57.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.100	49.02	-17.58	74.0	24.98	Peak	70.00	200	Vertical	Pass
1**	1165.100	34.39	-17.58	54.0	19.61	AV	70.00	200	Vertical	Pass
2	2448.100	89.89	-12.28	74.0	-15.89	Peak	111.00	150	Vertical	N/A
2**	2448.100	81.66	-12.28	54.0	-27.66	AV	111.00	150	Vertical	N/A
3	5403.800	53.64	-1.46	74.0	20.36	Peak	136.00	150	Vertical	Pass
3**	5403.800	43.16	-1.46	54.0	10.84	AV	136.00	150	Vertical	Pass
4	6976.800	54.49	1.68	74.0	19.51	Peak	136.00	100	Vertical	Pass
4**	6976.800	45.24	1.68	54.0	8.76	AV	136.00	100	Vertical	Pass
5	13445.888	55.48	0.57	74.0	18.52	Peak	44.00	150	Vertical	Pass
5**	13445.888	45.76	0.57	54.0	8.24	AV	44.00	150	Vertical	Pass
6	17410.949	56.04	3.48	74.0	17.96	Peak	141.00	200	Vertical	Pass
6**	17410.949	47.05	3.48	54.0	6.95	AV	141.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	44.18	-17.12	74.0	29.82	Peak	120.00	300	Horizontal	Pass
1**	1332.400	37.70	-17.12	54.0	16.30	AV	120.00	300	Horizontal	Pass
2	2409.700	107.75	-10.46	74.0	-33.75	Peak	120.00	200	Horizontal	N/A
2**	2409.700	100.62	-10.46	54.0	-46.62	AV	120.00	200	Horizontal	N/A
3	4815.600	51.46	-2.35	74.0	22.54	Peak	201.00	200	Horizontal	Pass
3**	4815.600	42.22	-2.35	54.0	11.78	AV	201.00	200	Horizontal	Pass
4	6972.000	54.99	0.89	74.0	19.01	Peak	258.00	400	Horizontal	Pass
4**	6972.000	44.70	0.89	54.0	9.30	AV	258.00	400	Horizontal	Pass
5	13297.838	56.08	0.85	74.0	17.92	Peak	93.00	150	Horizontal	Pass
5**	13297.838	46.86	0.85	54.0	7.14	AV	93.00	150	Horizontal	Pass
6	17425.125	57.99	3.62	74.0	16.01	Peak	165.00	300	Horizontal	Pass
6**	17425.125	47.70	3.62	54.0	6.30	AV	165.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.900	48.60	-17.64	74.0	25.40	Peak	55.00	300	Vertical	Pass
1**	1161.900	35.69	-17.64	54.0	18.31	AV	55.00	300	Vertical	Pass
2	2411.300	97.69	-10.61	74.0	-23.69	Peak	177.00	100	Vertical	N/A
2**	2411.300	89.92	-10.61	54.0	-35.92	AV	177.00	100	Vertical	N/A
3	2916.100	51.64	-9.42	74.0	22.36	Peak	306.00	200	Vertical	Pass
3**	2916.100	41.11	-9.42	54.0	12.89	AV	306.00	200	Vertical	Pass
4	6973.600	54.48	1.18	74.0	19.52	Peak	270.00	300	Vertical	Pass
4**	6973.600	45.75	1.18	54.0	8.25	AV	270.00	300	Vertical	Pass
5	13305.187	55.24	0.87	74.0	18.76	Peak	360.00	150	Vertical	Pass
5**	13305.187	46.37	0.87	54.0	7.63	AV	360.00	150	Vertical	Pass
6	16493.250	56.35	0.91	74.0	17.65	Peak	38.00	300	Vertical	Pass
6**	16493.250	45.80	0.91	54.0	8.20	AV	38.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.200	42.76	-17.19	74.0	31.24	Peak	0.00	100	Horizontal	Pass
1**	1532.200	32.43	-17.19	54.0	21.57	AV	0.00	100	Horizontal	Pass
2	2415.900	110.19	-11.36	74.0	-36.19	Peak	105.00	200	Horizontal	N/A
2**	2415.900	103.52	-11.36	54.0	-49.52	AV	105.00	200	Horizontal	N/A
3	4807.400	51.37	-2.31	74.0	22.63	Peak	325.00	150	Horizontal	Pass
3**	4807.400	42.68	-2.31	54.0	11.32	AV	325.00	150	Horizontal	Pass
4	6144.200	54.46	-1.13	74.0	19.54	Peak	0.00	300	Horizontal	Pass
4**	6144.200	44.87	-1.13	54.0	9.13	AV	0.00	300	Horizontal	Pass
5	13413.075	55.37	0.45	74.0	18.63	Peak	298.00	150	Horizontal	Pass
5**	13413.075	46.76	0.45	54.0	7.24	AV	298.00	150	Horizontal	Pass
6	17424.075	56.48	3.65	74.0	17.52	Peak	355.00	100	Horizontal	Pass
6**	17424.075	47.91	3.65	54.0	6.09	AV	355.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.500	42.55	-17.19	74.0	31.45	Peak	89.00	400	Vertical	Pass
1**	1478.500	32.85	-17.19	54.0	21.15	AV	89.00	400	Vertical	Pass
2	2415.200	100.52	-11.12	74.0	-26.52	Peak	176.00	100	Vertical	N/A
2**	2415.200	92.85	-11.12	54.0	-38.85	AV	176.00	100	Vertical	N/A
3	4882.200	52.19	-2.60	74.0	21.81	Peak	20.00	100	Vertical	Pass
3**	4882.200	42.27	-2.60	54.0	11.73	AV	20.00	100	Vertical	Pass
4	6808.800	55.27	1.62	74.0	18.73	Peak	133.00	200	Vertical	Pass
4**	6808.800	45.91	1.62	54.0	8.09	AV	133.00	200	Vertical	Pass
5	13413.599	55.71	0.44	74.0	18.29	Peak	141.00	150	Vertical	Pass
5**	13413.599	47.27	0.44	54.0	6.73	AV	141.00	150	Vertical	Pass
6	17383.651	56.49	2.72	74.0	17.51	Peak	324.00	100	Vertical	Pass
6**	17383.651	46.28	2.72	54.0	7.72	AV	324.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.200	42.39	-17.16	74.0	31.61	Peak	167.00	200	Horizontal	Pass
1**	1480.200	32.75	-17.16	54.0	21.25	AV	167.00	200	Horizontal	Pass
2	2421.500	109.75	-12.37	74.0	-35.75	Peak	109.00	100	Horizontal	N/A
2**	2421.500	101.15	-12.37	54.0	-47.15	AV	109.00	100	Horizontal	N/A
3	2906.700	51.72	-9.05	74.0	22.28	Peak	20.00	200	Horizontal	Pass
3**	2906.700	41.63	-9.05	54.0	12.37	AV	20.00	200	Horizontal	Pass
4	6654.800	54.59	-0.24	74.0	19.41	Peak	324.00	300	Horizontal	Pass
4**	6654.800	45.40	-0.24	54.0	8.60	AV	324.00	300	Horizontal	Pass
5	12834.263	54.78	1.24	74.0	19.22	Peak	165.00	400	Horizontal	Pass
5**	12834.263	44.28	1.24	54.0	9.72	AV	165.00	400	Horizontal	Pass
6	17470.011	56.16	2.91	74.0	17.84	Peak	221.00	300	Horizontal	Pass
6**	17470.011	46.77	2.91	54.0	7.23	AV	221.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.700	42.47	-17.37	74.0	31.53	Peak	268.00	300	Vertical	Pass
1**	1523.700	32.56	-17.37	54.0	21.44	AV	268.00	300	Vertical	Pass
2	2420.700	99.70	-12.23	74.0	-25.70	Peak	175.00	150	Vertical	N/A
2**	2420.700	92.27	-12.23	54.0	-38.27	AV	175.00	150	Vertical	N/A
3	2954.600	51.61	-9.02	74.0	22.39	Peak	44.00	150	Vertical	Pass
3**	2954.600	41.26	-9.02	54.0	12.74	AV	44.00	150	Vertical	Pass
4	6798.600	54.72	1.23	74.0	19.28	Peak	229.00	400	Vertical	Pass
4**	6798.600	45.85	1.23	54.0	8.15	AV	229.00	400	Vertical	Pass
5	13391.025	56.96	0.68	74.0	17.04	Peak	172.00	150	Vertical	Pass
5**	13391.025	45.76	0.68	54.0	8.24	AV	172.00	150	Vertical	Pass
6	15832.537	56.99	1.47	74.0	17.01	Peak	332.00	400	Vertical	Pass
6**	15832.537	46.65	1.47	54.0	7.35	AV	332.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.600	43.01	-16.65	74.0	30.99	Peak	37.00	100	Horizontal	Pass
1**	1485.600	33.64	-16.65	54.0	20.36	AV	37.00	100	Horizontal	Pass
2	2426.200	108.66	-12.59	74.0	-34.66	Peak	72.00	200	Horizontal	N/A
2**	2426.200	101.50	-12.59	54.0	-47.50	AV	72.00	200	Horizontal	N/A
3	4744.000	51.79	-3.30	74.0	22.21	Peak	133.00	150	Horizontal	Pass
3**	4744.000	41.02	-3.30	54.0	12.98	AV	133.00	150	Horizontal	Pass
4	6793.600	54.65	1.14	74.0	19.35	Peak	360.00	400	Horizontal	Pass
4**	6793.600	44.87	1.14	54.0	9.13	AV	360.00	400	Horizontal	Pass
5	13421.213	55.56	0.40	74.0	18.44	Peak	63.00	150	Horizontal	Pass
5**	13421.213	46.20	0.40	54.0	7.80	AV	63.00	150	Horizontal	Pass
6	17422.500	56.44	3.69	74.0	17.56	Peak	360.00	300	Horizontal	Pass
6**	17422.500	47.49	3.69	54.0	6.51	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1265.800	42.69	-17.03	74.0	31.31	Peak	74.00	200	Vertical	Pass
1**	1265.800	33.21	-17.03	54.0	20.79	AV	74.00	200	Vertical	Pass
2	2425.500	99.72	-12.59	74.0	-25.72	Peak	174.00	200	Vertical	N/A
2**	2425.500	91.78	-12.59	54.0	-37.78	AV	174.00	200	Vertical	N/A
3	4843.400	51.74	-2.72	74.0	22.26	Peak	84.00	150	Vertical	Pass
3**	4843.400	42.41	-2.72	54.0	11.59	AV	84.00	150	Vertical	Pass
4	6737.400	54.35	-0.56	74.0	19.65	Peak	10.00	300	Vertical	Pass
4**	6737.400	45.01	-0.56	54.0	8.99	AV	10.00	300	Vertical	Pass
5	13277.887	56.72	0.70	74.0	17.28	Peak	46.00	400	Vertical	Pass
5**	13277.887	46.55	0.70	54.0	7.45	AV	46.00	400	Vertical	Pass
6	15227.213	55.41	0.80	74.0	18.59	Peak	134.00	150	Vertical	Pass
6**	15227.213	45.57	0.80	54.0	8.43	AV	134.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.200	44.14	-17.07	74.0	29.86	Peak	110.00	300	Horizontal	Pass
1**	1327.200	33.89	-17.07	54.0	20.11	AV	110.00	300	Horizontal	Pass
2	2435.400	109.13	-12.14	74.0	-35.13	Peak	115.00	200	Horizontal	N/A
2**	2435.400	102.96	-12.14	54.0	-48.96	AV	115.00	200	Horizontal	N/A
3	4925.600	51.84	-2.39	74.0	22.16	Peak	30.00	150	Horizontal	Pass
3**	4925.600	41.92	-2.39	54.0	12.08	AV	30.00	150	Horizontal	Pass
4	6613.600	54.26	0.30	74.0	19.74	Peak	185.00	200	Horizontal	Pass
4**	6613.600	44.91	0.30	54.0	9.09	AV	185.00	200	Horizontal	Pass
5	13343.250	55.91	1.04	74.0	18.09	Peak	226.00	150	Horizontal	Pass
5**	13343.250	45.37	1.04	54.0	8.63	AV	226.00	150	Horizontal	Pass
6	17424.337	56.28	3.64	74.0	17.72	Peak	352.00	300	Horizontal	Pass
6**	17424.337	47.79	3.64	54.0	6.21	AV	352.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH6

1	1161.500	46.90	-17.66	74.0	27.10	Peak	81.00	400	Vertical	Pass
1**	1161.500	39.17	-17.66	54.0	14.83	AV	81.00	400	Vertical	Pass
2	2435.100	100.19	-12.16	74.0	-26.19	Peak	156.00	150	Vertical	N/A
2**	2435.100	92.13	-12.16	54.0	-38.13	AV	156.00	150	Vertical	N/A
3	2997.200	51.45	-9.20	74.0	22.55	Peak	318.00	150	Vertical	Pass
3**	2997.200	42.45	-9.20	54.0	11.55	AV	318.00	150	Vertical	Pass
4	6808.600	55.08	1.64	74.0	18.92	Peak	121.00	300	Vertical	Pass
4**	6808.600	44.96	1.64	54.0	9.04	AV	121.00	300	Vertical	Pass
5	13376.062	56.34	0.67	74.0	17.66	Peak	360.00	150	Vertical	Pass
5**	13376.062	46.56	0.67	54.0	7.44	AV	360.00	150	Vertical	Pass
6	16586.438	56.51	0.92	74.0	17.49	Peak	210.00	100	Vertical	Pass
6**	16586.438	45.88	0.92	54.0	8.12	AV	210.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.000	42.25	-17.19	74.0	31.75	Peak	38.00	200	Horizontal	Pass
1**	1479.000	32.31	-17.19	54.0	21.69	AV	38.00	200	Horizontal	Pass
2	2450.700	107.88	-12.24	74.0	-33.88	Peak	113.00	150	Horizontal	N/A
2**	2450.700	101.95	-12.24	54.0	-47.95	AV	113.00	150	Horizontal	N/A
3	5091.200	52.35	-1.90	74.0	21.65	Peak	360.00	150	Horizontal	Pass
3**	5091.200	42.52	-1.90	54.0	11.48	AV	360.00	150	Horizontal	Pass
4	6807.200	54.59	2.09	74.0	19.41	Peak	234.00	400	Horizontal	Pass
4**	6807.200	47.47	2.09	54.0	6.53	AV	234.00	400	Horizontal	Pass
5	13395.225	55.21	0.63	74.0	18.79	Peak	293.00	150	Horizontal	Pass
5**	13395.225	46.04	0.63	54.0	7.96	AV	293.00	150	Horizontal	Pass
6	17453.738	56.61	2.84	74.0	17.39	Peak	320.00	200	Horizontal	Pass
6**	17453.738	45.84	2.84	54.0	8.16	AV	320.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.000	42.78	-16.86	74.0	31.22	Peak	300.00	400	Vertical	Pass
1**	1585.000	33.32	-16.86	54.0	20.68	AV	300.00	400	Vertical	Pass
2	2451.000	97.78	-12.23	74.0	-23.78	Peak	173.00	200	Vertical	N/A
2**	2451.000	90.43	-12.23	54.0	-36.43	AV	173.00	200	Vertical	N/A
3	5084.600	52.54	-2.17	74.0	21.46	Peak	356.00	150	Vertical	Pass
3**	5084.600	41.48	-2.17	54.0	12.52	AV	356.00	150	Vertical	Pass
4	6315.000	54.63	-1.37	74.0	19.37	Peak	360.00	300	Vertical	Pass
4**	6315.000	44.65	-1.37	54.0	9.35	AV	360.00	300	Vertical	Pass
5	13315.425	55.43	0.89	74.0	18.57	Peak	308.00	150	Vertical	Pass
5**	13315.425	47.14	0.89	54.0	6.86	AV	308.00	150	Vertical	Pass
6	17419.088	56.36	3.74	74.0	17.64	Peak	85.00	100	Vertical	Pass
6**	17419.088	47.77	3.74	54.0	6.23	AV	85.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.400	42.86	-17.84	74.0	31.14	Peak	360.00	200	Horizontal	Pass
1**	1187.400	32.13	-17.84	54.0	21.87	AV	360.00	200	Horizontal	Pass
2	2457.900	108.83	-11.99	74.0	-34.83	Peak	69.00	200	Horizontal	N/A
2**	2457.900	101.45	-11.99	54.0	-47.45	AV	69.00	200	Horizontal	N/A
3	4980.000	51.40	-1.58	74.0	22.60	Peak	171.00	150	Horizontal	Pass
3**	4980.000	42.42	-1.58	54.0	11.58	AV	171.00	150	Horizontal	Pass
4	6825.800	54.15	0.12	74.0	19.85	Peak	9.00	300	Horizontal	Pass
4**	6825.800	44.39	0.12	54.0	9.61	AV	9.00	300	Horizontal	Pass
5	13452.188	55.52	0.62	74.0	18.48	Peak	52.00	150	Horizontal	Pass
5**	13452.188	45.48	0.62	54.0	8.52	AV	52.00	150	Horizontal	Pass
6	17437.463	56.08	3.14	74.0	17.92	Peak	136.00	100	Horizontal	Pass
6**	17437.463	47.35	3.14	54.0	6.65	AV	136.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.900	42.35	-17.26	74.0	31.65	Peak	339.00	300	Vertical	Pass
1**	1455.900	33.17	-17.26	54.0	20.83	AV	339.00	300	Vertical	Pass
2	2458.900	98.72	-11.89	74.0	-24.72	Peak	146.00	150	Vertical	N/A
2**	2458.900	91.45	-11.89	54.0	-37.45	AV	146.00	150	Vertical	N/A
3	2777.600	51.99	-9.18	74.0	22.01	Peak	237.00	200	Vertical	Pass
3**	2777.600	42.19	-9.18	54.0	11.81	AV	237.00	200	Vertical	Pass
4	6658.600	55.10	-0.14	74.0	18.90	Peak	108.00	200	Vertical	Pass
4**	6658.600	45.07	-0.14	54.0	8.93	AV	108.00	200	Vertical	Pass
5	13288.912	55.53	0.78	74.0	18.47	Peak	360.00	150	Vertical	Pass
5**	13288.912	46.45	0.78	54.0	7.55	AV	360.00	150	Vertical	Pass
6	16093.463	56.07	1.36	74.0	17.93	Peak	360.00	100	Vertical	Pass
6**	16093.463	46.34	1.36	54.0	7.66	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	44.08	-17.06	74.0	29.92	Peak	115.00	400	Horizontal	Pass
1**	1329.100	37.09	-17.06	54.0	16.91	AV	115.00	400	Horizontal	Pass
2	2460.700	107.41	-12.04	74.0	-33.41	Peak	115.00	100	Horizontal	N/A
2**	2460.700	99.33	-12.04	54.0	-45.33	AV	115.00	100	Horizontal	N/A
3	4813.600	51.38	-2.09	74.0	22.62	Peak	326.00	150	Horizontal	Pass
3**	4813.600	42.30	-2.09	54.0	11.70	AV	326.00	150	Horizontal	Pass
4	6806.400	54.36	2.33	74.0	19.64	Peak	129.00	300	Horizontal	Pass
4**	6806.400	47.36	2.33	54.0	6.64	AV	129.00	300	Horizontal	Pass
5	13310.437	55.71	0.86	74.0	18.29	Peak	94.00	150	Horizontal	Pass
5**	13310.437	46.31	0.86	54.0	7.69	AV	94.00	150	Horizontal	Pass
6	17430.114	56.33	3.45	74.0	17.67	Peak	0.00	100	Horizontal	Pass
6**	17430.114	47.70	3.45	54.0	6.30	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.000	48.80	-17.63	74.0	25.20	Peak	47.00	300	Vertical	Pass
1**	1162.000	38.91	-17.63	54.0	15.09	AV	47.00	300	Vertical	Pass
2	2460.900	96.00	-12.06	74.0	-22.00	Peak	155.00	200	Vertical	N/A
2**	2460.900	88.69	-12.06	54.0	-34.69	AV	155.00	200	Vertical	N/A
3	2860.100	52.06	-8.88	74.0	21.94	Peak	168.00	200	Vertical	Pass
3**	2860.100	41.77	-8.88	54.0	12.23	AV	168.00	200	Vertical	Pass
4	6790.400	54.38	0.74	74.0	19.62	Peak	63.00	300	Vertical	Pass
4**	6790.400	45.84	0.74	54.0	8.16	AV	63.00	300	Vertical	Pass
5	13334.587	55.29	1.00	74.0	18.71	Peak	328.00	150	Vertical	Pass
5**	13334.587	46.03	1.00	54.0	7.97	AV	328.00	150	Vertical	Pass
6	15808.388	56.73	2.20	74.0	17.27	Peak	328.00	400	Vertical	Pass
6**	15808.388	47.25	2.20	54.0	6.75	AV	328.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	44.11	-17.12	74.0	29.89	Peak	176.00	200	Horizontal	Pass
1**	1333.100	35.56	-17.12	54.0	18.44	AV	176.00	200	Horizontal	Pass
2	2418.400	104.25	-11.89	74.0	-30.25	Peak	127.00	200	Horizontal	N/A
2**	2418.400	96.88	-11.89	54.0	-42.88	AV	127.00	200	Horizontal	N/A
3	4979.800	51.97	-1.58	74.0	22.03	Peak	230.00	100	Horizontal	Pass
3**	4979.800	42.70	-1.58	54.0	11.30	AV	230.00	100	Horizontal	Pass
4	6613.600	54.52	0.30	74.0	19.48	Peak	359.00	300	Horizontal	Pass
4**	6613.600	45.09	0.30	54.0	8.91	AV	359.00	300	Horizontal	Pass
5	13309.650	56.15	0.86	74.0	17.85	Peak	324.00	100	Horizontal	Pass
5**	13309.650	46.08	0.86	54.0	7.92	AV	324.00	100	Horizontal	Pass
6	16084.013	56.04	1.55	74.0	17.96	Peak	360.00	150	Horizontal	Pass
6**	16084.013	47.08	1.55	54.0	6.92	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.900	47.70	-17.62	74.0	26.30	Peak	50.00	200	Vertical	Pass
1**	1165.900	37.55	-17.62	54.0	16.45	AV	50.00	200	Vertical	Pass
2	2420.300	93.13	-12.17	74.0	-19.13	Peak	176.00	150	Vertical	N/A
2**	2420.300	85.70	-12.17	54.0	-31.70	AV	176.00	150	Vertical	N/A
3	2873.400	51.68	-9.73	74.0	22.32	Peak	114.00	200	Vertical	Pass
3**	2873.400	40.96	-9.73	54.0	13.04	AV	114.00	200	Vertical	Pass
4	6806.600	54.74	2.28	74.0	19.26	Peak	217.00	100	Vertical	Pass
4**	6806.600	46.31	2.28	54.0	7.69	AV	217.00	100	Vertical	Pass
5	13334.850	55.40	1.00	74.0	18.60	Peak	339.00	150	Vertical	Pass
5**	13334.850	45.76	1.00	54.0	8.24	AV	339.00	150	Vertical	Pass
6	17407.011	56.55	3.37	74.0	17.45	Peak	360.00	200	Vertical	Pass
6**	17407.011	47.06	3.37	54.0	6.94	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	42.97	-16.85	74.0	31.03	Peak	208.00	200	Horizontal	Pass
1**	1495.700	32.55	-16.85	54.0	21.45	AV	208.00	200	Horizontal	Pass
2	2423.700	106.97	-12.59	74.0	-32.97	Peak	80.00	200	Horizontal	N/A
2**	2423.700	99.30	-12.59	54.0	-45.30	AV	80.00	200	Horizontal	N/A
3	5175.000	52.91	-2.36	74.0	21.09	Peak	2.00	150	Horizontal	Pass
3**	5175.000	41.78	-2.36	54.0	12.22	AV	2.00	150	Horizontal	Pass
4	6801.400	55.00	1.48	74.0	19.00	Peak	163.00	300	Horizontal	Pass
4**	6801.400	45.39	1.48	54.0	8.61	AV	163.00	300	Horizontal	Pass
5	13387.350	55.87	0.66	74.0	18.13	Peak	194.00	200	Horizontal	Pass
5**	13387.350	45.03	0.66	54.0	8.97	AV	194.00	200	Horizontal	Pass
6	15505.988	55.19	1.31	74.0	18.81	Peak	279.00	150	Horizontal	Pass
6**	15505.988	46.19	1.31	54.0	7.81	AV	279.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1364.400	42.70	-17.09	74.0	31.30	Peak	23.00	300	Vertical	Pass
1**	1364.400	32.50	-17.09	54.0	21.50	AV	23.00	300	Vertical	Pass
2	2428.600	97.52	-12.45	74.0	-23.52	Peak	154.00	150	Vertical	N/A
2**	2428.600	88.70	-12.45	54.0	-34.70	AV	154.00	150	Vertical	N/A
3	5157.400	52.60	-1.49	74.0	21.40	Peak	155.00	150	Vertical	Pass
3**	5157.400	42.66	-1.49	54.0	11.34	AV	155.00	150	Vertical	Pass
4	6807.800	54.27	1.89	74.0	19.73	Peak	317.00	100	Vertical	Pass
4**	6807.800	45.90	1.89	54.0	8.10	AV	317.00	100	Vertical	Pass
5	13316.737	55.51	0.89	74.0	18.49	Peak	128.00	150	Vertical	Pass
5**	13316.737	46.73	0.89	54.0	7.27	AV	128.00	150	Vertical	Pass
6	15515.437	56.44	1.40	74.0	17.56	Peak	294.00	300	Vertical	Pass
6**	15515.437	45.76	1.40	54.0	8.24	AV	294.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1304.000	42.78	-16.99	74.0	31.22	Peak	183.00	400	Horizontal	Pass
1**	1304.000	31.94	-16.99	54.0	22.06	AV	183.00	400	Horizontal	Pass
2	2435.900	106.97	-12.14	74.0	-32.97	Peak	69.00	100	Horizontal	N/A
2**	2435.900	99.37	-12.14	54.0	-45.37	AV	69.00	100	Horizontal	N/A
3	4974.600	51.73	-1.83	74.0	22.27	Peak	19.00	150	Horizontal	Pass
3**	4974.600	41.98	-1.83	54.0	12.02	AV	19.00	150	Horizontal	Pass
4	6804.000	54.19	1.63	74.0	19.81	Peak	131.00	200	Horizontal	Pass
4**	6804.000	45.65	1.63	54.0	8.35	AV	131.00	200	Horizontal	Pass
5	13420.425	55.16	0.40	74.0	18.84	Peak	360.00	150	Horizontal	Pass
5**	13420.425	46.67	0.40	54.0	7.33	AV	360.00	150	Horizontal	Pass
6	17434.837	56.16	3.27	74.0	17.84	Peak	124.00	300	Horizontal	Pass
6**	17434.837	46.64	3.27	54.0	7.36	AV	124.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.500	42.96	-16.95	74.0	31.04	Peak	61.00	200	Vertical	Pass
1**	1559.500	33.04	-16.95	54.0	20.96	AV	61.00	200	Vertical	Pass
2	2433.400	97.11	-12.27	74.0	-23.11	Peak	266.00	150	Vertical	N/A
2**	2433.400	89.25	-12.27	54.0	-35.25	AV	266.00	150	Vertical	N/A
3	4965.400	51.57	-1.96	74.0	22.43	Peak	360.00	150	Vertical	Pass
3**	4965.400	42.63	-1.96	54.0	11.37	AV	360.00	150	Vertical	Pass
4	6841.600	54.83	0.94	74.0	19.17	Peak	70.00	100	Vertical	Pass
4**	6841.600	44.78	0.94	54.0	9.22	AV	70.00	100	Vertical	Pass
5	13413.338	55.88	0.44	74.0	18.12	Peak	86.00	150	Vertical	Pass
5**	13413.338	47.43	0.44	54.0	6.57	AV	86.00	150	Vertical	Pass
6	17437.463	56.78	3.14	74.0	17.22	Peak	152.00	100	Vertical	Pass
6**	17437.463	47.73	3.14	54.0	6.27	AV	152.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	44.20	-17.08	74.0	29.80	Peak	170.00	200	Horizontal	Pass
1**	1327.800	32.73	-17.08	54.0	21.27	AV	170.00	200	Horizontal	Pass
2	2433.800	108.06	-12.25	74.0	-34.06	Peak	127.00	150	Horizontal	N/A
2**	2433.800	100.32	-12.25	54.0	-46.32	AV	127.00	150	Horizontal	N/A
3	4928.200	52.30	-2.40	74.0	21.70	Peak	163.00	150	Horizontal	Pass
3**	4928.200	42.57	-2.40	54.0	11.43	AV	163.00	150	Horizontal	Pass
4	6513.200	54.20	-0.55	74.0	19.80	Peak	0.00	100	Horizontal	Pass
4**	6513.200	44.12	-0.55	54.0	9.88	AV	0.00	100	Horizontal	Pass
5	13321.463	55.56	0.91	74.0	18.44	Peak	360.00	150	Horizontal	Pass
5**	13321.463	46.24	0.91	54.0	7.76	AV	360.00	150	Horizontal	Pass
6	17433.000	56.09	3.34	74.0	17.91	Peak	195.00	200	Horizontal	Pass
6**	17433.000	47.44	3.34	54.0	6.56	AV	195.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.500	48.25	-17.60	74.0	25.75	Peak	75.00	400	Vertical	Pass
1**	1165.500	37.52	-17.60	54.0	16.48	AV	75.00	400	Vertical	Pass
2	2433.700	99.12	-12.25	74.0	-25.12	Peak	154.00	100	Vertical	N/A
2**	2433.700	90.71	-12.25	54.0	-36.71	AV	154.00	100	Vertical	N/A
3	5047.200	51.38	-1.78	74.0	22.62	Peak	173.00	150	Vertical	Pass
3**	5047.200	42.88	-1.78	54.0	11.12	AV	173.00	150	Vertical	Pass
4	6840.000	54.50	0.83	74.0	19.50	Peak	173.00	400	Vertical	Pass
4**	6840.000	45.63	0.83	54.0	8.37	AV	173.00	400	Vertical	Pass
5	13415.700	55.67	0.41	74.0	18.33	Peak	343.00	150	Vertical	Pass
5**	13415.700	47.36	0.41	54.0	6.64	AV	343.00	150	Vertical	Pass
6	17432.474	56.88	3.36	74.0	17.12	Peak	18.00	200	Vertical	Pass
6**	17432.474	46.57	3.36	54.0	7.43	AV	18.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.500	42.94	-17.13	74.0	31.06	Peak	176.00	300	Horizontal	Pass
1**	1574.500	32.73	-17.13	54.0	21.27	AV	176.00	300	Horizontal	Pass
2	2439.500	106.91	-12.37	74.0	-32.91	Peak	77.00	150	Horizontal	N/A
2**	2439.500	99.07	-12.37	54.0	-45.07	AV	77.00	150	Horizontal	N/A
3	5051.200	51.99	-1.49	74.0	22.01	Peak	306.00	150	Horizontal	Pass
3**	5051.200	43.56	-1.49	54.0	10.44	AV	306.00	150	Horizontal	Pass
4	6973.200	54.37	1.11	74.0	19.63	Peak	0.00	200	Horizontal	Pass
4**	6973.200	45.23	1.11	54.0	8.77	AV	0.00	200	Horizontal	Pass
5	13323.825	55.52	0.92	74.0	18.48	Peak	94.00	150	Horizontal	Pass
5**	13323.825	46.85	0.92	54.0	7.15	AV	94.00	150	Horizontal	Pass
6	17477.886	56.18	2.78	74.0	17.82	Peak	209.00	400	Horizontal	Pass
6**	17477.886	46.73	2.78	54.0	7.27	AV	209.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.800	42.73	-17.08	74.0	31.27	Peak	137.00	400	Vertical	Pass
1**	1441.800	33.39	-17.08	54.0	20.61	AV	137.00	400	Vertical	Pass
2	2439.000	96.27	-12.31	74.0	-22.27	Peak	275.00	200	Vertical	N/A
2**	2439.000	88.51	-12.31	54.0	-34.51	AV	275.00	200	Vertical	N/A
3	5085.000	52.10	-2.18	74.0	21.90	Peak	337.00	150	Vertical	Pass
3**	5085.000	43.14	-2.18	54.0	10.86	AV	337.00	150	Vertical	Pass
4	6585.200	54.42	-0.86	74.0	19.58	Peak	28.00	200	Vertical	Pass
4**	6585.200	45.20	-0.86	54.0	8.80	AV	28.00	200	Vertical	Pass
5	13408.612	55.63	0.52	74.0	18.37	Peak	347.00	150	Vertical	Pass
5**	13408.612	46.75	0.52	54.0	7.25	AV	347.00	150	Vertical	Pass
6	17449.011	55.75	2.83	74.0	18.25	Peak	230.00	200	Vertical	Pass
6**	17449.011	47.25	2.83	54.0	6.75	AV	230.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1267.000	42.21	-17.02	74.0	31.79	Peak	98.00	200	Horizontal	Pass
1**	1267.000	32.79	-17.02	54.0	21.21	AV	98.00	200	Horizontal	Pass
2	2448.300	107.00	-12.26	74.0	-33.00	Peak	62.00	200	Horizontal	N/A
2**	2448.300	99.08	-12.26	54.0	-45.08	AV	62.00	200	Horizontal	N/A
3	4809.600	51.56	-2.11	74.0	22.44	Peak	0.00	150	Horizontal	Pass
3**	4809.600	43.76	-2.11	54.0	10.24	AV	0.00	150	Horizontal	Pass
4	6510.200	54.19	-0.62	74.0	19.81	Peak	196.00	400	Horizontal	Pass
4**	6510.200	45.71	-0.62	54.0	8.29	AV	196.00	400	Horizontal	Pass
5	13407.300	55.33	0.53	74.0	18.67	Peak	156.00	150	Horizontal	Pass
5**	13407.300	46.83	0.53	54.0	7.17	AV	156.00	150	Horizontal	Pass
6	17362.387	56.16	2.27	74.0	17.84	Peak	356.00	100	Horizontal	Pass
6**	17362.387	46.42	2.27	54.0	7.58	AV	356.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.600	42.67	-17.13	74.0	31.33	Peak	351.00	300	Vertical	Pass
1**	1358.600	32.29	-17.13	54.0	21.71	AV	351.00	300	Vertical	Pass
2	2448.800	96.18	-12.26	74.0	-22.18	Peak	180.00	100	Vertical	N/A
2**	2448.800	88.68	-12.26	54.0	-34.68	AV	180.00	100	Vertical	N/A
3	5502.600	53.44	-1.37	74.0	20.56	Peak	86.00	150	Vertical	Pass
3**	5502.600	43.18	-1.37	54.0	10.82	AV	86.00	150	Vertical	Pass
4	6817.000	54.22	0.62	74.0	19.78	Peak	281.00	100	Vertical	Pass
4**	6817.000	44.99	0.62	54.0	9.01	AV	281.00	100	Vertical	Pass
5	13315.162	55.19	0.89	74.0	18.81	Peak	289.00	150	Vertical	Pass
5**	13315.162	46.83	0.89	54.0	7.17	AV	289.00	150	Vertical	Pass
6	17353.464	56.35	2.03	74.0	17.65	Peak	21.00	200	Vertical	Pass
6**	17353.464	47.07	2.03	54.0	6.93	AV	21.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	43.87	-17.07	74.0	30.13	Peak	185.00	200	Horizontal	Pass
1**	1331.800	34.18	-17.07	54.0	19.82	AV	185.00	200	Horizontal	Pass
2	2457.500	103.39	-12.04	74.0	-29.39	Peak	85.00	150	Horizontal	N/A
2**	2457.500	95.32	-12.04	54.0	-41.32	AV	85.00	150	Horizontal	N/A
3	5091.000	52.20	-1.89	74.0	21.80	Peak	142.00	150	Horizontal	Pass
3**	5091.000	42.54	-1.89	54.0	11.46	AV	142.00	150	Horizontal	Pass
4	6736.200	54.37	-0.50	74.0	19.63	Peak	292.00	400	Horizontal	Pass
4**	6736.200	43.77	-0.50	54.0	10.23	AV	292.00	400	Horizontal	Pass
5	13332.487	55.45	0.97	74.0	18.55	Peak	0.00	150	Horizontal	Pass
5**	13332.487	45.95	0.97	54.0	8.05	AV	0.00	150	Horizontal	Pass
6	17482.613	56.19	2.62	74.0	17.81	Peak	282.00	300	Horizontal	Pass
6**	17482.613	46.74	2.62	54.0	7.26	AV	282.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.800	47.18	-17.58	74.0	26.82	Peak	51.00	100	Vertical	Pass
1**	1163.800	37.24	-17.58	54.0	16.76	AV	51.00	100	Vertical	Pass
2	2450.800	90.29	-12.24	74.0	-16.29	Peak	184.00	150	Vertical	N/A
2**	2450.800	82.40	-12.24	54.0	-28.40	AV	184.00	150	Vertical	N/A
3	2978.400	52.04	-9.35	74.0	21.96	Peak	353.00	150	Vertical	Pass
3**	2978.400	42.00	-9.35	54.0	12.00	AV	353.00	150	Vertical	Pass
4	6794.200	54.17	1.08	74.0	19.83	Peak	360.00	400	Vertical	Pass
4**	6794.200	45.48	1.08	54.0	8.52	AV	360.00	400	Vertical	Pass
5	13405.725	55.34	0.54	74.0	18.66	Peak	54.00	150	Vertical	Pass
5**	13405.725	46.25	0.54	54.0	7.75	AV	54.00	150	Vertical	Pass
6	17405.176	56.06	3.32	74.0	17.94	Peak	157.00	300	Vertical	Pass
6**	17405.176	47.15	3.32	54.0	6.85	AV	157.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.800	43.60	-17.06	74.0	30.40	Peak	119.00	400	Horizontal	Pass
1**	1326.800	35.81	-17.06	54.0	18.19	AV	119.00	400	Horizontal	Pass
2	2406.700	109.31	-10.31	74.0	-35.31	Peak	74.00	150	Horizontal	N/A
2**	2406.700	98.21	-10.31	54.0	-44.21	AV	74.00	150	Horizontal	N/A
3	2770.500	52.00	-8.51	74.0	22.00	Peak	213.00	150	Horizontal	Pass
3**	2770.500	43.01	-8.51	54.0	10.99	AV	213.00	150	Horizontal	Pass
4	6807.800	54.12	1.89	74.0	19.88	Peak	64.00	300	Horizontal	Pass
4**	6807.800	45.89	1.89	54.0	8.11	AV	64.00	300	Horizontal	Pass
5	13426.463	55.71	0.40	74.0	18.29	Peak	132.00	150	Horizontal	Pass
5**	13426.463	46.47	0.40	54.0	7.53	AV	132.00	150	Horizontal	Pass
6	15665.063	56.71	1.34	74.0	17.29	Peak	235.00	100	Horizontal	Pass
6**	15665.063	46.24	1.34	54.0	7.76	AV	235.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	47.59	-17.09	74.0	26.41	Peak	50.00	100	Vertical	Pass
1**	1328.600	37.92	-17.09	54.0	16.08	AV	50.00	100	Vertical	Pass
2	2413.400	98.91	-10.75	74.0	-24.91	Peak	184.00	200	Vertical	N/A
2**	2413.400	90.04	-10.75	54.0	-36.04	AV	184.00	200	Vertical	N/A
3	4988.400	52.89	-2.34	74.0	21.11	Peak	246.00	100	Vertical	Pass
3**	4988.400	42.12	-2.34	54.0	11.88	AV	246.00	100	Vertical	Pass
4	6803.400	54.00	1.60	74.0	20.00	Peak	281.00	100	Vertical	Pass
4**	6803.400	46.04	1.60	54.0	7.96	AV	281.00	100	Vertical	Pass
5	13321.201	55.21	0.91	74.0	18.79	Peak	0.00	150	Vertical	Pass
5**	13321.201	46.77	0.91	54.0	7.23	AV	0.00	150	Vertical	Pass
6	17395.988	55.84	3.04	74.0	18.16	Peak	59.00	100	Vertical	Pass
6**	17395.988	47.33	3.04	54.0	6.67	AV	59.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1307.000	42.28	-17.07	74.0	31.72	Peak	240.00	300	Horizontal	Pass
1**	1307.000	32.83	-17.07	54.0	21.17	AV	240.00	300	Horizontal	Pass
2	2419.400	109.47	-12.04	74.0	-35.47	Peak	74.00	150	Horizontal	N/A
2**	2419.400	101.40	-12.04	54.0	-47.40	AV	74.00	150	Horizontal	N/A
3	4809.800	52.07	-2.12	74.0	21.93	Peak	363.00	150	Horizontal	Pass
3**	4809.800	42.18	-2.12	54.0	11.82	AV	363.00	150	Horizontal	Pass
4	6972.800	54.74	1.05	74.0	19.26	Peak	363.00	200	Horizontal	Pass
4**	6972.800	44.90	1.05	54.0	9.10	AV	363.00	200	Horizontal	Pass
5	13386.299	55.32	0.65	74.0	18.68	Peak	361.00	150	Horizontal	Pass
5**	13386.299	46.18	0.65	54.0	7.82	AV	361.00	150	Horizontal	Pass
6	17420.663	56.15	3.74	74.0	17.85	Peak	302.00	300	Horizontal	Pass
6**	17420.663	47.35	3.74	54.0	6.65	AV	302.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.800	42.35	-17.04	74.0	31.65	Peak	130.00	300	Vertical	Pass
1**	1452.800	32.23	-17.04	54.0	21.77	AV	130.00	300	Vertical	Pass
2	2417.600	99.75	-11.74	74.0	-25.75	Peak	178.00	200	Vertical	N/A
2**	2417.600	91.27	-11.74	54.0	-37.27	AV	178.00	200	Vertical	N/A
3	2764.400	51.52	-9.44	74.0	22.48	Peak	102.00	200	Vertical	Pass
3**	2764.400	41.94	-9.44	54.0	12.06	AV	102.00	200	Vertical	Pass
4	6292.000	54.23	-1.01	74.0	19.77	Peak	144.00	300	Vertical	Pass
4**	6292.000	43.66	-1.01	54.0	10.34	AV	144.00	300	Vertical	Pass
5	13416.750	55.15	0.41	74.0	18.85	Peak	0.00	150	Vertical	Pass
5**	13416.750	46.00	0.41	54.0	8.00	AV	0.00	150	Vertical	Pass
6	17467.650	56.39	2.90	74.0	17.61	Peak	60.00	200	Vertical	Pass
6**	17467.650	46.30	2.90	54.0	7.70	AV	60.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.200	42.25	-16.99	74.0	31.75	Peak	18.00	400	Horizontal	Pass
1**	1587.200	33.44	-16.99	54.0	20.56	AV	18.00	400	Horizontal	Pass
2	2423.000	109.34	-12.58	74.0	-35.34	Peak	128.00	150	Horizontal	N/A
2**	2423.000	101.64	-12.58	54.0	-47.64	AV	128.00	150	Horizontal	N/A
3	5050.400	52.04	-1.54	74.0	21.96	Peak	301.00	150	Horizontal	Pass
3**	5050.400	43.78	-1.54	54.0	10.22	AV	301.00	150	Horizontal	Pass
4	6800.800	55.32	1.45	74.0	18.68	Peak	13.00	300	Horizontal	Pass
4**	6800.800	45.39	1.45	54.0	8.61	AV	13.00	300	Horizontal	Pass
5	13321.725	56.40	0.91	74.0	17.60	Peak	251.00	100	Horizontal	Pass
5**	13321.725	46.22	0.91	54.0	7.78	AV	251.00	100	Horizontal	Pass
6	15286.275	55.45	0.77	74.0	18.55	Peak	251.00	150	Horizontal	Pass
6**	15286.275	46.40	0.77	54.0	7.60	AV	251.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.200	42.30	-16.76	74.0	31.70	Peak	41.00	200	Vertical	Pass
1**	1562.200	33.08	-16.76	54.0	20.92	AV	41.00	200	Vertical	Pass
2	2422.700	99.90	-12.58	74.0	-25.90	Peak	245.00	200	Vertical	N/A
2**	2422.700	91.21	-12.58	54.0	-37.21	AV	245.00	200	Vertical	N/A
3	2895.900	52.42	-9.14	74.0	21.58	Peak	4.00	200	Vertical	Pass
3**	2895.900	42.02	-9.14	54.0	11.98	AV	4.00	200	Vertical	Pass
4	6807.200	54.56	2.09	74.0	19.44	Peak	303.00	300	Vertical	Pass
4**	6807.200	45.91	2.09	54.0	8.09	AV	303.00	300	Vertical	Pass
5	13291.275	55.38	0.80	74.0	18.62	Peak	127.00	150	Vertical	Pass
5**	13291.275	46.09	0.80	54.0	7.91	AV	127.00	150	Vertical	Pass
6	16249.125	56.42	1.33	74.0	17.58	Peak	68.00	400	Vertical	Pass
6**	16249.125	45.48	1.33	54.0	8.52	AV	68.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.900	42.17	-16.72	74.0	31.83	Peak	99.00	300	Horizontal	Pass
1**	1489.900	33.55	-16.72	54.0	20.45	AV	99.00	300	Horizontal	Pass
2	2428.600	110.14	-12.45	74.0	-36.14	Peak	119.00	200	Horizontal	N/A
2**	2428.600	101.47	-12.45	54.0	-47.47	AV	119.00	200	Horizontal	N/A
3	5044.600	52.49	-1.91	74.0	21.51	Peak	238.00	150	Horizontal	Pass
3**	5044.600	42.33	-1.91	54.0	11.67	AV	238.00	150	Horizontal	Pass
4	6518.400	54.20	-0.06	74.0	19.80	Peak	109.00	200	Horizontal	Pass
4**	6518.400	45.84	-0.06	54.0	8.16	AV	109.00	200	Horizontal	Pass
5	13415.175	55.50	0.41	74.0	18.50	Peak	23.00	150	Horizontal	Pass
5**	13415.175	46.85	0.41	54.0	7.15	AV	23.00	150	Horizontal	Pass
6	16100.550	56.00	1.18	74.0	18.00	Peak	295.00	400	Horizontal	Pass
6**	16100.550	45.61	1.18	54.0	8.39	AV	295.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.300	42.47	-17.19	74.0	31.53	Peak	270.00	200	Vertical	Pass
1**	1478.300	32.32	-17.19	54.0	21.68	AV	270.00	200	Vertical	Pass
2	2429.100	100.85	-12.41	74.0	-26.85	Peak	317.00	100	Vertical	N/A
2**	2429.100	91.89	-12.41	54.0	-37.89	AV	317.00	100	Vertical	N/A
3	2850.100	51.40	-8.30	74.0	22.60	Peak	29.00	200	Vertical	Pass
3**	2850.100	41.93	-8.30	54.0	12.07	AV	29.00	200	Vertical	Pass
4	6976.800	53.84	1.68	74.0	20.16	Peak	16.00	200	Vertical	Pass
4**	6976.800	45.49	1.68	54.0	8.51	AV	16.00	200	Vertical	Pass
5	13368.974	55.84	0.71	74.0	18.16	Peak	360.00	150	Vertical	Pass
5**	13368.974	45.32	0.71	54.0	8.68	AV	360.00	150	Vertical	Pass
6	17419.614	56.26	3.75	74.0	17.74	Peak	360.00	100	Vertical	Pass
6**	17419.614	47.15	3.75	54.0	6.85	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.300	42.81	-16.89	74.0	31.19	Peak	199.00	300	Horizontal	Pass
1**	1348.300	32.77	-16.89	54.0	21.23	AV	199.00	300	Horizontal	Pass
2	2431.000	105.12	-12.50	74.0	-31.12	Peak	43.00	100	Horizontal	N/A
2**	2431.000	97.11	-12.50	54.0	-43.11	AV	43.00	100	Horizontal	N/A
3	4947.200	51.48	-2.61	74.0	22.52	Peak	79.00	100	Horizontal	Pass
3**	4947.200	41.04	-2.61	54.0	12.96	AV	79.00	100	Horizontal	Pass
4	6972.200	54.16	0.95	74.0	19.84	Peak	42.00	300	Horizontal	Pass
4**	6972.200	44.94	0.95	54.0	9.06	AV	42.00	300	Horizontal	Pass
5	13334.062	55.45	0.99	74.0	18.55	Peak	360.00	300	Horizontal	Pass
5**	13334.062	46.80	0.99	54.0	7.20	AV	360.00	300	Horizontal	Pass
6	17423.026	55.94	3.67	74.0	18.06	Peak	156.00	300	Horizontal	Pass
6**	17423.026	46.78	3.67	54.0	7.22	AV	156.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1360.900	42.57	-17.07	74.0	31.43	Peak	132.00	100	Vertical	Pass
1**	1360.900	32.49	-17.07	54.0	21.51	AV	132.00	100	Vertical	Pass
2	2433.300	101.10	-12.28	74.0	-27.10	Peak	151.00	100	Vertical	N/A
2**	2433.300	92.01	-12.28	54.0	-38.01	AV	151.00	100	Vertical	N/A
3	2998.100	51.53	-9.21	74.0	22.47	Peak	3.00	100	Vertical	Pass
3**	2998.100	42.12	-9.21	54.0	11.88	AV	3.00	100	Vertical	Pass
4	6808.200	54.07	1.76	74.0	19.93	Peak	360.00	200	Vertical	Pass
4**	6808.200	45.71	1.76	54.0	8.29	AV	360.00	200	Vertical	Pass
5	13402.050	56.25	0.54	74.0	17.75	Peak	361.00	150	Vertical	Pass
5**	13402.050	45.89	0.54	54.0	8.11	AV	361.00	150	Vertical	Pass
6	15623.588	55.97	1.70	74.0	18.03	Peak	306.00	150	Vertical	Pass
6**	15623.588	45.62	1.70	54.0	8.38	AV	306.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.600	42.90	-17.27	74.0	31.10	Peak	193.00	200	Horizontal	Pass
1**	1436.600	32.79	-17.27	54.0	21.21	AV	193.00	200	Horizontal	Pass
2	2434.100	110.65	-12.23	74.0	-36.65	Peak	126.00	200	Horizontal	N/A
2**	2434.100	103.09	-12.23	54.0	-49.09	AV	126.00	200	Horizontal	N/A
3	4807.800	51.25	-2.25	74.0	22.75	Peak	93.00	150	Horizontal	Pass
3**	4807.800	41.91	-2.25	54.0	12.09	AV	93.00	150	Horizontal	Pass
4	5968.000	54.76	0.13	74.0	19.24	Peak	44.00	100	Horizontal	Pass
4**	5968.000	45.29	0.13	54.0	8.71	AV	44.00	100	Horizontal	Pass
5	13249.013	55.38	0.89	74.0	18.62	Peak	217.00	150	Horizontal	Pass
5**	13249.013	44.70	0.89	54.0	9.30	AV	217.00	150	Horizontal	Pass
6	17353.200	56.36	2.02	74.0	17.64	Peak	113.00	300	Horizontal	Pass
6**	17353.200	46.98	2.02	54.0	7.02	AV	113.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.600	47.05	-17.58	74.0	26.95	Peak	89.00	100	Vertical	Pass
1**	1163.600	33.15	-17.58	54.0	20.85	AV	89.00	100	Vertical	Pass
2	2435.000	102.49	-12.17	74.0	-28.49	Peak	168.00	100	Vertical	N/A
2**	2435.000	93.73	-12.17	54.0	-39.73	AV	168.00	100	Vertical	N/A
3	2769.500	51.63	-8.64	74.0	22.37	Peak	187.00	150	Vertical	Pass
3**	2769.500	42.30	-8.64	54.0	11.70	AV	187.00	150	Vertical	Pass
4	6806.400	54.70	2.33	74.0	19.30	Peak	59.00	300	Vertical	Pass
4**	6806.400	46.06	2.33	54.0	7.94	AV	59.00	300	Vertical	Pass
5	13376.588	55.51	0.67	74.0	18.49	Peak	0.00	150	Vertical	Pass
5**	13376.588	46.26	0.67	54.0	7.74	AV	0.00	150	Vertical	Pass
6	17423.026	56.39	3.67	74.0	17.61	Peak	30.00	100	Vertical	Pass
6**	17423.026	47.97	3.67	54.0	6.03	AV	30.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1409.900	42.25	-17.03	74.0	31.75	Peak	358.00	400	Horizontal	Pass
1**	1409.900	32.67	-17.03	54.0	21.33	AV	358.00	400	Horizontal	Pass
2	2450.800	108.66	-12.24	74.0	-34.66	Peak	58.00	150	Horizontal	N/A
2**	2450.800	100.98	-12.24	54.0	-46.98	AV	58.00	150	Horizontal	N/A
3	5145.600	52.55	-1.41	74.0	21.45	Peak	272.00	150	Horizontal	Pass
3**	5145.600	43.18	-1.41	54.0	10.82	AV	272.00	150	Horizontal	Pass
4	6806.200	54.14	2.26	74.0	19.86	Peak	10.00	100	Horizontal	Pass
4**	6806.200	45.79	2.26	54.0	8.21	AV	10.00	100	Horizontal	Pass
5	13424.888	55.34	0.40	74.0	18.66	Peak	191.00	150	Horizontal	Pass
5**	13424.888	46.11	0.40	54.0	7.89	AV	191.00	150	Horizontal	Pass
6	16103.175	56.56	1.06	74.0	17.44	Peak	252.00	300	Horizontal	Pass
6**	16103.175	46.44	1.06	54.0	7.56	AV	252.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.400	42.93	-17.03	74.0	31.07	Peak	117.00	100	Vertical	Pass
1**	1351.400	31.93	-17.03	54.0	22.07	AV	117.00	100	Vertical	Pass
2	2452.700	103.13	-12.20	74.0	-29.13	Peak	31.00	150	Vertical	N/A
2**	2452.700	93.89	-12.20	54.0	-39.89	AV	31.00	150	Vertical	N/A
3	5470.200	52.56	-1.82	74.0	21.44	Peak	11.00	150	Vertical	Pass
3**	5470.200	43.27	-1.82	54.0	10.73	AV	11.00	150	Vertical	Pass
4	6806.400	54.65	2.33	74.0	19.35	Peak	286.00	100	Vertical	Pass
4**	6806.400	46.57	2.33	54.0	7.43	AV	286.00	100	Vertical	Pass
5	11207.850	53.43	-0.24	74.0	20.57	Peak	305.00	300	Vertical	Pass
5**	11207.850	43.71	-0.24	54.0	10.29	AV	305.00	300	Vertical	Pass
6	13447.987	56.12	0.59	74.0	17.88	Peak	335.00	400	Vertical	Pass
6**	13447.987	46.65	0.59	54.0	7.35	AV	335.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.800	42.56	-17.13	74.0	31.44	Peak	326.00	400	Horizontal	Pass
1**	1497.800	31.70	-17.13	54.0	22.30	AV	326.00	400	Horizontal	Pass
2	2457.800	109.32	-12.01	74.0	-35.32	Peak	72.00	200	Horizontal	N/A
2**	2457.800	101.23	-12.01	54.0	-47.23	AV	72.00	200	Horizontal	N/A
3	5037.200	52.29	-2.23	74.0	21.71	Peak	62.00	150	Horizontal	Pass
3**	5037.200	42.24	-2.23	54.0	11.76	AV	62.00	150	Horizontal	Pass
4	6792.000	54.56	0.93	74.0	19.44	Peak	31.00	200	Horizontal	Pass
4**	6792.000	45.36	0.93	54.0	8.64	AV	31.00	200	Horizontal	Pass
5	13310.963	55.23	0.86	74.0	18.77	Peak	71.00	150	Horizontal	Pass
5**	13310.963	46.17	0.86	54.0	7.83	AV	71.00	150	Horizontal	Pass
6	17420.136	56.54	3.75	74.0	17.46	Peak	5.00	100	Horizontal	Pass
6**	17420.136	46.87	3.75	54.0	7.13	AV	5.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1313.900	43.12	-16.86	74.0	30.88	Peak	235.00	300	Vertical	Pass
1**	1313.900	32.73	-16.86	54.0	21.27	AV	235.00	300	Vertical	Pass
2	2458.700	103.00	-11.90	74.0	-29.00	Peak	79.00	150	Vertical	N/A
2**	2458.700	95.38	-11.90	54.0	-41.38	AV	79.00	150	Vertical	N/A
3	4718.200	51.21	-3.24	74.0	22.79	Peak	270.00	150	Vertical	Pass
3**	4718.200	42.19	-3.24	54.0	11.81	AV	270.00	150	Vertical	Pass
4	6628.800	54.31	-0.12	74.0	19.69	Peak	320.00	300	Vertical	Pass
4**	6628.800	44.75	-0.12	54.0	9.25	AV	320.00	300	Vertical	Pass
5	13420.951	55.21	0.40	74.0	18.79	Peak	272.00	150	Vertical	Pass
5**	13420.951	45.35	0.40	54.0	8.65	AV	272.00	150	Vertical	Pass
6	15806.812	55.81	2.23	74.0	18.19	Peak	188.00	300	Vertical	Pass
6**	15806.812	46.18	2.23	54.0	7.82	AV	188.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	45.81	-17.09	74.0	28.19	Peak	132.00	400	Horizontal	Pass
1**	1332.000	36.64	-17.09	54.0	17.36	AV	132.00	400	Horizontal	Pass
2	2460.800	108.07	-12.05	74.0	-34.07	Peak	119.00	150	Horizontal	N/A
2**	2460.800	99.84	-12.05	54.0	-45.84	AV	119.00	150	Horizontal	N/A
3	4943.800	51.40	-2.56	74.0	22.60	Peak	227.00	150	Horizontal	Pass
3**	4943.800	41.81	-2.56	54.0	12.19	AV	227.00	150	Horizontal	Pass
4	6806.800	54.42	2.22	74.0	19.58	Peak	360.00	400	Horizontal	Pass
4**	6806.800	45.90	2.22	54.0	8.10	AV	360.00	400	Horizontal	Pass
5	13439.062	55.79	0.46	74.0	18.21	Peak	255.00	150	Horizontal	Pass
5**	13439.062	46.57	0.46	54.0	7.43	AV	255.00	150	Horizontal	Pass
6	15778.201	56.22	1.44	74.0	17.78	Peak	203.00	400	Horizontal	Pass
6**	15778.201	45.70	1.44	54.0	8.30	AV	203.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.500	48.03	-17.64	74.0	25.97	Peak	76.00	300	Vertical	Pass
1**	1166.500	39.39	-17.64	54.0	14.61	AV	76.00	300	Vertical	Pass
2	2461.200	98.28	-12.03	74.0	-24.28	Peak	320.00	150	Vertical	N/A
2**	2461.200	88.73	-12.03	54.0	-34.73	AV	320.00	150	Vertical	N/A
3	2978.700	52.00	-9.36	74.0	22.00	Peak	243.00	200	Vertical	Pass
3**	2978.700	42.89	-9.36	54.0	11.11	AV	243.00	200	Vertical	Pass
4	6806.600	54.86	2.28	74.0	19.14	Peak	74.00	400	Vertical	Pass
4**	6806.600	45.80	2.28	54.0	8.20	AV	74.00	400	Vertical	Pass
5	13290.225	55.74	0.79	74.0	18.26	Peak	314.00	150	Vertical	Pass
5**	13290.225	46.29	0.79	54.0	7.71	AV	314.00	150	Vertical	Pass
6	17438.251	56.26	3.10	74.0	17.74	Peak	269.00	300	Vertical	Pass
6**	17438.251	46.86	3.10	54.0	7.14	AV	269.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	45.17	-17.09	74.0	28.83	Peak	125.00	100	Horizontal	Pass
1**	1328.500	34.07	-17.09	54.0	19.93	AV	125.00	100	Horizontal	Pass
2	2418.900	105.82	-11.97	74.0	-31.82	Peak	125.00	200	Horizontal	N/A
2**	2418.900	96.30	-11.97	54.0	-42.30	AV	125.00	200	Horizontal	N/A
3	2816.400	51.48	-9.95	74.0	22.52	Peak	9.00	200	Horizontal	Pass
3**	2816.400	41.32	-9.95	54.0	12.68	AV	9.00	200	Horizontal	Pass
4	6989.200	54.80	1.91	74.0	19.20	Peak	14.00	300	Horizontal	Pass
4**	6989.200	44.03	1.91	54.0	9.97	AV	14.00	300	Horizontal	Pass
5	13315.951	56.18	0.89	74.0	17.82	Peak	0.00	150	Horizontal	Pass
5**	13315.951	47.17	0.89	54.0	6.83	AV	0.00	150	Horizontal	Pass
6	15767.700	56.35	1.04	74.0	17.65	Peak	345.00	300	Horizontal	Pass
6**	15767.700	45.36	1.04	54.0	8.64	AV	345.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.900	48.05	-17.58	74.0	25.95	Peak	82.00	400	Vertical	Pass
1**	1164.900	40.21	-17.58	54.0	13.79	AV	82.00	400	Vertical	Pass
2	2420.400	94.77	-12.18	74.0	-20.77	Peak	166.00	100	Vertical	N/A
2**	2420.400	86.20	-12.18	54.0	-32.20	AV	166.00	100	Vertical	N/A
3	2952.100	51.88	-8.91	74.0	22.12	Peak	311.00	200	Vertical	Pass
3**	2952.100	43.11	-8.91	54.0	10.89	AV	311.00	200	Vertical	Pass
4	6612.200	54.56	0.53	74.0	19.44	Peak	130.00	300	Vertical	Pass
4**	6612.200	45.39	0.53	54.0	8.61	AV	130.00	300	Vertical	Pass
5	13411.763	55.56	0.47	74.0	18.44	Peak	360.00	150	Vertical	Pass
5**	13411.763	47.10	0.47	54.0	6.90	AV	360.00	150	Vertical	Pass
6	17425.650	56.76	3.60	74.0	17.24	Peak	221.00	400	Vertical	Pass
6**	17425.650	47.17	3.60	54.0	6.83	AV	221.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.300	42.59	-16.89	74.0	31.41	Peak	50.00	300	Horizontal	Pass
1**	1507.300	32.92	-16.89	54.0	21.08	AV	50.00	300	Horizontal	Pass
2	2424.800	107.11	-12.59	74.0	-33.11	Peak	87.00	150	Horizontal	N/A
2**	2424.800	98.69	-12.59	54.0	-44.69	AV	87.00	150	Horizontal	N/A
3	5088.000	52.21	-1.81	74.0	21.79	Peak	12.00	150	Horizontal	Pass
3**	5088.000	42.64	-1.81	54.0	11.36	AV	12.00	150	Horizontal	Pass
4	6612.600	54.51	0.45	74.0	19.49	Peak	132.00	100	Horizontal	Pass
4**	6612.600	44.92	0.45	54.0	9.08	AV	132.00	100	Horizontal	Pass
5	13320.674	55.65	0.91	74.0	18.35	Peak	337.00	150	Horizontal	Pass
5**	13320.674	46.51	0.91	54.0	7.49	AV	337.00	150	Horizontal	Pass
6	15804.713	55.77	2.27	74.0	18.23	Peak	224.00	300	Horizontal	Pass
6**	15804.713	46.53	2.27	54.0	7.47	AV	224.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.300	42.64	-17.22	74.0	31.36	Peak	21.00	400	Vertical	Pass
1**	1514.300	33.21	-17.22	54.0	20.79	AV	21.00	400	Vertical	Pass
2	2427.900	99.20	-12.51	74.0	-25.20	Peak	322.00	200	Vertical	N/A
2**	2427.900	88.59	-12.51	54.0	-34.59	AV	322.00	200	Vertical	N/A
3	5033.000	51.79	-2.39	74.0	22.21	Peak	334.00	150	Vertical	Pass
3**	5033.000	42.05	-2.39	54.0	11.95	AV	334.00	150	Vertical	Pass
4	6856.600	54.17	-0.39	74.0	19.83	Peak	12.00	400	Vertical	Pass
4**	6856.600	44.89	-0.39	54.0	9.11	AV	12.00	400	Vertical	Pass
5	13297.313	55.00	0.85	74.0	19.00	Peak	132.00	150	Vertical	Pass
5**	13297.313	45.87	0.85	54.0	8.13	AV	132.00	150	Vertical	Pass
6	17425.125	56.48	3.62	74.0	17.52	Peak	33.00	100	Vertical	Pass
6**	17425.125	47.63	3.62	54.0	6.37	AV	33.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.900	42.52	-16.88	74.0	31.48	Peak	233.00	300	Horizontal	Pass
1**	1584.900	32.20	-16.88	54.0	21.80	AV	233.00	300	Horizontal	Pass
2	2434.200	108.62	-12.22	74.0	-34.62	Peak	72.00	100	Horizontal	N/A
2**	2434.200	99.09	-12.22	54.0	-45.09	AV	72.00	100	Horizontal	N/A
3	4981.800	51.38	-1.61	74.0	22.62	Peak	39.00	150	Horizontal	Pass
3**	4981.800	43.08	-1.61	54.0	10.92	AV	39.00	150	Horizontal	Pass
4	6805.800	55.27	2.13	74.0	18.73	Peak	205.00	400	Horizontal	Pass
4**	6805.800	45.28	2.13	54.0	8.72	AV	205.00	400	Horizontal	Pass
5	13325.662	55.57	0.93	74.0	18.43	Peak	151.00	150	Horizontal	Pass
5**	13325.662	46.21	0.93	54.0	7.79	AV	151.00	150	Horizontal	Pass
6	17459.511	56.11	2.84	74.0	17.89	Peak	90.00	100	Horizontal	Pass
6**	17459.511	46.50	2.84	54.0	7.50	AV	90.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.500	42.61	-16.93	74.0	31.39	Peak	108.00	100	Vertical	Pass
1**	1483.500	33.16	-16.93	54.0	20.84	AV	108.00	100	Vertical	Pass
2	2430.200	98.33	-12.46	74.0	-24.33	Peak	328.00	100	Vertical	N/A
2**	2430.200	89.23	-12.46	54.0	-35.23	AV	328.00	100	Vertical	N/A
3	5059.600	52.47	-2.02	74.0	21.53	Peak	360.00	150	Vertical	Pass
3**	5059.600	43.00	-2.02	54.0	11.00	AV	360.00	150	Vertical	Pass
4	6837.000	54.31	0.51	74.0	19.69	Peak	61.00	300	Vertical	Pass
4**	6837.000	44.72	0.51	54.0	9.28	AV	61.00	300	Vertical	Pass
5	13312.800	56.81	0.87	74.0	17.19	Peak	116.00	100	Vertical	Pass
5**	13312.800	46.47	0.87	54.0	7.53	AV	116.00	100	Vertical	Pass
6	15523.838	55.74	1.39	74.0	18.26	Peak	33.00	150	Vertical	Pass
6**	15523.838	46.22	1.39	54.0	7.78	AV	33.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	45.33	-17.09	74.0	28.67	Peak	177.00	100	Horizontal	Pass
1**	1328.100	38.86	-17.09	54.0	15.14	AV	177.00	100	Horizontal	Pass
2	2435.200	109.42	-12.16	74.0	-35.42	Peak	132.00	100	Horizontal	N/A
2**	2435.200	101.42	-12.16	54.0	-47.42	AV	132.00	100	Horizontal	N/A
3	5168.000	52.32	-2.02	74.0	21.68	Peak	2.00	150	Horizontal	Pass
3**	5168.000	43.14	-2.02	54.0	10.86	AV	2.00	150	Horizontal	Pass
4	6926.000	54.87	0.27	74.0	19.13	Peak	172.00	100	Horizontal	Pass
4**	6926.000	45.66	0.27	54.0	8.34	AV	172.00	100	Horizontal	Pass
5	13298.362	55.32	0.86	74.0	18.68	Peak	59.00	150	Horizontal	Pass
5**	13298.362	46.65	0.86	54.0	7.35	AV	59.00	150	Horizontal	Pass
6	15246.375	55.87	0.85	74.0	18.13	Peak	178.00	200	Horizontal	Pass
6**	15246.375	46.70	0.85	54.0	7.30	AV	178.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.000	49.33	-17.58	74.0	24.67	Peak	74.00	400	Vertical	Pass
1**	1164.000	35.68	-17.58	54.0	18.32	AV	74.00	400	Vertical	Pass
2	2441.900	98.77	-12.37	74.0	-24.77	Peak	119.00	150	Vertical	N/A
2**	2441.900	89.44	-12.37	54.0	-35.44	AV	119.00	150	Vertical	N/A
3	4812.600	52.04	-2.07	74.0	21.96	Peak	327.00	150	Vertical	Pass
3**	4812.600	42.43	-2.07	54.0	11.57	AV	327.00	150	Vertical	Pass
4	6627.600	54.66	0.17	74.0	19.34	Peak	274.00	100	Vertical	Pass
4**	6627.600	44.73	0.17	54.0	9.27	AV	274.00	100	Vertical	Pass
5	13416.750	55.75	0.41	74.0	18.25	Peak	248.00	150	Vertical	Pass
5**	13416.750	46.44	0.41	54.0	7.56	AV	248.00	150	Vertical	Pass
6	15679.237	56.11	1.58	74.0	17.89	Peak	77.00	400	Vertical	Pass
6**	15679.237	46.56	1.58	54.0	7.44	AV	77.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.400	42.16	-17.04	74.0	31.84	Peak	362.00	300	Horizontal	Pass
1**	1541.400	32.93	-17.04	54.0	21.07	AV	362.00	300	Horizontal	Pass
2	2438.300	107.68	-12.22	74.0	-33.68	Peak	298.00	150	Horizontal	N/A
2**	2438.300	98.04	-12.22	54.0	-44.04	AV	298.00	150	Horizontal	N/A
3	5053.800	52.30	-1.60	74.0	21.70	Peak	50.00	150	Horizontal	Pass
3**	5053.800	42.56	-1.60	54.0	11.44	AV	50.00	150	Horizontal	Pass
4	6839.000	54.74	0.66	74.0	19.26	Peak	150.00	400	Horizontal	Pass
4**	6839.000	44.62	0.66	54.0	9.38	AV	150.00	400	Horizontal	Pass
5	13408.088	56.31	0.52	74.0	17.69	Peak	23.00	150	Horizontal	Pass
5**	13408.088	46.78	0.52	54.0	7.22	AV	23.00	150	Horizontal	Pass
6	17403.339	56.32	3.27	74.0	17.68	Peak	360.00	400	Horizontal	Pass
6**	17403.339	47.42	3.27	54.0	6.58	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1415.700	43.08	-17.16	74.0	30.92	Peak	222.00	400	Vertical	Pass
1**	1415.700	32.91	-17.16	54.0	21.09	AV	222.00	400	Vertical	Pass
2	2437.100	98.06	-12.13	74.0	-24.06	Peak	174.00	150	Vertical	N/A
2**	2437.100	88.84	-12.13	54.0	-34.84	AV	174.00	150	Vertical	N/A
3	5029.400	51.78	-2.68	74.0	22.22	Peak	295.00	150	Vertical	Pass
3**	5029.400	42.03	-2.68	54.0	11.97	AV	295.00	150	Vertical	Pass
4	6789.400	54.63	0.63	74.0	19.37	Peak	259.00	200	Vertical	Pass
4**	6789.400	45.32	0.63	54.0	8.68	AV	259.00	200	Vertical	Pass
5	13403.888	56.25	0.54	74.0	17.75	Peak	17.00	150	Vertical	Pass
5**	13403.888	46.98	0.54	54.0	7.02	AV	17.00	150	Vertical	Pass
6	17476.575	56.55	2.80	74.0	17.45	Peak	360.00	400	Vertical	Pass
6**	17476.575	46.62	2.80	54.0	7.38	AV	360.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1311.400	41.96	-17.02	74.0	32.04	Peak	52.00	400	Horizontal	Pass
1**	1311.400	32.33	-17.02	54.0	21.67	AV	52.00	400	Horizontal	Pass
2	2444.300	107.28	-12.48	74.0	-33.28	Peak	128.00	200	Horizontal	N/A
2**	2444.300	98.21	-12.48	54.0	-44.21	AV	128.00	200	Horizontal	N/A
3	4791.400	51.22	-2.85	74.0	22.78	Peak	58.00	150	Horizontal	Pass
3**	4791.400	41.97	-2.85	54.0	12.03	AV	58.00	150	Horizontal	Pass
4	6780.800	54.26	-0.91	74.0	19.74	Peak	197.00	200	Horizontal	Pass
4**	6780.800	44.63	-0.91	54.0	9.37	AV	197.00	200	Horizontal	Pass
5	13442.737	55.50	0.52	74.0	18.50	Peak	309.00	150	Horizontal	Pass
5**	13442.737	46.47	0.52	54.0	7.53	AV	309.00	150	Horizontal	Pass
6	16114.987	55.83	0.68	74.0	18.17	Peak	279.00	200	Horizontal	Pass
6**	16114.987	45.99	0.68	54.0	8.01	AV	279.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1406.400	42.52	-16.95	74.0	31.48	Peak	299.00	300	Vertical	Pass
1**	1406.400	33.33	-16.95	54.0	20.67	AV	299.00	300	Vertical	Pass
2	2448.600	97.09	-12.26	74.0	-23.09	Peak	0.00	150	Vertical	N/A
2**	2448.600	88.41	-12.26	54.0	-34.41	AV	0.00	150	Vertical	N/A
3	4788.200	51.45	-3.15	74.0	22.55	Peak	8.00	150	Vertical	Pass
3**	4788.200	42.03	-3.15	54.0	11.97	AV	8.00	150	Vertical	Pass
4	6807.200	54.71	2.09	74.0	19.29	Peak	320.00	200	Vertical	Pass
4**	6807.200	46.09	2.09	54.0	7.91	AV	320.00	200	Vertical	Pass
5	13291.800	55.44	0.80	74.0	18.56	Peak	218.00	150	Vertical	Pass
5**	13291.800	45.67	0.80	54.0	8.33	AV	218.00	150	Vertical	Pass
6	17472.113	56.13	2.87	74.0	17.87	Peak	1.00	300	Vertical	Pass
6**	17472.113	46.11	2.87	54.0	7.89	AV	1.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	45.90	-16.97	74.0	28.10	Peak	129.00	200	Horizontal	Pass
1**	1330.500	34.58	-16.97	54.0	19.42	AV	129.00	200	Horizontal	Pass
2	2449.300	103.50	-12.25	74.0	-29.50	Peak	123.00	100	Horizontal	N/A
2**	2449.300	95.19	-12.25	54.0	-41.19	AV	123.00	100	Horizontal	N/A
3	4846.200	52.45	-2.62	74.0	21.55	Peak	352.00	150	Horizontal	Pass
3**	4846.200	41.91	-2.62	54.0	12.09	AV	352.00	150	Horizontal	Pass
4	6625.600	54.70	0.28	74.0	19.30	Peak	255.00	300	Horizontal	Pass
4**	6625.600	45.96	0.28	54.0	8.04	AV	255.00	300	Horizontal	Pass
5	13320.937	55.98	0.91	74.0	18.02	Peak	0.00	150	Horizontal	Pass
5**	13320.937	46.38	0.91	54.0	7.62	AV	0.00	150	Horizontal	Pass
6	17461.875	56.03	2.86	74.0	17.97	Peak	333.00	400	Horizontal	Pass
6**	17461.875	46.35	2.86	54.0	7.65	AV	333.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.500	48.75	-17.60	74.0	25.25	Peak	85.00	400	Vertical	Pass
1**	1162.500	38.11	-17.60	54.0	15.89	AV	85.00	400	Vertical	Pass
2	2453.200	90.54	-12.18	74.0	-16.54	Peak	319.00	200	Vertical	N/A
2**	2453.200	82.78	-12.18	54.0	-28.78	AV	319.00	200	Vertical	N/A
3	2950.500	51.78	-9.07	74.0	22.22	Peak	325.00	100	Vertical	Pass
3**	2950.500	41.28	-9.07	54.0	12.72	AV	325.00	100	Vertical	Pass
4	6790.400	55.41	0.74	74.0	18.59	Peak	288.00	200	Vertical	Pass
4**	6790.400	45.71	0.74	54.0	8.29	AV	288.00	200	Vertical	Pass
5	13321.725	56.00	0.91	74.0	18.00	Peak	141.00	100	Vertical	Pass
5**	13321.725	47.07	0.91	54.0	6.93	AV	141.00	100	Vertical	Pass
6	15515.437	55.65	1.40	74.0	18.35	Peak	38.00	150	Vertical	Pass
6**	15515.437	46.14	1.40	54.0	7.86	AV	38.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Test Data and Plots

ANT 0:


802.11b CH1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.250	58.46	2.41	74.0	15.54	Peak	80.00	150	Horizontal	Pass
1**	2385.250	46.74	2.41	54.0	7.26	AV	80.00	150	Horizontal	Pass
2	2389.950	56.40	1.92	74.0	17.60	Peak	266.00	100	Horizontal	Pass
2**	2389.950	46.21	1.92	54.0	7.79	AV	266.00	100	Horizontal	Pass

802.11b CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2378.700	57.64	2.25	74.0	16.36	Peak	126.00	100	Horizontal	Pass
1**	2378.700	46.34	2.25	54.0	7.66	AV	126.00	100	Horizontal	Pass
2	2389.950	55.77	1.92	74.0	18.23	Peak	97.00	200	Horizontal	Pass
2**	2389.950	46.83	1.92	54.0	7.17	AV	97.00	200	Horizontal	Pass

802.11b CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.100	58.15	2.29	74.0	15.85	Peak	360.00	100	Horizontal	Pass
1**	2387.100	47.02	2.29	54.0	6.98	AV	360.00	100	Horizontal	Pass
2	2389.950	55.75	1.92	74.0	18.25	Peak	285.00	150	Horizontal	Pass
2**	2389.950	47.01	1.92	54.0	6.99	AV	285.00	150	Horizontal	Pass

802.11b CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.26	2.11	74.0	16.74	Peak	50.00	200	Horizontal	Pass
1**	2483.530	47.90	2.11	54.0	6.10	AV	50.00	200	Horizontal	Pass
2	2483.860	58.31	2.12	74.0	15.69	Peak	314.00	150	Horizontal	Pass
2**	2483.860	47.97	2.12	54.0	6.03	AV	314.00	150	Horizontal	Pass

802.11b CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	56.44	2.11	74.0	17.56	Peak	174.00	200	Horizontal	Pass
1**	2483.590	46.60	2.11	54.0	7.40	AV	174.00	200	Horizontal	Pass
2	2486.485	58.62	1.88	74.0	15.38	Peak	39.00	150	Horizontal	Pass
2**	2486.485	46.88	1.88	54.0	7.12	AV	39.00	150	Horizontal	Pass

802.11g CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.700	59.22	2.39	74.0	14.78	Peak	288.00	200	Horizontal	Pass
1**	2386.700	46.72	2.39	54.0	7.28	AV	288.00	200	Horizontal	Pass
2	2389.950	55.60	1.92	74.0	18.40	Peak	65.00	200	Horizontal	Pass
2**	2389.950	46.74	1.92	54.0	7.26	AV	65.00	200	Horizontal	Pass

802.11g CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	59.64	1.92	74.0	14.36	Peak	65.00	200	Horizontal	Pass
1**	2389.650	48.44	1.92	54.0	5.56	AV	65.00	200	Horizontal	Pass
2	2389.950	58.41	1.92	74.0	15.59	Peak	68.00	100	Horizontal	Pass
2**	2389.950	48.50	1.92	54.0	5.50	AV	68.00	100	Horizontal	Pass

802.11g CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.250	60.13	1.91	74.0	13.87	Peak	67.00	100	Horizontal	Pass
1**	2389.250	48.90	1.91	54.0	5.10	AV	67.00	100	Horizontal	Pass
2	2389.950	57.70	1.92	74.0	16.30	Peak	58.00	100	Horizontal	Pass
2**	2389.950	48.58	1.92	54.0	5.42	AV	58.00	100	Horizontal	Pass

802.11g CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	58.82	1.90	74.0	15.18	Peak	14.00	150	Horizontal	Pass
1**	2389.000	48.16	1.90	54.0	5.84	AV	14.00	150	Horizontal	Pass
2	2389.950	57.30	1.92	74.0	16.70	Peak	297.00	200	Horizontal	Pass
2**	2389.950	47.98	1.92	54.0	6.02	AV	297.00	200	Horizontal	Pass

802.11g CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.31	2.11	74.0	14.69	Peak	76.00	150	Horizontal	Pass
1**	2483.500	48.93	2.11	54.0	5.07	AV	76.00	150	Horizontal	Pass
2	2484.940	60.43	2.07	74.0	13.57	Peak	78.00	150	Horizontal	Pass
2**	2484.940	48.37	2.07	54.0	5.63	AV	78.00	150	Horizontal	Pass

802.11g CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	57.35	2.11	74.0	16.65	Peak	91.00	150	Horizontal	Pass
1**	2483.545	47.39	2.11	54.0	6.61	AV	91.00	150	Horizontal	Pass
2	2484.730	58.86	2.09	74.0	15.14	Peak	141.00	200	Horizontal	Pass
2**	2484.730	46.94	2.09	54.0	7.06	AV	141.00	200	Horizontal	Pass

802.11n20 CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2331.750	57.85	1.51	74.0	16.15	Peak	122.00	200	Horizontal	Pass
1**	2331.750	46.15	1.51	54.0	7.85	AV	122.00	200	Horizontal	Pass
2	2389.950	55.53	1.92	74.0	18.47	Peak	71.00	150	Horizontal	Pass
2**	2389.950	46.27	1.92	54.0	7.73	AV	71.00	150	Horizontal	Pass

802.11n20 CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.100	59.22	2.05	74.0	14.78	Peak	324.00	200	Horizontal	Pass
1**	2388.100	48.12	2.05	54.0	5.88	AV	324.00	200	Horizontal	Pass
2	2389.950	58.30	1.92	74.0	15.70	Peak	301.00	100	Horizontal	Pass
2**	2389.950	48.38	1.92	54.0	5.62	AV	301.00	100	Horizontal	Pass

802.11n20 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.850	58.77	2.11	74.0	15.23	Peak	64.00	100	Horizontal	Pass
1**	2387.850	47.00	2.11	54.0	7.00	AV	64.00	100	Horizontal	Pass
2	2389.950	56.18	1.92	74.0	17.82	Peak	70.00	200	Horizontal	Pass
2**	2389.950	47.34	1.92	54.0	6.66	AV	70.00	200	Horizontal	Pass

802.11n20 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2383.750	58.36	2.33	74.0	15.64	Peak	256.00	100	Horizontal	Pass
1**	2383.750	46.79	2.33	54.0	7.21	AV	256.00	100	Horizontal	Pass
2	2389.950	56.42	1.92	74.0	17.58	Peak	69.00	100	Horizontal	Pass
2**	2389.950	47.45	1.92	54.0	6.55	AV	69.00	100	Horizontal	Pass

802.11n20 CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.65	2.11	74.0	16.35	Peak	78.00	100	Horizontal	Pass
1**	2483.530	47.92	2.11	54.0	6.08	AV	78.00	100	Horizontal	Pass
2	2483.995	58.47	2.13	74.0	15.53	Peak	83.00	150	Horizontal	Pass
2**	2483.995	47.64	2.13	54.0	6.36	AV	83.00	150	Horizontal	Pass

802.11n20 CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	56.23	2.11	74.0	17.77	Peak	116.00	100	Horizontal	Pass
1**	2483.590	46.41	2.11	54.0	7.59	AV	116.00	100	Horizontal	Pass
2	2494.690	57.72	1.76	74.0	16.28	Peak	186.00	100	Horizontal	Pass
2**	2494.690	46.14	1.76	54.0	7.86	AV	186.00	100	Horizontal	Pass

802.11n40 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2381.200	57.96	2.21	74.0	16.04	Peak	112.00	200	Horizontal	Pass
1**	2381.200	46.22	2.21	54.0	7.78	AV	112.00	200	Horizontal	Pass
2	2389.950	55.52	1.92	74.0	18.48	Peak	269.00	200	Horizontal	Pass
2**	2389.950	46.37	1.92	54.0	7.63	AV	269.00	200	Horizontal	Pass

802.11n40 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	58.94	1.90	74.0	15.06	Peak	70.00	100	Horizontal	Pass
1**	2389.000	47.95	1.90	54.0	6.05	AV	70.00	100	Horizontal	Pass
2	2389.950	58.17	1.92	74.0	15.83	Peak	64.00	100	Horizontal	Pass
2**	2389.950	48.73	1.92	54.0	5.27	AV	64.00	100	Horizontal	Pass

802.11n40 CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.450	60.87	2.41	74.0	13.13	Peak	70.00	150	Horizontal	Pass
1**	2385.450	47.82	2.41	54.0	6.18	AV	70.00	150	Horizontal	Pass
2	2389.950	57.90	1.92	74.0	16.10	Peak	81.00	200	Horizontal	Pass
2**	2389.950	48.77	1.92	54.0	5.23	AV	81.00	200	Horizontal	Pass

802.11n40 CH5


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	59.23	2.11	74.0	14.77	Peak	77.00	100	Horizontal	Pass
1**	2483.545	48.97	2.11	54.0	5.03	AV	77.00	100	Horizontal	Pass
2	2484.310	59.85	2.14	74.0	14.15	Peak	77.00	100	Horizontal	Pass
2**	2484.310	48.22	2.14	54.0	5.78	AV	77.00	100	Horizontal	Pass

802.11n40 CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.900	59.90	2.34	74.0	14.10	Peak	80.00	200	Horizontal	Pass
1**	2386.900	48.02	2.34	54.0	5.98	AV	80.00	200	Horizontal	Pass
2	2389.950	57.52	1.92	74.0	16.48	Peak	64.00	100	Horizontal	Pass
2**	2389.950	48.98	1.92	54.0	5.02	AV	64.00	100	Horizontal	Pass

802.11n40 CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	58.79	2.11	74.0	15.21	Peak	76.00	150	Horizontal	Pass
1**	2483.545	48.59	2.11	54.0	5.41	AV	76.00	150	Horizontal	Pass
2	2483.920	59.80	2.12	74.0	14.20	Peak	71.00	200	Horizontal	Pass
2**	2483.920	48.98	2.12	54.0	5.02	AV	71.00	200	Horizontal	Pass

802.11n40 CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	58.80	1.91	74.0	15.20	Peak	88.00	150	Horizontal	Pass
1**	2389.600	47.62	1.91	54.0	6.38	AV	88.00	150	Horizontal	Pass
2	2389.950	56.42	1.92	74.0	17.58	Peak	90.00	100	Horizontal	Pass
2**	2389.950	47.56	1.92	54.0	6.44	AV	90.00	100	Horizontal	Pass
3	2389.500	56.87	1.91	74.0	17.13	Peak	13.00	150	Horizontal	Pass
3**	2389.500	48.12	1.91	54.0	5.88	AV	13.00	150	Horizontal	Pass

802.11n40 CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	58.10	2.11	74.0	15.90	Peak	76.00	200	Horizontal	Pass
1**	2483.530	48.47	2.11	54.0	5.53	AV	76.00	200	Horizontal	Pass
2	2484.565	59.03	2.11	74.0	14.97	Peak	78.00	200	Horizontal	Pass
2**	2484.565	48.14	2.11	54.0	5.86	AV	78.00	200	Horizontal	Pass

802.11n40 CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.350	60.36	1.99	74.0	13.64	Peak	286.00	150	Horizontal	Pass
1**	2388.350	48.24	1.99	54.0	5.76	AV	286.00	150	Horizontal	Pass
2	2389.950	57.74	1.92	74.0	16.26	Peak	73.00	200	Horizontal	Pass
2**	2389.950	48.98	1.92	54.0	5.02	AV	73.00	200	Horizontal	Pass

802.11n40 CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	58.14	2.11	74.0	15.86	Peak	68.00	200	Horizontal	Pass
1**	2483.560	48.64	2.11	54.0	5.36	AV	68.00	200	Horizontal	Pass
2	2485.975	59.25	1.94	74.0	14.75	Peak	73.00	150	Horizontal	Pass
2**	2485.975	47.94	1.94	54.0	6.06	AV	73.00	150	Horizontal	Pass

802.11n40 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	56.32	2.11	74.0	17.68	Peak	60.00	200	Horizontal	Pass
1**	2483.575	46.61	2.11	54.0	7.39	AV	60.00	200	Horizontal	Pass
2	2494.780	57.94	1.75	74.0	16.06	Peak	335.00	100	Horizontal	Pass
2**	2494.780	45.89	1.75	54.0	8.11	AV	335.00	100	Horizontal	Pass

VHT 20 CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2381.200	58.19	2.21	74.0	15.81	Peak	167.00	200	Horizontal	Pass
1**	2381.200	46.59	2.21	54.0	7.41	AV	167.00	200	Horizontal	Pass
2	2389.950	56.16	1.92	74.0	17.84	Peak	65.00	200	Horizontal	Pass
2**	2389.950	46.21	1.92	54.0	7.79	AV	65.00	200	Horizontal	Pass

VHT 20 CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.650	59.49	2.40	74.0	14.51	Peak	337.00	200	Horizontal	Pass
1**	2386.650	47.39	2.40	54.0	6.61	AV	337.00	200	Horizontal	Pass
2	2389.950	57.28	1.92	74.0	16.72	Peak	65.00	150	Horizontal	Pass
2**	2389.950	48.07	1.92	54.0	5.93	AV	65.00	150	Horizontal	Pass
3	2389.400	57.72	1.91	74.0	16.28	Peak	82.00	150	Horizontal	Pass
3**	2389.400	48.64	1.91	54.0	5.36	AV	82.00	150	Horizontal	Pass

VHT 20 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	58.96	1.91	74.0	15.04	Peak	59.00	150	Horizontal	Pass
1**	2389.500	47.39	1.91	54.0	6.61	AV	59.00	150	Horizontal	Pass
2	2389.950	57.05	1.92	74.0	16.95	Peak	73.00	200	Horizontal	Pass
2**	2389.950	47.34	1.92	54.0	6.66	AV	73.00	200	Horizontal	Pass

VHT 20 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2323.650	57.81	1.67	74.0	16.19	Peak	141.00	150	Horizontal	Pass
1**	2323.650	46.52	1.67	54.0	7.48	AV	141.00	150	Horizontal	Pass
2	2389.950	56.62	1.92	74.0	17.38	Peak	64.00	150	Horizontal	Pass
2**	2389.950	47.55	1.92	54.0	6.45	AV	64.00	150	Horizontal	Pass

VHT 20 CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	57.93	2.11	74.0	16.07	Peak	76.00	100	Horizontal	Pass
1**	2483.515	47.67	2.11	54.0	6.33	AV	76.00	100	Horizontal	Pass
2	2483.980	58.83	2.13	74.0	15.17	Peak	85.00	150	Horizontal	Pass
2**	2483.980	47.76	2.13	54.0	6.24	AV	85.00	150	Horizontal	Pass

VHT 20 CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	56.65	2.11	74.0	17.35	Peak	85.00	100	Horizontal	Pass
1**	2483.545	46.63	2.11	54.0	7.37	AV	85.00	100	Horizontal	Pass
2	2485.255	57.69	2.03	74.0	16.31	Peak	178.00	200	Horizontal	Pass
2**	2485.255	46.45	2.03	54.0	7.55	AV	178.00	200	Horizontal	Pass

VHT 40 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2382.750	57.88	2.22	74.0	16.12	Peak	80.00	200	Horizontal	Pass
1**	2382.750	46.30	2.22	54.0	7.70	AV	80.00	200	Horizontal	Pass
2	2389.950	55.46	1.92	74.0	18.54	Peak	0.00	100	Horizontal	Pass
2**	2389.950	46.12	1.92	54.0	7.88	AV	0.00	100	Horizontal	Pass

VHT 40 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.350	60.24	2.41	74.0	13.76	Peak	76.00	100	Horizontal	Pass
1**	2386.350	48.30	2.41	54.0	5.70	AV	76.00	100	Horizontal	Pass
2	2389.950	58.47	1.92	74.0	15.53	Peak	78.00	200	Horizontal	Pass
2**	2389.950	48.76	1.92	54.0	5.24	AV	78.00	200	Horizontal	Pass

VHT 40 CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.700	59.13	1.92	74.0	14.87	Peak	67.00	100	Horizontal	Pass
1**	2389.700	48.59	1.92	54.0	5.41	AV	67.00	100	Horizontal	Pass
2	2389.950	56.95	1.92	74.0	17.05	Peak	5.00	200	Horizontal	Pass
2**	2389.950	48.18	1.92	54.0	5.82	AV	5.00	200	Horizontal	Pass

VHT 40 CH5


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	60.70	2.11	74.0	13.30	Peak	79.00	100	Horizontal	Pass
1**	2483.590	48.72	2.11	54.0	5.28	AV	79.00	100	Horizontal	Pass
2	2487.655	59.74	1.65	74.0	14.26	Peak	113.00	150	Horizontal	Pass
2**	2487.655	46.87	1.65	54.0	7.13	AV	113.00	150	Horizontal	Pass

VHT 40 CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.250	59.27	2.25	74.0	14.73	Peak	75.00	100	Horizontal	Pass
1**	2387.250	47.62	2.25	54.0	6.38	AV	75.00	100	Horizontal	Pass
2	2389.950	56.59	1.92	74.0	17.41	Peak	75.00	200	Horizontal	Pass
2**	2389.950	48.16	1.92	54.0	5.84	AV	75.00	200	Horizontal	Pass

VHT 40 CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	59.23	2.11	74.0	14.77	Peak	74.00	150	Horizontal	Pass
1**	2483.530	48.22	2.11	54.0	5.78	AV	74.00	150	Horizontal	Pass
2	2484.250	59.42	2.14	74.0	14.58	Peak	284.00	100	Horizontal	Pass
2**	2484.250	48.03	2.14	54.0	5.97	AV	284.00	100	Horizontal	Pass

VHT 40 CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	59.30	1.92	74.0	14.70	Peak	72.00	100	Horizontal	Pass
1**	2389.650	47.77	1.92	54.0	6.23	AV	72.00	100	Horizontal	Pass
2	2389.950	57.22	1.92	74.0	16.78	Peak	61.00	100	Horizontal	Pass
2**	2389.950	48.11	1.92	54.0	5.89	AV	61.00	100	Horizontal	Pass
3	2389.500	56.27	1.91	74.0	17.73	Peak	21.00	150	Horizontal	Pass
3**	2389.500	48.96	1.91	54.0	5.04	AV	21.00	150	Horizontal	Pass

VHT 40 CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	59.65	2.11	74.0	14.35	Peak	85.00	200	Horizontal	Pass
1**	2483.575	48.00	2.11	54.0	6.00	AV	85.00	200	Horizontal	Pass
2	2486.230	58.89	1.91	74.0	15.11	Peak	78.00	150	Horizontal	Pass
2**	2486.230	47.58	1.91	54.0	6.42	AV	78.00	150	Horizontal	Pass
3	2483.710	57.66	2.12	74.0	16.34	Peak	81.00	150	Horizontal	Pass
3**	2483.710	48.73	2.12	54.0	5.27	AV	81.00	150	Horizontal	Pass

VHT 40 CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.150	59.65	1.91	74.0	14.35	Peak	286.00	150	Horizontal	Pass
1**	2389.150	48.30	1.91	54.0	5.70	AV	286.00	150	Horizontal	Pass
2	2389.950	58.37	1.92	74.0	15.63	Peak	80.00	150	Horizontal	Pass
2**	2389.950	48.58	1.92	54.0	5.42	AV	80.00	150	Horizontal	Pass

VHT 40 CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	58.65	2.11	74.0	15.35	Peak	74.00	100	Horizontal	Pass
1**	2483.575	48.32	2.11	54.0	5.68	AV	74.00	100	Horizontal	Pass
2	2484.295	59.13	2.14	74.0	14.87	Peak	340.00	200	Horizontal	Pass
2**	2484.295	48.04	2.14	54.0	5.96	AV	340.00	200	Horizontal	Pass

VHT 40 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	56.36	2.11	74.0	17.64	Peak	316.00	100	Horizontal	Pass
1**	2483.515	46.47	2.11	54.0	7.53	AV	316.00	100	Horizontal	Pass
2	2493.370	57.74	1.88	74.0	16.26	Peak	292.00	200	Horizontal	Pass
2**	2493.370	46.22	1.88	54.0	7.78	AV	292.00	200	Horizontal	Pass

802.11ax20(SU) CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2367.950	57.96	1.78	74.0	16.04	Peak	294.00	100	Horizontal	Pass
1**	2367.950	45.75	1.78	54.0	8.25	AV	294.00	100	Horizontal	Pass
2	2389.950	56.60	1.92	74.0	17.40	Peak	107.00	200	Horizontal	Pass
2**	2389.950	46.79	1.92	54.0	7.21	AV	107.00	200	Horizontal	Pass

802.11 ax20(SU) CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.600	58.48	2.41	74.0	15.52	Peak	295.00	150	Horizontal	Pass
1**	2386.600	47.47	2.41	54.0	6.53	AV	295.00	150	Horizontal	Pass
2	2389.950	56.62	1.92	74.0	17.38	Peak	282.00	200	Horizontal	Pass
2**	2389.950	48.12	1.92	54.0	5.88	AV	282.00	200	Horizontal	Pass

802.11ax20(SU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.350	62.18	2.41	74.0	11.82	Peak	281.00	200	Horizontal	Pass
1**	2386.350	47.74	2.41	54.0	6.26	AV	281.00	200	Horizontal	Pass
2	2389.950	60.26	1.92	74.0	13.74	Peak	278.00	100	Horizontal	Pass
2**	2389.950	48.12	1.92	54.0	5.88	AV	278.00	100	Horizontal	Pass

802.11ax20(SU) CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2321.600	59.92	1.62	74.0	14.08	Peak	110.00	100	Horizontal	Pass
1**	2321.600	46.52	1.62	54.0	7.48	AV	110.00	100	Horizontal	Pass
2	2389.950	57.83	1.92	74.0	16.17	Peak	290.00	100	Horizontal	Pass
2**	2389.950	48.06	1.92	54.0	5.94	AV	290.00	100	Horizontal	Pass

802.11ax20(SU) CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.24	2.11	74.0	16.76	Peak	17.00	200	Horizontal	Pass
1**	2483.530	47.40	2.11	54.0	6.60	AV	17.00	200	Horizontal	Pass
2	2497.315	58.00	1.69	74.0	16.00	Peak	304.00	150	Horizontal	Pass
2**	2497.315	46.04	1.69	54.0	7.96	AV	304.00	150	Horizontal	Pass

802.11ax20(SU) CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.49	2.11	74.0	16.51	Peak	81.00	200	Horizontal	Pass
1**	2483.500	47.17	2.11	54.0	6.83	AV	81.00	200	Horizontal	Pass
2	2486.170	58.10	1.92	74.0	15.90	Peak	84.00	100	Horizontal	Pass
2**	2486.170	46.90	1.92	54.0	7.10	AV	84.00	100	Horizontal	Pass

802.11ax20(SU) CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.66	2.11	74.0	16.34	Peak	75.00	200	Horizontal	Pass
1**	2483.530	47.58	2.11	54.0	6.42	AV	75.00	200	Horizontal	Pass
2	2483.785	59.32	2.12	74.0	14.68	Peak	72.00	200	Horizontal	Pass
2**	2483.785	47.73	2.12	54.0	6.27	AV	72.00	200	Horizontal	Pass
3	2483.740	57.00	2.12	74.0	17.00	Peak	287.00	150	Horizontal	Pass
3**	2483.740	48.30	2.12	54.0	5.70	AV	287.00	150	Horizontal	Pass

802.11ax20(SU) CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	56.65	2.11	74.0	17.35	Peak	15.00	200	Horizontal	Pass
1**	2483.560	46.82	2.11	54.0	7.18	AV	15.00	200	Horizontal	Pass
2	2490.250	57.78	1.74	74.0	16.22	Peak	317.00	200	Horizontal	Pass
2**	2490.250	46.04	1.74	54.0	7.96	AV	317.00	200	Horizontal	Pass

802.11 ax40(SU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2352.800	58.05	1.26	74.0	15.95	Peak	0.00	200	Horizontal	Pass
1**	2352.800	45.70	1.26	54.0	8.30	AV	0.00	200	Horizontal	Pass
2	2389.950	55.86	1.92	74.0	18.14	Peak	29.00	100	Horizontal	Pass
2**	2389.950	46.09	1.92	54.0	7.91	AV	29.00	100	Horizontal	Pass

802.11 ax40(SU) CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	59.84	1.92	74.0	14.16	Peak	77.00	150	Horizontal	Pass
1**	2389.750	48.99	1.92	54.0	5.01	AV	77.00	150	Horizontal	Pass
2	2389.950	58.11	1.92	74.0	15.89	Peak	64.00	150	Horizontal	Pass
2**	2389.950	48.96	1.92	54.0	5.04	AV	64.00	150	Horizontal	Pass

802.11 ax40(SU) CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.600	59.07	2.17	74.0	14.93	Peak	292.00	150	Horizontal	Pass
1**	2387.600	47.89	2.17	54.0	6.11	AV	292.00	150	Horizontal	Pass
2	2389.950	56.82	1.92	74.0	17.18	Peak	59.00	100	Horizontal	Pass
2**	2389.950	47.90	1.92	54.0	6.10	AV	59.00	100	Horizontal	Pass
3	2387.350	56.94	2.23	74.0	17.06	Peak	275.00	150	Horizontal	Pass
3**	2387.350	48.36	2.23	54.0	5.64	AV	275.00	150	Horizontal	Pass


802.11 ax40(SU) CH5

Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.32	2.11	74.0	12.68	Peak	78.00	200	Horizontal	Pass
1**	2483.515	48.99	2.11	54.0	5.01	AV	78.00	200	Horizontal	Pass
2	2484.190	60.57	2.13	74.0	13.43	Peak	74.00	150	Horizontal	Pass
2**	2484.190	48.63	2.13	54.0	5.37	AV	74.00	150	Horizontal	Pass


802.11 ax40(SU) CH6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2384.850	58.61	2.41	74.0	15.39	Peak	76.00	150	Horizontal	Pass
1**	2384.850	47.69	2.41	54.0	6.31	AV	76.00	150	Horizontal	Pass
2	2389.950	57.89	1.92	74.0	16.11	Peak	63.00	150	Horizontal	Pass
2**	2389.950	47.93	1.92	54.0	6.07	AV	63.00	150	Horizontal	Pass
3	2389.100	57.93	1.90	74.0	16.07	Peak	326.00	150	Horizontal	Pass
3**	2389.100	48.45	1.90	54.0	5.55	AV	326.00	150	Horizontal	Pass

802.11 ax40(SU) CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	58.14	2.11	74.0	15.86	Peak	80.00	150	Horizontal	Pass
1**	2483.590	48.16	2.11	54.0	5.84	AV	80.00	150	Horizontal	Pass
2	2485.015	60.73	2.06	74.0	13.27	Peak	80.00	100	Horizontal	Pass
2**	2485.015	48.06	2.06	54.0	5.94	AV	80.00	100	Horizontal	Pass
3	2484.355	57.53	2.14	74.0	16.47	Peak	282.00	150	Horizontal	Pass
3**	2484.355	48.81	2.14	54.0	5.19	AV	282.00	150	Horizontal	Pass

802.11 ax40(SU) CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2377.550	58.54	2.11	74.0	15.46	Peak	168.00	200	Horizontal	Pass
1**	2377.550	46.08	2.11	54.0	7.92	AV	168.00	200	Horizontal	Pass
2	2389.950	56.50	1.92	74.0	17.50	Peak	75.00	100	Horizontal	Pass
2**	2389.950	48.14	1.92	54.0	5.86	AV	75.00	100	Horizontal	Pass

802.11 ax40(SU) CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	57.90	2.11	74.0	16.10	Peak	349.00	150	Horizontal	Pass
1**	2483.545	48.10	2.11	54.0	5.90	AV	349.00	150	Horizontal	Pass
2	2488.405	58.98	1.50	74.0	15.02	Peak	80.00	150	Horizontal	Pass
2**	2488.405	46.76	1.50	54.0	7.24	AV	80.00	150	Horizontal	Pass
3	2484.055	56.63	2.13	74.0	17.37	Peak	315.00	150	Horizontal	Pass
3**	2484.055	48.56	2.13	54.0	5.44	AV	315.00	150	Horizontal	Pass

802.11 ax40(SU) CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.100	60.52	1.90	74.0	13.48	Peak	77.00	100	Horizontal	Pass
1**	2389.100	47.35	1.90	54.0	6.65	AV	77.00	100	Horizontal	Pass
2	2389.950	60.23	1.92	74.0	13.77	Peak	79.00	100	Horizontal	Pass
2**	2389.950	48.59	1.92	54.0	5.41	AV	79.00	100	Horizontal	Pass

802.11 ax40(SU) CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.89	2.11	74.0	16.11	Peak	9.00	100	Horizontal	Pass
1**	2483.530	47.97	2.11	54.0	6.03	AV	9.00	100	Horizontal	Pass
2	2484.085	58.85	2.13	74.0	15.15	Peak	345.00	200	Horizontal	Pass
2**	2484.085	47.99	2.13	54.0	6.01	AV	345.00	200	Horizontal	Pass
3	2483.575	56.92	2.11	74.0	17.08	Peak	75.00	150	Horizontal	Pass
3**	2483.575	48.52	2.11	54.0	5.48	AV	75.00	150	Horizontal	Pass

802.11 ax40(SU) CH9


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	60.01	1.91	74.0	13.99	Peak	76.00	150	Horizontal	Pass
1**	2389.500	47.56	1.91	54.0	6.44	AV	76.00	150	Horizontal	Pass
2	2389.950	57.50	1.92	74.0	16.50	Peak	81.00	100	Horizontal	Pass
2**	2389.950	47.62	1.92	54.0	6.38	AV	81.00	100	Horizontal	Pass

802.11 ax40(SU) CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	57.49	2.11	74.0	16.51	Peak	129.00	150	Horizontal	Pass
1**	2483.590	46.27	2.11	54.0	7.73	AV	129.00	150	Horizontal	Pass
2	2484.400	58.29	2.13	74.0	15.71	Peak	118.00	150	Horizontal	Pass
2**	2484.400	46.71	2.13	54.0	7.29	AV	118.00	150	Horizontal	Pass

802.11 ax20(RU) CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.600	58.06	2.41	74.0	15.94	Peak	310.00	100	Horizontal	Pass
1**	2385.600	46.41	2.41	54.0	7.59	AV	310.00	100	Horizontal	Pass
2	2389.950	55.73	1.92	74.0	18.27	Peak	255.00	150	Horizontal	Pass
2**	2389.950	46.19	1.92	54.0	7.81	AV	255.00	150	Horizontal	Pass

802.11 ax20(RU) CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	56.64	2.11	74.0	17.36	Peak	62.00	100	Horizontal	Pass
1**	2483.590	46.20	2.11	54.0	7.80	AV	62.00	100	Horizontal	Pass
2	2487.265	57.40	1.72	74.0	16.60	Peak	114.00	150	Horizontal	Pass
2**	2487.265	45.98	1.72	54.0	8.02	AV	114.00	150	Horizontal	Pass

802.11 ax40(RU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2313.200	57.87	1.45	74.0	16.13	Peak	296.00	100	Horizontal	Pass
1**	2313.200	46.07	1.45	54.0	7.93	AV	296.00	100	Horizontal	Pass
2	2389.950	56.65	1.92	74.0	17.35	Peak	176.00	200	Horizontal	Pass
2**	2389.950	46.04	1.92	54.0	7.96	AV	176.00	200	Horizontal	Pass

802.11 ax40(RU) CH9

Bandedge - ATT_FCC_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	56.82	2.11	74.0	17.18	Peak	356.00	200	Horizontal	Pass
1**	2483.590	45.93	2.11	54.0	8.07	AV	356.00	200	Horizontal	Pass
2	2484.100	58.06	2.13	74.0	15.94	Peak	114.00	100	Horizontal	Pass
2**	2484.100	46.13	2.13	54.0	7.87	AV	114.00	100	Horizontal	Pass

ANT 1:

802.11b CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.600	58.21	2.41	74.0	15.79	Peak	245.00	100	Horizontal	Pass
1**	2385.600	46.91	2.41	54.0	7.09	AV	245.00	100	Horizontal	Pass
2	2389.950	55.60	1.92	74.0	18.40	Peak	115.00	100	Horizontal	Pass
2**	2389.950	46.41	1.92	54.0	7.59	AV	115.00	100	Horizontal	Pass

802.11b CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2382.600	58.23	2.20	74.0	15.77	Peak	0.00	200	Horizontal	Pass
1**	2382.600	46.59	2.20	54.0	7.41	AV	0.00	200	Horizontal	Pass
2	2389.950	55.93	1.92	74.0	18.07	Peak	104.00	200	Horizontal	Pass
2**	2389.950	47.40	1.92	54.0	6.60	AV	104.00	200	Horizontal	Pass
3	2388.550	56.29	1.94	74.0	17.71	Peak	144.00	150	Horizontal	Pass
3**	2388.550	48.68	1.94	54.0	5.32	AV	144.00	150	Horizontal	Pass

802.11b CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.75	2.11	74.0	17.25	Peak	353.00	100	Horizontal	Pass
1**	2483.500	46.45	2.11	54.0	7.55	AV	353.00	100	Horizontal	Pass
2	2491.435	58.43	1.86	74.0	15.57	Peak	231.00	150	Horizontal	Pass
2**	2491.435	46.18	1.86	54.0	7.82	AV	231.00	150	Horizontal	Pass

802.11b CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	56.75	2.11	74.0	17.25	Peak	266.00	200	Horizontal	Pass
1**	2483.530	46.44	2.11	54.0	7.56	AV	266.00	200	Horizontal	Pass
2	2499.310	57.95	1.64	74.0	16.05	Peak	0.00	200	Horizontal	Pass
2**	2499.310	46.07	1.64	54.0	7.93	AV	0.00	200	Horizontal	Pass

802.11g CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2325.050	57.68	1.72	74.0	16.32	Peak	326.00	150	Horizontal	Pass
1**	2325.050	46.41	1.72	54.0	7.59	AV	326.00	150	Horizontal	Pass
2	2389.950	55.53	1.92	74.0	18.47	Peak	45.00	100	Horizontal	Pass
2**	2389.950	46.64	1.92	54.0	7.36	AV	45.00	100	Horizontal	Pass

802.11g CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.150	60.81	1.91	74.0	13.19	Peak	127.00	100	Horizontal	Pass
1**	2389.150	48.86	1.91	54.0	5.14	AV	127.00	100	Horizontal	Pass
2	2389.950	58.18	1.92	74.0	15.82	Peak	121.00	100	Horizontal	Pass
2**	2389.950	48.94	1.92	54.0	5.06	AV	121.00	100	Horizontal	Pass

802.11g CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.000	60.72	2.07	74.0	13.28	Peak	127.00	100	Horizontal	Pass
1**	2388.000	48.46	2.07	54.0	5.54	AV	127.00	100	Horizontal	Pass
2	2389.950	58.18	1.92	74.0	15.82	Peak	136.00	100	Horizontal	Pass
2**	2389.950	48.91	1.92	54.0	5.09	AV	136.00	100	Horizontal	Pass

802.11g CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.450	59.86	2.20	74.0	14.14	Peak	127.00	100	Horizontal	Pass
1**	2387.450	47.59	2.20	54.0	6.41	AV	127.00	100	Horizontal	Pass
2	2389.950	58.67	1.92	74.0	15.33	Peak	142.00	150	Horizontal	Pass
2**	2389.950	48.61	1.92	54.0	5.39	AV	142.00	150	Horizontal	Pass

802.11g CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.12	2.11	74.0	15.88	Peak	138.00	100	Horizontal	Pass
1**	2483.500	46.97	2.11	54.0	7.03	AV	138.00	100	Horizontal	Pass
2	2487.100	58.17	1.76	74.0	15.83	Peak	258.00	100	Horizontal	Pass
2**	2487.100	46.34	1.76	54.0	7.66	AV	258.00	100	Horizontal	Pass

802.11g CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	56.91	2.11	74.0	17.09	Peak	133.00	150	Horizontal	Pass
1**	2483.575	46.29	2.11	54.0	7.71	AV	133.00	150	Horizontal	Pass
2	2495.695	57.84	1.72	74.0	16.16	Peak	264.00	100	Horizontal	Pass
2**	2495.695	46.42	1.72	54.0	7.58	AV	264.00	100	Horizontal	Pass

802.11n20 CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.300	57.96	2.41	74.0	16.04	Peak	211.00	150	Horizontal	Pass
1**	2386.300	46.49	2.41	54.0	7.51	AV	211.00	150	Horizontal	Pass
2	2389.950	55.35	1.92	74.0	18.65	Peak	129.00	150	Horizontal	Pass
2**	2389.950	46.25	1.92	54.0	7.75	AV	129.00	150	Horizontal	Pass

802.11n20 CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	59.04	1.92	74.0	14.96	Peak	120.00	100	Horizontal	Pass
1**	2389.800	48.04	1.92	54.0	5.96	AV	120.00	100	Horizontal	Pass
2	2389.950	57.69	1.92	74.0	16.31	Peak	122.00	200	Horizontal	Pass
2**	2389.950	48.36	1.92	54.0	5.64	AV	122.00	200	Horizontal	Pass

802.11n20 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.950	59.59	2.08	74.0	14.41	Peak	134.00	150	Horizontal	Pass
1**	2387.950	47.62	2.08	54.0	6.38	AV	134.00	150	Horizontal	Pass
2	2389.950	58.23	1.92	74.0	15.77	Peak	116.00	100	Horizontal	Pass
2**	2389.950	47.98	1.92	54.0	6.02	AV	116.00	100	Horizontal	Pass

802.11n20 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.350	58.54	2.23	74.0	15.46	Peak	104.00	150	Horizontal	Pass
1**	2387.350	47.61	2.23	54.0	6.39	AV	104.00	150	Horizontal	Pass
2	2389.950	56.83	1.92	74.0	17.17	Peak	126.00	150	Horizontal	Pass
2**	2389.950	47.22	1.92	54.0	6.78	AV	126.00	150	Horizontal	Pass

802.11n20 CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	57.35	2.11	74.0	16.65	Peak	121.00	100	Horizontal	Pass
1**	2483.515	47.34	2.11	54.0	6.66	AV	121.00	100	Horizontal	Pass
2	2483.935	57.69	2.12	74.0	16.31	Peak	215.00	100	Horizontal	Pass
2**	2483.935	46.80	2.12	54.0	7.20	AV	215.00	100	Horizontal	Pass

802.11n20 CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	56.68	2.11	74.0	17.32	Peak	108.00	200	Horizontal	Pass
1**	2483.530	46.45	2.11	54.0	7.55	AV	108.00	200	Horizontal	Pass
2	2495.380	58.22	1.72	74.0	15.78	Peak	259.00	150	Horizontal	Pass
2**	2495.380	46.11	1.72	54.0	7.89	AV	259.00	150	Horizontal	Pass

802.11n40 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2319.250	58.23	1.57	74.0	15.77	Peak	153.00	150	Horizontal	Pass
1**	2319.250	46.57	1.57	54.0	7.43	AV	153.00	150	Horizontal	Pass
2	2389.950	55.89	1.92	74.0	18.11	Peak	198.00	150	Horizontal	Pass
2**	2389.950	46.11	1.92	54.0	7.89	AV	198.00	150	Horizontal	Pass

802.11n40 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	60.04	1.92	74.0	13.96	Peak	129.00	100	Horizontal	Pass
1**	2389.800	48.19	1.92	54.0	5.81	AV	129.00	100	Horizontal	Pass
2	2389.950	56.80	1.92	74.0	17.20	Peak	235.00	200	Horizontal	Pass
2**	2389.950	48.27	1.92	54.0	5.73	AV	235.00	200	Horizontal	Pass

802.11n40 CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	60.84	1.92	74.0	13.16	Peak	122.00	100	Horizontal	Pass
1**	2389.800	48.88	1.92	54.0	5.12	AV	122.00	100	Horizontal	Pass
2	2389.950	57.59	1.92	74.0	16.41	Peak	128.00	200	Horizontal	Pass
2**	2389.950	48.93	1.92	54.0	5.07	AV	128.00	200	Horizontal	Pass

802.11n40 CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	58.54	2.11	74.0	15.46	Peak	108.00	200	Horizontal	Pass
1**	2483.515	48.66	2.11	54.0	5.34	AV	108.00	200	Horizontal	Pass
2	2484.025	60.15	2.13	74.0	13.85	Peak	95.00	200	Horizontal	Pass
2**	2484.025	48.20	2.13	54.0	5.80	AV	95.00	200	Horizontal	Pass

802.11n40 CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	59.87	1.92	74.0	14.13	Peak	125.00	150	Horizontal	Pass
1**	2389.800	48.87	1.92	54.0	5.13	AV	125.00	150	Horizontal	Pass
2	2389.950	58.40	1.92	74.0	15.60	Peak	127.00	200	Horizontal	Pass
2**	2389.950	48.96	1.92	54.0	5.04	AV	127.00	200	Horizontal	Pass

802.11n40 CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.350	58.81	1.91	74.0	15.19	Peak	119.00	100	Horizontal	Pass
1**	2389.350	47.72	1.91	54.0	6.28	AV	119.00	100	Horizontal	Pass
2	2389.950	57.78	1.92	74.0	16.22	Peak	122.00	200	Horizontal	Pass
2**	2389.950	48.46	1.92	54.0	5.54	AV	122.00	200	Horizontal	Pass

802.11n40 CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	58.17	2.11	74.0	15.83	Peak	70.00	100	Horizontal	Pass
1**	2483.545	48.22	2.11	54.0	5.78	AV	70.00	100	Horizontal	Pass
2	2486.800	59.29	1.82	74.0	14.71	Peak	93.00	100	Horizontal	Pass
2**	2486.800	47.21	1.82	54.0	6.79	AV	93.00	100	Horizontal	Pass
3	2483.890	58.04	2.12	74.0	15.96	Peak	259.00	150	Horizontal	Pass
3**	2483.890	48.99	2.12	54.0	5.01	AV	259.00	150	Horizontal	Pass

802.11n40 CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.850	59.39	2.11	74.0	14.61	Peak	127.00	150	Horizontal	Pass
1**	2387.850	47.29	2.11	54.0	6.71	AV	127.00	150	Horizontal	Pass
2	2389.950	57.37	1.92	74.0	16.63	Peak	125.00	100	Horizontal	Pass
2**	2389.950	47.72	1.92	54.0	6.28	AV	125.00	100	Horizontal	Pass
3	2388.400	57.25	1.97	74.0	16.75	Peak	134.00	150	Horizontal	Pass
3**	2388.400	48.43	1.97	54.0	5.57	AV	134.00	150	Horizontal	Pass

802.11n40 CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	57.50	2.11	74.0	16.50	Peak	276.00	200	Horizontal	Pass
1**	2483.575	47.90	2.11	54.0	6.10	AV	276.00	200	Horizontal	Pass
2	2484.535	59.09	2.12	74.0	14.91	Peak	91.00	100	Horizontal	Pass
2**	2484.535	47.60	2.12	54.0	6.40	AV	91.00	100	Horizontal	Pass

802.11n40 CH9


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.800	58.84	1.90	74.0	15.16	Peak	119.00	100	Horizontal	Pass
1**	2388.800	48.20	1.90	54.0	5.80	AV	119.00	100	Horizontal	Pass
2	2389.950	57.74	1.92	74.0	16.26	Peak	119.00	100	Horizontal	Pass
2**	2389.950	48.25	1.92	54.0	5.75	AV	119.00	100	Horizontal	Pass

802.11n40 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	56.82	2.11	74.0	17.18	Peak	57.00	200	Horizontal	Pass
1**	2483.575	46.34	2.11	54.0	7.66	AV	57.00	200	Horizontal	Pass
2	2492.065	58.06	1.89	74.0	15.94	Peak	360.00	150	Horizontal	Pass
2**	2492.065	46.18	1.89	54.0	7.82	AV	360.00	150	Horizontal	Pass

VHT 20 CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2354.450	58.18	1.57	74.0	15.82	Peak	271.00	200	Horizontal	Pass
1**	2354.450	46.10	1.57	54.0	7.90	AV	271.00	200	Horizontal	Pass
2	2389.950	56.04	1.92	74.0	17.96	Peak	187.00	100	Horizontal	Pass
2**	2389.950	46.29	1.92	54.0	7.71	AV	187.00	100	Horizontal	Pass

VHT 20 CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.600	58.83	2.17	74.0	15.17	Peak	126.00	200	Horizontal	Pass
1**	2387.600	48.02	2.17	54.0	5.98	AV	126.00	200	Horizontal	Pass
2	2389.950	57.56	1.92	74.0	16.44	Peak	126.00	150	Horizontal	Pass
2**	2389.950	48.76	1.92	54.0	5.24	AV	126.00	150	Horizontal	Pass

VHT 20 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.950	58.58	1.90	74.0	15.42	Peak	177.00	200	Horizontal	Pass
1**	2388.950	47.75	1.90	54.0	6.25	AV	177.00	200	Horizontal	Pass
2	2389.950	56.36	1.92	74.0	17.64	Peak	253.00	150	Horizontal	Pass
2**	2389.950	48.13	1.92	54.0	5.87	AV	253.00	150	Horizontal	Pass

VHT 20 CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.77	2.11	74.0	16.23	Peak	204.00	150	Horizontal	Pass
1**	2483.500	47.44	2.11	54.0	6.56	AV	204.00	150	Horizontal	Pass
2	2483.755	58.08	2.12	74.0	15.92	Peak	129.00	200	Horizontal	Pass
2**	2483.755	47.37	2.12	54.0	6.63	AV	129.00	200	Horizontal	Pass

VHT 20 CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	56.78	2.11	74.0	17.22	Peak	80.00	150	Horizontal	Pass
1**	2483.530	46.27	2.11	54.0	7.73	AV	80.00	150	Horizontal	Pass
2	2490.880	58.04	1.83	74.0	15.96	Peak	343.00	150	Horizontal	Pass
2**	2490.880	46.10	1.83	54.0	7.90	AV	343.00	150	Horizontal	Pass

VHT 40 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.700	57.70	2.41	74.0	16.30	Peak	112.00	100	Horizontal	Pass
1**	2385.700	46.59	2.41	54.0	7.41	AV	112.00	100	Horizontal	Pass
2	2389.950	55.66	1.92	74.0	18.34	Peak	14.00	100	Horizontal	Pass
2**	2389.950	45.99	1.92	54.0	8.01	AV	14.00	100	Horizontal	Pass

VHT 40 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	59.07	1.90	74.0	14.93	Peak	123.00	150	Horizontal	Pass
1**	2389.050	47.86	1.90	54.0	6.14	AV	123.00	150	Horizontal	Pass
2	2389.950	58.04	1.92	74.0	15.96	Peak	120.00	150	Horizontal	Pass
2**	2389.950	48.02	1.92	54.0	5.98	AV	120.00	150	Horizontal	Pass

VHT 40 CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.250	59.70	2.01	74.0	14.30	Peak	129.00	150	Horizontal	Pass
1**	2388.250	48.38	2.01	54.0	5.62	AV	129.00	150	Horizontal	Pass
2	2389.950	57.64	1.92	74.0	16.36	Peak	122.00	100	Horizontal	Pass
2**	2389.950	48.94	1.92	54.0	5.06	AV	122.00	100	Horizontal	Pass

VHT 40 CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.250	59.40	2.41	74.0	14.60	Peak	118.00	100	Horizontal	Pass
1**	2385.250	46.86	2.41	54.0	7.14	AV	118.00	100	Horizontal	Pass
2	2389.950	57.20	1.92	74.0	16.80	Peak	118.00	150	Horizontal	Pass
2**	2389.950	48.41	1.92	54.0	5.59	AV	118.00	150	Horizontal	Pass

VHT 40 CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	58.17	2.11	74.0	15.83	Peak	87.00	100	Horizontal	Pass
1**	2483.560	48.26	2.11	54.0	5.74	AV	87.00	100	Horizontal	Pass
2	2484.040	59.42	2.13	74.0	14.58	Peak	116.00	200	Horizontal	Pass
2**	2484.040	48.83	2.13	54.0	5.17	AV	116.00	200	Horizontal	Pass

VHT 40 CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	60.01	1.92	74.0	13.99	Peak	134.00	200	Horizontal	Pass
1**	2389.650	48.45	1.92	54.0	5.55	AV	134.00	200	Horizontal	Pass
2	2389.950	58.22	1.92	74.0	15.78	Peak	132.00	200	Horizontal	Pass
2**	2389.950	48.68	1.92	54.0	5.32	AV	132.00	200	Horizontal	Pass

VHT 40 CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.53	2.11	74.0	15.47	Peak	132.00	100	Horizontal	Pass
1**	2483.500	48.09	2.11	54.0	5.91	AV	132.00	100	Horizontal	Pass
2	2492.050	58.83	1.89	74.0	15.17	Peak	253.00	150	Horizontal	Pass
2**	2492.050	46.52	1.89	54.0	7.48	AV	253.00	150	Horizontal	Pass
3	2483.650	56.90	2.11	74.0	17.10	Peak	121.00	150	Horizontal	Pass
3**	2483.650	48.85	2.11	54.0	5.15	AV	121.00	150	Horizontal	Pass

VHT 40 CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.800	58.15	2.36	74.0	15.85	Peak	218.00	150	Horizontal	Pass
1**	2386.800	47.10	2.36	54.0	6.90	AV	218.00	150	Horizontal	Pass
2	2389.950	58.30	1.92	74.0	15.70	Peak	124.00	200	Horizontal	Pass
2**	2389.950	48.07	1.92	54.0	5.93	AV	124.00	200	Horizontal	Pass

VHT 40 CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	57.28	2.11	74.0	16.72	Peak	134.00	100	Horizontal	Pass
1**	2483.575	48.14	2.11	54.0	5.86	AV	134.00	100	Horizontal	Pass
2	2485.075	59.31	2.05	74.0	14.69	Peak	77.00	100	Horizontal	Pass
2**	2485.075	47.36	2.05	54.0	6.64	AV	77.00	100	Horizontal	Pass
3	2484.310	56.89	2.14	74.0	17.11	Peak	125.00	150	Horizontal	Pass
3**	2484.310	48.42	2.14	54.0	5.58	AV	125.00	150	Horizontal	Pass

VHT 40 CH9


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	59.92	1.90	74.0	14.08	Peak	137.00	100	Horizontal	Pass
1**	2389.050	48.71	1.90	54.0	5.29	AV	137.00	100	Horizontal	Pass
2	2389.950	58.95	1.92	74.0	15.05	Peak	127.00	100	Horizontal	Pass
2**	2389.950	48.37	1.92	54.0	5.63	AV	127.00	100	Horizontal	Pass

VHT 40 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.04	2.11	74.0	16.96	Peak	292.00	150	Horizontal	Pass
1**	2483.530	46.47	2.11	54.0	7.53	AV	292.00	150	Horizontal	Pass
2	2491.540	57.67	1.86	74.0	16.33	Peak	99.00	100	Horizontal	Pass
2**	2491.540	46.31	1.86	54.0	7.69	AV	99.00	100	Horizontal	Pass

802.11ax20(SU) CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.200	57.89	2.41	74.0	16.11	Peak	131.00	150	Horizontal	Pass
1**	2385.200	46.76	2.41	54.0	7.24	AV	131.00	150	Horizontal	Pass
2	2389.950	55.10	1.92	74.0	18.90	Peak	139.00	200	Horizontal	Pass
2**	2389.950	46.35	1.92	54.0	7.65	AV	139.00	200	Horizontal	Pass

802.11 ax20(SU) CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.300	60.58	2.24	74.0	13.42	Peak	126.00	200	Horizontal	Pass
1**	2387.300	48.40	2.24	54.0	5.60	AV	126.00	200	Horizontal	Pass
2	2389.950	58.71	1.92	74.0	15.29	Peak	246.00	150	Horizontal	Pass
2**	2389.950	48.98	1.92	54.0	5.02	AV	246.00	150	Horizontal	Pass

802.11ax20(SU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	60.05	1.91	74.0	13.95	Peak	128.00	150	Horizontal	Pass
1**	2389.600	48.13	1.91	54.0	5.87	AV	128.00	150	Horizontal	Pass
2	2389.950	57.40	1.92	74.0	16.60	Peak	131.00	150	Horizontal	Pass
2**	2389.950	48.28	1.92	54.0	5.72	AV	131.00	150	Horizontal	Pass

802.11ax20(SU) CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.550	60.86	1.91	74.0	13.14	Peak	121.00	100	Horizontal	Pass
1**	2389.550	47.75	1.91	54.0	6.25	AV	121.00	100	Horizontal	Pass
2	2389.950	57.77	1.92	74.0	16.23	Peak	123.00	100	Horizontal	Pass
2**	2389.950	47.56	1.92	54.0	6.44	AV	123.00	100	Horizontal	Pass

802.11ax20(SU) CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.150	59.64	2.03	74.0	14.36	Peak	124.00	150	Horizontal	Pass
1**	2388.150	47.98	2.03	54.0	6.02	AV	124.00	150	Horizontal	Pass
2	2389.950	57.36	1.92	74.0	16.64	Peak	238.00	100	Horizontal	Pass
2**	2389.950	48.95	1.92	54.0	5.05	AV	238.00	100	Horizontal	Pass

802.11ax20(SU) CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	59.67	2.11	74.0	14.33	Peak	257.00	100	Horizontal	Pass
1**	2483.530	48.78	2.11	54.0	5.22	AV	257.00	100	Horizontal	Pass
2	2484.325	60.06	2.14	74.0	13.94	Peak	122.00	100	Horizontal	Pass
2**	2484.325	48.14	2.14	54.0	5.86	AV	122.00	100	Horizontal	Pass


802.11ax20(SU) CH11

Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	56.37	2.11	74.0	17.63	Peak	101.00	150	Horizontal	Pass
1**	2483.590	46.31	2.11	54.0	7.69	AV	101.00	150	Horizontal	Pass
2	2485.930	57.57	1.95	74.0	16.43	Peak	0.00	150	Horizontal	Pass
2**	2485.930	45.95	1.95	54.0	8.05	AV	0.00	150	Horizontal	Pass


802.11ax40(SU) CH3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.000	58.45	2.41	74.0	15.55	Peak	41.00	200	Horizontal	Pass
1**	2385.000	46.64	2.41	54.0	7.36	AV	41.00	200	Horizontal	Pass
2	2389.950	55.53	1.92	74.0	18.47	Peak	103.00	100	Horizontal	Pass
2**	2389.950	46.29	1.92	54.0	7.71	AV	103.00	100	Horizontal	Pass

802.11ax40(SU) CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.400	59.44	2.41	74.0	14.56	Peak	124.00	200	Horizontal	Pass
1**	2385.400	47.60	2.41	54.0	6.40	AV	124.00	200	Horizontal	Pass
2	2389.950	58.91	1.92	74.0	15.09	Peak	121.00	200	Horizontal	Pass
2**	2389.950	48.13	1.92	54.0	5.87	AV	121.00	200	Horizontal	Pass

802.11ax40(SU) CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	60.77	1.92	74.0	13.23	Peak	123.00	100	Horizontal	Pass
1**	2389.750	48.88	1.92	54.0	5.12	AV	123.00	100	Horizontal	Pass
2	2389.950	57.70	1.92	74.0	16.30	Peak	139.00	100	Horizontal	Pass
2**	2389.950	49.00	1.92	54.0	5.00	AV	139.00	100	Horizontal	Pass

802.11ax40(SU) CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	59.65	1.92	74.0	14.35	Peak	129.00	150	Horizontal	Pass
1**	2389.800	48.74	1.92	54.0	5.26	AV	129.00	150	Horizontal	Pass
2	2389.950	58.25	1.92	74.0	15.75	Peak	238.00	150	Horizontal	Pass
2**	2389.950	48.60	1.92	54.0	5.40	AV	238.00	150	Horizontal	Pass

802.11ax40(SU) CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	58.96	2.11	74.0	15.04	Peak	122.00	100	Horizontal	Pass
1**	2483.530	48.99	2.11	54.0	5.01	AV	122.00	100	Horizontal	Pass
2	2487.940	59.94	1.59	74.0	14.06	Peak	238.00	150	Horizontal	Pass
2**	2487.940	47.66	1.59	54.0	6.34	AV	238.00	150	Horizontal	Pass

802.11ax40(SU) CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.350	59.97	1.91	74.0	14.03	Peak	128.00	200	Horizontal	Pass
1**	2389.350	48.57	1.91	54.0	5.43	AV	128.00	200	Horizontal	Pass
2	2389.950	58.67	1.92	74.0	15.33	Peak	115.00	150	Horizontal	Pass
2**	2389.950	48.85	1.92	54.0	5.15	AV	115.00	150	Horizontal	Pass

802.11ax40(SU) CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	58.74	2.11	74.0	15.26	Peak	89.00	150	Horizontal	Pass
1**	2483.545	48.51	2.11	54.0	5.49	AV	89.00	150	Horizontal	Pass
2	2484.340	59.02	2.14	74.0	14.98	Peak	98.00	200	Horizontal	Pass
2**	2484.340	48.12	2.14	54.0	5.88	AV	98.00	200	Horizontal	Pass

802.11ax40(SU) CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.850	60.11	2.35	74.0	13.89	Peak	129.00	100	Horizontal	Pass
1**	2386.850	48.01	2.35	54.0	5.99	AV	129.00	100	Horizontal	Pass
2	2389.950	58.06	1.92	74.0	15.94	Peak	123.00	150	Horizontal	Pass
2**	2389.950	48.03	1.92	54.0	5.97	AV	123.00	150	Horizontal	Pass

802.11ax40(SU) CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	57.77	2.11	74.0	16.23	Peak	263.00	150	Horizontal	Pass
1**	2483.590	47.97	2.11	54.0	6.03	AV	263.00	150	Horizontal	Pass
2	2484.520	58.80	2.12	74.0	15.20	Peak	90.00	150	Horizontal	Pass
2**	2484.520	47.51	2.12	54.0	6.49	AV	90.00	150	Horizontal	Pass
3	2484.475	56.49	2.12	74.0	17.51	Peak	144.00	150	Horizontal	Pass
3**	2484.475	48.59	2.12	54.0	5.41	AV	144.00	150	Horizontal	Pass

802.11ax40(SU) CH9


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.450	59.59	1.96	74.0	14.41	Peak	122.00	200	Horizontal	Pass
1**	2388.450	47.69	1.96	54.0	6.31	AV	122.00	200	Horizontal	Pass
2	2389.950	57.86	1.92	74.0	16.14	Peak	122.00	100	Horizontal	Pass
2**	2389.950	48.87	1.92	54.0	5.13	AV	122.00	100	Horizontal	Pass

802.11ax40(SU) CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	56.65	2.11	74.0	17.35	Peak	126.00	100	Horizontal	Pass
1**	2483.560	46.31	2.11	54.0	7.69	AV	126.00	100	Horizontal	Pass
2	2484.505	57.73	2.12	74.0	16.27	Peak	0.00	100	Horizontal	Pass
2**	2484.505	46.25	2.12	54.0	7.75	AV	0.00	100	Horizontal	Pass

802.11ax20(RU) CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2330.150	58.11	1.36	74.0	15.89	Peak	64.00	200	Horizontal	Pass
1**	2330.150	46.23	1.36	54.0	7.77	AV	64.00	200	Horizontal	Pass
2	2389.950	55.07	1.92	74.0	18.93	Peak	131.00	200	Horizontal	Pass
2**	2389.950	45.84	1.92	54.0	8.16	AV	131.00	200	Horizontal	Pass

802.11ax20(RU) CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	56.26	2.11	74.0	17.74	Peak	130.00	200	Horizontal	Pass
1**	2483.515	46.28	2.11	54.0	7.72	AV	130.00	200	Horizontal	Pass
2	2492.605	57.87	1.92	74.0	16.13	Peak	159.00	200	Horizontal	Pass
2**	2492.605	46.26	1.92	54.0	7.74	AV	159.00	200	Horizontal	Pass

802.11ax40(RU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2320.500	57.68	1.60	74.0	16.32	Peak	307.00	200	Horizontal	Pass
1**	2320.500	46.42	1.60	54.0	7.58	AV	307.00	200	Horizontal	Pass
2	2389.950	55.50	1.92	74.0	18.50	Peak	138.00	100	Horizontal	Pass
2**	2389.950	45.92	1.92	54.0	8.08	AV	138.00	100	Horizontal	Pass

802.11ax40(RU) CH9

Bandedge - ATT_FCC_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	56.90	2.11	74.0	17.10	Peak	145.00	100	Horizontal	Pass
1**	2483.575	46.41	2.11	54.0	7.59	AV	145.00	100	Horizontal	Pass
2	2486.335	57.85	1.90	74.0	16.15	Peak	208.00	150	Horizontal	Pass
2**	2486.335	46.18	1.90	54.0	7.82	AV	208.00	150	Horizontal	Pass

MIMO:

802.11b CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2383.950	58.72	2.35	74.0	15.28	Peak	355.00	200	Horizontal	Pass
1**	2383.950	46.92	2.35	54.0	7.08	AV	355.00	200	Horizontal	Pass
2	2389.950	55.95	1.92	74.0	18.05	Peak	218.00	200	Horizontal	Pass
2**	2389.950	46.81	1.92	54.0	7.19	AV	218.00	200	Horizontal	Pass

802.11b CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.250	58.62	2.25	74.0	15.38	Peak	231.00	150	Horizontal	Pass
1**	2387.250	48.52	2.25	54.0	5.48	AV	231.00	150	Horizontal	Pass
2	2389.950	55.93	1.92	74.0	18.07	Peak	134.00	200	Horizontal	Pass
2**	2389.950	47.19	1.92	54.0	6.81	AV	134.00	200	Horizontal	Pass

802.11b CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.17	2.11	74.0	16.83	Peak	358.00	200	Horizontal	Pass
1**	2483.500	47.72	2.11	54.0	6.28	AV	358.00	200	Horizontal	Pass
2	2485.270	58.90	2.03	74.0	15.10	Peak	88.00	200	Horizontal	Pass
2**	2485.270	48.65	2.03	54.0	5.35	AV	88.00	200	Horizontal	Pass

802.11b CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.59	2.11	74.0	17.41	Peak	330.00	200	Horizontal	Pass
1**	2483.500	46.39	2.11	54.0	7.61	AV	330.00	200	Horizontal	Pass
2	2496.175	57.90	1.71	74.0	16.10	Peak	350.00	150	Horizontal	Pass
2**	2496.175	45.92	1.71	54.0	8.08	AV	350.00	150	Horizontal	Pass

802.11g CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	58.05	1.92	74.0	15.95	Peak	72.00	150	Horizontal	Pass
1**	2389.800	46.96	1.92	54.0	7.04	AV	72.00	150	Horizontal	Pass
2	2389.950	56.91	1.92	74.0	17.09	Peak	124.00	150	Horizontal	Pass
2**	2389.950	47.11	1.92	54.0	6.89	AV	124.00	150	Horizontal	Pass

802.11g CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.250	60.19	1.91	74.0	13.81	Peak	69.00	150	Horizontal	Pass
1**	2389.250	48.31	1.91	54.0	5.69	AV	69.00	150	Horizontal	Pass
2	2389.950	59.20	1.92	74.0	14.80	Peak	79.00	100	Horizontal	Pass
2**	2389.950	48.41	1.92	54.0	5.59	AV	79.00	100	Horizontal	Pass
3	2389.300	57.13	1.91	74.0	16.87	Peak	112.00	150	Horizontal	Pass
3**	2389.300	48.82	1.91	54.0	5.18	AV	112.00	150	Horizontal	Pass

802.11g CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	59.93	1.91	74.0	14.07	Peak	80.00	100	Horizontal	Pass
1**	2389.500	48.52	1.91	54.0	5.48	AV	80.00	100	Horizontal	Pass
2	2389.950	58.84	1.92	74.0	15.16	Peak	122.00	100	Horizontal	Pass
2**	2389.950	48.92	1.92	54.0	5.08	AV	122.00	100	Horizontal	Pass

802.11g CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.700	59.38	1.92	74.0	14.62	Peak	123.00	100	Horizontal	Pass
1**	2389.700	48.95	1.92	54.0	5.05	AV	123.00	100	Horizontal	Pass
2	2389.950	58.83	1.92	74.0	15.17	Peak	127.00	100	Horizontal	Pass
2**	2389.950	48.83	1.92	54.0	5.17	AV	127.00	100	Horizontal	Pass

802.11g CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	58.15	2.11	74.0	15.85	Peak	86.00	200	Horizontal	Pass
1**	2483.530	47.61	2.11	54.0	6.39	AV	86.00	200	Horizontal	Pass
2	2484.475	58.04	2.12	74.0	15.96	Peak	86.00	150	Horizontal	Pass
2**	2484.475	47.47	2.12	54.0	6.53	AV	86.00	150	Horizontal	Pass

802.11g CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	59.06	2.11	74.0	14.94	Peak	86.00	200	Horizontal	Pass
1**	2483.530	47.66	2.11	54.0	6.34	AV	86.00	200	Horizontal	Pass
2	2486.395	58.41	1.89	74.0	15.59	Peak	72.00	100	Horizontal	Pass
2**	2486.395	46.98	1.89	54.0	7.02	AV	72.00	100	Horizontal	Pass

802.11g CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	57.71	2.11	74.0	16.29	Peak	85.00	150	Horizontal	Pass
1**	2483.575	47.70	2.11	54.0	6.30	AV	85.00	150	Horizontal	Pass
2	2484.490	59.06	2.12	74.0	14.94	Peak	128.00	150	Horizontal	Pass
2**	2484.490	47.14	2.12	54.0	6.86	AV	128.00	150	Horizontal	Pass

802.11n20 CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2320.000	57.99	1.59	74.0	16.01	Peak	68.00	150	Horizontal	Pass
1**	2320.000	46.32	1.59	54.0	7.68	AV	68.00	150	Horizontal	Pass
2	2389.950	55.90	1.92	74.0	18.10	Peak	174.00	100	Horizontal	Pass
2**	2389.950	46.20	1.92	54.0	7.80	AV	174.00	100	Horizontal	Pass

802.11n20 CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.850	59.96	1.90	74.0	14.04	Peak	290.00	100	Horizontal	Pass
1**	2388.850	48.50	1.90	54.0	5.50	AV	290.00	100	Horizontal	Pass
2	2389.950	59.65	1.92	74.0	14.35	Peak	327.00	200	Horizontal	Pass
2**	2389.950	48.84	1.92	54.0	5.16	AV	327.00	200	Horizontal	Pass

802.11n20 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.250	59.12	1.91	74.0	14.88	Peak	132.00	150	Horizontal	Pass
1**	2389.250	47.66	1.91	54.0	6.34	AV	132.00	150	Horizontal	Pass
2	2389.950	57.37	1.92	74.0	16.63	Peak	118.00	100	Horizontal	Pass
2**	2389.950	48.22	1.92	54.0	5.78	AV	118.00	100	Horizontal	Pass
3	2389.550	56.82	1.91	74.0	17.18	Peak	313.00	150	Horizontal	Pass
3**	2389.550	48.64	1.91	54.0	5.36	AV	313.00	150	Horizontal	Pass

802.11n20 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.400	58.76	2.22	74.0	15.24	Peak	80.00	100	Horizontal	Pass
1**	2387.400	48.03	2.22	54.0	5.97	AV	80.00	100	Horizontal	Pass
2	2389.950	56.98	1.92	74.0	17.02	Peak	158.00	150	Horizontal	Pass
2**	2389.950	47.44	1.92	54.0	6.56	AV	158.00	150	Horizontal	Pass

802.11n20 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.90	2.11	74.0	16.10	Peak	170.00	200	Horizontal	Pass
1**	2483.530	47.61	2.11	54.0	6.39	AV	170.00	200	Horizontal	Pass
2	2494.810	58.65	1.74	74.0	15.35	Peak	321.00	150	Horizontal	Pass
2**	2494.810	46.19	1.74	54.0	7.81	AV	321.00	150	Horizontal	Pass

802.11n20 CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	58.21	2.11	74.0	15.79	Peak	78.00	150	Horizontal	Pass
1**	2483.545	47.08	2.11	54.0	6.92	AV	78.00	150	Horizontal	Pass
2	2485.720	58.12	1.97	74.0	15.88	Peak	79.00	100	Horizontal	Pass
2**	2485.720	47.05	1.97	54.0	6.95	AV	79.00	100	Horizontal	Pass

802.11n20 CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	57.47	2.11	74.0	16.53	Peak	89.00	100	Horizontal	Pass
1**	2483.590	46.88	2.11	54.0	7.12	AV	89.00	100	Horizontal	Pass
2	2492.605	57.75	1.92	74.0	16.25	Peak	270.00	200	Horizontal	Pass
2**	2492.605	46.16	1.92	54.0	7.84	AV	270.00	200	Horizontal	Pass

802.11n40 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2322.600	59.18	1.63	74.0	14.82	Peak	259.00	150	Horizontal	Pass
1**	2322.600	46.45	1.63	54.0	7.55	AV	259.00	150	Horizontal	Pass
2	2389.950	55.92	1.92	74.0	18.08	Peak	27.00	150	Horizontal	Pass
2**	2389.950	46.37	1.92	54.0	7.63	AV	27.00	150	Horizontal	Pass

802.11n40 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.500	60.43	1.95	74.0	13.57	Peak	120.00	150	Horizontal	Pass
1**	2388.500	48.32	1.95	54.0	5.68	AV	120.00	150	Horizontal	Pass
2	2389.950	57.78	1.92	74.0	16.22	Peak	106.00	150	Horizontal	Pass
2**	2389.950	48.94	1.92	54.0	5.06	AV	106.00	150	Horizontal	Pass

802.11n40 CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.850	59.88	1.90	74.0	14.12	Peak	121.00	150	Horizontal	Pass
1**	2388.850	48.17	1.90	54.0	5.83	AV	121.00	150	Horizontal	Pass
2	2389.950	56.57	1.92	74.0	17.43	Peak	265.00	150	Horizontal	Pass
2**	2389.950	48.08	1.92	54.0	5.92	AV	265.00	150	Horizontal	Pass
3	2389.050	59.55	1.90	74.0	14.45	Peak	132.00	150	Horizontal	Pass
3**	2389.050	48.56	1.90	54.0	5.44	AV	132.00	150	Horizontal	Pass

802.11n40 CH5


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	60.08	2.11	74.0	13.92	Peak	72.00	150	Horizontal	Pass
1**	2483.530	48.16	2.11	54.0	5.84	AV	72.00	150	Horizontal	Pass
2	2483.935	59.68	2.12	74.0	14.32	Peak	68.00	200	Horizontal	Pass
2**	2483.935	48.71	2.12	54.0	5.29	AV	68.00	200	Horizontal	Pass

802.11n40 CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.550	58.20	1.94	74.0	15.80	Peak	122.00	100	Horizontal	Pass
1**	2388.550	47.52	1.94	54.0	6.48	AV	122.00	100	Horizontal	Pass
2	2389.950	57.27	1.92	74.0	16.73	Peak	91.00	100	Horizontal	Pass
2**	2389.950	48.09	1.92	54.0	5.91	AV	91.00	100	Horizontal	Pass

802.11n40 CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	59.15	2.11	74.0	14.85	Peak	79.00	100	Horizontal	Pass
1**	2483.545	48.99	2.11	54.0	5.01	AV	79.00	100	Horizontal	Pass
2	2484.190	60.94	2.13	74.0	13.06	Peak	84.00	150	Horizontal	Pass
2**	2484.190	48.95	2.13	54.0	5.05	AV	84.00	150	Horizontal	Pass

802.11n40 CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.950	61.45	1.90	74.0	12.55	Peak	126.00	150	Horizontal	Pass
1**	2388.950	47.70	1.90	54.0	6.30	AV	126.00	150	Horizontal	Pass
2	2389.950	58.61	1.92	74.0	15.39	Peak	137.00	100	Horizontal	Pass
2**	2389.950	48.62	1.92	54.0	5.38	AV	137.00	100	Horizontal	Pass

802.11n40 CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	58.20	2.11	74.0	15.80	Peak	93.00	150	Horizontal	Pass
1**	2483.575	47.96	2.11	54.0	6.04	AV	93.00	150	Horizontal	Pass
2	2486.740	60.91	1.83	74.0	13.09	Peak	81.00	200	Horizontal	Pass
2**	2486.740	47.83	1.83	54.0	6.17	AV	81.00	200	Horizontal	Pass

802.11n40 CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.750	60.53	2.13	74.0	13.47	Peak	75.00	100	Horizontal	Pass
1**	2387.750	47.94	2.13	54.0	6.06	AV	75.00	100	Horizontal	Pass
2	2389.950	59.21	1.92	74.0	14.79	Peak	121.00	100	Horizontal	Pass
2**	2389.950	48.10	1.92	54.0	5.90	AV	121.00	100	Horizontal	Pass
3	2389.850	58.96	1.92	74.0	15.04	Peak	89.00	150	Horizontal	Pass
3**	2389.850	48.82	1.92	54.0	5.18	AV	89.00	150	Horizontal	Pass

802.11n40 CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	58.70	2.11	74.0	15.30	Peak	83.00	200	Horizontal	Pass
1**	2483.575	47.93	2.11	54.0	6.07	AV	83.00	200	Horizontal	Pass
2	2484.190	59.00	2.13	74.0	15.00	Peak	85.00	100	Horizontal	Pass
2**	2484.190	48.25	2.13	54.0	5.75	AV	85.00	100	Horizontal	Pass
3	2484.460	57.20	2.12	74.0	16.80	Peak	90.00	150	Horizontal	Pass
3**	2484.460	48.91	2.12	54.0	5.09	AV	90.00	150	Horizontal	Pass

802.11n40 CH9


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2381.300	58.78	2.21	74.0	15.22	Peak	278.00	150	Horizontal	Pass
1**	2381.300	46.52	2.21	54.0	7.48	AV	278.00	150	Horizontal	Pass
2	2389.950	56.91	1.92	74.0	17.09	Peak	278.00	100	Horizontal	Pass
2**	2389.950	47.48	1.92	54.0	6.52	AV	278.00	100	Horizontal	Pass

802.11n40 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	57.03	2.11	74.0	16.97	Peak	120.00	100	Horizontal	Pass
1**	2483.515	46.60	2.11	54.0	7.40	AV	120.00	100	Horizontal	Pass
2	2487.955	57.63	1.59	74.0	16.37	Peak	94.00	150	Horizontal	Pass
2**	2487.955	45.90	1.59	54.0	8.10	AV	94.00	150	Horizontal	Pass

VHT 20 CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2321.600	58.16	1.62	74.0	15.84	Peak	36.00	200	Horizontal	Pass
1**	2321.600	46.40	1.62	54.0	7.60	AV	36.00	200	Horizontal	Pass
2	2389.950	56.01	1.92	74.0	17.99	Peak	46.00	200	Horizontal	Pass
2**	2389.950	46.29	1.92	54.0	7.71	AV	46.00	200	Horizontal	Pass

VHT 20 CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	59.71	1.91	74.0	14.29	Peak	276.00	150	Horizontal	Pass
1**	2389.600	48.21	1.91	54.0	5.79	AV	276.00	150	Horizontal	Pass
2	2389.950	58.19	1.92	74.0	15.81	Peak	114.00	200	Horizontal	Pass
2**	2389.950	48.77	1.92	54.0	5.23	AV	114.00	200	Horizontal	Pass

VHT 20 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.700	60.55	1.90	74.0	13.45	Peak	121.00	200	Horizontal	Pass
1**	2388.700	48.50	1.90	54.0	5.50	AV	121.00	200	Horizontal	Pass
2	2389.950	59.26	1.92	74.0	14.74	Peak	121.00	100	Horizontal	Pass
2**	2389.950	48.12	1.92	54.0	5.88	AV	121.00	100	Horizontal	Pass
3	2388.150	57.40	2.03	74.0	16.60	Peak	88.00	150	Horizontal	Pass
3**	2388.150	48.97	2.03	54.0	5.03	AV	88.00	150	Horizontal	Pass

VHT 20 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	58.88	1.91	74.0	15.12	Peak	84.00	150	Horizontal	Pass
1**	2389.600	47.63	1.91	54.0	6.37	AV	84.00	150	Horizontal	Pass
2	2389.950	57.69	1.92	74.0	16.31	Peak	239.00	100	Horizontal	Pass
2**	2389.950	47.89	1.92	54.0	6.11	AV	239.00	100	Horizontal	Pass

VHT 20 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	57.25	2.11	74.0	16.75	Peak	85.00	150	Horizontal	Pass
1**	2483.545	47.02	2.11	54.0	6.98	AV	85.00	150	Horizontal	Pass
2	2483.710	58.54	2.12	74.0	15.46	Peak	78.00	200	Horizontal	Pass
2**	2483.710	47.06	2.12	54.0	6.94	AV	78.00	200	Horizontal	Pass

VHT 20 CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	57.23	2.11	74.0	16.77	Peak	0.00	150	Horizontal	Pass
1**	2483.530	47.59	2.11	54.0	6.41	AV	0.00	150	Horizontal	Pass
2	2487.175	58.42	1.74	74.0	15.58	Peak	310.00	100	Horizontal	Pass
2**	2487.175	47.31	1.74	54.0	6.69	AV	310.00	100	Horizontal	Pass

VHT 20 CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	57.54	2.11	74.0	16.46	Peak	105.00	150	Horizontal	Pass
1**	2483.575	46.80	2.11	54.0	7.20	AV	105.00	150	Horizontal	Pass
2	2484.130	58.58	2.13	74.0	15.42	Peak	292.00	100	Horizontal	Pass
2**	2484.130	46.56	2.13	54.0	7.44	AV	292.00	100	Horizontal	Pass

VHT 40 CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2324.250	58.33	1.70	74.0	15.67	Peak	337.00	150	Horizontal	Pass
1**	2324.250	46.66	1.70	54.0	7.34	AV	337.00	150	Horizontal	Pass
2	2389.950	56.02	1.92	74.0	17.98	Peak	187.00	200	Horizontal	Pass
2**	2389.950	46.14	1.92	54.0	7.86	AV	187.00	200	Horizontal	Pass

VHT 40 CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2384.350	60.34	2.39	74.0	13.66	Peak	129.00	200	Horizontal	Pass
1**	2384.350	48.39	2.39	54.0	5.61	AV	129.00	200	Horizontal	Pass
2	2389.950	60.17	1.92	74.0	13.83	Peak	124.00	100	Horizontal	Pass
2**	2389.950	48.93	1.92	54.0	5.07	AV	124.00	100	Horizontal	Pass

VHT 40 CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	59.75	1.90	74.0	14.25	Peak	122.00	200	Horizontal	Pass
1**	2389.050	48.47	1.90	54.0	5.53	AV	122.00	200	Horizontal	Pass
2	2389.950	58.16	1.92	74.0	15.84	Peak	122.00	150	Horizontal	Pass
2**	2389.950	48.13	1.92	54.0	5.87	AV	122.00	150	Horizontal	Pass
3	2388.600	57.84	1.92	74.0	16.16	Peak	128.00	150	Horizontal	Pass
3**	2388.600	48.95	1.92	54.0	5.05	AV	128.00	150	Horizontal	Pass

VHT 40 CH5


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	57.71	2.11	74.0	16.29	Peak	76.00	100	Horizontal	Pass
1**	2483.545	48.00	2.11	54.0	6.00	AV	76.00	100	Horizontal	Pass
2	2484.160	58.92	2.13	74.0	15.08	Peak	71.00	150	Horizontal	Pass
2**	2484.160	47.40	2.13	54.0	6.60	AV	71.00	150	Horizontal	Pass
3	2483.605	57.42	2.11	74.0	16.58	Peak	70.00	150	Horizontal	Pass
3**	2483.605	48.45	2.11	54.0	5.55	AV	70.00	150	Horizontal	Pass

VHT 40 CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	59.42	1.92	74.0	14.58	Peak	121.00	150	Horizontal	Pass
1**	2389.800	48.50	1.92	54.0	5.50	AV	121.00	150	Horizontal	Pass
2	2389.950	58.15	1.92	74.0	15.85	Peak	101.00	100	Horizontal	Pass
2**	2389.950	48.34	1.92	54.0	5.66	AV	101.00	100	Horizontal	Pass

VHT 40 CH6


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	60.42	2.11	74.0	13.58	Peak	89.00	100	Horizontal	Pass
1**	2483.545	48.96	2.11	54.0	5.04	AV	89.00	100	Horizontal	Pass
2	2484.565	61.33	2.11	74.0	12.67	Peak	74.00	100	Horizontal	Pass
2**	2484.565	48.89	2.11	54.0	5.11	AV	74.00	100	Horizontal	Pass

VHT 40 CH7


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.300	61.68	2.00	74.0	12.32	Peak	127.00	100	Horizontal	Pass
1**	2388.300	48.02	2.00	54.0	5.98	AV	127.00	100	Horizontal	Pass
2	2389.950	59.16	1.92	74.0	14.84	Peak	120.00	150	Horizontal	Pass
2**	2389.950	48.32	1.92	54.0	5.68	AV	120.00	150	Horizontal	Pass
3	2388.350	58.40	1.99	74.0	15.60	Peak	136.00	150	Horizontal	Pass
3**	2388.350	48.84	1.99	54.0	5.16	AV	136.00	150	Horizontal	Pass

VHT 40 CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	58.56	2.11	74.0	15.44	Peak	242.00	200	Horizontal	Pass
1**	2483.590	48.32	2.11	54.0	5.68	AV	242.00	200	Horizontal	Pass
2	2485.705	60.58	1.97	74.0	13.42	Peak	75.00	150	Horizontal	Pass
2**	2485.705	48.35	1.97	54.0	5.65	AV	75.00	150	Horizontal	Pass
3	2486.230	58.40	1.91	74.0	15.60	Peak	80.00	150	Horizontal	Pass
3**	2486.230	48.97	1.91	54.0	5.03	AV	80.00	150	Horizontal	Pass

VHT 40 CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.200	60.31	2.02	74.0	13.69	Peak	125.00	100	Horizontal	Pass
1**	2388.200	48.07	2.02	54.0	5.93	AV	125.00	100	Horizontal	Pass
2	2389.950	59.34	1.92	74.0	14.66	Peak	123.00	100	Horizontal	Pass
2**	2389.950	48.70	1.92	54.0	5.30	AV	123.00	100	Horizontal	Pass

VHT 40 CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.86	2.11	74.0	15.14	Peak	83.00	100	Horizontal	Pass
1**	2483.500	48.93	2.11	54.0	5.07	AV	83.00	100	Horizontal	Pass
2	2485.285	60.68	2.02	74.0	13.32	Peak	122.00	200	Horizontal	Pass
2**	2485.285	48.44	2.02	54.0	5.56	AV	122.00	200	Horizontal	Pass

VHT 40 CH9


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.000	60.20	2.41	74.0	13.80	Peak	98.00	150	Horizontal	Pass
1**	2385.000	47.75	2.41	54.0	6.25	AV	98.00	150	Horizontal	Pass
2	2389.950	57.48	1.92	74.0	16.52	Peak	120.00	150	Horizontal	Pass
2**	2389.950	48.98	1.92	54.0	5.02	AV	120.00	150	Horizontal	Pass

VHT 40 CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	56.89	2.11	74.0	17.11	Peak	223.00	200	Horizontal	Pass
1**	2483.515	46.36	2.11	54.0	7.64	AV	223.00	200	Horizontal	Pass
2	2489.755	57.96	1.66	74.0	16.04	Peak	84.00	100	Horizontal	Pass
2**	2489.755	46.21	1.66	54.0	7.79	AV	84.00	100	Horizontal	Pass

802.11ax20(SU) CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2319.350	58.12	1.57	74.0	15.88	Peak	46.00	200	Horizontal	Pass
1**	2319.350	46.45	1.57	54.0	7.55	AV	46.00	200	Horizontal	Pass
2	2389.950	55.71	1.92	74.0	18.29	Peak	79.00	100	Horizontal	Pass
2**	2389.950	46.94	1.92	54.0	7.06	AV	79.00	100	Horizontal	Pass

802.11 ax20(SU) CH2


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.100	60.92	1.90	74.0	13.08	Peak	76.00	100	Horizontal	Pass
1**	2389.100	47.57	1.90	54.0	6.43	AV	76.00	100	Horizontal	Pass
2	2389.950	58.08	1.92	74.0	15.92	Peak	304.00	150	Horizontal	Pass
2**	2389.950	48.15	1.92	54.0	5.85	AV	304.00	150	Horizontal	Pass

802.11ax20(SU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	61.22	1.92	74.0	12.78	Peak	123.00	100	Horizontal	Pass
1**	2389.800	48.29	1.92	54.0	5.71	AV	123.00	100	Horizontal	Pass
2	2389.950	58.49	1.92	74.0	15.51	Peak	80.00	150	Horizontal	Pass
2**	2389.950	48.04	1.92	54.0	5.96	AV	80.00	150	Horizontal	Pass

802.11ax20(SU) CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	62.05	1.90	74.0	11.95	Peak	91.00	200	Horizontal	Pass
1**	2389.050	48.35	1.90	54.0	5.65	AV	91.00	200	Horizontal	Pass
2	2389.950	59.47	1.92	74.0	14.53	Peak	122.00	200	Horizontal	Pass
2**	2389.950	48.94	1.92	54.0	5.06	AV	122.00	200	Horizontal	Pass

802.11ax20(SU) CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	61.90	1.92	74.0	12.10	Peak	89.00	200	Horizontal	Pass
1**	2389.800	48.65	1.92	54.0	5.35	AV	89.00	200	Horizontal	Pass
2	2389.950	58.25	1.92	74.0	15.75	Peak	291.00	200	Horizontal	Pass
2**	2389.950	48.79	1.92	54.0	5.21	AV	291.00	200	Horizontal	Pass

802.11ax20(SU) CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	59.17	2.11	74.0	14.83	Peak	332.00	200	Horizontal	Pass
1**	2483.530	47.70	2.11	54.0	6.30	AV	332.00	200	Horizontal	Pass
2	2484.490	65.38	2.12	74.0	8.62	Peak	71.00	200	Horizontal	Pass
2**	2484.490	47.61	2.12	54.0	6.39	AV	71.00	200	Horizontal	Pass

802.11ax20(SU) CH10


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.80	2.11	74.0	15.20	Peak	81.00	100	Horizontal	Pass
1**	2483.500	47.46	2.11	54.0	6.54	AV	81.00	100	Horizontal	Pass
2	2485.525	58.63	1.99	74.0	15.37	Peak	84.00	200	Horizontal	Pass
2**	2485.525	47.17	1.99	54.0	6.83	AV	84.00	200	Horizontal	Pass

802.11ax20(SU) CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.41	2.11	74.0	16.59	Peak	101.00	200	Horizontal	Pass
1**	2483.500	47.51	2.11	54.0	6.49	AV	101.00	200	Horizontal	Pass
2	2491.345	58.90	1.85	74.0	15.10	Peak	29.00	100	Horizontal	Pass
2**	2491.345	46.46	1.85	54.0	7.54	AV	29.00	100	Horizontal	Pass

802.11ax40(SU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2321.600	58.24	1.62	74.0	15.76	Peak	161.00	100	Horizontal	Pass
1**	2321.600	46.60	1.62	54.0	7.40	AV	161.00	100	Horizontal	Pass
2	2389.950	56.53	1.92	74.0	17.47	Peak	111.00	150	Horizontal	Pass
2**	2389.950	46.43	1.92	54.0	7.57	AV	111.00	150	Horizontal	Pass

802.11ax40(SU) CH4


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.900	59.64	1.90	74.0	14.36	Peak	83.00	100	Horizontal	Pass
1**	2388.900	48.28	1.90	54.0	5.72	AV	83.00	100	Horizontal	Pass
2	2389.950	58.91	1.92	74.0	15.09	Peak	90.00	200	Horizontal	Pass
2**	2389.950	48.23	1.92	54.0	5.77	AV	90.00	200	Horizontal	Pass
3	2389.200	58.99	1.91	74.0	15.01	Peak	106.00	150	Horizontal	Pass
3**	2389.200	48.68	1.91	54.0	5.32	AV	106.00	150	Horizontal	Pass

802.11ax40(SU) CH5


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2384.250	58.58	2.38	74.0	15.42	Peak	289.00	150	Horizontal	Pass
1**	2384.250	47.37	2.38	54.0	6.63	AV	289.00	150	Horizontal	Pass
2	2389.950	56.87	1.92	74.0	17.13	Peak	307.00	200	Horizontal	Pass
2**	2389.950	47.24	1.92	54.0	6.76	AV	307.00	200	Horizontal	Pass
3	2386.950	56.36	2.33	74.0	17.64	Peak	130.00	150	Horizontal	Pass
3**	2386.950	48.15	2.33	54.0	5.85	AV	130.00	150	Horizontal	Pass

802.11ax40(SU) CH5


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	58.94	2.11	74.0	15.06	Peak	71.00	150	Horizontal	Pass
1**	2483.545	48.07	2.11	54.0	5.93	AV	71.00	150	Horizontal	Pass
2	2484.565	59.26	2.11	74.0	14.74	Peak	298.00	100	Horizontal	Pass
2**	2484.565	47.77	2.11	54.0	6.23	AV	298.00	100	Horizontal	Pass
3	2483.785	57.74	2.12	74.0	16.26	Peak	67.00	150	Horizontal	Pass
3**	2483.785	48.41	2.12	54.0	5.59	AV	67.00	150	Horizontal	Pass

802.11ax40(SU) CH6


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.200	59.33	2.26	74.0	14.67	Peak	122.00	100	Horizontal	Pass
1**	2387.200	47.91	2.26	54.0	6.09	AV	122.00	100	Horizontal	Pass
2	2389.950	60.49	1.92	74.0	13.51	Peak	125.00	100	Horizontal	Pass
2**	2389.950	48.69	1.92	54.0	5.31	AV	125.00	100	Horizontal	Pass


802.11ax40(SU) CH6

Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	59.17	2.11	74.0	14.83	Peak	76.00	200	Horizontal	Pass
1**	2483.560	48.54	2.11	54.0	5.46	AV	76.00	200	Horizontal	Pass
2	2484.010	59.62	2.13	74.0	14.38	Peak	88.00	150	Horizontal	Pass
2**	2484.010	48.41	2.13	54.0	5.59	AV	88.00	150	Horizontal	Pass


802.11ax40(SU) CH7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.700	61.24	1.92	74.0	12.76	Peak	131.00	150	Horizontal	Pass
1**	2389.700	48.35	1.92	54.0	5.65	AV	131.00	150	Horizontal	Pass
2	2389.950	57.51	1.92	74.0	16.49	Peak	222.00	150	Horizontal	Pass
2**	2389.950	48.05	1.92	54.0	5.95	AV	222.00	150	Horizontal	Pass

802.11ax40(SU) CH7


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	58.30	2.11	74.0	15.70	Peak	332.00	100	Horizontal	Pass
1**	2483.530	48.09	2.11	54.0	5.91	AV	332.00	200	Horizontal	Pass
2	2489.425	61.73	1.61	74.0	12.27	Peak	88.00	150	Horizontal	Pass
2**	2489.425	47.97	1.61	54.0	6.03	AV	88.00	200	Horizontal	Pass
3	2486.965	57.35	1.78	74.0	16.65	Peak	86.00	150	Horizontal	Pass
3**	2486.965	48.76	1.78	54.0	5.24	AV	86.00	150	Horizontal	Pass

802.11ax40(SU) CH8


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	59.30	1.92	74.0	14.70	Peak	88.00	200	Horizontal	Pass
1**	2389.750	47.48	1.92	54.0	6.52	AV	88.00	200	Horizontal	Pass
2	2389.950	58.44	1.92	74.0	15.56	Peak	88.00	200	Horizontal	Pass
2**	2389.950	47.40	1.92	54.0	6.60	AV	88.00	200	Horizontal	Pass
3	2389.850	57.79	1.92	74.0	16.21	Peak	95.00	150	Horizontal	Pass
3**	2389.850	48.22	1.92	54.0	5.78	AV	95.00	150	Horizontal	Pass

802.11ax40(SU) CH8


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.50	2.11	74.0	15.50	Peak	82.00	200	Horizontal	Pass
1**	2483.500	48.53	2.11	54.0	5.47	AV	82.00	200	Horizontal	Pass
2	2483.710	59.91	2.12	74.0	14.09	Peak	87.00	200	Horizontal	Pass
2**	2483.710	48.57	2.12	54.0	5.43	AV	87.00	200	Horizontal	Pass

802.11ax40(SU) CH9


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.900	59.46	2.34	74.0	14.54	Peak	111.00	200	Horizontal	Pass
1**	2386.900	47.88	2.34	54.0	6.12	AV	111.00	200	Horizontal	Pass
2	2389.950	57.96	1.92	74.0	16.04	Peak	74.00	200	Horizontal	Pass
2**	2389.950	48.22	1.92	54.0	5.78	AV	74.00	200	Horizontal	Pass

802.11ax40(SU) CH9


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	57.40	2.11	74.0	16.60	Peak	76.00	150	Horizontal	Pass
1**	2483.515	46.79	2.11	54.0	7.21	AV	76.00	150	Horizontal	Pass
2	2487.565	57.97	1.67	74.0	16.03	Peak	259.00	200	Horizontal	Pass
2**	2487.565	46.04	1.67	54.0	7.96	AV	259.00	200	Horizontal	Pass

802.11ax20(RU) CH1


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2314.550	58.24	1.45	74.0	15.76	Peak	300.00	200	Horizontal	Pass
1**	2314.550	46.14	1.45	54.0	7.86	AV	300.00	200	Horizontal	Pass
2	2389.950	55.36	1.92	74.0	18.64	Peak	122.00	200	Horizontal	Pass
2**	2389.950	46.14	1.92	54.0	7.86	AV	122.00	200	Horizontal	Pass

802.11ax20(RU) CH11


Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.19	2.11	74.0	17.81	Peak	46.00	150	Horizontal	Pass
1**	2483.500	46.19	2.11	54.0	7.81	AV	46.00	150	Horizontal	Pass
2	2484.220	57.76	2.13	74.0	16.24	Peak	304.00	200	Horizontal	Pass
2**	2484.220	46.45	2.13	54.0	7.55	AV	304.00	200	Horizontal	Pass

802.11ax40(RU) CH3


Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2368.150	57.71	1.81	74.0	16.29	Peak	32.00	200	Horizontal	Pass
1**	2368.150	45.97	1.81	54.0	8.03	AV	32.00	200	Horizontal	Pass
2	2389.950	55.79	1.92	74.0	18.21	Peak	78.00	100	Horizontal	Pass
2**	2389.950	46.48	1.92	54.0	7.52	AV	78.00	100	Horizontal	Pass

802.11ax40(RU) CH9

Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.33	2.11	74.0	17.67	Peak	217.00	100	Horizontal	Pass
1**	2483.500	46.17	2.11	54.0	7.83	AV	217.00	100	Horizontal	Pass
2	2484.925	58.95	2.07	74.0	15.05	Peak	121.00	150	Horizontal	Pass
2**	2484.925	46.47	2.07	54.0	7.53	AV	121.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

ANT 0:

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-7.78	8
CH2	-6.95	8
CH3	-5.31	8
CH6	-4.90	8
CH10	-7.27	8
CH11	-6.47	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.31	8
CH2	-10.20	8
CH3	-10.02	8
CH4	-8.59	8
CH6	-9.31	8
CH9	-9.85	8
CH10	-11.02	8
CH11	-11.25	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.24	8
CH2	-11.29	8
CH3	-8.91	8
CH4	-8.35	8
CH6	-7.85	8
CH9	-10.00	8
CH10	-9.65	8
CH11	-11.97	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.48	8
CH4	-15.45	8
CH5	-12.11	8
CH6	-13.45	8
CH7	-12.48	8
CH8	-17.11	8
CH9	-17.23	8

VHT20 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.35	8
CH2	-11.70	8
CH3	-8.98	8
CH4	-6.96	8
CH5	-8.15	8
CH6	-6.83	8
CH9	-8.33	8
CH10	-11.34	8
CH11	-12.42	8

VHT40 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.22	8
CH4	-14.91	8
CH5	-13.23	8
CH6	-14.78	8
CH7	-14.47	8
CH8	-16.12	8
CH9	-17.10	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.32	8
CH2	-11.52	8
CH3	-10.18	8
CH4	-8.70	8
CH5	-8.94	8
CH6	-6.16	8
CH8	-8.75	8
CH9	-9.88	8
CH10	-10.56	8
CH11	-11.88	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.05	8
CH4	-16.48	8
CH5	-14.58	8
CH6	-15.61	8
CH7	-16.12	8
CH8	-18.28	8
CH9	-17.80	8
CH3	-17.05	8
CH4	-16.48	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.39	8
Middle	-11.40	8
High	-12.98	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.31	8
Middle	-11.40	8
High	-11.76	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.63	8
Middle	-10.04	8
High	-10.41	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.02	8
Middle	-11.52	8
High	-12.47	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.83	8
Middle	-11.30	8
High	-13.30	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.36	8
Middle	-10.65	8
High	-12.39	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.82	8
Middle	-7.30	8
High	-6.52	8

ANT 1:**802.11b Mode:**

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.78	8
CH2	-6.48	8
CH3	-6.13	8
CH6	-7.74	8
CH10	-7.67	8
CH11	-9.38	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.72	8
CH2	-10.85	8
CH3	-8.38	8
CH4	-9.32	8
CH6	-8.62	8
CH9	-9.58	8
CH10	-10.05	8
CH11	-12.51	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.33	8
CH2	-10.79	8
CH3	-9.73	8
CH4	-8.62	8
CH6	-8.57	8
CH9	-8.16	8
CH10	-9.10	8
CH11	-12.13	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.17	8
CH4	-16.37	8
CH5	-13.91	8
CH6	-12.96	8
CH7	-14.24	8
CH8	-15.63	8
CH9	-17.83	8

VHT20 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.83	8
CH2	-9.58	8
CH3	-7.19	8
CH4	-8.39	8
CH5	-8.01	8
CH6	-8.40	8
CH9	-8.00	8
CH10	-10.28	8
CH11	-12.29	8

VHT40 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.44	8
CH4	-15.01	8
CH5	-14.42	8
CH6	-15.23	8
CH7	-15.97	8
CH8	-17.19	8
CH9	-19.06	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.94	8
CH2	-11.19	8
CH3	-9.66	8
CH4	-9.06	8
CH5	-9.89	8
CH6	-8.17	8
CH8	-9.73	8
CH9	-9.83	8
CH10	-11.17	8
CH11	-12.84	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.46	8
CH4	-16.59	8
CH5	-15.89	8
CH6	-16.63	8
CH7	-16.66	8
CH8	-16.69	8
CH9	-16.85	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.28	8
Middle	-12.94	8
High	-12.90	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.99	8
Middle	-12.72	8
High	-12.49	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.21	8
Middle	-11.27	8
High	-10.51	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.94	8
Middle	-11.49	8
High	-14.19	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.61	8
Middle	-10.79	8
High	-12.63	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.13	8
Middle	-11.96	8
High	-12.10	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.94	8
Middle	-9.88	8
High	-9.77	8

MIMO 0:**802.11b Mode:**

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.50	8
CH2	-3.65	8
CH3	-7.58	8
CH6	-6.79	8
CH10	-6.17	8
CH11	-8.88	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.16	8
CH2	-10.85	8
CH3	-9.83	8
CH4	-7.85	8
CH6	-8.41	8
CH9	-8.24	8
CH10	-10.64	8
CH11	-11.76	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.36	8
CH2	-9.76	8
CH3	-9.84	8
CH4	-7.79	8
CH6	-8.10	8
CH9	-9.34	8
CH10	-10.51	8
CH11	-13.33	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.57	8
CH4	-15.01	8
CH5	-13.37	8
CH6	-14.53	8
CH7	-13.66	8
CH8	-16.30	8
CH9	-17.86	8

VHT20 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-13.68	8
CH2	-9.73	8
CH3	-10.03	8
CH4	-7.44	8
CH5	-8.40	8
CH6	-8.38	8
CH9	-9.82	8
CH10	-10.76	8
CH11	-12.45	8

VHT40 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-15.47	8
CH4	-14.85	8
CH5	-14.09	8
CH6	-14.16	8
CH7	-15.56	8
CH8	-16.51	8
CH9	-16.72	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-13.91	8
CH2	-11.68	8
CH3	-10.52	8
CH4	-8.74	8
CH5	-8.32	8
CH6	-7.26	8
CH8	-9.26	8
CH9	-9.99	8
CH10	-11.75	8
CH11	-13.35	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.46	8
CH4	-16.43	8
CH5	-14.13	8
CH6	-14.35	8
CH7	-16.54	8
CH8	-17.49	8
CH9	-19.06	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.92	8
Middle	-12.93	8
High	-14.01	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.05	8
Middle	-10.96	8
High	-13.16	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.96	8
Middle	-7.53	8
High	-10.29	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.47	8
Middle	-13.06	8
High	-15.32	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.58	8
Middle	-11.20	8
High	-12.40	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.85	8
Middle	-10.63	8
High	-13.31	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.35	8
Middle	-7.99	8
High	-7.78	8

MIMO 1:**802.11b Mode:**

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.47	8
CH2	-6.41	8
CH3	-7.77	8
CH6	-8.43	8
CH10	-7.06	8
CH11	-8.70	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.19	8
CH2	-10.22	8
CH3	-10.28	8
CH4	-9.46	8
CH6	-8.64	8
CH9	-9.37	8
CH10	-9.01	8
CH11	-11.35	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.70	8
CH2	-11.53	8
CH3	-10.21	8
CH4	-8.55	8
CH6	-7.56	8
CH9	-9.82	8
CH10	-10.26	8
CH11	-12.00	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-15.89	8
CH4	-15.51	8
CH5	-13.87	8
CH6	-15.99	8
CH7	-15.20	8
CH8	-16.59	8
CH9	-17.50	8

VHT20 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.22	8
CH2	-9.71	8
CH3	-7.95	8
CH4	-9.44	8
CH5	-7.35	8
CH6	-8.19	8
CH9	-9.72	8
CH10	-10.53	8
CH11	-11.75	8

VHT40 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.21	8
CH4	-15.45	8
CH5	-14.46	8
CH6	-15.10	8
CH7	-15.69	8
CH8	-16.86	8
CH9	-18.34	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.79	8
CH2	-11.56	8
CH3	-9.56	8
CH4	-9.77	8
CH5	-10.53	8
CH6	-8.85	8
CH8	-9.22	8
CH9	-9.58	8
CH10	-11.81	8
CH11	-13.29	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.68	8
CH4	-16.53	8
CH5	-15.84	8
CH6	-14.73	8
CH7	-17.62	8
CH8	-17.02	8
CH9	-19.09	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.60	8
Middle	-14.30	8
High	-14.59	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.24	8
Middle	-13.57	8
High	-12.56	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.78	8
Middle	-10.83	8
High	-10.04	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.85	8
Middle	-13.23	8
High	-15.86	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.74	8
Middle	-11.94	8
High	-14.14	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.78	8
Middle	-11.62	8
High	-13.62	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.09	8
Middle	-8.73	8
High	-9.97	8

MIMO:**802.11b Mode:**

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-5.95	8
CH2	-1.81	8
CH3	-4.66	8
CH6	-4.53	8
CH10	-3.58	8
CH11	-5.78	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.64	8
CH2	-7.52	8
CH3	-7.04	8
CH4	-5.57	8
CH6	-5.51	8
CH9	-5.76	8
CH10	-6.74	8
CH11	-8.54	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.01	8
CH2	-7.54	8
CH3	-7.01	8
CH4	-5.15	8
CH6	-4.81	8
CH9	-6.56	8
CH10	-7.37	8
CH11	-9.60	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-13.21	8
CH4	-12.24	8
CH5	-10.60	8
CH6	-12.19	8
CH7	-11.35	8
CH8	-13.43	8
CH9	-14.67	8

VHT20 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.88	8
CH2	-6.71	8
CH3	-5.85	8
CH4	-5.31	8
CH5	-4.83	8
CH6	-5.27	8
CH9	-6.76	8
CH10	-7.63	8
CH11	-9.08	8

VHT40 Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-12.81	8
CH4	-12.13	8
CH5	-11.26	8
CH6	-11.59	8
CH7	-12.61	8
CH8	-13.67	8
CH9	-14.45	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.31	8
CH2	-8.61	8
CH3	-7.00	8
CH4	-6.21	8
CH5	-6.28	8
CH6	-4.98	8
CH8	-6.23	8
CH9	-6.77	8
CH10	-8.77	8
CH11	-10.31	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-13.56	8
CH4	-13.47	8
CH5	-11.89	8
CH6	-11.52	8
CH7	-14.04	8
CH8	-14.24	8
CH9	-16.07	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.23	8
Middle	-10.55	8
High	-11.28	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.13	8
Middle	-9.06	8
High	-9.84	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.34	8

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Middle	-5.86	8
High	-7.16	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.09	8
Middle	-10.13	8
High	-12.57	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.11	8
Middle	-8.54	8
High	-10.17	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.27	8
Middle	-8.08	8
High	-10.45	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-5.70	8
Middle	-5.33	8
High	-5.73	8

Test Plots

ANT 0:

802.11b CH1



802.11b CH2



802.11b CH3



802.11b CH6




802.11b CH10



802.11b CH11




802.11g CH1



802.11g CH2




802.11g CH3




802.11g CH4



802.11g CH6




802.11g CH9




802.11g CH10




802.11g CH11



802.11n-20 MHz CH1



802.11n-20 MHz CH2




802.11n-20 MHz CH3




802.11n-20 MHz CH4




802.11n-20 MHz CH6




802.11n-20 MHz CH9



802.11n-20 MHz CH10




802.11n-20 MHz CH11



802.11n-40 MHz CH3




802.11n-40 MHz CH4



802.11n-40 MHz CH5



802.11n-40 MHz CH6



802.11n-40 MHz CH7



802.11n-40 MHz CH8



802.11n-40 MHz CH9

